

Disclaimer

The following report(s) provides findings from an FDA-initiated query using its Sentinel pilot. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand the capabilities of the Sentinel pilot.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from the Sentinel pilot in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelssystem.org.

Overview for Request: cder_mpl1r_wp167

Request ID: cder_mpl1r_wp167_nsdv_v01

Request Description: In this report we examined counts of individuals using Trimethoprim-Sulfamethoxazole (TMP-SMX) and rates of Acute Respiratory Failure (ARF) during treatment. We assessed indications for TMP-SMX dispensing as well as concurrent diagnoses at the time of ARF diagnoses. We repeated the analyses for four other antibiotics of interest.

Sentinel Routine Querying Module: Cohort Identification and Descriptive Analysis (CIDA) module, version 9.4.1

Data Source: We distributed this request to 14 Data Partners on May 15, 2020. The study period included data from January 1, 2000 through December 31, 2019. Please see Appendix A for a list of dates of available data for each Data Partner.

Study Design: We identified individuals with incident use of TMP-SMX, Doxycycline, Minocycline, Cephalexin, or Clindamycin and evaluated the occurrence of ARF within 30 days after treatment initiation. This study included patients ages 6 months to 64 years. We performed our analysis among three tiers of patient cohorts that were increasingly restrictive to exclude prior health conditions (see Cohort Eligibility Criteria for additional detail). We examined two separate ARF event definitions.

This is a Type 2 request package in the Query Request Package (QRP) documentation.

Exposures of Interest: We defined the five exposures of interest, TMP-SMX, Doxycycline, Minocycline, Cephalexin, and Clindamycin, using National Drug Codes (NDCs). We required that all qualifying exposures have no evidence of the index-defining drug in the 30 days prior to index date and no evidence of the four other antibiotics of interest on the day of index. Cohort re-entry was allowed.

Please see Appendix B for a list of generic and brand names of medical products used to define exposures in this request.

Outcome of Interest: We defined the outcome of interest as ARF in the 30 days following exposure (including index date) using two separate definitions. The primary ARF outcome was defined as a single inpatient encounter in the 30 days following index exposure that included all of the following: a diagnosis code for acute respiratory failure, a procedure code for mechanical ventilation, and NO diagnosis code for heart failure.

The secondary ARF outcome was defined as a single inpatient encounter in the 30 days following index exposure that included all of the following: a diagnosis code for either ARF OR hypersensitivity pneumonitis, a procedure code for mechanical ventilation OR extracorporeal membrane oxygenation (ECMO), and NO diagnosis code for heart failure.

Diagnoses were captured using International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes. Procedures were captured using International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Current Procedural Terminology, Fourth Edition (CPT-4) or Current Procedural Terminology, Fourth Edition, Category Two (CPT-2) codes.

Please see Appendix C for a list of diagnosis and procedure codes used to define outcome definitions for this request.

Overview for Request: cder_mpl1r_wp167

Cohort Eligibility Criteria: We required members to be enrolled in health plans with medical and drug coverage for 180 days prior to their index date in order to be included in the cohort; gaps in coverage of up to 45 days were allowed and treated as continuous enrollment. The following age groups were included in the cohort: 6 months-11 years, 12-17 years, 18-45 years, and 46-64 years. We formed three tiers of cohorts for each exposure group that were increasingly restrictive to exclude prior health conditions. The tiers were defined as follows: Tier 1, patients with no inpatient (IP) encounter in the 30 days prior to and including index date; Tier 2, patients with no IP encounter in the 30 days prior to and including index date AND no evidence in the 180 days prior to and including index date of: human immunodeficiency virus (HIV), cancer (with the exception of non-melanoma skin cancer), transplant, rheumatoid arthritis, congenital heart diseases, heart failure, or chronic obstructive pulmonary disease (COPD); Tier 3, patients with no IP encounter in the 180 days prior to and including index date AND no evidence in the 180 days prior to and including index date of: HIV, cancer (with the exception of non-melanoma skin cancer), transplant, rheumatoid arthritis, congenital heart diseases, heart failure, or COPD.

Please see Appendix D for the list of ICD-9-CM, ICD-10-CM, ICD-10-PCS, and CPT-4 diagnosis and procedure codes used to define exclusion criteria in this request.

Follow-up Time: Follow-up began on the day of index dispensing and continued until one of the following: 1) disenrollment; 2) death; 3) ARF event (see event of interest definitions); 4) end of data provided by the Data Partner; 5) end of the query period; 6) end of the 30-day assigned exposure episode.

Baseline Characteristics: We characterized patients by their sex, age, and year of index date. We also assessed the following potential treatment indications in the two days prior to and including index date: respiratory tract infections, urinary tract infections, otitis media, acne, well-check visits, skin abscess, and rectal abscess.

We assessed concurrent diagnoses within the same inpatient stay as ARF diagnosis among patients with an ARF outcome. These concurrent diagnoses included: sepsis, pneumonia, pulmonary contusion, trauma, pancreatitis, anaphylaxis, shock, and angioedema. We also categorized patients with ANY of these eight concurrent conditions and patients with NONE of these eight concurrent conditions.

Please see Appendix E for the list of ICD-9-CM, ICD-10-CM, and CPT-4 codes used to define baseline characteristics in this request. Please see Appendix F for the list of generic and brand names used to define select baseline characteristics in this request.

Please see Appendix G for the list of ICD-9-CM, ICD-10-CM and CPT-4 codes used to define concurrent conditions in this request.

Stratifications: We performed all analyses in the overall population and stratified by age category. We examined time-to-event and rates of ARF diagnoses by presence/absence of each potential treatment indication described in the baseline characteristics.

Please see Appendices H through L for the specifications of parameters used in this request and a design diagram.

Limitations: Algorithms used to define exposures, outcomes, and inclusion criteria are imperfect; thus, it is possible that there may be misclassification. Data should be interpreted with these limitations in mind.

Notes: Please contact the Sentinel Operations Center (info@sentinelssystem.org) for questions and to provide comments/suggestions for future enhancements to this document. For more information on Sentinel's routine querying modules, please refer to the documentation (<https://dev.sentinelssystem.org/projects/SENTINEL/repos/sentinel-routine-querying-tool-documentation/browse>).

Table of Contents

<u>Glossary</u>	List of Terms Found in this Report and their Definitions
<u>Table 1a</u>	Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019
<u>Table 1b</u>	Counts of Acute Respiratory Failure (ARF) Events (Primary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019
<u>Table 1c</u>	Counts of Acute Respiratory Failure (ARF) Event (Secondary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019
<u>Table 2a</u>	Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall
<u>Table 2b</u>	Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall
<u>Table 2c</u>	Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication
<u>Table 2d</u>	Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication
<u>Table 3a</u>	Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group
<u>Table 3b</u>	Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group
<u>Table 4a</u>	Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall (Primary Outcome Definition)
<u>Table 4b</u>	Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall (Secondary Outcome Definition)
<u>Table 5a</u>	Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Primary Outcome Definition)
<u>Table 5b</u>	Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Secondary Outcome Definition)
<u>Table 6a</u>	Summary of Length of Follow-Up for Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

Table of Contents

<u>Table 6b</u>	Summary of Length of Follow-Up for Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall
<u>Table 7a</u>	Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Primary Outcome Definition)
<u>Table 7b</u>	Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Secondary Outcome Definition)
<u>Figure 1a</u>	Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Primary Definition) Among Users in Tier 1 Cohort, in the Sentinel Distributed Database (SDD)
<u>Figure 1b</u>	Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Primary Definition) Among Users in Tier 2 Cohort, in the Sentinel Distributed Database (SDD)
<u>Figure 1c</u>	Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Primary Definition) Among Users in Tier 3 Cohort, in the Sentinel Distributed Database (SDD)
<u>Figure 1d</u>	Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Secondary Definition) Among Users in Tier 1 Cohort, in the Sentinel Distributed Database (SDD)
<u>Figure 1e</u>	Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Secondary Definition) Among Users in Tier 2 Cohort, in the Sentinel Distributed Database (SDD)
<u>Figure 1f</u>	Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Secondary Definition) Among Users in Tier 3 Cohort, in the Sentinel Distributed Database (SDD)
<u>Appendix A</u>	Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (May 15, 2020)
<u>Appendix B</u>	Generic and Brand Names of Medical Products Used to Define Exposures in this Request
<u>Appendix C</u>	List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Outcomes in this Request
<u>Appendix D</u>	List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request
<u>Appendix E</u>	List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request
<u>Appendix F</u>	Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request
<u>Appendix G</u>	List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Table of Contents

<u>Appendix H</u>	Specifications Defining Parameters in this Request
<u>Appendix I</u>	Specifications Defining Baseline Characteristics in this Request
<u>Appendix J</u>	Concurrent Condition Program Parameter Specifications for this Request
<u>Appendix K</u>	Event Combination Defining Parameters for this Request
<u>Appendix L</u>	Design Diagram of Cohort Entry Requirements, Index Exposure, and Event Outcome Assessment

**Glossary of Terms for Analyses Using
Cohort Identification and Descriptive Analysis (CIDA) Module***

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*all terms may not be used in this report

Table 1a. Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users (Tier 1 Cohort)		Doxycycline Users (Tier 1 Cohort)		Minocycline Users (Tier 1 Cohort)		Cephalexin Users (Tier 1 Cohort)		Clindamycin Users (Tier 1 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes	16,860,639	100%	15,383,809	100%	3,322,475	100%	20,694,302	100%	7,741,336	100%
Number of unique patients	11,440,700	100%	10,385,697	100%	1,850,139	100%	14,687,586	100%	5,793,288	100%
Patient Characteristics	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation
Mean Age (years)	35.8	17.6	40.3	14.8	29.8	14.8	35.3	18.5	40.5	15.9
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Age (years)										
6 months - <12 years	2,107,120	12.5%	66,296	0.4%	11,540	0.3%	3,204,590	15.5%	442,400	5.7%
12 - 17	1,240,611	7.4%	1,316,672	8.6%	1,011,218	30.4%	1,788,096	8.6%	456,444	5.9%
18 - 45	7,569,821	44.9%	7,750,054	50.4%	1,662,313	50.0%	8,248,373	39.9%	3,399,220	43.9%
46 - 64	5,943,087	35.2%	6,250,787	40.6%	637,404	19.2%	7,453,243	36.0%	3,443,272	44.5%
Sex										
Female	7,586,618	66.3%	6,118,560	58.9%	1,118,984	60.5%	8,240,120	56.1%	3,373,927	58.2%
Male	3,854,082	33.7%	4,267,137	41.1%	731,155	39.5%	6,447,466	43.9%	2,419,361	41.8%
Year										
2000	178,743	1.1%	85,597	0.6%	13,238	0.4%	224,704	1.1%	22,876	0.3%
2001	322,225	1.9%	177,826	1.2%	26,569	0.8%	424,853	2.1%	49,081	0.6%
2002	281,075	1.7%	180,112	1.2%	28,091	0.8%	429,482	2.1%	54,884	0.7%
2003	252,764	1.5%	185,378	1.2%	29,375	0.9%	425,039	2.1%	61,923	0.8%
2004	234,343	1.4%	180,797	1.2%	32,957	1.0%	408,913	2.0%	68,273	0.9%
2005	268,531	1.6%	210,035	1.4%	35,066	1.1%	427,568	2.1%	85,903	1.1%
2006	429,575	2.5%	328,469	2.1%	84,124	2.5%	639,507	3.1%	166,293	2.1%
2007	622,269	3.7%	470,054	3.1%	131,720	4.0%	879,110	4.2%	253,165	3.3%
2008	1,037,451	6.2%	779,906	5.1%	231,351	7.0%	1,259,005	6.1%	424,311	5.5%
2009	1,348,572	8.0%	1,040,967	6.8%	303,589	9.1%	1,542,806	7.5%	563,330	7.3%
2010	1,292,894	7.7%	983,909	6.4%	275,491	8.3%	1,444,028	7.0%	545,677	7.0%
2011	1,250,151	7.4%	1,004,468	6.5%	257,322	7.7%	1,384,803	6.7%	541,895	7.0%
2012	1,198,529	7.1%	1,051,369	6.8%	254,127	7.6%	1,306,265	6.3%	539,337	7.0%
2013	1,260,474	7.5%	1,087,719	7.1%	295,704	8.9%	1,373,041	6.6%	590,216	7.6%

Table 1a. Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Patient Characteristics	TMP-SMX Users (Tier 1 Cohort)		Doxycycline Users (Tier 1 Cohort)		Minocycline Users (Tier 1 Cohort)		Cephalexin Users (Tier 1 Cohort)		Clindamycin Users (Tier 1 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2014	1,270,659	7.5%	1,121,865	7.3%	291,702	8.8%	1,455,907	7.0%	635,467	8.2%
2015	1,270,897	7.5%	1,183,740	7.7%	268,535	8.1%	1,505,050	7.3%	684,025	8.8%
2016	1,300,352	7.7%	1,305,087	8.5%	255,591	7.7%	1,565,352	7.6%	714,612	9.2%
2017	1,277,915	7.6%	1,496,084	9.7%	222,084	6.7%	1,595,856	7.7%	711,312	9.2%
2018	1,077,824	6.4%	1,464,892	9.5%	177,633	5.3%	1,446,263	7.0%	624,430	8.1%
2019	685,396	4.1%	1,045,535	6.8%	108,206	3.3%	956,750	4.6%	404,326	5.2%
Recorded history of TMP-SMX or Other Antibiotic Indications in the two days prior to or including index date										
Respiratory tract infections	1,509,010	8.9%	2,610,143	17.0%	43,605	1.3%	2,122,237	10.3%	458,115	5.9%
UTI	3,601,494	21.4%	254,275	1.7%	6,045	0.2%	914,912	4.4%	23,956	0.3%
Otitis media	537,078	3.2%	135,553	0.9%	4,258	0.1%	311,437	1.5%	79,498	1.0%
Acne	334,099	2.0%	1,765,637	11.5%	1,565,788	47.1%	303,290	1.5%	71,321	0.9%
Well-check visits	215,052	1.3%	198,136	1.3%	85,120	2.6%	260,014	1.3%	47,948	0.6%
Skin abscess	2,450,712	14.5%	665,717	4.3%	42,879	1.3%	3,060,414	14.8%	861,081	11.1%
Rectal abscess	27,438	0.2%	4,684	0.0%	261	0.0%	22,179	0.1%	11,266	0.1%

Table 1a. Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users (Tier 2 Cohort)		Doxycycline Users (Tier 2 Cohort)		Minocycline Users (Tier 2 Cohort)		Cephalexin Users (Tier 2 Cohort)		Clindamycin Users (Tier 2 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes	15,507,411	100%	14,039,407	100%	3,196,093	100%	18,983,204	100%	7,093,203	100%
Number of unique patients	10,729,697	100%	9,663,425	100%	1,784,292	100%	13,760,950	100%	5,413,108	100%
Patient Characteristics	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation
Mean Age (years)	34.5	17.4	39.1	14.7	29	14.4	33.9	18.3	39.4	15.9
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Age (years)										
6 months - <12 years	2,061,123	13.3%	65,543	0.5%	11,416	0.4%	3,168,982	16.7%	432,934	6.1%
12 - 17	1,220,860	7.9%	1,306,413	9.3%	1,005,397	31.5%	1,768,388	9.3%	448,836	6.3%
18 - 45	7,270,070	46.9%	7,477,316	53.3%	1,626,887	50.9%	7,904,378	41.6%	3,272,906	46.1%
46 - 64	4,955,358	32.0%	5,190,135	37.0%	552,393	17.3%	6,141,456	32.4%	2,938,527	41.4%
Sex										
Female	7,165,720	66.8%	5,700,299	59.0%	1,078,672	60.5%	7,685,305	55.8%	3,141,926	58.0%
Male	3,563,977	33.2%	3,963,126	41.0%	705,620	39.5%	6,075,645	44.2%	2,271,182	42.0%
Year										
2000	165,333	1.1%	78,301	0.6%	12,934	0.4%	207,140	1.1%	21,270	0.3%
2001	298,362	1.9%	163,325	1.2%	25,865	0.8%	392,407	2.1%	45,601	0.6%
2002	259,002	1.7%	164,911	1.2%	27,371	0.9%	395,918	2.1%	50,798	0.7%
2003	232,221	1.5%	168,696	1.2%	28,606	0.9%	390,458	2.1%	57,002	0.8%
2004	215,383	1.4%	164,852	1.2%	32,043	1.0%	376,871	2.0%	62,750	0.9%
2005	248,628	1.6%	192,319	1.4%	34,041	1.1%	395,453	2.1%	79,249	1.1%
2006	402,451	2.6%	306,482	2.2%	81,651	2.6%	597,989	3.2%	154,624	2.2%
2007	581,385	3.7%	438,687	3.1%	127,811	4.0%	819,964	4.3%	234,762	3.3%
2008	964,690	6.2%	725,768	5.2%	224,066	7.0%	1,165,502	6.1%	393,268	5.5%
2009	1,255,370	8.1%	968,159	6.9%	294,240	9.2%	1,428,710	7.5%	522,206	7.4%
2010	1,201,387	7.7%	911,401	6.5%	266,792	8.3%	1,334,365	7.0%	504,884	7.1%
2011	1,159,663	7.5%	928,049	6.6%	248,815	7.8%	1,277,574	6.7%	500,151	7.1%
2012	1,109,542	7.2%	968,935	6.9%	245,385	7.7%	1,201,960	6.3%	497,061	7.0%
2013	1,162,616	7.5%	1,001,615	7.1%	284,415	8.9%	1,257,976	6.6%	542,603	7.6%

Table 1a. Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Patient Characteristics	TMP-SMX Users (Tier 2 Cohort)		Doxycycline Users (Tier 2 Cohort)		Minocycline Users (Tier 2 Cohort)		Cephalexin Users (Tier 2 Cohort)		Clindamycin Users (Tier 2 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2014	1,166,114	7.5%	1,029,502	7.3%	280,055	8.8%	1,331,964	7.0%	582,426	8.2%
2015	1,162,584	7.5%	1,078,388	7.7%	257,042	8.0%	1,372,674	7.2%	624,832	8.8%
2016	1,180,945	7.6%	1,176,846	8.4%	243,628	7.6%	1,421,577	7.5%	648,195	9.1%
2017	1,156,531	7.5%	1,339,629	9.5%	211,105	6.6%	1,446,983	7.6%	644,328	9.1%
2018	971,224	6.3%	1,306,784	9.3%	168,067	5.3%	1,306,643	6.9%	563,598	7.9%
2019	613,980	4.0%	926,758	6.6%	102,161	3.2%	861,076	4.5%	363,595	5.1%
Recorded history of TMP-SMX or Other Antibiotic Indications in the two days prior to or including index date										
Respiratory tract infections	1,398,301	9.0%	2,328,601	16.6%	40,717	1.3%	2,003,297	10.6%	429,858	6.1%
UTI	3,389,196	21.9%	235,534	1.7%	5,505	0.2%	843,659	4.4%	21,263	0.3%
Otitis media	517,582	3.3%	123,884	0.9%	4,039	0.1%	296,890	1.6%	74,827	1.1%
Acne	324,209	2.1%	1,722,931	12.3%	1,539,588	48.2%	290,394	1.5%	67,364	0.9%
Well-check visits	211,596	1.4%	195,624	1.4%	84,509	2.6%	256,911	1.4%	47,065	0.7%
Skin abscess	2,301,260	14.8%	598,568	4.3%	38,819	1.2%	2,852,902	15.0%	787,128	11.1%
Rectal abscess	25,423	0.2%	4,149	0.0%	228	0.0%	20,871	0.1%	10,310	0.1%

Table 1a. Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users (Tier 3 Cohort)		Doxycycline Users (Tier 3 Cohort)		Minocycline Users (Tier 3 Cohort)		Cephalexin Users (Tier 3 Cohort)		Clindamycin Users (Tier 3 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes	15,037,488	100%	13,745,178	100%	3,156,634	100%	18,364,144	100%	6,852,797	100%
Number of unique patients	10,507,868	100%	9,504,801	100%	1,764,821	100%	13,442,090	100%	5,275,960	100%
Patient Characteristics	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation	Mean	Standard Deviation
Mean Age (years)	34.5	17.4	39.1	14.7	28.9	14.4	33.7	18.3	39.4	15.9
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Age (years)										
6 months - <12 years	2,025,861	13.5%	65,067	0.5%	11,324	0.4%	3,137,884	17.1%	425,014	6.2%
12 - 17	1,196,783	8.0%	1,293,425	9.4%	998,956	31.6%	1,742,217	9.5%	440,566	6.4%
18 - 45	7,015,950	46.7%	7,307,598	53.2%	1,604,748	50.8%	7,550,723	41.1%	3,149,304	46.0%
46 - 64	4,798,894	31.9%	5,079,088	37.0%	541,606	17.2%	5,933,320	32.3%	2,837,913	41.4%
Sex										
Female	7,007,746	66.7%	5,590,482	58.8%	1,065,289	60.4%	7,455,220	55.5%	3,045,270	57.7%
Male	3,500,122	33.3%	3,914,319	41.2%	699,532	39.6%	5,986,870	44.5%	2,230,690	42.3%
Year										
2000	158,183	1.1%	74,964	0.5%	12,760	0.4%	196,873	1.1%	20,195	0.3%
2001	285,752	1.9%	156,596	1.1%	25,511	0.8%	373,339	2.0%	43,415	0.6%
2002	247,715	1.6%	158,363	1.2%	26,932	0.9%	376,542	2.1%	48,373	0.7%
2003	221,724	1.5%	162,163	1.2%	28,135	0.9%	370,950	2.0%	54,117	0.8%
2004	206,496	1.4%	158,896	1.2%	31,504	1.0%	359,496	2.0%	59,607	0.9%
2005	238,077	1.6%	185,765	1.4%	33,486	1.1%	377,267	2.1%	75,219	1.1%
2006	387,736	2.6%	298,084	2.2%	80,458	2.5%	575,665	3.1%	148,269	2.2%
2007	561,159	3.7%	427,382	3.1%	126,029	4.0%	791,325	4.3%	225,633	3.3%
2008	933,634	6.2%	708,183	5.2%	221,125	7.0%	1,126,342	6.1%	378,892	5.5%
2009	1,216,141	8.1%	946,138	6.9%	290,460	9.2%	1,382,659	7.5%	503,902	7.4%
2010	1,164,702	7.7%	891,008	6.5%	263,692	8.4%	1,292,494	7.0%	487,350	7.1%
2011	1,125,084	7.5%	908,546	6.6%	245,827	7.8%	1,238,008	6.7%	483,000	7.0%
2012	1,077,376	7.2%	949,008	6.9%	242,531	7.7%	1,165,089	6.3%	480,203	7.0%
2013	1,129,857	7.5%	982,778	7.1%	281,025	8.9%	1,219,876	6.6%	524,635	7.7%

Table 1a. Baseline Characteristics for Members with Trimethoprim-Sulfamethoxazole (TMP-SMX) or Other Antibiotics of Interest in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Patient Characteristics	TMP-SMX Users (Tier 3 Cohort)		Doxycycline Users (Tier 3 Cohort)		Minocycline Users (Tier 3 Cohort)		Cephalexin Users (Tier 3 Cohort)		Clindamycin Users (Tier 3 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2014	1,133,485	7.5%	1,011,174	7.4%	276,729	8.8%	1,292,313	7.0%	563,149	8.2%
2015	1,130,104	7.5%	1,059,029	7.7%	253,946	8.0%	1,332,077	7.3%	604,710	8.8%
2016	1,148,759	7.6%	1,155,334	8.4%	240,762	7.6%	1,379,829	7.5%	627,304	9.2%
2017	1,125,290	7.5%	1,315,581	9.6%	208,550	6.6%	1,405,630	7.7%	624,184	9.1%
2018	947,343	6.3%	1,284,933	9.3%	166,165	5.3%	1,270,571	6.9%	547,104	8.0%
2019	598,871	4.0%	911,253	6.6%	101,007	3.2%	837,799	4.6%	353,536	5.2%
Recorded history of TMP-SMX or Other Antibiotic Indications in the two days prior to or including index date										
Respiratory tract infections	1,363,008	9.1%	2,281,059	16.6%	40,037	1.3%	1,956,459	10.7%	419,659	6.1%
UTI	3,284,156	21.8%	228,716	1.7%	5,304	0.2%	806,695	4.4%	19,964	0.3%
Otitis media	506,722	3.4%	121,404	0.9%	3,976	0.1%	290,175	1.6%	72,992	1.1%
Acne	319,361	2.1%	1,702,912	12.4%	1,524,234	48.3%	284,879	1.6%	65,732	1.0%
Well-check visits	206,907	1.4%	192,518	1.4%	83,943	2.7%	252,200	1.4%	45,853	0.7%
Skin abscess	2,235,404	14.9%	579,696	4.2%	37,382	1.2%	2,775,175	15.1%	758,621	11.1%
Rectal abscess	24,536	0.2%	3,966	0.0%	215	0.0%	20,252	0.1%	9,945	0.1%

¹All metrics are based on total number of episodes per group, except for sex which is based on total number of unique patients

Table 1b. Counts of Acute Respiratory Failure (ARF) Events (Primary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users with an ARF Event (Tier 1 Cohort)		Doxycycline Users with an ARF Event (Tier 1 Cohort)		Minocycline Users with an ARF Event (Tier 1 Cohort)		Cephalexin Users with an ARF Event (Tier 1 Cohort)		Clindamycin Users with an ARF Event (Tier 1 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes with an event	3,601	100%	2,891	100%	159	100%	3,199	100%	1,432	100%
Concurrent Diagnoses (occurred within the same Inpatient encounter as the ARF Event)										
Sepsis	1,472	40.9%	1,018	35.2%	54	34.0%	1,165	36.4%	506	35.3%
Pneumonia	546	15.2%	485	16.8%	23	14.5%	463	14.5%	184	12.8%
Pulmonary Contusion	24	0.7%	31	1.1%	5	3.1%	33	1.0%	13	0.9%
Trauma	1,526	42.4%	1,018	35.2%	70	44.0%	1,400	43.8%	541	37.8%
Pancreatitis	133	3.7%	80	2.3%	8	5.0%	123	3.8%	39	2.7%
Anaphlaxis	33	0.9%	25	0.9%	2	1.3%	30	0.9%	23	1.6%
Shock	941	26.1%	603	20.9%	32	20.1%	764	23.9%	340	23.7%
Angioedema	33	0.9%	22	0.8%	2	1.3%	23	0.7%	29	2.0%
ANY Concurrent Diagnosis during ARF Event	2,589	71.9%	1,874	64.8%	116	73.0%	2,222	69.5%	981	68.5%
NO Concurrent Diagnosis during ARF Event	1,012	28.1%	1,017	35.2%	43	27.0%	977	30.5%	451	31.5%

Table 1b. Counts of Acute Respiratory Failure (ARF) Events (Primary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users with an ARF Event (Tier 2 Cohort)		Doxycycline Users with an ARF Event (Tier 2 Cohort)		Minocycline Users with an ARF Event (Tier 2 Cohort)		Cephalexin Users with an ARF Event (Tier 2 Cohort)		Clindamycin Users with an ARF Event (Tier 2 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes with an event	1,943	100%	1,384	100%	102	100%	1,904	100%	925	100%
Concurrent Diagnoses (occurred within the same Inpatient encounter as the ARF Event)										
Sepsis	796	41.0%	529	38.2%	29	28.4%	661	34.7%	310	33.5%
Pneumonia	284	14.6%	250	18.1%	18	17.6%	277	14.5%	113	12.2%
Pulmonary Contusion	20	1.0%	25	1.8%	5	4.9%	25	1.3%	12	1.3%
Trauma	930	47.9%	557	40.2%	53	52.0%	885	46.5%	379	41.0%
Pancreatitis	80	4.1%	49	3.5%	5	4.9%	82	4.3%	28	3.0%
Anaphylaxis	22	1.1%	15	1.1%	2	2.0%	17	0.9%	16	1.7%
Shock	512	26.4%	306	22.1%	23	22.5%	425	22.3%	212	22.9%
Angioedema	20	1.0%	14	1.0%	2	2.0%	14	0.7%	21	2.3%
ANY Concurrent Diagnosis during ARF Event	1,472	75.8%	995	71.9%	77	75.5%	1,345	70.6%	643	69.5%
NO Concurrent Diagnosis during ARF Event	471	24.2%	389	28.1%	25	24.5%	559	29.4%	282	30.5%

Table 1b. Counts of Acute Respiratory Failure (ARF) Events (Primary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users with an ARF Event (Tier 3 Cohort)		Doxycycline Users with an ARF Event (Tier 3 Cohort)		Minocycline Users with an ARF Event (Tier 3 Cohort)		Cephalexin Users with an ARF Event (Tier 3 Cohort)		Clindamycin Users with an ARF Event (Tier 3 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes with an event	1,607	100%	1,225	100%	85	100%	1,607	100%	779	100%
Concurrent Diagnoses (occurred within the same inpatient encounter as the ARF Event)										
Sepsis	671	41.8%	468	38.2%	22	25.9%	557	34.7%	265	34.0%
Pneumonia	233	14.5%	219	17.9%	13	15.3%	234	14.6%	92	11.8%
Pulmonary Contusion	19	1.2%	25	2.0%	5	5.9%	21	1.3%	10	1.3%
Trauma	784	48.8%	498	40.7%	47	55.3%	738	45.9%	320	41.1%
Pancreatitis	63	3.9%	43	3.5%	3	3.5%	57	3.5%	22	2.8%
Anaphlaxis	18	1.1%	15	1.2%	2	2.4%	11	0.7%	14	1.8%
Shock	441	27.4%	269	22.0%	18	21.2%	350	21.8%	180	23.1%
Angioedema	19	1.2%	14	1.1%	1	1.2%	13	0.8%	17	2.2%
ANY Concurrent Diagnosis during ARF Event	1,233	76.7%	887	72.4%	64	75.3%	1,134	70.6%	539	69.2%
NO Concurrent Diagnosis during ARF Event	374	23.3%	338	27.6%	21	24.7%	473	29.4%	240	30.8%

¹All metrics are based on total number of episodes with an event per group

Table 1c. Counts of Acute Respiratory Failure (ARF) Event (Secondary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users with an ARF Event (Tier 1 Cohort)		Doxycycline Users with an ARF Event (Tier 1 Cohort)		Minocycline Users with an ARF Event (Tier 1 Cohort)		Cephalexin Users with an ARF Event (Tier 1 Cohort)		Clindamycin Users with an ARF Event (Tier 1 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes with an event	3,608	100%	2,894	100%	161	100%	3,200	100%	1,433	100%
Concurrent Diagnoses (occurred within the same Inpatient encounter as the ARF Event)										
Sepsis	1,474	40.9%	1,019	35.2%	55	34.2%	1,165	36.4%	506	35.3%
Pneumonia	551	15.3%	485	16.8%	24	14.9%	464	14.5%	184	12.8%
Pulmonary Contusion	24	0.7%	31	1.1%	5	3.1%	33	1.0%	13	0.9%
Trauma	1,528	42.4%	1,018	35.2%	70	43.5%	1,401	43.8%	541	37.8%
Pancreatitis	133	3.7%	80	2.8%	8	5.0%	123	3.8%	39	2.7%
Anaphlaxis	33	0.9%	25	0.9%	2	1.2%	30	0.9%	23	1.6%
Shock	942	26.1%	605	20.9%	33	20.5%	765	23.9%	340	23.7%
Angioedema	33	0.9%	22	0.8%	2	1.2%	23	0.7%	29	2.0%
ANY Concurrent Diagnosis during ARF Event	2,594	71.9%	1,876	64.8%	118	73.3%	2,223	69.5%	981	68.5%
NO Concurrent Diagnosis during ARF Event	1,014	28.1%	1,018	35.2%	43	26.7%	977	30.5%	452	31.5%

Table 1c. Counts of Acute Respiratory Failure (ARF) Event (Secondary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users with an ARF Event (Tier 2 Cohort)		Doxycycline Users with an ARF Event (Tier 2 Cohort)		Minocycline Users with an ARF Event (Tier 2 Cohort)		Cephalexin Users with an ARF Event (Tier 2 Cohort)		Clindamycin Users with an ARF Event (Tier 2 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes with an event	1,947	100%	1,386	100%	102	100%	1,905	100%	926	100%
Concurrent Diagnoses (occurred within the same Inpatient encounter as the ARF Event)										
Sepsis	796	40.9%	529	38.2%	29	28.4%	661	34.7%	310	33.5%
Pneumonia	286	14.7%	250	18.0%	18	17.6%	278	14.6%	113	12.2%
Pulmonary Contusion	20	1.0%	25	1.8%	5	4.9%	25	1.3%	12	1.3%
Trauma	931	47.8%	557	40.2%	53	52.0%	886	46.5%	379	40.9%
Pancreatitis	80	4.1%	49	3.5%	5	4.9%	82	4.3%	28	3.0%
Anaphlaxis	22	1.1%	15	1.1%	2	2.0%	17	0.9%	16	1.7%
Shock	512	26.3%	307	22.2%	23	22.5%	426	22.4%	212	22.9%
Angioedema	20	1.0%	14	1.0%	2	2.0%	14	0.7%	21	2.3%
ANY Concurrent Diagnosis during ARF Event	1,474	75.7%	996	71.9%	77	75.5%	1,346	70.7%	643	69.4%
NO Concurrent Diagnosis during ARF Event	473	24.3%	390	28.1%	25	24.5%	559	29.3%	283	30.6%

Table 1c. Counts of Acute Respiratory Failure (ARF) Event (Secondary Outcome Definition) and Events with Concurrent Diagnoses in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019

Characteristic ¹	TMP-SMX Users with an ARF Event (Tier 3 Cohort)		Doxycycline Users with an ARF Event (Tier 3 Cohort)		Minocycline Users with an ARF Event (Tier 3 Cohort)		Cephalexin Users with an ARF Event (Tier 3 Cohort)		Clindamycin Users with an ARF Event (Tier 3 Cohort)	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of episodes with an event	1,611	100%	1,226	100%	85	100%	1,608	100%	780	100%
Concurrent Diagnoses (occurred within the same inpatient encounter as the ARF Event)										
Sepsis	671	41.7%	468	38.2%	22	25.9%	557	34.6%	265	34.0%
Pneumonia	235	14.6%	219	17.9%	13	15.3%	235	14.6%	92	11.8%
Pulmonary Contusion	19	1.2%	25	2.0%	5	5.9%	21	1.3%	10	1.3%
Trauma	785	48.7%	498	40.6%	47	55.3%	739	46.0%	320	41.0%
Pancreatitis	63	3.9%	43	3.5%	3	3.5%	57	3.5%	22	2.8%
Anaphlaxis	18	1.1%	15	1.2%	2	2.4%	11	0.7%	14	1.8%
Shock	441	27.4%	270	22.0%	18	21.2%	351	21.8%	180	23.1%
Angioedema	19	1.2%	14	1.1%	1	1.2%	13	0.8%	17	2.2%
ANY Concurrent Diagnosis during ARF Event	1,235	76.7%	888	72.4%	64	75.3%	1,135	70.6%	539	69.1%
NO Concurrent Diagnosis during ARF Event	376	23.3%	338	27.6%	21	24.7%	473	29.4%	241	30.9%

¹All metrics are based on total number of episodes with an event per group

Table 2a. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 1 Cohort, Primary Outcome											
Trimethoprim-Sulfamethoxazole (TMP SMX) Users	11,440,700	150,745,669	16,860,639	1,365,977.8	16,860,639	161,010,258	633,027,535	758.9	3,601	2.1	0.003
Doxycycline Users	10,385,697	150,746,006	15,383,809	1,243,746.3	15,394,464	238,913,937	428,470,556	689.0	2,891	1.9	0.002
Minocycline Users	1,850,139	150,745,419	3,322,475	269,127.3	3,322,481	93,005,021	149,376,803	122.7	159	0.5	0.001
Cephalexin Users	14,687,586	150,745,569	20,694,302	1,676,838.8	20,694,436	182,517,554	1,076,998,351	974.3	3,199	1.5	0.002
Clindamycin Users	5,793,288	150,744,938	7,741,336	626,129.2	7,744,275	63,237,038	334,607,385	384.3	1,432	1.8	0.002
Tier 2 Cohort, Primary Outcome											
TMP SMX Users	10,729,697	149,196,514	15,507,411	1,256,457.9	15,507,411	145,647,262	598,360,414	719.2	1,943	1.3	0.002
Doxycycline Users	9,663,425	149,196,940	14,039,407	1,135,164.7	14,048,799	221,435,894	394,826,394	647.7	1,384	1.0	0.001
Minocycline Users	1,784,292	149,196,335	3,196,093	258,899.6	3,196,098	89,884,494	144,191,515	119.6	102	0.3	<0.001
Cephalexin Users	13,760,950	149,196,528	18,983,204	1,538,280.2	18,983,324	168,155,233	1,022,766,546	922.3	1,904	1.0	0.001
Clindamycin Users	5,413,108	149,195,886	7,093,203	573,690.3	7,096,052	58,085,396	312,097,736	362.8	925	1.3	0.002
Tier 3 Cohort, Primary Outcome											
TMP SMX Users	10,507,868	148,846,712	15,037,488	1,218,447.1	15,037,488	141,164,107	583,552,350	706.0	1,607	1.1	0.001
Doxycycline Users	9,504,801	148,847,151	13,745,178	1,111,415.8	13,754,146	217,507,027	387,238,109	638.6	1,225	0.9	0.001
Minocycline Users	1,764,821	148,846,513	3,156,634	255,707.2	3,156,639	88,850,376	142,259,248	118.6	85	0.3	<0.001
Cephalexin Users	13,442,090	148,846,737	18,364,144	1,488,223.4	18,364,251	162,833,635	999,626,895	903.1	1,607	0.9	0.001
Clindamycin Users	5,275,960	148,846,081	6,852,797	554,278.0	6,855,573	56,167,443	302,592,102	354.5	779	1.1	0.001

¹Eligible Members are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period

Table 2b. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 1 Cohort, Secondary Outcome											
Trimethoprim-Sulfamethoxazole (TMP SMX) Users	11,440,700	150,745,669	16,860,639	1,365,977.6	16,860,639	161,010,258	633,027,535	758.9	3,608	2.1	0.003
Doxycycline Users	10,385,697	150,746,006	15,383,809	1,243,746.2	15,394,464	238,913,937	428,470,556	689.0	2,894	1.9	0.002
Minocycline Users	1,850,139	150,745,419	3,322,475	269,127.2	3,322,481	93,005,021	149,376,803	122.7	161	0.5	0.001
Cephalexin Users	14,687,586	150,745,569	20,694,302	1,676,838.8	20,694,436	182,517,554	1,076,998,351	974.3	3,200	1.5	0.002
Clindamycin Users	5,793,288	150,744,938	7,741,336	626,129.1	7,744,275	63,237,038	334,607,385	384.3	1,433	1.9	0.002
Tier 2 Cohort, Secondary Outcome											
TMP SMX Users	10,729,697	149,196,514	15,507,411	1,256,457.8	15,507,411	145,647,262	598,360,414	719.2	1,947	1.3	0.002
Doxycycline Users	9,663,425	149,196,940	14,039,407	1,135,164.6	14,048,799	221,435,894	394,826,394	647.7	1,386	1.0	0.001
Minocycline Users	1,784,292	149,196,335	3,196,093	258,899.6	3,196,098	89,884,494	144,191,515	119.6	102	0.3	<0.001
Cephalexin Users	13,760,950	149,196,528	18,983,204	1,538,280.2	18,983,324	168,155,233	1,022,766,546	922.3	1,905	1.0	0.001
Clindamycin Users	5,413,108	149,195,886	7,093,203	573,690.2	7,096,052	58,085,396	312,097,736	362.8	926	1.3	0.002
Tier 3 Cohort, Secondary Outcome											
TMP SMX Users	10,507,868	148,846,712	15,037,488	1,218,446.9	15,037,488	141,164,107	583,552,350	706.0	1,611	1.1	0.001
Doxycycline Users	9,504,801	148,847,151	13,745,178	1,111,415.8	13,754,146	217,507,027	387,238,109	638.6	1,226	0.9	0.001
Minocycline Users	1,764,821	148,846,513	3,156,634	255,707.2	3,156,639	88,850,376	142,259,248	118.6	85	0.3	<0.001
Cephalexin Users	13,442,090	148,846,737	18,364,144	1,488,223.4	18,364,251	162,833,635	999,626,895	903.1	1,608	0.9	0.001
Clindamycin Users	5,275,960	148,846,081	6,852,797	554,277.9	6,855,573	56,167,443	302,592,102	354.5	780	1.1	0.001

¹Eligible Members are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period

Table 2c. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 1 Cohort, Primary Outcome											
Trimethoprim-Sulfamethoxazole (TMP SMX) Users											
Overall	11,440,700	150,745,669	16,860,639	1,365,977.8	16,860,639	161,010,258	633,027,535	758.9	3,601	2.1	0.003
With respiratory infection	1,302,250	--	1,509,010	122,397.1	1,509,010	15,291,132	63,560,875	--	308	2.0	0.003
With urinary tract infection	2,901,468	--	3,601,494	291,915.6	3,601,494	25,922,691	116,059,393	--	548	1.5	0.002
With otitis media	467,565	--	537,078	43,617.3	537,078	5,845,657	50,620,029	--	57	1.1	0.001
With acne	279,478	--	334,099	27,048.8	334,099	6,632,556	13,789,101	--	14	0.4	0.001
With well-child visit	209,139	--	215,052	17,425.8	215,052	2,057,870	14,840,325	--	13	0.6	0.001
With skin abscess	2,163,725	--	2,450,712	198,554.2	2,450,712	23,576,627	110,768,793	--	482	2.0	0.002
With rectal abscess	26,492	--	27,438	2,220.9	27,438	260,897	801,545	--	7	2.6	0.003
Doxycycline Users											
Overall	10,385,697	150,746,006	15,383,809	1,243,746.3	15,394,464	238,913,937	428,470,556	689.0	2,891	1.9	0.002
With respiratory infection	2,184,757	--	2,610,143	210,654.7	2,611,650	25,506,238	51,421,677	--	668	2.6	0.003
With urinary tract infection	238,560	--	254,275	20,571.2	254,610	2,639,355	5,343,835	--	51	2.0	0.002
With otitis media	129,020	--	135,553	10,935.2	135,640	1,390,920	2,762,399	--	20	1.5	0.002
With acne	1,400,602	--	1,765,637	142,809.8	1,766,884	48,608,423	78,126,785	--	49	0.3	<0.001
With well-child visit	192,062	--	198,136	16,008.4	198,365	3,904,770	6,786,463	--	6	0.3	<0.001
With skin abscess	623,808	--	665,717	53,781.0	666,277	7,390,089	14,661,516	--	131	2.0	0.002
With rectal abscess	4,591	--	4,684	377.9	4,688	50,015	97,605	--	2	4.3	0.005
Minocycline Users											
Overall	1,850,139	150,745,419	3,322,475	269,127.3	3,322,481	93,005,021	149,376,803	122.7	159	0.5	0.001
With respiratory infection	41,287	--	43,605	3,534.1	43,605	936,819	1,614,137	--	5	1.1	0.001
With urinary tract infection	5,889	--	6,045	489.2	6,045	127,256	209,092	--	0	0.0	<0.001
With otitis media	4,185	--	4,258	345.4	4,258	100,366	164,777	--	0	0.0	<0.001
With acne	1,128,922	--	1,565,788	126,884.0	1,565,793	45,600,313	67,812,186	--	36	0.2	<0.001
With well-child visit	81,871	--	85,120	6,894.8	85,120	2,431,441	3,929,991	--	1	0.1	<0.001

Table 2c. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With skin abscess	40,872	--	42,879	3,470.3	42,879	753,650	1,328,884	--	7	1.6	0.002
With rectal abscess	256	--	261	21.2	261	3,741	6,972	--	0	0.0	<0.001
Cephalexin Users											
Overall	14,687,586	150,745,569	20,694,302	1,676,838.8	20,694,436	182,517,554	1,076,998,351	974.3	3,199	1.5	0.002
With respiratory infection	1,770,735	--	2,122,237	172,139.4	2,122,251	20,669,758	150,218,597	--	297	1.4	0.002
With urinary tract infection	810,628	--	914,912	73,914.0	914,919	7,721,698	52,437,140	--	252	2.8	0.003
With otitis media	284,603	--	311,437	25,265.3	311,439	3,070,374	26,340,316	--	41	1.3	0.002
With acne	271,332	--	303,290	24,563.7	303,292	4,314,814	13,026,593	--	23	0.8	0.001
With well-child visit	250,928	--	260,014	21,100.5	260,014	2,568,955	27,894,532	--	7	0.3	<0.001
With skin abscess	2,749,920	--	3,060,414	248,343.9	3,060,430	27,897,710	166,076,714	--	468	1.5	0.002
With rectal abscess	21,365	--	22,179	1,801.2	22,179	203,729	1,313,888	--	4	1.8	0.002
Clindamycin Users											
Overall	5,793,288	150,744,938	7,741,336	626,129.2	7,744,275	63,237,038	334,607,385	384.3	1,432	1.8	0.002
With respiratory infection	422,598	--	458,115	37,058.2	458,608	4,427,812	29,101,464	--	121	2.6	0.003
With urinary tract infection	23,357	--	23,956	1,937.2	23,967	197,911	837,564	--	7	2.9	0.004
With otitis media	74,962	--	79,498	6,421.6	79,591	783,192	9,047,706	--	13	1.6	0.002
With acne	65,880	--	71,321	5,764.6	71,348	849,279	3,025,086	--	5	0.7	0.001
With well-child visit	47,095	--	47,948	3,872.4	47,998	430,658	3,920,717	--	1	0.2	<0.001
With skin abscess	794,792	--	861,081	69,711.9	861,835	8,012,955	58,347,032	--	225	2.6	0.003
With rectal abscess	10,939	--	11,266	911.0	11,271	103,508	629,579	--	4	3.6	0.004
Tier 2 Cohort, Primary Outcome											
TMP SMX Users											
Overall	10,729,697	149,196,514	15,507,411	1,256,457.9	15,507,411	145,647,262	598,360,414	719.2	1,943	1.3	0.002
With respiratory infection	1,215,696	--	1,398,301	113,423.4	1,398,301	14,142,075	60,482,991	--	168	1.2	0.001
With urinary tract infection	2,747,960	--	3,389,196	274,720.0	3,389,196	24,289,683	111,964,644	--	333	1.0	0.001
With otitis media	450,957	--	517,582	42,033.7	517,582	5,633,824	49,474,260	--	47	0.9	0.001

Table 2c. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With acne	271,324	--	324,209	26,248.7	324,209	6,475,596	13,467,454	--	9	0.3	<0.001
With well-child visit	205,839	--	211,596	17,146.1	211,596	2,019,967	14,595,421	--	13	0.6	0.001
With skin abscess	2,040,684	--	2,301,260	186,457.4	2,301,260	22,109,249	106,847,546	--	315	1.4	0.002
With rectal abscess	24,581	--	25,423	2,058.3	25,423	241,015	755,937	--	5	2.0	0.002
Doxycycline Users											
Overall	9,663,425	149,196,940	14,039,407	1,135,164.7	14,048,799	221,435,894	394,826,394	647.7	1,384	1.0	0.001
With respiratory infection	1,977,717	--	2,328,601	187,945.4	2,329,846	22,780,530	45,822,316	--	358	1.5	0.002
With urinary tract infection	221,642	--	235,534	19,054.7	235,845	2,438,139	4,871,289	--	30	1.3	0.002
With otitis media	118,182	--	123,884	9,993.8	123,958	1,273,141	2,529,926	--	13	1.0	0.001
With acne	1,367,736	--	1,722,931	139,356.2	1,724,139	47,546,009	76,397,061	--	37	0.2	<0.001
With well-child visit	189,638	--	195,624	15,806.1	195,849	3,866,151	6,718,636	--	5	0.3	<0.001
With skin abscess	564,082	--	598,568	48,360.5	599,052	6,654,356	13,166,217	--	71	1.2	0.001
With rectal abscess	4,064	--	4,149	334.8	4,153	44,072	86,051	--	1	2.4	0.003
Minocycline Users											
Overall	1,784,292	149,196,335	3,196,093	258,899.6	3,196,098	89,884,494	144,191,515	119.6	102	0.3	<0.001
With respiratory infection	38,752	--	40,717	3,300.3	40,717	892,401	1,533,198	--	3	0.7	0.001
With urinary tract infection	5,383	--	5,505	445.4	5,505	117,351	191,417	--	0	0.0	<0.001
With otitis media	3,980	--	4,039	327.9	4,039	96,653	157,977	--	0	0.0	<0.001
With acne	1,111,557	--	1,539,588	124,764.9	1,539,592	44,856,021	66,727,608	--	30	0.2	<0.001
With well-child visit	81,287	--	84,509	6,845.8	84,509	2,414,604	3,902,853	--	0	0.0	<0.001
With skin abscess	37,113	--	38,819	3,141.6	38,819	690,862	1,213,244	--	3	0.8	0.001
With rectal abscess	225	--	228	18.5	228	3,266	6,122	--	0	0.0	<0.001
Cephalexin Users											
Overall	13,760,950	149,196,528	18,983,204	1,538,280.2	18,983,324	168,155,233	1,022,766,546	922.3	1,904	1.0	0.001
With respiratory infection	1,683,683	--	2,003,297	162,496.5	2,003,310	19,538,111	145,447,700	--	188	0.9	0.001
With urinary tract infection	751,601	--	843,659	68,177.4	843,666	7,123,336	50,210,348	--	153	1.8	0.002

Table 2c. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With otitis media	271,734	--	296,890	24,085.7	296,892	2,931,774	25,608,407	--	29	1.0	0.001
With acne	260,147	--	290,394	23,520.8	290,396	4,171,914	12,590,228	--	13	0.4	0.001
With well-child visit	247,956	--	256,911	20,848.9	256,911	2,539,882	27,632,819	--	7	0.3	<0.001
With skin abscess	2,579,761	--	2,852,902	231,519.5	2,852,917	26,013,152	158,611,307	--	283	1.0	0.001
With rectal abscess	20,125	--	20,871	1,694.9	20,871	191,920	1,266,853	--	3	1.4	0.002
Clindamycin Users											
Overall	5,413,108	149,195,886	7,093,203	573,690.3	7,096,052	58,085,396	312,097,736	362.8	925	1.3	0.002
With respiratory infection	398,162	--	429,858	34,773.5	430,342	4,155,194	27,709,589	--	89	2.1	0.003
With urinary tract infection	20,773	--	21,263	1,719.1	21,273	175,431	745,431	--	5	2.4	0.003
With otitis media	70,656	--	74,827	6,044.2	74,916	737,557	8,714,462	--	10	1.3	0.002
With acne	62,402	--	67,364	5,444.4	67,390	810,564	2,881,452	--	3	0.4	0.001
With well-child visit	46,246	--	47,065	3,801.1	47,115	423,499	3,864,638	--	1	0.2	<0.001
With skin abscess	730,646	--	787,128	63,731.5	787,871	7,322,531	54,953,529	--	151	1.9	0.002
With rectal abscess	10,021	--	10,310	833.4	10,315	94,677	588,598	--	2	1.9	0.002
Tier 3 Cohort, Primary Outcome											
TMP SMX Users											
Overall	10,507,868	148,846,712	15,037,488	1,218,447.1	15,037,488	141,164,107	583,552,350	706.0	1,607	1.1	0.001
With respiratory infection	1,188,223	--	1,363,008	110,563.2	1,363,008	13,785,596	59,205,477	--	147	1.1	0.001
With urinary tract infection	2,679,773	--	3,284,156	266,224.2	3,284,156	23,495,640	109,457,112	--	271	0.8	0.001
With otitis media	442,247	--	506,722	41,151.6	506,722	5,515,752	48,507,326	--	44	0.9	0.001
With acne	267,478	--	319,361	25,857.4	319,361	6,392,932	13,283,729	--	9	0.3	<0.001
With well-child visit	201,369	--	206,907	16,767.7	206,907	1,974,173	14,345,565	--	13	0.6	0.001
With skin abscess	1,991,397	--	2,235,404	181,132.4	2,235,404	21,458,070	104,647,958	--	282	1.3	0.002
With rectal abscess	23,760	--	24,536	1,986.4	24,536	232,343	731,192	--	4	1.6	0.002
Doxycycline Users											
Overall	9,504,801	148,847,151	13,745,178	1,111,415.8	13,754,146	217,507,027	387,238,109	638.6	1,225	0.9	0.001

Table 2c. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With respiratory infection	1,942,503	--	2,281,059	184,109.4	2,282,252	22,314,731	44,839,039	--	334	1.5	0.002
With urinary tract infection	215,557	--	228,716	18,502.8	229,007	2,365,760	4,729,731	--	28	1.2	0.002
With otitis media	115,885	--	121,404	9,793.7	121,473	1,247,822	2,480,455	--	10	0.8	0.001
With acne	1,353,310	--	1,702,912	137,741.3	1,704,095	47,012,167	75,497,146	--	34	0.2	<0.001
With well-child visit	186,698	--	192,518	15,555.0	192,732	3,822,396	6,639,976	--	4	0.2	<0.001
With skin abscess	547,733	--	579,696	46,839.5	580,149	6,437,853	12,740,188	--	58	1.0	0.001
With rectal abscess	3,891	--	3,966	320.0	3,970	42,017	81,991	--	1	2.5	0.003
Minocycline Users											
Overall	1,764,821	148,846,513	3,156,634	255,707.2	3,156,639	88,850,376	142,259,248	118.6	85	0.3	<0.001
With respiratory infection	38,138	--	40,037	3,245.1	40,037	879,983	1,511,678	--	2	0.5	0.001
With urinary tract infection	5,191	--	5,304	429.1	5,304	113,445	184,799	--	0	0.0	<0.001
With otitis media	3,918	--	3,976	322.8	3,976	95,260	155,768	--	0	0.0	<0.001
With acne	1,101,614	--	1,524,234	123,520.8	1,524,238	44,411,742	65,879,591	--	28	0.2	<0.001
With well-child visit	80,744	--	83,943	6,800.1	83,943	2,399,214	3,878,078	--	0	0.0	<0.001
With skin abscess	35,783	--	37,382	3,024.8	37,382	666,952	1,169,226	--	3	0.8	0.001
With rectal abscess	212	--	215	17.4	215	3,099	5,788	--	0	0.0	0.000
Cephalexin Users											
Overall	13,442,090	148,846,737	18,364,144	1,488,223.4	18,364,251	162,833,635	999,626,895	903.1	1,607	0.9	0.001
With respiratory infection	1,649,223	--	1,956,459	158,704.9	1,956,470	19,091,455	143,139,881	--	168	0.9	0.001
With urinary tract infection	721,913	--	806,695	65,194.9	806,702	6,817,909	48,913,878	--	116	1.4	0.002
With otitis media	265,849	--	290,175	23,541.5	290,177	2,866,818	25,187,972	--	24	0.8	0.001
With acne	255,386	--	284,879	23,075.1	284,880	4,100,793	12,379,273	--	12	0.4	0.001
With well-child visit	243,449	--	252,200	20,467.5	252,200	2,496,706	27,333,496	--	7	0.3	<0.001
With skin abscess	2,517,165	--	2,775,175	225,227.6	2,775,189	25,300,140	155,436,370	--	240	0.9	0.001
With rectal abscess	19,556	--	20,252	1,644.7	20,252	186,259	1,240,486	--	3	1.5	0.002

Table 2c. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Clindamycin Users											
Overall	5,275,960	148,846,081	6,852,797	554,278.0	6,855,573	56,167,443	302,592,102	354.5	779	1.1	0.001
With respiratory infection	389,266	--	419,659	33,948.6	420,137	4,057,395	27,126,166	--	81	1.9	0.002
With urinary tract infection	19,542	--	19,964	1,614.1	19,973	164,401	695,637	--	3	1.5	0.002
With otitis media	68,994	--	72,992	5,895.7	73,080	719,654	8,525,486	--	7	1.0	0.001
With acne	60,983	--	65,732	5,312.3	65,758	792,813	2,811,276	--	3	0.5	0.001
With well-child visit	45,063	--	45,853	3,703.6	45,902	413,126	3,791,647	--	1	0.2	<0.001
With skin abscess	707,152	--	758,621	61,427.9	759,343	7,052,697	53,256,155	--	131	1.7	0.002
With rectal abscess	9,676	--	9,945	804.0	9,950	91,370	566,223	--	2	2.0	0.002

¹Eligible Members are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period

Table 2d. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 1 Cohort, Secondary Outcome											
Trimethoprim-Sulfamethoxazole (TMP SMX) Users											
Overall	11,440,700	150,745,669	16,860,639	1,365,977.6	16,860,639	161,010,258	633,027,535	758.9	3,608	2.1	0.003
With respiratory infection	1,302,250	--	1,509,010	122,396.9	1,509,010	15,291,132	63,560,875	--	310	2.1	0.003
With urinary tract infection	2,901,468	--	3,601,494	291,915.6	3,601,494	25,922,691	116,059,393	--	548	1.5	0.002
With otitis media	467,565	--	537,078	43,617.3	537,078	5,845,657	50,620,029	--	57	1.1	0.001
With acne	279,478	--	334,099	27,048.8	334,099	6,632,556	13,789,101	--	14	0.4	0.001
With well-child visit	209,139	--	215,052	17,425.8	215,052	2,057,870	14,840,325	--	13	0.6	0.001
With skin abscess	2,163,725	--	2,450,712	198,554.2	2,450,712	23,576,627	110,768,793	--	484	2.0	0.002
With rectal abscess	26,492	--	27,438	2,220.9	27,438	260,897	801,545	--	7	2.6	0.003
Doxycycline Users											
Overall	10,385,697	150,746,006	15,383,809	1,243,746.2	15,394,464	238,913,937	428,470,556	689.0	2,894	1.9	0.002
With respiratory infection	2,184,757	--	2,610,143	210,654.7	2,611,650	25,506,238	51,421,677	--	668	2.6	0.003
With urinary tract infection	238,560	--	254,275	20,571.1	254,610	2,639,355	5,343,835	--	52	2.0	0.003
With otitis media	129,020	--	135,553	10,935.2	135,640	1,390,920	2,762,399	--	20	1.5	0.002
With acne	1,400,602	--	1,765,637	142,809.8	1,766,884	48,608,423	78,126,785	--	49	0.3	<0.001
With well-child visit	192,062	--	198,136	16,008.4	198,365	3,904,770	6,786,463	--	6	0.3	<0.001
With skin abscess	623,808	--	665,717	53,781.0	666,277	7,390,089	14,661,516	--	131	2.0	0.002
With rectal abscess	4,591	--	4,684	377.9	4,688	50,015	97,605	--	2	4.3	0.005
Minocycline Users											
Overall	1,850,139	150,745,419	3,322,475	269,127.2	3,322,481	93,005,021	149,376,803	122.7	161	0.5	0.001
With respiratory infection	41,287	--	43,605	3,534.0	43,605	936,819	1,614,137	--	6	1.4	0.002
With urinary tract infection	5,889	--	6,045	489.2	6,045	127,256	209,092	--	0	0.0	<0.001
With otitis media	4,185	--	4,258	345.4	4,258	100,366	164,777	--	0	0.0	<0.001
With acne	1,128,922	--	1,565,788	126,884.0	1,565,793	45,600,313	67,812,186	--	36	0.2	<0.001
With well-child visit	81,871	--	85,120	6,894.8	85,120	2,431,441	3,929,991	--	1	0.1	<0.001

Table 2d. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With skin abscess	40,872	--	42,879	3,470.3	42,879	753,650	1,328,884	--	7	1.6	0.002
With rectal abscess	256	--	261	21.2	261	3,741	6,972	--	0	0.0	<0.001
Cephalexin Users											
Overall	14,687,586	150,745,569	20,694,302	1,676,838.8	20,694,436	182,517,554	1,076,998,351	974.3	3,200	1.5	0.002
With respiratory infection	1,770,735	--	2,122,237	172,139.4	2,122,251	20,669,758	150,218,597	--	297	1.4	0.002
With urinary tract infection	810,628	--	914,912	73,914.0	914,919	7,721,698	52,437,140	--	252	2.8	0.003
With otitis media	284,603	--	311,437	25,265.3	311,439	3,070,374	26,340,316	--	41	1.3	0.002
With acne	271,332	--	303,290	24,563.7	303,292	4,314,814	13,026,593	--	23	0.8	0.001
With well-child visit	250,928	--	260,014	21,100.5	260,014	2,568,955	27,894,532	--	7	0.3	<0.001
With skin abscess	2,749,920	--	3,060,414	248,343.9	3,060,430	27,897,710	166,076,714	--	468	1.5	0.002
With rectal abscess	21,365	--	22,179	1,801.2	22,179	203,729	1,313,888	--	4	1.8	0.002
Clindamycin Users											
Overall	5,793,288	150,744,938	7,741,336	626,129.1	7,744,275	63,237,038	334,607,385	384.3	1,433	1.9	0.002
With respiratory infection	422,598	--	458,115	37,058.2	458,608	4,427,812	29,101,464	--	121	2.6	0.003
With urinary tract infection	23,357	--	23,956	1,937.2	23,967	197,911	837,564	--	7	2.9	0.004
With otitis media	74,962	--	79,498	6,421.6	79,591	783,192	9,047,706	--	13	1.6	0.002
With acne	65,880	--	71,321	5,764.6	71,348	849,279	3,025,086	--	5	0.7	0.001
With well-child visit	47,095	--	47,948	3,872.4	47,998	430,658	3,920,717	--	1	0.2	<0.001
With skin abscess	794,792	--	861,081	69,711.8	861,835	8,012,955	58,347,032	--	226	2.6	0.003
With rectal abscess	10,939	--	11,266	911.0	11,271	103,508	629,579	--	4	3.6	0.004
Tier 2 Cohort, Secondary Outcome											
TMP SMX Users											
Overall	10,729,697	149,196,514	15,507,411	1,256,457.8	15,507,411	145,647,262	598,360,414	719.2	1,947	1.3	0.002
With respiratory infection	1,215,696	--	1,398,301	113,423.4	1,398,301	14,142,075	60,482,991	--	168	1.2	0.001
With urinary tract infection	2,747,960	--	3,389,196	274,720.0	3,389,196	24,289,683	111,964,644	--	333	1.0	0.001
With otitis media	450,957	--	517,582	42,033.7	517,582	5,633,824	49,474,260	--	47	0.9	0.001

Table 2d. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With acne	271,324	--	324,209	26,248.7	324,209	6,475,596	13,467,454	--	9	0.3	<0.001
With well-child visit	205,839	--	211,596	17,146.1	211,596	2,019,967	14,595,421	--	13	0.6	0.001
With skin abscess	2,040,684	--	2,301,260	186,457.4	2,301,260	22,109,249	106,847,546	--	317	1.4	0.002
With rectal abscess	24,581	--	25,423	2,058.3	25,423	241,015	755,937	--	5	2.0	0.002
Doxycycline Users											
Overall	9,663,425	149,196,940	14,039,407	1,135,164.6	14,048,799	221,435,894	394,826,394	647.7	1,386	1.0	0.001
With respiratory infection	1,977,717	--	2,328,601	187,945.4	2,329,846	22,780,530	45,822,316	--	358	1.5	0.002
With urinary tract infection	221,642	--	235,534	19,054.6	235,845	2,438,139	4,871,289	--	31	1.3	0.002
With otitis media	118,182	--	123,884	9,993.8	123,958	1,273,141	2,529,926	--	13	1.0	0.001
With acne	1,367,736	--	1,722,931	139,356.2	1,724,139	47,546,009	76,397,061	--	37	0.2	<0.001
With well-child visit	189,638	--	195,624	15,806.1	195,849	3,866,151	6,718,636	--	5	0.3	<0.001
With skin abscess	564,082	--	598,568	48,360.5	599,052	6,654,356	13,166,217	--	71	1.2	0.001
With rectal abscess	4,064	--	4,149	334.8	4,153	44,072	86,051	--	1	2.4	0.003
Minocycline Users											
Overall	1,784,292	149,196,335	3,196,093	258,899.6	3,196,098	89,884,494	144,191,515	119.6	102	0.3	<0.001
With respiratory infection	38,752	--	40,717	3,300.3	40,717	892,401	1,533,198	--	3	0.7	0.001
With urinary tract infection	5,383	--	5,505	445.4	5,505	117,351	191,417	--	0	0.0	<0.001
With otitis media	3,980	--	4,039	327.9	4,039	96,653	157,977	--	0	0.0	<0.001
With acne	1,111,557	--	1,539,588	124,764.9	1,539,592	44,856,021	66,727,608	--	30	0.2	<0.001
With well-child visit	81,287	--	84,509	6,845.8	84,509	2,414,604	3,902,853	--	0	0.0	<0.001
With skin abscess	37,113	--	38,819	3,141.6	38,819	690,862	1,213,244	--	3	0.8	0.001
With rectal abscess	225	--	228	18.5	228	3,266	6,122	--	0	0.0	<0.001

Table 2d. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Cephalexin Users											
Overall	13,760,950	149,196,528	18,983,204	1,538,280.2	18,983,324	168,155,233	1,022,766,546	922.3	1,905	1.0	0.001
With respiratory infection	1,683,683	--	2,003,297	162,496.5	2,003,310	19,538,111	145,447,700	--	188	0.9	0.001
With urinary tract infection	751,601	--	843,659	68,177.4	843,666	7,123,336	50,210,348	--	153	1.8	0.002
With otitis media	271,734	--	296,890	24,085.7	296,892	2,931,774	25,608,407	--	29	1.0	0.001
With acne	260,147	--	290,394	23,520.8	290,396	4,171,914	12,590,228	--	13	0.4	0.001
With well-child visit	247,956	--	256,911	20,848.9	256,911	2,539,882	27,632,819	--	7	0.3	<0.001
With skin abscess	2,579,761	--	2,852,902	231,519.5	2,852,917	26,013,152	158,611,307	--	283	1.0	0.001
With rectal abscess	20,125	--	20,871	1,694.9	20,871	191,920	1,266,853	--	3	1.4	0.002
Clindamycin Users											
Overall	5,413,108	149,195,886	7,093,203	573,690.2	7,096,052	58,085,396	312,097,736	362.8	926	1.3	0.002
With respiratory infection	398,162	--	429,858	34,773.5	430,342	4,155,194	27,709,589	--	89	2.1	0.003
With urinary tract infection	20,773	--	21,263	1,719.1	21,273	175,431	745,431	--	5	2.4	0.003
With otitis media	70,656	--	74,827	6,044.2	74,916	737,557	8,714,462	--	10	1.3	0.002
With acne	62,402	--	67,364	5,444.4	67,390	810,564	2,881,452	--	3	0.4	0.001
With well-child visit	46,246	--	47,065	3,801.1	47,115	423,499	3,864,638	--	1	0.2	<0.001
With skin abscess	730,646	--	787,128	63,731.5	787,871	7,322,531	54,953,529	--	152	1.9	0.002
With rectal abscess	10,021	--	10,310	833.4	10,315	94,677	588,598	--	2	1.9	0.002
Tier 3 Cohort, Secondary Outcome											
TMP SMX Users											
Overall	10,507,868	148,846,712	15,037,488	1,218,446.9	15,037,488	141,164,107	583,552,350	706.0	1,611	1.1	0.001
With respiratory infection	1,188,223	--	1,363,008	110,563.2	1,363,008	13,785,596	59,205,477	--	147	1.1	0.001
With urinary tract infection	2,679,773	--	3,284,156	266,224.2	3,284,156	23,495,640	109,457,112	--	271	0.8	0.001
With otitis media	442,247	--	506,722	41,151.6	506,722	5,515,752	48,507,326	--	44	0.9	0.001
With acne	267,478	--	319,361	25,857.4	319,361	6,392,932	13,283,729	--	9	0.3	<0.001
With well-child visit	201,369	--	206,907	16,767.7	206,907	1,974,173	14,345,565	--	13	0.6	0.001

Table 2d. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With skin abscess	1,991,397	--	2,235,404	181,132.4	2,235,404	21,458,070	104,647,958	--	284	1.3	0.002
With rectal abscess	23,760	--	24,536	1,986.4	24,536	232,343	731,192	--	4	1.6	0.002
Doxycycline Users											
Overall	9,504,801	148,847,151	13,745,178	1,111,415.8	13,754,146	217,507,027	387,238,109	638.6	1,226	0.9	0.001
With respiratory infection	1,942,503	--	2,281,059	184,109.4	2,282,252	22,314,731	44,839,039	--	334	1.5	0.002
With urinary tract infection	215,557	--	228,716	18,502.7	229,007	2,365,760	4,729,731	--	29	1.3	0.002
With otitis media	115,885	--	121,404	9,793.7	121,473	1,247,822	2,480,455	--	10	0.8	0.001
With acne	1,353,310	--	1,702,912	137,741.3	1,704,095	47,012,167	75,497,146	--	34	0.2	<0.001
With well-child visit	186,698	--	192,518	15,555.0	192,732	3,822,396	6,639,976	--	4	0.2	<0.001
With skin abscess	547,733	--	579,696	46,839.5	580,149	6,437,853	12,740,188	--	58	1.0	0.001
With rectal abscess	3,891	--	3,966	320.0	3,970	42,017	81,991	--	1	2.5	0.003
Minocycline Users											
Overall	1,764,821	148,846,513	3,156,634	255,707.2	3,156,639	88,850,376	142,259,248	118.6	85	0.3	<0.001
With respiratory infection	38,138	--	40,037	3,245.1	40,037	879,983	1,511,678	--	2	0.5	0.001
With urinary tract infection	5,191	--	5,304	429.1	5,304	113,445	184,799	--	0	0.0	<0.001
With otitis media	3,918	--	3,976	322.8	3,976	95,260	155,768	--	0	0.0	<0.001
With acne	1,101,614	--	1,524,234	123,520.8	1,524,238	44,411,742	65,879,591	--	28	0.2	<0.001
With well-child visit	80,744	--	83,943	6,800.1	83,943	2,399,214	3,878,078	--	0	0.0	<0.001
With skin abscess	35,783	--	37,382	3,024.8	37,382	666,952	1,169,226	--	3	0.8	0.001
With rectal abscess	212	--	215	17.4	215	3,099	5,788	--	0	0.0	<0.001
Cephalexin Users											
Overall	13,442,090	148,846,737	18,364,144	1,488,223.4	18,364,251	162,833,635	999,626,895	903.1	1,608	0.9	0.001
With respiratory infection	1,649,223	--	1,956,459	158,704.9	1,956,470	19,091,455	143,139,881	--	168	0.9	0.001
With urinary tract infection	721,913	--	806,695	65,194.9	806,702	6,817,909	48,913,878	--	116	1.4	0.002
With otitis media	265,849	--	290,175	23,541.5	290,177	2,866,818	25,187,972	--	24	0.8	0.001
With acne	255,386	--	284,879	23,075.1	284,880	4,100,793	12,379,273	--	12	0.4	0.001

Table 2d. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) Following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Indication

	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
With well-child visit	243,449	--	252,200	20,467.5	252,200	2,496,706	27,333,496	--	7	0.3	<0.001
With skin abscess	2,517,165	--	2,775,175	225,227.6	2,775,189	25,300,140	155,436,370	--	240	0.9	0.001
With rectal abscess	19,556	--	20,252	1,644.7	20,252	186,259	1,240,486	--	3	1.5	0.002
Clindamycin Users											
Overall	5,275,960	148,846,081	6,852,797	554,277.9	6,855,573	56,167,443	302,592,102	354.5	780	1.1	0.001
With respiratory infection	389,266	--	419,659	33,948.6	420,137	4,057,395	27,126,166	--	81	1.9	0.002
With urinary tract infection	19,542	--	19,964	1,614.1	19,973	164,401	695,637	--	3	1.5	0.002
With otitis media	68,994	--	72,992	5,895.7	73,080	719,654	8,525,486	--	7	1.0	0.001
With acne	60,983	--	65,732	5,312.3	65,758	792,813	2,811,276	--	3	0.5	0.001
With well-child visit	45,063	--	45,853	3,703.6	45,902	413,126	3,791,647	--	1	0.2	<0.001
With skin abscess	707,152	--	758,621	61,427.9	759,343	7,052,697	53,256,155	--	132	1.7	0.002
With rectal abscess	9,676	--	9,945	804.0	9,950	91,370	566,223	--	2	2.0	0.002

¹Eligible Members are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period

Table 3a. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group

Age Group	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 1 Cohort, Primary Outcome											
TMP SMX Users											
6 months - 11 years	1,531,058	27,839,122	2,107,120	171,093.6	2,107,120	22,086,033	328,788,520	550.0	230	1.1	0.001
12 - 17 years	951,233	19,128,780	1,240,611	100,803.2	1,240,611	13,773,150	43,904,613	497.3	102	0.8	0.001
18 - 45 years	5,364,135	81,536,728	7,569,821	612,334.7	7,569,821	68,819,055	146,091,334	657.9	981	1.3	0.002
46 - 64 years	3,991,264	47,031,673	5,943,087	481,746.3	5,943,087	56,332,020	114,243,069	848.6	2,288	3.8	0.005
Doxycycline Users											
6 months - 11 years	61,441	27,838,958	66,296	5,369.2	66,762	1,012,309	3,881,082	22.1	5	0.8	0.001
12 - 17 years	895,704	19,128,912	1,316,672	106,812.7	1,317,865	32,540,136	53,862,506	468.2	33	0.3	<0.001
18 - 45 years	5,580,960	81,537,086	7,750,054	625,887.6	7,755,872	116,461,089	208,442,102	684.5	667	0.9	0.001
46 - 64 years	4,147,487	47,031,906	6,250,787	505,676.9	6,253,965	88,900,403	162,284,866	881.8	2,186	3.5	0.004
Minocycline Users											
6 months - 11 years	9,293	27,838,951	11,540	936.7	11,540	318,608	489,518	3.3	2	1.7	0.002
12 - 17 years	595,853	19,129,052	1,011,218	82,104.8	1,011,220	29,459,209	46,533,465	311.5	15	0.1	<0.001
18 - 45 years	998,725	81,536,799	1,662,313	134,451.7	1,662,315	46,637,618	75,225,774	122.5	57	0.3	<0.001
46 - 64 years	337,429	47,031,462	637,404	51,634.1	637,406	16,589,586	27,128,046	71.7	85	1.3	0.002
Cephalexin Users											
6 months - 11 years	2,392,328	27,839,116	3,204,590	260,103.4	3,204,596	32,153,497	542,538,890	859.3	145	0.5	0.001
12 - 17 years	1,417,826	19,128,747	1,788,096	145,297.3	1,788,109	17,018,377	81,930,048	741.2	62	0.3	<0.001
18 - 45 years	6,279,831	81,536,707	8,248,373	667,210.3	8,248,450	70,732,359	243,230,879	770.2	866	1.0	0.001
46 - 64 years	5,145,391	47,031,600	7,453,243	604,227.8	7,453,281	62,613,321	209,298,534	1094.0	2,126	2.9	0.004
Clindamycin Users											
6 months - 11 years	382,196	27,838,980	442,400	35,879.3	444,082	4,262,862	91,945,856	137.3	85	1.9	0.002
12 - 17 years	400,241	19,128,630	456,444	37,007.4	457,059	3,955,515	20,867,524	209.2	62	1.4	0.002
18 - 45 years	2,702,233	81,536,363	3,399,220	274,371.9	3,399,736	28,013,655	115,848,214	331.4	434	1.3	0.002
46 - 64 years	2,419,417	47,031,414	3,443,272	278,870.6	3,443,398	27,005,006	105,945,791	514.4	851	2.5	0.003

Table 3a. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group

Age Group	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 2 Cohort, Primary Outcome											
TMP SMX Users											
6 months - 11 years	1,508,243	27,782,371	2,061,123	167,358.6	2,061,123	21,381,170	322,427,244	542.9	157	0.8	0.001
12 - 17 years	940,275	19,103,812	1,220,860	99,200.3	1,220,860	13,466,169	42,862,363	492.2	74	0.6	0.001
18 - 45 years	5,205,259	81,153,052	7,270,070	588,082.8	7,270,070	65,110,261	139,169,195	641.4	675	0.9	0.001
46 - 64 years	3,446,561	45,748,724	4,955,358	401,816.2	4,955,358	45,689,662	93,901,613	753.4	1,037	2.1	0.003
Doxycycline Users											
6 months - 11 years	60,790	27,782,221	65,543	5,308.3	66,003	1,000,996	3,835,353	21.9	5	0.8	0.001
12 - 17 years	889,692	19,103,954	1,306,413	105,980.0	1,307,582	32,313,088	53,468,622	465.7	31	0.2	<0.001
18 - 45 years	5,424,246	81,153,429	7,477,316	603,852.6	7,482,784	112,770,669	201,319,037	668.4	511	0.7	0.001
46 - 64 years	3,565,716	45,749,021	5,190,135	420,023.7	5,192,430	75,351,141	136,203,382	779.4	837	1.6	0.002
Minocycline Users											
6 months - 11 years	9,217	27,782,215	11,416	926.8	11,416	315,356	483,893	3.3	2	1.8	0.002
12 - 17 years	593,167	19,104,094	1,005,397	81,632.6	1,005,399	29,291,318	46,273,041	310.5	15	0.1	<0.001
18 - 45 years	979,679	81,153,142	1,626,887	131,586.9	1,626,889	45,715,386	73,724,738	120.7	44	0.3	<0.001
46 - 64 years	291,714	45,748,552	552,393	44,753.3	552,394	14,562,434	23,709,843	63.8	41	0.7	0.001
Cephalexin Users											
6 months - 11 years	2,371,295	27,782,381	3,168,982	257,211.0	3,168,988	31,804,172	536,806,295	853.5	113	0.4	<0.001
12 - 17 years	1,405,345	19,103,787	1,768,388	143,694.7	1,768,401	16,837,256	80,868,311	735.6	54	0.3	<0.001
18 - 45 years	6,083,334	81,153,069	7,904,378	639,357.0	7,904,451	67,842,011	232,976,156	749.6	670	0.8	0.001
46 - 64 years	4,413,717	45,748,712	6,141,456	498,017.5	6,141,484	51,671,794	172,115,784	964.8	1,067	1.7	0.002
Clindamycin Users											
6 months - 11 years	375,902	27,782,240	432,934	35,112.3	434,586	4,179,113	90,205,292	135.3	67	1.5	0.002
12 - 17 years	395,266	19,103,671	448,836	36,389.7	449,440	3,895,988	20,434,109	206.9	51	1.1	0.001
18 - 45 years	2,623,040	81,152,713	3,272,906	264,160.0	3,273,406	26,981,093	111,312,882	323.2	348	1.1	0.001
46 - 64 years	2,120,337	45,748,537	2,938,527	238,028.3	2,938,620	23,029,202	90,145,453	463.5	459	1.6	0.002

Table 3a. Summary of Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group

Age Group	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 3 Cohort, Primary Outcome											
TMP SMX Users											
6 months - 11 years	1,492,718	27,749,598	2,025,861	164,492.7	2,025,861	20,945,318	317,146,843	537.9	116	0.6	0.001
12 - 17 years	927,172	19,081,255	1,196,783	97,241.6	1,196,783	13,218,422	41,997,937	485.9	63	0.5	0.001
18 - 45 years	5,076,691	80,911,903	7,015,950	567,568.4	7,015,950	62,857,188	133,905,821	627.4	546	0.8	0.001
46 - 64 years	3,367,890	45,639,685	4,798,894	389,144.4	4,798,894	44,143,179	90,501,750	737.9	882	1.8	0.002
Doxycycline Users											
6 months - 11 years	60,398	27,749,448	65,067	5,269.7	65,524	994,475	3,808,517	21.8	3	0.5	0.001
12 - 17 years	881,673	19,081,399	1,293,425	104,926.3	1,294,558	32,056,727	52,979,866	462.1	27	0.2	<0.001
18 - 45 years	5,327,154	80,912,288	7,307,598	590,170.5	7,312,762	110,623,773	197,182,817	658.4	445	0.6	0.001
46 - 64 years	3,505,500	45,639,987	5,079,088	411,049.3	5,081,302	73,832,052	133,266,909	768.1	750	1.5	0.002
Minocycline Users											
6 months - 11 years	9,157	27,749,443	11,324	919.5	11,324	313,153	480,081	3.3	0	0.0	<0.001
12 - 17 years	590,242	19,081,527	998,956	81,108.2	998,958	29,106,583	45,918,687	309.3	14	0.1	<0.001
18 - 45 years	967,649	80,911,984	1,604,748	129,798.6	1,604,750	45,128,150	72,591,594	119.6	34	0.2	<0.001
46 - 64 years	286,360	45,639,501	541,606	43,881.0	541,607	14,302,490	23,268,885	62.7	37	0.7	0.001
Cephalexin Users											
6 months - 11 years	2,354,850	27,749,609	3,137,884	254,682.5	3,137,890	31,487,261	531,758,541	848.6	92	0.3	<0.001
12 - 17 years	1,389,728	19,081,225	1,742,217	141,566.8	1,742,230	16,592,712	79,755,086	728.3	42	0.2	<0.001
18 - 45 years	5,881,969	80,911,926	7,550,723	610,813.7	7,550,788	64,807,709	221,983,798	727.0	549	0.7	0.001
46 - 64 years	4,311,226	45,639,682	5,933,320	481,160.4	5,933,343	49,945,953	166,129,470	944.6	924	1.6	0.002
Clindamycin Users											
6 months - 11 years	370,521	27,749,468	425,014	34,469.4	426,636	4,099,702	88,565,546	133.5	43	1.0	0.001
12 - 17 years	389,252	19,081,103	440,566	35,718.3	441,161	3,820,895	19,970,460	204.0	42	1.0	0.001
18 - 45 years	2,543,787	80,911,561	3,149,304	254,207.0	3,149,774	25,944,984	106,719,578	314.4	298	0.9	0.001
46 - 64 years	2,069,540	45,639,499	2,837,913	229,883.2	2,838,002	22,301,862	87,336,518	453.5	396	1.4	0.002

¹Eligible Members are reflective of the number of patients that met all cohort entry criteria on at least on day during the query period

Table 3b. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group

Age Group	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 1 Cohort, Secondary Outcome											
TMP SMX Users											
6 months - 11 years	1,531,058	27,839,122	2,107,120	171,093.6	2,107,120	22,086,033	328,788,520	550.0	230	1.1	0.001
12 - 17 years	951,233	19,128,780	1,240,611	100,803.1	1,240,611	13,773,150	43,904,613	497.3	103	0.8	0.001
18 - 45 years	5,364,135	81,536,728	7,569,821	612,334.6	7,569,821	68,819,055	146,091,334	657.9	986	1.3	0.002
46 - 64 years	3,991,264	47,031,673	5,943,087	481,746.2	5,943,087	56,332,020	114,243,069	848.6	2,289	3.9	0.005
Doxycycline Users											
6 months - 11 years	61,441	27,838,958	66,296	5,369.2	66,762	1,012,309	3,881,082	22.1	5	0.8	0.001
12 - 17 years	895,704	19,128,912	1,316,672	106,812.7	1,317,865	32,540,136	53,862,506	468.2	33	0.3	<0.001
18 - 45 years	5,580,960	81,537,086	7,750,054	625,887.5	7,755,872	116,461,089	208,442,102	684.5	668	0.9	0.001
46 - 64 years	4,147,487	47,031,906	6,250,787	505,676.8	6,253,965	88,900,403	162,284,866	881.8	2,188	3.5	0.004
Minocycline Users											
6 months - 11 years	9,293	27,838,951	11,540	936.7	11,540	318,608	489,518	3.3	2	1.7	0.002
12 - 17 years	595,853	19,129,052	1,011,218	82,104.8	1,011,220	29,459,209	46,533,465	311.5	15	0.1	<0.001
18 - 45 years	998,725	81,536,799	1,662,313	134,451.6	1,662,315	46,637,618	75,225,774	122.5	59	0.4	<0.001
46 - 64 years	337,429	47,031,462	637,404	51,634.1	637,406	16,589,586	27,128,046	71.7	85	1.3	0.002
Cephalexin Users											
6 months - 11 years	2,392,328	27,839,116	3,204,590	260,103.4	3,204,596	32,153,497	542,538,890	859.3	145	0.5	0.001
12 - 17 years	1,417,826	19,128,747	1,788,096	145,297.3	1,788,109	17,018,377	81,930,048	741.2	62	0.3	<0.001
18 - 45 years	6,279,831	81,536,707	8,248,373	667,210.3	8,248,450	70,732,359	243,230,879	770.2	867	1.1	<0.001
46 - 64 years	5,145,391	47,031,600	7,453,243	604,227.8	7,453,281	62,613,321	209,298,534	1094.0	2,126	2.9	0.004
Clindamycin Users											
6 months - 11 years	382,196	27,838,980	442,400	35,879.3	444,082	4,262,862	91,945,856	137.3	85	1.9	0.002
12 - 17 years	400,241	19,128,630	456,444	37,007.4	457,059	3,955,515	20,867,524	209.2	62	1.4	0.002
18 - 45 years	2,702,233	81,536,363	3,399,220	274,371.9	3,399,736	28,013,655	115,848,214	331.4	434	1.3	0.002
46 - 64 years	2,419,417	47,031,414	3,443,272	278,870.6	3,443,398	27,005,006	105,945,791	514.4	852	2.5	0.003

Table 3b. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group

Age Group	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 2 Cohort, Secondary Outcome											
TMP SMX Users											
6 months - 11 years	1,508,243	27,782,371	2,061,123	167,358.6	2,061,123	21,381,170	322,427,244	542.9	157	0.8	0.001
12 - 17 years	940,275	19,103,812	1,220,860	99,200.2	1,220,860	13,466,169	42,862,363	492.2	75	0.6	0.001
18 - 45 years	5,205,259	81,153,052	7,270,070	588,082.8	7,270,070	65,110,261	139,169,195	641.4	677	0.9	0.001
46 - 64 years	3,446,561	45,748,724	4,955,358	401,816.1	4,955,358	45,689,662	93,901,613	753.4	1,038	2.1	0.003
Doxycycline Users											
6 months - 11 years	60,790	27,782,221	65,543	5,308.3	66,003	1,000,996	3,835,353	21.9	5	0.8	0.001
12 - 17 years	889,692	19,103,954	1,306,413	105,980.0	1,307,582	32,313,088	53,468,622	465.7	31	0.2	<0.001
18 - 45 years	5,424,246	81,153,429	7,477,316	603,852.6	7,482,784	112,770,669	201,319,037	668.4	512	0.7	0.001
46 - 64 years	3,565,716	45,749,021	5,190,135	420,023.7	5,192,430	75,351,141	136,203,382	779.4	838	1.6	0.002
Minocycline Users											
6 months - 11 years	9,217	27,782,215	11,416	926.8	11,416	315,356	483,893	3.3	2	1.8	0.002
12 - 17 years	593,167	19,104,094	1,005,397	81,632.6	1,005,399	29,291,318	46,273,041	310.5	15	0.1	<0.001
18 - 45 years	979,679	81,153,142	1,626,887	131,586.9	1,626,889	45,715,386	73,724,738	120.7	44	0.3	<0.001
46 - 64 years	291,714	45,748,552	552,393	44,753.3	552,394	14,562,434	23,709,843	63.8	41	0.7	0.001
Cephalexin Users											
6 months - 11 years	2,371,295	27,782,381	3,168,982	257,211.0	3,168,988	31,804,172	536,806,295	853.5	113	0.4	<0.001
12 - 17 years	1,405,345	19,103,787	1,768,388	143,694.7	1,768,401	16,837,256	80,868,311	735.6	54	0.3	<0.001
18 - 45 years	6,083,334	81,153,069	7,904,378	639,357.0	7,904,451	67,842,011	232,976,156	749.6	671	0.8	0.001
46 - 64 years	4,413,717	45,748,712	6,141,456	498,017.5	6,141,484	51,671,794	172,115,784	964.8	1,067	1.7	0.002
Clindamycin Users											
6 months - 11 years	375,902	27,782,240	432,934	35,112.3	434,586	4,179,113	90,205,292	135.3	67	1.5	0.002
12 - 17 years	395,266	19,103,671	448,836	36,389.7	449,440	3,895,988	20,434,109	206.9	51	1.1	0.001
18 - 45 years	2,623,040	81,152,713	3,272,906	264,160.0	3,273,406	26,981,093	111,312,882	323.2	348	1.1	0.001
46 - 64 years	2,120,337	45,748,537	2,938,527	238,028.2	2,938,620	23,029,202	90,145,453	463.5	460	1.6	0.002

Table 3b. Summary of Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, by Age Group

Age Group	New Users	Eligible Members ¹	New Episodes	Years at Risk	Adjusted Dispensings	Days Supplied	Amount Supplied	Number of Exposed Members per 10,000 Eligible Members	New Episodes with an Event	Event count per 10,000 New Episodes	Incidence Rate
Tier 3 Cohort, Secondary Outcome											
TMP SMX Users											
6 months - 11 years	1,492,718	27,749,598	2,025,861	164,492.7	2,025,861	20,945,318	317,146,843	537.9	116	0.6	0.001
12 - 17 years	927,172	19,081,255	1,196,783	97,241.6	1,196,783	13,218,422	41,997,937	485.9	64	0.5	0.001
18 - 45 years	5,076,691	80,911,903	7,015,950	567,568.4	7,015,950	62,857,188	133,905,821	627.4	548	0.8	0.001
46 - 64 years	3,367,890	45,639,685	4,798,894	389,144.3	4,798,894	44,143,179	90,501,750	737.9	883	1.8	0.002
Doxycycline Users											
6 months - 11 years	60,398	27,749,448	65,067	5,269.7	65,524	994,475	3,808,517	21.8	3	0.5	0.001
12 - 17 years	881,673	19,081,399	1,293,425	104,926.3	1,294,558	32,056,727	52,979,866	462.1	27	0.2	<0.001
18 - 45 years	5,327,154	80,912,288	7,307,598	590,170.5	7,312,762	110,623,773	197,182,817	658.4	445	0.6	0.001
46 - 64 years	3,505,500	45,639,987	5,079,088	411,049.3	5,081,302	73,832,052	133,266,909	768.1	751	1.5	0.002
Minocycline Users											
6 months - 11 years	9,157	27,749,443	11,324	919.5	11,324	313,153	480,081	3.3	0	0.0	<0.001
12 - 17 years	590,242	19,081,527	998,956	81,108.2	998,958	29,106,583	45,918,687	309.3	14	0.1	<0.001
18 - 45 years	967,649	80,911,984	1,604,748	129,798.6	1,604,750	45,128,150	72,591,594	119.6	34	0.2	<0.001
46 - 64 years	286,360	45,639,501	541,606	43,881.0	541,607	14,302,490	23,268,885	62.7	37	0.7	0.001
Cephalexin Users											
6 months - 11 years	2,354,850	27,749,609	3,137,884	254,682.5	3,137,890	31,487,261	531,758,541	848.6	92	0.3	<0.001
12 - 17 years	1,389,728	19,081,225	1,742,217	141,566.8	1,742,230	16,592,712	79,755,086	728.3	42	0.2	<0.001
18 - 45 years	5,881,969	80,911,926	7,550,723	610,813.7	7,550,788	64,807,709	221,983,798	727.0	550	0.7	0.001
46 - 64 years	4,311,226	45,639,682	5,933,320	481,160.4	5,933,343	49,945,953	166,129,470	944.6	924	1.6	0.002
Clindamycin Users											
6 months - 11 years	370,521	27,749,468	425,014	34,469.4	426,636	4,099,702	88,565,546	133.5	43	1.0	0.001
12 - 17 years	389,252	19,081,103	440,566	35,718.3	441,161	3,820,895	19,970,460	204.0	42	1.0	0.001
18 - 45 years	2,543,787	80,911,561	3,149,304	254,207.0	3,149,774	25,944,984	106,719,578	314.4	298	0.9	0.001
46 - 64 years	2,069,540	45,639,499	2,837,913	229,883.1	2,838,002	22,301,862	87,336,518	453.5	397	1.4	0.002

¹Eligible Members are reflective of the number of patients that met all cohort entry criteria on at least on day during the query period

Table 4a. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall¹ (Primary Outcome Definition)

	Total Number of Episodes	Disenrollment		Death		Query End Date		Episode End Date		Acute Respiratory Failure (ARF Event)	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes						
Acute Respiratory Failure (ARF) Tier 1 Cohort, Primary Outcome											
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users	16,860,639	469,379	2.78%	3,241	0.019%	90,039	0.53%	16,398,196	97.26%	3,601	0.021%
Doxycycline Users	15,383,809	484,631	3.15%	1,982	0.013%	135,136	0.88%	14,903,187	96.88%	2,891	0.019%
Minocycline Users	3,322,475	92,073	2.77%	149	0.004%	12,992	0.39%	3,232,570	97.29%	159	0.005%
Cephalexin Users	20,694,302	570,230	2.76%	3,488	0.017%	128,326	0.62%	20,131,607	97.28%	3,199	0.015%
Clindamycin Users	7,741,336	240,266	3.10%	984	0.013%	53,815	0.70%	7,504,615	96.94%	1,432	0.018%
ARF Tier 2 Cohort, Primary Outcome											
TMP SMX Users	15,507,411	431,415	2.78%	1,132	0.007%	80,264	0.52%	15,084,890	97.28%	1,943	0.013%
Doxycycline Users	14,039,407	441,562	3.15%	794	0.006%	119,421	0.85%	13,603,373	96.89%	1,384	0.010%
Minocycline Users	3,196,093	88,398	2.77%	60	0.002%	12,173	0.38%	3,109,883	97.30%	102	0.003%
Cephalexin Users	18,983,204	522,782	2.75%	1,359	0.007%	115,265	0.61%	18,469,529	97.29%	1,904	0.010%
Clindamycin Users	7,093,203	221,061	3.12%	438	0.006%	48,261	0.68%	6,876,081	96.94%	925	0.013%
ARF Tier 3 Cohort, Primary Outcome											
TMP SMX Users	15,037,488	417,022	2.77%	973	0.006%	77,988	0.52%	14,629,341	97.29%	1,607	0.011%
Doxycycline Users	13,745,178	431,431	3.14%	703	0.005%	117,329	0.85%	13,319,272	96.90%	1,225	0.009%
Minocycline Users	3,156,634	87,208	2.76%	51	0.002%	12,032	0.38%	3,071,602	97.31%	85	0.003%
Cephalexin Users	18,364,144	503,478	2.74%	1,129	0.006%	111,995	0.61%	17,869,728	97.31%	1,607	0.009%
Clindamycin Users	6,852,797	212,928	3.11%	371	0.005%	46,755	0.68%	6,643,768	96.95%	779	0.011%

¹An episode may be censored due to more than one reason if they occur on the same date. Therefore, the sum of the reasons for censoring may be greater than the total number of episodes.

Table 4b. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall¹ (Secondary Outcome Definition)

	Total Number of Episodes	Disenrollment		Death		Query End Date		Episode End Date		Acute Respiratory Failure (ARF Event)	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
Acute Respiratory Failure (ARF) Tier 1 Cohort, Secondary Outcome											
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users	16,860,639	469,378	2.78%	3,241	0.019%	90,039	0.53%	16,398,191	97.26%	3,608	0.021%
Doxycycline Users	15,383,809	484,631	3.15%	1,981	0.013%	135,136	0.88%	14,903,185	96.88%	2,894	0.019%
Minocycline Users	3,322,475	92,073	2.77%	149	0.004%	12,992	0.39%	3,232,568	97.29%	161	0.005%
Cephalexin Users	20,694,302	570,230	2.76%	3,488	0.017%	128,326	0.62%	20,131,607	97.28%	3,200	0.015%
Clindamycin Users	7,741,336	240,266	3.10%	984	0.013%	53,815	0.70%	7,504,614	96.94%	1,433	0.019%
ARF Tier 2 Cohort, Secondary Outcome											
TMP SMX Users	15,507,411	431,414	2.78%	1,132	0.007%	80,264	0.52%	15,084,888	97.28%	1,947	0.013%
Doxycycline Users	14,039,407	441,562	3.15%	793	0.006%	119,421	0.85%	13,603,372	96.89%	1,386	0.010%
Minocycline Users	3,196,093	88,398	2.77%	60	0.002%	12,173	0.38%	3,109,883	97.30%	102	0.003%
Cephalexin Users	18,983,204	522,782	2.75%	1,359	0.007%	115,265	0.61%	18,469,529	97.29%	1,905	0.010%
Clindamycin Users	7,093,203	221,061	3.12%	438	0.006%	48,261	0.68%	6,876,080	96.94%	926	0.013%
ARF Tier 3 Cohort, Secondary Outcome											
TMP SMX Users	15,037,488	417,021	2.77%	973	0.006%	77,988	0.52%	14,629,339	97.29%	1,611	0.011%
Doxycycline Users	13,745,178	431,431	3.14%	702	0.005%	117,329	0.85%	13,319,272	96.90%	1,226	0.009%
Minocycline Users	3,156,634	87,208	2.76%	51	0.002%	12,032	0.38%	3,071,602	97.31%	85	0.003%
Cephalexin Users	18,364,144	503,478	2.74%	1,129	0.006%	111,995	0.61%	17,869,728	97.31%	1,608	0.009%
Clindamycin Users	6,852,797	212,928	3.11%	371	0.005%	46,755	0.68%	6,643,767	96.95%	780	0.011%

¹An episode may be censored due to more than one reason if they occur on the same date. Therefore, the sum of the reasons for censoring may be greater than the total number of episodes.

Table 5a. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group¹ (Primary Outcome Definition)

	Disenrollment		Death		Query End Date		Episode End Date		Event		
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent Total Episodes						
Acute Respiratory Failure (ARF) Tier 1 Cohort, Primary Outcome Definition											
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users											
6 months - 11 years	2,107,120	49,453	2.35%	44	0.002%	7,749	0.37%	2,058,848	97.71%	230	0.011%
12 - 17 years	1,240,611	27,846	2.24%	27	0.002%	5,100	0.41%	1,213,477	97.81%	102	0.008%
18 - 45 years	7,569,821	236,020	3.12%	564	0.007%	39,841	0.53%	7,338,995	96.95%	981	0.013%
46 - 64 years	5,943,087	156,060	2.63%	2,606	0.044%	37,349	0.63%	5,786,876	97.37%	2,288	0.038%
Doxycycline Users											
6 months - 11 years	66,296	1,853	2.80%	1	0.002%	770	1.16%	64,470	97.25%	5	0.008%
12 - 17 years	1,316,672	32,835	2.49%	15	0.001%	8,452	0.64%	1,284,299	97.54%	33	0.003%
18 - 45 years	7,750,054	263,568	3.40%	331	0.004%	63,127	0.81%	7,490,632	96.65%	667	0.009%
46 - 64 years	6,250,787	186,375	2.98%	1,635	0.026%	62,787	1.00%	6,063,786	97.01%	2,186	0.035%
Minocycline Users											
6 months - 11 years	11,540	261	2.26%	0	0.000%	53	0.46%	11,281	97.76%	2	0.017%
12 - 17 years	1,011,218	23,489	2.32%	5	<0.001%	3,627	0.36%	988,376	97.74%	15	0.001%
18 - 45 years	1,662,313	50,838	3.06%	33	0.002%	6,061	0.36%	1,612,798	97.02%	57	0.003%
46 - 64 years	637,404	17,485	2.74%	111	0.017%	3,251	0.51%	620,115	97.29%	85	0.013%
Cephalexin Users											
6 months - 11 years	3,204,590	78,185	2.44%	33	0.001%	18,636	0.58%	3,127,918	97.61%	145	0.005%
12 - 17 years	1,788,096	39,298	2.20%	26	0.001%	9,496	0.53%	1,749,511	97.84%	62	0.003%
18 - 45 years	8,248,373	257,410	3.12%	609	0.007%	50,012	0.61%	7,996,016	96.94%	866	0.010%
46 - 64 years	7,453,243	195,337	2.62%	2,820	0.038%	50,182	0.67%	7,258,162	97.38%	2,126	0.029%
Clindamycin Users											
6 months - 11 years	442,400	11,429	2.58%	13	0.003%	3,010	0.68%	431,138	97.45%	85	0.019%
12 - 17 years	456,444	11,675	2.56%	11	0.002%	3,049	0.67%	444,962	97.48%	62	0.014%
18 - 45 years	3,399,220	119,800	3.52%	221	0.007%	23,021	0.68%	3,281,772	96.54%	434	0.013%
46 - 64 years	3,443,272	97,362	2.83%	739	0.021%	24,735	0.72%	3,346,743	97.20%	851	0.025%

Table 5a. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group¹ (Primary Outcome Definition)

	Disenrollment		Death		Query End Date		Episode End Date		Event		
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent Total Episodes						
ARF Tier 2 Cohort, Primary Outcome Definition											
TMP SMX Users											
6 months - 11 years	2,061,123	48,472	2.35%	25	0.001%	7,559	0.37%	2,013,893	97.71%	157	0.008%
12 - 17 years	1,220,860	27,410	2.25%	19	0.002%	4,995	0.41%	1,194,193	97.82%	74	0.006%
18 - 45 years	7,270,070	227,147	3.12%	304	0.004%	38,110	0.52%	7,048,274	96.95%	675	0.009%
46 - 64 years	4,955,358	128,386	2.59%	784	0.016%	29,600	0.60%	4,828,530	97.44%	1,037	0.021%
Doxycycline Users											
6 months - 11 years	65,543	1,835	2.80%	0	0.000%	765	1.17%	63,737	97.24%	5	0.008%
12 - 17 years	1,306,413	32,586	2.49%	15	0.001%	8,392	0.64%	1,274,288	97.54%	31	0.002%
18 - 45 years	7,477,316	254,687	3.41%	233	0.003%	60,530	0.81%	7,226,810	96.65%	511	0.007%
46 - 64 years	5,190,135	152,454	2.94%	546	0.011%	49,734	0.96%	5,038,538	97.08%	837	0.016%
Minocycline Users											
6 months - 11 years	11,416	256	2.24%	0	0.000%	52	0.46%	11,162	97.78%	2	0.018%
12 - 17 years	1,005,397	23,347	2.32%	5	<0.001%	3,601	0.36%	982,692	97.74%	15	0.001%
18 - 45 years	1,626,887	49,758	3.06%	20	0.001%	5,875	0.36%	1,578,440	97.02%	44	0.003%
46 - 64 years	552,393	15,037	2.72%	35	0.006%	2,645	0.48%	537,589	97.32%	41	0.007%
Cephalexin Users											
6 months - 11 years	3,168,982	77,409	2.44%	25	0.001%	18,451	0.58%	3,093,105	97.61%	113	0.004%
12 - 17 years	1,768,388	38,898	2.20%	23	0.001%	9,384	0.53%	1,730,212	97.84%	54	0.003%
18 - 45 years	7,904,378	247,595	3.13%	383	0.005%	47,830	0.61%	7,661,880	96.93%	670	0.008%
46 - 64 years	6,141,456	158,880	2.59%	928	0.015%	39,600	0.64%	5,984,332	97.44%	1,067	0.017%
Clindamycin Users											
6 months - 11 years	432,934	11,188	2.58%	11	0.003%	2,949	0.68%	421,929	97.46%	67	0.015%
12 - 17 years	448,836	11,504	2.56%	10	0.002%	3,008	0.67%	437,525	97.48%	51	0.011%
18 - 45 years	3,272,906	115,808	3.54%	158	0.005%	22,087	0.67%	3,159,460	96.53%	348	0.011%
46 - 64 years	2,938,527	82,561	2.81%	259	0.009%	20,217	0.69%	2,857,167	97.23%	459	0.016%

Table 5a. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group¹ (Primary Outcome Definition)

	Disenrollment		Death		Query End Date		Episode End Date		Event		
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent Total Episodes						
ARF Tier 3 Cohort, Primary Outcome Definition											
TMP SMX Users											
6 months - 11 years	2,025,861	47,755	2.36%	17	0.001%	7,461	0.37%	1,979,364	97.70%	116	0.006%
12 - 17 years	1,196,783	26,913	2.25%	18	0.002%	4,901	0.41%	1,170,610	97.81%	63	0.005%
18 - 45 years	7,015,950	218,228	3.11%	269	0.004%	36,931	0.53%	6,802,914	96.96%	546	0.008%
46 - 64 years	4,798,894	124,126	2.59%	669	0.014%	28,695	0.60%	4,676,453	97.45%	882	0.018%
Doxycycline Users											
6 months - 11 years	65,067	1,826	2.81%	0	0.000%	761	1.17%	63,272	97.24%	3	0.005%
12 - 17 years	1,293,425	32,265	2.49%	14	0.001%	8,317	0.64%	1,261,623	97.54%	27	0.002%
18 - 45 years	7,307,598	248,410	3.40%	205	0.003%	59,478	0.81%	7,063,299	96.66%	445	0.006%
46 - 64 years	5,079,088	148,930	2.93%	484	0.010%	48,773	0.96%	4,931,078	97.09%	750	0.015%
Minocycline Users											
6 months - 11 years	11,324	252	2.23%	0	0.000%	52	0.46%	11,076	97.81%	0	0.000%
12 - 17 years	998,956	23,234	2.33%	5	0.001%	3,578	0.36%	976,363	97.74%	14	0.001%
18 - 45 years	1,604,748	49,004	3.05%	16	0.001%	5,809	0.36%	1,557,044	97.03%	34	0.002%
46 - 64 years	541,606	14,718	2.72%	30	0.006%	2,593	0.48%	527,119	97.33%	37	0.007%
Cephalexin Users											
6 months - 11 years	3,137,884	76,772	2.45%	24	0.001%	18,330	0.58%	3,062,650	97.60%	92	0.003%
12 - 17 years	1,742,217	38,372	2.20%	22	0.001%	9,267	0.53%	1,704,571	97.84%	42	0.002%
18 - 45 years	7,550,723	235,135	3.11%	312	0.004%	45,950	0.61%	7,320,543	96.95%	549	0.007%
46 - 64 years	5,933,320	153,199	2.58%	771	0.013%	38,448	0.65%	5,781,964	97.45%	924	0.016%
Clindamycin Users											
6 months - 11 years	425,014	11,026	2.59%	5	0.001%	2,920	0.69%	414,191	97.45%	43	0.010%
12 - 17 years	440,566	11,321	2.57%	9	0.002%	2,971	0.67%	429,446	97.48%	42	0.010%
18 - 45 years	3,149,304	110,953	3.52%	130	0.004%	21,246	0.67%	3,040,650	96.55%	298	0.009%
46 - 64 years	2,837,913	79,628	2.81%	227	0.008%	19,618	0.69%	2,759,481	97.24%	396	0.014%

¹An episode may be censored due to more than one reason if they occur on the same date. Therefore, the sum of the reasons for censoring may be greater than the total number of episodes.

Table 5b. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group¹ (Secondary Outcome Definition)

	Total Number of Episodes	Disenrollment		Death		Query End Date		Episode End Date		Event	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent Total Episodes						
Acute Respiratory Failure (ARF) Tier 1 Cohort, Secondary Outcome Definition											
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users											
6 months - 11 years	2,107,120	49,453	2.35%	44	0.002%	7,749	0.37%	2,058,848	97.71%	230	0.011%
12 - 17 years	1,240,611	27,845	2.24%	27	0.002%	5,100	0.41%	1,213,477	97.81%	103	0.008%
18 - 45 years	7,569,821	236,020	3.12%	564	0.007%	39,841	0.53%	7,338,991	96.95%	986	0.013%
46 - 64 years	5,943,087	156,060	2.63%	2,606	0.044%	37,349	0.63%	5,786,875	97.37%	2,289	0.039%
Doxycycline Users											
6 months - 11 years	66,296	1,853	2.80%	1	0.002%	770	1.16%	64,470	97.25%	5	0.008%
12 - 17 years	1,316,672	32,835	2.49%	15	0.001%	8,452	0.64%	1,284,299	97.54%	33	0.003%
18 - 45 years	7,750,054	263,568	3.40%	331	0.004%	63,127	0.81%	7,490,631	96.65%	668	0.009%
46 - 64 years	6,250,787	186,375	2.98%	1,634	0.026%	62,787	1.00%	6,063,785	97.01%	2,188	0.035%
Minocycline Users											
6 months - 11 years	11,540	261	2.26%	0	0.000%	53	0.46%	11,281	97.76%	2	0.017%
12 - 17 years	1,011,218	23,489	2.32%	5	<0.001%	3,627	0.36%	988,376	97.74%	15	0.001%
18 - 45 years	1,662,313	50,838	3.06%	33	0.002%	6,061	0.36%	1,612,796	97.02%	59	0.004%
46 - 64 years	637,404	17,485	2.74%	111	0.017%	3,251	0.51%	620,115	97.29%	85	0.013%
Cephalexin Users											
6 months - 11 years	3,204,590	78,185	2.44%	33	0.001%	18,636	0.58%	3,127,918	97.61%	145	0.005%
12 - 17 years	1,788,096	39,298	2.20%	26	0.001%	9,496	0.53%	1,749,511	97.84%	62	0.003%
18 - 45 years	8,248,373	257,410	3.12%	609	0.007%	50,012	0.61%	7,996,016	96.94%	867	0.011%
46 - 64 years	7,453,243	195,337	2.62%	2,820	0.038%	50,182	0.67%	7,258,162	97.38%	2,126	0.029%
Clindamycin Users											
6 months - 11 years	442,400	11,429	2.58%	13	0.003%	3,010	0.68%	431,138	97.45%	85	0.019%
12 - 17 years	456,444	11,675	2.56%	11	0.002%	3,049	0.67%	444,962	97.48%	62	0.014%
18 - 45 years	3,399,220	119,800	3.52%	221	0.007%	23,021	0.68%	3,281,772	96.54%	434	0.013%
46 - 64 years	3,443,272	97,362	2.83%	739	0.021%	24,735	0.72%	3,346,742	97.20%	852	0.025%

Table 5b. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group¹ (Secondary Outcome Definition)

	Total Number of Episodes	Disenrollment		Death		Query End Date		Episode End Date		Event	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent Total Episodes						
ARF Tier 2 Cohort, Secondary Outcome Definition											
TMP SMX Users											
6 months - 11 years	2,061,123	48,472	2.35%	25	0.001%	7,559	0.37%	2,013,893	97.71%	157	0.008%
12 - 17 years	1,220,860	27,409	2.25%	19	0.002%	4,995	0.41%	1,194,193	97.82%	75	0.006%
18 - 45 years	7,270,070	227,147	3.12%	304	0.004%	38,110	0.52%	7,048,273	96.95%	677	0.009%
46 - 64 years	4,955,358	128,386	2.59%	784	0.016%	29,600	0.60%	4,828,529	97.44%	1,038	0.021%
Doxycycline Users											
6 months - 11 years	65,543	1,835	2.80%	0	0.000%	765	1.17%	63,737	97.24%	5	0.008%
12 - 17 years	1,306,413	32,586	2.49%	15	0.001%	8,392	0.64%	1,274,288	97.54%	31	0.002%
18 - 45 years	7,477,316	254,687	3.41%	233	0.003%	60,530	0.81%	7,226,809	96.65%	512	0.007%
46 - 64 years	5,190,135	152,454	2.94%	545	0.011%	49,734	0.96%	5,038,538	97.08%	838	0.016%
Minocycline Users											
6 months - 11 years	11,416	256	2.24%	0	0.000%	52	0.46%	11,162	97.78%	2	0.018%
12 - 17 years	1,005,397	23,347	2.32%	5	<0.001%	3,601	0.36%	982,692	97.74%	15	0.001%
18 - 45 years	1,626,887	49,758	3.06%	20	0.001%	5,875	0.36%	1,578,440	97.02%	44	0.003%
46 - 64 years	552,393	15,037	2.72%	35	0.006%	2,645	0.48%	537,589	97.32%	41	0.007%
Cephalexin Users											
6 months - 11 years	3,168,982	77,409	2.44%	25	0.001%	18,451	0.58%	3,093,105	97.61%	113	0.004%
12 - 17 years	1,768,388	38,898	2.20%	23	0.001%	9,384	0.53%	1,730,212	97.84%	54	0.003%
18 - 45 years	7,904,378	247,595	3.13%	383	0.005%	47,830	0.61%	7,661,880	96.93%	671	0.008%
46 - 64 years	6,141,456	158,880	2.59%	928	0.015%	39,600	0.64%	5,984,332	97.44%	1,067	0.017%
Clindamycin Users											
6 months - 11 years	432,934	11,188	2.58%	11	0.003%	2,949	0.68%	421,929	97.46%	67	0.015%
12 - 17 years	448,836	11,504	2.56%	10	0.002%	3,008	0.67%	437,525	97.48%	51	0.011%
18 - 45 years	3,272,906	115,808	3.54%	158	0.005%	22,087	0.67%	3,159,460	96.53%	348	0.011%
46 - 64 years	2,938,527	82,561	2.81%	259	0.009%	20,217	0.69%	2,857,166	97.23%	460	0.016%

Table 5b. Summary of Censoring Reasons in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group¹ (Secondary Outcome Definition)

	Total Number of Episodes	Disenrollment		Death		Query End Date		Episode End Date		Event	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent Total Episodes						
ARF Tier 3 Cohort, Secondary Outcome Definition											
TMP SMX Users											
6 months - 11 years	2,025,861	47,755	2.36%	17	0.001%	7,461	0.37%	1,979,364	97.70%	116	0.006%
12 - 17 years	1,196,783	26,912	2.25%	18	0.002%	4,901	0.41%	1,170,610	97.81%	64	0.005%
18 - 45 years	7,015,950	218,228	3.11%	269	0.004%	36,931	0.53%	6,802,913	96.96%	548	0.008%
46 - 64 years	4,798,894	124,126	2.59%	669	0.014%	28,695	0.60%	4,676,452	97.45%	883	0.018%
Doxycycline Users											
6 months - 11 years	65,067	1,826	2.81%	0	0.000%	761	1.17%	63,272	97.24%	3	0.005%
12 - 17 years	1,293,425	32,265	2.49%	14	0.001%	8,317	0.64%	1,261,623	97.54%	27	0.002%
18 - 45 years	7,307,598	248,410	3.40%	205	0.003%	59,478	0.81%	7,063,299	96.66%	445	0.006%
46 - 64 years	5,079,088	148,930	2.93%	483	0.010%	48,773	0.96%	4,931,078	97.09%	751	0.015%
Minocycline Users											
6 months - 11 years	11,324	252	2.23%	0	0.000%	52	0.46%	11,076	97.81%	0	0.000%
12 - 17 years	998,956	23,234	2.33%	5	0.001%	3,578	0.36%	976,363	97.74%	14	0.001%
18 - 45 years	1,604,748	49,004	3.05%	16	0.001%	5,809	0.36%	1,557,044	97.03%	34	0.002%
46 - 64 years	541,606	14,718	2.72%	30	0.006%	2,593	0.48%	527,119	97.33%	37	0.007%
Cephalexin Users											
6 months - 11 years	3,137,884	76,772	2.45%	24	0.001%	18,330	0.58%	3,062,650	97.60%	92	0.003%
12 - 17 years	1,742,217	38,372	2.20%	22	0.001%	9,267	0.53%	1,704,571	97.84%	42	0.002%
18 - 45 years	7,550,723	235,135	3.11%	312	0.004%	45,950	0.61%	7,320,543	96.95%	550	0.007%
46 - 64 years	5,933,320	153,199	2.58%	771	0.013%	38,448	0.65%	5,781,964	97.45%	924	0.016%
Clindamycin Users											
6 months - 11 years	425,014	11,026	2.59%	5	0.001%	2,920	0.69%	414,191	97.45%	43	0.010%
12 - 17 years	440,566	11,321	2.57%	9	0.002%	2,971	0.67%	429,446	97.48%	42	0.010%
18 - 45 years	3,149,304	110,953	3.52%	130	0.004%	21,246	0.67%	3,040,650	96.55%	298	0.009%
46 - 64 years	2,837,913	79,628	2.81%	227	0.008%	19,618	0.69%	2,759,480	97.24%	397	0.014%

¹An episode may be censored due to more than one reason if they occur on the same date. Therefore, the sum of the reasons for censoring may be greater than the total number of episodes.

Table 6a. Summary of Length of Follow-Up for Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

	Number of Episodes by Length of Follow-Up Time								
	Total Number of Episodes	0-9 days		10-19 days		20-29 days		30+ days	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
ARF Tier 1, Primary Outcome									
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users	16,860,639	138,932	0.82%	161,433	0.96%	162,078	0.96%	16,398,196	97.26%
Doxycycline Users	15,383,809	146,911	0.95%	168,303	1.09%	165,408	1.08%	14,903,187	96.88%
Minocycline Users	3,322,475	28,458	0.86%	31,571	0.95%	29,876	0.90%	3,232,570	97.29%
Cephalexin Users	20,694,302	167,008	0.81%	198,305	0.96%	197,382	0.95%	20,131,607	97.28%
Clindamycin Users	7,741,336	70,984	0.92%	84,068	1.09%	81,669	1.05%	7,504,615	96.94%
ARF Tier 2, Primary Outcome									
TMP SMX Users	15,507,411	127,011	0.82%	147,437	0.95%	148,073	0.95%	15,084,890	97.28%
Doxycycline Users	14,039,407	133,266	0.95%	152,578	1.09%	150,190	1.07%	13,603,373	96.89%
Minocycline Users	3,196,093	27,334	0.86%	30,260	0.95%	28,616	0.90%	3,109,883	97.30%
Cephalexin Users	18,983,204	152,723	0.80%	180,935	0.95%	180,017	0.95%	18,469,529	97.29%
Clindamycin Users	7,093,203	65,245	0.92%	77,123	1.09%	74,754	1.05%	6,876,081	96.94%
ARF Tier 3, Primary Outcome									
TMP SMX Users	15,037,488	122,696	0.82%	142,366	0.95%	143,085	0.95%	14,629,341	97.29%
Doxycycline Users	13,745,178	130,169	0.95%	149,032	1.08%	146,705	1.07%	13,319,272	96.90%
Minocycline Users	3,156,634	26,974	0.85%	29,849	0.95%	28,209	0.89%	3,071,602	97.31%
Cephalexin Users	18,364,144	146,890	0.80%	174,141	0.95%	173,385	0.94%	17,869,728	97.31%
Clindamycin Users	6,852,797	62,751	0.92%	74,293	1.08%	71,985	1.05%	6,643,768	96.95%

Table 6a. Summary of Length of Follow-Up for Incidence of Acute Respiratory Failure (ARF) (Primary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

Distribution of Length of Follow-up Time in Days, by Episode

	Minimum	Q1	Median	Q3	Maximum	Mean	Standard Deviation
ARF Tier 1 Cohort, Primary Outcome							
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users	1	30	30	30	30	30	3
Doxycycline Users	1	30	30	30	30	30	3
Minocycline Users	1	30	30	30	30	30	3
Cephalexin Users	1	30	30	30	30	30	3
Clindamycin Users	1	30	30	30	30	30	3
ARF Tier 2 Cohort, Primary Outcome							
TMP SMX Users	1	30	30	30	30	30	3
Doxycycline Users	1	30	30	30	30	30	3
Minocycline Users	1	30	30	30	30	30	3
Cephalexin Users	1	30	30	30	30	30	3
Clindamycin Users	1	30	30	30	30	30	3
ARF Tier 3 Cohort, Primary Outcome							
TMP SMX Users	1	30	30	30	30	30	3
Doxycycline Users	1	30	30	30	30	30	3
Minocycline Users	1	30	30	30	30	30	3
Cephalexin Users	1	30	30	30	30	30	3
Clindamycin Users	1	30	30	30	30	30	3

Table 6b. Summary of Length of Follow-Up for Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

	Number of Episodes by Length of Follow-Up Time								
	Total Number of Episodes	0-9 days		10-19 days		20-29 days		30+ days	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
ARF Tier 1, Secondary Outcome									
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users	16,860,639	138,934	0.82%	161,435	0.96%	162,079	0.96%	16,398,191	97.26%
Doxycycline Users	15,383,809	146,912	0.95%	168,303	1.09%	165,409	1.08%	14,903,185	96.88%
Minocycline Users	3,322,475	28,459	0.86%	31,571	0.95%	29,877	0.90%	3,232,568	97.29%
Cephalexin Users	20,694,302	167,008	0.81%	198,305	0.96%	197,382	0.95%	20,131,607	97.28%
Clindamycin Users	7,741,336	70,984	0.92%	84,069	1.09%	81,669	1.05%	7,504,614	96.94%
ARF Tier 2, Secondary Outcome									
TMP SMX Users	15,507,411	127,012	0.82%	147,438	0.95%	148,073	0.95%	15,084,888	97.28%
Doxycycline Users	14,039,407	133,267	0.95%	152,578	1.09%	150,190	1.07%	13,603,372	96.89%
Minocycline Users	3,196,093	27,334	0.86%	30,260	0.95%	28,616	0.90%	3,109,883	97.30%
Cephalexin Users	18,983,204	152,723	0.80%	180,935	0.95%	180,017	0.95%	18,469,529	97.29%
Clindamycin Users	7,093,203	65,245	0.92%	77,124	1.09%	74,754	1.05%	6,876,080	96.94%
ARF Tier 3, Secondary Outcome									
TMP SMX Users	15,037,488	122,697	0.82%	142,367	0.95%	143,085	0.95%	14,629,339	97.29%
Doxycycline Users	13,745,178	130,170	0.95%	149,031	1.08%	146,705	1.07%	13,319,272	96.90%
Minocycline Users	3,156,634	26,974	0.85%	29,849	0.95%	28,209	0.89%	3,071,602	97.31%
Cephalexin Users	18,364,144	146,890	0.80%	174,141	0.95%	173,385	0.94%	17,869,728	97.31%
Clindamycin Users	6,852,797	62,751	0.92%	74,294	1.08%	71,985	1.05%	6,643,767	96.95%

Table 6b. Summary of Length of Follow-Up for Incidence of Acute Respiratory Failure (ARF) (Secondary Outcome Definition) following Bactrim Exposure in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, Overall

Distribution of Length of Follow-up Time in Days, by Episode							
	Minimum	Q1	Median	Q3	Maximum	Mean	Standard Deviation
ARF Tier 1 Cohort, Secondary Outcome							
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users	1	30	30	30	30	30	3
Doxycycline Users	1	30	30	30	30	30	3
Minocycline Users	1	30	30	30	30	30	3
Cephalexin Users	1	30	30	30	30	30	3
Clindamycin Users	1	30	30	30	30	30	3
ARF Tier 2 Cohort, Secondary Outcome							
TMP SMX Users	1	30	30	30	30	30	3
Doxycycline Users	1	30	30	30	30	30	3
Minocycline Users	1	30	30	30	30	30	3
Cephalexin Users	1	30	30	30	30	30	3
Clindamycin Users	1	30	30	30	30	30	3
ARF Tier 3 Cohort, Secondary Outcome							
TMP SMX Users	1	30	30	30	30	30	3
Doxycycline Users	1	30	30	30	30	30	3
Minocycline Users	1	30	30	30	30	30	3
Cephalexin Users	1	30	30	30	30	30	3
Clindamycin Users	1	30	30	30	30	30	3

Table 7a. Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Primary Outcome Definition)

	Number of Episodes by Length of Follow-Up Time								
	0-9 days		10-19 days		20-29 days		30+ days		
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
Acute Respiratory Failure (ARF) Tier 1 Cohort, Primary Outcome Definition									
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users									
6 months - 11 years	2,107,120	14,611	0.69%	16,837	0.80%	16,824	0.80%	2,058,848	97.71%
12 - 17 years	1,240,611	7,980	0.64%	9,444	0.76%	9,710	0.78%	1,213,477	97.81%
18 - 45 years	7,569,821	69,304	0.92%	80,438	1.06%	81,084	1.07%	7,338,995	96.95%
46 - 64 years	5,943,087	47,037	0.79%	54,714	0.92%	54,460	0.92%	5,786,876	97.37%
Doxycycline Users									
6 months - 11 years	66,296	586	0.88%	610	0.92%	630	0.95%	64,470	97.25%
12 - 17 years	1,316,672	9,773	0.74%	11,462	0.87%	11,138	0.85%	1,284,299	97.54%
18 - 45 years	7,750,054	78,813	1.02%	91,166	1.18%	89,443	1.15%	7,490,632	96.65%
46 - 64 years	6,250,787	57,739	0.92%	65,065	1.04%	64,197	1.03%	6,063,786	97.01%
Minocycline Users									
6 months - 11 years	11,540	87	0.75%	85	0.74%	87	0.75%	11,281	97.76%
12 - 17 years	1,011,218	7,176	0.71%	7,921	0.78%	7,745	0.77%	988,376	97.74%
18 - 45 years	1,662,313	15,822	0.95%	17,489	1.05%	16,204	0.97%	1,612,798	97.02%
46 - 64 years	637,404	5,373	0.84%	6,076	0.95%	5,840	0.92%	620,115	97.29%
Cephalexin Users									
6 months - 11 years	3,204,590	22,594	0.71%	26,991	0.84%	27,087	0.85%	3,127,918	97.61%
12 - 17 years	1,788,096	11,485	0.64%	13,597	0.76%	13,503	0.76%	1,749,511	97.84%
18 - 45 years	8,248,373	74,992	0.91%	88,870	1.08%	88,495	1.07%	7,996,016	96.94%
46 - 64 years	7,453,243	57,937	0.78%	68,847	0.92%	68,297	0.92%	7,258,162	97.38%
Clindamycin Users									
6 months - 11 years	442,400	3,299	0.75%	4,026	0.91%	3,937	0.89%	431,138	97.45%
12 - 17 years	456,444	3,609	0.79%	4,132	0.91%	3,741	0.82%	444,962	97.48%
18 - 45 years	3,399,220	35,363	1.04%	41,773	1.23%	40,312	1.19%	3,281,772	96.54%
46 - 64 years	3,443,272	28,713	0.83%	34,137	0.99%	33,679	0.98%	3,346,743	97.20%

Table 7a. Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Primary Outcome Definition)

	Number of Episodes by Length of Follow-Up Time								
	Total Number of Episodes	0-9 days		10-19 days		20-29 days		30+ days	
		Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
ARF Tier 2 Cohort, Primary Outcome Definition									
TMP SMX Users									
6 months - 11 years	2,061,123	14,277	0.69%	16,501	0.80%	16,452	0.80%	2,013,893	97.71%
12 - 17 years	1,220,860	7,824	0.64%	9,304	0.76%	9,539	0.78%	1,194,193	97.82%
18 - 45 years	7,270,070	66,632	0.92%	77,211	1.06%	77,953	1.07%	7,048,274	96.95%
46 - 64 years	4,955,358	38,278	0.77%	44,421	0.90%	44,129	0.89%	4,828,530	97.44%
Doxycycline Users									
6 months - 11 years	65,543	576	0.88%	605	0.92%	625	0.95%	63,737	97.24%
12 - 17 years	1,306,413	9,706	0.74%	11,365	0.87%	11,054	0.85%	1,274,288	97.54%
18 - 45 years	7,477,316	76,130	1.02%	87,929	1.18%	86,447	1.16%	7,226,810	96.65%
46 - 64 years	5,190,135	46,854	0.90%	52,679	1.01%	52,064	1.00%	5,038,538	97.08%
Minocycline Users									
6 months - 11 years	11,416	85	0.74%	85	0.74%	84	0.74%	11,162	97.78%
12 - 17 years	1,005,397	7,129	0.71%	7,879	0.78%	7,697	0.77%	982,692	97.74%
18 - 45 years	1,626,887	15,472	0.95%	17,118	1.05%	15,857	0.97%	1,578,440	97.02%
46 - 64 years	552,393	4,648	0.84%	5,178	0.94%	4,978	0.90%	537,589	97.32%
Cephalexin Users									
6 months - 11 years	3,168,982	22,350	0.71%	26,731	0.84%	26,796	0.85%	3,093,105	97.61%
12 - 17 years	1,768,388	11,380	0.64%	13,445	0.76%	13,351	0.75%	1,730,212	97.84%
18 - 45 years	7,904,378	72,110	0.91%	85,311	1.08%	85,077	1.08%	7,661,880	96.93%
46 - 64 years	6,141,456	46,883	0.76%	55,448	0.90%	54,793	0.89%	5,984,332	97.44%
Clindamycin Users									
6 months - 11 years	432,934	3,225	0.74%	3,934	0.91%	3,846	0.89%	421,929	97.46%
12 - 17 years	448,836	3,556	0.79%	4,076	0.91%	3,679	0.82%	437,525	97.48%
18 - 45 years	3,272,906	34,198	1.04%	40,333	1.23%	38,915	1.19%	3,159,460	96.53%
46 - 64 years	2,938,527	24,266	0.83%	28,780	0.98%	28,314	0.96%	2,857,167	97.23%

Table 7a. Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Primary Outcome Definition)

	Number of Episodes by Length of Follow-Up Time								
	0-9 days			10-19 days		20-29 days		30+ days	
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
ARF Tier 3 Cohort, Primary Outcome Definition									
TMP SMX Users									
6 months - 11 years	2,025,861	14,045	0.69%	16,272	0.80%	16,180	0.80%	1,979,364	97.70%
12 - 17 years	1,196,783	7,692	0.64%	9,134	0.76%	9,347	0.78%	1,170,610	97.81%
18 - 45 years	7,015,950	64,001	0.91%	74,095	1.06%	74,940	1.07%	6,802,914	96.96%
46 - 64 years	4,798,894	36,958	0.77%	42,865	0.89%	42,618	0.89%	4,676,453	97.45%
Doxycycline Users									
6 months - 11 years	65,067	572	0.88%	600	0.92%	623	0.96%	63,272	97.24%
12 - 17 years	1,293,425	9,616	0.74%	11,252	0.87%	10,934	0.85%	1,261,623	97.54%
18 - 45 years	7,307,598	74,202	1.02%	85,751	1.17%	84,346	1.15%	7,063,299	96.66%
46 - 64 years	5,079,088	45,779	0.90%	51,429	1.01%	50,802	1.00%	4,931,078	97.09%
Minocycline Users									
6 months - 11 years	11,324	83	0.73%	82	0.72%	83	0.73%	11,076	97.81%
12 - 17 years	998,956	7,097	0.71%	7,839	0.78%	7,657	0.77%	976,363	97.74%
18 - 45 years	1,604,748	15,245	0.95%	16,868	1.05%	15,591	0.97%	1,557,044	97.03%
46 - 64 years	541,606	4,549	0.84%	5,060	0.93%	4,878	0.90%	527,119	97.33%
Cephalexin Users									
6 months - 11 years	3,137,884	22,172	0.71%	26,487	0.84%	26,575	0.85%	3,062,650	97.60%
12 - 17 years	1,742,217	11,209	0.64%	13,262	0.76%	13,175	0.76%	1,704,571	97.84%
18 - 45 years	7,550,723	68,393	0.91%	80,978	1.07%	80,809	1.07%	7,320,543	96.95%
46 - 64 years	5,933,320	45,116	0.76%	53,414	0.90%	52,826	0.89%	5,781,964	97.45%
Clindamycin Users									
6 months - 11 years	425,014	3,165	0.74%	3,872	0.91%	3,786	0.89%	414,191	97.45%
12 - 17 years	440,566	3,500	0.79%	4,000	0.91%	3,620	0.82%	429,446	97.48%
18 - 45 years	3,149,304	32,718	1.04%	38,637	1.23%	37,299	1.18%	3,040,650	96.55%
46 - 64 years	2,837,913	23,368	0.82%	27,784	0.98%	27,280	0.96%	2,759,481	97.24%

Table 7b. Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Secondary Outcome Definition)

	Number of Episodes by Length of Follow-Up Time								
	0-9 days			10-19 days		20-29 days		30+ days	
	Total Number of Episodes	Number of Episodes	Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
Acute Respiratory Failure (ARF) Tier 1 Cohort, Secondary Outcome Definition									
Trimethoprim-Sulfamethoxazole (TMP-SMX) Users									
6 months - 11 years	2,107,120	14,611	0.69%	16,837	0.80%	16,824	0.80%	2,058,848	97.71%
12 - 17 years	1,240,611	7,980	0.64%	9,445	0.76%	9,709	0.78%	1,213,477	97.81%
18 - 45 years	7,569,821	69,305	0.92%	80,439	1.06%	81,086	1.07%	7,338,991	96.95%
46 - 64 years	5,943,087	47,038	0.79%	54,714	0.92%	54,460	0.92%	5,786,875	97.37%
Doxycycline Users									
6 months - 11 years	66,296	586	0.88%	610	0.92%	630	0.95%	64,470	97.25%
12 - 17 years	1,316,672	9,773	0.74%	11,462	0.87%	11,138	0.85%	1,284,299	97.54%
18 - 45 years	7,750,054	78,813	1.02%	91,167	1.18%	89,443	1.15%	7,490,631	96.65%
46 - 64 years	6,250,787	57,740	0.92%	65,064	1.04%	64,198	1.03%	6,063,785	97.01%
Minocycline Users									
6 months - 11 years	11,540	87	0.75%	85	0.74%	87	0.75%	11,281	97.76%
12 - 17 years	1,011,218	7,176	0.71%	7,921	0.78%	7,745	0.77%	988,376	97.74%
18 - 45 years	1,662,313	15,823	0.95%	17,489	1.05%	16,205	0.97%	1,612,796	97.02%
46 - 64 years	637,404	5,373	0.84%	6,076	0.95%	5,840	0.92%	620,115	97.29%
Cephalexin Users									
6 months - 11 years	3,204,590	22,594	0.71%	26,991	0.84%	27,087	0.85%	3,127,918	97.61%
12 - 17 years	1,788,096	11,485	0.64%	13,597	0.76%	13,503	0.76%	1,749,511	97.84%
18 - 45 years	8,248,373	74,992	0.91%	88,870	1.08%	88,495	1.07%	7,996,016	96.94%
46 - 64 years	7,453,243	57,937	0.78%	68,847	0.92%	68,297	0.92%	7,258,162	97.38%
Clindamycin Users									
6 months - 11 years	442,400	3,299	0.75%	4,026	0.91%	3,937	0.89%	431,138	97.45%
12 - 17 years	456,444	3,609	0.79%	4,132	0.91%	3,741	0.82%	444,962	97.48%
18 - 45 years	3,399,220	35,363	1.04%	41,773	1.23%	40,312	1.19%	3,281,772	96.54%
46 - 64 years	3,443,272	28,713	0.83%	34,138	0.99%	33,679	0.98%	3,346,742	97.20%

Table 7b. Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Secondary Outcome Definition)

	Number of Episodes by Length of Follow-Up Time								
	0-9 days		10-19 days		20-29 days		30+ days		
	Total Number of Episodes	Number of Episodes	Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
ARF Tier 2 Cohort, Secondary Outcome Definition									
TMP SMX Users									
6 months - 11 years	2,061,123	14,277	0.69%	16,501	0.80%	16,452	0.80%	2,013,893	97.71%
12 - 17 years	1,220,860	7,824	0.64%	9,305	0.76%	9,538	0.78%	1,194,193	97.82%
18 - 45 years	7,270,070	66,632	0.92%	77,211	1.06%	77,954	1.07%	7,048,273	96.95%
46 - 64 years	4,955,358	38,279	0.77%	44,421	0.90%	44,129	0.89%	4,828,529	97.44%
Doxycycline Users									
6 months - 11 years	65,543	576	0.88%	605	0.92%	625	0.95%	63,737	97.24%
12 - 17 years	1,306,413	9,706	0.74%	11,365	0.87%	11,054	0.85%	1,274,288	97.54%
18 - 45 years	7,477,316	76,130	1.02%	87,930	1.18%	86,447	1.16%	7,226,809	96.65%
46 - 64 years	5,190,135	46,855	0.90%	52,678	1.01%	52,064	1.00%	5,038,538	97.08%
Minocycline Users									
6 months - 11 years	11,416	85	0.74%	85	0.74%	84	0.74%	11,162	97.78%
12 - 17 years	1,005,397	7,129	0.71%	7,879	0.78%	7,697	0.77%	982,692	97.74%
18 - 45 years	1,626,887	15,472	0.95%	17,118	1.05%	15,857	0.97%	1,578,440	97.02%
46 - 64 years	552,393	4,648	0.84%	5,178	0.94%	4,978	0.90%	537,589	97.32%
Cephalexin Users									
6 months - 11 years	3,168,982	22,350	0.71%	26,731	0.84%	26,796	0.85%	3,093,105	97.61%
12 - 17 years	1,768,388	11,380	0.64%	13,445	0.76%	13,351	0.75%	1,730,212	97.84%
18 - 45 years	7,904,378	72,110	0.91%	85,311	1.08%	85,077	1.08%	7,661,880	96.93%
46 - 64 years	6,141,456	46,883	0.76%	55,448	0.90%	54,793	0.89%	5,984,332	97.44%
Clindamycin Users									
6 months - 11 years	432,934	3,225	0.74%	3,934	0.91%	3,846	0.89%	421,929	97.46%
12 - 17 years	448,836	3,556	0.79%	4,076	0.91%	3,679	0.82%	437,525	97.48%
18 - 45 years	3,272,906	34,198	1.04%	40,333	1.23%	38,915	1.19%	3,159,460	96.53%
46 - 64 years	2,938,527	24,266	0.83%	28,781	0.98%	28,314	0.96%	2,857,166	97.23%

Table 7b. Summary of Length of Follow-up Time for Users in the Sentinel Distributed Database (SDD) between January 1, 2000 and December 31, 2019, By Age Group (Secondary Outcome Definition)

	Number of Episodes by Length of Follow-Up Time								
	0-9 days		10-19 days		20-29 days		30+ days		
	Total Number of Episodes	Number of Episodes	Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
ARF Tier 3 Cohort, Secondary Outcome Definition									
TMP SMX Users									
6 months - 11 years	2,025,861	14,045	0.69%	16,272	0.80%	16,180	0.80%	1,979,364	97.70%
12 - 17 years	1,196,783	7,692	0.64%	9,135	0.76%	9,346	0.78%	1,170,610	97.81%
18 - 45 years	7,015,950	64,001	0.91%	74,095	1.06%	74,941	1.07%	6,802,913	96.96%
46 - 64 years	4,798,894	36,959	0.77%	42,865	0.89%	42,618	0.89%	4,676,452	97.45%
Doxycycline Users									
6 months - 11 years	65,067	572	0.88%	600	0.92%	623	0.96%	63,272	97.24%
12 - 17 years	1,293,425	9,616	0.74%	11,252	0.87%	10,934	0.85%	1,261,623	97.54%
18 - 45 years	7,307,598	74,202	1.02%	85,751	1.17%	84,346	1.15%	7,063,299	96.66%
46 - 64 years	5,079,088	45,780	0.90%	51,428	1.01%	50,802	1.00%	4,931,078	97.09%
Minocycline Users									
6 months - 11 years	11,324	83	0.73%	82	0.72%	83	0.73%	11,076	97.81%
12 - 17 years	998,956	7,097	0.71%	7,839	0.78%	7,657	0.77%	976,363	97.74%
18 - 45 years	1,604,748	15,245	0.95%	16,868	1.05%	15,591	0.97%	1,557,044	97.03%
46 - 64 years	541,606	4,549	0.84%	5,060	0.93%	4,878	0.90%	527,119	97.33%
Cephalexin Users									
6 months - 11 years	3,137,884	22,172	0.71%	26,487	0.84%	26,575	0.85%	3,062,650	97.60%
12 - 17 years	1,742,217	11,209	0.64%	13,262	0.76%	13,175	0.76%	1,704,571	97.84%
18 - 45 years	7,550,723	68,393	0.91%	80,978	1.07%	80,809	1.07%	7,320,543	96.95%
46 - 64 years	5,933,320	45,116	0.76%	53,414	0.90%	52,826	0.89%	5,781,964	97.45%
Clindamycin Users									
6 months - 11 years	425,014	3,165	0.74%	3,872	0.91%	3,786	0.89%	414,191	97.45%
12 - 17 years	440,566	3,500	0.79%	4,000	0.91%	3,620	0.82%	429,446	97.48%
18 - 45 years	3,149,304	32,718	1.04%	38,637	1.23%	37,299	1.18%	3,040,650	96.55%
46 - 64 years	2,837,913	23,368	0.82%	27,785	0.98%	27,280	0.96%	2,759,480	97.24%

Figure 1a. Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Primary Definition) Among Users in Tier 1 Cohort, in the Sentinel Distributed Database (SDD)




Figure 1b. Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Primary Definition) Among Users in Tier 2 Cohort, in the Sentinel Distributed Database (SDD)




Figure 1c. Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Primary Definition) Among Users in Tier 3 Cohort, in the Sentinel Distributed Database (SDD)




Figure 1d. Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Secondary Definition) Among Users in Tier 1 Cohort, in the Sentinel Distributed Database (SDD)




Figure 1e. Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Secondary Definition) Among Users in Tier 2 Cohort, in the Sentinel Distributed Database (SDD)





Figure 1f. Survival Probability by Time to an Acute Respiratory Failure (ARF) Event (Secondary Definition) Among Users in Tier 3 Cohort, in the Sentinel Distributed Database (SDD)



Appendix A. Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (May 15, 2020)

DP ID	Start Date ¹	End Date ¹
DP01	01/01/2005	07/31/2018
DP02	01/01/2000	07/31/2019
DP03	01/01/2000	12/31/2017
DP04	01/01/2008	12/31/2019
DP05	01/01/2000	06/30/2019
DP06	01/01/2006	10/31/2019
DP07	01/01/2004	08/31/2019
DP08	01/01/2000	01/31/2019
DP09	01/01/2000	02/28/2019
DP10	01/01/2000	04/30/2019
DP11	01/01/2008	06/30/2019
DP12	01/01/2000	03/31/2019
DP13	06/01/2007	07/31/2019
DP14	01/01/2012	06/30/2018

¹The start and end dates are based on the minimum and maximum dates within each DP. The month with the maximum date must have at least 80% of the number of records in the previous month.

Appendix B. Generic and Brand Names of Medical Products Used to Define Exposures in this Request

Brand Name	Generic Name
Trimethoprim-Sulfamethoxazole (TMP-SMX)	
Bactrim	sulfamethoxazole/trimethoprim
Bactrim Ds	sulfamethoxazole/trimethoprim
Sulfamethoxazole-Trimethoprim	sulfamethoxazole/trimethoprim
Cotrim Double-Strength	sulfamethoxazole/trimethoprim
Sulfatrim	sulfamethoxazole/trimethoprim
Septra	sulfamethoxazole/trimethoprim
Septra Ds	sulfamethoxazole/trimethoprim
Sulfamar	sulfamethoxazole/trimethoprim
Smz-Tmp Ds	sulfamethoxazole/trimethoprim
Sultrex	sulfamethoxazole/trimethoprim
Doxycycline	
Doxycycline Hyclate	doxycycline hyclate
Vibramycin	doxycycline hyclate
Vibramycin	doxycycline monohydrate
Vibramycin	doxycycline calcium
Vibra-Tabs	doxycycline hyclate
Doxycycline Monohydrate	doxycycline monohydrate
Oracea	doxycycline monohydrate
Periostat	doxycycline hyclate
Doryx	doxycycline hyclate
Doxy-Caps	doxycycline hyclate
Adoxa	doxycycline monohydrate
Adoxa Pak	doxycycline monohydrate
Adoxa Tt	doxycycline monohydrate/skin cleanser combination no.9
Adoxa Ck	doxycycline monohydrate/skin cleanser combination no.9
Doxy-Lemmon	doxycycline hyclate
Oraxyl	doxycycline hyclate
Ocudox	doxycycline hyclate/eyelid cleanser 3/eyelid emollient no.1
Monodox	doxycycline monohydrate
Acticlate	doxycycline hyclate
Benoxylodoxy 30	doxycycline monohydrate/benzoyl peroxide
Benoxylodoxy 60	doxycycline monohydrate/benzoyl peroxide
Benzodox 30	doxycycline monohydrate/benzoyl peroxide
Benzodox 60	doxycycline monohydrate/benzoyl peroxide
Morgidox	doxycycline hyclate
Morgidox 1X100	doxycycline hyclate/skin cleanser combination no.19
Morgidox 2X100	doxycycline hyclate/skin cleanser combination no.19
Morgidox 1X 50	doxycycline hyclate/skin cleanser combination no.19
Avidoxy	doxycycline monohydrate
Avidoxy Dk	doxycycline monohydrate/salicylic acid/octinoxate/zinc oxide
Doryx Mpc	doxycycline hyclate
Bio-Tab	doxycycline hyclate
Nutridox	doxycycline monohydrate/omega-3 combination no.1/Eye Mask
Okebo	doxycycline monohydrate

Appendix B. Generic and Brand Names of Medical Products Used to Define Exposures in this Request

Brand Name	Generic Name
Targadox	doxycycline hyclate
Mondoxyne NI	doxycycline monohydrate
Soloxide	doxycycline hyclate
Minocycline	
Minocin	minocycline HCl
Vectrin	minocycline HCl
Minocycline	minocycline HCl
Ximino	minocycline HCl
Clearavue-M Convenience Kit	Minocycline HCl/Eyelid Cleanser Combination No. 1
Minocin Prof Acne Care	minocycline HCl/emol comb no.16/skin clnsr l4/top agent no.3
Minocin Kit With Wipes	minocycline HCl/wipes with skin cleanser no.4
Dynacin	minocycline HCl
Solodyn	minocycline HCl
Coremino	minocycline HCl
Minolira Er	minocycline HCl
Cephalexin	
Cephalexin	cephalexin
Keflex	cephalexin
Daxbia	cephalexin
Ed A-Ceph	cephalexin
Panixine Disperdose	cephalexin
Keftab	cephalexin HCl
Cleocin HCl	clindamycin HCl
Clindamycin HCl	clindamycin HCl
Cleocin Pediatric	clindamycin palmitate HCl
Clindamycin	
Cleocin HCl	clindamycin HCl
Cleocin Pediatric	clindamycin palmitate HCl
Clindamycin HCl	clindamycin HCl
Clindamycin Palmitate HCl	clindamycin palmitate HCl

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Outcomes in this Request

Code	Description	Code Type	Code Category
Acute Respiratory Failure			
518.4	Unspecified acute edema of lung	ICD-9-CM	Diagnosis
518.81	Acute respiratory failure	ICD-9-CM	Diagnosis
518.82	Other pulmonary insufficiency, not elsewhere classified	ICD-9-CM	Diagnosis
J80	Acute respiratory distress syndrome	ICD-10-CM	Diagnosis
J96.00	Acute respiratory failure, unspecified whether with hypoxia or hypercapnia	ICD-10-CM	Diagnosis
J96.01	Acute respiratory failure with hypoxia	ICD-10-CM	Diagnosis
J96.90	Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia	ICD-10-CM	Diagnosis
J96.91	Respiratory failure, unspecified with hypoxia	ICD-10-CM	Diagnosis
R06.03	Acute respiratory distress	ICD-10-CM	Diagnosis
Mechanical Ventilation			
96.7	Other continuous invasive mechanical ventilation	ICD-9-CM	Procedure
5A09357	Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, Continuous Positive Airway Pressure	ICD-10-CM	Procedure
5A09358	Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, Intermittent Positive Airway Pressure	ICD-10-CM	Procedure
5A09359	Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, Continuous Negative Airway Pressure	ICD-10-CM	Procedure
5A0935B	Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, Intermittent Negative Airway Pressure	ICD-10-CM	Procedure
5A0935Z	Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours	ICD-10-CM	Procedure
5A09457	Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, Continuous Positive Airway Pressure	ICD-10-CM	Procedure
5A09458	Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, Intermittent Positive Airway Pressure	ICD-10-CM	Procedure
5A09459	Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, Continuous Negative Airway Pressure	ICD-10-CM	Procedure
5A0945B	Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, Intermittent Negative Airway Pressure	ICD-10-CM	Procedure
5A0945Z	Assistance with Respiratory Ventilation, 24-96 Consecutive Hours	ICD-10-CM	Procedure
5A09557	Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, Continuous Positive Airway Pressure	ICD-10-CM	Procedure
5A09558	Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, Intermittent Positive Airway Pressure	ICD-10-CM	Procedure
5A09559	Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, Continuous Negative Airway Pressure	ICD-10-CM	Procedure
5A0955B	Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, Intermittent Negative Airway Pressure	ICD-10-CM	Procedure
5A0955Z	Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours	ICD-10-CM	Procedure
5A1935Z	Respiratory Ventilation, Less than 24 Consecutive Hours	ICD-10-CM	Procedure
5A1945Z	Respiratory Ventilation, 24-96 Consecutive Hours	ICD-10-CM	Procedure
5A1955Z	Respiratory Ventilation, Greater than 96 Consecutive Hours	ICD-10-CM	Procedure

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Outcomes in this Request

Code	Description	Code Type	Code Category
93.90	Non-invasive mechanical ventilation	ICD-9-CM	Procedure
96.04	Insertion of endotracheal tube	ICD-9-CM	Procedure
96.05	Other intubation of respiratory tract	ICD-9-CM	Procedure
96.71	Continuous invasive mechanical ventilation for less than 96 consecutive hours	ICD-9-CM	Procedure
96.72	Continuous invasive mechanical ventilation for 96 consecutive hours or more	ICD-9-CM	Procedure
93.91	Intermittent positive pressure breathing (IPPB)	ICD-9-CM	Procedure
OBH17EZ	Insertion of Endotracheal Airway into Trachea, Via Natural or Artificial Opening	ICD-10-CM	Procedure
OBH18EZ	Insertion of Endotracheal Airway into Trachea, Via Natural or Artificial Opening Endoscopic	ICD-10-CM	Procedure
4168F	Patient receiving care in the intensive care unit (ICU) and receiving mechanical ventilation, 24 hours or less (CRIT)	CPT-2	Procedure
94662	continuous negative pressure ventilator	CPT-2	Procedure
94656	ventilation assist and management, initiation of pressure or volume preset ventilator for assisted or controlled breathing: first day	CPT-2	Procedure
94657	ventilation assist and management, initiation of pressure or volume preset ventilator for assisted or controlled breathing: subsequent days	CPT-2	Procedure
94002	ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, initial day	CPT-2	Procedure
94003	ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, each subsequent day	CPT-2	Procedure
94004	Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; nursing facility, per day	CPT-2	Procedure
Heart Failure			
428.0	Congestive heart failure, unspecified	ICD-9-CM	Diagnosis
428.1	Left heart failure	ICD-9-CM	Diagnosis
428.2	Systolic heart failure	ICD-9-CM	Diagnosis
428.20	Unspecified systolic heart failure	ICD-9-CM	Diagnosis
428.21	Acute systolic heart failure	ICD-9-CM	Diagnosis
428.22	Chronic systolic heart failure	ICD-9-CM	Diagnosis
428.23	Acute on chronic systolic heart failure	ICD-9-CM	Diagnosis
428.3	Diastolic heart failure	ICD-9-CM	Diagnosis
428.30	Unspecified diastolic heart failure	ICD-9-CM	Diagnosis
428.31	Acute diastolic heart failure	ICD-9-CM	Diagnosis
428.32	Chronic diastolic heart failure	ICD-9-CM	Diagnosis
428.33	Acute on chronic diastolic heart failure	ICD-9-CM	Diagnosis
428.4	Combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.40	Unspecified combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.41	Acute combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.42	Chronic combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.43	Acute on chronic combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Outcomes in this Request

Code	Description	Code Type	Code Category
428.9	Unspecified heart failure	ICD-9-CM	Diagnosis
I50.1	Left ventricular failure, unspecified	ICD-10-CM	Diagnosis
I50.20	Unspecified systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.21	Acute systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.22	Chronic systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.23	Acute on chronic systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.30	Unspecified diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.31	Acute diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.32	Chronic diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.33	Acute on chronic diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.40	Unspecified combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.810	Right heart failure, unspecified	ICD-10-CM	Diagnosis
I50.811	Acute right heart failure	ICD-10-CM	Diagnosis
I50.812	Chronic right heart failure	ICD-10-CM	Diagnosis
I50.813	Acute on chronic right heart failure	ICD-10-CM	Diagnosis
I50.814	Right heart failure due to left heart failure	ICD-10-CM	Diagnosis
I50.82	Biventricular heart failure	ICD-10-CM	Diagnosis
I50.83	High output heart failure	ICD-10-CM	Diagnosis
I50.84	End stage heart failure	ICD-10-CM	Diagnosis
I50.89	Other heart failure	ICD-10-CM	Diagnosis
I50.9	Heart failure, unspecified	ICD-10-CM	Diagnosis
Hypersensitivity Pneumonitis			
495.9	Unspecified allergic alveolitis and pneumonitis	ICD-9-CM	Diagnosis
J67.9	Hypersensitivity pneumonitis due to unspecified organic dust	ICD-10-CM	Diagnosis
Extracorporeal Membrane Oxygenation (ECMO)			
39.65	Extracorporeal membrane oxygenation (ECMO)	ICD-9-CM	Procedure
5A15223	Extracorporeal Membrane Oxygenation, Continuous	ICD-10-CM	Procedure
5A1522F	Extracorporeal Oxygenation, Membrane, Central	ICD-10-CM	Procedure
5A1522G	Extracorporeal Oxygenation, Membrane, Peripheral Venous-arterial	ICD-10-CM	Procedure
5A1522H	Extracorporeal Oxygenation, Membrane, Peripheral Venous-venous	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
Human Immunodeficiency Virus (HIV)			
042	Human immunodeficiency virus [HIV]	ICD-9-CM	Diagnosis
079.53	Human immunodeficiency virus, type 2 (HIV 2), in conditions classified elsewhere and of unspecified site	ICD-9-CM	Diagnosis
795.71	Nonspecific serologic evidence of human immunodeficiency virus (HIV)	ICD-9-CM	Diagnosis
V08	Asymptomatic human immunodeficiency virus (hiv) infection status	ICD-9-CM	Diagnosis
3490F	History of AIDS-defining condition (HIV)	CPT-4	Procedure
B20	Human immunodeficiency virus [HIV] disease	ICD-10-CM	Diagnosis
B97.35	Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere	ICD-10-CM	Diagnosis
Z21	Asymptomatic human immunodeficiency virus [HIV] infection status	ICD-10-CM	Diagnosis
Cancer			
140	Malignant neoplasm of lip	ICD-9-CM	Diagnosis
140.0	Malignant neoplasm of upper lip, vermilion border	ICD-9-CM	Diagnosis
140.1	Malignant neoplasm of lower lip, vermilion border	ICD-9-CM	Diagnosis
140.3	Malignant neoplasm of upper lip, inner aspect	ICD-9-CM	Diagnosis
140.4	Malignant neoplasm of lower lip, inner aspect	ICD-9-CM	Diagnosis
140.5	Malignant neoplasm of lip, inner aspect, unspecified as to upper or lower	ICD-9-CM	Diagnosis
140.6	Malignant neoplasm of commissure of lip	ICD-9-CM	Diagnosis
140.8	Malignant neoplasm of other sites of lip	ICD-9-CM	Diagnosis
140.9	Malignant neoplasm of lip, vermilion border, unspecified as to upper or lower	ICD-9-CM	Diagnosis
141	Malignant neoplasm of tongue	ICD-9-CM	Diagnosis
141.0	Malignant neoplasm of base of tongue	ICD-9-CM	Diagnosis
141.1	Malignant neoplasm of dorsal surface of tongue	ICD-9-CM	Diagnosis
141.2	Malignant neoplasm of tip and lateral border of tongue	ICD-9-CM	Diagnosis
141.3	Malignant neoplasm of ventral surface of tongue	ICD-9-CM	Diagnosis
141.4	Malignant neoplasm of anterior two-thirds of tongue, part unspecified	ICD-9-CM	Diagnosis
141.5	Malignant neoplasm of junctional zone of tongue	ICD-9-CM	Diagnosis
141.6	Malignant neoplasm of lingual tonsil	ICD-9-CM	Diagnosis
141.8	Malignant neoplasm of other sites of tongue	ICD-9-CM	Diagnosis
141.9	Malignant neoplasm of tongue, unspecified site	ICD-9-CM	Diagnosis
142	Malignant neoplasm of major salivary glands	ICD-9-CM	Diagnosis
142.0	Malignant neoplasm of parotid gland	ICD-9-CM	Diagnosis
142.1	Malignant neoplasm of submandibular gland	ICD-9-CM	Diagnosis
142.2	Malignant neoplasm of sublingual gland	ICD-9-CM	Diagnosis
142.8	Malignant neoplasm of other major salivary glands	ICD-9-CM	Diagnosis
142.9	Malignant neoplasm of salivary gland, unspecified	ICD-9-CM	Diagnosis
143	Malignant neoplasm of gum	ICD-9-CM	Diagnosis
143.0	Malignant neoplasm of upper gum	ICD-9-CM	Diagnosis
143.1	Malignant neoplasm of lower gum	ICD-9-CM	Diagnosis
143.8	Malignant neoplasm of other sites of gum	ICD-9-CM	Diagnosis
143.9	Malignant neoplasm of gum, unspecified site	ICD-9-CM	Diagnosis
144	Malignant neoplasm of floor of mouth	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
144.0	Malignant neoplasm of anterior portion of floor of mouth	ICD-9-CM	Diagnosis
144.1	Malignant neoplasm of lateral portion of floor of mouth	ICD-9-CM	Diagnosis
144.8	Malignant neoplasm of other sites of floor of mouth	ICD-9-CM	Diagnosis
144.9	Malignant neoplasm of floor of mouth, part unspecified	ICD-9-CM	Diagnosis
145	Malignant neoplasm of other and unspecified parts of mouth	ICD-9-CM	Diagnosis
145.0	Malignant neoplasm of cheek mucosa	ICD-9-CM	Diagnosis
145.1	Malignant neoplasm of vestibule of mouth	ICD-9-CM	Diagnosis
145.2	Malignant neoplasm of hard palate	ICD-9-CM	Diagnosis
145.3	Malignant neoplasm of soft palate	ICD-9-CM	Diagnosis
145.4	Malignant neoplasm of uvula	ICD-9-CM	Diagnosis
145.5	Malignant neoplasm of palate, unspecified	ICD-9-CM	Diagnosis
145.6	Malignant neoplasm of retromolar area	ICD-9-CM	Diagnosis
145.8	Malignant neoplasm of other specified parts of mouth	ICD-9-CM	Diagnosis
145.9	Malignant neoplasm of mouth, unspecified site	ICD-9-CM	Diagnosis
146	Malignant neoplasm of oropharynx	ICD-9-CM	Diagnosis
146.0	Malignant neoplasm of tonsil	ICD-9-CM	Diagnosis
146.1	Malignant neoplasm of tonsillar fossa	ICD-9-CM	Diagnosis
146.2	Malignant neoplasm of tonsillar pillars (anterior) (posterior)	ICD-9-CM	Diagnosis
146.3	Malignant neoplasm of vallecula	ICD-9-CM	Diagnosis
146.4	Malignant neoplasm of anterior aspect of epiglottis	ICD-9-CM	Diagnosis
146.5	Malignant neoplasm of junctional region of oropharynx	ICD-9-CM	Diagnosis
146.6	Malignant neoplasm of lateral wall of oropharynx	ICD-9-CM	Diagnosis
146.7	Malignant neoplasm of posterior wall of oropharynx	ICD-9-CM	Diagnosis
146.8	Malignant neoplasm of other specified sites of oropharynx	ICD-9-CM	Diagnosis
146.9	Malignant neoplasm of oropharynx, unspecified site	ICD-9-CM	Diagnosis
147	Malignant neoplasm of nasopharynx	ICD-9-CM	Diagnosis
147.0	Malignant neoplasm of superior wall of nasopharynx	ICD-9-CM	Diagnosis
147.1	Malignant neoplasm of posterior wall of nasopharynx	ICD-9-CM	Diagnosis
147.2	Malignant neoplasm of lateral wall of nasopharynx	ICD-9-CM	Diagnosis
147.3	Malignant neoplasm of anterior wall of nasopharynx	ICD-9-CM	Diagnosis
147.8	Malignant neoplasm of other specified sites of nasopharynx	ICD-9-CM	Diagnosis
147.9	Malignant neoplasm of nasopharynx, unspecified site	ICD-9-CM	Diagnosis
148	Malignant neoplasm of hypopharynx	ICD-9-CM	Diagnosis
148.0	Malignant neoplasm of postcricoid region of hypopharynx	ICD-9-CM	Diagnosis
148.1	Malignant neoplasm of pyriform sinus	ICD-9-CM	Diagnosis
148.2	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect	ICD-9-CM	Diagnosis
148.3	Malignant neoplasm of posterior hypopharyngeal wall	ICD-9-CM	Diagnosis
148.8	Malignant neoplasm of other specified sites of hypopharynx	ICD-9-CM	Diagnosis
148.9	Malignant neoplasm of hypopharynx, unspecified site	ICD-9-CM	Diagnosis
149	Malignant neoplasm of other and ill-defined sites within the lip, oral cavity, and pharynx	ICD-9-CM	Diagnosis
149.0	Malignant neoplasm of pharynx, unspecified	ICD-9-CM	Diagnosis
149.1	Malignant neoplasm of Waldeyer's ring	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
149.8	Malignant neoplasm of other sites within the lip and oral cavity	ICD-9-CM	Diagnosis
149.9	Malignant neoplasm of ill-defined sites of lip and oral cavity	ICD-9-CM	Diagnosis
150	Malignant neoplasm of esophagus	ICD-9-CM	Diagnosis
150.0	Malignant neoplasm of cervical esophagus	ICD-9-CM	Diagnosis
150.1	Malignant neoplasm of thoracic esophagus	ICD-9-CM	Diagnosis
150.2	Malignant neoplasm of abdominal esophagus	ICD-9-CM	Diagnosis
150.3	Malignant neoplasm of upper third of esophagus	ICD-9-CM	Diagnosis
150.4	Malignant neoplasm of middle third of esophagus	ICD-9-CM	Diagnosis
150.5	Malignant neoplasm of lower third of esophagus	ICD-9-CM	Diagnosis
150.8	Malignant neoplasm of other specified part of esophagus	ICD-9-CM	Diagnosis
150.9	Malignant neoplasm of esophagus, unspecified site	ICD-9-CM	Diagnosis
151	Malignant neoplasm of stomach	ICD-9-CM	Diagnosis
151.0	Malignant neoplasm of cardia	ICD-9-CM	Diagnosis
151.1	Malignant neoplasm of pylorus	ICD-9-CM	Diagnosis
151.2	Malignant neoplasm of pyloric antrum	ICD-9-CM	Diagnosis
151.3	Malignant neoplasm of fundus of stomach	ICD-9-CM	Diagnosis
151.4	Malignant neoplasm of body of stomach	ICD-9-CM	Diagnosis
151.5	Malignant neoplasm of lesser curvature of stomach, unspecified	ICD-9-CM	Diagnosis
151.6	Malignant neoplasm of greater curvature of stomach, unspecified	ICD-9-CM	Diagnosis
151.8	Malignant neoplasm of other specified sites of stomach	ICD-9-CM	Diagnosis
151.9	Malignant neoplasm of stomach, unspecified site	ICD-9-CM	Diagnosis
152	Malignant neoplasm of small intestine, including duodenum	ICD-9-CM	Diagnosis
152.0	Malignant neoplasm of duodenum	ICD-9-CM	Diagnosis
152.1	Malignant neoplasm of jejunum	ICD-9-CM	Diagnosis
152.2	Malignant neoplasm of ileum	ICD-9-CM	Diagnosis
152.3	Malignant neoplasm of Meckel's diverticulum	ICD-9-CM	Diagnosis
152.8	Malignant neoplasm of other specified sites of small intestine	ICD-9-CM	Diagnosis
152.9	Malignant neoplasm of small intestine, unspecified site	ICD-9-CM	Diagnosis
153	Malignant neoplasm of colon	ICD-9-CM	Diagnosis
153.0	Malignant neoplasm of hepatic flexure	ICD-9-CM	Diagnosis
153.1	Malignant neoplasm of transverse colon	ICD-9-CM	Diagnosis
153.2	Malignant neoplasm of descending colon	ICD-9-CM	Diagnosis
153.3	Malignant neoplasm of sigmoid colon	ICD-9-CM	Diagnosis
153.4	Malignant neoplasm of cecum	ICD-9-CM	Diagnosis
153.5	Malignant neoplasm of appendix	ICD-9-CM	Diagnosis
153.6	Malignant neoplasm of ascending colon	ICD-9-CM	Diagnosis
153.7	Malignant neoplasm of splenic flexure	ICD-9-CM	Diagnosis
153.8	Malignant neoplasm of other specified sites of large intestine	ICD-9-CM	Diagnosis
153.9	Malignant neoplasm of colon, unspecified site	ICD-9-CM	Diagnosis
154.0	Malignant neoplasm of rectosigmoid junction	ICD-9-CM	Diagnosis
154	Malignant neoplasm of rectum, rectosigmoid junction, and anus	ICD-9-CM	Diagnosis
154.1	Malignant neoplasm of rectum	ICD-9-CM	Diagnosis
154.2	Malignant neoplasm of anal canal	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
154.3	Malignant neoplasm of anus, unspecified site	ICD-9-CM	Diagnosis
154.8	Malignant neoplasm of other sites of rectum, rectosigmoid junction, and anus	ICD-9-CM	Diagnosis
155	Malignant neoplasm of liver and intrahepatic bile ducts	ICD-9-CM	Diagnosis
155.0	Malignant neoplasm of liver, primary	ICD-9-CM	Diagnosis
155.1	Malignant neoplasm of intrahepatic bile ducts	ICD-9-CM	Diagnosis
155.2	Malignant neoplasm of liver, not specified as primary or secondary	ICD-9-CM	Diagnosis
156	Malignant neoplasm of gallbladder and extrahepatic bile ducts	ICD-9-CM	Diagnosis
156.0	Malignant neoplasm of gallbladder	ICD-9-CM	Diagnosis
156.1	Malignant neoplasm of extrahepatic bile ducts	ICD-9-CM	Diagnosis
156.2	Malignant neoplasm of ampulla of Vater	ICD-9-CM	Diagnosis
156.8	Malignant neoplasm of other specified sites of gallbladder and extrahepatic bile ducts	ICD-9-CM	Diagnosis
156.9	Malignant neoplasm of biliary tract, part unspecified site	ICD-9-CM	Diagnosis
157	Malignant neoplasm of pancreas	ICD-9-CM	Diagnosis
157.0	Malignant neoplasm of head of pancreas	ICD-9-CM	Diagnosis
157.1	Malignant neoplasm of body of pancreas	ICD-9-CM	Diagnosis
157.2	Malignant neoplasm of tail of pancreas	ICD-9-CM	Diagnosis
157.3	Malignant neoplasm of pancreatic duct	ICD-9-CM	Diagnosis
157.4	Malignant neoplasm of islets of Langerhans	ICD-9-CM	Diagnosis
157.8	Malignant neoplasm of other specified sites of pancreas	ICD-9-CM	Diagnosis
157.9	Malignant neoplasm of pancreas, part unspecified	ICD-9-CM	Diagnosis
158	Malignant neoplasm of retroperitoneum and peritoneum	ICD-9-CM	Diagnosis
158.0	Malignant neoplasm of retroperitoneum	ICD-9-CM	Diagnosis
158.8	Malignant neoplasm of specified parts of peritoneum	ICD-9-CM	Diagnosis
158.9	Malignant neoplasm of peritoneum, unspecified	ICD-9-CM	Diagnosis
159	Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum	ICD-9-CM	Diagnosis
159.0	Malignant neoplasm of intestinal tract, part unspecified	ICD-9-CM	Diagnosis
159.1	Malignant neoplasm of spleen, not elsewhere classified	ICD-9-CM	Diagnosis
159.8	Malignant neoplasm of other sites of digestive system and intra-abdominal organs	ICD-9-CM	Diagnosis
159.9	Malignant neoplasm of ill-defined sites of digestive organs and peritoneum	ICD-9-CM	Diagnosis
160	Malignant neoplasm of nasal cavities, middle ear, and accessory sinuses	ICD-9-CM	Diagnosis
160.0	Malignant neoplasm of nasal cavities	ICD-9-CM	Diagnosis
160.1	Malignant neoplasm of auditory tube, middle ear, and mastoid air cells	ICD-9-CM	Diagnosis
160.2	Malignant neoplasm of maxillary sinus	ICD-9-CM	Diagnosis
160.3	Malignant neoplasm of ethmoidal sinus	ICD-9-CM	Diagnosis
160.4	Malignant neoplasm of frontal sinus	ICD-9-CM	Diagnosis
160.5	Malignant neoplasm of sphenoidal sinus	ICD-9-CM	Diagnosis
160.8	Malignant neoplasm of other sites of nasal cavities, middle ear, and accessory sinuses	ICD-9-CM	Diagnosis
160.9	Malignant neoplasm of site of nasal cavities, middle ear, and accessory sinus, unspecified site	ICD-9-CM	Diagnosis
161	Malignant neoplasm of larynx	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
161.0	Malignant neoplasm of glottis	ICD-9-CM	Diagnosis
161.1	Malignant neoplasm of supraglottis	ICD-9-CM	Diagnosis
161.2	Malignant neoplasm of subglottis	ICD-9-CM	Diagnosis
161.3	Malignant neoplasm of laryngeal cartilages	ICD-9-CM	Diagnosis
161.8	Malignant neoplasm of other specified sites of larynx	ICD-9-CM	Diagnosis
161.9	Malignant neoplasm of larynx, unspecified site	ICD-9-CM	Diagnosis
162	Malignant neoplasm of trachea, bronchus, and lung	ICD-9-CM	Diagnosis
162.0	Malignant neoplasm of trachea	ICD-9-CM	Diagnosis
162.2	Malignant neoplasm of main bronchus	ICD-9-CM	Diagnosis
162.3	Malignant neoplasm of upper lobe, bronchus, or lung	ICD-9-CM	Diagnosis
162.4	Malignant neoplasm of middle lobe, bronchus, or lung	ICD-9-CM	Diagnosis
162.5	Malignant neoplasm of lower lobe, bronchus, or lung	ICD-9-CM	Diagnosis
162.8	Malignant neoplasm of other parts of bronchus or lung	ICD-9-CM	Diagnosis
162.9	Malignant neoplasm of bronchus and lung, unspecified site	ICD-9-CM	Diagnosis
163	Malignant neoplasm of pleura	ICD-9-CM	Diagnosis
163.0	Malignant neoplasm of parietal pleura	ICD-9-CM	Diagnosis
163.1	Malignant neoplasm of visceral pleura	ICD-9-CM	Diagnosis
163.8	Malignant neoplasm of other specified sites of pleura	ICD-9-CM	Diagnosis
163.9	Malignant neoplasm of pleura, unspecified site	ICD-9-CM	Diagnosis
164	Malignant neoplasm of thymus, heart, and mediastinum	ICD-9-CM	Diagnosis
164.0	Malignant neoplasm of thymus	ICD-9-CM	Diagnosis
164.1	Malignant neoplasm of heart	ICD-9-CM	Diagnosis
164.2	Malignant neoplasm of anterior mediastinum	ICD-9-CM	Diagnosis
164.3	Malignant neoplasm of posterior mediastinum	ICD-9-CM	Diagnosis
164.8	Malignant neoplasm of other parts of mediastinum	ICD-9-CM	Diagnosis
164.9	Malignant neoplasm of mediastinum, part unspecified	ICD-9-CM	Diagnosis
165	Malignant neoplasm of other and ill-defined sites within the respiratory system and intrathoracic organs	ICD-9-CM	Diagnosis
165.0	Malignant neoplasm of upper respiratory tract, part unspecified	ICD-9-CM	Diagnosis
165.8	Malignant neoplasm of other sites within the respiratory system and intrathoracic organs	ICD-9-CM	Diagnosis
165.9	Malignant neoplasm of ill-defined sites within the respiratory system	ICD-9-CM	Diagnosis
170	Malignant neoplasm of bone and articular cartilage	ICD-9-CM	Diagnosis
170.0	Malignant neoplasm of bones of skull and face, except mandible	ICD-9-CM	Diagnosis
170.1	Malignant neoplasm of mandible	ICD-9-CM	Diagnosis
170.2	Malignant neoplasm of vertebral column, excluding sacrum and coccyx	ICD-9-CM	Diagnosis
170.3	Malignant neoplasm of ribs, sternum, and clavicle	ICD-9-CM	Diagnosis
170.4	Malignant neoplasm of scapula and long bones of upper limb	ICD-9-CM	Diagnosis
170.5	Malignant neoplasm of short bones of upper limb	ICD-9-CM	Diagnosis
170.6	Malignant neoplasm of pelvic bones, sacrum, and coccyx	ICD-9-CM	Diagnosis
170.7	Malignant neoplasm of long bones of lower limb	ICD-9-CM	Diagnosis
170.8	Malignant neoplasm of short bones of lower limb	ICD-9-CM	Diagnosis
170.9	Malignant neoplasm of bone and articular cartilage, site unspecified	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
171	Malignant neoplasm of connective and other soft tissue	ICD-9-CM	Diagnosis
171.0	Malignant neoplasm of connective and other soft tissue of head, face, and neck	ICD-9-CM	Diagnosis
171.2	Malignant neoplasm of connective and other soft tissue of upper limb, including shoulder	ICD-9-CM	Diagnosis
171.3	Malignant neoplasm of connective and other soft tissue of lower limb, including hip	ICD-9-CM	Diagnosis
171.4	Malignant neoplasm of connective and other soft tissue of thorax	ICD-9-CM	Diagnosis
171.5	Malignant neoplasm of connective and other soft tissue of abdomen	ICD-9-CM	Diagnosis
171.6	Malignant neoplasm of connective and other soft tissue of pelvis	ICD-9-CM	Diagnosis
171.7	Malignant neoplasm of connective and other soft tissue of trunk, unspecified site	ICD-9-CM	Diagnosis
171.8	Malignant neoplasm of other specified sites of connective and other soft tissue	ICD-9-CM	Diagnosis
171.9	Malignant neoplasm of connective and other soft tissue, site unspecified	ICD-9-CM	Diagnosis
172	Malignant melanoma of skin	ICD-9-CM	Diagnosis
172.0	Malignant melanoma of skin of lip	ICD-9-CM	Diagnosis
172.1	Malignant melanoma of skin of eyelid, including canthus	ICD-9-CM	Diagnosis
172.2	Malignant melanoma of skin of ear and external auditory canal	ICD-9-CM	Diagnosis
172.3	Malignant melanoma of skin of other and unspecified parts of face	ICD-9-CM	Diagnosis
172.4	Malignant melanoma of skin of scalp and neck	ICD-9-CM	Diagnosis
172.5	Malignant melanoma of skin of trunk, except scrotum	ICD-9-CM	Diagnosis
172.6	Malignant melanoma of skin of upper limb, including shoulder	ICD-9-CM	Diagnosis
172.7	Malignant melanoma of skin of lower limb, including hip	ICD-9-CM	Diagnosis
172.8	Malignant melanoma of other specified sites of skin	ICD-9-CM	Diagnosis
172.9	Melanoma of skin, site unspecified	ICD-9-CM	Diagnosis
174	Malignant neoplasm of female breast	ICD-9-CM	Diagnosis
174.0	Malignant neoplasm of nipple and areola of female breast	ICD-9-CM	Diagnosis
174.1	Malignant neoplasm of central portion of female breast	ICD-9-CM	Diagnosis
174.2	Malignant neoplasm of upper-inner quadrant of female breast	ICD-9-CM	Diagnosis
174.3	Malignant neoplasm of lower-inner quadrant of female breast	ICD-9-CM	Diagnosis
174.4	Malignant neoplasm of upper-outer quadrant of female breast	ICD-9-CM	Diagnosis
174.5	Malignant neoplasm of lower-outer quadrant of female breast	ICD-9-CM	Diagnosis
174.6	Malignant neoplasm of axillary tail of female breast	ICD-9-CM	Diagnosis
174.8	Malignant neoplasm of other specified sites of female breast	ICD-9-CM	Diagnosis
174.9	Malignant neoplasm of breast (female), unspecified site	ICD-9-CM	Diagnosis
175	Malignant neoplasm of male breast	ICD-9-CM	Diagnosis
175.0	Malignant neoplasm of nipple and areola of male breast	ICD-9-CM	Diagnosis
175.9	Malignant neoplasm of other and unspecified sites of male breast	ICD-9-CM	Diagnosis
176	Kaposi's sarcoma	ICD-9-CM	Diagnosis
176.0	Kaposi's sarcoma of skin	ICD-9-CM	Diagnosis
176.1	Kaposi's sarcoma of soft tissue	ICD-9-CM	Diagnosis
176.2	Kaposi's sarcoma of palate	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
176.3	Kaposi's sarcoma of gastrointestinal sites	ICD-9-CM	Diagnosis
176.4	Kaposi's sarcoma of lung	ICD-9-CM	Diagnosis
176.5	Kaposi's sarcoma of lymph nodes	ICD-9-CM	Diagnosis
176.8	Kaposi's sarcoma of other specified sites	ICD-9-CM	Diagnosis
176.9	Kaposi's sarcoma of unspecified site	ICD-9-CM	Diagnosis
179	Malignant neoplasm of uterus, part unspecified	ICD-9-CM	Diagnosis
180	Malignant neoplasm of cervix uteri	ICD-9-CM	Diagnosis
180.0	Malignant neoplasm of endocervix	ICD-9-CM	Diagnosis
180.1	Malignant neoplasm of exocervix	ICD-9-CM	Diagnosis
180.8	Malignant neoplasm of other specified sites of cervix	ICD-9-CM	Diagnosis
180.9	Malignant neoplasm of cervix uteri, unspecified site	ICD-9-CM	Diagnosis
181	Malignant neoplasm of placenta	ICD-9-CM	Diagnosis
182	Malignant neoplasm of body of uterus	ICD-9-CM	Diagnosis
182.0	Malignant neoplasm of corpus uteri, except isthmus	ICD-9-CM	Diagnosis
182.1	Malignant neoplasm of isthmus	ICD-9-CM	Diagnosis
182.8	Malignant neoplasm of other specified sites of body of uterus	ICD-9-CM	Diagnosis
183	Malignant neoplasm of ovary and other uterine adnexa	ICD-9-CM	Diagnosis
183.0	Malignant neoplasm of ovary	ICD-9-CM	Diagnosis
183.2	Malignant neoplasm of fallopian tube	ICD-9-CM	Diagnosis
183.3	Malignant neoplasm of broad ligament of uterus	ICD-9-CM	Diagnosis
183.4	Malignant neoplasm of parametrium of uterus	ICD-9-CM	Diagnosis
183.5	Malignant neoplasm of round ligament of uterus	ICD-9-CM	Diagnosis
183.8	Malignant neoplasm of other specified sites of uterine adnexa	ICD-9-CM	Diagnosis
183.9	Malignant neoplasm of uterine adnexa, unspecified site	ICD-9-CM	Diagnosis
184	Malignant neoplasm of other and unspecified female genital organs	ICD-9-CM	Diagnosis
184.0	Malignant neoplasm of vagina	ICD-9-CM	Diagnosis
184.1	Malignant neoplasm of labia majora	ICD-9-CM	Diagnosis
184.2	Malignant neoplasm of labia minora	ICD-9-CM	Diagnosis
184.3	Malignant neoplasm of clitoris	ICD-9-CM	Diagnosis
184.4	Malignant neoplasm of vulva, unspecified site	ICD-9-CM	Diagnosis
184.8	Malignant neoplasm of other specified sites of female genital organs	ICD-9-CM	Diagnosis
184.9	Malignant neoplasm of female genital organ, site unspecified	ICD-9-CM	Diagnosis
185	Malignant neoplasm of prostate	ICD-9-CM	Diagnosis
186	Malignant neoplasm of testis	ICD-9-CM	Diagnosis
186.0	Malignant neoplasm of undescended testis	ICD-9-CM	Diagnosis
186.9	Malignant neoplasm of other and unspecified testis	ICD-9-CM	Diagnosis
187	Malignant neoplasm of penis and other male genital organs	ICD-9-CM	Diagnosis
187.1	Malignant neoplasm of prepuce	ICD-9-CM	Diagnosis
187.2	Malignant neoplasm of glans penis	ICD-9-CM	Diagnosis
187.3	Malignant neoplasm of body of penis	ICD-9-CM	Diagnosis
187.4	Malignant neoplasm of penis, part unspecified	ICD-9-CM	Diagnosis
187.5	Malignant neoplasm of epididymis	ICD-9-CM	Diagnosis
187.6	Malignant neoplasm of spermatic cord	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
187.7	Malignant neoplasm of scrotum	ICD-9-CM	Diagnosis
187.8	Malignant neoplasm of other specified sites of male genital organs	ICD-9-CM	Diagnosis
187.9	Malignant neoplasm of male genital organ, site unspecified	ICD-9-CM	Diagnosis
188	Malignant neoplasm of bladder	ICD-9-CM	Diagnosis
188.0	Malignant neoplasm of trigone of urinary bladder	ICD-9-CM	Diagnosis
188.1	Malignant neoplasm of dome of urinary bladder	ICD-9-CM	Diagnosis
188.2	Malignant neoplasm of lateral wall of urinary bladder	ICD-9-CM	Diagnosis
188.3	Malignant neoplasm of anterior wall of urinary bladder	ICD-9-CM	Diagnosis
188.4	Malignant neoplasm of posterior wall of urinary bladder	ICD-9-CM	Diagnosis
188.5	Malignant neoplasm of bladder neck	ICD-9-CM	Diagnosis
188.6	Malignant neoplasm of ureteric orifice	ICD-9-CM	Diagnosis
188.7	Malignant neoplasm of urachus	ICD-9-CM	Diagnosis
188.8	Malignant neoplasm of other specified sites of bladder	ICD-9-CM	Diagnosis
188.9	Malignant neoplasm of bladder, part unspecified	ICD-9-CM	Diagnosis
189	Malignant neoplasm of kidney and other and unspecified urinary organs	ICD-9-CM	Diagnosis
189.0	Malignant neoplasm of kidney, except pelvis	ICD-9-CM	Diagnosis
189.1	Malignant neoplasm of renal pelvis	ICD-9-CM	Diagnosis
189.2	Malignant neoplasm of ureter	ICD-9-CM	Diagnosis
189.3	Malignant neoplasm of urethra	ICD-9-CM	Diagnosis
189.4	Malignant neoplasm of paraurethral glands	ICD-9-CM	Diagnosis
189.8	Malignant neoplasm of other specified sites of urinary organs	ICD-9-CM	Diagnosis
189.9	Malignant neoplasm of urinary organ, site unspecified	ICD-9-CM	Diagnosis
190	Malignant neoplasm of eye	ICD-9-CM	Diagnosis
190.0	Malignant neoplasm of eyeball, except conjunctiva, cornea, retina, and	ICD-9-CM	Diagnosis
190.1	Malignant neoplasm of orbit	ICD-9-CM	Diagnosis
190.2	Malignant neoplasm of lacrimal gland	ICD-9-CM	Diagnosis
190.3	Malignant neoplasm of conjunctiva	ICD-9-CM	Diagnosis
190.4	Malignant neoplasm of cornea	ICD-9-CM	Diagnosis
190.5	Malignant neoplasm of retina	ICD-9-CM	Diagnosis
190.6	Malignant neoplasm of choroid	ICD-9-CM	Diagnosis
190.7	Malignant neoplasm of lacrimal duct	ICD-9-CM	Diagnosis
190.8	Malignant neoplasm of other specified sites of eye	ICD-9-CM	Diagnosis
190.9	Malignant neoplasm of eye, part unspecified	ICD-9-CM	Diagnosis
191	Malignant neoplasm of brain	ICD-9-CM	Diagnosis
191.0	Malignant neoplasm of cerebrum, except lobes and ventricles	ICD-9-CM	Diagnosis
191.1	Malignant neoplasm of frontal lobe of brain	ICD-9-CM	Diagnosis
191.2	Malignant neoplasm of temporal lobe of brain	ICD-9-CM	Diagnosis
191.3	Malignant neoplasm of parietal lobe of brain	ICD-9-CM	Diagnosis
191.4	Malignant neoplasm of occipital lobe of brain	ICD-9-CM	Diagnosis
191.5	Malignant neoplasm of ventricles of brain	ICD-9-CM	Diagnosis
191.6	Malignant neoplasm of cerebellum NOS	ICD-9-CM	Diagnosis
191.7	Malignant neoplasm of brain stem	ICD-9-CM	Diagnosis
191.8	Malignant neoplasm of other parts of brain	ICD-9-CM	Diagnosis
191.9	Malignant neoplasm of brain, unspecified site	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
192	Malignant neoplasm of other and unspecified parts of nervous system	ICD-9-CM	Diagnosis
192.0	Malignant neoplasm of cranial nerves	ICD-9-CM	Diagnosis
192.1	Malignant neoplasm of cerebral meninges	ICD-9-CM	Diagnosis
192.2	Malignant neoplasm of spinal cord	ICD-9-CM	Diagnosis
192.3	Malignant neoplasm of spinal meninges	ICD-9-CM	Diagnosis
192.8	Malignant neoplasm of other specified sites of nervous system	ICD-9-CM	Diagnosis
192.9	Malignant neoplasm of nervous system, part unspecified	ICD-9-CM	Diagnosis
193	Malignant neoplasm of thyroid gland	ICD-9-CM	Diagnosis
194	Malignant neoplasm of other endocrine glands and related structures	ICD-9-CM	Diagnosis
194.0	Malignant neoplasm of adrenal gland	ICD-9-CM	Diagnosis
194.1	Malignant neoplasm of parathyroid gland	ICD-9-CM	Diagnosis
194.3	Malignant neoplasm of pituitary gland and craniopharyngeal duct	ICD-9-CM	Diagnosis
194.4	Malignant neoplasm of pineal gland	ICD-9-CM	Diagnosis
194.5	Malignant neoplasm of carotid body	ICD-9-CM	Diagnosis
194.6	Malignant neoplasm of aortic body and other paraganglia	ICD-9-CM	Diagnosis
194.8	Malignant neoplasm of other endocrine glands and related structures	ICD-9-CM	Diagnosis
194.9	Malignant neoplasm of endocrine gland, site unspecified	ICD-9-CM	Diagnosis
195	Malignant neoplasm of other and ill-defined sites	ICD-9-CM	Diagnosis
195.0	Malignant neoplasm of head, face, and neck	ICD-9-CM	Diagnosis
195.1	Malignant neoplasm of thorax	ICD-9-CM	Diagnosis
195.2	Malignant neoplasm of abdomen	ICD-9-CM	Diagnosis
195.3	Malignant neoplasm of pelvis	ICD-9-CM	Diagnosis
195.4	Malignant neoplasm of upper limb	ICD-9-CM	Diagnosis
195.5	Malignant neoplasm of lower limb	ICD-9-CM	Diagnosis
195.8	Malignant neoplasm of other specified sites	ICD-9-CM	Diagnosis
196	Secondary and unspecified malignant neoplasm of lymph nodes	ICD-9-CM	Diagnosis
196.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
196.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
196.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
196.3	Secondary and unspecified malignant neoplasm of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
196.5	Secondary and unspecified malignant neoplasm of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
196.6	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
196.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
196.9	Secondary and unspecified malignant neoplasm of lymph nodes, site unspecified	ICD-9-CM	Diagnosis
197	Secondary malignant neoplasm of respiratory and digestive systems	ICD-9-CM	Diagnosis
197.0	Secondary malignant neoplasm of lung	ICD-9-CM	Diagnosis
197.1	Secondary malignant neoplasm of mediastinum	ICD-9-CM	Diagnosis
197.2	Secondary malignant neoplasm of pleura	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
197.3	Secondary malignant neoplasm of other respiratory organs	ICD-9-CM	Diagnosis
197.4	Secondary malignant neoplasm of small intestine including duodenum	ICD-9-CM	Diagnosis
197.5	Secondary malignant neoplasm of large intestine and rectum	ICD-9-CM	Diagnosis
197.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	ICD-9-CM	Diagnosis
197.7	Secondary malignant neoplasm of liver	ICD-9-CM	Diagnosis
197.8	Secondary malignant neoplasm of other digestive organs and spleen	ICD-9-CM	Diagnosis
198	Secondary malignant neoplasm of other specified sites	ICD-9-CM	Diagnosis
198.0	Secondary malignant neoplasm of kidney	ICD-9-CM	Diagnosis
198.1	Secondary malignant neoplasm of other urinary organs	ICD-9-CM	Diagnosis
198.2	Secondary malignant neoplasm of skin	ICD-9-CM	Diagnosis
198.3	Secondary malignant neoplasm of brain and spinal cord	ICD-9-CM	Diagnosis
198.4	Secondary malignant neoplasm of other parts of nervous system	ICD-9-CM	Diagnosis
198.5	Secondary malignant neoplasm of bone and bone marrow	ICD-9-CM	Diagnosis
198.6	Secondary malignant neoplasm of ovary	ICD-9-CM	Diagnosis
198.7	Secondary malignant neoplasm of adrenal gland	ICD-9-CM	Diagnosis
198.8	Secondary malignant neoplasm of other specified sites	ICD-9-CM	Diagnosis
198.81	Secondary malignant neoplasm of breast	ICD-9-CM	Diagnosis
198.82	Secondary malignant neoplasm of genital organs	ICD-9-CM	Diagnosis
198.89	Secondary malignant neoplasm of other specified sites	ICD-9-CM	Diagnosis
199	Malignant neoplasm without specification of site	ICD-9-CM	Diagnosis
199.0	Disseminated malignant neoplasm	ICD-9-CM	Diagnosis
199.1	Other malignant neoplasm of unspecified site	ICD-9-CM	Diagnosis
199.2	Malignant neoplasm associated with transplanted organ	ICD-9-CM	Diagnosis
200	Lymphosarcoma and reticulosarcoma and other specified malignant tumors of lymphatic tissue	ICD-9-CM	Diagnosis
200.00	Reticulosarcoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.0	Reticulosarcoma	ICD-9-CM	Diagnosis
200.01	Reticulosarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.02	Reticulosarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.03	Reticulosarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.04	Reticulosarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.05	Reticulosarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.06	Reticulosarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.07	Reticulosarcoma of spleen	ICD-9-CM	Diagnosis
200.08	Reticulosarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.1	Lymphosarcoma	ICD-9-CM	Diagnosis
200.10	Lymphosarcoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.11	Lymphosarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.12	Lymphosarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.13	Lymphosarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.14	Lymphosarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.15	Lymphosarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.16	Lymphosarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
200.17	Lymphosarcoma of spleen	ICD-9-CM	Diagnosis
200.18	Lymphosarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.20	Burkitt's tumor or lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.2	Burkitt's tumor or lymphoma	ICD-9-CM	Diagnosis
200.21	Burkitt's tumor or lymphoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.22	Burkitt's tumor or lymphoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.23	Burkitt's tumor or lymphoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.24	Burkitt's tumor or lymphoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.25	Burkitt's tumor or lymphoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.26	Burkitt's tumor or lymphoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.27	Burkitt's tumor or lymphoma of spleen	ICD-9-CM	Diagnosis
200.28	Burkitt's tumor or lymphoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.3	Marginal zone lymphoma	ICD-9-CM	Diagnosis
200.30	Marginal zone lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.31	Marginal zone lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.32	Marginal zone lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.33	Marginal zone lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.34	Marginal zone lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.35	Marginal zone lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.36	Marginal zone lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.37	Marginal zone lymphoma, spleen	ICD-9-CM	Diagnosis
200.38	Marginal zone lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.40	Mantle cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.4	Mantle cell lymphoma	ICD-9-CM	Diagnosis
200.41	Mantle cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.42	Mantle cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.43	Mantle cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.44	Mantle cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.45	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.46	Mantle cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.47	Mantle cell lymphoma, spleen	ICD-9-CM	Diagnosis
200.48	Mantle cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.50	Primary central nervous system lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.5	Primary central nervous system lymphoma	ICD-9-CM	Diagnosis
200.51	Primary central nervous system lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.52	Primary central nervous system lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.53	Primary central nervous system lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.54	Primary central nervous system lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
200.55	Primary central nervous system lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.56	Primary central nervous system lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.57	Primary central nervous system lymphoma, spleen	ICD-9-CM	Diagnosis
200.58	Primary central nervous system lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.60	Anaplastic large cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.6	Anaplastic large cell lymphoma	ICD-9-CM	Diagnosis
200.61	Anaplastic large cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.62	Anaplastic large cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.63	Anaplastic large cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.64	Anaplastic large cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.65	Anaplastic large cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.66	Anaplastic large cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.67	Anaplastic large cell lymphoma, spleen	ICD-9-CM	Diagnosis
200.68	Anaplastic large cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.7	Large cell lymphoma	ICD-9-CM	Diagnosis
200.70	Large cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.71	Large cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.72	Large cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.73	Large cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.74	Large cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.75	Large cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.76	Large cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.77	Large cell lymphoma, spleen	ICD-9-CM	Diagnosis
200.78	Large cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.80	Other named variants, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.8	Other named variants of lymphosarcoma and reticulosarcoma	ICD-9-CM	Diagnosis
200.81	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.82	Other named variants of lymphosarcoma and reticulosarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.83	Other named variants of lymphosarcoma and reticulosarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.84	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.85	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.86	Other named variants of lymphosarcoma and reticulosarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.87	Other named variants of lymphosarcoma and reticulosarcoma of spleen	ICD-9-CM	Diagnosis
200.88	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
201	Hodgkin's disease	ICD-9-CM	Diagnosis
201.0	Hodgkin's paraganuloma	ICD-9-CM	Diagnosis
201.00	Hodgkin's paraganuloma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.01	Hodgkin's paraganuloma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.02	Hodgkin's paraganuloma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.03	Hodgkin's paraganuloma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.04	Hodgkin's paraganuloma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.05	Hodgkin's paraganuloma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.06	Hodgkin's paraganuloma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.07	Hodgkin's paraganuloma of spleen	ICD-9-CM	Diagnosis
201.08	Hodgkin's paraganuloma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.1	Hodgkin's granuloma	ICD-9-CM	Diagnosis
201.10	Hodgkin's granuloma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.11	Hodgkin's granuloma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.12	Hodgkin's granuloma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.13	Hodgkin's granuloma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.14	Hodgkin's granuloma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.15	Hodgkin's granuloma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.16	Hodgkin's granuloma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.17	Hodgkin's granuloma of spleen	ICD-9-CM	Diagnosis
201.18	Hodgkin's granuloma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.2	Hodgkin's sarcoma	ICD-9-CM	Diagnosis
201.20	Hodgkin's sarcoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.21	Hodgkin's sarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.22	Hodgkin's sarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.23	Hodgkin's sarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.24	Hodgkin's sarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.25	Hodgkin's sarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.26	Hodgkin's sarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.27	Hodgkin's sarcoma of spleen	ICD-9-CM	Diagnosis
201.28	Hodgkin's sarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.4	Hodgkin's disease, lymphocytic-histiocytic predominance	ICD-9-CM	Diagnosis
201.40	Hodgkin's disease, lymphocytic-histiocytic predominance, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.41	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.42	Hodgkin's disease, lymphocytic-histiocytic predominance of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.43	Hodgkin's disease, lymphocytic-histiocytic predominance of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.44	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.45	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
201.46	Hodgkin's disease, lymphocytic-histiocytic predominance of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.47	Hodgkin's disease, lymphocytic-histiocytic predominance of spleen	ICD-9-CM	Diagnosis
201.48	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.5	Hodgkin's disease, nodular sclerosis	ICD-9-CM	Diagnosis
201.50	Hodgkin's disease, nodular sclerosis, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.51	Hodgkin's disease, nodular sclerosis, of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.52	Hodgkin's disease, nodular sclerosis, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.53	Hodgkin's disease, nodular sclerosis, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.54	Hodgkin's disease, nodular sclerosis, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.55	Hodgkin's disease, nodular sclerosis, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.56	Hodgkin's disease, nodular sclerosis, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.57	Hodgkin's disease, nodular sclerosis, of spleen	ICD-9-CM	Diagnosis
201.58	Hodgkin's disease, nodular sclerosis, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.6	Hodgkin's disease, mixed cellularity	ICD-9-CM	Diagnosis
201.60	Hodgkin's disease, mixed cellularity, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.61	Hodgkin's disease, mixed cellularity, involving lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.62	Hodgkin's disease, mixed cellularity, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.63	Hodgkin's disease, mixed cellularity, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.64	Hodgkin's disease, mixed cellularity, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.65	Hodgkin's disease, mixed cellularity, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.66	Hodgkin's disease, mixed cellularity, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.67	Hodgkin's disease, mixed cellularity, of spleen	ICD-9-CM	Diagnosis
201.68	Hodgkin's disease, mixed cellularity, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.7	Hodgkin's disease, lymphocytic depletion	ICD-9-CM	Diagnosis
201.70	Hodgkin's disease, lymphocytic depletion, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.71	Hodgkin's disease, lymphocytic depletion, of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.72	Hodgkin's disease, lymphocytic depletion, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.73	Hodgkin's disease, lymphocytic depletion, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.74	Hodgkin's disease, lymphocytic depletion, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.75	Hodgkin's disease, lymphocytic depletion, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.76	Hodgkin's disease, lymphocytic depletion, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.77	Hodgkin's disease, lymphocytic depletion, of spleen	ICD-9-CM	Diagnosis
201.78	Hodgkin's disease, lymphocytic depletion, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
201.9	Hodgkin's disease, unspecified type	ICD-9-CM	Diagnosis
201.90	Hodgkin's disease, unspecified type, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.91	Hodgkin's disease, unspecified type, of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.92	Hodgkin's disease, unspecified type, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.93	Hodgkin's disease, unspecified type, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.94	Hodgkin's disease, unspecified type, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.95	Hodgkin's disease, unspecified type, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.96	Hodgkin's disease, unspecified type, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.97	Hodgkin's disease, unspecified type, of spleen	ICD-9-CM	Diagnosis
201.98	Hodgkin's disease, unspecified type, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.00	Nodular lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.0	Nodular lymphoma	ICD-9-CM	Diagnosis
202	Other malignant neoplasms of lymphoid and histiocytic tissue	ICD-9-CM	Diagnosis
202.01	Nodular lymphoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.02	Nodular lymphoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.03	Nodular lymphoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.04	Nodular lymphoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.05	Nodular lymphoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.06	Nodular lymphoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.07	Nodular lymphoma of spleen	ICD-9-CM	Diagnosis
202.08	Nodular lymphoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.10	Mycosis fungoides, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.1	Mycosis fungoides	ICD-9-CM	Diagnosis
202.11	Mycosis fungoides of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.12	Mycosis fungoides of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.13	Mycosis fungoides of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.14	Mycosis fungoides of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.15	Mycosis fungoides of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.16	Mycosis fungoides of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.17	Mycosis fungoides of spleen	ICD-9-CM	Diagnosis
202.18	Mycosis fungoides of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.20	Sezary's disease, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.2	Sezary's disease	ICD-9-CM	Diagnosis
202.21	Sezary's disease of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.22	Sezary's disease of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.23	Sezary's disease of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.24	Sezary's disease of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.25	Sezary's disease of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.26	Sezary's disease of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.27	Sezary's disease of spleen	ICD-9-CM	Diagnosis
202.28	Sezary's disease of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.3	Malignant histiocytosis	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
202.30	Malignant histiocytosis, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.31	Malignant histiocytosis of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.32	Malignant histiocytosis of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.33	Malignant histiocytosis of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.34	Malignant histiocytosis of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.35	Malignant histiocytosis of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.36	Malignant histiocytosis of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.37	Malignant histiocytosis of spleen	ICD-9-CM	Diagnosis
202.38	Malignant histiocytosis of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.4	Leukemic reticuloendotheliosis	ICD-9-CM	Diagnosis
202.40	Leukemic reticuloendotheliosis, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.41	Leukemic reticuloendotheliosis of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.42	Leukemic reticuloendotheliosis of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.43	Leukemic reticuloendotheliosis of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.44	Leukemic reticuloendotheliosis of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.45	Leukemic reticuloendotheliosis of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.46	Leukemic reticuloendotheliosis of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.47	Leukemic reticuloendotheliosis of spleen	ICD-9-CM	Diagnosis
202.48	Leukemic reticuloendotheliosis of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.5	Letterer-Siwe disease	ICD-9-CM	Diagnosis
202.50	Letterer-Siwe disease, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.51	Letterer-Siwe disease of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.52	Letterer-Siwe disease of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.53	Letterer-Siwe disease of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.54	Letterer-Siwe disease of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.55	Letterer-Siwe disease of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.56	Letterer-Siwe disease of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.57	Letterer-Siwe disease of spleen	ICD-9-CM	Diagnosis
202.58	Letterer-Siwe disease of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.6	Malignant mast cell tumors	ICD-9-CM	Diagnosis
202.60	Malignant mast cell tumors, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.61	Malignant mast cell tumors of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.62	Malignant mast cell tumors of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.63	Malignant mast cell tumors of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.64	Malignant mast cell tumors of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.65	Malignant mast cell tumors of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.66	Malignant mast cell tumors of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.67	Malignant mast cell tumors of spleen	ICD-9-CM	Diagnosis
202.68	Malignant mast cell tumors of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.7	Peripheral T-cell lymphoma	ICD-9-CM	Diagnosis
202.70	Peripheral T-cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.71	Peripheral T-cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
202.72	Peripheral T-cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.73	Peripheral T-cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.74	Peripheral T-cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.75	Peripheral T-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.76	Peripheral T-cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.77	Peripheral T-cell lymphoma, spleen	ICD-9-CM	Diagnosis
202.78	Peripheral T-cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.8	Other malignant lymphomas	ICD-9-CM	Diagnosis
202.80	Other malignant lymphomas, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.81	Other malignant lymphomas of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.82	Other malignant lymphomas of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.83	Other malignant lymphomas of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.84	Other malignant lymphomas of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.85	Other malignant lymphomas of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.86	Other malignant lymphomas of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.87	Other malignant lymphomas of spleen	ICD-9-CM	Diagnosis
202.88	Other malignant lymphomas of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.90	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.9	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue	ICD-9-CM	Diagnosis
202.91	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.92	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.93	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.94	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.95	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.96	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.97	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of spleen	ICD-9-CM	Diagnosis
202.98	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
203	Multiple myeloma and immunoproliferative neoplasms	ICD-9-CM	Diagnosis
203.0	Multiple myeloma	ICD-9-CM	Diagnosis
203.00	Multiple myeloma, without mention of having achieved remission	ICD-9-CM	Diagnosis
203.01	Multiple myeloma in remission	ICD-9-CM	Diagnosis
203.02	Multiple myeloma, in relapse	ICD-9-CM	Diagnosis
203.1	Plasma cell leukemia	ICD-9-CM	Diagnosis
203.10	Plasma cell leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
203.11	Plasma cell leukemia in remission	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
203.12	Plasma cell leukemia, in relapse	ICD-9-CM	Diagnosis
203.8	Other immunoproliferative neoplasms	ICD-9-CM	Diagnosis
203.80	Other immunoproliferative neoplasms, without mention of having achieved remission	ICD-9-CM	Diagnosis
203.81	Other immunoproliferative neoplasms in remission	ICD-9-CM	Diagnosis
203.82	Other immunoproliferative neoplasms, in relapse	ICD-9-CM	Diagnosis
204.0	Acute lymphoid leukemia	ICD-9-CM	Diagnosis
204.00	Acute lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204	Lymphoid leukemia	ICD-9-CM	Diagnosis
204.01	Acute lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.02	Acute lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.1	Chronic lymphoid leukemia	ICD-9-CM	Diagnosis
204.10	Chronic lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.11	Chronic lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.12	Chronic lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.2	Subacute lymphoid leukemia	ICD-9-CM	Diagnosis
204.20	Subacute lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.21	Subacute lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.22	Subacute lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.8	Other lymphoid leukemia	ICD-9-CM	Diagnosis
204.80	Other lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.81	Other lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.82	Other lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.9	Unspecified lymphoid leukemia	ICD-9-CM	Diagnosis
204.90	Unspecified lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.91	Unspecified lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.92	Unspecified lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
205	Myeloid leukemia	ICD-9-CM	Diagnosis
205.0	Acute myeloid leukemia	ICD-9-CM	Diagnosis
205.00	Acute myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.01	Acute myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.02	Acute myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.1	Chronic myeloid leukemia	ICD-9-CM	Diagnosis
205.10	Chronic myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.11	Chronic myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.12	Chronic myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.2	Subacute myeloid leukemia	ICD-9-CM	Diagnosis
205.20	Subacute myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.21	Subacute myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.22	Subacute myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.3	Myeloid sarcoma	ICD-9-CM	Diagnosis
205.30	Myeloid sarcoma, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.31	Myeloid sarcoma in remission	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
205.32	Myeloid sarcoma, in relapse	ICD-9-CM	Diagnosis
205.8	Other myeloid leukemia	ICD-9-CM	Diagnosis
205.80	Other myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.81	Other myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.82	Other myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.9	Unspecified myeloid leukemia	ICD-9-CM	Diagnosis
205.90	Unspecified myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.91	Unspecified myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.92	Unspecified myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
206	Monocytic leukemia	ICD-9-CM	Diagnosis
206.0	Acute monocytic leukemia	ICD-9-CM	Diagnosis
206.00	Acute monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.01	Acute monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.02	Acute monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.1	Chronic monocytic leukemia	ICD-9-CM	Diagnosis
206.10	Chronic monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.11	Chronic monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.12	Chronic monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.2	Subacute monocytic leukemia	ICD-9-CM	Diagnosis
206.20	Subacute monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.21	Subacute monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.22	Subacute monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.8	Other monocytic leukemia	ICD-9-CM	Diagnosis
206.80	Other monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.81	Other monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.82	Other monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.9	Unspecified monocytic leukemia	ICD-9-CM	Diagnosis
206.90	Unspecified monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.91	Unspecified monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.92	Unspecified monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
207	Other specified leukemia	ICD-9-CM	Diagnosis
207.0	Acute erythremia and erythroleukemia	ICD-9-CM	Diagnosis
207.00	Acute erythremia and erythroleukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.01	Acute erythremia and erythroleukemia in remission	ICD-9-CM	Diagnosis
207.02	Acute erythremia and erythroleukemia, in relapse	ICD-9-CM	Diagnosis
207.1	Chronic erythremia	ICD-9-CM	Diagnosis
207.10	Chronic erythremia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.11	Chronic erythremia in remission	ICD-9-CM	Diagnosis
207.12	Chronic erythremia, in relapse	ICD-9-CM	Diagnosis
207.2	Megakaryocytic leukemia	ICD-9-CM	Diagnosis
207.20	Megakaryocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.21	Megakaryocytic leukemia in remission	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
207.22	Megakaryocytic leukemia, in relapse	ICD-9-CM	Diagnosis
207.8	Other specified leukemia	ICD-9-CM	Diagnosis
207.80	Other specified leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.81	Other specified leukemia in remission	ICD-9-CM	Diagnosis
207.82	Other specified leukemia, in relapse	ICD-9-CM	Diagnosis
208.0	Acute leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.00	Acute leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208	Leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.01	Acute leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.02	Acute leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.1	Chronic leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.10	Chronic leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.11	Chronic leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.12	Chronic leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.2	Subacute leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.20	Subacute leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.21	Subacute leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.22	Subacute leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.8	Other leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.80	Other leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.81	Other leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.82	Other leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.9	Unspecified leukemia	ICD-9-CM	Diagnosis
208.90	Unspecified leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.91	Unspecified leukemia in remission	ICD-9-CM	Diagnosis
208.92	Unspecified leukemia, in relapse	ICD-9-CM	Diagnosis
209.00	Malignant carcinoid tumor of the small intestine, unspecified portion	ICD-9-CM	Diagnosis
209.01	Malignant carcinoid tumor of the duodenum	ICD-9-CM	Diagnosis
209.02	Malignant carcinoid tumor of the jejunum	ICD-9-CM	Diagnosis
209.03	Malignant carcinoid tumor of the ileum	ICD-9-CM	Diagnosis
209.10	Malignant carcinoid tumor of the large intestine, unspecified portion	ICD-9-CM	Diagnosis
209.11	Malignant carcinoid tumor of the appendix	ICD-9-CM	Diagnosis
209.12	Malignant carcinoid tumor of the cecum	ICD-9-CM	Diagnosis
209.13	Malignant carcinoid tumor of the ascending colon	ICD-9-CM	Diagnosis
209.14	Malignant carcinoid tumor of the transverse colon	ICD-9-CM	Diagnosis
209.15	Malignant carcinoid tumor of the descending colon	ICD-9-CM	Diagnosis
209.16	Malignant carcinoid tumor of the sigmoid colon	ICD-9-CM	Diagnosis
209.17	Malignant carcinoid tumor of the rectum	ICD-9-CM	Diagnosis
209.20	Malignant carcinoid tumor of unknown primary site	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
209.21	Malignant carcinoid tumor of the bronchus and lung	ICD-9-CM	Diagnosis
209.22	Malignant carcinoid tumor of the thymus	ICD-9-CM	Diagnosis
209.23	Malignant carcinoid tumor of the stomach	ICD-9-CM	Diagnosis
209.24	Malignant carcinoid tumor of the kidney	ICD-9-CM	Diagnosis
209.25	Malignant carcinoid tumor of foregut, not otherwise specified	ICD-9-CM	Diagnosis
209.26	Malignant carcinoid tumor of midgut, not otherwise specified	ICD-9-CM	Diagnosis
209.27	Malignant carcinoid tumor of hindgut, not otherwise specified	ICD-9-CM	Diagnosis
209.29	Malignant carcinoid tumor of other sites	ICD-9-CM	Diagnosis
209.30	Malignant poorly differentiated neuroendocrine carcinoma, any site	ICD-9-CM	Diagnosis
209.31	Merkel cell carcinoma of the face	ICD-9-CM	Diagnosis
209.32	Merkel cell carcinoma of the scalp and neck	ICD-9-CM	Diagnosis
209.33	Merkel cell carcinoma of the upper limb	ICD-9-CM	Diagnosis
209.34	Merkel cell carcinoma of the lower limb	ICD-9-CM	Diagnosis
209.35	Merkel cell carcinoma of the trunk	ICD-9-CM	Diagnosis
209.36	Merkel cell carcinoma of other sites	ICD-9-CM	Diagnosis
209.70	Secondary neuroendocrine tumor, unspecified site	ICD-9-CM	Diagnosis
209.71	Secondary neuroendocrine tumor of distant lymph nodes	ICD-9-CM	Diagnosis
209.72	Secondary neuroendocrine tumor of liver	ICD-9-CM	Diagnosis
209.73	Secondary neuroendocrine tumor of bone	ICD-9-CM	Diagnosis
209.74	Secondary neuroendocrine tumor of peritoneum	ICD-9-CM	Diagnosis
209.75	Secondary Merkel cell carcinoma	ICD-9-CM	Diagnosis
209.79	Secondary neuroendocrine tumor of other sites	ICD-9-CM	Diagnosis
238.79	Other lymphatic and hematopoietic tissues	ICD-9-CM	Diagnosis
273.3	Macroglobulinemia	ICD-9-CM	Diagnosis
V10	Personal history of malignant neoplasm	ICD-9-CM	Diagnosis
V10.0	Personal history of malignant neoplasm of gastrointestinal tract	ICD-9-CM	Diagnosis
V10.00	Personal history of malignant neoplasm of unspecified site in gastrointestinal tract	ICD-9-CM	Diagnosis
V10.01	Personal history of malignant neoplasm of tongue	ICD-9-CM	Diagnosis
V10.02	Personal history of malignant neoplasm of other and unspecified parts of oral cavity and pharynx	ICD-9-CM	Diagnosis
V10.03	Personal history of malignant neoplasm of esophagus	ICD-9-CM	Diagnosis
V10.04	Personal history of malignant neoplasm of stomach	ICD-9-CM	Diagnosis
V10.05	Personal history of malignant neoplasm of large intestine	ICD-9-CM	Diagnosis
V10.06	Personal history of malignant neoplasm of rectum, rectosigmoid junction, and anus	ICD-9-CM	Diagnosis
V10.07	Personal history of malignant neoplasm of liver	ICD-9-CM	Diagnosis
V10.09	Personal history of malignant neoplasm of other site in gastrointestinal tract	ICD-9-CM	Diagnosis
V10.1	Personal history of malignant neoplasm of trachea, bronchus, and lung	ICD-9-CM	Diagnosis
V10.11	Personal history of malignant neoplasm of bronchus and lung	ICD-9-CM	Diagnosis
V10.12	Personal history of malignant neoplasm of trachea	ICD-9-CM	Diagnosis
V10.2	Personal history of malignant neoplasm of other respiratory and intrathoracic organs	ICD-9-CM	Diagnosis
V10.20	Personal history of malignant neoplasm of unspecified respiratory organ	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
V10.21	Personal history of malignant neoplasm of larynx	ICD-9-CM	Diagnosis
V10.22	Personal history of malignant neoplasm of nasal cavities, middle ear, and accessory sinuses	ICD-9-CM	Diagnosis
V10.29	Personal history of malignant neoplasm of other respiratory and intrathoracic organs	ICD-9-CM	Diagnosis
V10.3	Personal history of malignant neoplasm of breast	ICD-9-CM	Diagnosis
V10.4	Personal history of malignant neoplasm of genital organs	ICD-9-CM	Diagnosis
V10.40	Personal history of malignant neoplasm of unspecified female genital organ	ICD-9-CM	Diagnosis
V10.41	Personal history of malignant neoplasm of cervix uteri	ICD-9-CM	Diagnosis
V10.42	Personal history of malignant neoplasm of other parts of uterus	ICD-9-CM	Diagnosis
V10.43	Personal history of malignant neoplasm of ovary	ICD-9-CM	Diagnosis
V10.44	Personal history of malignant neoplasm of other female genital organs	ICD-9-CM	Diagnosis
V10.45	Personal history of malignant neoplasm of unspecified male genital organ	ICD-9-CM	Diagnosis
V10.46	Personal history of malignant neoplasm of prostate	ICD-9-CM	Diagnosis
V10.47	Personal history of malignant neoplasm of testis	ICD-9-CM	Diagnosis
V10.48	Personal history of malignant neoplasm of epididymis	ICD-9-CM	Diagnosis
V10.49	Personal history of malignant neoplasm of other male genital organs	ICD-9-CM	Diagnosis
V10.5	Personal history of malignant neoplasm of urinary organs	ICD-9-CM	Diagnosis
V10.50	Personal history of malignant neoplasm of unspecified urinary organ	ICD-9-CM	Diagnosis
V10.51	Personal history of malignant neoplasm of bladder	ICD-9-CM	Diagnosis
V10.52	Personal history of malignant neoplasm of kidney	ICD-9-CM	Diagnosis
V10.53	Personal history of malignant neoplasm, renal pelvis	ICD-9-CM	Diagnosis
V10.59	Personal history of malignant neoplasm of other urinary organ	ICD-9-CM	Diagnosis
V10.71	Personal history of lymphosarcoma and reticulosarcoma	ICD-9-CM	Diagnosis
V10.79	Personal history of other lymphatic and hematopoietic neoplasm	ICD-9-CM	Diagnosis
V10.8	Personal history of malignant neoplasm of other sites	ICD-9-CM	Diagnosis
V10.81	Personal history of malignant neoplasm of bone	ICD-9-CM	Diagnosis
V10.83	Personal history of other malignant neoplasm of skin	ICD-9-CM	Diagnosis
V10.84	Personal history of malignant neoplasm of eye	ICD-9-CM	Diagnosis
V10.85	Personal history of malignant neoplasm of brain	ICD-9-CM	Diagnosis
V10.86	Personal history of malignant neoplasm of other parts of nervous system	ICD-9-CM	Diagnosis
V10.87	Personal history of malignant neoplasm of thyroid	ICD-9-CM	Diagnosis
V10.88	Personal history of malignant neoplasm of other endocrine glands and related structures	ICD-9-CM	Diagnosis
V10.89	Personal history of malignant neoplasm of other site	ICD-9-CM	Diagnosis
V10.9	Other and unspecified personal history of malignant neoplasm	ICD-9-CM	Diagnosis
V10.90	Personal history of unspecified malignant neoplasm	ICD-9-CM	Diagnosis
C00	Malignant neoplasm of lip	ICD-10-CM	Diagnosis
C00.0	Malignant neoplasm of external upper lip	ICD-10-CM	Diagnosis
C00.1	Malignant neoplasm of external lower lip	ICD-10-CM	Diagnosis
C00.2	Malignant neoplasm of external lip, unspecified	ICD-10-CM	Diagnosis
C00.3	Malignant neoplasm of upper lip, inner aspect	ICD-10-CM	Diagnosis
C00.4	Malignant neoplasm of lower lip, inner aspect	ICD-10-CM	Diagnosis
C00.5	Malignant neoplasm of lip, unspecified, inner aspect	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C00.6	Malignant neoplasm of commissure of lip, unspecified	ICD-10-CM	Diagnosis
C00.8	Malignant neoplasm of overlapping sites of lip	ICD-10-CM	Diagnosis
C00.9	Malignant neoplasm of lip, unspecified	ICD-10-CM	Diagnosis
C01	Malignant neoplasm of base of tongue	ICD-10-CM	Diagnosis
C02	Malignant neoplasm of other and unspecified parts of tongue	ICD-10-CM	Diagnosis
C02.0	Malignant neoplasm of dorsal surface of tongue	ICD-10-CM	Diagnosis
C02.1	Malignant neoplasm of border of tongue	ICD-10-CM	Diagnosis
C02.2	Malignant neoplasm of ventral surface of tongue	ICD-10-CM	Diagnosis
C02.3	Malignant neoplasm of anterior two-thirds of tongue, part unspecified	ICD-10-CM	Diagnosis
C02.4	Malignant neoplasm of lingual tonsil	ICD-10-CM	Diagnosis
C02.8	Malignant neoplasm of overlapping sites of tongue	ICD-10-CM	Diagnosis
C02.9	Malignant neoplasm of tongue, unspecified	ICD-10-CM	Diagnosis
C03	Malignant neoplasm of gum	ICD-10-CM	Diagnosis
C03.0	Malignant neoplasm of upper gum	ICD-10-CM	Diagnosis
C03.1	Malignant neoplasm of lower gum	ICD-10-CM	Diagnosis
C03.9	Malignant neoplasm of gum, unspecified	ICD-10-CM	Diagnosis
C04	Malignant neoplasm of floor of mouth	ICD-10-CM	Diagnosis
C04.0	Malignant neoplasm of anterior floor of mouth	ICD-10-CM	Diagnosis
C04.1	Malignant neoplasm of lateral floor of mouth	ICD-10-CM	Diagnosis
C04.8	Malignant neoplasm of overlapping sites of floor of mouth	ICD-10-CM	Diagnosis
C04.9	Malignant neoplasm of floor of mouth, unspecified	ICD-10-CM	Diagnosis
C05	Malignant neoplasm of palate	ICD-10-CM	Diagnosis
C05.0	Malignant neoplasm of hard palate	ICD-10-CM	Diagnosis
C05.1	Malignant neoplasm of soft palate	ICD-10-CM	Diagnosis
C05.2	Malignant neoplasm of uvula	ICD-10-CM	Diagnosis
C05.8	Malignant neoplasm of overlapping sites of palate	ICD-10-CM	Diagnosis
C05.9	Malignant neoplasm of palate, unspecified	ICD-10-CM	Diagnosis
C06	Malignant neoplasm of other and unspecified parts of mouth	ICD-10-CM	Diagnosis
C06.0	Malignant neoplasm of cheek mucosa	ICD-10-CM	Diagnosis
C06.1	Malignant neoplasm of vestibule of mouth	ICD-10-CM	Diagnosis
C06.2	Malignant neoplasm of retromolar area	ICD-10-CM	Diagnosis
C06.8	Malignant neoplasm of overlapping sites of other and unspecified parts of mouth	ICD-10-CM	Diagnosis
C06.80	Malignant neoplasm of overlapping sites of unspecified parts of mouth	ICD-10-CM	Diagnosis
C06.89	Malignant neoplasm of overlapping sites of other parts of mouth	ICD-10-CM	Diagnosis
C06.9	Malignant neoplasm of mouth, unspecified	ICD-10-CM	Diagnosis
C07	Malignant neoplasm of parotid gland	ICD-10-CM	Diagnosis
C08	Malignant neoplasm of other and unspecified major salivary glands	ICD-10-CM	Diagnosis
C08.0	Malignant neoplasm of submandibular gland	ICD-10-CM	Diagnosis
C08.1	Malignant neoplasm of sublingual gland	ICD-10-CM	Diagnosis
C08.9	Malignant neoplasm of major salivary gland, unspecified	ICD-10-CM	Diagnosis
C09	Malignant neoplasm of tonsil	ICD-10-CM	Diagnosis
C09.0	Malignant neoplasm of tonsillar fossa	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C09.1	Malignant neoplasm of tonsillar pillar (anterior) (posterior)	ICD-10-CM	Diagnosis
C09.8	Malignant neoplasm of overlapping sites of tonsil	ICD-10-CM	Diagnosis
C09.9	Malignant neoplasm of tonsil, unspecified	ICD-10-CM	Diagnosis
C10	Malignant neoplasm of oropharynx	ICD-10-CM	Diagnosis
C10.0	Malignant neoplasm of vallecula	ICD-10-CM	Diagnosis
C10.1	Malignant neoplasm of anterior surface of epiglottis	ICD-10-CM	Diagnosis
C10.2	Malignant neoplasm of lateral wall of oropharynx	ICD-10-CM	Diagnosis
C10.3	Malignant neoplasm of posterior wall of oropharynx	ICD-10-CM	Diagnosis
C10.4	Malignant neoplasm of branchial cleft	ICD-10-CM	Diagnosis
C10.8	Malignant neoplasm of overlapping sites of oropharynx	ICD-10-CM	Diagnosis
C10.9	Malignant neoplasm of oropharynx, unspecified	ICD-10-CM	Diagnosis
C11	Malignant neoplasm of nasopharynx	ICD-10-CM	Diagnosis
C11.0	Malignant neoplasm of superior wall of nasopharynx	ICD-10-CM	Diagnosis
C11.1	Malignant neoplasm of posterior wall of nasopharynx	ICD-10-CM	Diagnosis
C11.2	Malignant neoplasm of lateral wall of nasopharynx	ICD-10-CM	Diagnosis
C11.3	Malignant neoplasm of anterior wall of nasopharynx	ICD-10-CM	Diagnosis
C11.8	Malignant neoplasm of overlapping sites of nasopharynx	ICD-10-CM	Diagnosis
C11.9	Malignant neoplasm of nasopharynx, unspecified	ICD-10-CM	Diagnosis
C12	Malignant neoplasm of pyriform sinus	ICD-10-CM	Diagnosis
C13	Malignant neoplasm of hypopharynx	ICD-10-CM	Diagnosis
C13.0	Malignant neoplasm of postcricoid region	ICD-10-CM	Diagnosis
C13.1	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect	ICD-10-CM	Diagnosis
C13.2	Malignant neoplasm of posterior wall of hypopharynx	ICD-10-CM	Diagnosis
C13.8	Malignant neoplasm of overlapping sites of hypopharynx	ICD-10-CM	Diagnosis
C13.9	Malignant neoplasm of hypopharynx, unspecified	ICD-10-CM	Diagnosis
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx	ICD-10-CM	Diagnosis
C14.0	Malignant neoplasm of pharynx, unspecified	ICD-10-CM	Diagnosis
C14.2	Malignant neoplasm of Waldeyer's ring	ICD-10-CM	Diagnosis
C14.8	Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx	ICD-10-CM	Diagnosis
C15	Malignant neoplasm of esophagus	ICD-10-CM	Diagnosis
C15.3	Malignant neoplasm of upper third of esophagus	ICD-10-CM	Diagnosis
C15.4	Malignant neoplasm of middle third of esophagus	ICD-10-CM	Diagnosis
C15.5	Malignant neoplasm of lower third of esophagus	ICD-10-CM	Diagnosis
C15.8	Malignant neoplasm of overlapping sites of esophagus	ICD-10-CM	Diagnosis
C15.9	Malignant neoplasm of esophagus, unspecified	ICD-10-CM	Diagnosis
C16	Malignant neoplasm of stomach	ICD-10-CM	Diagnosis
C16.0	Malignant neoplasm of cardia	ICD-10-CM	Diagnosis
C16.1	Malignant neoplasm of fundus of stomach	ICD-10-CM	Diagnosis
C16.2	Malignant neoplasm of body of stomach	ICD-10-CM	Diagnosis
C16.3	Malignant neoplasm of pyloric antrum	ICD-10-CM	Diagnosis
C16.4	Malignant neoplasm of pylorus	ICD-10-CM	Diagnosis
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified	ICD-10-CM	Diagnosis
C16.8	Malignant neoplasm of overlapping sites of stomach	ICD-10-CM	Diagnosis
C16.9	Malignant neoplasm of stomach, unspecified	ICD-10-CM	Diagnosis
C17	Malignant neoplasm of small intestine	ICD-10-CM	Diagnosis
C17.0	Malignant neoplasm of duodenum	ICD-10-CM	Diagnosis
C17.1	Malignant neoplasm of jejunum	ICD-10-CM	Diagnosis
C17.2	Malignant neoplasm of ileum	ICD-10-CM	Diagnosis
C17.3	Meckel's diverticulum, malignant	ICD-10-CM	Diagnosis
C17.8	Malignant neoplasm of overlapping sites of small intestine	ICD-10-CM	Diagnosis
C17.9	Malignant neoplasm of small intestine, unspecified	ICD-10-CM	Diagnosis
C18	Malignant neoplasm of colon	ICD-10-CM	Diagnosis
C18.0	Malignant neoplasm of cecum	ICD-10-CM	Diagnosis
C18.1	Malignant neoplasm of appendix	ICD-10-CM	Diagnosis
C18.2	Malignant neoplasm of ascending colon	ICD-10-CM	Diagnosis
C18.3	Malignant neoplasm of hepatic flexure	ICD-10-CM	Diagnosis
C18.4	Malignant neoplasm of transverse colon	ICD-10-CM	Diagnosis
C18.5	Malignant neoplasm of splenic flexure	ICD-10-CM	Diagnosis
C18.6	Malignant neoplasm of descending colon	ICD-10-CM	Diagnosis
C18.7	Malignant neoplasm of sigmoid colon	ICD-10-CM	Diagnosis
C18.8	Malignant neoplasm of overlapping sites of colon	ICD-10-CM	Diagnosis
C18.9	Malignant neoplasm of colon, unspecified	ICD-10-CM	Diagnosis
C19	Malignant neoplasm of rectosigmoid junction	ICD-10-CM	Diagnosis
C20	Malignant neoplasm of rectum	ICD-10-CM	Diagnosis
C21	Malignant neoplasm of anus and anal canal	ICD-10-CM	Diagnosis
C21.0	Malignant neoplasm of anus, unspecified	ICD-10-CM	Diagnosis
C21.1	Malignant neoplasm of anal canal	ICD-10-CM	Diagnosis
C21.2	Malignant neoplasm of cloacogenic zone	ICD-10-CM	Diagnosis
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	ICD-10-CM	Diagnosis
C22	Malignant neoplasm of liver and intrahepatic bile ducts	ICD-10-CM	Diagnosis
C22.0	Liver cell carcinoma	ICD-10-CM	Diagnosis
C22.1	Intrahepatic bile duct carcinoma	ICD-10-CM	Diagnosis
C22.2	Hepatoblastoma	ICD-10-CM	Diagnosis
C22.3	Angiosarcoma of liver	ICD-10-CM	Diagnosis
C22.4	Other sarcomas of liver	ICD-10-CM	Diagnosis
C22.7	Other specified carcinomas of liver	ICD-10-CM	Diagnosis
C22.8	Malignant neoplasm of liver, primary, unspecified as to type	ICD-10-CM	Diagnosis
C22.9	Malignant neoplasm of liver, not specified as primary or secondary	ICD-10-CM	Diagnosis
C23	Malignant neoplasm of gallbladder	ICD-10-CM	Diagnosis
C24	Malignant neoplasm of other and unspecified parts of biliary tract	ICD-10-CM	Diagnosis
C24.0	Malignant neoplasm of extrahepatic bile duct	ICD-10-CM	Diagnosis
C24.1	Malignant neoplasm of ampulla of Vater	ICD-10-CM	Diagnosis
C24.8	Malignant neoplasm of overlapping sites of biliary tract	ICD-10-CM	Diagnosis
C24.9	Malignant neoplasm of biliary tract, unspecified	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C25	Malignant neoplasm of pancreas	ICD-10-CM	Diagnosis
C25.0	Malignant neoplasm of head of pancreas	ICD-10-CM	Diagnosis
C25.1	Malignant neoplasm of body of pancreas	ICD-10-CM	Diagnosis
C25.2	Malignant neoplasm of tail of pancreas	ICD-10-CM	Diagnosis
C25.3	Malignant neoplasm of pancreatic duct	ICD-10-CM	Diagnosis
C25.4	Malignant neoplasm of endocrine pancreas	ICD-10-CM	Diagnosis
C25.7	Malignant neoplasm of other parts of pancreas	ICD-10-CM	Diagnosis
C25.8	Malignant neoplasm of overlapping sites of pancreas	ICD-10-CM	Diagnosis
C25.9	Malignant neoplasm of pancreas, unspecified	ICD-10-CM	Diagnosis
C26	Malignant neoplasm of other and ill-defined digestive organs	ICD-10-CM	Diagnosis
C26.0	Malignant neoplasm of intestinal tract, part unspecified	ICD-10-CM	Diagnosis
C26.1	Malignant neoplasm of spleen	ICD-10-CM	Diagnosis
C26.9	Malignant neoplasm of ill-defined sites within the digestive system	ICD-10-CM	Diagnosis
C30	Malignant neoplasm of nasal cavity and middle ear	ICD-10-CM	Diagnosis
C30.0	Malignant neoplasm of nasal cavity	ICD-10-CM	Diagnosis
C30.1	Malignant neoplasm of middle ear	ICD-10-CM	Diagnosis
C31	Malignant neoplasm of accessory sinuses	ICD-10-CM	Diagnosis
C31.0	Malignant neoplasm of maxillary sinus	ICD-10-CM	Diagnosis
C31.1	Malignant neoplasm of ethmoidal sinus	ICD-10-CM	Diagnosis
C31.2	Malignant neoplasm of frontal sinus	ICD-10-CM	Diagnosis
C31.3	Malignant neoplasm of sphenoid sinus	ICD-10-CM	Diagnosis
C31.8	Malignant neoplasm of overlapping sites of accessory sinuses	ICD-10-CM	Diagnosis
C31.9	Malignant neoplasm of accessory sinus, unspecified	ICD-10-CM	Diagnosis
C32	Malignant neoplasm of larynx	ICD-10-CM	Diagnosis
C32.0	Malignant neoplasm of glottis	ICD-10-CM	Diagnosis
C32.1	Malignant neoplasm of supraglottis	ICD-10-CM	Diagnosis
C32.2	Malignant neoplasm of subglottis	ICD-10-CM	Diagnosis
C32.3	Malignant neoplasm of laryngeal cartilage	ICD-10-CM	Diagnosis
C32.8	Malignant neoplasm of overlapping sites of larynx	ICD-10-CM	Diagnosis
C32.9	Malignant neoplasm of larynx, unspecified	ICD-10-CM	Diagnosis
C33	Malignant neoplasm of trachea	ICD-10-CM	Diagnosis
C34	Malignant neoplasm of bronchus and lung	ICD-10-CM	Diagnosis
C34.0	Malignant neoplasm of main bronchus	ICD-10-CM	Diagnosis
C34.00	Malignant neoplasm of unspecified main bronchus	ICD-10-CM	Diagnosis
C34.01	Malignant neoplasm of right main bronchus	ICD-10-CM	Diagnosis
C34.02	Malignant neoplasm of left main bronchus	ICD-10-CM	Diagnosis
C34.1	Malignant neoplasm of upper lobe, bronchus or lung	ICD-10-CM	Diagnosis
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	ICD-10-CM	Diagnosis
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	ICD-10-CM	Diagnosis
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	ICD-10-CM	Diagnosis
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	ICD-10-CM	Diagnosis
C34.3	Malignant neoplasm of lower lobe, bronchus or lung	ICD-10-CM	Diagnosis
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	ICD-10-CM	Diagnosis
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	ICD-10-CM	Diagnosis
C34.8	Malignant neoplasm of overlapping sites of bronchus and lung	ICD-10-CM	Diagnosis
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung	ICD-10-CM	Diagnosis
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	ICD-10-CM	Diagnosis
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	ICD-10-CM	Diagnosis
C34.9	Malignant neoplasm of unspecified part of bronchus or lung	ICD-10-CM	Diagnosis
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	ICD-10-CM	Diagnosis
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	ICD-10-CM	Diagnosis
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	ICD-10-CM	Diagnosis
C37	Malignant neoplasm of thymus	ICD-10-CM	Diagnosis
C38	Malignant neoplasm of heart, mediastinum and pleura	ICD-10-CM	Diagnosis
C38.0	Malignant neoplasm of heart	ICD-10-CM	Diagnosis
C38.1	Malignant neoplasm of anterior mediastinum	ICD-10-CM	Diagnosis
C38.2	Malignant neoplasm of posterior mediastinum	ICD-10-CM	Diagnosis
C38.3	Malignant neoplasm of mediastinum, part unspecified	ICD-10-CM	Diagnosis
C38.4	Malignant neoplasm of pleura	ICD-10-CM	Diagnosis
C38.8	Malignant neoplasm of overlapping sites of heart, mediastinum and pleura	ICD-10-CM	Diagnosis
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	ICD-10-CM	Diagnosis
C39.0	Malignant neoplasm of upper respiratory tract, part unspecified	ICD-10-CM	Diagnosis
C39.9	Malignant neoplasm of lower respiratory tract, part unspecified	ICD-10-CM	Diagnosis
C40	Malignant neoplasm of bone and articular cartilage of limbs	ICD-10-CM	Diagnosis
C40.0	Malignant neoplasm of scapula and long bones of upper limb	ICD-10-CM	Diagnosis
C40.00	Malignant neoplasm of scapula and long bones of unspecified upper limb	ICD-10-CM	Diagnosis
C40.01	Malignant neoplasm of scapula and long bones of right upper limb	ICD-10-CM	Diagnosis
C40.02	Malignant neoplasm of scapula and long bones of left upper limb	ICD-10-CM	Diagnosis
C40.1	Malignant neoplasm of short bones of upper limb	ICD-10-CM	Diagnosis
C40.10	Malignant neoplasm of short bones of unspecified upper limb	ICD-10-CM	Diagnosis
C40.11	Malignant neoplasm of short bones of right upper limb	ICD-10-CM	Diagnosis
C40.12	Malignant neoplasm of short bones of left upper limb	ICD-10-CM	Diagnosis
C40.2	Malignant neoplasm of long bones of lower limb	ICD-10-CM	Diagnosis
C40.20	Malignant neoplasm of long bones of unspecified lower limb	ICD-10-CM	Diagnosis
C40.21	Malignant neoplasm of long bones of right lower limb	ICD-10-CM	Diagnosis
C40.22	Malignant neoplasm of long bones of left lower limb	ICD-10-CM	Diagnosis
C40.3	Malignant neoplasm of short bones of lower limb	ICD-10-CM	Diagnosis
C40.30	Malignant neoplasm of short bones of unspecified lower limb	ICD-10-CM	Diagnosis
C40.31	Malignant neoplasm of short bones of right lower limb	ICD-10-CM	Diagnosis
C40.32	Malignant neoplasm of short bones of left lower limb	ICD-10-CM	Diagnosis
C40.8	Malignant neoplasm of overlapping sites of bone and articular cartilage of limb	ICD-10-CM	Diagnosis
C40.80	Malignant neoplasm of overlapping sites of bone and articular cartilage of unspecified limb	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C40.81	Malignant neoplasm of overlapping sites of bone and articular cartilage of right limb	ICD-10-CM	Diagnosis
C40.82	Malignant neoplasm of overlapping sites of bone and articular cartilage of left limb	ICD-10-CM	Diagnosis
C40.9	Malignant neoplasm of unspecified bones and articular cartilage of limb	ICD-10-CM	Diagnosis
C40.90	Malignant neoplasm of unspecified bones and articular cartilage of unspecified limb	ICD-10-CM	Diagnosis
C40.91	Malignant neoplasm of unspecified bones and articular cartilage of right limb	ICD-10-CM	Diagnosis
C40.92	Malignant neoplasm of unspecified bones and articular cartilage of left limb	ICD-10-CM	Diagnosis
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	ICD-10-CM	Diagnosis
C41.0	Malignant neoplasm of bones of skull and face	ICD-10-CM	Diagnosis
C41.1	Malignant neoplasm of mandible	ICD-10-CM	Diagnosis
C41.2	Malignant neoplasm of vertebral column	ICD-10-CM	Diagnosis
C41.3	Malignant neoplasm of ribs, sternum and clavicle	ICD-10-CM	Diagnosis
C41.4	Malignant neoplasm of pelvic bones, sacrum and coccyx	ICD-10-CM	Diagnosis
C41.9	Malignant neoplasm of bone and articular cartilage, unspecified	ICD-10-CM	Diagnosis
C43	Malignant melanoma of skin	ICD-10-CM	Diagnosis
C43.0	Malignant melanoma of lip	ICD-10-CM	Diagnosis
C43.1	Malignant melanoma of eyelid, including canthus	ICD-10-CM	Diagnosis
C43.10	Malignant melanoma of unspecified eyelid, including canthus	ICD-10-CM	Diagnosis
C43.11	Malignant melanoma of right eyelid, including canthus	ICD-10-CM	Diagnosis
C43.111	Malignant melanoma of right upper eyelid, including canthus	ICD-10-CM	Diagnosis
C43.112	Malignant melanoma of right lower eyelid, including canthus	ICD-10-CM	Diagnosis
C43.12	Malignant melanoma of left eyelid, including canthus	ICD-10-CM	Diagnosis
C43.121	Malignant melanoma of left upper eyelid, including canthus	ICD-10-CM	Diagnosis
C43.122	Malignant melanoma of left lower eyelid, including canthus	ICD-10-CM	Diagnosis
C43.2	Malignant melanoma of ear and external auricular canal	ICD-10-CM	Diagnosis
C43.20	Malignant melanoma of unspecified ear and external auricular canal	ICD-10-CM	Diagnosis
C43.21	Malignant melanoma of right ear and external auricular canal	ICD-10-CM	Diagnosis
C43.22	Malignant melanoma of left ear and external auricular canal	ICD-10-CM	Diagnosis
C43.3	Malignant melanoma of other and unspecified parts of face	ICD-10-CM	Diagnosis
C43.30	Malignant melanoma of unspecified part of face	ICD-10-CM	Diagnosis
C43.31	Malignant melanoma of nose	ICD-10-CM	Diagnosis
C43.39	Malignant melanoma of other parts of face	ICD-10-CM	Diagnosis
C43.4	Malignant melanoma of scalp and neck	ICD-10-CM	Diagnosis
C43.5	Malignant melanoma of trunk	ICD-10-CM	Diagnosis
C43.51	Malignant melanoma of anal skin	ICD-10-CM	Diagnosis
C43.52	Malignant melanoma of skin of breast	ICD-10-CM	Diagnosis
C43.59	Malignant melanoma of other part of trunk	ICD-10-CM	Diagnosis
C43.6	Malignant melanoma of upper limb, including shoulder	ICD-10-CM	Diagnosis
C43.60	Malignant melanoma of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C43.61	Malignant melanoma of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C43.62	Malignant melanoma of left upper limb, including shoulder	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C43.7	Malignant melanoma of lower limb, including hip	ICD-10-CM	Diagnosis
C43.70	Malignant melanoma of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C43.71	Malignant melanoma of right lower limb, including hip	ICD-10-CM	Diagnosis
C43.72	Malignant melanoma of left lower limb, including hip	ICD-10-CM	Diagnosis
C43.8	Malignant melanoma of overlapping sites of skin	ICD-10-CM	Diagnosis
C43.9	Malignant melanoma of skin, unspecified	ICD-10-CM	Diagnosis
C45	Mesothelioma	ICD-10-CM	Diagnosis
C45.0	Mesothelioma of pleura	ICD-10-CM	Diagnosis
C45.1	Mesothelioma of peritoneum	ICD-10-CM	Diagnosis
C45.2	Mesothelioma of pericardium	ICD-10-CM	Diagnosis
C45.7	Mesothelioma of other sites	ICD-10-CM	Diagnosis
C45.9	Mesothelioma, unspecified	ICD-10-CM	Diagnosis
C46	Kaposi's sarcoma	ICD-10-CM	Diagnosis
C46.0	Kaposi's sarcoma of skin	ICD-10-CM	Diagnosis
C46.1	Kaposi's sarcoma of soft tissue	ICD-10-CM	Diagnosis
C46.2	Kaposi's sarcoma of palate	ICD-10-CM	Diagnosis
C46.3	Kaposi's sarcoma of lymph nodes	ICD-10-CM	Diagnosis
C46.4	Kaposi's sarcoma of gastrointestinal sites	ICD-10-CM	Diagnosis
C46.5	Kaposi's sarcoma of lung	ICD-10-CM	Diagnosis
C46.50	Kaposi's sarcoma of unspecified lung	ICD-10-CM	Diagnosis
C46.51	Kaposi's sarcoma of right lung	ICD-10-CM	Diagnosis
C46.52	Kaposi's sarcoma of left lung	ICD-10-CM	Diagnosis
C46.7	Kaposi's sarcoma of other sites	ICD-10-CM	Diagnosis
C46.9	Kaposi's sarcoma, unspecified	ICD-10-CM	Diagnosis
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	ICD-10-CM	Diagnosis
C47.0	Malignant neoplasm of peripheral nerves of head, face and neck	ICD-10-CM	Diagnosis
C47.1	Malignant neoplasm of peripheral nerves of upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.10	Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.11	Malignant neoplasm of peripheral nerves of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.12	Malignant neoplasm of peripheral nerves of left upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.2	Malignant neoplasm of peripheral nerves of lower limb, including hip	ICD-10-CM	Diagnosis
C47.20	Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C47.21	Malignant neoplasm of peripheral nerves of right lower limb, including hip	ICD-10-CM	Diagnosis
C47.22	Malignant neoplasm of peripheral nerves of left lower limb, including hip	ICD-10-CM	Diagnosis
C47.3	Malignant neoplasm of peripheral nerves of thorax	ICD-10-CM	Diagnosis
C47.4	Malignant neoplasm of peripheral nerves of abdomen	ICD-10-CM	Diagnosis
C47.5	Malignant neoplasm of peripheral nerves of pelvis	ICD-10-CM	Diagnosis
C47.6	Malignant neoplasm of peripheral nerves of trunk, unspecified	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C47.8	Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous system	ICD-10-CM	Diagnosis
C47.9	Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified	ICD-10-CM	Diagnosis
C48	Malignant neoplasm of retroperitoneum and peritoneum	ICD-10-CM	Diagnosis
C48.0	Malignant neoplasm of retroperitoneum	ICD-10-CM	Diagnosis
C48.1	Malignant neoplasm of specified parts of peritoneum	ICD-10-CM	Diagnosis
C48.2	Malignant neoplasm of peritoneum, unspecified	ICD-10-CM	Diagnosis
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum	ICD-10-CM	Diagnosis
C49	Malignant neoplasm of other connective and soft tissue	ICD-10-CM	Diagnosis
C49.0	Malignant neoplasm of connective and soft tissue of head, face and neck	ICD-10-CM	Diagnosis
C49.1	Malignant neoplasm of connective and soft tissue of upper limb, including shoulder	ICD-10-CM	Diagnosis
C49.10	Malignant neoplasm of connective and soft tissue of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C49.11	Malignant neoplasm of connective and soft tissue of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C49.12	Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder	ICD-10-CM	Diagnosis
C49.2	Malignant neoplasm of connective and soft tissue of lower limb, including hip	ICD-10-CM	Diagnosis
C49.20	Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C49.21	Malignant neoplasm of connective and soft tissue of right lower limb, including hip	ICD-10-CM	Diagnosis
C49.22	Malignant neoplasm of connective and soft tissue of left lower limb, including hip	ICD-10-CM	Diagnosis
C49.3	Malignant neoplasm of connective and soft tissue of thorax	ICD-10-CM	Diagnosis
C49.4	Malignant neoplasm of connective and soft tissue of abdomen	ICD-10-CM	Diagnosis
C49.5	Malignant neoplasm of connective and soft tissue of pelvis	ICD-10-CM	Diagnosis
C49.6	Malignant neoplasm of connective and soft tissue of trunk, unspecified	ICD-10-CM	Diagnosis
C49.8	Malignant neoplasm of overlapping sites of connective and soft tissue	ICD-10-CM	Diagnosis
C49.9	Malignant neoplasm of connective and soft tissue, unspecified	ICD-10-CM	Diagnosis
C49.A	Gastrointestinal stromal tumor	ICD-10-CM	Diagnosis
C49.A0	Gastrointestinal stromal tumor, unspecified site	ICD-10-CM	Diagnosis
C49.A1	Gastrointestinal stromal tumor of esophagus	ICD-10-CM	Diagnosis
C49.A2	Gastrointestinal stromal tumor of stomach	ICD-10-CM	Diagnosis
C49.A3	Gastrointestinal stromal tumor of small intestine	ICD-10-CM	Diagnosis
C49.A4	Gastrointestinal stromal tumor of large intestine	ICD-10-CM	Diagnosis
C49.A5	Gastrointestinal stromal tumor of rectum	ICD-10-CM	Diagnosis
C49.A9	Gastrointestinal stromal tumor of other sites	ICD-10-CM	Diagnosis
C4A	Merkel cell carcinoma	ICD-10-CM	Diagnosis
C4A.0	Merkel cell carcinoma of lip	ICD-10-CM	Diagnosis
C4A.1	Merkel cell carcinoma of eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.10	Merkel cell carcinoma of unspecified eyelid, including canthus	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C4A.11	Merkel cell carcinoma of right eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.111	Merkel cell carcinoma of right upper eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.112	Merkel cell carcinoma of right lower eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.12	Merkel cell carcinoma of left eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.121	Merkel cell carcinoma of left upper eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.122	Merkel cell carcinoma of left lower eyelid, including canthus	ICD-10-CM	Diagnosis
C4A.2	Merkel cell carcinoma of ear and external auricular canal	ICD-10-CM	Diagnosis
C4A.20	Merkel cell carcinoma of unspecified ear and external auricular canal	ICD-10-CM	Diagnosis
C4A.21	Merkel cell carcinoma of right ear and external auricular canal	ICD-10-CM	Diagnosis
C4A.22	Merkel cell carcinoma of left ear and external auricular canal	ICD-10-CM	Diagnosis
C4A.3	Merkel cell carcinoma of other and unspecified parts of face	ICD-10-CM	Diagnosis
C4A.30	Merkel cell carcinoma of unspecified part of face	ICD-10-CM	Diagnosis
C4A.31	Merkel cell carcinoma of nose	ICD-10-CM	Diagnosis
C4A.39	Merkel cell carcinoma of other parts of face	ICD-10-CM	Diagnosis
C4A.4	Merkel cell carcinoma of scalp and neck	ICD-10-CM	Diagnosis
C4A.5	Merkel cell carcinoma of trunk	ICD-10-CM	Diagnosis
C4A.51	Merkel cell carcinoma of anal skin	ICD-10-CM	Diagnosis
C4A.52	Merkel cell carcinoma of skin of breast	ICD-10-CM	Diagnosis
C4A.59	Merkel cell carcinoma of other part of trunk	ICD-10-CM	Diagnosis
C4A.6	Merkel cell carcinoma of upper limb, including shoulder	ICD-10-CM	Diagnosis
C4A.60	Merkel cell carcinoma of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C4A.61	Merkel cell carcinoma of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C4A.62	Merkel cell carcinoma of left upper limb, including shoulder	ICD-10-CM	Diagnosis
C4A.7	Merkel cell carcinoma of lower limb, including hip	ICD-10-CM	Diagnosis
C4A.70	Merkel cell carcinoma of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C4A.71	Merkel cell carcinoma of right lower limb, including hip	ICD-10-CM	Diagnosis
C4A.72	Merkel cell carcinoma of left lower limb, including hip	ICD-10-CM	Diagnosis
C4A.8	Merkel cell carcinoma of overlapping sites	ICD-10-CM	Diagnosis
C4A.9	Merkel cell carcinoma, unspecified	ICD-10-CM	Diagnosis
C50	Malignant neoplasm of breast	ICD-10-CM	Diagnosis
C50.0	Malignant neoplasm of nipple and areola	ICD-10-CM	Diagnosis
C50.01	Malignant neoplasm of nipple and areola, female	ICD-10-CM	Diagnosis
C50.011	Malignant neoplasm of nipple and areola, right female breast	ICD-10-CM	Diagnosis
C50.012	Malignant neoplasm of nipple and areola, left female breast	ICD-10-CM	Diagnosis
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	ICD-10-CM	Diagnosis
C50.02	Malignant neoplasm of nipple and areola, male	ICD-10-CM	Diagnosis
C50.021	Malignant neoplasm of nipple and areola, right male breast	ICD-10-CM	Diagnosis
C50.022	Malignant neoplasm of nipple and areola, left male breast	ICD-10-CM	Diagnosis
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast	ICD-10-CM	Diagnosis
C50.1	Malignant neoplasm of central portion of breast	ICD-10-CM	Diagnosis
C50.11	Malignant neoplasm of central portion of breast, female	ICD-10-CM	Diagnosis
C50.111	Malignant neoplasm of central portion of right female breast	ICD-10-CM	Diagnosis
C50.112	Malignant neoplasm of central portion of left female breast	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C50.119	Malignant neoplasm of central portion of unspecified female breast	ICD-10-CM	Diagnosis
C50.12	Malignant neoplasm of central portion of breast, male	ICD-10-CM	Diagnosis
C50.121	Malignant neoplasm of central portion of right male breast	ICD-10-CM	Diagnosis
C50.122	Malignant neoplasm of central portion of left male breast	ICD-10-CM	Diagnosis
C50.129	Malignant neoplasm of central portion of unspecified male breast	ICD-10-CM	Diagnosis
C50.2	Malignant neoplasm of upper-inner quadrant of breast	ICD-10-CM	Diagnosis
C50.21	Malignant neoplasm of upper-inner quadrant of breast, female	ICD-10-CM	Diagnosis
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	ICD-10-CM	Diagnosis
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	ICD-10-CM	Diagnosis
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.22	Malignant neoplasm of upper-inner quadrant of breast, male	ICD-10-CM	Diagnosis
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	ICD-10-CM	Diagnosis
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	ICD-10-CM	Diagnosis
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.3	Malignant neoplasm of lower-inner quadrant of breast	ICD-10-CM	Diagnosis
C50.31	Malignant neoplasm of lower-inner quadrant of breast, female	ICD-10-CM	Diagnosis
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	ICD-10-CM	Diagnosis
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	ICD-10-CM	Diagnosis
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.32	Malignant neoplasm of lower-inner quadrant of breast, male	ICD-10-CM	Diagnosis
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	ICD-10-CM	Diagnosis
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	ICD-10-CM	Diagnosis
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.4	Malignant neoplasm of upper-outer quadrant of breast	ICD-10-CM	Diagnosis
C50.41	Malignant neoplasm of upper-outer quadrant of breast, female	ICD-10-CM	Diagnosis
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	ICD-10-CM	Diagnosis
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	ICD-10-CM	Diagnosis
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.42	Malignant neoplasm of upper-outer quadrant of breast, male	ICD-10-CM	Diagnosis
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	ICD-10-CM	Diagnosis
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	ICD-10-CM	Diagnosis
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.5	Malignant neoplasm of lower-outer quadrant of breast	ICD-10-CM	Diagnosis
C50.51	Malignant neoplasm of lower-outer quadrant of breast, female	ICD-10-CM	Diagnosis
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	ICD-10-CM	Diagnosis
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	ICD-10-CM	Diagnosis
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.52	Malignant neoplasm of lower-outer quadrant of breast, male	ICD-10-CM	Diagnosis
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	ICD-10-CM	Diagnosis
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	ICD-10-CM	Diagnosis
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.6	Malignant neoplasm of axillary tail of breast	ICD-10-CM	Diagnosis
C50.61	Malignant neoplasm of axillary tail of breast, female	ICD-10-CM	Diagnosis
C50.611	Malignant neoplasm of axillary tail of right female breast	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C50.612	Malignant neoplasm of axillary tail of left female breast	ICD-10-CM	Diagnosis
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	ICD-10-CM	Diagnosis
C50.62	Malignant neoplasm of axillary tail of breast, male	ICD-10-CM	Diagnosis
C50.621	Malignant neoplasm of axillary tail of right male breast	ICD-10-CM	Diagnosis
C50.622	Malignant neoplasm of axillary tail of left male breast	ICD-10-CM	Diagnosis
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	ICD-10-CM	Diagnosis
C50.8	Malignant neoplasm of overlapping sites of breast	ICD-10-CM	Diagnosis
C50.81	Malignant neoplasm of overlapping sites of breast, female	ICD-10-CM	Diagnosis
C50.811	Malignant neoplasm of overlapping sites of right female breast	ICD-10-CM	Diagnosis
C50.812	Malignant neoplasm of overlapping sites of left female breast	ICD-10-CM	Diagnosis
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	ICD-10-CM	Diagnosis
C50.82	Malignant neoplasm of overlapping sites of breast, male	ICD-10-CM	Diagnosis
C50.821	Malignant neoplasm of overlapping sites of right male breast	ICD-10-CM	Diagnosis
C50.822	Malignant neoplasm of overlapping sites of left male breast	ICD-10-CM	Diagnosis
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	ICD-10-CM	Diagnosis
C50.9	Malignant neoplasm of breast of unspecified site	ICD-10-CM	Diagnosis
C50.91	Malignant neoplasm of breast of unspecified site, female	ICD-10-CM	Diagnosis
C50.911	Malignant neoplasm of unspecified site of right female breast	ICD-10-CM	Diagnosis
C50.912	Malignant neoplasm of unspecified site of left female breast	ICD-10-CM	Diagnosis
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	ICD-10-CM	Diagnosis
C50.92	Malignant neoplasm of breast of unspecified site, male	ICD-10-CM	Diagnosis
C50.921	Malignant neoplasm of unspecified site of right male breast	ICD-10-CM	Diagnosis
C50.922	Malignant neoplasm of unspecified site of left male breast	ICD-10-CM	Diagnosis
C50.929	Malignant neoplasm of unspecified site of unspecified male breast	ICD-10-CM	Diagnosis
C51	Malignant neoplasm of vulva	ICD-10-CM	Diagnosis
C51.0	Malignant neoplasm of labium majus	ICD-10-CM	Diagnosis
C51.1	Malignant neoplasm of labium minus	ICD-10-CM	Diagnosis
C51.2	Malignant neoplasm of clitoris	ICD-10-CM	Diagnosis
C51.8	Malignant neoplasm of overlapping sites of vulva	ICD-10-CM	Diagnosis
C51.9	Malignant neoplasm of vulva, unspecified	ICD-10-CM	Diagnosis
C52	Malignant neoplasm of vagina	ICD-10-CM	Diagnosis
C53	Malignant neoplasm of cervix uteri	ICD-10-CM	Diagnosis
C53.0	Malignant neoplasm of endocervix	ICD-10-CM	Diagnosis
C53.1	Malignant neoplasm of exocervix	ICD-10-CM	Diagnosis
C53.8	Malignant neoplasm of overlapping sites of cervix uteri	ICD-10-CM	Diagnosis
C53.9	Malignant neoplasm of cervix uteri, unspecified	ICD-10-CM	Diagnosis
C54	Malignant neoplasm of corpus uteri	ICD-10-CM	Diagnosis
C54.0	Malignant neoplasm of isthmus uteri	ICD-10-CM	Diagnosis
C54.1	Malignant neoplasm of endometrium	ICD-10-CM	Diagnosis
C54.2	Malignant neoplasm of myometrium	ICD-10-CM	Diagnosis
C54.3	Malignant neoplasm of fundus uteri	ICD-10-CM	Diagnosis
C54.8	Malignant neoplasm of overlapping sites of corpus uteri	ICD-10-CM	Diagnosis
C54.9	Malignant neoplasm of corpus uteri, unspecified	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C55	Malignant neoplasm of uterus, part unspecified	ICD-10-CM	Diagnosis
C56	Malignant neoplasm of ovary	ICD-10-CM	Diagnosis
C56.1	Malignant neoplasm of right ovary	ICD-10-CM	Diagnosis
C56.2	Malignant neoplasm of left ovary	ICD-10-CM	Diagnosis
C56.9	Malignant neoplasm of unspecified ovary	ICD-10-CM	Diagnosis
C57	Malignant neoplasm of other and unspecified female genital organs	ICD-10-CM	Diagnosis
C57.0	Malignant neoplasm of fallopian tube	ICD-10-CM	Diagnosis
C57.00	Malignant neoplasm of unspecified fallopian tube	ICD-10-CM	Diagnosis
C57.01	Malignant neoplasm of right fallopian tube	ICD-10-CM	Diagnosis
C57.02	Malignant neoplasm of left fallopian tube	ICD-10-CM	Diagnosis
C57.1	Malignant neoplasm of broad ligament	ICD-10-CM	Diagnosis
C57.10	Malignant neoplasm of unspecified broad ligament	ICD-10-CM	Diagnosis
C57.11	Malignant neoplasm of right broad ligament	ICD-10-CM	Diagnosis
C57.12	Malignant neoplasm of left broad ligament	ICD-10-CM	Diagnosis
C57.2	Malignant neoplasm of round ligament	ICD-10-CM	Diagnosis
C57.20	Malignant neoplasm of unspecified round ligament	ICD-10-CM	Diagnosis
C57.21	Malignant neoplasm of right round ligament	ICD-10-CM	Diagnosis
C57.22	Malignant neoplasm of left round ligament	ICD-10-CM	Diagnosis
C57.3	Malignant neoplasm of parametrium	ICD-10-CM	Diagnosis
C57.4	Malignant neoplasm of uterine adnexa, unspecified	ICD-10-CM	Diagnosis
C57.7	Malignant neoplasm of other specified female genital organs	ICD-10-CM	Diagnosis
C57.8	Malignant neoplasm of overlapping sites of female genital organs	ICD-10-CM	Diagnosis
C57.9	Malignant neoplasm of female genital organ, unspecified	ICD-10-CM	Diagnosis
C58	Malignant neoplasm of placenta	ICD-10-CM	Diagnosis
C60	Malignant neoplasm of penis	ICD-10-CM	Diagnosis
C60.0	Malignant neoplasm of prepuce	ICD-10-CM	Diagnosis
C60.1	Malignant neoplasm of glans penis	ICD-10-CM	Diagnosis
C60.2	Malignant neoplasm of body of penis	ICD-10-CM	Diagnosis
C60.8	Malignant neoplasm of overlapping sites of penis	ICD-10-CM	Diagnosis
C60.9	Malignant neoplasm of penis, unspecified	ICD-10-CM	Diagnosis
C61	Malignant neoplasm of prostate	ICD-10-CM	Diagnosis
C62	Malignant neoplasm of testis	ICD-10-CM	Diagnosis
C62.0	Malignant neoplasm of undescended testis	ICD-10-CM	Diagnosis
C62.00	Malignant neoplasm of unspecified undescended testis	ICD-10-CM	Diagnosis
C62.01	Malignant neoplasm of undescended right testis	ICD-10-CM	Diagnosis
C62.02	Malignant neoplasm of undescended left testis	ICD-10-CM	Diagnosis
C62.1	Malignant neoplasm of descended testis	ICD-10-CM	Diagnosis
C62.10	Malignant neoplasm of unspecified descended testis	ICD-10-CM	Diagnosis
C62.11	Malignant neoplasm of descended right testis	ICD-10-CM	Diagnosis
C62.12	Malignant neoplasm of descended left testis	ICD-10-CM	Diagnosis
C62.9	Malignant neoplasm of testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C62.90	Malignant neoplasm of unspecified testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis
C62.91	Malignant neoplasm of right testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis
C62.92	Malignant neoplasm of left testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis
C63	Malignant neoplasm of other and unspecified male genital organs	ICD-10-CM	Diagnosis
C63.0	Malignant neoplasm of epididymis	ICD-10-CM	Diagnosis
C63.00	Malignant neoplasm of unspecified epididymis	ICD-10-CM	Diagnosis
C63.01	Malignant neoplasm of right epididymis	ICD-10-CM	Diagnosis
C63.02	Malignant neoplasm of left epididymis	ICD-10-CM	Diagnosis
C63.1	Malignant neoplasm of spermatic cord	ICD-10-CM	Diagnosis
C63.10	Malignant neoplasm of unspecified spermatic cord	ICD-10-CM	Diagnosis
C63.11	Malignant neoplasm of right spermatic cord	ICD-10-CM	Diagnosis
C63.12	Malignant neoplasm of left spermatic cord	ICD-10-CM	Diagnosis
C63.2	Malignant neoplasm of scrotum	ICD-10-CM	Diagnosis
C63.7	Malignant neoplasm of other specified male genital organs	ICD-10-CM	Diagnosis
C63.8	Malignant neoplasm of overlapping sites of male genital organs	ICD-10-CM	Diagnosis
C63.9	Malignant neoplasm of male genital organ, unspecified	ICD-10-CM	Diagnosis
C64	Malignant neoplasm of kidney, except renal pelvis	ICD-10-CM	Diagnosis
C64.1	Malignant neoplasm of right kidney, except renal pelvis	ICD-10-CM	Diagnosis
C64.2	Malignant neoplasm of left kidney, except renal pelvis	ICD-10-CM	Diagnosis
C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis	ICD-10-CM	Diagnosis
C65	Malignant neoplasm of renal pelvis	ICD-10-CM	Diagnosis
C65.1	Malignant neoplasm of right renal pelvis	ICD-10-CM	Diagnosis
C65.2	Malignant neoplasm of left renal pelvis	ICD-10-CM	Diagnosis
C65.9	Malignant neoplasm of unspecified renal pelvis	ICD-10-CM	Diagnosis
C66	Malignant neoplasm of ureter	ICD-10-CM	Diagnosis
C66.1	Malignant neoplasm of right ureter	ICD-10-CM	Diagnosis
C66.2	Malignant neoplasm of left ureter	ICD-10-CM	Diagnosis
C66.9	Malignant neoplasm of unspecified ureter	ICD-10-CM	Diagnosis
C67	Malignant neoplasm of bladder	ICD-10-CM	Diagnosis
C67.0	Malignant neoplasm of trigone of bladder	ICD-10-CM	Diagnosis
C67.1	Malignant neoplasm of dome of bladder	ICD-10-CM	Diagnosis
C67.2	Malignant neoplasm of lateral wall of bladder	ICD-10-CM	Diagnosis
C67.3	Malignant neoplasm of anterior wall of bladder	ICD-10-CM	Diagnosis
C67.4	Malignant neoplasm of posterior wall of bladder	ICD-10-CM	Diagnosis
C67.5	Malignant neoplasm of bladder neck	ICD-10-CM	Diagnosis
C67.6	Malignant neoplasm of ureteric orifice	ICD-10-CM	Diagnosis
C67.7	Malignant neoplasm of urachus	ICD-10-CM	Diagnosis
C67.8	Malignant neoplasm of overlapping sites of bladder	ICD-10-CM	Diagnosis
C67.9	Malignant neoplasm of bladder, unspecified	ICD-10-CM	Diagnosis
C68	Malignant neoplasm of other and unspecified urinary organs	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C68.0	Malignant neoplasm of urethra	ICD-10-CM	Diagnosis
C68.1	Malignant neoplasm of paraurethral glands	ICD-10-CM	Diagnosis
C68.8	Malignant neoplasm of overlapping sites of urinary organs	ICD-10-CM	Diagnosis
C68.9	Malignant neoplasm of urinary organ, unspecified	ICD-10-CM	Diagnosis
C69	Malignant neoplasm of eye and adnexa	ICD-10-CM	Diagnosis
C69.0	Malignant neoplasm of conjunctiva	ICD-10-CM	Diagnosis
C69.00	Malignant neoplasm of unspecified conjunctiva	ICD-10-CM	Diagnosis
C69.01	Malignant neoplasm of right conjunctiva	ICD-10-CM	Diagnosis
C69.02	Malignant neoplasm of left conjunctiva	ICD-10-CM	Diagnosis
C69.1	Malignant neoplasm of cornea	ICD-10-CM	Diagnosis
C69.10	Malignant neoplasm of unspecified cornea	ICD-10-CM	Diagnosis
C69.11	Malignant neoplasm of right cornea	ICD-10-CM	Diagnosis
C69.12	Malignant neoplasm of left cornea	ICD-10-CM	Diagnosis
C69.2	Malignant neoplasm of retina	ICD-10-CM	Diagnosis
C69.20	Malignant neoplasm of unspecified retina	ICD-10-CM	Diagnosis
C69.21	Malignant neoplasm of right retina	ICD-10-CM	Diagnosis
C69.22	Malignant neoplasm of left retina	ICD-10-CM	Diagnosis
C69.3	Malignant neoplasm of choroid	ICD-10-CM	Diagnosis
C69.30	Malignant neoplasm of unspecified choroid	ICD-10-CM	Diagnosis
C69.31	Malignant neoplasm of right choroid	ICD-10-CM	Diagnosis
C69.32	Malignant neoplasm of left choroid	ICD-10-CM	Diagnosis
C69.4	Malignant neoplasm of ciliary body	ICD-10-CM	Diagnosis
C69.40	Malignant neoplasm of unspecified ciliary body	ICD-10-CM	Diagnosis
C69.41	Malignant neoplasm of right ciliary body	ICD-10-CM	Diagnosis
C69.42	Malignant neoplasm of left ciliary body	ICD-10-CM	Diagnosis
C69.5	Malignant neoplasm of lacrimal gland and duct	ICD-10-CM	Diagnosis
C69.50	Malignant neoplasm of unspecified lacrimal gland and duct	ICD-10-CM	Diagnosis
C69.51	Malignant neoplasm of right lacrimal gland and duct	ICD-10-CM	Diagnosis
C69.52	Malignant neoplasm of left lacrimal gland and duct	ICD-10-CM	Diagnosis
C69.6	Malignant neoplasm of orbit	ICD-10-CM	Diagnosis
C69.60	Malignant neoplasm of unspecified orbit	ICD-10-CM	Diagnosis
C69.61	Malignant neoplasm of right orbit	ICD-10-CM	Diagnosis
C69.62	Malignant neoplasm of left orbit	ICD-10-CM	Diagnosis
C69.8	Malignant neoplasm of overlapping sites of eye and adnexa	ICD-10-CM	Diagnosis
C69.80	Malignant neoplasm of overlapping sites of unspecified eye and adnexa	ICD-10-CM	Diagnosis
C69.81	Malignant neoplasm of overlapping sites of right eye and adnexa	ICD-10-CM	Diagnosis
C69.82	Malignant neoplasm of overlapping sites of left eye and adnexa	ICD-10-CM	Diagnosis
C69.9	Malignant neoplasm of unspecified site of eye	ICD-10-CM	Diagnosis
C69.90	Malignant neoplasm of unspecified site of unspecified eye	ICD-10-CM	Diagnosis
C69.91	Malignant neoplasm of unspecified site of right eye	ICD-10-CM	Diagnosis
C69.92	Malignant neoplasm of unspecified site of left eye	ICD-10-CM	Diagnosis
C70	Malignant neoplasm of meninges	ICD-10-CM	Diagnosis
C70.0	Malignant neoplasm of cerebral meninges	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C70.1	Malignant neoplasm of spinal meninges	ICD-10-CM	Diagnosis
C70.9	Malignant neoplasm of meninges, unspecified	ICD-10-CM	Diagnosis
C71	Malignant neoplasm of brain	ICD-10-CM	Diagnosis
C71.0	Malignant neoplasm of cerebrum, except lobes and ventricles	ICD-10-CM	Diagnosis
C71.1	Malignant neoplasm of frontal lobe	ICD-10-CM	Diagnosis
C71.2	Malignant neoplasm of temporal lobe	ICD-10-CM	Diagnosis
C71.3	Malignant neoplasm of parietal lobe	ICD-10-CM	Diagnosis
C71.4	Malignant neoplasm of occipital lobe	ICD-10-CM	Diagnosis
C71.5	Malignant neoplasm of cerebral ventricle	ICD-10-CM	Diagnosis
C71.6	Malignant neoplasm of cerebellum	ICD-10-CM	Diagnosis
C71.7	Malignant neoplasm of brain stem	ICD-10-CM	Diagnosis
C71.8	Malignant neoplasm of overlapping sites of brain	ICD-10-CM	Diagnosis
C71.9	Malignant neoplasm of brain, unspecified	ICD-10-CM	Diagnosis
C72	Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system	ICD-10-CM	Diagnosis
C72.0	Malignant neoplasm of spinal cord	ICD-10-CM	Diagnosis
C72.1	Malignant neoplasm of cauda equina	ICD-10-CM	Diagnosis
C72.2	Malignant neoplasm of olfactory nerve	ICD-10-CM	Diagnosis
C72.20	Malignant neoplasm of unspecified olfactory nerve	ICD-10-CM	Diagnosis
C72.21	Malignant neoplasm of right olfactory nerve	ICD-10-CM	Diagnosis
C72.22	Malignant neoplasm of left olfactory nerve	ICD-10-CM	Diagnosis
C72.3	Malignant neoplasm of optic nerve	ICD-10-CM	Diagnosis
C72.30	Malignant neoplasm of unspecified optic nerve	ICD-10-CM	Diagnosis
C72.31	Malignant neoplasm of right optic nerve	ICD-10-CM	Diagnosis
C72.32	Malignant neoplasm of left optic nerve	ICD-10-CM	Diagnosis
C72.4	Malignant neoplasm of acoustic nerve	ICD-10-CM	Diagnosis
C72.40	Malignant neoplasm of unspecified acoustic nerve	ICD-10-CM	Diagnosis
C72.41	Malignant neoplasm of right acoustic nerve	ICD-10-CM	Diagnosis
C72.42	Malignant neoplasm of left acoustic nerve	ICD-10-CM	Diagnosis
C72.5	Malignant neoplasm of other and unspecified cranial nerves	ICD-10-CM	Diagnosis
C72.50	Malignant neoplasm of unspecified cranial nerve	ICD-10-CM	Diagnosis
C72.59	Malignant neoplasm of other cranial nerves	ICD-10-CM	Diagnosis
C72.9	Malignant neoplasm of central nervous system, unspecified	ICD-10-CM	Diagnosis
C73	Malignant neoplasm of thyroid gland	ICD-10-CM	Diagnosis
C74	Malignant neoplasm of adrenal gland	ICD-10-CM	Diagnosis
C74.0	Malignant neoplasm of cortex of adrenal gland	ICD-10-CM	Diagnosis
C74.00	Malignant neoplasm of cortex of unspecified adrenal gland	ICD-10-CM	Diagnosis
C74.01	Malignant neoplasm of cortex of right adrenal gland	ICD-10-CM	Diagnosis
C74.02	Malignant neoplasm of cortex of left adrenal gland	ICD-10-CM	Diagnosis
C74.1	Malignant neoplasm of medulla of adrenal gland	ICD-10-CM	Diagnosis
C74.10	Malignant neoplasm of medulla of unspecified adrenal gland	ICD-10-CM	Diagnosis
C74.11	Malignant neoplasm of medulla of right adrenal gland	ICD-10-CM	Diagnosis
C74.12	Malignant neoplasm of medulla of left adrenal gland	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C74.9	Malignant neoplasm of unspecified part of adrenal gland	ICD-10-CM	Diagnosis
C74.90	Malignant neoplasm of unspecified part of unspecified adrenal gland	ICD-10-CM	Diagnosis
C74.91	Malignant neoplasm of unspecified part of right adrenal gland	ICD-10-CM	Diagnosis
C74.92	Malignant neoplasm of unspecified part of left adrenal gland	ICD-10-CM	Diagnosis
C75	Malignant neoplasm of other endocrine glands and related structures	ICD-10-CM	Diagnosis
C75.0	Malignant neoplasm of parathyroid gland	ICD-10-CM	Diagnosis
C75.1	Malignant neoplasm of pituitary gland	ICD-10-CM	Diagnosis
C75.2	Malignant neoplasm of craniopharyngeal duct	ICD-10-CM	Diagnosis
C75.3	Malignant neoplasm of pineal gland	ICD-10-CM	Diagnosis
C75.4	Malignant neoplasm of carotid body	ICD-10-CM	Diagnosis
C75.5	Malignant neoplasm of aortic body and other paraganglia	ICD-10-CM	Diagnosis
C75.8	Malignant neoplasm with pluriglandular involvement, unspecified	ICD-10-CM	Diagnosis
C75.9	Malignant neoplasm of endocrine gland, unspecified	ICD-10-CM	Diagnosis
C76	Malignant neoplasm of other and ill-defined sites	ICD-10-CM	Diagnosis
C76.0	Malignant neoplasm of head, face and neck	ICD-10-CM	Diagnosis
C76.1	Malignant neoplasm of thorax	ICD-10-CM	Diagnosis
C76.2	Malignant neoplasm of abdomen	ICD-10-CM	Diagnosis
C76.3	Malignant neoplasm of pelvis	ICD-10-CM	Diagnosis
C76.4	Malignant neoplasm of upper limb	ICD-10-CM	Diagnosis
C76.40	Malignant neoplasm of unspecified upper limb	ICD-10-CM	Diagnosis
C76.41	Malignant neoplasm of right upper limb	ICD-10-CM	Diagnosis
C76.42	Malignant neoplasm of left upper limb	ICD-10-CM	Diagnosis
C76.5	Malignant neoplasm of lower limb	ICD-10-CM	Diagnosis
C76.50	Malignant neoplasm of unspecified lower limb	ICD-10-CM	Diagnosis
C76.51	Malignant neoplasm of right lower limb	ICD-10-CM	Diagnosis
C76.52	Malignant neoplasm of left lower limb	ICD-10-CM	Diagnosis
C76.8	Malignant neoplasm of other specified ill-defined sites	ICD-10-CM	Diagnosis
C77	Secondary and unspecified malignant neoplasm of lymph nodes	ICD-10-CM	Diagnosis
C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck	ICD-10-CM	Diagnosis
C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C77.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C77.3	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes	ICD-10-CM	Diagnosis
C77.4	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes	ICD-10-CM	Diagnosis
C77.5	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C77.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions	ICD-10-CM	Diagnosis
C77.9	Secondary and unspecified malignant neoplasm of lymph node, unspecified	ICD-10-CM	Diagnosis
C78	Secondary malignant neoplasm of respiratory and digestive organs	ICD-10-CM	Diagnosis
C78.0	Secondary malignant neoplasm of lung	ICD-10-CM	Diagnosis
C78.00	Secondary malignant neoplasm of unspecified lung	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C78.01	Secondary malignant neoplasm of right lung	ICD-10-CM	Diagnosis
C78.02	Secondary malignant neoplasm of left lung	ICD-10-CM	Diagnosis
C78.1	Secondary malignant neoplasm of mediastinum	ICD-10-CM	Diagnosis
C78.2	Secondary malignant neoplasm of pleura	ICD-10-CM	Diagnosis
C78.3	Secondary malignant neoplasm of other and unspecified respiratory organs	ICD-10-CM	Diagnosis
C78.30	Secondary malignant neoplasm of unspecified respiratory organ	ICD-10-CM	Diagnosis
C78.39	Secondary malignant neoplasm of other respiratory organs	ICD-10-CM	Diagnosis
C78.4	Secondary malignant neoplasm of small intestine	ICD-10-CM	Diagnosis
C78.5	Secondary malignant neoplasm of large intestine and rectum	ICD-10-CM	Diagnosis
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	ICD-10-CM	Diagnosis
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	ICD-10-CM	Diagnosis
C78.8	Secondary malignant neoplasm of other and unspecified digestive organs	ICD-10-CM	Diagnosis
C78.80	Secondary malignant neoplasm of unspecified digestive organ	ICD-10-CM	Diagnosis
C78.89	Secondary malignant neoplasm of other digestive organs	ICD-10-CM	Diagnosis
C79	Secondary malignant neoplasm of other and unspecified sites	ICD-10-CM	Diagnosis
C79.0	Secondary malignant neoplasm of kidney and renal pelvis	ICD-10-CM	Diagnosis
C79.00	Secondary malignant neoplasm of unspecified kidney and renal pelvis	ICD-10-CM	Diagnosis
C79.01	Secondary malignant neoplasm of right kidney and renal pelvis	ICD-10-CM	Diagnosis
C79.02	Secondary malignant neoplasm of left kidney and renal pelvis	ICD-10-CM	Diagnosis
C79.1	Secondary malignant neoplasm of bladder and other and unspecified urinary organs	ICD-10-CM	Diagnosis
C79.10	Secondary malignant neoplasm of unspecified urinary organs	ICD-10-CM	Diagnosis
C79.11	Secondary malignant neoplasm of bladder	ICD-10-CM	Diagnosis
C79.19	Secondary malignant neoplasm of other urinary organs	ICD-10-CM	Diagnosis
C79.2	Secondary malignant neoplasm of skin	ICD-10-CM	Diagnosis
C79.3	Secondary malignant neoplasm of brain and cerebral meninges	ICD-10-CM	Diagnosis
C79.31	Secondary malignant neoplasm of brain	ICD-10-CM	Diagnosis
C79.32	Secondary malignant neoplasm of cerebral meninges	ICD-10-CM	Diagnosis
C79.4	Secondary malignant neoplasm of other and unspecified parts of nervous system	ICD-10-CM	Diagnosis
C79.40	Secondary malignant neoplasm of unspecified part of nervous system	ICD-10-CM	Diagnosis
C79.49	Secondary malignant neoplasm of other parts of nervous system	ICD-10-CM	Diagnosis
C79.5	Secondary malignant neoplasm of bone and bone marrow	ICD-10-CM	Diagnosis
C79.51	Secondary malignant neoplasm of bone	ICD-10-CM	Diagnosis
C79.52	Secondary malignant neoplasm of bone marrow	ICD-10-CM	Diagnosis
C79.6	Secondary malignant neoplasm of ovary	ICD-10-CM	Diagnosis
C79.60	Secondary malignant neoplasm of unspecified ovary	ICD-10-CM	Diagnosis
C79.61	Secondary malignant neoplasm of right ovary	ICD-10-CM	Diagnosis
C79.62	Secondary malignant neoplasm of left ovary	ICD-10-CM	Diagnosis
C79.7	Secondary malignant neoplasm of adrenal gland	ICD-10-CM	Diagnosis
C79.70	Secondary malignant neoplasm of unspecified adrenal gland	ICD-10-CM	Diagnosis
C79.71	Secondary malignant neoplasm of right adrenal gland	ICD-10-CM	Diagnosis
C79.72	Secondary malignant neoplasm of left adrenal gland	ICD-10-CM	Diagnosis
C79.8	Secondary malignant neoplasm of other specified sites	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C79.81	Secondary malignant neoplasm of breast	ICD-10-CM	Diagnosis
C79.82	Secondary malignant neoplasm of genital organs	ICD-10-CM	Diagnosis
C79.89	Secondary malignant neoplasm of other specified sites	ICD-10-CM	Diagnosis
C79.9	Secondary malignant neoplasm of unspecified site	ICD-10-CM	Diagnosis
C7A	Malignant neuroendocrine tumors	ICD-10-CM	Diagnosis
C7A.0	Malignant carcinoid tumors	ICD-10-CM	Diagnosis
C7A.00	Malignant carcinoid tumor of unspecified site	ICD-10-CM	Diagnosis
C7A.01	Malignant carcinoid tumors of the small intestine	ICD-10-CM	Diagnosis
C7A.010	Malignant carcinoid tumor of the duodenum	ICD-10-CM	Diagnosis
C7A.011	Malignant carcinoid tumor of the jejunum	ICD-10-CM	Diagnosis
C7A.012	Malignant carcinoid tumor of the ileum	ICD-10-CM	Diagnosis
C7A.019	Malignant carcinoid tumor of the small intestine, unspecified portion	ICD-10-CM	Diagnosis
C7A.02	Malignant carcinoid tumors of the appendix, large intestine, and rectum	ICD-10-CM	Diagnosis
C7A.020	Malignant carcinoid tumor of the appendix	ICD-10-CM	Diagnosis
C7A.021	Malignant carcinoid tumor of the cecum	ICD-10-CM	Diagnosis
C7A.022	Malignant carcinoid tumor of the ascending colon	ICD-10-CM	Diagnosis
C7A.023	Malignant carcinoid tumor of the transverse colon	ICD-10-CM	Diagnosis
C7A.024	Malignant carcinoid tumor of the descending colon	ICD-10-CM	Diagnosis
C7A.025	Malignant carcinoid tumor of the sigmoid colon	ICD-10-CM	Diagnosis
C7A.026	Malignant carcinoid tumor of the rectum	ICD-10-CM	Diagnosis
C7A.029	Malignant carcinoid tumor of the large intestine, unspecified portion	ICD-10-CM	Diagnosis
C7A.09	Malignant carcinoid tumors of other sites	ICD-10-CM	Diagnosis
C7A.090	Malignant carcinoid tumor of the bronchus and lung	ICD-10-CM	Diagnosis
C7A.091	Malignant carcinoid tumor of the thymus	ICD-10-CM	Diagnosis
C7A.092	Malignant carcinoid tumor of the stomach	ICD-10-CM	Diagnosis
C7A.093	Malignant carcinoid tumor of the kidney	ICD-10-CM	Diagnosis
C7A.094	Malignant carcinoid tumor of the foregut, unspecified	ICD-10-CM	Diagnosis
C7A.095	Malignant carcinoid tumor of the midgut, unspecified	ICD-10-CM	Diagnosis
C7A.096	Malignant carcinoid tumor of the hindgut, unspecified	ICD-10-CM	Diagnosis
C7A.098	Malignant carcinoid tumors of other sites	ICD-10-CM	Diagnosis
C7A.1	Malignant poorly differentiated neuroendocrine tumors	ICD-10-CM	Diagnosis
C7A.8	Other malignant neuroendocrine tumors	ICD-10-CM	Diagnosis
C7B	Secondary neuroendocrine tumors	ICD-10-CM	Diagnosis
C7B.0	Secondary carcinoid tumors	ICD-10-CM	Diagnosis
C7B.00	Secondary carcinoid tumors, unspecified site	ICD-10-CM	Diagnosis
C7B.01	Secondary carcinoid tumors of distant lymph nodes	ICD-10-CM	Diagnosis
C7B.02	Secondary carcinoid tumors of liver	ICD-10-CM	Diagnosis
C7B.03	Secondary carcinoid tumors of bone	ICD-10-CM	Diagnosis
C7B.04	Secondary carcinoid tumors of peritoneum	ICD-10-CM	Diagnosis
C7B.09	Secondary carcinoid tumors of other sites	ICD-10-CM	Diagnosis
C7B.1	Secondary Merkel cell carcinoma	ICD-10-CM	Diagnosis
C7B.8	Other secondary neuroendocrine tumors	ICD-10-CM	Diagnosis
C80	Malignant neoplasm without specification of site	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C80.0	Disseminated malignant neoplasm, unspecified	ICD-10-CM	Diagnosis
C80.1	Malignant (primary) neoplasm, unspecified	ICD-10-CM	Diagnosis
C80.2	Malignant neoplasm associated with transplanted organ	ICD-10-CM	Diagnosis
C81	Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.0	Nodular lymphocyte predominant Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.00	Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.01	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.02	Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.03	Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.04	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.05	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.06	Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.07	Nodular lymphocyte predominant Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.08	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.09	Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.1	Nodular sclerosis Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.10	Nodular sclerosis Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.11	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.12	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.13	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.14	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.15	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.16	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.17	Nodular sclerosis Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.18	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.19	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.2	Mixed cellularity Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.20	Mixed cellularity Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.21	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.22	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.23	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.24	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.25	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.26	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C81.27	Mixed cellularity Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.28	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.29	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.3	Lymphocyte depleted Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.30	Lymphocyte depleted Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.31	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.32	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.33	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.34	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.35	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.36	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.37	Lymphocyte depleted Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.38	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.39	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.4	Lymphocyte-rich Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.40	Lymphocyte-rich Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.41	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.42	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.43	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.44	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.45	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.46	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.47	Lymphocyte-rich Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.48	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.49	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.7	Other Hodgkin lymphoma	ICD-10-CM	Diagnosis
C81.70	Other Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.71	Other Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.72	Other Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.73	Other Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.74	Other Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.75	Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.76	Other Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.77	Other Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.78	Other Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.79	Other Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.9	Hodgkin lymphoma, unspecified	ICD-10-CM	Diagnosis
C81.90	Hodgkin lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C81.91	Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.92	Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C81.93	Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.94	Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.95	Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.96	Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.97	Hodgkin lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C81.98	Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.99	Hodgkin lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82	Follicular lymphoma	ICD-10-CM	Diagnosis
C82.0	Follicular lymphoma grade I	ICD-10-CM	Diagnosis
C82.00	Follicular lymphoma grade I, unspecified site	ICD-10-CM	Diagnosis
C82.01	Follicular lymphoma grade I, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.02	Follicular lymphoma grade I, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.07	Follicular lymphoma grade I, spleen	ICD-10-CM	Diagnosis
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.1	Follicular lymphoma grade II	ICD-10-CM	Diagnosis
C82.10	Follicular lymphoma grade II, unspecified site	ICD-10-CM	Diagnosis
C82.11	Follicular lymphoma grade II, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.12	Follicular lymphoma grade II, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.17	Follicular lymphoma grade II, spleen	ICD-10-CM	Diagnosis
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.2	Follicular lymphoma grade III, unspecified	ICD-10-CM	Diagnosis
C82.20	Follicular lymphoma grade III, unspecified, unspecified site	ICD-10-CM	Diagnosis
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.22	Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.27	Follicular lymphoma grade III, unspecified, spleen	ICD-10-CM	Diagnosis
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.3	Follicular lymphoma grade IIIa	ICD-10-CM	Diagnosis
C82.30	Follicular lymphoma grade IIIa, unspecified site	ICD-10-CM	Diagnosis
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.32	Follicular lymphoma grade IIIa, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.37	Follicular lymphoma grade IIIa, spleen	ICD-10-CM	Diagnosis
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.4	Follicular lymphoma grade IIIb	ICD-10-CM	Diagnosis
C82.40	Follicular lymphoma grade IIIb, unspecified site	ICD-10-CM	Diagnosis
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.42	Follicular lymphoma grade IIIb, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.47	Follicular lymphoma grade IIIb, spleen	ICD-10-CM	Diagnosis
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.5	Diffuse follicle center lymphoma	ICD-10-CM	Diagnosis
C82.50	Diffuse follicle center lymphoma, unspecified site	ICD-10-CM	Diagnosis
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.57	Diffuse follicle center lymphoma, spleen	ICD-10-CM	Diagnosis
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.6	Cutaneous follicle center lymphoma	ICD-10-CM	Diagnosis
C82.60	Cutaneous follicle center lymphoma, unspecified site	ICD-10-CM	Diagnosis
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C82.67	Cutaneous follicle center lymphoma, spleen	ICD-10-CM	Diagnosis
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.8	Other types of follicular lymphoma	ICD-10-CM	Diagnosis
C82.80	Other types of follicular lymphoma, unspecified site	ICD-10-CM	Diagnosis
C82.81	Other types of follicular lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.87	Other types of follicular lymphoma, spleen	ICD-10-CM	Diagnosis
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.9	Follicular lymphoma, unspecified	ICD-10-CM	Diagnosis
C82.90	Follicular lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.95	Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.97	Follicular lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83	Non-follicular lymphoma	ICD-10-CM	Diagnosis
C83.0	Small cell B-cell lymphoma	ICD-10-CM	Diagnosis
C83.00	Small cell B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.03	Small cell B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.07	Small cell B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.1	Mantle cell lymphoma	ICD-10-CM	Diagnosis
C83.10	Mantle cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.11	Mantle cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.12	Mantle cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.13	Mantle cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C83.14	Mantle cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.15	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.16	Mantle cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.17	Mantle cell lymphoma, spleen	ICD-10-CM	Diagnosis
C83.18	Mantle cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.19	Mantle cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.3	Diffuse large B-cell lymphoma	ICD-10-CM	Diagnosis
C83.30	Diffuse large B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.32	Diffuse large B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.33	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.34	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.36	Diffuse large B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.37	Diffuse large B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C83.38	Diffuse large B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.39	Diffuse large B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.5	Lymphoblastic (diffuse) lymphoma	ICD-10-CM	Diagnosis
C83.50	Lymphoblastic (diffuse) lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.51	Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.52	Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.53	Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.54	Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.55	Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.56	Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.57	Lymphoblastic (diffuse) lymphoma, spleen	ICD-10-CM	Diagnosis
C83.58	Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.59	Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.7	Burkitt lymphoma	ICD-10-CM	Diagnosis
C83.70	Burkitt lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.71	Burkitt lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.72	Burkitt lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.73	Burkitt lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.74	Burkitt lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.75	Burkitt lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.76	Burkitt lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.77	Burkitt lymphoma, spleen	ICD-10-CM	Diagnosis
C83.78	Burkitt lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.79	Burkitt lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.8	Other non-follicular lymphoma	ICD-10-CM	Diagnosis
C83.80	Other non-follicular lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.81	Other non-follicular lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.82	Other non-follicular lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C83.83	Other non-follicular lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.84	Other non-follicular lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.85	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.86	Other non-follicular lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.87	Other non-follicular lymphoma, spleen	ICD-10-CM	Diagnosis
C83.88	Other non-follicular lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.89	Other non-follicular lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.9	Non-follicular (diffuse) lymphoma, unspecified	ICD-10-CM	Diagnosis
C83.90	Non-follicular (diffuse) lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C83.91	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.92	Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.93	Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.94	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.95	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.96	Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.97	Non-follicular (diffuse) lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C83.98	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.99	Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84	Mature T/NK-cell lymphomas	ICD-10-CM	Diagnosis
C84.0	Mycosis fungoides	ICD-10-CM	Diagnosis
C84.00	Mycosis fungoides, unspecified site	ICD-10-CM	Diagnosis
C84.01	Mycosis fungoides, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.02	Mycosis fungoides, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.03	Mycosis fungoides, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.04	Mycosis fungoides, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.05	Mycosis fungoides, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.06	Mycosis fungoides, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.07	Mycosis fungoides, spleen	ICD-10-CM	Diagnosis
C84.08	Mycosis fungoides, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.09	Mycosis fungoides, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.1	Sezary disease	ICD-10-CM	Diagnosis
C84.10	Sezary disease, unspecified site	ICD-10-CM	Diagnosis
C84.11	Sezary disease, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.12	Sezary disease, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.13	Sezary disease, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.14	Sezary disease, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.15	Sezary disease, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.16	Sezary disease, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.17	Sezary disease, spleen	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C84.18	Sezary disease, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.19	Sezary disease, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.4	Peripheral T-cell lymphoma, not classified	ICD-10-CM	Diagnosis
C84.40	Peripheral T-cell lymphoma, not classified, unspecified site	ICD-10-CM	Diagnosis
C84.41	Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.42	Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.43	Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.44	Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.45	Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.46	Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.47	Peripheral T-cell lymphoma, not classified, spleen	ICD-10-CM	Diagnosis
C84.48	Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.49	Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.6	Anaplastic large cell lymphoma, ALK-positive	ICD-10-CM	Diagnosis
C84.60	Anaplastic large cell lymphoma, ALK-positive, unspecified site	ICD-10-CM	Diagnosis
C84.61	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.62	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.63	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.64	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.65	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.66	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.67	Anaplastic large cell lymphoma, ALK-positive, spleen	ICD-10-CM	Diagnosis
C84.68	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.69	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.7	Anaplastic large cell lymphoma, ALK-negative	ICD-10-CM	Diagnosis
C84.70	Anaplastic large cell lymphoma, ALK-negative, unspecified site	ICD-10-CM	Diagnosis
C84.71	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.72	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.73	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.74	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.75	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.76	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.77	Anaplastic large cell lymphoma, ALK-negative, spleen	ICD-10-CM	Diagnosis
C84.78	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.79	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C84.9	Mature T/NK-cell lymphomas, unspecified	ICD-10-CM	Diagnosis
C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site	ICD-10-CM	Diagnosis
C84.91	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.92	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.93	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.94	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.95	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.96	Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.97	Mature T/NK-cell lymphomas, unspecified, spleen	ICD-10-CM	Diagnosis
C84.98	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.99	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.A	Cutaneous T-cell lymphoma, unspecified	ICD-10-CM	Diagnosis
C84.A0	Cutaneous T-cell lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C84.A1	Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.A2	Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.A3	Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.A4	Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.A5	Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.A6	Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.A7	Cutaneous T-cell lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C84.A8	Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.A9	Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.Z	Other mature T/NK-cell lymphomas	ICD-10-CM	Diagnosis
C84.Z0	Other mature T/NK-cell lymphomas, unspecified site	ICD-10-CM	Diagnosis
C84.Z1	Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.Z2	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.Z3	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.Z4	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.Z5	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.Z6	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.Z7	Other mature T/NK-cell lymphomas, spleen	ICD-10-CM	Diagnosis
C84.Z8	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.Z9	Other mature T/NK-cell lymphomas, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85	Other specified and unspecified types of non-Hodgkin lymphoma	ICD-10-CM	Diagnosis
C85.1	Unspecified B-cell lymphoma	ICD-10-CM	Diagnosis
C85.10	Unspecified B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C85.11	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.12	Unspecified B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C85.13	Unspecified B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.14	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.15	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.16	Unspecified B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.17	Unspecified B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C85.18	Unspecified B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.2	Mediastinal (thymic) large B-cell lymphoma	ICD-10-CM	Diagnosis
C85.20	Mediastinal (thymic) large B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C85.21	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.22	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.23	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.24	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.25	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.26	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.27	Mediastinal (thymic) large B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C85.28	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.29	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.8	Other specified types of non-Hodgkin lymphoma	ICD-10-CM	Diagnosis
C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C85.81	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.82	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.83	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.84	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.85	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.86	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.87	Other specified types of non-Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C85.88	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.9	Non-Hodgkin lymphoma, unspecified	ICD-10-CM	Diagnosis
C85.90	Non-Hodgkin lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C85.91	Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.92	Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.93	Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.94	Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C85.95	Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.96	Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.97	Non-Hodgkin lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C85.98	Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.99	Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C86	Other specified types of T/NK-cell lymphoma	ICD-10-CM	Diagnosis
C86.0	Extranodal NK/T-cell lymphoma, nasal type	ICD-10-CM	Diagnosis
C86.1	Hepatosplenic T-cell lymphoma	ICD-10-CM	Diagnosis
C86.2	Enteropathy-type (intestinal) T-cell lymphoma	ICD-10-CM	Diagnosis
C86.3	Subcutaneous panniculitis-like T-cell lymphoma	ICD-10-CM	Diagnosis
C86.4	Blastic NK-cell lymphoma	ICD-10-CM	Diagnosis
C86.5	Angioimmunoblastic T-cell lymphoma	ICD-10-CM	Diagnosis
C86.6	Primary cutaneous CD30-positive T-cell proliferations	ICD-10-CM	Diagnosis
C88	Malignant immunoproliferative diseases and certain other B-cell lymphomas	ICD-10-CM	Diagnosis
C88.0	Waldenstrom macroglobulinemia	ICD-10-CM	Diagnosis
C88.2	Heavy chain disease	ICD-10-CM	Diagnosis
C88.3	Immunoproliferative small intestinal disease	ICD-10-CM	Diagnosis
C88.4	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]	ICD-10-CM	Diagnosis
C88.8	Other malignant immunoproliferative diseases	ICD-10-CM	Diagnosis
C88.9	Malignant immunoproliferative disease, unspecified	ICD-10-CM	Diagnosis
C90	Multiple myeloma and malignant plasma cell neoplasms	ICD-10-CM	Diagnosis
C90.0	Multiple myeloma	ICD-10-CM	Diagnosis
C90.00	Multiple myeloma not having achieved remission	ICD-10-CM	Diagnosis
C90.01	Multiple myeloma in remission	ICD-10-CM	Diagnosis
C90.02	Multiple myeloma in relapse	ICD-10-CM	Diagnosis
C90.1	Plasma cell leukemia	ICD-10-CM	Diagnosis
C90.10	Plasma cell leukemia not having achieved remission	ICD-10-CM	Diagnosis
C90.11	Plasma cell leukemia in remission	ICD-10-CM	Diagnosis
C90.12	Plasma cell leukemia in relapse	ICD-10-CM	Diagnosis
C90.2	Extramedullary plasmacytoma	ICD-10-CM	Diagnosis
C90.20	Extramedullary plasmacytoma not having achieved remission	ICD-10-CM	Diagnosis
C90.21	Extramedullary plasmacytoma in remission	ICD-10-CM	Diagnosis
C90.22	Extramedullary plasmacytoma in relapse	ICD-10-CM	Diagnosis
C90.3	Solitary plasmacytoma	ICD-10-CM	Diagnosis
C90.30	Solitary plasmacytoma not having achieved remission	ICD-10-CM	Diagnosis
C90.31	Solitary plasmacytoma in remission	ICD-10-CM	Diagnosis
C90.32	Solitary plasmacytoma in relapse	ICD-10-CM	Diagnosis
C91	Lymphoid leukemia	ICD-10-CM	Diagnosis
C91.0	Acute lymphoblastic leukemia [ALL]	ICD-10-CM	Diagnosis
C91.00	Acute lymphoblastic leukemia not having achieved remission	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C91.01	Acute lymphoblastic leukemia, in remission	ICD-10-CM	Diagnosis
C91.02	Acute lymphoblastic leukemia, in relapse	ICD-10-CM	Diagnosis
C91.1	Chronic lymphocytic leukemia of B-cell type	ICD-10-CM	Diagnosis
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission	ICD-10-CM	Diagnosis
C91.11	Chronic lymphocytic leukemia of B-cell type in remission	ICD-10-CM	Diagnosis
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse	ICD-10-CM	Diagnosis
C91.3	Prolymphocytic leukemia of B-cell type	ICD-10-CM	Diagnosis
C91.30	Prolymphocytic leukemia of B-cell type not having achieved remission	ICD-10-CM	Diagnosis
C91.31	Prolymphocytic leukemia of B-cell type, in remission	ICD-10-CM	Diagnosis
C91.32	Prolymphocytic leukemia of B-cell type, in relapse	ICD-10-CM	Diagnosis
C91.4	Hairy cell leukemia	ICD-10-CM	Diagnosis
C91.40	Hairy cell leukemia not having achieved remission	ICD-10-CM	Diagnosis
C91.41	Hairy cell leukemia, in remission	ICD-10-CM	Diagnosis
C91.42	Hairy cell leukemia, in relapse	ICD-10-CM	Diagnosis
C91.5	Adult T-cell lymphoma/leukemia (HTLV-1-associated)	ICD-10-CM	Diagnosis
C91.50	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission	ICD-10-CM	Diagnosis
C91.51	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission	ICD-10-CM	Diagnosis
C91.52	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse	ICD-10-CM	Diagnosis
C91.6	Prolymphocytic leukemia of T-cell type	ICD-10-CM	Diagnosis
C91.60	Prolymphocytic leukemia of T-cell type not having achieved remission	ICD-10-CM	Diagnosis
C91.61	Prolymphocytic leukemia of T-cell type, in remission	ICD-10-CM	Diagnosis
C91.62	Prolymphocytic leukemia of T-cell type, in relapse	ICD-10-CM	Diagnosis
C91.9	Lymphoid leukemia, unspecified	ICD-10-CM	Diagnosis
C91.90	Lymphoid leukemia, unspecified not having achieved remission	ICD-10-CM	Diagnosis
C91.91	Lymphoid leukemia, unspecified, in remission	ICD-10-CM	Diagnosis
C91.92	Lymphoid leukemia, unspecified, in relapse	ICD-10-CM	Diagnosis
C91.A	Mature B-cell leukemia Burkitt-type	ICD-10-CM	Diagnosis
C91.A0	Mature B-cell leukemia Burkitt-type not having achieved remission	ICD-10-CM	Diagnosis
C91.A1	Mature B-cell leukemia Burkitt-type, in remission	ICD-10-CM	Diagnosis
C91.A2	Mature B-cell leukemia Burkitt-type, in relapse	ICD-10-CM	Diagnosis
C91.Z	Other lymphoid leukemia	ICD-10-CM	Diagnosis
C91.Z0	Other lymphoid leukemia not having achieved remission	ICD-10-CM	Diagnosis
C91.Z1	Other lymphoid leukemia, in remission	ICD-10-CM	Diagnosis
C91.Z2	Other lymphoid leukemia, in relapse	ICD-10-CM	Diagnosis
C92	Myeloid leukemia	ICD-10-CM	Diagnosis
C92.0	Acute myeloblastic leukemia	ICD-10-CM	Diagnosis
C92.00	Acute myeloblastic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C92.01	Acute myeloblastic leukemia, in remission	ICD-10-CM	Diagnosis
C92.02	Acute myeloblastic leukemia, in relapse	ICD-10-CM	Diagnosis
C92.1	Chronic myeloid leukemia, BCR/ABL-positive	ICD-10-CM	Diagnosis
C92.10	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission	ICD-10-CM	Diagnosis
C92.11	Chronic myeloid leukemia, BCR/ABL-positive, in remission	ICD-10-CM	Diagnosis
C92.12	Chronic myeloid leukemia, BCR/ABL-positive, in relapse	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C92.2	Atypical chronic myeloid leukemia, BCR/ABL-negative	ICD-10-CM	Diagnosis
C92.20	Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission	ICD-10-CM	Diagnosis
C92.21	Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission	ICD-10-CM	Diagnosis
C92.22	Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse	ICD-10-CM	Diagnosis
C92.3	Myeloid sarcoma	ICD-10-CM	Diagnosis
C92.30	Myeloid sarcoma, not having achieved remission	ICD-10-CM	Diagnosis
C92.31	Myeloid sarcoma, in remission	ICD-10-CM	Diagnosis
C92.32	Myeloid sarcoma, in relapse	ICD-10-CM	Diagnosis
C92.4	Acute promyelocytic leukemia	ICD-10-CM	Diagnosis
C92.40	Acute promyelocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C92.41	Acute promyelocytic leukemia, in remission	ICD-10-CM	Diagnosis
C92.42	Acute promyelocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C92.5	Acute myelomonocytic leukemia	ICD-10-CM	Diagnosis
C92.50	Acute myelomonocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C92.51	Acute myelomonocytic leukemia, in remission	ICD-10-CM	Diagnosis
C92.52	Acute myelomonocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C92.6	Acute myeloid leukemia with 11q23-abnormality	ICD-10-CM	Diagnosis
C92.60	Acute myeloid leukemia with 11q23-abnormality not having achieved remission	ICD-10-CM	Diagnosis
C92.61	Acute myeloid leukemia with 11q23-abnormality in remission	ICD-10-CM	Diagnosis
C92.62	Acute myeloid leukemia with 11q23-abnormality in relapse	ICD-10-CM	Diagnosis
C92.9	Myeloid leukemia, unspecified	ICD-10-CM	Diagnosis
C92.90	Myeloid leukemia, unspecified, not having achieved remission	ICD-10-CM	Diagnosis
C92.91	Myeloid leukemia, unspecified in remission	ICD-10-CM	Diagnosis
C92.92	Myeloid leukemia, unspecified in relapse	ICD-10-CM	Diagnosis
C92.A	Acute myeloid leukemia with multilineage dysplasia	ICD-10-CM	Diagnosis
C92.A0	Acute myeloid leukemia with multilineage dysplasia, not having achieved remission	ICD-10-CM	Diagnosis
C92.A1	Acute myeloid leukemia with multilineage dysplasia, in remission	ICD-10-CM	Diagnosis
C92.A2	Acute myeloid leukemia with multilineage dysplasia, in relapse	ICD-10-CM	Diagnosis
C92.Z	Other myeloid leukemia	ICD-10-CM	Diagnosis
C92.Z0	Other myeloid leukemia not having achieved remission	ICD-10-CM	Diagnosis
C92.Z1	Other myeloid leukemia, in remission	ICD-10-CM	Diagnosis
C92.Z2	Other myeloid leukemia, in relapse	ICD-10-CM	Diagnosis
C93	Monocytic leukemia	ICD-10-CM	Diagnosis
C93.0	Acute monoblastic/monocytic leukemia	ICD-10-CM	Diagnosis
C93.00	Acute monoblastic/monocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C93.01	Acute monoblastic/monocytic leukemia, in remission	ICD-10-CM	Diagnosis
C93.02	Acute monoblastic/monocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.1	Chronic myelomonocytic leukemia	ICD-10-CM	Diagnosis
C93.10	Chronic myelomonocytic leukemia not having achieved remission	ICD-10-CM	Diagnosis
C93.11	Chronic myelomonocytic leukemia, in remission	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C93.12	Chronic myelomonocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.3	Juvenile myelomonocytic leukemia	ICD-10-CM	Diagnosis
C93.30	Juvenile myelomonocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C93.31	Juvenile myelomonocytic leukemia, in remission	ICD-10-CM	Diagnosis
C93.32	Juvenile myelomonocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.9	Monocytic leukemia, unspecified	ICD-10-CM	Diagnosis
C93.90	Monocytic leukemia, unspecified, not having achieved remission	ICD-10-CM	Diagnosis
C93.91	Monocytic leukemia, unspecified in remission	ICD-10-CM	Diagnosis
C93.92	Monocytic leukemia, unspecified in relapse	ICD-10-CM	Diagnosis
C93.Z	Other monocytic leukemia	ICD-10-CM	Diagnosis
C93.Z0	Other monocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C93.Z1	Other monocytic leukemia, in remission	ICD-10-CM	Diagnosis
C93.Z2	Other monocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C94	Other leukemias of specified cell type	ICD-10-CM	Diagnosis
C94.0	Acute erythroid leukemia	ICD-10-CM	Diagnosis
C94.00	Acute erythroid leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C94.01	Acute erythroid leukemia, in remission	ICD-10-CM	Diagnosis
C94.02	Acute erythroid leukemia, in relapse	ICD-10-CM	Diagnosis
C94.2	Acute megakaryoblastic leukemia	ICD-10-CM	Diagnosis
C94.20	Acute megakaryoblastic leukemia not having achieved remission	ICD-10-CM	Diagnosis
C94.21	Acute megakaryoblastic leukemia, in remission	ICD-10-CM	Diagnosis
C94.22	Acute megakaryoblastic leukemia, in relapse	ICD-10-CM	Diagnosis
C94.3	Mast cell leukemia	ICD-10-CM	Diagnosis
C94.30	Mast cell leukemia not having achieved remission	ICD-10-CM	Diagnosis
C94.31	Mast cell leukemia, in remission	ICD-10-CM	Diagnosis
C94.32	Mast cell leukemia, in relapse	ICD-10-CM	Diagnosis
C94.4	Acute panmyelosis with myelofibrosis	ICD-10-CM	Diagnosis
C94.40	Acute panmyelosis with myelofibrosis not having achieved remission	ICD-10-CM	Diagnosis
C94.41	Acute panmyelosis with myelofibrosis, in remission	ICD-10-CM	Diagnosis
C94.42	Acute panmyelosis with myelofibrosis, in relapse	ICD-10-CM	Diagnosis
C94.6	Myelodysplastic disease, not classified	ICD-10-CM	Diagnosis
C94.8	Other specified leukemias	ICD-10-CM	Diagnosis
C94.80	Other specified leukemias not having achieved remission	ICD-10-CM	Diagnosis
C94.81	Other specified leukemias, in remission	ICD-10-CM	Diagnosis
C94.82	Other specified leukemias, in relapse	ICD-10-CM	Diagnosis
C95	Leukemia of unspecified cell type	ICD-10-CM	Diagnosis
C95.0	Acute leukemia of unspecified cell type	ICD-10-CM	Diagnosis
C95.00	Acute leukemia of unspecified cell type not having achieved remission	ICD-10-CM	Diagnosis
C95.01	Acute leukemia of unspecified cell type, in remission	ICD-10-CM	Diagnosis
C95.02	Acute leukemia of unspecified cell type, in relapse	ICD-10-CM	Diagnosis
C95.1	Chronic leukemia of unspecified cell type	ICD-10-CM	Diagnosis
C95.10	Chronic leukemia of unspecified cell type not having achieved remission	ICD-10-CM	Diagnosis
C95.11	Chronic leukemia of unspecified cell type, in remission	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
C95.12	Chronic leukemia of unspecified cell type, in relapse	ICD-10-CM	Diagnosis
C95.9	Leukemia, unspecified	ICD-10-CM	Diagnosis
C95.90	Leukemia, unspecified not having achieved remission	ICD-10-CM	Diagnosis
C95.91	Leukemia, unspecified, in remission	ICD-10-CM	Diagnosis
C95.92	Leukemia, unspecified, in relapse	ICD-10-CM	Diagnosis
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	ICD-10-CM	Diagnosis
C96.0	Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis	ICD-10-CM	Diagnosis
C96.2	Malignant mast cell neoplasm	ICD-10-CM	Diagnosis
C96.20	Malignant mast cell neoplasm, unspecified	ICD-10-CM	Diagnosis
C96.21	Aggressive systemic mastocytosis	ICD-10-CM	Diagnosis
C96.22	Mast cell sarcoma	ICD-10-CM	Diagnosis
C96.29	Other malignant mast cell neoplasm	ICD-10-CM	Diagnosis
C96.4	Sarcoma of dendritic cells (accessory cells)	ICD-10-CM	Diagnosis
C96.5	Multifocal and unisystemic Langerhans-cell histiocytosis	ICD-10-CM	Diagnosis
C96.6	Unifocal Langerhans-cell histiocytosis	ICD-10-CM	Diagnosis
C96.9	Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified	ICD-10-CM	Diagnosis
C96.A	Histiocytic sarcoma	ICD-10-CM	Diagnosis
C96.Z	Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue	ICD-10-CM	Diagnosis
C97	Malignant neoplasms of independent (primary) multiple sites	ICD-10-CM	Diagnosis
D03.0	Melanoma in situ of lip	ICD-10-CM	Diagnosis
D03.10	Melanoma in situ of unspecified eyelid, including canthus	ICD-10-CM	Diagnosis
D03.11	Melanoma in situ of right eyelid, including canthus	ICD-10-CM	Diagnosis
D03.12	Melanoma in situ of left eyelid, including canthus	ICD-10-CM	Diagnosis
D03.20	Melanoma in situ of unspecified ear and external auricular canal	ICD-10-CM	Diagnosis
D03.21	Melanoma in situ of right ear and external auricular canal	ICD-10-CM	Diagnosis
D03.22	Melanoma in situ of left ear and external auricular canal	ICD-10-CM	Diagnosis
D03.30	Melanoma in situ of unspecified part of face	ICD-10-CM	Diagnosis
D03.39	Melanoma in situ of other parts of face	ICD-10-CM	Diagnosis
D03.4	Melanoma in situ of scalp and neck	ICD-10-CM	Diagnosis
D03.51	Melanoma in situ of anal skin	ICD-10-CM	Diagnosis
D03.52	Melanoma in situ of breast (skin) (soft tissue)	ICD-10-CM	Diagnosis
D03.59	Melanoma in situ of other part of trunk	ICD-10-CM	Diagnosis
D03.60	Melanoma in situ of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
D03.61	Melanoma in situ of right upper limb, including shoulder	ICD-10-CM	Diagnosis
D03.62	Melanoma in situ of left upper limb, including shoulder	ICD-10-CM	Diagnosis
D03.70	Melanoma in situ of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
D03.71	Melanoma in situ of right lower limb, including hip	ICD-10-CM	Diagnosis
D03.72	Melanoma in situ of left lower limb, including hip	ICD-10-CM	Diagnosis
D03.8	Melanoma in situ of other sites	ICD-10-CM	Diagnosis
D03.9	Melanoma in situ, unspecified	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
D45	Polycythemia vera	ICD-10-CM	Diagnosis
O9A.1	Malignant neoplasm complicating pregnancy, childbirth and the puerperium	ICD-10-CM	Diagnosis
O9A.11	Malignant neoplasm complicating pregnancy	ICD-10-CM	Diagnosis
O9A.111	Malignant neoplasm complicating pregnancy, first trimester	ICD-10-CM	Diagnosis
O9A.112	Malignant neoplasm complicating pregnancy, second trimester	ICD-10-CM	Diagnosis
O9A.113	Malignant neoplasm complicating pregnancy, third trimester	ICD-10-CM	Diagnosis
O9A.119	Malignant neoplasm complicating pregnancy, unspecified trimester	ICD-10-CM	Diagnosis
O9A.12	Malignant neoplasm complicating childbirth	ICD-10-CM	Diagnosis
O9A.13	Malignant neoplasm complicating the puerperium	ICD-10-CM	Diagnosis
R97.21	Rising PSA following treatment for malignant neoplasm of prostate	ICD-10-CM	Diagnosis
Z85	Personal history of malignant neoplasm	ICD-10-CM	Diagnosis
Z85.0	Personal history of malignant neoplasm of digestive organs	ICD-10-CM	Diagnosis
Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	ICD-10-CM	Diagnosis
Z85.01	Personal history of malignant neoplasm of esophagus	ICD-10-CM	Diagnosis
Z85.02	Personal history of malignant neoplasm of stomach	ICD-10-CM	Diagnosis
Z85.028	Personal history of other malignant neoplasm of stomach	ICD-10-CM	Diagnosis
Z85.03	Personal history of malignant neoplasm of large intestine	ICD-10-CM	Diagnosis
Z85.038	Personal history of other malignant neoplasm of large intestine	ICD-10-CM	Diagnosis
Z85.04	Personal history of malignant neoplasm of rectum, rectosigmoid junction, and anus	ICD-10-CM	Diagnosis
Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus	ICD-10-CM	Diagnosis
Z85.05	Personal history of malignant neoplasm of liver	ICD-10-CM	Diagnosis
Z85.06	Personal history of malignant neoplasm of small intestine	ICD-10-CM	Diagnosis
Z85.068	Personal history of other malignant neoplasm of small intestine	ICD-10-CM	Diagnosis
Z85.07	Personal history of malignant neoplasm of pancreas	ICD-10-CM	Diagnosis
Z85.09	Personal history of malignant neoplasm of other digestive organs	ICD-10-CM	Diagnosis
Z85.1	Personal history of malignant neoplasm of trachea, bronchus and lung	ICD-10-CM	Diagnosis
Z85.11	Personal history of malignant neoplasm of bronchus and lung	ICD-10-CM	Diagnosis
Z85.118	Personal history of other malignant neoplasm of bronchus and lung	ICD-10-CM	Diagnosis
Z85.12	Personal history of malignant neoplasm of trachea	ICD-10-CM	Diagnosis
Z85.2	Personal history of malignant neoplasm of other respiratory and intrathoracic organs	ICD-10-CM	Diagnosis
Z85.20	Personal history of malignant neoplasm of unspecified respiratory organ	ICD-10-CM	Diagnosis
Z85.21	Personal history of malignant neoplasm of larynx	ICD-10-CM	Diagnosis
Z85.22	Personal history of malignant neoplasm of nasal cavities, middle ear, and accessory sinuses	ICD-10-CM	Diagnosis
Z85.23	Personal history of malignant neoplasm of thymus	ICD-10-CM	Diagnosis
Z85.238	Personal history of other malignant neoplasm of thymus	ICD-10-CM	Diagnosis
Z85.29	Personal history of malignant neoplasm of other respiratory and intrathoracic organs	ICD-10-CM	Diagnosis
Z85.3	Personal history of malignant neoplasm of breast	ICD-10-CM	Diagnosis
Z85.4	Personal history of malignant neoplasm of genital organs	ICD-10-CM	Diagnosis
Z85.40	Personal history of malignant neoplasm of unspecified female genital organ	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
Z85.41	Personal history of malignant neoplasm of cervix uteri	ICD-10-CM	Diagnosis
Z85.42	Personal history of malignant neoplasm of other parts of uterus	ICD-10-CM	Diagnosis
Z85.43	Personal history of malignant neoplasm of ovary	ICD-10-CM	Diagnosis
Z85.44	Personal history of malignant neoplasm of other female genital organs	ICD-10-CM	Diagnosis
Z85.45	Personal history of malignant neoplasm of unspecified male genital organ	ICD-10-CM	Diagnosis
Z85.46	Personal history of malignant neoplasm of prostate	ICD-10-CM	Diagnosis
Z85.47	Personal history of malignant neoplasm of testis	ICD-10-CM	Diagnosis
Z85.48	Personal history of malignant neoplasm of epididymis	ICD-10-CM	Diagnosis
Z85.49	Personal history of malignant neoplasm of other male genital organs	ICD-10-CM	Diagnosis
Z85.5	Personal history of malignant neoplasm of urinary tract	ICD-10-CM	Diagnosis
Z85.50	Personal history of malignant neoplasm of unspecified urinary tract organ	ICD-10-CM	Diagnosis
Z85.51	Personal history of malignant neoplasm of bladder	ICD-10-CM	Diagnosis
Z85.52	Personal history of malignant neoplasm of kidney	ICD-10-CM	Diagnosis
Z85.528	Personal history of other malignant neoplasm of kidney	ICD-10-CM	Diagnosis
Z85.53	Personal history of malignant neoplasm of renal pelvis	ICD-10-CM	Diagnosis
Z85.54	Personal history of malignant neoplasm of ureter	ICD-10-CM	Diagnosis
Z85.59	Personal history of malignant neoplasm of other urinary tract organ	ICD-10-CM	Diagnosis
Z85.7	Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues	ICD-10-CM	Diagnosis
Z85.79	Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues	ICD-10-CM	Diagnosis
Z85.8	Personal history of malignant neoplasms of other organs and systems	ICD-10-CM	Diagnosis
Z85.81	Personal history of malignant neoplasm of lip, oral cavity, and pharynx	ICD-10-CM	Diagnosis
Z85.810	Personal history of malignant neoplasm of tongue	ICD-10-CM	Diagnosis
Z85.818	Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx	ICD-10-CM	Diagnosis
Z85.819	Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx	ICD-10-CM	Diagnosis
Z85.82	Personal history of malignant neoplasm of skin	ICD-10-CM	Diagnosis
Z85.828	Personal history of other malignant neoplasm of skin	ICD-10-CM	Diagnosis
Z85.83	Personal history of malignant neoplasm of bone and soft tissue	ICD-10-CM	Diagnosis
Z85.830	Personal history of malignant neoplasm of bone	ICD-10-CM	Diagnosis
Z85.831	Personal history of malignant neoplasm of soft tissue	ICD-10-CM	Diagnosis
Z85.84	Personal history of malignant neoplasm of eye and nervous tissue	ICD-10-CM	Diagnosis
Z85.840	Personal history of malignant neoplasm of eye	ICD-10-CM	Diagnosis
Z85.841	Personal history of malignant neoplasm of brain	ICD-10-CM	Diagnosis
Z85.848	Personal history of malignant neoplasm of other parts of nervous tissue	ICD-10-CM	Diagnosis
Z85.85	Personal history of malignant neoplasm of endocrine glands	ICD-10-CM	Diagnosis
Z85.850	Personal history of malignant neoplasm of thyroid	ICD-10-CM	Diagnosis
Z85.858	Personal history of malignant neoplasm of other endocrine glands	ICD-10-CM	Diagnosis
Z85.89	Personal history of malignant neoplasm of other organs and systems	ICD-10-CM	Diagnosis
Z85.9	Personal history of malignant neoplasm, unspecified	ICD-10-CM	Diagnosis
Z85.020	Personal history malig carcinoid tumor stomach	ICD-10-CM	Diagnosis
Z85.030	Personal hx malig carcinoid tumor lg intestine	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
Z85.040	Personal history malig carcinoid tumor rectum	ICD-10-CM	Diagnosis
Z85.060	Personal hx malig carcinoid tumr small intestine	ICD-10-CM	Diagnosis
Z85.110	Personal hx malig carcinoid tumor bronch & lung	ICD-10-CM	Diagnosis
Z85.230	Personal history malig carcinoid tumor of thymus	ICD-10-CM	Diagnosis
Z85.520	Personal history malig carcinoid tumor of kidney	ICD-10-CM	Diagnosis
Z85.6	Personal history of leukemia	ICD-10-CM	Diagnosis
Z85.71	Personal history of hodgkin lymphoma	ICD-10-CM	Diagnosis
Z85.72	Personal history of non-hodgkin lymphomas	ICD-10-CM	Diagnosis
Z85.820	Personal history of malignant melanoma of skin	ICD-10-CM	Diagnosis
Z85.821	Personal history of merkel cell carcinoma	ICD-10-CM	Diagnosis
Transplant			
199.2	Malignant neoplasm associated with transplanted organ	ICD-9-CM	Diagnosis
238.77	Post-transplant lymphoproliferative disorder [PTLD]	ICD-9-CM	Diagnosis
414.06	Coronary atherosclerosis, of native coronary artery of transplanted heart	ICD-9-CM	Diagnosis
414.07	Coronary atherosclerosis, of bypass graft (artery) (vein) of transplanted heart	ICD-9-CM	Diagnosis
996.8	Complications of transplanted organ	ICD-9-CM	Diagnosis
996.80	Complications of transplanted organ, unspecified site	ICD-9-CM	Diagnosis
996.81	Complications of transplanted kidney	ICD-9-CM	Diagnosis
996.82	Complications of transplanted liver	ICD-9-CM	Diagnosis
996.82	Complications of transplanted liver	ICD-9-CM	Diagnosis
996.83	Complications of transplanted heart	ICD-9-CM	Diagnosis
996.83	Complications of transplanted heart	ICD-9-CM	Diagnosis
996.84	Complications of transplanted lung	ICD-9-CM	Diagnosis
996.85	Complications of bone marrow transplant	ICD-9-CM	Diagnosis
996.86	Complications of transplanted pancreas	ICD-9-CM	Diagnosis
996.87	Complications of transplanted organ, intestine	ICD-9-CM	Diagnosis
996.88	Complications of transplanted organ, stem cell	ICD-9-CM	Diagnosis
996.89	Complications of other transplanted organ	ICD-9-CM	Diagnosis
V42	Organ or tissue replaced by transplant	ICD-9-CM	Diagnosis
V42.0	Kidney replaced by transplant	ICD-9-CM	Diagnosis
V42.1	Heart replaced by transplant	ICD-9-CM	Diagnosis
V42.2	Heart valve replaced by transplant	ICD-9-CM	Diagnosis
V42.3	Skin replaced by transplant	ICD-9-CM	Diagnosis
V42.4	Bone replaced by transplant	ICD-9-CM	Diagnosis
V42.5	Cornea replaced by transplant	ICD-9-CM	Diagnosis
V42.6	Lung replaced by transplant	ICD-9-CM	Diagnosis
V42.7	Liver replaced by transplant	ICD-9-CM	Diagnosis
V42.8	Other specified organ or tissue replaced by transplant	ICD-9-CM	Diagnosis
V42.81	Bone marrow replaced by transplant	ICD-9-CM	Diagnosis
V42.82	Peripheral stem cells replaced by transplant	ICD-9-CM	Diagnosis
V42.83	Pancreas replaced by transplant	ICD-9-CM	Diagnosis
V42.84	Organ or tissue replaced by transplant, intestines	ICD-9-CM	Diagnosis
V42.89	Other organ or tissue replaced by transplant	ICD-9-CM	Diagnosis
V42.9	Unspecified organ or tissue replaced by transplant	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
V45.87	Transplanted organ removal status	ICD-9-CM	Diagnosis
V49.83	Awaiting organ transplant status	ICD-9-CM	Diagnosis
V50.0	Elective hair transplant for purposes other than remedying health states	ICD-9-CM	Diagnosis
V58.44	Aftercare following organ transplant	ICD-9-CM	Diagnosis
C80.2	Malignant neoplasm associated with transplanted organ	ICD-10-CM	Diagnosis
D47.Z1	Post-transplant lymphoproliferative disorder (PTLD)	ICD-10-CM	Diagnosis
I25.7	Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris	ICD-10-CM	Diagnosis
I25.75	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris	ICD-10-CM	Diagnosis
I25.750	Atherosclerosis of native coronary artery of transplanted heart with unstable angina	ICD-10-CM	Diagnosis
I25.751	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm	ICD-10-CM	Diagnosis
I25.758	Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris	ICD-10-CM	Diagnosis
I25.759	Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris	ICD-10-CM	Diagnosis
I25.76	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris	ICD-10-CM	Diagnosis
I25.760	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina	ICD-10-CM	Diagnosis
I25.761	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm	ICD-10-CM	Diagnosis
I25.768	Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris	ICD-10-CM	Diagnosis
I25.769	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris	ICD-10-CM	Diagnosis
I25.811	Atherosclerosis of native coronary artery of transplanted heart without angina pectoris	ICD-10-CM	Diagnosis
I25.812	Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris	ICD-10-CM	Diagnosis
T86	Complications of transplanted organs and tissue	ICD-10-CM	Diagnosis
T86.0	Complications of bone marrow transplant	ICD-10-CM	Diagnosis
T86.00	Unspecified complication of bone marrow transplant	ICD-10-CM	Diagnosis
T86.01	Bone marrow transplant rejection	ICD-10-CM	Diagnosis
T86.02	Bone marrow transplant failure	ICD-10-CM	Diagnosis
T86.03	Bone marrow transplant infection	ICD-10-CM	Diagnosis
T86.09	Other complications of bone marrow transplant	ICD-10-CM	Diagnosis
T86.1	Complications of kidney transplant	ICD-10-CM	Diagnosis
T86.10	Unspecified complication of kidney transplant	ICD-10-CM	Diagnosis
T86.11	Kidney transplant rejection	ICD-10-CM	Diagnosis
T86.12	Kidney transplant failure	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
T86.13	Kidney transplant infection	ICD-10-CM	Diagnosis
T86.19	Other complication of kidney transplant	ICD-10-CM	Diagnosis
T86.2	Complications of heart transplant	ICD-10-CM	Diagnosis
T86.20	Unspecified complication of heart transplant	ICD-10-CM	Diagnosis
T86.21	Heart transplant rejection	ICD-10-CM	Diagnosis
T86.22	Heart transplant failure	ICD-10-CM	Diagnosis
T86.23	Heart transplant infection	ICD-10-CM	Diagnosis
T86.29	Other complications of heart transplant	ICD-10-CM	Diagnosis
T86.290	Cardiac allograft vasculopathy	ICD-10-CM	Diagnosis
T86.298	Other complications of heart transplant	ICD-10-CM	Diagnosis
T86.3	Complications of heart-lung transplant	ICD-10-CM	Diagnosis
T86.30	Unspecified complication of heart-lung transplant	ICD-10-CM	Diagnosis
T86.31	Heart-lung transplant rejection	ICD-10-CM	Diagnosis
T86.32	Heart-lung transplant failure	ICD-10-CM	Diagnosis
T86.33	Heart-lung transplant infection	ICD-10-CM	Diagnosis
T86.39	Other complications of heart-lung transplant	ICD-10-CM	Diagnosis
T86.4	Complications of liver transplant	ICD-10-CM	Diagnosis
T86.40	Unspecified complication of liver transplant	ICD-10-CM	Diagnosis
T86.41	Liver transplant rejection	ICD-10-CM	Diagnosis
T86.42	Liver transplant failure	ICD-10-CM	Diagnosis
T86.43	Liver transplant infection	ICD-10-CM	Diagnosis
T86.49	Other complications of liver transplant	ICD-10-CM	Diagnosis
T86.5	Complications of stem cell transplant	ICD-10-CM	Diagnosis
T86.8	Complications of other transplanted organs and tissues	ICD-10-CM	Diagnosis
T86.81	Complications of lung transplant	ICD-10-CM	Diagnosis
T86.810	Lung transplant rejection	ICD-10-CM	Diagnosis
T86.811	Lung transplant failure	ICD-10-CM	Diagnosis
T86.812	Lung transplant infection	ICD-10-CM	Diagnosis
T86.818	Other complications of lung transplant	ICD-10-CM	Diagnosis
T86.819	Unspecified complication of lung transplant	ICD-10-CM	Diagnosis
T86.830	Bone graft rejection	ICD-10-CM	Diagnosis
T86.831	Bone graft failure	ICD-10-CM	Diagnosis
T86.832	Bone graft infection	ICD-10-CM	Diagnosis
T86.838	Other complications of bone graft	ICD-10-CM	Diagnosis
T86.839	Unspecified complication of bone graft	ICD-10-CM	Diagnosis
T86.85	Complication of intestine transplant	ICD-10-CM	Diagnosis
T86.850	Intestine transplant rejection	ICD-10-CM	Diagnosis
T86.851	Intestine transplant failure	ICD-10-CM	Diagnosis
T86.852	Intestine transplant infection	ICD-10-CM	Diagnosis
T86.858	Other complications of intestine transplant	ICD-10-CM	Diagnosis
T86.859	Unspecified complication of intestine transplant	ICD-10-CM	Diagnosis
T86.89	Complications of other transplanted tissue	ICD-10-CM	Diagnosis
T86.890	Other transplanted tissue rejection	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
T86.891	Other transplanted tissue failure	ICD-10-CM	Diagnosis
T86.892	Other transplanted tissue infection	ICD-10-CM	Diagnosis
T86.898	Other complications of other transplanted tissue	ICD-10-CM	Diagnosis
T86.899	Unspecified complication of other transplanted tissue	ICD-10-CM	Diagnosis
T86.9	Complication of unspecified transplanted organ and tissue	ICD-10-CM	Diagnosis
T86.90	Unspecified complication of unspecified transplanted organ and tissue	ICD-10-CM	Diagnosis
T86.91	Unspecified transplanted organ and tissue rejection	ICD-10-CM	Diagnosis
T86.92	Unspecified transplanted organ and tissue failure	ICD-10-CM	Diagnosis
T86.93	Unspecified transplanted organ and tissue infection	ICD-10-CM	Diagnosis
T86.99	Other complications of unspecified transplanted organ and tissue	ICD-10-CM	Diagnosis
Y83.0	Surgical operation with transplant of whole organ as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	ICD-10-CM	Diagnosis
Z41.1	Encounter for cosmetic surgery	ICD-10-CM	Diagnosis
Z48.2	Encounter for aftercare following organ transplant	ICD-10-CM	Diagnosis
Z48.21	Encounter for aftercare following heart transplant	ICD-10-CM	Diagnosis
Z48.22	Encounter for aftercare following kidney transplant	ICD-10-CM	Diagnosis
Z48.23	Encounter for aftercare following liver transplant	ICD-10-CM	Diagnosis
Z48.24	Encounter for aftercare following lung transplant	ICD-10-CM	Diagnosis
Z48.28	Encounter for aftercare following multiple organ transplant	ICD-10-CM	Diagnosis
Z48.280	Encounter for aftercare following heart-lung transplant	ICD-10-CM	Diagnosis
Z48.288	Encounter for aftercare following multiple organ transplant	ICD-10-CM	Diagnosis
Z48.29	Encounter for aftercare following other organ transplant	ICD-10-CM	Diagnosis
Z48.290	Encounter for aftercare following bone marrow transplant	ICD-10-CM	Diagnosis
Z48.298	Encounter for aftercare following other organ transplant	ICD-10-CM	Diagnosis
Z76.82	Awaiting organ transplant status	ICD-10-CM	Diagnosis
Z94	Transplanted organ and tissue status	ICD-10-CM	Diagnosis
Z94.0	Kidney transplant status	ICD-10-CM	Diagnosis
Z94.1	Heart transplant status	ICD-10-CM	Diagnosis
Z94.2	Lung transplant status	ICD-10-CM	Diagnosis
Z94.3	Heart and lungs transplant status	ICD-10-CM	Diagnosis
Z94.4	Liver transplant status	ICD-10-CM	Diagnosis
Z94.5	Skin transplant status	ICD-10-CM	Diagnosis
Z94.6	Bone transplant status	ICD-10-CM	Diagnosis
Z94.8	Other transplanted organ and tissue status	ICD-10-CM	Diagnosis
Z94.81	Bone marrow transplant status	ICD-10-CM	Diagnosis
Z94.82	Intestine transplant status	ICD-10-CM	Diagnosis
Z94.83	Pancreas transplant status	ICD-10-CM	Diagnosis
Z94.84	Stem cells transplant status	ICD-10-CM	Diagnosis
Z94.89	Other transplanted organ and tissue status	ICD-10-CM	Diagnosis
Z94.9	Transplanted organ and tissue status, unspecified	ICD-10-CM	Diagnosis
Z95.3	Presence of xenogenic heart valve	ICD-10-CM	Diagnosis
Z95.4	Presence of other heart-valve replacement	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
Z98.85	Transplanted organ removal status	ICD-10-CM	Diagnosis
00.91	Transplant from live related donor	ICD-9-CM	Procedure
00.92	Transplant from live non-related donor	ICD-9-CM	Procedure
00.93	Transplant from cadaver	ICD-9-CM	Procedure
07.94	Transplantation of thymus	ICD-9-CM	Procedure
33.5	Lung transplant	ICD-9-CM	Procedure
33.50	Lung transplantation, NOS	ICD-9-CM	Procedure
33.51	Unilateral lung transplantation	ICD-9-CM	Procedure
33.52	Bilateral lung transplantation	ICD-9-CM	Procedure
33.6	Combined heart-lung transplantation	ICD-9-CM	Procedure
37.51	Heart transplantation	ICD-9-CM	Procedure
41.0	Bone marrow transplant	ICD-9-CM	Procedure
41.00	Bone marrow transplant, not otherwise specified	ICD-9-CM	Procedure
41.01	Autologous bone marrow transplant without purging	ICD-9-CM	Procedure
41.02	Allogeneic bone marrow transplant with purging	ICD-9-CM	Procedure
41.03	Allogeneic bone marrow transplant without purging	ICD-9-CM	Procedure
41.04	Autologous hematopoietic stem cell transplant without purging	ICD-9-CM	Procedure
41.05	Allogeneic hematopoietic stem cell transplant without purging	ICD-9-CM	Procedure
41.06	Cord blood stem cell transplant	ICD-9-CM	Procedure
41.07	Autologous hematopoietic stem cell transplant with purging	ICD-9-CM	Procedure
41.08	Allogeneic hematopoietic stem cell transplant with purging	ICD-9-CM	Procedure
41.09	Autologous bone marrow transplant with purging	ICD-9-CM	Procedure
41.91	Aspiration of bone marrow from donor for transplant	ICD-9-CM	Procedure
41.94	Transplantation of spleen	ICD-9-CM	Procedure
46.97	Transplant of intestine	ICD-9-CM	Procedure
49.74	Gracilis muscle transplant for anal incontinence	ICD-9-CM	Procedure
50.5	Liver transplant	ICD-9-CM	Procedure
50.51	Auxiliary liver transplant	ICD-9-CM	Procedure
50.59	Other transplant of liver	ICD-9-CM	Procedure
52.8	Transplant of pancreas	ICD-9-CM	Procedure
52.80	Pancreatic transplant, not otherwise specified	ICD-9-CM	Procedure
52.82	Homotransplant of pancreas	ICD-9-CM	Procedure
52.83	Heterotransplant of pancreas	ICD-9-CM	Procedure
52.84	Autotransplantation of cells of islets of Langerhans	ICD-9-CM	Procedure
52.85	Allotransplantation of cells of islets of Langerhans	ICD-9-CM	Procedure
52.86	Transplantation of cells of islets of Langerhans, not otherwise specified	ICD-9-CM	Procedure
55.53	Removal of transplanted or rejected kidney	ICD-9-CM	Procedure
55.6	Transplant of kidney	ICD-9-CM	Procedure
55.61	Renal autotransplantation	ICD-9-CM	Procedure
55.69	Other kidney transplantation	ICD-9-CM	Procedure
63.53	Transplantation of spermatic cord	ICD-9-CM	Procedure
65.92	Transplantation of ovary	ICD-9-CM	Procedure
82.5	Transplantation of muscle and tendon of hand	ICD-9-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
82.56	Other hand tendon transfer or transplantation	ICD-9-CM	Procedure
82.58	Other hand muscle transfer or transplantation	ICD-9-CM	Procedure
83.75	Tendon transfer or transplantation	ICD-9-CM	Procedure
83.77	Muscle transfer or transplantation	ICD-9-CM	Procedure
86.64	Hair transplant	ICD-9-CM	Procedure
87.71	Computerized axial tomography of kidney	ICD-10-CM	Procedure
02Y	Heart and Great Vessels, Transplantation	ICD-10-CM	Procedure
02YA	Transplantation / Heart	ICD-10-CM	Procedure
02YA0Z0	Transplantation of Heart, Allogeneic, Open Approach	ICD-10-CM	Procedure
02YA0Z1	Transplantation of Heart, Syngeneic, Open Approach	ICD-10-CM	Procedure
02YA0Z2	Transplantation of Heart, Zooplasic, Open Approach	ICD-10-CM	Procedure
079T00Z	Drainage of Bone Marrow with Drainage Device, Open Approach	ICD-10-CM	Procedure
079T0ZZ	Drainage of Bone Marrow, Open Approach	ICD-10-CM	Procedure
079T30Z	Drainage of Bone Marrow with Drainage Device, Percutaneous Approach	ICD-10-CM	Procedure
079T3ZZ	Drainage of Bone Marrow, Percutaneous Approach	ICD-10-CM	Procedure
079T40Z	Drainage of Bone Marrow with Drainage Device, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
079T4ZZ	Drainage of Bone Marrow, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
07DQ0ZZ	Extraction of Sternum Bone Marrow, Open Approach	ICD-10-CM	Procedure
07DQ3ZZ	Extraction of Sternum Bone Marrow, Percutaneous Approach	ICD-10-CM	Procedure
07DR0ZZ	Extraction of Iliac Bone Marrow, Open Approach	ICD-10-CM	Procedure
07DR3ZZ	Extraction of Iliac Bone Marrow, Percutaneous Approach	ICD-10-CM	Procedure
07DS0ZZ	Extraction of Vertebral Bone Marrow, Open Approach	ICD-10-CM	Procedure
07DS3ZZ	Extraction of Vertebral Bone Marrow, Percutaneous Approach	ICD-10-CM	Procedure
07YM0Z0	Transplantation of Thymus, Allogeneic, Open Approach	ICD-10-CM	Procedure
07YM0Z1	Transplantation of Thymus, Syngeneic, Open Approach	ICD-10-CM	Procedure
07YM0Z2	Transplantation of Thymus, Zooplasic, Open Approach	ICD-10-CM	Procedure
07YP0Z0	Transplantation of Spleen, Allogeneic, Open Approach	ICD-10-CM	Procedure
07YP0Z1	Transplantation of Spleen, Syngeneic, Open Approach	ICD-10-CM	Procedure
07YP0Z2	Transplantation of Spleen, Zooplasic, Open Approach	ICD-10-CM	Procedure
08R83KZ	Replacement of Right Cornea with Nonautologous Tissue Substitute, Percutaneous Approach	ICD-10-CM	Procedure
08R8XKZ	Replacement of Right Cornea with Nonautologous Tissue Substitute, External Approach	ICD-10-CM	Procedure
08R93KZ	Replacement of Left Cornea with Nonautologous Tissue Substitute, Percutaneous Approach	ICD-10-CM	Procedure
08R9XKZ	Replacement of Left Cornea with Nonautologous Tissue Substitute, External Approach	ICD-10-CM	Procedure
0BYC0Z0	Transplantation of Right Upper Lung Lobe, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYC0Z1	Transplantation of Right Upper Lung Lobe, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYC0Z2	Transplantation of Right Upper Lung Lobe, Zooplasic, Open Approach	ICD-10-CM	Procedure
0BYD0Z0	Transplantation of Right Middle Lung Lobe, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYD0Z1	Transplantation of Right Middle Lung Lobe, Syngeneic, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0BYD0Z2	Transplantation of Right Middle Lung Lobe, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYF0Z0	Transplantation of Right Lower Lung Lobe, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYF0Z1	Transplantation of Right Lower Lung Lobe, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYF0Z2	Transplantation of Right Lower Lung Lobe, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYG0Z0	Transplantation of Left Upper Lung Lobe, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYG0Z1	Transplantation of Left Upper Lung Lobe, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYG0Z2	Transplantation of Left Upper Lung Lobe, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYH0Z0	Transplantation of Lung Lingula, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYH0Z1	Transplantation of Lung Lingula, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYH0Z2	Transplantation of Lung Lingula, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYJ0Z0	Transplantation of Left Lower Lung Lobe, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYJ0Z1	Transplantation of Left Lower Lung Lobe, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYJ0Z2	Transplantation of Left Lower Lung Lobe, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYK0Z0	Transplantation of Right Lung, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYK0Z1	Transplantation of Right Lung, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYK0Z2	Transplantation of Right Lung, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYL0Z0	Transplantation of Left Lung, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYL0Z1	Transplantation of Left Lung, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYL0Z2	Transplantation of Left Lung, Zooplastic, Open Approach	ICD-10-CM	Procedure
0BYM0Z0	Transplantation of Bilateral Lungs, Allogeneic, Open Approach	ICD-10-CM	Procedure
0BYM0Z1	Transplantation of Bilateral Lungs, Syngeneic, Open Approach	ICD-10-CM	Procedure
0BYM0Z2	Transplantation of Bilateral Lungs, Zooplastic, Open Approach	ICD-10-CM	Procedure
0DUR07Z	Supplement Anal Sphincter with Autologous Tissue Substitute, Open Approach	ICD-10-CM	Procedure
0DUR47Z	Supplement Anal Sphincter with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0DY80Z0	Transplantation of Small Intestine, Allogeneic, Open Approach	ICD-10-CM	Procedure
0DY80Z1	Transplantation of Small Intestine, Syngeneic, Open Approach	ICD-10-CM	Procedure
0DY80Z2	Transplantation of Small Intestine, Zooplastic, Open Approach	ICD-10-CM	Procedure
0DYE0Z0	Transplantation of Large Intestine, Allogeneic, Open Approach	ICD-10-CM	Procedure
0DYE0Z1	Transplantation of Large Intestine, Syngeneic, Open Approach	ICD-10-CM	Procedure
0DYE0Z2	Transplantation of Large Intestine, Zooplastic, Open Approach	ICD-10-CM	Procedure
0FY0	Transplantation / Liver	ICD-10-CM	Procedure
0FY00Z0	Transplantation of Liver, Allogeneic, Open Approach	ICD-10-CM	Procedure
0FY00Z1	Transplantation of Liver, Syngeneic, Open Approach	ICD-10-CM	Procedure
0FY00Z2	Transplantation of Liver, Zooplastic, Open Approach	ICD-10-CM	Procedure
0FYG0Z0	Transplantation of Pancreas, Allogeneic, Open Approach	ICD-10-CM	Procedure
0FYG0Z1	Transplantation of Pancreas, Syngeneic, Open Approach	ICD-10-CM	Procedure
0FYG0Z2	Transplantation of Pancreas, Zooplastic, Open Approach	ICD-10-CM	Procedure
0HRSX7Z	Replacement of Hair with Autologous Tissue Substitute, External Approach	ICD-10-CM	Procedure
0KX00Z0	Transfer Head Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KX00Z1	Transfer Head Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX00Z2	Transfer Head Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX00ZZ	Transfer Head Muscle, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0KX04Z0	Transfer Head Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX04Z1	Transfer Head Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX04Z2	Transfer Head Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX04ZZ	Transfer Head Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX10Z0	Transfer Facial Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KX10Z1	Transfer Facial Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX10Z2	Transfer Facial Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX10ZZ	Transfer Facial Muscle, Open Approach	ICD-10-CM	Procedure
0KX14Z0	Transfer Facial Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX14Z1	Transfer Facial Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX14Z2	Transfer Facial Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX14ZZ	Transfer Facial Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX20Z0	Transfer Right Neck Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KX20Z1	Transfer Right Neck Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX20Z2	Transfer Right Neck Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX20ZZ	Transfer Right Neck Muscle, Open Approach	ICD-10-CM	Procedure
0KX24Z0	Transfer Right Neck Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX24Z1	Transfer Right Neck Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX24Z2	Transfer Right Neck Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX24ZZ	Transfer Right Neck Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX30Z0	Transfer Left Neck Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KX30Z1	Transfer Left Neck Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX30Z2	Transfer Left Neck Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX30ZZ	Transfer Left Neck Muscle, Open Approach	ICD-10-CM	Procedure
0KX34Z0	Transfer Left Neck Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX34Z1	Transfer Left Neck Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX34Z2	Transfer Left Neck Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX34ZZ	Transfer Left Neck Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX40Z0	Transfer Tongue, Palate, Pharynx Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KX40Z1	Transfer Tongue, Palate, Pharynx Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX40Z2	Transfer Tongue, Palate, Pharynx Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX40ZZ	Transfer Tongue, Palate, Pharynx Muscle, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
OKX44Z0	Transfer Tongue, Palate, Pharynx Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX44Z1	Transfer Tongue, Palate, Pharynx Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX44Z2	Transfer Tongue, Palate, Pharynx Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX44ZZ	Transfer Tongue, Palate, Pharynx Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX50Z0	Transfer Right Shoulder Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKX50Z1	Transfer Right Shoulder Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKX50Z2	Transfer Right Shoulder Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKX50ZZ	Transfer Right Shoulder Muscle, Open Approach	ICD-10-CM	Procedure
OKX54Z0	Transfer Right Shoulder Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX54Z1	Transfer Right Shoulder Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX54Z2	Transfer Right Shoulder Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX54ZZ	Transfer Right Shoulder Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX60Z0	Transfer Left Shoulder Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKX60Z1	Transfer Left Shoulder Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKX60Z2	Transfer Left Shoulder Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKX60ZZ	Transfer Left Shoulder Muscle, Open Approach	ICD-10-CM	Procedure
OKX64Z0	Transfer Left Shoulder Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX64Z1	Transfer Left Shoulder Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX64Z2	Transfer Left Shoulder Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX64ZZ	Transfer Left Shoulder Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX70Z0	Transfer Right Upper Arm Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKX70Z1	Transfer Right Upper Arm Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKX70Z2	Transfer Right Upper Arm Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKX70ZZ	Transfer Right Upper Arm Muscle, Open Approach	ICD-10-CM	Procedure
OKX74Z0	Transfer Right Upper Arm Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX74Z1	Transfer Right Upper Arm Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX74Z2	Transfer Right Upper Arm Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX74ZZ	Transfer Right Upper Arm Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKX80Z0	Transfer Left Upper Arm Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKX80Z1	Transfer Left Upper Arm Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0KX80Z2	Transfer Left Upper Arm Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX80ZZ	Transfer Left Upper Arm Muscle, Open Approach	ICD-10-CM	Procedure
0KX84Z0	Transfer Left Upper Arm Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX84Z1	Transfer Left Upper Arm Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX84Z2	Transfer Left Upper Arm Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX84ZZ	Transfer Left Upper Arm Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX90Z0	Transfer Right Lower Arm and Wrist Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KX90Z1	Transfer Right Lower Arm and Wrist Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX90Z2	Transfer Right Lower Arm and Wrist Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KX90ZZ	Transfer Right Lower Arm and Wrist Muscle, Open Approach	ICD-10-CM	Procedure
0KX94Z0	Transfer Right Lower Arm and Wrist Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX94Z1	Transfer Right Lower Arm and Wrist Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX94Z2	Transfer Right Lower Arm and Wrist Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KX94ZZ	Transfer Right Lower Arm and Wrist Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXB0Z0	Transfer Left Lower Arm and Wrist Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXB0Z1	Transfer Left Lower Arm and Wrist Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXB0Z2	Transfer Left Lower Arm and Wrist Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXB0ZZ	Transfer Left Lower Arm and Wrist Muscle, Open Approach	ICD-10-CM	Procedure
0KXB4Z0	Transfer Left Lower Arm and Wrist Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXB4Z1	Transfer Left Lower Arm and Wrist Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXB4Z2	Transfer Left Lower Arm and Wrist Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXB4ZZ	Transfer Left Lower Arm and Wrist Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXC0Z0	Transfer Right Hand Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXC0Z1	Transfer Right Hand Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXC0Z2	Transfer Right Hand Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXC0ZZ	Transfer Right Hand Muscle, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0KXC4Z0	Transfer Right Hand Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXC4Z1	Transfer Right Hand Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXC4Z2	Transfer Right Hand Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXC4ZZ	Transfer Right Hand Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXD0Z0	Transfer Left Hand Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXD0Z1	Transfer Left Hand Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXD0Z2	Transfer Left Hand Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXD0ZZ	Transfer Left Hand Muscle, Open Approach	ICD-10-CM	Procedure
0KXD4Z0	Transfer Left Hand Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXD4Z1	Transfer Left Hand Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXD4Z2	Transfer Left Hand Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXD4ZZ	Transfer Left Hand Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF0Z0	Transfer Right Trunk Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXF0Z1	Transfer Right Trunk Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXF0Z2	Transfer Right Trunk Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXF0Z5	Transfer Right Trunk Muscle, Latissimus Dorsi Myocutaneous Flap, Open Approach	ICD-10-CM	Procedure
0KXF0Z7	Transfer Right Trunk Muscle, Deep Inferior Epigastric Artery Perforator Flap,	ICD-10-CM	Procedure
0KXF0Z8	Transfer Right Trunk Muscle, Superficial Inferior Epigastric Artery Flap, Open Approach	ICD-10-CM	Procedure
0KXF0Z9	Transfer Right Trunk Muscle, Gluteal Artery Perforator Flap, Open Approach	ICD-10-CM	Procedure
0KXF0ZZ	Transfer Right Trunk Muscle, Open Approach	ICD-10-CM	Procedure
0KXF4Z0	Transfer Right Trunk Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4Z1	Transfer Right Trunk Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4Z2	Transfer Right Trunk Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4Z5	Transfer Right Trunk Muscle, Latissimus Dorsi Myocutaneous Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4Z7	Transfer Right Trunk Muscle, Deep Inferior Epigastric Artery Perforator Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4Z8	Transfer Right Trunk Muscle, Superficial Inferior Epigastric Artery Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4Z9	Transfer Right Trunk Muscle, Gluteal Artery Perforator Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXF4ZZ	Transfer Right Trunk Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG0Z0	Transfer Left Trunk Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXG0Z1	Transfer Left Trunk Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0KXG0Z2	Transfer Left Trunk Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXG0Z5	Transfer Left Trunk Muscle, Latissimus Dorsi Myocutaneous Flap, Open Approach	ICD-10-CM	Procedure
0KXG0Z7	Transfer Left Trunk Muscle, Deep Inferior Epigastric Artery Perforator Flap, Open Approach	ICD-10-CM	Procedure
0KXG0Z8	Transfer Left Trunk Muscle, Superficial Inferior Epigastric Artery Flap, Open Approach	ICD-10-CM	Procedure
0KXG0Z9	Transfer Left Trunk Muscle, Gluteal Artery Perforator Flap, Open Approach	ICD-10-CM	Procedure
0KXG0ZZ	Transfer Left Trunk Muscle, Open Approach	ICD-10-CM	Procedure
0KXG4Z0	Transfer Left Trunk Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4Z1	Transfer Left Trunk Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4Z2	Transfer Left Trunk Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4Z5	Transfer Left Trunk Muscle, Latissimus Dorsi Myocutaneous Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4Z7	Transfer Left Trunk Muscle, Deep Inferior Epigastric Artery Perforator Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4Z8	Transfer Left Trunk Muscle, Superficial Inferior Epigastric Artery Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4Z9	Transfer Left Trunk Muscle, Gluteal Artery Perforator Flap, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXG4ZZ	Transfer Left Trunk Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXH0Z0	Transfer Right Thorax Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXH0Z1	Transfer Right Thorax Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXH0Z2	Transfer Right Thorax Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXH4Z0	Transfer Right Thorax Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXH4Z1	Transfer Right Thorax Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXH4Z2	Transfer Right Thorax Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXJ0Z0	Transfer Left Thorax Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXJ0Z1	Transfer Left Thorax Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXJ0Z2	Transfer Left Thorax Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXJ4Z0	Transfer Left Thorax Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXJ4Z1	Transfer Left Thorax Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXJ4Z2	Transfer Left Thorax Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXK0Z0	Transfer Right Abdomen Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXK0Z1	Transfer Right Abdomen Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0KXK0Z2	Transfer Right Abdomen Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXK0ZZ	Transfer Right Abdomen Muscle, Open Approach	ICD-10-CM	Procedure
0KXK4Z0	Transfer Right Abdomen Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXK4Z1	Transfer Right Abdomen Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXK4Z2	Transfer Right Abdomen Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXK4ZZ	Transfer Right Abdomen Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXL0Z0	Transfer Left Abdomen Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXL0Z1	Transfer Left Abdomen Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXL0Z2	Transfer Left Abdomen Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXL0ZZ	Transfer Left Abdomen Muscle, Open Approach	ICD-10-CM	Procedure
0KXL4Z0	Transfer Left Abdomen Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXL4Z1	Transfer Left Abdomen Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXL4Z2	Transfer Left Abdomen Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXL4ZZ	Transfer Left Abdomen Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXM0Z0	Transfer Perineum Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXM0Z1	Transfer Perineum Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXM0Z2	Transfer Perineum Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXM0ZZ	Transfer Perineum Muscle, Open Approach	ICD-10-CM	Procedure
0KXM4Z0	Transfer Perineum Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXM4Z1	Transfer Perineum Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXM4Z2	Transfer Perineum Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXM4ZZ	Transfer Perineum Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXN0Z0	Transfer Right Hip Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXN0Z1	Transfer Right Hip Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXN0Z2	Transfer Right Hip Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
0KXN0ZZ	Transfer Right Hip Muscle, Open Approach	ICD-10-CM	Procedure
0KXN4Z0	Transfer Right Hip Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXN4Z1	Transfer Right Hip Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXN4Z2	Transfer Right Hip Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXN4ZZ	Transfer Right Hip Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0KXP0Z0	Transfer Left Hip Muscle with Skin, Open Approach	ICD-10-CM	Procedure
0KXP0Z1	Transfer Left Hip Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
OKXP0Z2	Transfer Left Hip Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXP0ZZ	Transfer Left Hip Muscle, Open Approach	ICD-10-CM	Procedure
OKXP4Z0	Transfer Left Hip Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXP4Z1	Transfer Left Hip Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXP4Z2	Transfer Left Hip Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXP4ZZ	Transfer Left Hip Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXQ0Z0	Transfer Right Upper Leg Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKXQ0Z1	Transfer Right Upper Leg Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXQ0Z2	Transfer Right Upper Leg Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXQ0ZZ	Transfer Right Upper Leg Muscle, Open Approach	ICD-10-CM	Procedure
OKXQ4Z0	Transfer Right Upper Leg Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXQ4Z1	Transfer Right Upper Leg Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXQ4Z2	Transfer Right Upper Leg Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXQ4ZZ	Transfer Right Upper Leg Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXR0Z0	Transfer Left Upper Leg Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKXR0Z1	Transfer Left Upper Leg Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXR0Z2	Transfer Left Upper Leg Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXR0ZZ	Transfer Left Upper Leg Muscle, Open Approach	ICD-10-CM	Procedure
OKXR4Z0	Transfer Left Upper Leg Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXR4Z1	Transfer Left Upper Leg Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXR4Z2	Transfer Left Upper Leg Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXR4ZZ	Transfer Left Upper Leg Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXS0Z0	Transfer Right Lower Leg Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKXS0Z1	Transfer Right Lower Leg Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXS0Z2	Transfer Right Lower Leg Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXS0ZZ	Transfer Right Lower Leg Muscle, Open Approach	ICD-10-CM	Procedure
OKXS4Z0	Transfer Right Lower Leg Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXS4Z1	Transfer Right Lower Leg Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXS4Z2	Transfer Right Lower Leg Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXS4ZZ	Transfer Right Lower Leg Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXT0Z0	Transfer Left Lower Leg Muscle with Skin, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
OKXT0Z1	Transfer Left Lower Leg Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXT0Z2	Transfer Left Lower Leg Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXT0ZZ	Transfer Left Lower Leg Muscle, Open Approach	ICD-10-CM	Procedure
OKXT4Z0	Transfer Left Lower Leg Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXT4Z1	Transfer Left Lower Leg Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXT4Z2	Transfer Left Lower Leg Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXT4ZZ	Transfer Left Lower Leg Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXV0Z0	Transfer Right Foot Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKXV0Z1	Transfer Right Foot Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXV0Z2	Transfer Right Foot Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXV0ZZ	Transfer Right Foot Muscle, Open Approach	ICD-10-CM	Procedure
OKXV4Z0	Transfer Right Foot Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXV4Z1	Transfer Right Foot Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXV4Z2	Transfer Right Foot Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXV4ZZ	Transfer Right Foot Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXW0Z0	Transfer Left Foot Muscle with Skin, Open Approach	ICD-10-CM	Procedure
OKXW0Z1	Transfer Left Foot Muscle with Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXW0Z2	Transfer Left Foot Muscle with Skin and Subcutaneous Tissue, Open Approach	ICD-10-CM	Procedure
OKXW0ZZ	Transfer Left Foot Muscle, Open Approach	ICD-10-CM	Procedure
OKXW4Z0	Transfer Left Foot Muscle with Skin, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXW4Z1	Transfer Left Foot Muscle with Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXW4Z2	Transfer Left Foot Muscle with Skin and Subcutaneous Tissue, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OKXW4ZZ	Transfer Left Foot Muscle, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OLX00ZZ	Transfer Head and Neck Tendon, Open Approach	ICD-10-CM	Procedure
OLX04ZZ	Transfer Head and Neck Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OLX10ZZ	Transfer Right Shoulder Tendon, Open Approach	ICD-10-CM	Procedure
OLX14ZZ	Transfer Right Shoulder Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OLX20ZZ	Transfer Left Shoulder Tendon, Open Approach	ICD-10-CM	Procedure
OLX24ZZ	Transfer Left Shoulder Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OLX30ZZ	Transfer Right Upper Arm Tendon, Open Approach	ICD-10-CM	Procedure
OLX34ZZ	Transfer Right Upper Arm Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OLX40ZZ	Transfer Left Upper Arm Tendon, Open Approach	ICD-10-CM	Procedure
OLX44ZZ	Transfer Left Upper Arm Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
OLX50ZZ	Transfer Right Lower Arm and Wrist Tendon, Open Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0LX54ZZ	Transfer Right Lower Arm and Wrist Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LX60ZZ	Transfer Left Lower Arm and Wrist Tendon, Open Approach	ICD-10-CM	Procedure
0LX64ZZ	Transfer Left Lower Arm and Wrist Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LX70ZZ	Transfer Right Hand Tendon, Open Approach	ICD-10-CM	Procedure
0LX74ZZ	Transfer Right Hand Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LX80ZZ	Transfer Left Hand Tendon, Open Approach	ICD-10-CM	Procedure
0LX84ZZ	Transfer Left Hand Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LX90ZZ	Transfer Right Trunk Tendon, Open Approach	ICD-10-CM	Procedure
0LX94ZZ	Transfer Right Trunk Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXB0ZZ	Transfer Left Trunk Tendon, Open Approach	ICD-10-CM	Procedure
0LXB4ZZ	Transfer Left Trunk Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXC0ZZ	Transfer Right Thorax Tendon, Open Approach	ICD-10-CM	Procedure
0LXC4ZZ	Transfer Right Thorax Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXD0ZZ	Transfer Left Thorax Tendon, Open Approach	ICD-10-CM	Procedure
0LXD4ZZ	Transfer Left Thorax Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXF0ZZ	Transfer Right Abdomen Tendon, Open Approach	ICD-10-CM	Procedure
0LXF4ZZ	Transfer Right Abdomen Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXG0ZZ	Transfer Left Abdomen Tendon, Open Approach	ICD-10-CM	Procedure
0LXG4ZZ	Transfer Left Abdomen Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXH0ZZ	Transfer Perineum Tendon, Open Approach	ICD-10-CM	Procedure
0LXH4ZZ	Transfer Perineum Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXJ0ZZ	Transfer Right Hip Tendon, Open Approach	ICD-10-CM	Procedure
0LXJ4ZZ	Transfer Right Hip Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXK0ZZ	Transfer Left Hip Tendon, Open Approach	ICD-10-CM	Procedure
0LXK4ZZ	Transfer Left Hip Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXL0ZZ	Transfer Right Upper Leg Tendon, Open Approach	ICD-10-CM	Procedure
0LXL4ZZ	Transfer Right Upper Leg Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXM0ZZ	Transfer Left Upper Leg Tendon, Open Approach	ICD-10-CM	Procedure
0LXM4ZZ	Transfer Left Upper Leg Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXN0ZZ	Transfer Right Lower Leg Tendon, Open Approach	ICD-10-CM	Procedure
0LXN4ZZ	Transfer Right Lower Leg Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXP0ZZ	Transfer Left Lower Leg Tendon, Open Approach	ICD-10-CM	Procedure
0LXP4ZZ	Transfer Left Lower Leg Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXQ0ZZ	Transfer Right Knee Tendon, Open Approach	ICD-10-CM	Procedure
0LXQ4ZZ	Transfer Right Knee Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXR0ZZ	Transfer Left Knee Tendon, Open Approach	ICD-10-CM	Procedure
0LXR4ZZ	Transfer Left Knee Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXS0ZZ	Transfer Right Ankle Tendon, Open Approach	ICD-10-CM	Procedure
0LXS4ZZ	Transfer Right Ankle Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXT0ZZ	Transfer Left Ankle Tendon, Open Approach	ICD-10-CM	Procedure
0LXT4ZZ	Transfer Left Ankle Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
0LXV0ZZ	Transfer Right Foot Tendon, Open Approach	ICD-10-CM	Procedure
0LXV4ZZ	Transfer Right Foot Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0LXW0ZZ	Transfer Left Foot Tendon, Open Approach	ICD-10-CM	Procedure
0LXW4ZZ	Transfer Left Foot Tendon, Percutaneous Endoscopic Approach	ICD-10-CM	Procedure
0TY0	Transplantation / Kidney, Right	ICD-10-CM	Procedure
0TY00Z0	Transplantation of Right Kidney, Allogeneic, Open Approach	ICD-10-CM	Procedure
0TY00Z1	Transplantation of Right Kidney, Syngeneic, Open Approach	ICD-10-CM	Procedure
0TY00Z2	Transplantation of Right Kidney, Zooplastic, Open Approach	ICD-10-CM	Procedure
0TY1	Transplantation / Kidney, Left	ICD-10-CM	Procedure
0TY10Z0	Transplantation of Left Kidney, Allogeneic, Open Approach	ICD-10-CM	Procedure
0TY10Z1	Transplantation of Left Kidney, Syngeneic, Open Approach	ICD-10-CM	Procedure
0TY10Z2	Transplantation of Left Kidney, Zooplastic, Open Approach	ICD-10-CM	Procedure
0UY00Z0	Transplantation of Right Ovary, Allogeneic, Open Approach	ICD-10-CM	Procedure
0UY00Z1	Transplantation of Right Ovary, Syngeneic, Open Approach	ICD-10-CM	Procedure
0UY00Z2	Transplantation of Right Ovary, Zooplastic, Open Approach	ICD-10-CM	Procedure
0UY10Z0	Transplantation of Left Ovary, Allogeneic, Open Approach	ICD-10-CM	Procedure
0UY10Z1	Transplantation of Left Ovary, Syngeneic, Open Approach	ICD-10-CM	Procedure
0UY10Z2	Transplantation of Left Ovary, Zooplastic, Open Approach	ICD-10-CM	Procedure
30230G0	Transfusion of Autologous Bone Marrow into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
30230G2	Transfusion of Allogeneic Related Bone Marrow into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
30230G3	Transfusion of Allogeneic Unrelated Bone Marrow into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
30230G4	Transfusion of Allogeneic Unspecified Bone Marrow into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
30233G0	Transfusion of Autologous Bone Marrow into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
30233G2	Transfusion of Allogeneic Related Bone Marrow into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
30233G3	Transfusion of Allogeneic Unrelated Bone Marrow into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
30233G4	Transfusion of Allogeneic Unspecified Bone Marrow into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
30240G0	Transfusion of Autologous Bone Marrow into Central Vein, Open Approach	ICD-10-CM	Procedure
30240G2	Transfusion of Allogeneic Related Bone Marrow into Central Vein, Open Approach	ICD-10-CM	Procedure
30240G3	Transfusion of Allogeneic Unrelated Bone Marrow into Central Vein, Open Approach	ICD-10-CM	Procedure
30240G4	Transfusion of Allogeneic Unspecified Bone Marrow into Central Vein, Open Approach	ICD-10-CM	Procedure
30243G0	Transfusion of Autologous Bone Marrow into Central Vein, Percutaneous Approach	ICD-10-CM	Procedure
30243G2	Transfusion of Allogeneic Related Bone Marrow into Central Vein, Percutaneous Approach	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
30243G3	Transfusion of Allogeneic Unrelated Bone Marrow into Central Vein, Percutaneous Approach	ICD-10-CM	Procedure
30243G4	Transfusion of Allogeneic Unspecified Bone Marrow into Central Vein, Percutaneous Approach	ICD-10-CM	Procedure
30250G0	Transfusion of Autologous Bone Marrow into Peripheral Artery, Open	ICD-10-CM	Procedure
30250G1	Transfusion of Nonautologous Bone Marrow into Peripheral Artery, Open Approach	ICD-10-CM	Procedure
30253G0	Transfusion of Autologous Bone Marrow into Peripheral Artery, Percutaneous Approach	ICD-10-CM	Procedure
30253G1	Transfusion of Nonautologous Bone Marrow into Peripheral Artery, Percutaneous Approach	ICD-10-CM	Procedure
30260G0	Transfusion of Autologous Bone Marrow into Central Artery, Open Approach	ICD-10-CM	Procedure
30260G1	Transfusion of Nonautologous Bone Marrow into Central Artery, Open Approach	ICD-10-CM	Procedure
30263G0	Transfusion of Autologous Bone Marrow into Central Artery, Percutaneous Approach	ICD-10-CM	Procedure
30263G1	Transfusion of Nonautologous Bone Marrow into Central Artery, Percutaneous Approach	ICD-10-CM	Procedure
3E03005	Introduction of Other Antineoplastic into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
3E030U0	Introduction of Autologous Pancreatic Islet Cells into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
3E030U1	Introduction of Nonautologous Pancreatic Islet Cells into Peripheral Vein, Open Approach	ICD-10-CM	Procedure
3E03305	Introduction of Other Antineoplastic into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
3E033U0	Introduction of Autologous Pancreatic Islet Cells into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
3E033U1	Introduction of Nonautologous Pancreatic Islet Cells into Peripheral Vein, Percutaneous Approach	ICD-10-CM	Procedure
3E04005	Introduction of Other Antineoplastic into Central Vein, Open Approach	ICD-10-CM	Procedure
3E04305	Introduction of Other Antineoplastic into Central Vein, Percutaneous Approach	ICD-10-CM	Procedure
3E05005	Introduction of Other Antineoplastic into Peripheral Artery, Open Approach	ICD-10-CM	Procedure
3E05305	Introduction of Other Antineoplastic into Peripheral Artery, Percutaneous Approach	ICD-10-CM	Procedure
3E06005	Introduction of Other Antineoplastic into Central Artery, Open Approach	ICD-10-CM	Procedure
3E06305	Introduction of Other Antineoplastic into Central Artery, Percutaneous Approach	ICD-10-CM	Procedure
3E0J3U0	Introduction of Autologous Pancreatic Islet Cells into Biliary and Pancreatic Tract, Percutaneous Approach	ICD-10-CM	Procedure
3E0J3U1	Introduction of Nonautologous Pancreatic Islet Cells into Biliary and Pancreatic Tract, Percutaneous Approach	ICD-10-CM	Procedure
3E0J7U0	Introduction of Autologous Pancreatic Islet Cells into Biliary and Pancreatic Tract, Via Natural or Artificial Opening	ICD-10-CM	Procedure

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
3E0J7U1	Introduction of Nonautologous Pancreatic Islet Cells into Biliary and Pancreatic Tract, Via Natural or Artificial Opening	ICD-10-CM	Procedure
3E0J8U0	Introduction of Autologous Pancreatic Islet Cells into Biliary and Pancreatic Tract, Via Natural or Artificial Opening Endoscopic	ICD-10-CM	Procedure
3E0J8U1	Introduction of Nonautologous Pancreatic Islet Cells into Biliary and Pancreatic Tract, Via Natural or Artificial Opening Endoscopic	ICD-10-CM	Procedure
BT29	Computerized Tomography (CT Scan) / Kidney Transplant	ICD-10-CM	Procedure
BT2900Z	Computerized Tomography (CT Scan) of Kidney Transplant using High Osmolar Contrast, Unenhanced and Enhanced	ICD-10-CM	Procedure
BT290ZZ	Computerized Tomography (CT Scan) of Kidney Transplant using High Osmolar Contrast	ICD-10-CM	Procedure
BT2910Z	Computerized Tomography (CT Scan) of Kidney Transplant using Low Osmolar Contrast, Unenhanced and Enhanced	ICD-10-CM	Procedure
BT291ZZ	Computerized Tomography (CT Scan) of Kidney Transplant using Low Osmolar Contrast	ICD-10-CM	Procedure
BT29Y0Z	Computerized Tomography (CT Scan) of Kidney Transplant using Other Contrast, Unenhanced and Enhanced	ICD-10-CM	Procedure
BT29YZZ	Computerized Tomography (CT Scan) of Kidney Transplant using Other Contrast	ICD-10-CM	Procedure
BT29ZZZ	Computerized Tomography (CT Scan) of Kidney Transplant	ICD-10-CM	Procedure
BT39	Magnetic Resonance Imaging (MRI) / Kidney Transplant	ICD-10-CM	Procedure
BT39Y0Z	Magnetic Resonance Imaging (MRI) of Kidney Transplant using Other Contrast, Unenhanced and Enhanced	ICD-10-CM	Procedure
BT39YZZ	Magnetic Resonance Imaging (MRI) of Kidney Transplant using Other Contrast	ICD-10-CM	Procedure
BT39ZZZ	Magnetic Resonance Imaging (MRI) of Kidney Transplant	ICD-10-CM	Procedure
BT49	Ultrasonography / Kidney Transplant	ICD-10-CM	Procedure
BT49ZZZ	Ultrasonography of Kidney Transplant	ICD-10-CM	Procedure
33935	Heart-lung transplant with recipient cardiectomy-pneumonectomy	CPT-4	Procedure
33945	Heart transplant, with or without recipient cardiectomy	CPT-4	Procedure
47135	Liver allotransplantation; orthotopic, partial or whole, from cadaver or living donor, any age	CPT-4	Procedure
50360	Renal allotransplantation, implantation of graft; without recipient nephrectomy	CPT-4	Procedure
50365	Renal allotransplantation, implantation of graft; with recipient nephrectomy	CPT-4	Procedure
50370	Removal of transplanted renal allograft	CPT-4	Procedure
50380	Renal autotransplantation, reimplantation of kidney	CPT-4	Procedure
Rheumatoid Arthritis			
714.0	Rheumatoid arthritis	ICD-9-CM	Diagnosis
714	Rheumatoid arthritis and other inflammatory polyarthropathies	ICD-9-CM	Diagnosis
M05.8	Other rheumatoid arthritis with rheumatoid factor	ICD-10-CM	Diagnosis
M06.872	Other specified rheumatoid arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M06.89	Other specified rheumatoid arthritis, multiple sites	ICD-10-CM	Diagnosis
M06.871	Other specified rheumatoid arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M06.879	Other specified rheumatoid arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M06.87	Other specified rheumatoid arthritis, ankle and foot	ICD-10-CM	Diagnosis
M06.812	Other specified rheumatoid arthritis, left shoulder	ICD-10-CM	Diagnosis
M06.811	Other specified rheumatoid arthritis, right shoulder	ICD-10-CM	Diagnosis
M06.819	Other specified rheumatoid arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M05.872	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot	ICD-10-CM	Diagnosis
M05.871	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot	ICD-10-CM	Diagnosis
M05.839	Other rheumatoid arthritis with rheumatoid factor of unspecified wrist	ICD-10-CM	Diagnosis
M05.879	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.819	Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder	ICD-10-CM	Diagnosis
M05.829	Other rheumatoid arthritis with rheumatoid factor of unspecified elbow	ICD-10-CM	Diagnosis
M05.87	Other rheumatoid arthritis with rheumatoid factor of ankle and foot	ICD-10-CM	Diagnosis
M05.82	Other rheumatoid arthritis with rheumatoid factor of elbow	ICD-10-CM	Diagnosis
M05.84	Other rheumatoid arthritis with rheumatoid factor of hand	ICD-10-CM	Diagnosis
M05.85	Other rheumatoid arthritis with rheumatoid factor of hip	ICD-10-CM	Diagnosis
M05.86	Other rheumatoid arthritis with rheumatoid factor of knee	ICD-10-CM	Diagnosis
M05.822	Other rheumatoid arthritis with rheumatoid factor of left elbow	ICD-10-CM	Diagnosis
M05.842	Other rheumatoid arthritis with rheumatoid factor of left hand	ICD-10-CM	Diagnosis
M05.852	Other rheumatoid arthritis with rheumatoid factor of left hip	ICD-10-CM	Diagnosis
M05.862	Other rheumatoid arthritis with rheumatoid factor of left knee	ICD-10-CM	Diagnosis
M05.812	Other rheumatoid arthritis with rheumatoid factor of left shoulder	ICD-10-CM	Diagnosis
M05.832	Other rheumatoid arthritis with rheumatoid factor of left wrist	ICD-10-CM	Diagnosis
M05.89	Other rheumatoid arthritis with rheumatoid factor of multiple sites	ICD-10-CM	Diagnosis
M05.821	Other rheumatoid arthritis with rheumatoid factor of right elbow	ICD-10-CM	Diagnosis
M05.841	Other rheumatoid arthritis with rheumatoid factor of right hand	ICD-10-CM	Diagnosis
M05.851	Other rheumatoid arthritis with rheumatoid factor of right hip	ICD-10-CM	Diagnosis
M05.861	Other rheumatoid arthritis with rheumatoid factor of right knee	ICD-10-CM	Diagnosis
M05.811	Other rheumatoid arthritis with rheumatoid factor of right shoulder	ICD-10-CM	Diagnosis
M05.831	Other rheumatoid arthritis with rheumatoid factor of right wrist	ICD-10-CM	Diagnosis
M05.81	Other rheumatoid arthritis with rheumatoid factor of shoulder	ICD-10-CM	Diagnosis
M05.849	Other rheumatoid arthritis with rheumatoid factor of unspecified hand	ICD-10-CM	Diagnosis
M05.859	Other rheumatoid arthritis with rheumatoid factor of unspecified hip	ICD-10-CM	Diagnosis
M05.869	Other rheumatoid arthritis with rheumatoid factor of unspecified knee	ICD-10-CM	Diagnosis
M05.80	Other rheumatoid arthritis with rheumatoid factor of unspecified site	ICD-10-CM	Diagnosis
M05.83	Other rheumatoid arthritis with rheumatoid factor of wrist	ICD-10-CM	Diagnosis
M06	Other rheumatoid arthritis	ICD-10-CM	Diagnosis
M06.80	Other specified rheumatoid arthritis, unspecified site	ICD-10-CM	Diagnosis
M06.8	Other specified rheumatoid arthritis	ICD-10-CM	Diagnosis
M06.82	Other specified rheumatoid arthritis, elbow	ICD-10-CM	Diagnosis
M06.84	Other specified rheumatoid arthritis, hand	ICD-10-CM	Diagnosis
M06.85	Other specified rheumatoid arthritis, hip	ICD-10-CM	Diagnosis
M06.86	Other specified rheumatoid arthritis, knee	ICD-10-CM	Diagnosis
M06.822	Other specified rheumatoid arthritis, left elbow	ICD-10-CM	Diagnosis
M06.842	Other specified rheumatoid arthritis, left hand	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M06.852	Other specified rheumatoid arthritis, left hip	ICD-10-CM	Diagnosis
M06.862	Other specified rheumatoid arthritis, left knee	ICD-10-CM	Diagnosis
M06.832	Other specified rheumatoid arthritis, left wrist	ICD-10-CM	Diagnosis
M06.821	Other specified rheumatoid arthritis, right elbow	ICD-10-CM	Diagnosis
M06.841	Other specified rheumatoid arthritis, right hand	ICD-10-CM	Diagnosis
M06.851	Other specified rheumatoid arthritis, right hip	ICD-10-CM	Diagnosis
M06.861	Other specified rheumatoid arthritis, right knee	ICD-10-CM	Diagnosis
M06.831	Other specified rheumatoid arthritis, right wrist	ICD-10-CM	Diagnosis
M06.81	Other specified rheumatoid arthritis, shoulder	ICD-10-CM	Diagnosis
M06.859	Other specified rheumatoid arthritis, unspecified hip	ICD-10-CM	Diagnosis
M06.829	Other specified rheumatoid arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M06.849	Other specified rheumatoid arthritis, unspecified hand	ICD-10-CM	Diagnosis
M06.869	Other specified rheumatoid arthritis, unspecified knee	ICD-10-CM	Diagnosis
M06.839	Other specified rheumatoid arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M06.88	Other specified rheumatoid arthritis, vertebrae	ICD-10-CM	Diagnosis
M06.83	Other specified rheumatoid arthritis, wrist	ICD-10-CM	Diagnosis
M05.67	Rheumatoid arthritis of ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.62	Rheumatoid arthritis of elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.64	Rheumatoid arthritis of hand with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.65	Rheumatoid arthritis of hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.66	Rheumatoid arthritis of knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.672	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.622	Rheumatoid arthritis of left elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.642	Rheumatoid arthritis of left hand with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.652	Rheumatoid arthritis of left hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.662	Rheumatoid arthritis of left knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.612	Rheumatoid arthritis of left shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.632	Rheumatoid arthritis of left wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.69	Rheumatoid arthritis of multiple sites with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.671	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.621	Rheumatoid arthritis of right elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.641	Rheumatoid arthritis of right hand with involvement of other organs and systems	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.651	Rheumatoid arthritis of right hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.661	Rheumatoid arthritis of right knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.611	Rheumatoid arthritis of right shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.631	Rheumatoid arthritis of right wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.61	Rheumatoid arthritis of shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.679	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.629	Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.649	Rheumatoid arthritis of unspecified hand with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.659	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.669	Rheumatoid arthritis of unspecified knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.619	Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.60	Rheumatoid arthritis of unspecified site with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.639	Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.772	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis
M05.771	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis
M05.779	Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis
M05.72	Rheumatoid arthritis with rheumatoid factor of elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.74	Rheumatoid arthritis with rheumatoid factor of hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.75	Rheumatoid arthritis with rheumatoid factor of hip without organ or systems involvement	ICD-10-CM	Diagnosis
M05.7	Rheumatoid arthritis with rheumatoid factor without organ or systems involvement	ICD-10-CM	Diagnosis
M05.77	Rheumatoid arthritis with rheumatoid factor of ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.76	Rheumatoid arthritis with rheumatoid factor of knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.722	Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.742	Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.752	Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement	ICD-10-CM	Diagnosis
M05.762	Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.712	Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.732	Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.79	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement	ICD-10-CM	Diagnosis
M05.721	Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.741	Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.751	Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement	ICD-10-CM	Diagnosis
M05.761	Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.711	Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.731	Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.71	Rheumatoid arthritis with rheumatoid factor of shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.729	Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.749	Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.759	Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement	ICD-10-CM	Diagnosis
M05.769	Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.719	Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.70	Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.739	Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.73	Rheumatoid arthritis with rheumatoid factor of wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.9	Rheumatoid arthritis with rheumatoid factor, unspecified	ICD-10-CM	Diagnosis
M06.07	Rheumatoid arthritis without rheumatoid factor, ankle and foot	ICD-10-CM	Diagnosis
M06.02	Rheumatoid arthritis without rheumatoid factor, elbow	ICD-10-CM	Diagnosis
M06.04	Rheumatoid arthritis without rheumatoid factor, hand	ICD-10-CM	Diagnosis
M06.05	Rheumatoid arthritis without rheumatoid factor, hip	ICD-10-CM	Diagnosis
M06.06	Rheumatoid arthritis without rheumatoid factor, knee	ICD-10-CM	Diagnosis
M06.072	Rheumatoid arthritis without rheumatoid factor, left ankle and foot	ICD-10-CM	Diagnosis
M06.022	Rheumatoid arthritis without rheumatoid factor, left elbow	ICD-10-CM	Diagnosis
M06.042	Rheumatoid arthritis without rheumatoid factor, left hand	ICD-10-CM	Diagnosis
M06.052	Rheumatoid arthritis without rheumatoid factor, left hip	ICD-10-CM	Diagnosis
M06.062	Rheumatoid arthritis without rheumatoid factor, left knee	ICD-10-CM	Diagnosis
M06.012	Rheumatoid arthritis without rheumatoid factor, left shoulder	ICD-10-CM	Diagnosis
M06.032	Rheumatoid arthritis without rheumatoid factor, left wrist	ICD-10-CM	Diagnosis
M06.09	Rheumatoid arthritis without rheumatoid factor, multiple sites	ICD-10-CM	Diagnosis
M06.071	Rheumatoid arthritis without rheumatoid factor, right ankle and foot	ICD-10-CM	Diagnosis
M06.021	Rheumatoid arthritis without rheumatoid factor, right elbow	ICD-10-CM	Diagnosis
M06.041	Rheumatoid arthritis without rheumatoid factor, right hand	ICD-10-CM	Diagnosis
M06.051	Rheumatoid arthritis without rheumatoid factor, right hip	ICD-10-CM	Diagnosis
M06.061	Rheumatoid arthritis without rheumatoid factor, right knee	ICD-10-CM	Diagnosis
M06.011	Rheumatoid arthritis without rheumatoid factor, right shoulder	ICD-10-CM	Diagnosis
M06.031	Rheumatoid arthritis without rheumatoid factor, right wrist	ICD-10-CM	Diagnosis
M06.01	Rheumatoid arthritis without rheumatoid factor, shoulder	ICD-10-CM	Diagnosis
M06.079	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot	ICD-10-CM	Diagnosis
M06.019	Rheumatoid arthritis without rheumatoid factor, unspecified shoulder	ICD-10-CM	Diagnosis
M06.029	Rheumatoid arthritis without rheumatoid factor, unspecified elbow	ICD-10-CM	Diagnosis
M06.049	Rheumatoid arthritis without rheumatoid factor, unspecified hand	ICD-10-CM	Diagnosis
M06.059	Rheumatoid arthritis without rheumatoid factor, unspecified hip	ICD-10-CM	Diagnosis
M06.069	Rheumatoid arthritis without rheumatoid factor, unspecified knee	ICD-10-CM	Diagnosis
M06.00	Rheumatoid arthritis without rheumatoid factor, unspecified site	ICD-10-CM	Diagnosis
M06.039	Rheumatoid arthritis without rheumatoid factor, unspecified wrist	ICD-10-CM	Diagnosis
M06.08	Rheumatoid arthritis without rheumatoid factor, vertebrae	ICD-10-CM	Diagnosis
M06.03	Rheumatoid arthritis without rheumatoid factor, wrist	ICD-10-CM	Diagnosis
M05.63	Rheumatoid arthritis of wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M06.9	Rheumatoid arthritis, unspecified	ICD-10-CM	Diagnosis
M05.6	Rheumatoid arthritis with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05	Rheumatoid arthritis with rheumatoid factor	ICD-10-CM	Diagnosis
M06.0	Rheumatoid arthritis without rheumatoid factor	ICD-10-CM	Diagnosis
M05.372	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.329	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.349	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.369	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.30	Rheumatoid heart disease with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.339	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.371	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.379	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.319	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.3	Rheumatoid heart disease with rheumatoid arthritis	ICD-10-CM	Diagnosis
M05.37	Rheumatoid heart disease with rheumatoid arthritis of ankle and foot	ICD-10-CM	Diagnosis
M05.32	Rheumatoid heart disease with rheumatoid arthritis of elbow	ICD-10-CM	Diagnosis
M05.34	Rheumatoid heart disease with rheumatoid arthritis of hand	ICD-10-CM	Diagnosis
M05.35	Rheumatoid heart disease with rheumatoid arthritis of hip	ICD-10-CM	Diagnosis
M05.36	Rheumatoid heart disease with rheumatoid arthritis of knee	ICD-10-CM	Diagnosis
M05.322	Rheumatoid heart disease with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.342	Rheumatoid heart disease with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.352	Rheumatoid heart disease with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.362	Rheumatoid heart disease with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.312	Rheumatoid heart disease with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.332	Rheumatoid heart disease with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.39	Rheumatoid heart disease with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.321	Rheumatoid heart disease with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.341	Rheumatoid heart disease with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.351	Rheumatoid heart disease with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.361	Rheumatoid heart disease with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.311	Rheumatoid heart disease with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.331	Rheumatoid heart disease with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.31	Rheumatoid heart disease with rheumatoid arthritis of shoulder	ICD-10-CM	Diagnosis
M05.359	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.33	Rheumatoid heart disease with rheumatoid arthritis of wrist	ICD-10-CM	Diagnosis
M05.172	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.171	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.129	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.139	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.179	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.119	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.1	Rheumatoid lung disease with rheumatoid arthritis	ICD-10-CM	Diagnosis
M05.17	Rheumatoid lung disease with rheumatoid arthritis of ankle and foot	ICD-10-CM	Diagnosis
M05.12	Rheumatoid lung disease with rheumatoid arthritis of elbow	ICD-10-CM	Diagnosis
M05.14	Rheumatoid lung disease with rheumatoid arthritis of hand	ICD-10-CM	Diagnosis
M05.15	Rheumatoid lung disease with rheumatoid arthritis of hip	ICD-10-CM	Diagnosis
M05.16	Rheumatoid lung disease with rheumatoid arthritis of knee	ICD-10-CM	Diagnosis
M05.122	Rheumatoid lung disease with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.142	Rheumatoid lung disease with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.152	Rheumatoid lung disease with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.162	Rheumatoid lung disease with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.112	Rheumatoid lung disease with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.132	Rheumatoid lung disease with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.19	Rheumatoid lung disease with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.121	Rheumatoid lung disease with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.141	Rheumatoid lung disease with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.151	Rheumatoid lung disease with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.161	Rheumatoid lung disease with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.111	Rheumatoid lung disease with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.131	Rheumatoid lung disease with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.11	Rheumatoid lung disease with rheumatoid arthritis of shoulder	ICD-10-CM	Diagnosis
M05.149	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.159	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.169	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.10	Rheumatoid lung disease with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.13	Rheumatoid lung disease with rheumatoid arthritis of wrist	ICD-10-CM	Diagnosis
M05.479	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.47	Rheumatoid myopathy with rheumatoid arthritis of ankle and foot	ICD-10-CM	Diagnosis
M05.42	Rheumatoid myopathy with rheumatoid arthritis of elbow	ICD-10-CM	Diagnosis
M05.44	Rheumatoid myopathy with rheumatoid arthritis of hand	ICD-10-CM	Diagnosis
M05.45	Rheumatoid myopathy with rheumatoid arthritis of hip	ICD-10-CM	Diagnosis
M05.46	Rheumatoid myopathy with rheumatoid arthritis of knee	ICD-10-CM	Diagnosis
M05.472	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.422	Rheumatoid myopathy with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.442	Rheumatoid myopathy with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.452	Rheumatoid myopathy with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.462	Rheumatoid myopathy with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.412	Rheumatoid myopathy with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.432	Rheumatoid myopathy with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.49	Rheumatoid myopathy with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.471	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.421	Rheumatoid myopathy with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.441	Rheumatoid myopathy with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.451	Rheumatoid myopathy with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.461	Rheumatoid myopathy with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.411	Rheumatoid myopathy with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.431	Rheumatoid myopathy with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.41	Rheumatoid myopathy with rheumatoid arthritis of shoulder	ICD-10-CM	Diagnosis
M05.429	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.449	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.459	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.469	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.419	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.40	Rheumatoid myopathy with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.439	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.43	Rheumatoid myopathy with rheumatoid arthritis of wrist	ICD-10-CM	Diagnosis
M05.4	Rheumatoid myopathy with rheumatoid arthritis	ICD-10-CM	Diagnosis
M05.549	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.559	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.569	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.50	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.572	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.571	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.579	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.529	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.519	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.539	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.5	Rheumatoid polyneuropathy with rheumatoid arthritis	ICD-10-CM	Diagnosis
M05.57	Rheumatoid polyneuropathy with rheumatoid arthritis of ankle and foot	ICD-10-CM	Diagnosis
M05.52	Rheumatoid polyneuropathy with rheumatoid arthritis of elbow	ICD-10-CM	Diagnosis
M05.54	Rheumatoid polyneuropathy with rheumatoid arthritis of hand	ICD-10-CM	Diagnosis
M05.55	Rheumatoid polyneuropathy with rheumatoid arthritis of hip	ICD-10-CM	Diagnosis
M05.56	Rheumatoid polyneuropathy with rheumatoid arthritis of knee	ICD-10-CM	Diagnosis
M05.522	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.542	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.552	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.562	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.512	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.532	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.59	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.521	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.541	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.551	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.561	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.511	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.531	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.51	Rheumatoid polyneuropathy with rheumatoid arthritis of shoulder	ICD-10-CM	Diagnosis
M05.53	Rheumatoid polyneuropathy with rheumatoid arthritis of wrist	ICD-10-CM	Diagnosis
M05.219	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.279	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.27	Rheumatoid vasculitis with rheumatoid arthritis of ankle and foot	ICD-10-CM	Diagnosis
M05.22	Rheumatoid vasculitis with rheumatoid arthritis of elbow	ICD-10-CM	Diagnosis
M05.25	Rheumatoid vasculitis with rheumatoid arthritis of hip	ICD-10-CM	Diagnosis
M05.26	Rheumatoid vasculitis with rheumatoid arthritis of knee	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M05.272	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.222	Rheumatoid vasculitis with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.242	Rheumatoid vasculitis with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.252	Rheumatoid vasculitis with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.262	Rheumatoid vasculitis with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.212	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.232	Rheumatoid vasculitis with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.29	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.24	Rheumatoid vasculitis with rheumatoid arthritis of hand	ICD-10-CM	Diagnosis
M05.271	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.221	Rheumatoid vasculitis with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.241	Rheumatoid vasculitis with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.251	Rheumatoid vasculitis with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.261	Rheumatoid vasculitis with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.211	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.231	Rheumatoid vasculitis with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.21	Rheumatoid vasculitis with rheumatoid arthritis of shoulder	ICD-10-CM	Diagnosis
M05.229	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.249	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.259	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.269	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.20	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.239	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.23	Rheumatoid vasculitis with rheumatoid arthritis of wrist	ICD-10-CM	Diagnosis
M05.2	Rheumatoid vasculitis with rheumatoid arthritis	ICD-10-CM	Diagnosis
714.2	Other rheumatoid arthritis with visceral or systemic involvement	ICD-9-CM	Diagnosis
714.30	Polyarticular juvenile rheumatoid arthritis, chronic or unspecified	ICD-9-CM	Diagnosis
714.31	Polyarticular juvenile rheumatoid arthritis, acute	ICD-9-CM	Diagnosis
714.32	Pauciarticular juvenile rheumatoid arthritis	ICD-9-CM	Diagnosis
714.33	Monoarticular juvenile rheumatoid arthritis	ICD-9-CM	Diagnosis
M06.1	Adult-onset Still's disease	ICD-10-CM	Diagnosis
M06.2	Rheumatoid bursitis	ICD-10-CM	Diagnosis
M06.20	Rheumatoid bursitis, unspecified site	ICD-10-CM	Diagnosis
M06.21	Rheumatoid bursitis, shoulder	ICD-10-CM	Diagnosis
M06.211	Rheumatoid bursitis, right shoulder	ICD-10-CM	Diagnosis
M06.212	Rheumatoid bursitis, left shoulder	ICD-10-CM	Diagnosis
M06.219	Rheumatoid bursitis, unspecified shoulder	ICD-10-CM	Diagnosis
M06.22	Rheumatoid bursitis, elbow	ICD-10-CM	Diagnosis
M06.221	Rheumatoid bursitis, right elbow	ICD-10-CM	Diagnosis
M06.222	Rheumatoid bursitis, left elbow	ICD-10-CM	Diagnosis
M06.229	Rheumatoid bursitis, unspecified elbow	ICD-10-CM	Diagnosis
M06.23	Rheumatoid bursitis, wrist	ICD-10-CM	Diagnosis
M06.231	Rheumatoid bursitis, right wrist	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M06.232	Rheumatoid bursitis, left wrist	ICD-10-CM	Diagnosis
M06.239	Rheumatoid bursitis, unspecified wrist	ICD-10-CM	Diagnosis
M06.24	Rheumatoid bursitis, hand	ICD-10-CM	Diagnosis
M06.241	Rheumatoid bursitis, right hand	ICD-10-CM	Diagnosis
M06.242	Rheumatoid bursitis, left hand	ICD-10-CM	Diagnosis
M06.249	Rheumatoid bursitis, unspecified hand	ICD-10-CM	Diagnosis
M06.25	Rheumatoid bursitis, hip	ICD-10-CM	Diagnosis
M06.251	Rheumatoid bursitis, right hip	ICD-10-CM	Diagnosis
M06.252	Rheumatoid bursitis, left hip	ICD-10-CM	Diagnosis
M06.259	Rheumatoid bursitis, unspecified hip	ICD-10-CM	Diagnosis
M06.26	Rheumatoid bursitis, knee	ICD-10-CM	Diagnosis
M06.261	Rheumatoid bursitis, right knee	ICD-10-CM	Diagnosis
M06.262	Rheumatoid bursitis, left knee	ICD-10-CM	Diagnosis
M06.269	Rheumatoid bursitis, unspecified knee	ICD-10-CM	Diagnosis
M06.27	Rheumatoid bursitis, ankle and foot	ICD-10-CM	Diagnosis
M06.271	Rheumatoid bursitis, right ankle and foot	ICD-10-CM	Diagnosis
M06.272	Rheumatoid bursitis, left ankle and foot	ICD-10-CM	Diagnosis
M06.279	Rheumatoid bursitis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M06.28	Rheumatoid bursitis, vertebrae	ICD-10-CM	Diagnosis
M06.29	Rheumatoid bursitis, multiple sites	ICD-10-CM	Diagnosis
M06.3	Rheumatoid nodule	ICD-10-CM	Diagnosis
M06.30	Rheumatoid nodule, unspecified site	ICD-10-CM	Diagnosis
M06.31	Rheumatoid nodule, shoulder	ICD-10-CM	Diagnosis
M06.311	Rheumatoid nodule, right shoulder	ICD-10-CM	Diagnosis
M06.312	Rheumatoid nodule, left shoulder	ICD-10-CM	Diagnosis
M06.319	Rheumatoid nodule, unspecified shoulder	ICD-10-CM	Diagnosis
M06.32	Rheumatoid nodule, elbow	ICD-10-CM	Diagnosis
M06.321	Rheumatoid nodule, right elbow	ICD-10-CM	Diagnosis
M06.322	Rheumatoid nodule, left elbow	ICD-10-CM	Diagnosis
M06.329	Rheumatoid nodule, unspecified elbow	ICD-10-CM	Diagnosis
M06.33	Rheumatoid nodule, wrist	ICD-10-CM	Diagnosis
M06.331	Rheumatoid nodule, right wrist	ICD-10-CM	Diagnosis
M06.332	Rheumatoid nodule, left wrist	ICD-10-CM	Diagnosis
M06.339	Rheumatoid nodule, unspecified wrist	ICD-10-CM	Diagnosis
M06.34	Rheumatoid nodule, hand	ICD-10-CM	Diagnosis
M06.341	Rheumatoid nodule, right hand	ICD-10-CM	Diagnosis
M06.342	Rheumatoid nodule, left hand	ICD-10-CM	Diagnosis
M06.349	Rheumatoid nodule, unspecified hand	ICD-10-CM	Diagnosis
M06.35	Rheumatoid nodule, hip	ICD-10-CM	Diagnosis
M06.351	Rheumatoid nodule, right hip	ICD-10-CM	Diagnosis
M06.352	Rheumatoid nodule, left hip	ICD-10-CM	Diagnosis
M06.359	Rheumatoid nodule, unspecified hip	ICD-10-CM	Diagnosis
M06.36	Rheumatoid nodule, knee	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M06.361	Rheumatoid nodule, right knee	ICD-10-CM	Diagnosis
M06.362	Rheumatoid nodule, left knee	ICD-10-CM	Diagnosis
M06.369	Rheumatoid nodule, unspecified knee	ICD-10-CM	Diagnosis
M06.37	Rheumatoid nodule, ankle and foot	ICD-10-CM	Diagnosis
M06.371	Rheumatoid nodule, right ankle and foot	ICD-10-CM	Diagnosis
M06.372	Rheumatoid nodule, left ankle and foot	ICD-10-CM	Diagnosis
M06.379	Rheumatoid nodule, unspecified ankle and foot	ICD-10-CM	Diagnosis
M06.38	Rheumatoid nodule, vertebrae	ICD-10-CM	Diagnosis
M06.39	Rheumatoid nodule, multiple sites	ICD-10-CM	Diagnosis
M08.0	Unspecified juvenile rheumatoid arthritis	ICD-10-CM	Diagnosis
M08.00	Unspecified juvenile rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M08.01	Unspecified juvenile rheumatoid arthritis, shoulder	ICD-10-CM	Diagnosis
M08.011	Unspecified juvenile rheumatoid arthritis, right shoulder	ICD-10-CM	Diagnosis
M08.012	Unspecified juvenile rheumatoid arthritis, left shoulder	ICD-10-CM	Diagnosis
M08.019	Unspecified juvenile rheumatoid arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M08.02	Unspecified juvenile rheumatoid arthritis of elbow	ICD-10-CM	Diagnosis
M08.021	Unspecified juvenile rheumatoid arthritis, right elbow	ICD-10-CM	Diagnosis
M08.022	Unspecified juvenile rheumatoid arthritis, left elbow	ICD-10-CM	Diagnosis
M08.029	Unspecified juvenile rheumatoid arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M08.03	Unspecified juvenile rheumatoid arthritis, wrist	ICD-10-CM	Diagnosis
M08.031	Unspecified juvenile rheumatoid arthritis, right wrist	ICD-10-CM	Diagnosis
M08.032	Unspecified juvenile rheumatoid arthritis, left wrist	ICD-10-CM	Diagnosis
M08.039	Unspecified juvenile rheumatoid arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M08.04	Unspecified juvenile rheumatoid arthritis, hand	ICD-10-CM	Diagnosis
M08.041	Unspecified juvenile rheumatoid arthritis, right hand	ICD-10-CM	Diagnosis
M08.042	Unspecified juvenile rheumatoid arthritis, left hand	ICD-10-CM	Diagnosis
M08.049	Unspecified juvenile rheumatoid arthritis, unspecified hand	ICD-10-CM	Diagnosis
M08.05	Unspecified juvenile rheumatoid arthritis, hip	ICD-10-CM	Diagnosis
M08.051	Unspecified juvenile rheumatoid arthritis, right hip	ICD-10-CM	Diagnosis
M08.052	Unspecified juvenile rheumatoid arthritis, left hip	ICD-10-CM	Diagnosis
M08.059	Unspecified juvenile rheumatoid arthritis, unspecified hip	ICD-10-CM	Diagnosis
M08.06	Unspecified juvenile rheumatoid arthritis, knee	ICD-10-CM	Diagnosis
M08.061	Unspecified juvenile rheumatoid arthritis, right knee	ICD-10-CM	Diagnosis
M08.062	Unspecified juvenile rheumatoid arthritis, left knee	ICD-10-CM	Diagnosis
M08.069	Unspecified juvenile rheumatoid arthritis, unspecified knee	ICD-10-CM	Diagnosis
M08.07	Unspecified juvenile rheumatoid arthritis, ankle and foot	ICD-10-CM	Diagnosis
M08.071	Unspecified juvenile rheumatoid arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M08.072	Unspecified juvenile rheumatoid arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M08.079	Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.08	Unspecified juvenile rheumatoid arthritis, vertebrae	ICD-10-CM	Diagnosis
M08.09	Unspecified juvenile rheumatoid arthritis, multiple sites	ICD-10-CM	Diagnosis
M08.20	Juvenile rheumatoid arthritis with systemic onset, unspecified site	ICD-10-CM	Diagnosis
M08.21	Juvenile rheumatoid arthritis with systemic onset, shoulder	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M08.211	Juvenile rheumatoid arthritis with systemic onset, right shoulder	ICD-10-CM	Diagnosis
M08.212	Juvenile rheumatoid arthritis with systemic onset, left shoulder	ICD-10-CM	Diagnosis
M08.219	Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder	ICD-10-CM	Diagnosis
M08.22	Juvenile rheumatoid arthritis with systemic onset, elbow	ICD-10-CM	Diagnosis
M08.221	Juvenile rheumatoid arthritis with systemic onset, right elbow	ICD-10-CM	Diagnosis
M08.222	Juvenile rheumatoid arthritis with systemic onset, left elbow	ICD-10-CM	Diagnosis
M08.229	Juvenile rheumatoid arthritis with systemic onset, unspecified elbow	ICD-10-CM	Diagnosis
M08.23	Juvenile rheumatoid arthritis with systemic onset, wrist	ICD-10-CM	Diagnosis
M08.231	Juvenile rheumatoid arthritis with systemic onset, right wrist	ICD-10-CM	Diagnosis
M08.232	Juvenile rheumatoid arthritis with systemic onset, left wrist	ICD-10-CM	Diagnosis
M08.239	Juvenile rheumatoid arthritis with systemic onset, unspecified wrist	ICD-10-CM	Diagnosis
M08.24	Juvenile rheumatoid arthritis with systemic onset, hand	ICD-10-CM	Diagnosis
M08.241	Juvenile rheumatoid arthritis with systemic onset, right hand	ICD-10-CM	Diagnosis
M08.242	Juvenile rheumatoid arthritis with systemic onset, left hand	ICD-10-CM	Diagnosis
M08.249	Juvenile rheumatoid arthritis with systemic onset, unspecified hand	ICD-10-CM	Diagnosis
M08.25	Juvenile rheumatoid arthritis with systemic onset, hip	ICD-10-CM	Diagnosis
M08.251	Juvenile rheumatoid arthritis with systemic onset, right hip	ICD-10-CM	Diagnosis
M08.252	Juvenile rheumatoid arthritis with systemic onset, left hip	ICD-10-CM	Diagnosis
M08.259	Juvenile rheumatoid arthritis with systemic onset, unspecified hip	ICD-10-CM	Diagnosis
M08.26	Juvenile rheumatoid arthritis with systemic onset, knee	ICD-10-CM	Diagnosis
M08.261	Juvenile rheumatoid arthritis with systemic onset, right knee	ICD-10-CM	Diagnosis
M08.262	Juvenile rheumatoid arthritis with systemic onset, left knee	ICD-10-CM	Diagnosis
M08.269	Juvenile rheumatoid arthritis with systemic onset, unspecified knee	ICD-10-CM	Diagnosis
M08.27	Juvenile rheumatoid arthritis with systemic onset, ankle and foot	ICD-10-CM	Diagnosis
M08.271	Juvenile rheumatoid arthritis with systemic onset, right ankle and foot	ICD-10-CM	Diagnosis
M08.272	Juvenile rheumatoid arthritis with systemic onset, left ankle and foot	ICD-10-CM	Diagnosis
M08.279	Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.28	Juvenile rheumatoid arthritis with systemic onset, vertebrae	ICD-10-CM	Diagnosis
M08.29	Juvenile rheumatoid arthritis with systemic onset, multiple sites	ICD-10-CM	Diagnosis
M08.4	Pauciarticular juvenile rheumatoid arthritis	ICD-10-CM	Diagnosis
M08.40	Pauciarticular juvenile rheumatoid arthritis, unspecified site	ICD-10-CM	Diagnosis
M08.41	Pauciarticular juvenile rheumatoid arthritis, shoulder	ICD-10-CM	Diagnosis
M08.411	Pauciarticular juvenile rheumatoid arthritis, right shoulder	ICD-10-CM	Diagnosis
M08.412	Pauciarticular juvenile rheumatoid arthritis, left shoulder	ICD-10-CM	Diagnosis
M08.419	Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M08.42	Pauciarticular juvenile rheumatoid arthritis, elbow	ICD-10-CM	Diagnosis
M08.421	Pauciarticular juvenile rheumatoid arthritis, right elbow	ICD-10-CM	Diagnosis
M08.422	Pauciarticular juvenile rheumatoid arthritis, left elbow	ICD-10-CM	Diagnosis
M08.429	Pauciarticular juvenile rheumatoid arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M08.43	Pauciarticular juvenile rheumatoid arthritis, wrist	ICD-10-CM	Diagnosis
M08.431	Pauciarticular juvenile rheumatoid arthritis, right wrist	ICD-10-CM	Diagnosis
M08.432	Pauciarticular juvenile rheumatoid arthritis, left wrist	ICD-10-CM	Diagnosis
M08.439	Pauciarticular juvenile rheumatoid arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M08.44	Pauciarticular juvenile rheumatoid arthritis, hand	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
M08.441	Pauciarticular juvenile rheumatoid arthritis, right hand	ICD-10-CM	Diagnosis
M08.442	Pauciarticular juvenile rheumatoid arthritis, left hand	ICD-10-CM	Diagnosis
M08.449	Pauciarticular juvenile rheumatoid arthritis, unspecified hand	ICD-10-CM	Diagnosis
M08.45	Pauciarticular juvenile rheumatoid arthritis, hip	ICD-10-CM	Diagnosis
M08.451	Pauciarticular juvenile rheumatoid arthritis, right hip	ICD-10-CM	Diagnosis
M08.452	Pauciarticular juvenile rheumatoid arthritis, left hip	ICD-10-CM	Diagnosis
M08.459	Pauciarticular juvenile rheumatoid arthritis, unspecified hip	ICD-10-CM	Diagnosis
M08.46	Pauciarticular juvenile rheumatoid arthritis, knee	ICD-10-CM	Diagnosis
M08.461	Pauciarticular juvenile rheumatoid arthritis, right knee	ICD-10-CM	Diagnosis
M08.462	Pauciarticular juvenile rheumatoid arthritis, left knee	ICD-10-CM	Diagnosis
M08.469	Pauciarticular juvenile rheumatoid arthritis, unspecified knee	ICD-10-CM	Diagnosis
M08.47	Pauciarticular juvenile rheumatoid arthritis, ankle and foot	ICD-10-CM	Diagnosis
M08.471	Pauciarticular juvenile rheumatoid arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M08.472	Pauciarticular juvenile rheumatoid arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M08.479	Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.48	Pauciarticular juvenile rheumatoid arthritis, vertebrae	ICD-10-CM	Diagnosis
Congenital Heart Diseases			
745.0	Bulbus cordis anomalies and anomalies of cardiac septal closure, common truncus	ICD-9-CM	Diagnosis
745.10	Complete transposition of great vessels	ICD-9-CM	Diagnosis
745.11	Transposition of great vessels, double outlet right ventricle	ICD-9-CM	Diagnosis
745.12	Corrected transposition of great vessels	ICD-9-CM	Diagnosis
745.19	Other transposition of great vessels	ICD-9-CM	Diagnosis
745.2	Tetralogy of Fallot	ICD-9-CM	Diagnosis
745.3	Bulbus cordis anomalies and anomalies of cardiac septal closure, common ventricle	ICD-9-CM	Diagnosis
745.4	Ventricular septal defect	ICD-9-CM	Diagnosis
745.5	Ostium secundum type atrial septal defect	ICD-9-CM	Diagnosis
745.6	Endocardial cushion defects	ICD-9-CM	Diagnosis
745.60	Unspecified type congenital endocardial cushion defect	ICD-9-CM	Diagnosis
745.61	Ostium primum defect	ICD-9-CM	Diagnosis
745.69	Other congenital endocardial cushion defect	ICD-9-CM	Diagnosis
745.7	Cor biloculare	ICD-9-CM	Diagnosis
745.8	Other bulbus cordis anomalies and anomalies of cardiac septal closure	ICD-9-CM	Diagnosis
745.9	Unspecified congenital defect of septal closure	ICD-9-CM	Diagnosis
746	Other congenital anomalies of heart	ICD-9-CM	Diagnosis
746.00	Unspecified congenital pulmonary valve anomaly	ICD-9-CM	Diagnosis
746.01	Congenital atresia of pulmonary valve	ICD-9-CM	Diagnosis
746.02	Congenital stenosis of pulmonary valve	ICD-9-CM	Diagnosis
746.09	Other congenital anomalies of pulmonary valve	ICD-9-CM	Diagnosis
746.1	Congenital tricuspid atresia and stenosis	ICD-9-CM	Diagnosis
746.2	Ebstein's anomaly	ICD-9-CM	Diagnosis
746.3	Congenital stenosis of aortic valve	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
746.4	Congenital insufficiency of aortic valve	ICD-9-CM	Diagnosis
746.5	Congenital mitral stenosis	ICD-9-CM	Diagnosis
746.6	Congenital mitral insufficiency	ICD-9-CM	Diagnosis
746.7	Hypoplastic left heart syndrome	ICD-9-CM	Diagnosis
746.8	Other specified congenital anomaly of heart	ICD-9-CM	Diagnosis
746.81	Congenital subaortic stenosis	ICD-9-CM	Diagnosis
746.82	Cor triatriatum	ICD-9-CM	Diagnosis
746.83	Congenital infundibular pulmonic stenosis	ICD-9-CM	Diagnosis
746.84	Congenital obstructive anomalies of heart, not elsewhere classified	ICD-9-CM	Diagnosis
746.85	Congenital coronary artery anomaly	ICD-9-CM	Diagnosis
746.86	Congenital heart block	ICD-9-CM	Diagnosis
746.87	Congenital malposition of heart and cardiac apex	ICD-9-CM	Diagnosis
746.89	Other specified congenital anomaly of heart	ICD-9-CM	Diagnosis
746.9	Unspecified congenital anomaly of heart	ICD-9-CM	Diagnosis
I27.83	Eisenmenger's syndrome	ICD-10-CM	Diagnosis
Q20	Congenital malformations of cardiac chambers and connections	ICD-10-CM	Diagnosis
Q20.0	Common arterial trunk	ICD-10-CM	Diagnosis
Q20.1	Double outlet right ventricle	ICD-10-CM	Diagnosis
Q20.2	Double outlet left ventricle	ICD-10-CM	Diagnosis
Q20.3	Discordant ventriculoarterial connection	ICD-10-CM	Diagnosis
Q20.4	Double inlet ventricle	ICD-10-CM	Diagnosis
Q20.5	Discordant atrioventricular connection	ICD-10-CM	Diagnosis
Q20.6	Isomerism of atrial appendages	ICD-10-CM	Diagnosis
Q20.8	Other congenital malformations of cardiac chambers and connections	ICD-10-CM	Diagnosis
Q20.9	Congenital malformation of cardiac chambers and connections, unspecified	ICD-10-CM	Diagnosis
Q21	Congenital malformations of cardiac septa	ICD-10-CM	Diagnosis
Q21.0	Ventricular septal defect	ICD-10-CM	Diagnosis
Q21.1	Atrial septal defect	ICD-10-CM	Diagnosis
Q21.2	Atrioventricular septal defect	ICD-10-CM	Diagnosis
Q21.3	Tetralogy of Fallot	ICD-10-CM	Diagnosis
Q21.4	Aortopulmonary septal defect	ICD-10-CM	Diagnosis
Q21.8	Other congenital malformations of cardiac septa	ICD-10-CM	Diagnosis
Q21.9	Congenital malformation of cardiac septum, unspecified	ICD-10-CM	Diagnosis
Q22	Congenital malformations of pulmonary and tricuspid valves	ICD-10-CM	Diagnosis
Q22.0	Pulmonary valve atresia	ICD-10-CM	Diagnosis
Q22.1	Congenital pulmonary valve stenosis	ICD-10-CM	Diagnosis
Q22.2	Congenital pulmonary valve insufficiency	ICD-10-CM	Diagnosis
Q22.3	Other congenital malformations of pulmonary valve	ICD-10-CM	Diagnosis
Q22.4	Congenital tricuspid stenosis	ICD-10-CM	Diagnosis
Q22.5	Ebstein's anomaly	ICD-10-CM	Diagnosis
Q22.6	Hypoplastic right heart syndrome	ICD-10-CM	Diagnosis
Q22.8	Other congenital malformations of tricuspid valve	ICD-10-CM	Diagnosis
Q22.9	Congenital malformation of tricuspid valve, unspecified	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
Q23	Congenital malformations of aortic and mitral valves	ICD-10-CM	Diagnosis
Q23.0	Congenital stenosis of aortic valve	ICD-10-CM	Diagnosis
Q23.1	Congenital insufficiency of aortic valve	ICD-10-CM	Diagnosis
Q23.2	Congenital mitral stenosis	ICD-10-CM	Diagnosis
Q23.3	Congenital mitral insufficiency	ICD-10-CM	Diagnosis
Q23.4	Hypoplastic left heart syndrome	ICD-10-CM	Diagnosis
Q23.8	Other congenital malformations of aortic and mitral valves	ICD-10-CM	Diagnosis
Q23.9	Congenital malformation of aortic and mitral valves, unspecified	ICD-10-CM	Diagnosis
Q24	Other congenital malformations of heart	ICD-10-CM	Diagnosis
Q24.0	Dextrocardia	ICD-10-CM	Diagnosis
Q24.1	Levocardia	ICD-10-CM	Diagnosis
Q24.2	Cor triatriatum	ICD-10-CM	Diagnosis
Q24.3	Pulmonary infundibular stenosis	ICD-10-CM	Diagnosis
Q24.4	Congenital subaortic stenosis	ICD-10-CM	Diagnosis
Q24.5	Malformation of coronary vessels	ICD-10-CM	Diagnosis
Q24.6	Congenital heart block	ICD-10-CM	Diagnosis
Q24.8	Other specified congenital malformations of heart	ICD-10-CM	Diagnosis
Q24.9	Congenital malformation of heart, unspecified	ICD-10-CM	Diagnosis
747.0	Patent ductus arteriosus	ICD-9-CM	Diagnosis
747.10	Coarctation of aorta (preductal) (postductal)	ICD-9-CM	Diagnosis
747.11	Congenital interruption of aortic arch	ICD-9-CM	Diagnosis
747.20	Unspecified congenital anomaly of aorta	ICD-9-CM	Diagnosis
747.21	Congenital anomaly of aortic arch	ICD-9-CM	Diagnosis
747.22	Congenital atresia and stenosis of aorta	ICD-9-CM	Diagnosis
747.29	Other congenital anomaly of aorta	ICD-9-CM	Diagnosis
747.31	Pulmonary artery coarctation and atresia	ICD-9-CM	Diagnosis
747.32	Pulmonary arteriovenous malformation	ICD-9-CM	Diagnosis
747.39	Other anomalies of pulmonary artery and pulmonary circulation	ICD-9-CM	Diagnosis
747.40	Congenital anomaly of great veins unspecified	ICD-9-CM	Diagnosis
747.41	Total congenital anomalous pulmonary venous connection	ICD-9-CM	Diagnosis
747.42	Partial congenital anomalous pulmonary venous connection	ICD-9-CM	Diagnosis
747.49	Other congenital anomalies of great veins	ICD-9-CM	Diagnosis
747.61	Congenital gastrointestinal vessel anomaly	ICD-9-CM	Diagnosis
Q25	Congenital malformations of great arteries	ICD-10-CM	Diagnosis
Q25.0	Patent ductus arteriosus	ICD-10-CM	Diagnosis
Q25.1	Coarctation of aorta	ICD-10-CM	Diagnosis
Q25.2	Atresia of aorta	ICD-10-CM	Diagnosis
Q25.21	Interruption of aortic arch	ICD-10-CM	Diagnosis
Q25.29	Other atresia of aorta	ICD-10-CM	Diagnosis
Q25.3	Supravalvular aortic stenosis	ICD-10-CM	Diagnosis
Q25.4	Other congenital malformations of aorta	ICD-10-CM	Diagnosis
Q25.40	Congenital malformation of aorta unspecified	ICD-10-CM	Diagnosis
Q25.41	Absence and aplasia of aorta	ICD-10-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
Q25.42	Hypoplasia of aorta	ICD-10-CM	Diagnosis
Q25.43	Congenital aneurysm of aorta	ICD-10-CM	Diagnosis
Q25.44	Congenital dilation of aorta	ICD-10-CM	Diagnosis
Q25.45	Double aortic arch	ICD-10-CM	Diagnosis
Q25.46	Tortuous aortic arch	ICD-10-CM	Diagnosis
Q25.47	Right aortic arch	ICD-10-CM	Diagnosis
Q25.48	Anomalous origin of subclavian artery	ICD-10-CM	Diagnosis
Q25.49	Other congenital malformations of aorta	ICD-10-CM	Diagnosis
Q25.5	Atresia of pulmonary artery	ICD-10-CM	Diagnosis
Q25.6	Stenosis of pulmonary artery	ICD-10-CM	Diagnosis
Q25.7	Other congenital malformations of pulmonary artery	ICD-10-CM	Diagnosis
Q25.71	Coarctation of pulmonary artery	ICD-10-CM	Diagnosis
Q25.72	Congenital pulmonary arteriovenous malformation	ICD-10-CM	Diagnosis
Q25.79	Other congenital malformations of pulmonary artery	ICD-10-CM	Diagnosis
Q25.8	Other congenital malformations of other great arteries	ICD-10-CM	Diagnosis
Q25.9	Congenital malformation of great arteries, unspecified	ICD-10-CM	Diagnosis
Q26	Congenital malformations of great veins	ICD-10-CM	Diagnosis
Q26.0	Congenital stenosis of vena cava	ICD-10-CM	Diagnosis
Q26.1	Persistent left superior vena cava	ICD-10-CM	Diagnosis
Q26.2	Total anomalous pulmonary venous connection	ICD-10-CM	Diagnosis
Q26.3	Partial anomalous pulmonary venous connection	ICD-10-CM	Diagnosis
Q26.4	Anomalous pulmonary venous connection, unspecified	ICD-10-CM	Diagnosis
Q26.5	Anomalous portal venous connection	ICD-10-CM	Diagnosis
Q26.6	Portal vein-hepatic artery fistula	ICD-10-CM	Diagnosis
Q26.8	Other congenital malformations of great veins	ICD-10-CM	Diagnosis
Q26.9	Congenital malformation of great vein, unspecified	ICD-10-CM	Diagnosis
Heart Failure			
428.0	Congestive heart failure, unspecified	ICD-9-CM	Diagnosis
428.1	Left heart failure	ICD-9-CM	Diagnosis
428.2	Systolic heart failure	ICD-9-CM	Diagnosis
428.20	Unspecified systolic heart failure	ICD-9-CM	Diagnosis
428.21	Acute systolic heart failure	ICD-9-CM	Diagnosis
428.22	Chronic systolic heart failure	ICD-9-CM	Diagnosis
428.23	Acute on chronic systolic heart failure	ICD-9-CM	Diagnosis
428.3	Diastolic heart failure	ICD-9-CM	Diagnosis
428.30	Unspecified diastolic heart failure	ICD-9-CM	Diagnosis
428.31	Acute diastolic heart failure	ICD-9-CM	Diagnosis
428.32	Chronic diastolic heart failure	ICD-9-CM	Diagnosis
428.33	Acute on chronic diastolic heart failure	ICD-9-CM	Diagnosis
428.4	Combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.40	Unspecified combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.41	Acute combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.42	Chronic combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
428.43	Acute on chronic combined systolic and diastolic heart failure	ICD-9-CM	Diagnosis
428.9	Unspecified heart failure	ICD-9-CM	Diagnosis
I50.1	Left ventricular failure, unspecified	ICD-10-CM	Diagnosis
I50.20	Unspecified systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.21	Acute systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.22	Chronic systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.23	Acute on chronic systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.30	Unspecified diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.31	Acute diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.32	Chronic diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.33	Acute on chronic diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.40	Unspecified combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.810	Right heart failure, unspecified	ICD-10-CM	Diagnosis
I50.811	Acute right heart failure	ICD-10-CM	Diagnosis
I50.812	Chronic right heart failure	ICD-10-CM	Diagnosis
I50.813	Acute on chronic right heart failure	ICD-10-CM	Diagnosis
I50.814	Right heart failure due to left heart failure	ICD-10-CM	Diagnosis
I50.82	Biventricular heart failure	ICD-10-CM	Diagnosis
I50.83	High output heart failure	ICD-10-CM	Diagnosis
I50.84	End stage heart failure	ICD-10-CM	Diagnosis
I50.89	Other heart failure	ICD-10-CM	Diagnosis
I50.9	Heart failure, unspecified	ICD-10-CM	Diagnosis
398.91	Rheumatic heart failure (congestive)	ICD-9-CM	Diagnosis
402.01	Malignant hypertensive heart disease with heart failure	ICD-9-CM	Diagnosis
402.11	Benign hypertensive heart disease with heart failure	ICD-9-CM	Diagnosis
402.91	Hypertensive heart disease, unspecified, with heart failure	ICD-9-CM	Diagnosis
404.01	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified	ICD-9-CM	Diagnosis
404.03	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage renal disease	ICD-9-CM	Diagnosis
404.11	Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified	ICD-9-CM	Diagnosis
404.13	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disease	ICD-9-CM	Diagnosis
404.91	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified	ICD-9-CM	Diagnosis
404.93	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal disease	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
428	Heart failure	ICD-9-CM	Diagnosis
I09.81	Rheumatic heart failure	ICD-10-CM	Diagnosis
I11.0	Hypertensive heart disease with heart failure	ICD-10-CM	Diagnosis
I13.0	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease	ICD-10-CM	Diagnosis
I13.2	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease	ICD-10-CM	Diagnosis
I50	Heart failure	ICD-10-CM	Diagnosis
I50.2	Systolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.3	Diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
I50.4	Combined systolic (congestive) and diastolic (congestive) heart failure	ICD-10-CM	Diagnosis
425.0	Endomyocardial fibrosis	ICD-9-CM	Diagnosis
425.11	Hypertrophic obstructive cardiomyopathy	ICD-9-CM	Diagnosis
425.18	Other hypertrophic cardiomyopathy	ICD-9-CM	Diagnosis
425.2	Obscure cardiomyopathy of Africa	ICD-9-CM	Diagnosis
425.3	Endocardial fibroelastosis	ICD-9-CM	Diagnosis
425.4	Other primary cardiomyopathies	ICD-9-CM	Diagnosis
425.5	Alcoholic cardiomyopathy	ICD-9-CM	Diagnosis
425.7	Nutritional and metabolic cardiomyopathy	ICD-9-CM	Diagnosis
425.8	Cardiomyopathy in other diseases classified elsewhere	ICD-9-CM	Diagnosis
425.9	Unspecified secondary cardiomyopathy	ICD-9-CM	Diagnosis
514	Pulmonary congestion and hypostasis	ICD-9-CM	Diagnosis
518.4	Unspecified acute edema of lung	ICD-9-CM	Diagnosis
I42	Cardiomyopathy	ICD-10-CM	Diagnosis
I42.0	Dilated cardiomyopathy	ICD-10-CM	Diagnosis
I42.1	Obstructive hypertrophic cardiomyopathy	ICD-10-CM	Diagnosis
I42.2	Other hypertrophic cardiomyopathy	ICD-10-CM	Diagnosis
I42.3	Endomyocardial (eosinophilic) disease	ICD-10-CM	Diagnosis
I42.4	Endocardial fibroelastosis	ICD-10-CM	Diagnosis
I42.5	Other restrictive cardiomyopathy	ICD-10-CM	Diagnosis
I42.6	Alcoholic cardiomyopathy	ICD-10-CM	Diagnosis
I42.7	Cardiomyopathy due to drug and external agent	ICD-10-CM	Diagnosis
I42.8	Other cardiomyopathies	ICD-10-CM	Diagnosis
I42.9	Cardiomyopathy, unspecified	ICD-10-CM	Diagnosis
I43	Cardiomyopathy in diseases classified elsewhere	ICD-10-CM	Diagnosis
I50.8	Other heart failure	ICD-10-CM	Diagnosis
I50.81	Right heart failure	ICD-10-CM	Diagnosis
J81	Pulmonary edema	ICD-10-CM	Diagnosis
J81.0	Acute pulmonary edema	ICD-10-CM	Diagnosis
J81.1	Chronic pulmonary edema	ICD-10-CM	Diagnosis
COPD			
491.1	Mucopurulent chronic bronchitis	ICD-9-CM	Diagnosis
491.20	Obstructive chronic bronchitis, without exacerbation	ICD-9-CM	Diagnosis

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Exclusion Criteria in this Request

Code	Description	Code Type	Code Category
491.21	Obstructive chronic bronchitis, with (acute) exacerbation	ICD-9-CM	Diagnosis
491.22	Obstructive chronic bronchitis with acute bronchitis	ICD-9-CM	Diagnosis
491.8	Other chronic bronchitis	ICD-9-CM	Diagnosis
491.9	Unspecified chronic bronchitis	ICD-9-CM	Diagnosis
492.0	Emphysematous bleb	ICD-9-CM	Diagnosis
492.8	Other emphysema	ICD-9-CM	Diagnosis
496	Chronic airway obstruction, not elsewhere classified	ICD-9-CM	Diagnosis
J41	Simple and mucopurulent chronic bronchitis	ICD-10-CM	Diagnosis
J41.1	Mucopurulent chronic bronchitis	ICD-10-CM	Diagnosis
J41.8	Mixed simple and mucopurulent chronic bronchitis	ICD-10-CM	Diagnosis
J42	Unspecified chronic bronchitis	ICD-10-CM	Diagnosis
J43	Emphysema	ICD-10-CM	Diagnosis
J43.1	Panlobular emphysema	ICD-10-CM	Diagnosis
J43.2	Centrilobular emphysema	ICD-10-CM	Diagnosis
J43.8	Other emphysema	ICD-10-CM	Diagnosis
J43.9	Emphysema, unspecified	ICD-10-CM	Diagnosis
J44	Other chronic obstructive pulmonary disease	ICD-10-CM	Diagnosis
J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection	ICD-10-CM	Diagnosis
J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation	ICD-10-CM	Diagnosis
J44.9	Chronic obstructive pulmonary disease, unspecified	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
Respiratory Tract Infection			
041.5	Hemophilus influenzae (H. influenzae) infection in conditions classified elsewhere and of unspecified site	ICD-9-CM	Diagnosis
041.81	Mycoplasma infection in conditions classified elsewhere and of unspecified site	ICD-9-CM	Diagnosis
460	Acute nasopharyngitis (common cold)	ICD-9-CM	Diagnosis
461.0	Acute maxillary sinusitis	ICD-9-CM	Diagnosis
461	Acute sinusitis	ICD-9-CM	Diagnosis
461.1	Acute frontal sinusitis	ICD-9-CM	Diagnosis
461.2	Acute ethmoidal sinusitis	ICD-9-CM	Diagnosis
461.3	Acute sphenoidal sinusitis	ICD-9-CM	Diagnosis
461.8	Other acute sinusitis	ICD-9-CM	Diagnosis
461.9	Acute sinusitis, unspecified	ICD-9-CM	Diagnosis
462	Acute pharyngitis	ICD-9-CM	Diagnosis
463	Acute tonsillitis	ICD-9-CM	Diagnosis
464.00	Acute laryngitis, without mention of obstruction	ICD-9-CM	Diagnosis
464	Acute laryngitis and tracheitis	ICD-9-CM	Diagnosis
464.0	Acute laryngitis	ICD-9-CM	Diagnosis
464.01	Acute laryngitis, with obstruction	ICD-9-CM	Diagnosis
464.10	Acute tracheitis without mention of obstruction	ICD-9-CM	Diagnosis
464.1	Acute tracheitis	ICD-9-CM	Diagnosis
464.11	Acute tracheitis with obstruction	ICD-9-CM	Diagnosis
464.20	Acute laryngotracheitis without mention of obstruction	ICD-9-CM	Diagnosis
464.2	Acute laryngotracheitis	ICD-9-CM	Diagnosis
464.21	Acute laryngotracheitis with obstruction	ICD-9-CM	Diagnosis
464.30	Acute epiglottitis without mention of obstruction	ICD-9-CM	Diagnosis
464.3	Acute epiglottitis	ICD-9-CM	Diagnosis
464.31	Acute epiglottitis with obstruction	ICD-9-CM	Diagnosis
464.4	Croup	ICD-9-CM	Diagnosis
464.50	Unspecified supraglottitis, without mention of obstruction	ICD-9-CM	Diagnosis
464.5	Supraglottitis, unspecified	ICD-9-CM	Diagnosis
464.51	Unspecified supraglottitis, with obstruction	ICD-9-CM	Diagnosis
465.0	Acute laryngopharyngitis	ICD-9-CM	Diagnosis
465	Acute upper respiratory infections of multiple or unspecified sites	ICD-9-CM	Diagnosis
465.8	Acute upper respiratory infections of other multiple sites	ICD-9-CM	Diagnosis
465.9	Acute upper respiratory infections of unspecified site	ICD-9-CM	Diagnosis
466.0	Acute bronchitis	ICD-9-CM	Diagnosis
466	Acute bronchitis and bronchiolitis	ICD-9-CM	Diagnosis
466.1	Acute bronchiolitis	ICD-9-CM	Diagnosis
466.19	Acute bronchiolitis due to other infectious organisms	ICD-9-CM	Diagnosis
491.22	Obstructive chronic bronchitis with acute bronchitis	ICD-9-CM	Diagnosis
494.1	Bronchiectasis with acute exacerbation	ICD-9-CM	Diagnosis
519.8	Other diseases of respiratory system, not elsewhere classified	ICD-9-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
J01	Acute sinusitis	ICD-10-CM	Diagnosis
J01.0	Acute maxillary sinusitis	ICD-10-CM	Diagnosis
J01.00	Acute maxillary sinusitis, unspecified	ICD-10-CM	Diagnosis
J01.01	Acute recurrent maxillary sinusitis	ICD-10-CM	Diagnosis
J01.1	Acute frontal sinusitis	ICD-10-CM	Diagnosis
J01.10	Acute frontal sinusitis, unspecified	ICD-10-CM	Diagnosis
J01.11	Acute recurrent frontal sinusitis	ICD-10-CM	Diagnosis
J01.2	Acute ethmoidal sinusitis	ICD-10-CM	Diagnosis
J01.20	Acute ethmoidal sinusitis, unspecified	ICD-10-CM	Diagnosis
J01.21	Acute recurrent ethmoidal sinusitis	ICD-10-CM	Diagnosis
J01.3	Acute sphenoidal sinusitis	ICD-10-CM	Diagnosis
J01.30	Acute sphenoidal sinusitis, unspecified	ICD-10-CM	Diagnosis
J01.31	Acute recurrent sphenoidal sinusitis	ICD-10-CM	Diagnosis
J01.4	Acute pansinusitis	ICD-10-CM	Diagnosis
J01.40	Acute pansinusitis, unspecified	ICD-10-CM	Diagnosis
J01.41	Acute recurrent pansinusitis	ICD-10-CM	Diagnosis
J01.8	Other acute sinusitis	ICD-10-CM	Diagnosis
J01.80	Other acute sinusitis	ICD-10-CM	Diagnosis
J01.81	Other acute recurrent sinusitis	ICD-10-CM	Diagnosis
J01.9	Acute sinusitis, unspecified	ICD-10-CM	Diagnosis
J01.90	Acute sinusitis, unspecified	ICD-10-CM	Diagnosis
J01.91	Acute recurrent sinusitis, unspecified	ICD-10-CM	Diagnosis
J02	Acute pharyngitis	ICD-10-CM	Diagnosis
J02.8	Acute pharyngitis due to other specified organisms	ICD-10-CM	Diagnosis
J02.9	Acute pharyngitis, unspecified	ICD-10-CM	Diagnosis
J03	Acute tonsillitis	ICD-10-CM	Diagnosis
J03.8	Acute tonsillitis due to other specified organisms	ICD-10-CM	Diagnosis
J03.80	Acute tonsillitis due to other specified organisms	ICD-10-CM	Diagnosis
J03.81	Acute recurrent tonsillitis due to other specified organisms	ICD-10-CM	Diagnosis
J03.9	Acute tonsillitis, unspecified	ICD-10-CM	Diagnosis
J03.90	Acute tonsillitis, unspecified	ICD-10-CM	Diagnosis
J03.91	Acute recurrent tonsillitis, unspecified	ICD-10-CM	Diagnosis
J04	Acute laryngitis and tracheitis	ICD-10-CM	Diagnosis
J04.0	Acute laryngitis	ICD-10-CM	Diagnosis
J04.1	Acute tracheitis	ICD-10-CM	Diagnosis
J04.10	Acute tracheitis without obstruction	ICD-10-CM	Diagnosis
J04.11	Acute tracheitis with obstruction	ICD-10-CM	Diagnosis
J04.2	Acute laryngotracheitis	ICD-10-CM	Diagnosis
J04.3	Supraglottitis, unspecified	ICD-10-CM	Diagnosis
J04.30	Supraglottitis, unspecified, without obstruction	ICD-10-CM	Diagnosis
J04.31	Supraglottitis, unspecified, with obstruction	ICD-10-CM	Diagnosis
J05.1	Acute epiglottitis	ICD-10-CM	Diagnosis
J05.10	Acute epiglottitis without obstruction	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
J05.11	Acute epiglottitis with obstruction	ICD-10-CM	Diagnosis
J06	Acute upper respiratory infections of multiple and unspecified sites	ICD-10-CM	Diagnosis
J06.0	Acute laryngopharyngitis	ICD-10-CM	Diagnosis
J06.9	Acute upper respiratory infection, unspecified	ICD-10-CM	Diagnosis
J20	Acute bronchitis	ICD-10-CM	Diagnosis
J20.0	Acute bronchitis due to <i>Mycoplasma pneumoniae</i>	ICD-10-CM	Diagnosis
J20.1	Acute bronchitis due to <i>Hemophilus influenzae</i>	ICD-10-CM	Diagnosis
J20.8	Acute bronchitis due to other specified organisms	ICD-10-CM	Diagnosis
J20.9	Acute bronchitis, unspecified	ICD-10-CM	Diagnosis
J21	Acute bronchiolitis	ICD-10-CM	Diagnosis
J21.8	Acute bronchiolitis due to other specified organisms	ICD-10-CM	Diagnosis
J21.9	Acute bronchiolitis, unspecified	ICD-10-CM	Diagnosis
J22	Unspecified acute lower respiratory infection	ICD-10-CM	Diagnosis
J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection	ICD-10-CM	Diagnosis
J47.0	Bronchiectasis with acute lower respiratory infection	ICD-10-CM	Diagnosis
Urinary Tract Infection			
599.0	Urinary tract infection, site not specified	ICD-9-CM	Diagnosis
646.52	Asymptomatic bacteriuria in pregnancy, with delivery, with current postpartum complication	ICD-9-CM	Diagnosis
646.60	Infections of genitourinary tract in pregnancy, unspecified as to episode of care	ICD-9-CM	Diagnosis
646.61	Infections of genitourinary tract in pregnancy, with delivery	ICD-9-CM	Diagnosis
646.62	Infections of genitourinary tract in pregnancy, with delivery, with current postpartum complication	ICD-9-CM	Diagnosis
646.63	Infections of genitourinary tract antepartum	ICD-9-CM	Diagnosis
646.64	Infections of genitourinary tract in pregnancy, postpartum condition or complication	ICD-9-CM	Diagnosis
N39.0	Urinary tract infection, site not specified	ICD-10-CM	Diagnosis
O03.38	Urinary tract infection following incomplete spontaneous abortion	ICD-10-CM	Diagnosis
O03.88	Urinary tract infection following complete or unspecified spontaneous abortion	ICD-10-CM	Diagnosis
O04.88	Urinary tract infection following (induced) termination of pregnancy	ICD-10-CM	Diagnosis
O07.38	Urinary tract infection following failed attempted termination of pregnancy	ICD-10-CM	Diagnosis
O08.83	Urinary tract infection following an ectopic and molar pregnancy	ICD-10-CM	Diagnosis
O23.9	Unspecified genitourinary tract infection in pregnancy	ICD-10-CM	Diagnosis
O23.90	Unspecified genitourinary tract infection in pregnancy, unspecified trimester	ICD-10-CM	Diagnosis
O23.91	Unspecified genitourinary tract infection in pregnancy, first trimester	ICD-10-CM	Diagnosis
O23.92	Unspecified genitourinary tract infection in pregnancy, second trimester	ICD-10-CM	Diagnosis
O23.93	Unspecified genitourinary tract infection in pregnancy, third trimester	ICD-10-CM	Diagnosis
O86.2	Urinary tract infection following delivery	ICD-10-CM	Diagnosis
O86.20	Urinary tract infection following delivery, unspecified	ICD-10-CM	Diagnosis
O86.29	Other urinary tract infection following delivery	ICD-10-CM	Diagnosis
595.0	Acute cystitis	ICD-9-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
595.1	Chronic interstitial cystitis	ICD-9-CM	Diagnosis
595	Cystitis	ICD-9-CM	Diagnosis
595.81	Cystitis cystica	ICD-9-CM	Diagnosis
595.4	Cystitis in diseases classified elsewhere	ICD-9-CM	Diagnosis
595.2	Other chronic cystitis	ICD-9-CM	Diagnosis
595.8	Other specified types of cystitis	ICD-9-CM	Diagnosis
595.89	Other specified types of cystitis	ICD-9-CM	Diagnosis
601.3	Prostatocystitis	ICD-9-CM	Diagnosis
595.9	Unspecified cystitis	ICD-9-CM	Diagnosis
597.8	Other urethritis	ICD-9-CM	Diagnosis
597.89	Other urethritis	ICD-9-CM	Diagnosis
099.40	Unspecified nongonococcal urethritis (NGU)	ICD-9-CM	Diagnosis
597.80	Unspecified urethritis	ICD-9-CM	Diagnosis
597	Urethritis, not sexually transmitted, and urethral syndrome	ICD-9-CM	Diagnosis
R82.81	Pyuria	ICD-10-CM	Diagnosis
N30.0	Acute cystitis	ICD-10-CM	Diagnosis
N30.01	Acute cystitis with hematuria	ICD-10-CM	Diagnosis
N30.00	Acute cystitis without hematuria	ICD-10-CM	Diagnosis
N30	Cystitis	ICD-10-CM	Diagnosis
N30.9	Cystitis, unspecified	ICD-10-CM	Diagnosis
N30.91	Cystitis, unspecified with hematuria	ICD-10-CM	Diagnosis
N30.90	Cystitis, unspecified without hematuria	ICD-10-CM	Diagnosis
N30.2	Other chronic cystitis	ICD-10-CM	Diagnosis
N30.21	Other chronic cystitis with hematuria	ICD-10-CM	Diagnosis
N30.20	Other chronic cystitis without hematuria	ICD-10-CM	Diagnosis
N30.8	Other cystitis	ICD-10-CM	Diagnosis
N30.81	Other cystitis with hematuria	ICD-10-CM	Diagnosis
N30.80	Other cystitis without hematuria	ICD-10-CM	Diagnosis
N34.1	Nonspecific urethritis	ICD-10-CM	Diagnosis
N34.2	Other urethritis	ICD-10-CM	Diagnosis
N34	Urethritis and urethral syndrome	ICD-10-CM	Diagnosis
Otitis Media			
055.2	Postmeasles otitis media	ICD-9-CM	Diagnosis
381	Nonsuppurative otitis media and Eustachian tube disorders	ICD-9-CM	Diagnosis
381.0	Acute nonsuppurative otitis media	ICD-9-CM	Diagnosis
381.00	Unspecified acute nonsuppurative otitis media	ICD-9-CM	Diagnosis
381.01	Acute serous otitis media	ICD-9-CM	Diagnosis
381.02	Acute mucoid otitis media	ICD-9-CM	Diagnosis
381.03	Acute sanguinous otitis media	ICD-9-CM	Diagnosis
381.04	Acute allergic serous otitis media	ICD-9-CM	Diagnosis
381.05	Acute allergic mucoid otitis media	ICD-9-CM	Diagnosis
381.06	Acute allergic sanguinous otitis media	ICD-9-CM	Diagnosis
381.1	Chronic serous otitis media	ICD-9-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
381.10	Simple or unspecified chronic serous otitis media	ICD-9-CM	Diagnosis
381.19	Other chronic serous otitis media	ICD-9-CM	Diagnosis
381.2	Chronic mucoid otitis media	ICD-9-CM	Diagnosis
381.20	Simple or unspecified chronic mucoid otitis media	ICD-9-CM	Diagnosis
381.29	Other chronic mucoid otitis media	ICD-9-CM	Diagnosis
381.3	Other and unspecified chronic nonsuppurative otitis media	ICD-9-CM	Diagnosis
381.4	Nonsuppurative otitis media, not specified as acute or chronic	ICD-9-CM	Diagnosis
382	Suppurative and unspecified otitis media	ICD-9-CM	Diagnosis
382.0	Acute suppurative otitis media	ICD-9-CM	Diagnosis
382.00	Acute suppurative otitis media without spontaneous rupture of eardrum	ICD-9-CM	Diagnosis
382.01	Acute suppurative otitis media with spontaneous rupture of eardrum	ICD-9-CM	Diagnosis
382.02	Acute suppurative otitis media in diseases classified elsewhere	ICD-9-CM	Diagnosis
382.1	Chronic tubotympanic suppurative otitis media	ICD-9-CM	Diagnosis
382.2	Chronic atticofurcal suppurative otitis media	ICD-9-CM	Diagnosis
382.3	Unspecified chronic suppurative otitis media	ICD-9-CM	Diagnosis
382.4	Unspecified suppurative otitis media	ICD-9-CM	Diagnosis
382.9	Unspecified otitis media	ICD-9-CM	Diagnosis
B05.3	Measles complicated by otitis media	ICD-10-CM	Diagnosis
H65	Nonsuppurative otitis media	ICD-10-CM	Diagnosis
H65.0	Acute serous otitis media	ICD-10-CM	Diagnosis
H65.00	Acute serous otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.01	Acute serous otitis media, right ear	ICD-10-CM	Diagnosis
H65.02	Acute serous otitis media, left ear	ICD-10-CM	Diagnosis
H65.03	Acute serous otitis media, bilateral	ICD-10-CM	Diagnosis
H65.04	Acute serous otitis media, recurrent, right ear	ICD-10-CM	Diagnosis
H65.05	Acute serous otitis media, recurrent, left ear	ICD-10-CM	Diagnosis
H65.06	Acute serous otitis media, recurrent, bilateral	ICD-10-CM	Diagnosis
H65.07	Acute serous otitis media, recurrent, unspecified ear	ICD-10-CM	Diagnosis
H65.1	Other acute nonsuppurative otitis media	ICD-10-CM	Diagnosis
H65.11	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous)	ICD-10-CM	Diagnosis
H65.111	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), right ear	ICD-10-CM	Diagnosis
H65.112	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), left ear	ICD-10-CM	Diagnosis
H65.113	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), bilateral	ICD-10-CM	Diagnosis
H65.114	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, right ear	ICD-10-CM	Diagnosis
H65.115	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, left ear	ICD-10-CM	Diagnosis
H65.116	Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, bilateral	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
H65.117	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), recurrent, unspecified ear	ICD-10-CM	Diagnosis
H65.119	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), unspecified ear	ICD-10-CM	Diagnosis
H65.19	Other acute nonsuppurative otitis media	ICD-10-CM	Diagnosis
H65.191	Other acute nonsuppurative otitis media, right ear	ICD-10-CM	Diagnosis
H65.192	Other acute nonsuppurative otitis media, left ear	ICD-10-CM	Diagnosis
H65.193	Other acute nonsuppurative otitis media, bilateral	ICD-10-CM	Diagnosis
H65.194	Other acute nonsuppurative otitis media, recurrent, right ear	ICD-10-CM	Diagnosis
H65.195	Other acute nonsuppurative otitis media, recurrent, left ear	ICD-10-CM	Diagnosis
H65.196	Other acute nonsuppurative otitis media, recurrent, bilateral	ICD-10-CM	Diagnosis
H65.197	Other acute nonsuppurative otitis media recurrent, unspecified ear	ICD-10-CM	Diagnosis
H65.199	Other acute nonsuppurative otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.2	Chronic serous otitis media	ICD-10-CM	Diagnosis
H65.20	Chronic serous otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.21	Chronic serous otitis media, right ear	ICD-10-CM	Diagnosis
H65.22	Chronic serous otitis media, left ear	ICD-10-CM	Diagnosis
H65.23	Chronic serous otitis media, bilateral	ICD-10-CM	Diagnosis
H65.3	Chronic muroid otitis media	ICD-10-CM	Diagnosis
H65.30	Chronic muroid otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.31	Chronic muroid otitis media, right ear	ICD-10-CM	Diagnosis
H65.32	Chronic muroid otitis media, left ear	ICD-10-CM	Diagnosis
H65.33	Chronic muroid otitis media, bilateral	ICD-10-CM	Diagnosis
H65.4	Other chronic nonsuppurative otitis media	ICD-10-CM	Diagnosis
H65.41	Chronic allergic otitis media	ICD-10-CM	Diagnosis
H65.411	Chronic allergic otitis media, right ear	ICD-10-CM	Diagnosis
H65.412	Chronic allergic otitis media, left ear	ICD-10-CM	Diagnosis
H65.413	Chronic allergic otitis media, bilateral	ICD-10-CM	Diagnosis
H65.419	Chronic allergic otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.49	Other chronic nonsuppurative otitis media	ICD-10-CM	Diagnosis
H65.491	Other chronic nonsuppurative otitis media, right ear	ICD-10-CM	Diagnosis
H65.492	Other chronic nonsuppurative otitis media, left ear	ICD-10-CM	Diagnosis
H65.493	Other chronic nonsuppurative otitis media, bilateral	ICD-10-CM	Diagnosis
H65.499	Other chronic nonsuppurative otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.9	Unspecified nonsuppurative otitis media	ICD-10-CM	Diagnosis
H65.90	Unspecified nonsuppurative otitis media, unspecified ear	ICD-10-CM	Diagnosis
H65.91	Unspecified nonsuppurative otitis media, right ear	ICD-10-CM	Diagnosis
H65.92	Unspecified nonsuppurative otitis media, left ear	ICD-10-CM	Diagnosis
H65.93	Unspecified nonsuppurative otitis media, bilateral	ICD-10-CM	Diagnosis
H66	Suppurative and unspecified otitis media	ICD-10-CM	Diagnosis
H66.0	Acute suppurative otitis media	ICD-10-CM	Diagnosis
H66.00	Acute suppurative otitis media without spontaneous rupture of ear drum	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
H66.001	Acute suppurative otitis media without spontaneous rupture of ear drum, right ear	ICD-10-CM	Diagnosis
H66.002	Acute suppurative otitis media without spontaneous rupture of ear drum, left ear	ICD-10-CM	Diagnosis
H66.003	Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral	ICD-10-CM	Diagnosis
H66.004	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear	ICD-10-CM	Diagnosis
H66.005	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear	ICD-10-CM	Diagnosis
H66.006	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral	ICD-10-CM	Diagnosis
H66.007	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear	ICD-10-CM	Diagnosis
H66.009	Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear	ICD-10-CM	Diagnosis
H66.01	Acute suppurative otitis media with spontaneous rupture of ear drum	ICD-10-CM	Diagnosis
H66.011	Acute suppurative otitis media with spontaneous rupture of ear drum, right ear	ICD-10-CM	Diagnosis
H66.012	Acute suppurative otitis media with spontaneous rupture of ear drum, left ear	ICD-10-CM	Diagnosis
H66.013	Acute suppurative otitis media with spontaneous rupture of ear drum, bilateral	ICD-10-CM	Diagnosis
H66.014	Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, right ear	ICD-10-CM	Diagnosis
H66.015	Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, left ear	ICD-10-CM	Diagnosis
H66.016	Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, bilateral	ICD-10-CM	Diagnosis
H66.017	Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, unspecified ear	ICD-10-CM	Diagnosis
H66.019	Acute suppurative otitis media with spontaneous rupture of ear drum, unspecified ear	ICD-10-CM	Diagnosis
H66.1	Chronic tubotympanic suppurative otitis media	ICD-10-CM	Diagnosis
H66.10	Chronic tubotympanic suppurative otitis media, unspecified	ICD-10-CM	Diagnosis
H66.11	Chronic tubotympanic suppurative otitis media, right ear	ICD-10-CM	Diagnosis
H66.12	Chronic tubotympanic suppurative otitis media, left ear	ICD-10-CM	Diagnosis
H66.13	Chronic tubotympanic suppurative otitis media, bilateral	ICD-10-CM	Diagnosis
H66.2	Chronic atticoantral suppurative otitis media	ICD-10-CM	Diagnosis
H66.20	Chronic atticoantral suppurative otitis media, unspecified ear	ICD-10-CM	Diagnosis
H66.21	Chronic atticoantral suppurative otitis media, right ear	ICD-10-CM	Diagnosis
H66.22	Chronic atticoantral suppurative otitis media, left ear	ICD-10-CM	Diagnosis
H66.23	Chronic atticoantral suppurative otitis media, bilateral	ICD-10-CM	Diagnosis
H66.3	Other chronic suppurative otitis media	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
H66.3X	Other chronic suppurative otitis media	ICD-10-CM	Diagnosis
H66.3X1	Other chronic suppurative otitis media, right ear	ICD-10-CM	Diagnosis
H66.3X2	Other chronic suppurative otitis media, left ear	ICD-10-CM	Diagnosis
H66.3X3	Other chronic suppurative otitis media, bilateral	ICD-10-CM	Diagnosis
H66.3X9	Other chronic suppurative otitis media, unspecified ear	ICD-10-CM	Diagnosis
H66.4	Suppurative otitis media, unspecified	ICD-10-CM	Diagnosis
H66.40	Suppurative otitis media, unspecified, unspecified ear	ICD-10-CM	Diagnosis
H66.41	Suppurative otitis media, unspecified, right ear	ICD-10-CM	Diagnosis
H66.42	Suppurative otitis media, unspecified, left ear	ICD-10-CM	Diagnosis
H66.43	Suppurative otitis media, unspecified, bilateral	ICD-10-CM	Diagnosis
H66.9	Otitis media, unspecified	ICD-10-CM	Diagnosis
H66.90	Otitis media, unspecified, unspecified ear	ICD-10-CM	Diagnosis
H66.91	Otitis media, unspecified, right ear	ICD-10-CM	Diagnosis
H66.92	Otitis media, unspecified, left ear	ICD-10-CM	Diagnosis
H66.93	Otitis media, unspecified, bilateral	ICD-10-CM	Diagnosis
H67	Otitis media in diseases classified elsewhere	ICD-10-CM	Diagnosis
H67.1	Otitis media in diseases classified elsewhere, right ear	ICD-10-CM	Diagnosis
H67.2	Otitis media in diseases classified elsewhere, left ear	ICD-10-CM	Diagnosis
H67.3	Otitis media in diseases classified elsewhere, bilateral	ICD-10-CM	Diagnosis
H67.9	Otitis media in diseases classified elsewhere, unspecified ear	ICD-10-CM	Diagnosis
H73.091	Other acute myringitis, right ear	ICD-10-CM	Diagnosis
H73.092	Other acute myringitis, left ear	ICD-10-CM	Diagnosis
H73.093	Other acute myringitis, bilateral	ICD-10-CM	Diagnosis
H73.099	Other acute myringitis, unspecified ear	ICD-10-CM	Diagnosis
Acne			
706.0	Acne varioliformis	ICD-9-CM	Diagnosis
706.1	Other acne	ICD-9-CM	Diagnosis
L70	Acne	ICD-10-CM	Diagnosis
L70.0	Acne vulgaris	ICD-10-CM	Diagnosis
L70.1	Acne conglobata	ICD-10-CM	Diagnosis
L70.2	Acne varioliformis	ICD-10-CM	Diagnosis
L70.3	Acne tropica	ICD-10-CM	Diagnosis
L70.4	Infantile acne	ICD-10-CM	Diagnosis
L70.5	Acne excoriee	ICD-10-CM	Diagnosis
L70.8	Other acne	ICD-10-CM	Diagnosis
L70.9	Acne, unspecified	ICD-10-CM	Diagnosis
L73.0	Acne keloid	ICD-10-CM	Diagnosis
Well-Check Visits			
99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)	CPT-4	Procedure

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)	CPT-4	Procedure
99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)	CPT-4	Procedure
99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)	CPT-4	Procedure
99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years	CPT-4	Procedure
99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)	CPT-4	Procedure
99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)	CPT-4	Procedure
99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)	CPT-4	Procedure
99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)	CPT-4	Procedure
99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years	CPT-4	Procedure

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
V20.2	Routine infant or child health check	ICD-9-CM	Diagnosis
Z00.121	Encounter for routine child health examination with abnormal findings	ICD-10-CM	Diagnosis
Z00.129	Encounter for routine child health examination without abnormal findings	ICD-10-CM	Diagnosis
Skin Abscess			
680.0	Carbuncle and furuncle of face	ICD-9-CM	Diagnosis
680.1	Carbuncle and furuncle of neck	ICD-9-CM	Diagnosis
680.2	Carbuncle and furuncle of trunk	ICD-9-CM	Diagnosis
680.3	Carbuncle and furuncle of upper arm and forearm	ICD-9-CM	Diagnosis
680.4	Carbuncle and furuncle of hand	ICD-9-CM	Diagnosis
680.5	Carbuncle and furuncle of buttock	ICD-9-CM	Diagnosis
680.6	Carbuncle and furuncle of leg, except foot	ICD-9-CM	Diagnosis
680.7	Carbuncle and furuncle of foot	ICD-9-CM	Diagnosis
680.8	Carbuncle and furuncle of other specified sites	ICD-9-CM	Diagnosis
680.9	Carbuncle and furuncle of unspecified site	ICD-9-CM	Diagnosis
681.00	Unspecified cellulitis and abscess of finger	ICD-9-CM	Diagnosis
681.10	Unspecified cellulitis and abscess of toe	ICD-9-CM	Diagnosis
682.0	Cellulitis and abscess of face	ICD-9-CM	Diagnosis
682.1	Cellulitis and abscess of neck	ICD-9-CM	Diagnosis
682.2	Cellulitis and abscess of trunk	ICD-9-CM	Diagnosis
682.3	Cellulitis and abscess of upper arm and forearm	ICD-9-CM	Diagnosis
682.4	Cellulitis and abscess of hand, except fingers and thumb	ICD-9-CM	Diagnosis
682.5	Cellulitis and abscess of buttock	ICD-9-CM	Diagnosis
682.6	Cellulitis and abscess of leg, except foot	ICD-9-CM	Diagnosis
682.7	Cellulitis and abscess of foot, except toes	ICD-9-CM	Diagnosis
682.8	Cellulitis and abscess of other specified site	ICD-9-CM	Diagnosis
682.9	Cellulitis and abscess of unspecified site	ICD-9-CM	Diagnosis
L02	Cutaneous abscess, furuncle and carbuncle	ICD-10-CM	Diagnosis
L02.0	Cutaneous abscess, furuncle and carbuncle of face	ICD-10-CM	Diagnosis
L02.01	Cutaneous abscess of face	ICD-10-CM	Diagnosis
L02.02	Furuncle of face	ICD-10-CM	Diagnosis
L02.03	Carbuncle of face	ICD-10-CM	Diagnosis
L02.1	Cutaneous abscess, furuncle and carbuncle of neck	ICD-10-CM	Diagnosis
L02.11	Cutaneous abscess of neck	ICD-10-CM	Diagnosis
L02.12	Furuncle of neck	ICD-10-CM	Diagnosis
L02.13	Carbuncle of neck	ICD-10-CM	Diagnosis
L02.2	Cutaneous abscess, furuncle and carbuncle of trunk	ICD-10-CM	Diagnosis
L02.21	Cutaneous abscess of trunk	ICD-10-CM	Diagnosis
L02.211	Cutaneous abscess of abdominal wall	ICD-10-CM	Diagnosis
L02.212	Cutaneous abscess of back [any part, except buttock]	ICD-10-CM	Diagnosis
L02.213	Cutaneous abscess of chest wall	ICD-10-CM	Diagnosis
L02.214	Cutaneous abscess of groin	ICD-10-CM	Diagnosis
L02.215	Cutaneous abscess of perineum	ICD-10-CM	Diagnosis
L02.216	Cutaneous abscess of umbilicus	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
L02.219	Cutaneous abscess of trunk, unspecified	ICD-10-CM	Diagnosis
L02.22	Furuncle of trunk	ICD-10-CM	Diagnosis
L02.221	Furuncle of abdominal wall	ICD-10-CM	Diagnosis
L02.222	Furuncle of back [any part, except buttock]	ICD-10-CM	Diagnosis
L02.223	Furuncle of chest wall	ICD-10-CM	Diagnosis
L02.224	Furuncle of groin	ICD-10-CM	Diagnosis
L02.225	Furuncle of perineum	ICD-10-CM	Diagnosis
L02.226	Furuncle of umbilicus	ICD-10-CM	Diagnosis
L02.229	Furuncle of trunk, unspecified	ICD-10-CM	Diagnosis
L02.23	Carbuncle of trunk	ICD-10-CM	Diagnosis
L02.231	Carbuncle of abdominal wall	ICD-10-CM	Diagnosis
L02.232	Carbuncle of back [any part, except buttock]	ICD-10-CM	Diagnosis
L02.233	Carbuncle of chest wall	ICD-10-CM	Diagnosis
L02.234	Carbuncle of groin	ICD-10-CM	Diagnosis
L02.235	Carbuncle of perineum	ICD-10-CM	Diagnosis
L02.236	Carbuncle of umbilicus	ICD-10-CM	Diagnosis
L02.239	Carbuncle of trunk, unspecified	ICD-10-CM	Diagnosis
L02.3	Cutaneous abscess, furuncle and carbuncle of buttock	ICD-10-CM	Diagnosis
L02.31	Cutaneous abscess of buttock	ICD-10-CM	Diagnosis
L02.32	Furuncle of buttock	ICD-10-CM	Diagnosis
L02.33	Carbuncle of buttock	ICD-10-CM	Diagnosis
L02.4	Cutaneous abscess, furuncle and carbuncle of limb	ICD-10-CM	Diagnosis
L02.41	Cutaneous abscess of limb	ICD-10-CM	Diagnosis
L02.411	Cutaneous abscess of right axilla	ICD-10-CM	Diagnosis
L02.412	Cutaneous abscess of left axilla	ICD-10-CM	Diagnosis
L02.413	Cutaneous abscess of right upper limb	ICD-10-CM	Diagnosis
L02.414	Cutaneous abscess of left upper limb	ICD-10-CM	Diagnosis
L02.415	Cutaneous abscess of right lower limb	ICD-10-CM	Diagnosis
L02.416	Cutaneous abscess of left lower limb	ICD-10-CM	Diagnosis
L02.419	Cutaneous abscess of limb, unspecified	ICD-10-CM	Diagnosis
L02.42	Furuncle of limb	ICD-10-CM	Diagnosis
L02.421	Furuncle of right axilla	ICD-10-CM	Diagnosis
L02.422	Furuncle of left axilla	ICD-10-CM	Diagnosis
L02.423	Furuncle of right upper limb	ICD-10-CM	Diagnosis
L02.424	Furuncle of left upper limb	ICD-10-CM	Diagnosis
L02.425	Furuncle of right lower limb	ICD-10-CM	Diagnosis
L02.426	Furuncle of left lower limb	ICD-10-CM	Diagnosis
L02.429	Furuncle of limb, unspecified	ICD-10-CM	Diagnosis
L02.43	Carbuncle of limb	ICD-10-CM	Diagnosis
L02.431	Carbuncle of right axilla	ICD-10-CM	Diagnosis
L02.432	Carbuncle of left axilla	ICD-10-CM	Diagnosis
L02.433	Carbuncle of right upper limb	ICD-10-CM	Diagnosis
L02.434	Carbuncle of left upper limb	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
L02.435	Carbuncle of right lower limb	ICD-10-CM	Diagnosis
L02.436	Carbuncle of left lower limb	ICD-10-CM	Diagnosis
L02.439	Carbuncle of limb, unspecified	ICD-10-CM	Diagnosis
L02.5	Cutaneous abscess, furuncle and carbuncle of hand	ICD-10-CM	Diagnosis
L02.51	Cutaneous abscess of hand	ICD-10-CM	Diagnosis
L02.511	Cutaneous abscess of right hand	ICD-10-CM	Diagnosis
L02.512	Cutaneous abscess of left hand	ICD-10-CM	Diagnosis
L02.519	Cutaneous abscess of unspecified hand	ICD-10-CM	Diagnosis
L02.52	Furuncle hand	ICD-10-CM	Diagnosis
L02.521	Furuncle right hand	ICD-10-CM	Diagnosis
L02.522	Furuncle left hand	ICD-10-CM	Diagnosis
L02.529	Furuncle unspecified hand	ICD-10-CM	Diagnosis
L02.53	Carbuncle of hand	ICD-10-CM	Diagnosis
L02.531	Carbuncle of right hand	ICD-10-CM	Diagnosis
L02.532	Carbuncle of left hand	ICD-10-CM	Diagnosis
L02.539	Carbuncle of unspecified hand	ICD-10-CM	Diagnosis
L02.6	Cutaneous abscess, furuncle and carbuncle of foot	ICD-10-CM	Diagnosis
L02.61	Cutaneous abscess of foot	ICD-10-CM	Diagnosis
L02.611	Cutaneous abscess of right foot	ICD-10-CM	Diagnosis
L02.612	Cutaneous abscess of left foot	ICD-10-CM	Diagnosis
L02.619	Cutaneous abscess of unspecified foot	ICD-10-CM	Diagnosis
L02.62	Furuncle of foot	ICD-10-CM	Diagnosis
L02.621	Furuncle of right foot	ICD-10-CM	Diagnosis
L02.622	Furuncle of left foot	ICD-10-CM	Diagnosis
L02.629	Furuncle of unspecified foot	ICD-10-CM	Diagnosis
L02.63	Carbuncle of foot	ICD-10-CM	Diagnosis
L02.631	Carbuncle of right foot	ICD-10-CM	Diagnosis
L02.632	Carbuncle of left foot	ICD-10-CM	Diagnosis
L02.639	Carbuncle of unspecified foot	ICD-10-CM	Diagnosis
L02.8	Cutaneous abscess, furuncle and carbuncle of other sites	ICD-10-CM	Diagnosis
L02.81	Cutaneous abscess of other sites	ICD-10-CM	Diagnosis
L02.811	Cutaneous abscess of head [any part, except face]	ICD-10-CM	Diagnosis
L02.818	Cutaneous abscess of other sites	ICD-10-CM	Diagnosis
L02.82	Furuncle of other sites	ICD-10-CM	Diagnosis
L02.821	Furuncle of head [any part, except face]	ICD-10-CM	Diagnosis
L02.828	Furuncle of other sites	ICD-10-CM	Diagnosis
L02.83	Carbuncle of other sites	ICD-10-CM	Diagnosis
L02.831	Carbuncle of head [any part, except face]	ICD-10-CM	Diagnosis
L02.838	Carbuncle of other sites	ICD-10-CM	Diagnosis
L02.9	Cutaneous abscess, furuncle and carbuncle, unspecified	ICD-10-CM	Diagnosis
L02.91	Cutaneous abscess, unspecified	ICD-10-CM	Diagnosis
L02.92	Furuncle, unspecified	ICD-10-CM	Diagnosis
L02.93	Carbuncle, unspecified	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
681	Cellulitis and abscess of finger and toe	ICD-9-CM	Diagnosis
681.0	Cellulitis and abscess of finger	ICD-9-CM	Diagnosis
681.01	Felon	ICD-9-CM	Diagnosis
681.02	Onychia and paronychia of finger	ICD-9-CM	Diagnosis
681.1	Cellulitis and abscess of toe	ICD-9-CM	Diagnosis
681.11	Onychia and paronychia of toe	ICD-9-CM	Diagnosis
681.9	Cellulitis and abscess of unspecified digit	ICD-9-CM	Diagnosis
682	Other cellulitis and abscess	ICD-9-CM	Diagnosis
685.0	Pilonidal cyst with abscess	ICD-9-CM	Diagnosis
K12.2	Cellulitis and abscess of mouth	ICD-10-CM	Diagnosis
L03.011	Cellulitis of right finger	ICD-10-CM	Diagnosis
L03.012	Cellulitis of left finger	ICD-10-CM	Diagnosis
L03.019	Cellulitis of unspecified finger	ICD-10-CM	Diagnosis
L03.021	Acute lymphangitis of right finger	ICD-10-CM	Diagnosis
L03.022	Acute lymphangitis of left finger	ICD-10-CM	Diagnosis
L03.029	Acute lymphangitis of unspecified finger	ICD-10-CM	Diagnosis
L03.031	Cellulitis of right toe	ICD-10-CM	Diagnosis
L03.032	Cellulitis of left toe	ICD-10-CM	Diagnosis
L03.039	Cellulitis of unspecified toe	ICD-10-CM	Diagnosis
L03.041	Acute lymphangitis of right toe	ICD-10-CM	Diagnosis
L03.042	Acute lymphangitis of left toe	ICD-10-CM	Diagnosis
L03.049	Acute lymphangitis of unspecified toe	ICD-10-CM	Diagnosis
L03.111	Cellulitis of right axilla	ICD-10-CM	Diagnosis
L03.112	Cellulitis of left axilla	ICD-10-CM	Diagnosis
L03.113	Cellulitis of right upper limb	ICD-10-CM	Diagnosis
L03.114	Cellulitis of left upper limb	ICD-10-CM	Diagnosis
L03.115	Cellulitis of right lower limb	ICD-10-CM	Diagnosis
L03.116	Cellulitis of left lower limb	ICD-10-CM	Diagnosis
L03.119	Cellulitis of unspecified part of limb	ICD-10-CM	Diagnosis
L03.121	Acute lymphangitis of right axilla	ICD-10-CM	Diagnosis
L03.122	Acute lymphangitis of left axilla	ICD-10-CM	Diagnosis
L03.123	Acute lymphangitis of right upper limb	ICD-10-CM	Diagnosis
L03.124	Acute lymphangitis of left upper limb	ICD-10-CM	Diagnosis
L03.125	Acute lymphangitis of right lower limb	ICD-10-CM	Diagnosis
L03.126	Acute lymphangitis of left lower limb	ICD-10-CM	Diagnosis
L03.129	Acute lymphangitis of unspecified part of limb	ICD-10-CM	Diagnosis
L03.211	Cellulitis of face	ICD-10-CM	Diagnosis
L03.221	Cellulitis of neck	ICD-10-CM	Diagnosis
L03.222	Acute lymphangitis of neck	ICD-10-CM	Diagnosis
L03.311	Cellulitis of abdominal wall	ICD-10-CM	Diagnosis
L03.312	Cellulitis of back [any part except buttock]	ICD-10-CM	Diagnosis
L03.313	Cellulitis of chest wall	ICD-10-CM	Diagnosis
L03.314	Cellulitis of groin	ICD-10-CM	Diagnosis

Appendix E. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis and Procedure Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Baseline Characteristics in this Request

Code	Description	Code Type	Code Category
L03.315	Cellulitis of perineum	ICD-10-CM	Diagnosis
L03.316	Cellulitis of umbilicus	ICD-10-CM	Diagnosis
L03.317	Cellulitis of buttock	ICD-10-CM	Diagnosis
L03.319	Cellulitis of trunk, unspecified	ICD-10-CM	Diagnosis
L03.321	Acute lymphangitis of abdominal wall	ICD-10-CM	Diagnosis
L03.322	Acute lymphangitis of back [any part except buttock]	ICD-10-CM	Diagnosis
L03.323	Acute lymphangitis of chest wall	ICD-10-CM	Diagnosis
L03.324	Acute lymphangitis of groin	ICD-10-CM	Diagnosis
L03.325	Acute lymphangitis of perineum	ICD-10-CM	Diagnosis
L03.326	Acute lymphangitis of umbilicus	ICD-10-CM	Diagnosis
L03.327	Acute lymphangitis of buttock	ICD-10-CM	Diagnosis
L03.329	Acute lymphangitis of trunk, unspecified	ICD-10-CM	Diagnosis
L03.811	Cellulitis of head [any part, except face]	ICD-10-CM	Diagnosis
L03.818	Cellulitis of other sites	ICD-10-CM	Diagnosis
L03.891	Acute lymphangitis of head [any part, except face]	ICD-10-CM	Diagnosis
L03.898	Acute lymphangitis of other sites	ICD-10-CM	Diagnosis
L03.90	Cellulitis, unspecified	ICD-10-CM	Diagnosis
L03.91	Acute lymphangitis, unspecified	ICD-10-CM	Diagnosis
L05.01	Pilonidal cyst with abscess	ICD-10-CM	Diagnosis
L05.02	Pilonidal sinus with abscess	ICD-10-CM	Diagnosis
Rectal Abscess			
566	Abscess of anal and rectal regions	ICD-9-CM	Diagnosis
K61	Abscess of anal and rectal regions	ICD-10-CM	Diagnosis
K61.0	Anal abscess	ICD-10-CM	Diagnosis
K61.1	Rectal abscess	ICD-10-CM	Diagnosis
K61.2	Anorectal abscess	ICD-10-CM	Diagnosis

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Buf Acne Cleansing Bar	soap
Acne-Aid Detergent	soap
Propa pH Acne Med Max St	salicylic acid
Propa pH Peel-Off Acne Mask	salicylic acid
Acne Wash	salicylic acid
Aveeno Acne Cleanser	salicylic acid
Advanced Acne Spot Treatment	salicylic acid
Acne Spot Treatment	salicylic acid
Neutrogena Acne Cleansing Soap	soap
Neutrogena Oil-Free Acne Wash	salicylic acid
Rapid Clear Acne Spot Gel	salicylic acid
Accutane	isotretinoin
Cleocin T	clindamycin phosphate
Erymax	erythromycin base in ethanol
Aczone	dapsone
Erygel	erythromycin base in ethanol
Azelex	azelaic acid
A/T/S	erythromycin base in ethanol
Retin-A	tretinoin
Retin-A Micro	tretinoin microspheres
Retin-A Micro Pump	tretinoin microspheres
Erycette	erythromycin base in ethanol
Sulforcin	resorcinol/sulfur
Seba-Gel	benzoyl peroxide
Vanoxide-HC	benzoyl peroxide/hydrocortisone
Benzagel-5	benzoyl peroxide
Benzagel-10	benzoyl peroxide
Benzagel Wash	benzoyl peroxide
Benzaclin	clindamycin phosphate/benzoyl peroxide
Benzaclin Pump	clindamycin phosphate/benzoyl peroxide
Benzaclin Carekit	clindamycin phosphate/benzoyl peroxide/hyaluronate sodium
Benzamycin	erythromycin base/benzoyl peroxide
BenzamycinPak	erythromycin base/benzoyl peroxide
Klaron	sulfacetamide sodium
Desquam-X	benzoyl peroxide
Desquam-E	benzoyl peroxide
Staticin	erythromycin base in ethanol
T-Stat	erythromycin base in ethanol
Eryderm	erythromycin base in ethanol
Clindamycin Phosphate	clindamycin phosphate
Minocycline	minocycline HCl
Adapalene	adapalene
Tretinoin	tretinoin
Bensulfoid	resorcinol/sulfur

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Fabior	tazarotene
Veltin	clindamycin phosphate/tretinoin
Panoxyl	benzoyl peroxide
Brevoxyl-4 Cleansing	benzoyl peroxide
Duac CS	Clindamycin Phosphate/Benzoyl Peroxide/Skin Cleanser No.5
Duac	clindamycin phosphate/benzoyl peroxide
Brevoxyl-4	benzoyl peroxide
Panoxyl AQ	benzoyl peroxide
Brevoxyl-8	benzoyl peroxide
Brevoxyl-8 Cleansing	benzoyl peroxide
Clindets	clindamycin phosphate
Brevoxyl-4 Creamy Wash	benzoyl peroxide
Brevoxyl-8 Creamy Wash	benzoyl peroxide
Brevoxyl-4 Complete Pack	benzoyl peroxide
Brevoxyl-4 Acne Wash Kit	benzoyl peroxide & skin cleanser combination no.5
Brevoxyl-8 Acne Wash Kit	benzoyl peroxide & skin cleanser combination no.5
Brevoxyl-8 Complete Pack	benzoyl peroxide
PanOxyl-4	benzoyl peroxide
PanOxyl-8	benzoyl peroxide
Benoxyl 10	benzoyl peroxide
Benoxyl 5	benzoyl peroxide
Sulfoxyl Regular	benzoyl peroxide/sulfur
Sulfoxyl Strong	benzoyl peroxide/sulfur
Benzoyl Peroxide-Urea	benzoyl peroxide/urea
Emgel	erythromycin base in ethanol
Benzoyl Peroxide	benzoyl peroxide
Acne-5	benzoyl peroxide
Acne-10	benzoyl peroxide
Altreno	tretinoin
AcneFree Acne Clearing System	benzoyl peroxide microspheres/skin cleanser comb.no.24
AcneFree Severe Acne Clearing	benzoyl peroxide micros/skin cleanser no.24/emollient no.100
Onexton	clindamycin phosphate/benzoyl peroxide
Altinac	tretinoin
Benzac W	benzoyl peroxide
Benzac AC	benzoyl peroxide
Benzac AC Wash	benzoyl peroxide
Benzac	benzoyl peroxide
Benzac W Wash	benzoyl peroxide
Clindagel	clindamycin phosphate
Differin	adapalene
Epiduo Forte	adapalene/benzoyl peroxide
Epiduo	adapalene/benzoyl peroxide
Aklief	trifarotene
Del-Aqua	benzoyl peroxide

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Avita	tretinoin
Amnesteem	isotretinoin
Clindamycin-Benzoyl Peroxide	clindamycin phosphate/benzoyl peroxide
Sulfur Sublimed (bulk)	sulfur sublimed
Acnotex	resorcinol/sulfur
Therac	sulfur
Sulmasque	sulfur
ClindaMax	clindamycin phosphate
Adapalene-Benzoyl Peroxide	adapalene/benzoyl peroxide
Clindamycin-Tretinoin	clindamycin phosphate/tretinoin
Clinac BPO	benzoyl peroxide
OC8	benzoyl peroxide
Acne Medication	benzoyl peroxide
Claravis	isotretinoin
Erythra-Derm	erythromycin base in ethanol
Clinda-Derm	clindamycin phosphate
Maximum Strength Acne Pads	salicylic acid
Acne Treatment (benzoyl perox)	benzoyl peroxide
Plixda	adapalene
Akne-Drying	salicylic acid/zinc oxide/urea/sulfur/benzalkonium
Akne Ph	salicylic acid/zinc oxide/urea/sulfur/benzalkonium
Oxy Balance Night Formula	benzoyl peroxide
Oxy 10 Balance Medic Face Wash	benzoyl peroxide
Oxy Balance Facial Clean Wash	salicylic acid
Oxy Balance Deep Pore Cleanser	salicylic acid
Oxy Balance	salicylic acid
Oxy Balance Gentle	salicylic acid
Oxy Balance Maximum	salicylic acid
Oxy-5	benzoyl peroxide
Oxy Scrub	sodium perborate
Oxy 10 Balance Emergency Treat	benzoyl peroxide
Oxy Balance Spot Treatment	benzoyl peroxide
Persa-Gel	benzoyl peroxide
Clean and Clear Persa-Gel ExSt	benzoyl peroxide
Acne Cream	resorcinol/colloidal oatmeal/benzalkonium
Stri-Dex	salicylic acid
Skin Success Anti-Acne	sulfur
Propa pH Acne Med Cleansing	salicylic acid
Propa pH Astringent	salicylic acid
Propa pH Foaming Face Wash	salicylic acid
Sulfoam	sulfur
Sulpho-Lac Medicated Soap	sulfur
ZoDerm	benzoyl peroxide/urea
ZoDerm REDI-PADS	benzoyl peroxide/urea
Benzashave-5	benzoyl peroxide

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Benzashave-10	benzoyl peroxide
Absorica	isotretinoin
Ximino	minocycline HCl
Sotret	isotretinoin
Neutrogena Acne Mask	benzoyl peroxide
NeoBenz Micro SD	benzoyl peroxide microspheres
Neobenz Micro Wash Plus Pack	benzoyl peroxide microspheres
Binora	benzoyl peroxide
Medicated Cleansing Pads	salicylic acid
Loroxide	benzoyl peroxide
Liquimat	sulfur/alcohol
Vanoxide-HC	benzoyl peroxide/hydrocortisone/skin cleanser comb no.14
Daylogic Acne Foaming Wash	benzoyl peroxide
Acne Cleanser	salicylic acid
Acne Pads	salicylic acid
Acne Vanishing	benzoyl peroxide
Acne Pimple Medicine	benzoyl peroxide
Benziq	benzoyl peroxide/aloe vera
Benziq LS	benzoyl peroxide/aloe vera
Atralin	tretinoin
Acanya	clindamycin phosphate/benzoyl peroxide
TL 4.25% BPO MX	benzoyl peroxide
SE BPO	benzoyl peroxide microspheres
Emcin Clear Pledgets	erythromycin base in ethanol
TRETIN-X Cream Kit	tretinoin/emollient combination no.9/skin cleanser no.1
TRETIN-X (gel)	tretinoin/emollient combination no.9/skin cleanser no.1/gel
Minocin Prof Acne Care	minocycline HCl/emol comb no.16/skin clnsr I4/top agent no.3
Minocin Kit with Wipes	minocycline HCl/wipes with skin cleanser no.4
Breze	benzoyl peroxide/blemish concealer
Seysara	sarecycline HCl
Dapsone	dapsone
BenzEFoam	benzoyl peroxide
BenzEFoam Ultra	benzoyl peroxide
TRETIN-X	tretinoin
Sodium Perborate (bulk)	sodium perborate
Fostex Medicated Cleansing	salicylic acid/soap/sulfur
Fostex	benzoyl peroxide
Cleanse And Treat	salicylic acid/benzoyl peroxide
Cleanse and Treat Plus	salicylic acid/benzoyl peroxide/emollient combination no.47
Acne 10	benzoyl peroxide
Sulfur Flower Sublimed	sulfur sublimed
BP Wash	benzoyl peroxide
BP Wash Acne Treatment	benzoyl peroxide
BP	benzoyl peroxide

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
BP Foam	benzoyl peroxide
Invisible Acne	benzoyl peroxide
Acnomel	resorcinol/sulfur
Clearasil Daily Clear	salicylic acid
Clearasil Daily Clear(benzoyl)	benzoyl peroxide
Clearasil Ultra	benzoyl peroxide
Acne Cleansing Pads	salicylic acid
BPO	benzoyl peroxide
BPO Creamy Wash Pack	benzoyl peroxide
BP Gel	benzoyl peroxide
BenzePrO	benzoyl peroxide
BenzePrO (microspheres)	benzoyl peroxide microspheres
PR Benzoyl Peroxide	benzoyl peroxide microspheres
Benoxyl-CR Advanced	benzoyl peroxide
Advanced Acne Wash	benzoyl peroxide
Pacnex	benzoyl peroxide
Pacnex MX	benzoyl peroxide
Pacnex HP	benzoyl peroxide
Pacnex LP	benzoyl peroxide
Clindacin P	clindamycin phosphate
Clindacin Pac	clindamycin phosphate/skin cleanser comb no.19
Clindacin ETZ	clindamycin phosphate
Neuac	clindamycin phosphate/benzoyl peroxide
Neuac Kit	clindamycin phosphate/benzoyl peroxide/emollient comb no.94
Clearplex V	benzoyl peroxide
Clearplex-X	benzoyl peroxide
Sulfo-Lo	sulfur
Acne Cleanser Maximum Strength	salicylic acid
Sulfacetamide Sodium (acne)	sulfacetamide sodium
Ery Pads	erythromycin base in ethanol
Erythromycin with Ethanol	erythromycin base in ethanol
Isotretinoin (bulk)	isotretinoin
Azelaic Acid (bulk)	azelaic acid
Akne-Mycin	erythromycin base in ethanol
Acne Foaming Wash	benzoyl peroxide
Daily Face Wash	salicylic acid
BP 7 % Wash Kit	benzoyl peroxide microspheres
Acne Treatment Pack	benzoyl peroxide
Delos	benzoyl peroxide
Finevin	azelaic acid
Acne Control Cleanser	benzoyl peroxide
Foaming Acne Face Wash	benzoyl peroxide
Acne Cleansing Bar	benzoyl peroxide
Creamy Acne Face	benzoyl peroxide

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Advanced Exfoliating Cleanser	benzoyl peroxide
Medicated Acne Pad	salicylic acid
Targeted Acne Spot Treatment	benzoyl peroxide
Pore Unclogging	salicylic acid
Dual Action	benzoyl peroxide
BPO-Sulfur	benzoyl peroxide/sulfur
Peroderm	benzoyl peroxide/urea
BPS	benzoyl peroxide/sulfur
MediGel BP	benzoyl peroxide
SalAc	salicylic acid
Triaz Cleanser	benzoyl peroxide
Benzac W 5	benzoyl peroxide
Panoxyl 5	benzoyl peroxide
Panoxyl 10	benzoyl peroxide
Ziana	clindamycin phosphate/tretinoin
NuOx	benzoyl peroxide/sulfur
Zenatane	isotretinoin
Erythromycin	erythromycin base
Riax	benzoyl peroxide
EthexDERM	benzoyl peroxide
Clindamycin	clindamycin phosphate
Acne-Clear	benzoyl peroxide
Clearskin	benzoyl peroxide
Myorisan	isotretinoin
SoluClenz Rx	benzoyl peroxide
Benzashave	benzoyl peroxide
Theramycin Z	erythromycin base in ethanol
Aluminum Oxide (bulk)	aluminum oxide
Evoclin	clindamycin phosphate
Dermapak Plus	tretinoin/menthol/zinc oxide/silicone, adhesive
Zaclir	benzoyl peroxide
Zacare	benzoyl peroxide/hyaluronate sodium
NICOMIDE-T	niacinamide
ClindaReach	clindamycin phosphate
Lavoclen-4	benzoyl peroxide
Lavoclen-4 Acne Wash Kit	benzoyl peroxide/skin cleanser combination no.7
Lavoclen-8	benzoyl peroxide
Lavoclen-8 Acne Wash Kit	benzoyl peroxide/skin cleanser combination no.7
Oscion	benzoyl peroxide
Lavoclen-4 (new cleanser)	benzoyl peroxide & skin cleanser combination no.5
Lavoclen-8 (new cleanser)	benzoyl peroxide & skin cleanser combination no.5
Neobenz Micro Cream Plus Pack	benzoyl peroxide microspheres
NeoBenz Micro	benzoyl peroxide microspheres
Benprox	benzoyl peroxide/aloe vera
Benzoyl Peroxide Microspheres	benzoyl peroxide microspheres

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Bencort	benzoyl peroxide/hydrocortisone
Bencort	benzoyl peroxide/hydrocortisone/skin cleanser comb no.14
Benzoyl Peroxide Wash	benzoyl peroxide microspheres
BP Wash (microspheres)	benzoyl peroxide microspheres
Benzoyl Peroxide Creamy Wash	benzoyl peroxide & skin cleanser combination no.5
Benzoyl Peroxide Acne Wash	benzoyl peroxide & skin cleanser combination no.5
erythromycin-benzoyl peroxide	erythromycin base/benzoyl peroxide
Inova	benzoyl peroxide/vitamin E mixed
Inova 4-1	salicylic acid/benzoyl peroxide/vitamin E mixed
Inova 8-2	salicylic acid/benzoyl peroxide/vitamin E mixed
BPO-5	benzoyl peroxide
BPO-10	benzoyl peroxide
Benzoyl Peroxide 5	clindamycin phosphate/benzoyl peroxide
Benzoyl Peroxide 10	clindamycin phosphate/benzoyl peroxide
Isotretinoin	isotretinoin
CoreMino	minocycline HCl
Aktipak	erythromycin base/benzoyl peroxide
Sulfur Flowers	sulfur sublimed
Drying Gel for Acne-Prone Skin	witch hazel leaf/alcohol
Neutrogena On The Spot	benzoyl peroxide
Rapid Clear Treatment Pads	salicylic acid
Clear Pore Cleanser-Mask	benzoyl peroxide
NuCaraRxPAK	clindamycin/benzoyl/octinox/octyl/octocryl/oxyben/titanium
NuCaraClinPAK	clindamycin/octinoxate/octyl salicyl/octocryl/oxybenz/titan
Minolira ER	minocycline HCl
Adapalene-Benzoyl-Clindamycin	adapalene/benzoyl peroxide/clindamycin phosphate
Adapalene-Benzoyl Perox-Niacin	adapalene/benzoyl peroxide/niacinamide
Benzoyl Per-Clindamycin-Niacin	benzoyl peroxide/clindamycin phosphate/niacinamide
Tretinoin-Benzoyl-Clinda-Niac	tretinoin/benzoyl peroxide/clindamycin phosphate/niacinamide
Clindamycin-Niacinamide	clindamycin/niacinamide
Tretinoin-Clinda-Spiron-Niacin	tretinoin/clindamycin phosphate/spironolactone/niacinamide
Dapsone-Spironolactone-Niacin	dapsone/spironolactone/niacinamide
Dapsone-Niacinamide	dapsone/niacinamide
Tretinoin-Spironolact-Niacin	tretinoin/spironolactone/niacinamide
Spironolactone-Niacinamide	spironolactone/niacinamide
Tretinoin-Niacinamide	tretinoin/niacinamide
Azelaic Acid-Niacinamide	azelaic acid/niacinamide
Tretinoin-Clindamycin-Niacin	tretinoin/clindamycin phosphate/niacinamide
Tretinoin-Hyaluronate-Niacin	tretinoin/hyaluronate sodium/niacinamide
Tazarotene-Niacinamide	tazarotene/niacinamide
Clearasil Maximum Strength	benzoyl peroxide
Clearasil Adult Care	resorcinol/sulfur
Clean-Clear Continuous Control	benzoyl peroxide
Effaclar DUO	benzoyl peroxide micronized
Acne and Blackhead Terminator	benzoyl peroxide
Rezamid	resorcinol/sulfur

Appendix F. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

Brand Name	Generic Name
Triaz	benzoyl peroxide
Solodyn	minocycline HCl

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
Sepsis			
003.1	Salmonella septicemia	ICD-9-CM	Diagnosis
022.3	Anthrax septicemia	ICD-9-CM	Diagnosis
027.0	Listeriosis	ICD-9-CM	Diagnosis
027.1	Erysipelothrix infection	ICD-9-CM	Diagnosis
038	Septicemia	ICD-9-CM	Diagnosis
038.0	Streptococcal septicemia	ICD-9-CM	Diagnosis
038.1	Staphylococcal septicemia	ICD-9-CM	Diagnosis
038.10	Unspecified staphylococcal septicemia	ICD-9-CM	Diagnosis
038.11	Methicillin susceptible Staphylococcus aureus septicemia	ICD-9-CM	Diagnosis
038.12	Methicillin resistant Staphylococcus aureus septicemia	ICD-9-CM	Diagnosis
038.19	Other staphylococcal septicemia	ICD-9-CM	Diagnosis
038.2	Pneumococcal septicemia	ICD-9-CM	Diagnosis
038.3	Septicemia due to anaerobes	ICD-9-CM	Diagnosis
038.4	Septicemia due to other gram-negative organisms	ICD-9-CM	Diagnosis
038.40	Septicemia due to unspecified gram-negative organism	ICD-9-CM	Diagnosis
038.41	Septicemia due to hemophilus influenzae (H. influenzae)	ICD-9-CM	Diagnosis
038.42	Septicemia due to Escherichia coli (E. coli)	ICD-9-CM	Diagnosis
038.43	Septicemia due to pseudomonas	ICD-9-CM	Diagnosis
038.44	Septicemia due to serratia	ICD-9-CM	Diagnosis
038.49	Other septicemia due to gram-negative organism	ICD-9-CM	Diagnosis
038.8	Other specified septicemia	ICD-9-CM	Diagnosis
038.9	Unspecified septicemia	ICD-9-CM	Diagnosis
098.89	Gonococcal infection of other specified sites	ICD-9-CM	Diagnosis
112.5	Disseminated candidiasis	ICD-9-CM	Diagnosis
670.2	Puerperal sepsis	ICD-9-CM	Diagnosis
670.20	Puerperal sepsis, unspecified as to episode of care or not applicable	ICD-9-CM	Diagnosis
670.22	Puerperal sepsis, delivered, with mention of postpartum complication	ICD-9-CM	Diagnosis
670.24	Puerperal sepsis, postpartum condition or complication	ICD-9-CM	Diagnosis
771.81	Septicemia (sepsis) of newborn	ICD-9-CM	Diagnosis
785.52	Septic shock	ICD-9-CM	Diagnosis
995.91	Sepsis	ICD-9-CM	Diagnosis
995.92	Severe sepsis	ICD-9-CM	Diagnosis
A02.1	Salmonella sepsis	ICD-10-CM	Diagnosis
A22.7	Anthrax sepsis	ICD-10-CM	Diagnosis
A26.7	Erysipelothrix sepsis	ICD-10-CM	Diagnosis
A32.7	Listerial sepsis	ICD-10-CM	Diagnosis
A40	Streptococcal sepsis	ICD-10-CM	Diagnosis
A40.0	Sepsis due to streptococcus, group A	ICD-10-CM	Diagnosis
A40.1	Sepsis due to streptococcus, group B	ICD-10-CM	Diagnosis
A40.3	Sepsis due to Streptococcus pneumoniae	ICD-10-CM	Diagnosis
A40.8	Other streptococcal sepsis	ICD-10-CM	Diagnosis
A40.9	Streptococcal sepsis, unspecified	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
A41	Other sepsis	ICD-10-CM	Diagnosis
A41.0	Sepsis due to Staphylococcus aureus	ICD-10-CM	Diagnosis
A41.01	Sepsis due to Methicillin susceptible Staphylococcus aureus	ICD-10-CM	Diagnosis
A41.02	Sepsis due to Methicillin resistant Staphylococcus aureus	ICD-10-CM	Diagnosis
A41.1	Sepsis due to other specified staphylococcus	ICD-10-CM	Diagnosis
A41.2	Sepsis due to unspecified staphylococcus	ICD-10-CM	Diagnosis
A41.3	Sepsis due to Hemophilus influenzae	ICD-10-CM	Diagnosis
A41.4	Sepsis due to anaerobes	ICD-10-CM	Diagnosis
A41.5	Sepsis due to other Gram-negative organisms	ICD-10-CM	Diagnosis
A41.50	Gram-negative sepsis, unspecified	ICD-10-CM	Diagnosis
A41.51	Sepsis due to Escherichia coli [E. coli]	ICD-10-CM	Diagnosis
A41.52	Sepsis due to Pseudomonas	ICD-10-CM	Diagnosis
A41.53	Sepsis due to Serratia	ICD-10-CM	Diagnosis
A41.59	Other Gram-negative sepsis	ICD-10-CM	Diagnosis
A41.8	Other specified sepsis	ICD-10-CM	Diagnosis
A41.81	Sepsis due to Enterococcus	ICD-10-CM	Diagnosis
A41.89	Other specified sepsis	ICD-10-CM	Diagnosis
A41.9	Sepsis, unspecified organism	ICD-10-CM	Diagnosis
A42.7	Actinomycotic sepsis	ICD-10-CM	Diagnosis
A54.86	Gonococcal sepsis	ICD-10-CM	Diagnosis
B37.7	Candidal sepsis	ICD-10-CM	Diagnosis
O03.37	Sepsis following incomplete spontaneous abortion	ICD-10-CM	Diagnosis
O03.87	Sepsis following complete or unspecified spontaneous abortion	ICD-10-CM	Diagnosis
O04.87	Sepsis following (induced) termination of pregnancy	ICD-10-CM	Diagnosis
O07.37	Sepsis following failed attempted termination of pregnancy	ICD-10-CM	Diagnosis
O08.82	Sepsis following ectopic and molar pregnancy	ICD-10-CM	Diagnosis
O85	Puerperal sepsis	ICD-10-CM	Diagnosis
O86.04	Sepsis following an obstetrical procedure	ICD-10-CM	Diagnosis
P36	Bacterial sepsis of newborn	ICD-10-CM	Diagnosis
P36.0	Sepsis of newborn due to streptococcus, group B	ICD-10-CM	Diagnosis
P36.1	Sepsis of newborn due to other and unspecified streptococci	ICD-10-CM	Diagnosis
P36.10	Sepsis of newborn due to unspecified streptococci	ICD-10-CM	Diagnosis
P36.19	Sepsis of newborn due to other streptococci	ICD-10-CM	Diagnosis
P36.2	Sepsis of newborn due to Staphylococcus aureus	ICD-10-CM	Diagnosis
P36.3	Sepsis of newborn due to other and unspecified staphylococci	ICD-10-CM	Diagnosis
P36.30	Sepsis of newborn due to unspecified staphylococci	ICD-10-CM	Diagnosis
P36.39	Sepsis of newborn due to other staphylococci	ICD-10-CM	Diagnosis
P36.4	Sepsis of newborn due to Escherichia coli	ICD-10-CM	Diagnosis
P36.5	Sepsis of newborn due to anaerobes	ICD-10-CM	Diagnosis
P36.8	Other bacterial sepsis of newborn	ICD-10-CM	Diagnosis
P36.9	Bacterial sepsis of newborn, unspecified	ICD-10-CM	Diagnosis
R65.2	Severe sepsis	ICD-10-CM	Diagnosis
R65.20	Severe sepsis without septic shock	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
R65.21	Severe sepsis with septic shock	ICD-10-CM	Diagnosis
T81.44	Sepsis following a procedure	ICD-10-CM	Diagnosis
T81.44XA	Sepsis following a procedure, initial encounter	ICD-10-CM	Diagnosis
T81.44XD	Sepsis following a procedure, subsequent encounter	ICD-10-CM	Diagnosis
T81.44XS	Sepsis following a procedure, sequela	ICD-10-CM	Diagnosis
Pneumonia			
480	Viral pneumonia	ICD-9-CM	Diagnosis
480.8	Pneumonia due to other virus not elsewhere classified	ICD-9-CM	Diagnosis
480.9	Unspecified viral pneumonia	ICD-9-CM	Diagnosis
481	Pneumococcal pneumonia (streptococcus pneumoniae pneumonia)	ICD-9-CM	Diagnosis
482	Other bacterial pneumonia	ICD-9-CM	Diagnosis
482.0	Pneumonia due to Klebsiella pneumoniae	ICD-9-CM	Diagnosis
482.1	Pneumonia due to Pseudomonas	ICD-9-CM	Diagnosis
482.2	Pneumonia due to Hemophilus influenzae (H. influenzae)	ICD-9-CM	Diagnosis
482.3	Pneumonia due to Streptococcus	ICD-9-CM	Diagnosis
482.30	Pneumonia due to unspecified Streptococcus	ICD-9-CM	Diagnosis
482.31	Pneumonia due to Streptococcus, group A	ICD-9-CM	Diagnosis
482.32	Pneumonia due to Streptococcus, group B	ICD-9-CM	Diagnosis
482.39	Pneumonia due to other Streptococcus	ICD-9-CM	Diagnosis
482.4	Pneumonia due to Staphylococcus	ICD-9-CM	Diagnosis
482.40	Pneumonia due to Staphylococcus, unspecified	ICD-9-CM	Diagnosis
482.41	Methicillin susceptible pneumonia due to Staphylococcus aureus	ICD-9-CM	Diagnosis
482.42	Methicillin resistant pneumonia due to Staphylococcus aureus	ICD-9-CM	Diagnosis
482.49	Other Staphylococcus pneumonia	ICD-9-CM	Diagnosis
482.8	Pneumonia due to other specified bacteria	ICD-9-CM	Diagnosis
482.81	Pneumonia due to anaerobes	ICD-9-CM	Diagnosis
482.83	Pneumonia due to other gram-negative bacteria	ICD-9-CM	Diagnosis
482.89	Pneumonia due to other specified bacteria	ICD-9-CM	Diagnosis
482.9	Unspecified bacterial pneumonia	ICD-9-CM	Diagnosis
483	Pneumonia due to other specified organism	ICD-9-CM	Diagnosis
483.0	Pneumonia due to Mycoplasma pneumoniae	ICD-9-CM	Diagnosis
483.1	Pneumonia due to Chlamydia	ICD-9-CM	Diagnosis
483.8	Pneumonia due to other specified organism	ICD-9-CM	Diagnosis
484.3	Pneumonia in whooping cough	ICD-9-CM	Diagnosis
484.5	Pneumonia in anthrax	ICD-9-CM	Diagnosis
J12.89	Other viral pneumonia	ICD-10-CM	Diagnosis
J12.9	Viral pneumonia, unspecified	ICD-10-CM	Diagnosis
J13	Pneumonia due to Streptococcus pneumoniae	ICD-10-CM	Diagnosis
J14	Pneumonia due to Hemophilus influenzae	ICD-10-CM	Diagnosis
J15.0	Pneumonia due to Klebsiella pneumoniae	ICD-10-CM	Diagnosis
J15.1	Pneumonia due to Pseudomonas	ICD-10-CM	Diagnosis
J15.20	Pneumonia due to staphylococcus, unspecified	ICD-10-CM	Diagnosis
J15.211	Pneumonia due to Methicillin susceptible Staphylococcus aureus	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
J15.212	Pneumonia due to Methicillin resistant Staphylococcus aureus	ICD-10-CM	Diagnosis
J15.29	Pneumonia due to other staphylococcus	ICD-10-CM	Diagnosis
J15.3	Pneumonia due to streptococcus, group B	ICD-10-CM	Diagnosis
J15.4	Pneumonia due to other streptococci	ICD-10-CM	Diagnosis
J15.6	Pneumonia due to other Gram-negative bacteria	ICD-10-CM	Diagnosis
J15.7	Pneumonia due to Mycoplasma pneumoniae	ICD-10-CM	Diagnosis
J15.8	Pneumonia due to other specified bacteria	ICD-10-CM	Diagnosis
J15.9	Unspecified bacterial pneumonia	ICD-10-CM	Diagnosis
J16.0	Chlamydial pneumonia	ICD-10-CM	Diagnosis
J16.8	Pneumonia due to other specified infectious organisms	ICD-10-CM	Diagnosis
Pulmonary Contusion			
861.21	Lung contusion without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.31	Lung contusion with open wound into thorax	ICD-9-CM	Diagnosis
908.0	Late effect of internal injury to chest	ICD-9-CM	Diagnosis
S27.32	Contusion of lung	ICD-10-CM	Diagnosis
S27.321	Contusion of lung, unilateral	ICD-10-CM	Diagnosis
S27.321A	Contusion of lung, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.321D	Contusion of lung, unilateral, subsequent encounter	ICD-10-CM	Diagnosis
S27.321S	Contusion of lung, unilateral, sequela	ICD-10-CM	Diagnosis
S27.322	Contusion of lung, bilateral	ICD-10-CM	Diagnosis
S27.322A	Contusion of lung, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.322D	Contusion of lung, bilateral, subsequent encounter	ICD-10-CM	Diagnosis
S27.322S	Contusion of lung, bilateral, sequela	ICD-10-CM	Diagnosis
S27.329	Contusion of lung, unspecified	ICD-10-CM	Diagnosis
S27.329A	Contusion of lung, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.329D	Contusion of lung, unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S27.329S	Contusion of lung, unspecified, sequela	ICD-10-CM	Diagnosis
Trauma			
70450	Computed tomography, head or brain; without contrast material	CPT-4	Procedure
70460	Computed tomography, head or brain; with contrast material(s)	CPT-4	Procedure
70470	Computed tomography, head or brain; without contrast material, followed by contrast material(s) and further sections	CPT-4	Procedure
70480	Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material	CPT-4	Procedure
70481	Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; with contrast material(s)	CPT-4	Procedure
70482	Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material, followed by contrast material(s) and further sections	CPT-4	Procedure
70486	Computed tomography, maxillofacial area; without contrast material	CPT-4	Procedure
70487	Computed tomography, maxillofacial area; with contrast material(s)	CPT-4	Procedure
70488	Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further sections	CPT-4	Procedure

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
820.0	Closed transcervical fracture	ICD-9-CM	Diagnosis
820.10	Open fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.12	Open fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.13	Open fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.19	Other open transcervical fracture of femur	ICD-9-CM	Diagnosis
820.30	Open fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.31	Open fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.32	Open fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
821.10	Open fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.11	Open fracture of shaft of femur	ICD-9-CM	Diagnosis
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.301B	Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.301C	Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.302B	Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.302C	Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.309B	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.309C	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.321B	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.321C	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.322B	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.322C	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.323B	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.323C	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.324B	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.324C	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.325B	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.325C	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.326B	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.326C	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.331B	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.331C	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.332B	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.332C	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.333B	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.333C	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.334B	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.334C	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.335B	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.335C	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.336B	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.336C	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.341B	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.341C	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.342B	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.342C	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.343B	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.343C	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.344B	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.344C	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.345B	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.345C	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.346B	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.346C	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.351B	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.351C	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.352B	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.352C	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.353B	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.353C	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.354B	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.354C	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.355B	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.355C	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.356B	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.356C	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.361B	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.361C	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.362B	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.362C	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.363B	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.363C	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.364B	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.364C	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.365B	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.365C	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.366B	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.366C	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.391B	Other fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.391C	Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.392B	Other fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.392C	Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.399B	Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.399C	Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X1B	Other fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S72.8X1C	Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X2B	Other fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X2C	Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X9B	Other fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X9C	Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.90XB	Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.90XC	Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.91XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.91XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.92XB	Unspecified fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.92XC	Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
812.10	Open fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.11	Open fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.12	Open fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.13	Open fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.19	Other open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.30	Open fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.31	Open fracture of shaft of humerus	ICD-9-CM	Diagnosis
S42.201B	Unspecified fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.202B	Unspecified fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.209B	Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.211B	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.212B	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.213B	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.214B	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S42.215B	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.216B	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.221B	2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.222B	2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.223B	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.224B	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.225B	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.226B	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.231B	3-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.232B	3-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.239B	3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.241B	4-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.242B	4-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.249B	4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.251B	Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.252B	Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.253B	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.254B	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.255B	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.256B	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.261B	Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S42.262B	Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.263B	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.264B	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.265B	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.266B	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.291B	Other displaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.292B	Other displaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.293B	Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.294B	Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.295B	Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.296B	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.301B	Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.302B	Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.309B	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.321B	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.322B	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.323B	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.324B	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.325B	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.326B	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.331B	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S42.332B	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.333B	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.334B	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.335B	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.336B	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.341B	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.342B	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.343B	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.344B	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.345B	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.346B	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.351B	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.352B	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.353B	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.354B	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.355B	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.356B	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.361B	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.362B	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.363B	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.364B	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S42.365B	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.366B	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.391B	Other fracture of shaft of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.392B	Other fracture of shaft of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.399B	Other fracture of shaft of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.90XB	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.91XB	Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.92XB	Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
806	Fracture of vertebral column with spinal cord injury	ICD-9-CM	Diagnosis
806.0	Closed fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.1	Open fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.10	Open fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.11	Open fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.12	Open fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.13	Open fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.14	Open fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.15	Open fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.16	Open fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.17	Open fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.18	Open fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.19	Open fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.2	Closed fracture of dorsal (thoracic) vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.3	Open fracture of dorsal vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.30	Open fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.31	Open fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.32	Open fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.33	Open fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.34	Open fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.35	Open fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.36	Open fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.37	Open fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.38	Open fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.39	Open fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.4	Closed fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.5	Open fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.6	Closed fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.60	Closed fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.7	Open fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.70	Open fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.72	Open fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.79	Open fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.8	Closed fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.9	Open fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
S12.000A	Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.000B	Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.001B	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S12.101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S12.601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.9XXA	Fracture of neck, unspecified, initial encounter	ICD-10-CM	Diagnosis
S14.101A	Unspecified injury at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.102A	Unspecified injury at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.103A	Unspecified injury at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.104A	Unspecified injury at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.105A	Unspecified injury at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.106A	Unspecified injury at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.107A	Unspecified injury at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.109A	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.111A	Complete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.112A	Complete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.113A	Complete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.114A	Complete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.115A	Complete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.116A	Complete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.117A	Complete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.121A	Central cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.122A	Central cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.123A	Central cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.124A	Central cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.125A	Central cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.126A	Central cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.131A	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.132A	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S22.009A	Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.009B	Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S22.019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.059A	Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.059B	Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S24.101A	Unspecified injury at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.102A	Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.103A	Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.104A	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.109A	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial	ICD-10-CM	Diagnosis
S24.134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial	ICD-10-CM	Diagnosis
S24.151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial	ICD-10-CM	Diagnosis
S24.154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial	ICD-10-CM	Diagnosis
S32.009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S32.009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.10XA	Unspecified fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.10XB	Unspecified fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.2XXA	Fracture of coccyx, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.2XXB	Fracture of coccyx, initial encounter for open fracture	ICD-10-CM	Diagnosis
S34.101A	Unspecified injury to L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.102A	Unspecified injury to L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.103A	Unspecified injury to L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.104A	Unspecified injury to L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.105A	Unspecified injury to L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.109A	Unspecified injury to unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.114A	Complete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.115A	Complete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.119A	Complete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.121A	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.122A	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.123A	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.124A	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.125A	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S34.129A	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.131A	Complete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.132A	Incomplete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.139A	Unspecified injury to sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.3XXA	Injury of cauda equina, initial encounter	ICD-10-CM	Diagnosis
850	Concussion	ICD-9-CM	Diagnosis
850.0	Concussion with no loss of consciousness	ICD-9-CM	Diagnosis
850.1	Concussion with brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
850.11	Concussion, with loss of consciousness of 30 minutes or less	ICD-9-CM	Diagnosis
850.12	Concussion, with loss of consciousness 31 to 59 minutes	ICD-9-CM	Diagnosis
850.2	Concussion with moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
850.3	Concussion with prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
850.4	Concussion with prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
850.5	Concussion with loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
850.9	Unspecified concussion	ICD-9-CM	Diagnosis
851	Cerebral laceration and contusion	ICD-9-CM	Diagnosis
851.0	Cortex (cerebral) contusion without mention of open intracranial wound	ICD-9-CM	Diagnosis
851.00	Cortex (cerebral) contusion without mention of open intracranial wound, state of consciousness unspecified	ICD-9-CM	Diagnosis
851.01	Cortex (cerebral) contusion without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.02	Cortex (cerebral) contusion without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.03	Cortex (cerebral) contusion without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.04	Cortex (cerebral) contusion without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.05	Cortex (cerebral) contusion without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.06	Cortex (cerebral) contusion without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.09	Cortex (cerebral) contusion without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.1	Cortex (cerebral) contusion with open intracranial wound	ICD-9-CM	Diagnosis
851.10	Cortex (cerebral) contusion with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.11	Cortex (cerebral) contusion with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
851.12	Cortex (cerebral) contusion with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.13	Cortex (cerebral) contusion with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.14	Cortex (cerebral) contusion with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.15	Cortex (cerebral) contusion with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.16	Cortex (cerebral) contusion with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.19	Cortex (cerebral) contusion with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.2	Cortex (cerebral) laceration without mention of open intracranial wound	ICD-9-CM	Diagnosis
851.20	Cortex (cerebral) laceration without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.21	Cortex (cerebral) laceration without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.22	Cortex (cerebral) laceration without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.23	Cortex (cerebral) laceration without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.24	Cortex (cerebral) laceration without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.25	Cortex (cerebral) laceration without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.26	Cortex (cerebral) laceration without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.29	Cortex (cerebral) laceration without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.3	Cortex (cerebral) laceration with open intracranial wound	ICD-9-CM	Diagnosis
851.30	Cortex (cerebral) laceration with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.31	Cortex (cerebral) laceration with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.32	Cortex (cerebral) laceration with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.33	Cortex (cerebral) laceration with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.34	Cortex (cerebral) laceration with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
851.35	Cortex (cerebral) laceration with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.36	Cortex (cerebral) laceration with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.39	Cortex (cerebral) laceration with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.4	Cerebellar or brain stem contusion without mention of open intracranial wound	ICD-9-CM	Diagnosis
851.40	Cerebellar or brain stem contusion without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.41	Cerebellar or brain stem contusion without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.42	Cerebellar or brain stem contusion without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.43	Cerebellar or brain stem contusion without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.44	Cerebellar or brain stem contusion without mention of open intracranial wound, prolonged (more than 24 hours) loss consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.45	Cerebellar or brain stem contusion without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.46	Cerebellar or brain stem contusion without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.49	Cerebellar or brain stem contusion without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.5	Cerebellar or brain stem contusion with open intracranial wound	ICD-9-CM	Diagnosis
851.50	Cerebellar or brain stem contusion with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.51	Cerebellar or brain stem contusion with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.52	Cerebellar or brain stem contusion with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.53	Cerebellar or brain stem contusion with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.54	Cerebellar or brain stem contusion with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.55	Cerebellar or brain stem contusion with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
851.56	Cerebellar or brain stem contusion with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.59	Cerebellar or brain stem contusion with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.6	Cerebellar or brain stem laceration without mention of open intracranial wound	ICD-9-CM	Diagnosis
851.60	Cerebellar or brain stem laceration without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.61	Cerebellar or brain stem laceration without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.62	Cerebellar or brain stem laceration without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.63	Cerebellar or brain stem laceration without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.64	Cerebellar or brain stem laceration without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.65	Cerebellar or brain stem laceration without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.66	Cerebellar or brain stem laceration without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.69	Cerebellar or brain stem laceration without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.7	Cerebellar or brain stem laceration with open intracranial wound	ICD-9-CM	Diagnosis
851.70	Cerebellar or brain stem laceration with open intracranial wound, state of consciousness unspecified	ICD-9-CM	Diagnosis
851.71	Cerebellar or brain stem laceration with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.72	Cerebellar or brain stem laceration with open intracranial wound, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
851.73	Cerebellar or brain stem laceration with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.74	Cerebellar or brain stem laceration with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.75	Cerebellar or brain stem laceration with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.76	Cerebellar or brain stem laceration with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.79	Cerebellar or brain stem laceration with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
851.8	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound	ICD-9-CM	Diagnosis
851.80	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.81	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.82	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.83	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.84	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level	ICD-9-CM	Diagnosis
851.85	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.86	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.89	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
851.9	Other and unspecified cerebral laceration and contusion, with open intracranial wound	ICD-9-CM	Diagnosis
851.90	Other and unspecified cerebral laceration and contusion, with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
851.91	Other and unspecified cerebral laceration and contusion, with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
851.92	Other and unspecified cerebral laceration and contusion, with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
851.93	Other and unspecified cerebral laceration and contusion, with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
851.94	Other and unspecified cerebral laceration and contusion, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.95	Other and unspecified cerebral laceration and contusion, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
851.96	Other and unspecified cerebral laceration and contusion, with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
851.99	Other and unspecified cerebral laceration and contusion, with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
852	Subarachnoid, subdural, and extradural hemorrhage, following injury	ICD-9-CM	Diagnosis
852.0	Subarachnoid hemorrhage following injury without mention of open intracranial wound	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
852.00	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
852.01	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
852.02	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
852.03	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
852.04	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.05	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.06	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
852.09	Subarachnoid hemorrhage following injury, without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
852.1	Subarachnoid hemorrhage following injury, with open intracranial wound	ICD-9-CM	Diagnosis
852.10	Subarachnoid hemorrhage following injury, with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
852.11	Subarachnoid hemorrhage following injury, with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
852.12	Subarachnoid hemorrhage following injury, with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
852.13	Subarachnoid hemorrhage following injury, with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
852.14	Subarachnoid hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.15	Subarachnoid hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.16	Subarachnoid hemorrhage following injury, with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
852.19	Subarachnoid hemorrhage following injury, with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
852.2	Subdural hemorrhage following injury without mention of open intracranial wound	ICD-9-CM	Diagnosis
852.20	Subdural hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
852.21	Subdural hemorrhage following injury, without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
852.22	Subdural hemorrhage following injury, without mention of open intracranial wound, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
852.23	Subdural hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
852.24	Subdural hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.25	Subdural hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.26	Subdural hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
852.29	Subdural hemorrhage following injury, without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
852.3	Subdural hemorrhage following injury, with open intracranial wound	ICD-9-CM	Diagnosis
852.30	Subdural hemorrhage following injury, with open intracranial wound, state of consciousness unspecified	ICD-9-CM	Diagnosis
852.31	Subdural hemorrhage following injury, with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
852.32	Subdural hemorrhage following injury, with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
852.33	Subdural hemorrhage following injury, with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
852.34	Subdural hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.35	Subdural hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.36	Subdural hemorrhage following injury, with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
852.39	Subdural hemorrhage following injury, with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
852.4	Extradural hemorrhage following injury without mention of open intracranial wound	ICD-9-CM	Diagnosis
852.40	Extradural hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
852.41	Extradural hemorrhage following injury, without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
852.42	Extradural hemorrhage following injury, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
852.43	Extradural hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
852.44	Extradural hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.45	Extradural hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.46	Extradural hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
852.49	Extradural hemorrhage following injury, without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
852.5	Extradural hemorrhage following injury with open intracranial wound	ICD-9-CM	Diagnosis
852.50	Extradural hemorrhage following injury, with open intracranial wound, state of consciousness unspecified	ICD-9-CM	Diagnosis
852.51	Extradural hemorrhage following injury, with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
852.52	Extradural hemorrhage following injury, with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
852.53	Extradural hemorrhage following injury, with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
852.54	Extradural hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.55	Extradural hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
852.56	Extradural hemorrhage following injury, with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
852.59	Extradural hemorrhage following injury, with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
853	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM	Diagnosis
853.0	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound	ICD-9-CM	Diagnosis
853.00	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
853.01	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
853.02	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
853.03	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
853.04	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level	ICD-9-CM	Diagnosis
853.05	Other and unspecified intracranial hemorrhage following injury. Without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
853.06	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
853.09	Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
853.1	Other and unspecified intracranial hemorrhage following injury with open intracranial wound	ICD-9-CM	Diagnosis
853.10	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
853.11	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
853.12	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
853.13	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
853.14	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
853.15	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
853.16	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
853.19	Other and unspecified intracranial hemorrhage following injury, with open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
854	Intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
854.0	Intracranial injury of other and unspecified nature without mention of open intracranial wound	ICD-9-CM	Diagnosis
854.00	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
854.01	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
854.02	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
854.03	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
854.04	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
854.05	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
854.06	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
854.09	Intracranial injury of other and unspecified nature, without mention of open intracranial wound, unspecified concussion	ICD-9-CM	Diagnosis
854.1	Intracranial injury of other and unspecified nature with open intracranial wound	ICD-9-CM	Diagnosis
854.10	Intracranial injury of other and unspecified nature, with open intracranial wound, unspecified state of consciousness	ICD-9-CM	Diagnosis
854.11	Intracranial injury of other and unspecified nature, with open intracranial wound, no loss of consciousness	ICD-9-CM	Diagnosis
854.12	Intracranial injury of other and unspecified nature, with open intracranial wound, brief (less than 1 hour) loss of consciousness	ICD-9-CM	Diagnosis
854.13	Intracranial injury of other and unspecified nature, with open intracranial wound, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
854.14	Intracranial injury of other and unspecified nature, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
854.15	Intracranial injury of other and unspecified nature, with open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
854.16	Intracranial injury of other and unspecified nature, with open intracranial wound, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
854.19	Intracranial injury of other and unspecified nature, with open intracranial wound, with unspecified concussion	ICD-9-CM	Diagnosis
S01.90XA	Unspecified open wound of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S06.0X0A	Concussion without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.0X1A	Concussion with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.0X9A	Concussion with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.1X0A	Traumatic cerebral edema without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.1X1A	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.1X2A	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.1X3A	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.1X4A	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.1X5A	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.1X6A	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.1X7A	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.1X8A	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.1X9A	Traumatic cerebral edema with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.2X0A	Diffuse traumatic brain injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.2X1A	Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.2X2A	Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.2X3A	Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.2X4A	Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.2X5A	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, initial encounter	ICD-10-CM	Diagnosis
S06.2X6A	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.2X7A	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.2X8A	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.2X9A	Diffuse traumatic brain injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.300A	Unspecified focal traumatic brain injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.301A	Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.302A	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.303A	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.304A	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.305A	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.306A	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.307A	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.308A	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.309A	Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.310A	Contusion and laceration of right cerebrum without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.311A	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.312A	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.313A	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.314A	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.315A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.316A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.317A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.318A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.319A	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.320A	Contusion and laceration of left cerebrum without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.321A	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.322A	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.323A	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.324A	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.325A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.326A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.327A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.328A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.329A	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.330A	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.331A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.332A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.333A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.334A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.335A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.336A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.337A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.338A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.339A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.340A	Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.341A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.342A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.343A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.344A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.345A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.346A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.347A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.348A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.349A	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.350A	Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.351A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.352A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.353A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.354A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.355A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.356A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.357A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.358A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.359A	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.360A	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.361A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.362A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.363A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.364A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.365A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.366A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.367A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.368A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.369A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.370A	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.371A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.372A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.373A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.374A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.375A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.376A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.377A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.378A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.379A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.380A	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.381A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.382A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.383A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.384A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.385A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.386A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.387A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.388A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.389A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.4X0A	Epidural hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.4X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.4X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.4X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.4X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.4X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.4X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X9A	Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.5X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.5X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.5X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.5X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.5X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.5X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.5X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X9A	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.6X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.6X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.6X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.6X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.6X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.6X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.6X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X9A	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.810A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.811A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.812A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.813A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.814A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.815A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.816A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.817A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.818A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.819A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.820A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.821A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.822A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.823A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.824A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.825A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.826A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.827A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.828A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.829A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.890A	Other specified intracranial injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.891A	Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.892A	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.893A	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.894A	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.895A	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.896A	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.897A	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.898A	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S06.899A	Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.9X0A	Unspecified intracranial injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X1A	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.9X2A	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.9X3A	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.9X4A	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.9X5A	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.9X6A	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.9X7A	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X8A	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X9A	Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
860	Traumatic pneumothorax and hemothorax	ICD-9-CM	Diagnosis
860.0	Traumatic pneumothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.1	Traumatic pneumothorax with open wound into thorax	ICD-9-CM	Diagnosis
860.2	Traumatic hemothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.3	Traumatic hemothorax with open wound into thorax	ICD-9-CM	Diagnosis
860.4	Traumatic pneumohemothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.5	Traumatic pneumohemothorax with open wound into thorax	ICD-9-CM	Diagnosis
861	Injury to heart and lung	ICD-9-CM	Diagnosis
861.0	Heart injury, without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.00	Unspecified injury to heart without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.01	Heart contusion without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.02	Heart laceration without penetration of heart chambers or mention of open wound into thorax	ICD-9-CM	Diagnosis
861.03	Heart laceration with penetration of heart chambers, without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.1	Heart injury, with open wound into thorax	ICD-9-CM	Diagnosis
861.10	Unspecified injury to heart with open wound into thorax	ICD-9-CM	Diagnosis
861.11	Heart contusion with open wound into thorax	ICD-9-CM	Diagnosis
861.12	Heart laceration without penetration of heart chambers, with open wound into thorax	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
861.13	Heart laceration with penetration of heart chambers and open wound into thorax	ICD-9-CM	Diagnosis
861.2	Lung injury, without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.20	Unspecified lung injury without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.21	Lung contusion without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.22	Lung laceration without mention of open wound into thorax	ICD-9-CM	Diagnosis
861.3	Lung injury, with open wound into thorax	ICD-9-CM	Diagnosis
861.30	Unspecified lung injury with open wound into thorax	ICD-9-CM	Diagnosis
861.31	Lung contusion with open wound into thorax	ICD-9-CM	Diagnosis
861.32	Lung laceration with open wound into thorax	ICD-9-CM	Diagnosis
862	Injury to other and unspecified intrathoracic organs	ICD-9-CM	Diagnosis
862.0	Diaphragm injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.1	Diaphragm injury with open wound into cavity	ICD-9-CM	Diagnosis
862.2	Injury to other specified intrathoracic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.21	Bronchus injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.22	Esophagus injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.29	Injury to other specified intrathoracic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.3	Injury to other specified intrathoracic organs with open wound into cavity	ICD-9-CM	Diagnosis
862.31	Bronchus injury with open wound into cavity	ICD-9-CM	Diagnosis
862.32	Esophagus injury with open wound into cavity	ICD-9-CM	Diagnosis
862.39	Injury to other specified intrathoracic organs with open wound into cavity	ICD-9-CM	Diagnosis
862.8	Injury to multiple and unspecified intrathoracic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.9	Injury to multiple and unspecified intrathoracic organs with open wound into cavity	ICD-9-CM	Diagnosis
863	Gastrointestinal tract injury	ICD-9-CM	Diagnosis
863.0	Stomach injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.1	Stomach injury with open wound into cavity	ICD-9-CM	Diagnosis
863.2	Small intestine injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.20	Small intestine injury, unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.21	Duodenum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.29	Other injury to small intestine without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.3	Small intestine injury with open wound into cavity	ICD-9-CM	Diagnosis
863.30	Small intestine injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.31	Duodenum injury with open wound into cavity	ICD-9-CM	Diagnosis
863.39	Other injury to small intestine with open wound into cavity	ICD-9-CM	Diagnosis
863.4	Colon or rectal injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.40	Colon injury unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.41	Ascending (right) colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
863.42	Transverse colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.43	Descending (left) colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.44	Sigmoid colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.45	Rectum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.46	Injury to multiple sites in colon and rectum without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.49	Other colon and rectum injury, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.5	Injury to colon or rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.50	Colon injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.51	Ascending (right) colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.52	Transverse colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.53	Descending (left) colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.54	Sigmoid colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.55	Rectum injury with open wound into cavity	ICD-9-CM	Diagnosis
863.56	Injury to multiple sites in colon and rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.59	Other injury to colon and rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.8	Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.80	Gastrointestinal tract injury, unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.81	Pancreas head injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.82	Pancreas body injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.83	Pancreas tail injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.84	Pancreas injury, multiple and unspecified sites, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.85	Appendix injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.89	Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.9	Injury to other and unspecified gastrointestinal sites, with open wound into cavity	ICD-9-CM	Diagnosis
863.90	Gastrointestinal tract injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.91	Pancreas head injury with open wound into cavity	ICD-9-CM	Diagnosis
863.92	Pancreas body injury with open wound into cavity	ICD-9-CM	Diagnosis
863.93	Pancreas tail injury with open wound into cavity	ICD-9-CM	Diagnosis
863.94	Pancreas injury, multiple and unspecified sites, with open wound into cavity	ICD-9-CM	Diagnosis
863.95	Appendix injury with open wound into cavity	ICD-9-CM	Diagnosis
863.99	Injury to other and unspecified gastrointestinal sites with open wound into cavity	ICD-9-CM	Diagnosis
864	Injury to liver	ICD-9-CM	Diagnosis
864.0	Liver injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
864.00	Unspecified injury to liver without mention of open wound into cavity	ICD-9-CM	Diagnosis
864.01	Liver hematoma and contusion without mention of open wound into cavity	ICD-9-CM	Diagnosis
864.02	Liver laceration, minor, without mention of open wound into cavity	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
864.03	Liver laceration, moderate, without mention of open wound into cavity	ICD-9-CM	Diagnosis
864.04	Liver laceration, major, without mention of open wound into cavity	ICD-9-CM	Diagnosis
864.05	Liver injury without mention of open wound into cavity, unspecified laceration	ICD-9-CM	Diagnosis
864.09	Other liver injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
864.1	Liver injury with open wound into cavity	ICD-9-CM	Diagnosis
864.10	Unspecified liver injury with open wound into cavity	ICD-9-CM	Diagnosis
864.11	Liver hematoma and contusion with open wound into cavity	ICD-9-CM	Diagnosis
864.12	Liver laceration, minor, with open wound into cavity	ICD-9-CM	Diagnosis
864.13	Liver laceration, moderate, with open wound into cavity	ICD-9-CM	Diagnosis
864.14	Liver laceration, major, with open wound into cavity	ICD-9-CM	Diagnosis
864.15	Liver injury with open wound into cavity, unspecified laceration	ICD-9-CM	Diagnosis
864.19	Other liver injury with open wound into cavity	ICD-9-CM	Diagnosis
865	Injury to spleen	ICD-9-CM	Diagnosis
865.0	Spleen injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
865.00	Unspecified spleen injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
865.01	Spleen hematoma, without rupture of capsule or mention of open wound into cavity	ICD-9-CM	Diagnosis
865.02	Capsular tears to spleen, without major disruption of parenchyma or mention of open wound into cavity	ICD-9-CM	Diagnosis
865.03	Spleen laceration extending into parenchyma without mention of open wound into cavity	ICD-9-CM	Diagnosis
865.04	Massive parenchymal disruption of spleen without mention of open wound into cavity	ICD-9-CM	Diagnosis
865.09	Other spleen injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
865.1	Spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
865.10	Unspecified spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
865.11	Spleen hematoma, without rupture of capsule, with open wound into cavity	ICD-9-CM	Diagnosis
865.12	Capsular tears to spleen, without major disruption of parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
865.13	Spleen laceration extending into parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
865.14	Massive parenchyma disruption of spleen with open wound into cavity	ICD-9-CM	Diagnosis
865.19	Other spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
866	Injury to kidney	ICD-9-CM	Diagnosis
866.0	Kidney injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.00	Unspecified kidney injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.01	Kidney hematoma without rupture of capsule or mention of open wound into cavity	ICD-9-CM	Diagnosis
866.02	Kidney laceration without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.03	Complete disruption of kidney parenchyma, without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.1	Kidney injury with open wound into cavity	ICD-9-CM	Diagnosis
866.10	Unspecified kidney injury with open wound into cavity	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
866.11	Kidney hematoma, without rupture of capsule, with open wound into cavity	ICD-9-CM	Diagnosis
866.12	Kidney laceration with open wound into cavity	ICD-9-CM	Diagnosis
866.13	Complete disruption of kidney parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
867	Injury to pelvic organs	ICD-9-CM	Diagnosis
867.0	Bladder and urethra injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.1	Bladder and urethra injury with open wound into cavity	ICD-9-CM	Diagnosis
867.2	Ureter injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.3	Ureter injury with open wound into cavity	ICD-9-CM	Diagnosis
867.4	Uterus injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.5	Uterus injury with open wound into cavity	ICD-9-CM	Diagnosis
867.6	Injury to other specified pelvic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.7	Injury to other specified pelvic organs with open wound into cavity	ICD-9-CM	Diagnosis
867.8	Injury to unspecified pelvic organ without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.9	Injury to unspecified pelvic organ with open wound into cavity	ICD-9-CM	Diagnosis
868	Injury to other intra-abdominal organs	ICD-9-CM	Diagnosis
868.0	Injury to other intra-abdominal organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.00	Injury to unspecified intra-abdominal organ without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.01	Adrenal gland injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.02	Bile duct and gallbladder injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.03	Peritoneum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.04	Retroperitoneum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.09	Injury to other and multiple intra-abdominal organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
868.1	Injury to other intra-abdominal organs with open wound into cavity	ICD-9-CM	Diagnosis
868.10	Injury to unspecified intra-abdominal organ, with open wound into cavity	ICD-9-CM	Diagnosis
868.11	Adrenal gland injury, with open wound into cavity	ICD-9-CM	Diagnosis
868.12	Bile duct and gallbladder injury, with open wound into cavity	ICD-9-CM	Diagnosis
868.13	Peritoneum injury with open wound into cavity	ICD-9-CM	Diagnosis
868.14	Retroperitoneum injury with open wound into cavity	ICD-9-CM	Diagnosis
868.19	Injury to other and multiple intra-abdominal organs, with open wound into cavity	ICD-9-CM	Diagnosis
869	Internal injury to unspecified or ill-defined organs	ICD-9-CM	Diagnosis
869.0	Internal injury to unspecified or ill-defined organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
869.1	Internal injury to unspecified or ill-defined organs with open wound into cavity	ICD-9-CM	Diagnosis
S21.301A	Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.302A	Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S21.309A	Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.311A	Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.312A	Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.319A	Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.321A	Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.322A	Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.329A	Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.331A	Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.332A	Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.339A	Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.341A	Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.342A	Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.349A	Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.351A	Open bite of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.352A	Open bite of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.359A	Open bite of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.401A	Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.402A	Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.409A	Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.411A	Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.412A	Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S21.419A	Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.421A	Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.422A	Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.429A	Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.431A	Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.432A	Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.439A	Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.441A	Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.442A	Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.449A	Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.451A	Open bite of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.452A	Open bite of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.459A	Open bite of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S26.00XA	Unspecified injury of heart with hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.01XA	Contusion of heart with hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.020A	Mild laceration of heart with hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.021A	Moderate laceration of heart with hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.022A	Major laceration of heart with hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.09XA	Other injury of heart with hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.10XA	Unspecified injury of heart without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.11XA	Contusion of heart without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.12XA	Laceration of heart without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.19XA	Other injury of heart without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.90XA	Unspecified injury of heart, unspecified with or without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.91XA	Contusion of heart, unspecified with or without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S26.92XA	Laceration of heart, unspecified with or without hemopericardium, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S26.99XA	Other injury of heart, unspecified with or without hemopericardium, initial encounter	ICD-10-CM	Diagnosis
S27.0XXA	Traumatic pneumothorax, initial encounter	ICD-10-CM	Diagnosis
S27.1XXA	Traumatic hemothorax, initial encounter	ICD-10-CM	Diagnosis
S27.2XXA	Traumatic hemopneumothorax, initial encounter	ICD-10-CM	Diagnosis
S27.301A	Unspecified injury of lung, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.302A	Unspecified injury of lung, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.309A	Unspecified injury of lung, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.311A	Primary blast injury of lung, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.312A	Primary blast injury of lung, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.319A	Primary blast injury of lung, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.321A	Contusion of lung, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.322A	Contusion of lung, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.329A	Contusion of lung, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.331A	Laceration of lung, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.332A	Laceration of lung, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.339A	Laceration of lung, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.391A	Other injuries of lung, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.392A	Other injuries of lung, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.399A	Other injuries of lung, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.401A	Unspecified injury of bronchus, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.402A	Unspecified injury of bronchus, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.409A	Unspecified injury of bronchus, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.411A	Primary blast injury of bronchus, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.412A	Primary blast injury of bronchus, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.419A	Primary blast injury of bronchus, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.421A	Contusion of bronchus, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.422A	Contusion of bronchus, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.429A	Contusion of bronchus, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.431A	Laceration of bronchus, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.432A	Laceration of bronchus, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.439A	Laceration of bronchus, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.491A	Other injury of bronchus, unilateral, initial encounter	ICD-10-CM	Diagnosis
S27.492A	Other injury of bronchus, bilateral, initial encounter	ICD-10-CM	Diagnosis
S27.499A	Other injury of bronchus, unspecified, initial encounter	ICD-10-CM	Diagnosis
S27.50XA	Unspecified injury of thoracic trachea, initial encounter	ICD-10-CM	Diagnosis
S27.51XA	Primary blast injury of thoracic trachea, initial encounter	ICD-10-CM	Diagnosis
S27.52XA	Contusion of thoracic trachea, initial encounter	ICD-10-CM	Diagnosis
S27.53XA	Laceration of thoracic trachea, initial encounter	ICD-10-CM	Diagnosis
S27.59XA	Other injury of thoracic trachea, initial encounter	ICD-10-CM	Diagnosis
S27.60XA	Unspecified injury of pleura, initial encounter	ICD-10-CM	Diagnosis
S27.63XA	Laceration of pleura, initial encounter	ICD-10-CM	Diagnosis
S27.69XA	Other injury of pleura, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S27.802A	Contusion of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.803A	Laceration of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.808A	Other injury of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.809A	Unspecified injury of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.812A	Contusion of esophagus (thoracic part), initial encounter	ICD-10-CM	Diagnosis
S27.813A	Laceration of esophagus (thoracic part), initial encounter	ICD-10-CM	Diagnosis
S27.818A	Other injury of esophagus (thoracic part), initial encounter	ICD-10-CM	Diagnosis
S27.819A	Unspecified injury of esophagus (thoracic part), initial encounter	ICD-10-CM	Diagnosis
S27.892A	Contusion of other specified intrathoracic organs, initial encounter	ICD-10-CM	Diagnosis
S27.893A	Laceration of other specified intrathoracic organs, initial encounter	ICD-10-CM	Diagnosis
S27.898A	Other injury of other specified intrathoracic organs, initial encounter	ICD-10-CM	Diagnosis
S27.899A	Unspecified injury of other specified intrathoracic organs, initial encounter	ICD-10-CM	Diagnosis
S27.9XXA	Injury of unspecified intrathoracic organ, initial encounter	ICD-10-CM	Diagnosis
S31.001A	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.011A	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.021A	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.031A	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.041A	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.051A	Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.600A	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.601A	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.602A	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.603A	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.604A	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.605A	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.609A	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.610A	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.611A	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S31.612A	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.613A	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.614A	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.615A	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.619A	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.620A	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.621A	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.622A	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.623A	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.624A	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.625A	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.629A	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.630A	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.631A	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.632A	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.633A	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.634A	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.635A	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.639A	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.640A	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.641A	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S31.642A	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.643A	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.644A	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.645A	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.649A	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.650A	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.651A	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.652A	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.653A	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.654A	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.655A	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.659A	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S36.00XA	Unspecified injury of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.020A	Minor contusion of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.021A	Major contusion of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.029A	Unspecified contusion of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.030A	Superficial (capsular) laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.031A	Moderate laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.032A	Major laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.039A	Unspecified laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.09XA	Other injury of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.112A	Contusion of liver, initial encounter	ICD-10-CM	Diagnosis
S36.113A	Laceration of liver, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.114A	Minor laceration of liver, initial encounter	ICD-10-CM	Diagnosis
S36.115A	Moderate laceration of liver, initial encounter	ICD-10-CM	Diagnosis
S36.116A	Major laceration of liver, initial encounter	ICD-10-CM	Diagnosis
S36.118A	Other injury of liver, initial encounter	ICD-10-CM	Diagnosis
S36.119A	Unspecified injury of liver, initial encounter	ICD-10-CM	Diagnosis
S36.122A	Contusion of gallbladder, initial encounter	ICD-10-CM	Diagnosis
S36.123A	Laceration of gallbladder, initial encounter	ICD-10-CM	Diagnosis
S36.128A	Other injury of gallbladder, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S36.129A	Unspecified injury of gallbladder, initial encounter	ICD-10-CM	Diagnosis
S36.13XA	Injury of bile duct, initial encounter	ICD-10-CM	Diagnosis
S36.200A	Unspecified injury of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.201A	Unspecified injury of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.202A	Unspecified injury of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.209A	Unspecified injury of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.220A	Contusion of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.221A	Contusion of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.222A	Contusion of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.229A	Contusion of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.230A	Laceration of head of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.231A	Laceration of body of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.232A	Laceration of tail of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.239A	Laceration of unspecified part of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.240A	Minor laceration of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.241A	Minor laceration of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.242A	Minor laceration of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.249A	Minor laceration of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.250A	Moderate laceration of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.251A	Moderate laceration of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.252A	Moderate laceration of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.259A	Moderate laceration of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.260A	Major laceration of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.261A	Major laceration of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.262A	Major laceration of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.269A	Major laceration of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.290A	Other injury of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.291A	Other injury of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.292A	Other injury of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.299A	Other injury of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.30XA	Unspecified injury of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.32XA	Contusion of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.33XA	Laceration of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.39XA	Other injury of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.400A	Unspecified injury of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.408A	Unspecified injury of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.409A	Unspecified injury of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.410A	Primary blast injury of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.418A	Primary blast injury of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.419A	Primary blast injury of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.420A	Contusion of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.428A	Contusion of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S36.429A	Contusion of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.430A	Laceration of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.438A	Laceration of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.439A	Laceration of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.490A	Other injury of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.498A	Other injury of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.499A	Other injury of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.500A	Unspecified injury of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.501A	Unspecified injury of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.502A	Unspecified injury of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.503A	Unspecified injury of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.508A	Unspecified injury of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.509A	Unspecified injury of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.510A	Primary blast injury of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.511A	Primary blast injury of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.512A	Primary blast injury of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.513A	Primary blast injury of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.518A	Primary blast injury of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.519A	Primary blast injury of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.520A	Contusion of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.521A	Contusion of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.522A	Contusion of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.523A	Contusion of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.528A	Contusion of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.529A	Contusion of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.530A	Laceration of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.531A	Laceration of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.532A	Laceration of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.533A	Laceration of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.538A	Laceration of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.539A	Laceration of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.590A	Other injury of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.591A	Other injury of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.592A	Other injury of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.593A	Other injury of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.598A	Other injury of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.599A	Other injury of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.60XA	Unspecified injury of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.61XA	Primary blast injury of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.62XA	Contusion of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.63XA	Laceration of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.69XA	Other injury of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.81XA	Injury of peritoneum, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S36.892A	Contusion of other intra-abdominal organs, initial encounter	ICD-10-CM	Diagnosis
S36.893A	Laceration of other intra-abdominal organs, initial encounter	ICD-10-CM	Diagnosis
S36.898A	Other injury of other intra-abdominal organs, initial encounter	ICD-10-CM	Diagnosis
S36.899A	Unspecified injury of other intra-abdominal organs, initial encounter	ICD-10-CM	Diagnosis
S36.90XA	Unspecified injury of unspecified intra-abdominal organ, initial encounter	ICD-10-CM	Diagnosis
S36.92XA	Contusion of unspecified intra-abdominal organ, initial encounter	ICD-10-CM	Diagnosis
S36.93XA	Laceration of unspecified intra-abdominal organ, initial encounter	ICD-10-CM	Diagnosis
S36.99XA	Other injury of unspecified intra-abdominal organ, initial encounter	ICD-10-CM	Diagnosis
S37.001A	Unspecified injury of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.002A	Unspecified injury of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.009A	Unspecified injury of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.011A	Minor contusion of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.012A	Minor contusion of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.019A	Minor contusion of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.021A	Major contusion of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.022A	Major contusion of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.029A	Major contusion of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.031A	Laceration of right kidney, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S37.032A	Laceration of left kidney, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S37.039A	Laceration of unspecified kidney, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S37.041A	Minor laceration of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.042A	Minor laceration of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.049A	Minor laceration of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.051A	Moderate laceration of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.052A	Moderate laceration of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.059A	Moderate laceration of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.061A	Major laceration of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.062A	Major laceration of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.069A	Major laceration of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.091A	Other injury of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.092A	Other injury of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.099A	Other injury of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.10XA	Unspecified injury of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.12XA	Contusion of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.13XA	Laceration of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.19XA	Other injury of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.20XA	Unspecified injury of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.22XA	Contusion of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.23XA	Laceration of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.29XA	Other injury of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.30XA	Unspecified injury of urethra, initial encounter	ICD-10-CM	Diagnosis
S37.32XA	Contusion of urethra, initial encounter	ICD-10-CM	Diagnosis
S37.33XA	Laceration of urethra, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S37.39XA	Other injury of urethra, initial encounter	ICD-10-CM	Diagnosis
S37.401A	Unspecified injury of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.402A	Unspecified injury of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.409A	Unspecified injury of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.421A	Contusion of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.422A	Contusion of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.429A	Contusion of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.431A	Laceration of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.432A	Laceration of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.439A	Laceration of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.491A	Other injury of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.492A	Other injury of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.499A	Other injury of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.501A	Unspecified injury of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.502A	Unspecified injury of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.509A	Unspecified injury of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.511A	Primary blast injury of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.512A	Primary blast injury of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.519A	Primary blast injury of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.521A	Contusion of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.522A	Contusion of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.529A	Contusion of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.531A	Laceration of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.532A	Laceration of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.539A	Laceration of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.591A	Other injury of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.592A	Other injury of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.599A	Other injury of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.60XA	Unspecified injury of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.62XA	Contusion of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.63XA	Laceration of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.69XA	Other injury of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.812A	Contusion of adrenal gland, initial encounter	ICD-10-CM	Diagnosis
S37.813A	Laceration of adrenal gland, initial encounter	ICD-10-CM	Diagnosis
S37.818A	Other injury of adrenal gland, initial encounter	ICD-10-CM	Diagnosis
S37.819A	Unspecified injury of adrenal gland, initial encounter	ICD-10-CM	Diagnosis
S37.822A	Contusion of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.823A	Laceration of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.828A	Other injury of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.829A	Unspecified injury of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.892A	Contusion of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.893A	Laceration of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.898A	Other injury of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S37.899A	Unspecified injury of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.90XA	Unspecified injury of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.92XA	Contusion of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.93XA	Laceration of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.99XA	Other injury of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
925	Crushing injury of face, scalp, and neck	ICD-9-CM	Diagnosis
925.1	Crushing injury of face and scalp	ICD-9-CM	Diagnosis
925.2	Crushing injury of neck	ICD-9-CM	Diagnosis
926	Crushing injury of trunk	ICD-9-CM	Diagnosis
926.0	Crushing injury of external genitalia	ICD-9-CM	Diagnosis
926.1	Crushing injury of other specified sites of trunk	ICD-9-CM	Diagnosis
926.11	Crushing injury of back	ICD-9-CM	Diagnosis
926.12	Crushing injury of buttock	ICD-9-CM	Diagnosis
926.19	Crushing injury of other specified sites of trunk	ICD-9-CM	Diagnosis
926.8	Crushing injury of multiple sites of trunk	ICD-9-CM	Diagnosis
926.9	Crushing injury of unspecified site of trunk	ICD-9-CM	Diagnosis
927	Crushing injury of upper limb	ICD-9-CM	Diagnosis
927.0	Crushing injury of shoulder and upper arm	ICD-9-CM	Diagnosis
927.00	Crushing injury of shoulder region	ICD-9-CM	Diagnosis
927.01	Crushing injury of scapular region	ICD-9-CM	Diagnosis
927.02	Crushing injury of axillary region	ICD-9-CM	Diagnosis
927.03	Crushing injury of upper arm	ICD-9-CM	Diagnosis
927.09	Crushing injury of multiple sites of upper arm	ICD-9-CM	Diagnosis
927.1	Crushing injury of elbow and forearm	ICD-9-CM	Diagnosis
927.10	Crushing injury of forearm	ICD-9-CM	Diagnosis
927.11	Crushing injury of elbow	ICD-9-CM	Diagnosis
927.2	Crushing injury of wrist and hand(s), except finger(s) alone	ICD-9-CM	Diagnosis
927.20	Crushing injury of hand(s)	ICD-9-CM	Diagnosis
927.21	Crushing injury of wrist	ICD-9-CM	Diagnosis
927.3	Crushing injury of finger(s)	ICD-9-CM	Diagnosis
927.8	Crushing injury of multiple sites of upper limb	ICD-9-CM	Diagnosis
927.9	Crushing injury of unspecified site of upper limb	ICD-9-CM	Diagnosis
928	Crushing injury of lower limb	ICD-9-CM	Diagnosis
928.0	Crushing injury of hip and thigh	ICD-9-CM	Diagnosis
928.00	Crushing injury of thigh	ICD-9-CM	Diagnosis
928.01	Crushing injury of hip	ICD-9-CM	Diagnosis
928.1	Crushing injury of knee and lower leg	ICD-9-CM	Diagnosis
928.10	Crushing injury of lower leg	ICD-9-CM	Diagnosis
928.11	Crushing injury of knee	ICD-9-CM	Diagnosis
928.2	Crushing injury of ankle and foot, excluding toe(s) alone	ICD-9-CM	Diagnosis
928.20	Crushing injury of foot	ICD-9-CM	Diagnosis
928.21	Crushing injury of ankle	ICD-9-CM	Diagnosis
928.3	Crushing injury of toe(s)	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
928.8	Crushing injury of multiple sites of lower limb	ICD-9-CM	Diagnosis
928.9	Crushing injury of unspecified site of lower limb	ICD-9-CM	Diagnosis
929	Crushing injury of multiple and unspecified sites	ICD-9-CM	Diagnosis
929.0	Crushing injury of multiple sites, not elsewhere classified	ICD-9-CM	Diagnosis
929.9	Crushing injury of unspecified site	ICD-9-CM	Diagnosis
S07.0XXA	Crushing injury of face, initial encounter	ICD-10-CM	Diagnosis
S07.1XXA	Crushing injury of skull, initial encounter	ICD-10-CM	Diagnosis
S07.8XXA	Crushing injury of other parts of head, initial encounter	ICD-10-CM	Diagnosis
S07.9XXA	Crushing injury of head, part unspecified, initial encounter	ICD-10-CM	Diagnosis
S17.0XXA	Crushing injury of larynx and trachea, initial encounter	ICD-10-CM	Diagnosis
S17.8XXA	Crushing injury of other specified parts of neck, initial encounter	ICD-10-CM	Diagnosis
S17.9XXA	Crushing injury of neck, part unspecified, initial encounter	ICD-10-CM	Diagnosis
S28.0XXA	Crushed chest, initial encounter	ICD-10-CM	Diagnosis
S38.001A	Crushing injury of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S38.002A	Crushing injury of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S38.01XA	Crushing injury of penis, initial encounter	ICD-10-CM	Diagnosis
S38.02XA	Crushing injury of scrotum and testis, initial encounter	ICD-10-CM	Diagnosis
S38.03XA	Crushing injury of vulva, initial encounter	ICD-10-CM	Diagnosis
S38.1XXA	Crushing injury of abdomen, lower back, and pelvis, initial encounter	ICD-10-CM	Diagnosis
S47.1XXA	Crushing injury of right shoulder and upper arm, initial encounter	ICD-10-CM	Diagnosis
S47.2XXA	Crushing injury of left shoulder and upper arm, initial encounter	ICD-10-CM	Diagnosis
S47.9XXA	Crushing injury of shoulder and upper arm, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S57.00XA	Crushing injury of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S57.01XA	Crushing injury of right elbow, initial encounter	ICD-10-CM	Diagnosis
S57.02XA	Crushing injury of left elbow, initial encounter	ICD-10-CM	Diagnosis
S57.80XA	Crushing injury of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S57.81XA	Crushing injury of right forearm, initial encounter	ICD-10-CM	Diagnosis
S57.82XA	Crushing injury of left forearm, initial encounter	ICD-10-CM	Diagnosis
S67.00XA	Crushing injury of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S67.01XA	Crushing injury of right thumb, initial encounter	ICD-10-CM	Diagnosis
S67.02XA	Crushing injury of left thumb, initial encounter	ICD-10-CM	Diagnosis
S67.10XA	Crushing injury of unspecified finger(s), initial encounter	ICD-10-CM	Diagnosis
S67.190A	Crushing injury of right index finger, initial encounter	ICD-10-CM	Diagnosis
S67.191A	Crushing injury of left index finger, initial encounter	ICD-10-CM	Diagnosis
S67.192A	Crushing injury of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S67.193A	Crushing injury of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S67.194A	Crushing injury of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S67.195A	Crushing injury of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S67.196A	Crushing injury of right little finger, initial encounter	ICD-10-CM	Diagnosis
S67.197A	Crushing injury of left little finger, initial encounter	ICD-10-CM	Diagnosis
S67.198A	Crushing injury of other finger, initial encounter	ICD-10-CM	Diagnosis
S67.20XA	Crushing injury of unspecified hand, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S67.21XA	Crushing injury of right hand, initial encounter	ICD-10-CM	Diagnosis
S67.22XA	Crushing injury of left hand, initial encounter	ICD-10-CM	Diagnosis
S67.30XA	Crushing injury of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S67.31XA	Crushing injury of right wrist, initial encounter	ICD-10-CM	Diagnosis
S67.32XA	Crushing injury of left wrist, initial encounter	ICD-10-CM	Diagnosis
S67.40XA	Crushing injury of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S67.41XA	Crushing injury of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S67.42XA	Crushing injury of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S67.90XA	Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, initial encounter	ICD-10-CM	Diagnosis
S67.91XA	Crushing injury of unspecified part(s) of right wrist, hand and fingers, initial encounter	ICD-10-CM	Diagnosis
S67.92XA	Crushing injury of unspecified part(s) of left wrist, hand and fingers, initial encounter	ICD-10-CM	Diagnosis
S77.00XA	Crushing injury of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S77.01XA	Crushing injury of right hip, initial encounter	ICD-10-CM	Diagnosis
S77.02XA	Crushing injury of left hip, initial encounter	ICD-10-CM	Diagnosis
S77.10XA	Crushing injury of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S77.11XA	Crushing injury of right thigh, initial encounter	ICD-10-CM	Diagnosis
S77.12XA	Crushing injury of left thigh, initial encounter	ICD-10-CM	Diagnosis
S77.20XA	Crushing injury of unspecified hip with thigh, initial encounter	ICD-10-CM	Diagnosis
S77.21XA	Crushing injury of right hip with thigh, initial encounter	ICD-10-CM	Diagnosis
S77.22XA	Crushing injury of left hip with thigh, initial encounter	ICD-10-CM	Diagnosis
S87.00XA	Crushing injury of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S87.01XA	Crushing injury of right knee, initial encounter	ICD-10-CM	Diagnosis
S87.02XA	Crushing injury of left knee, initial encounter	ICD-10-CM	Diagnosis
S87.80XA	Crushing injury of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S87.81XA	Crushing injury of right lower leg, initial encounter	ICD-10-CM	Diagnosis
S87.82XA	Crushing injury of left lower leg, initial encounter	ICD-10-CM	Diagnosis
S97.00XA	Crushing injury of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S97.01XA	Crushing injury of right ankle, initial encounter	ICD-10-CM	Diagnosis
S97.02XA	Crushing injury of left ankle, initial encounter	ICD-10-CM	Diagnosis
S97.101A	Crushing injury of unspecified right toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.102A	Crushing injury of unspecified left toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.109A	Crushing injury of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.111A	Crushing injury of right great toe, initial encounter	ICD-10-CM	Diagnosis
S97.112A	Crushing injury of left great toe, initial encounter	ICD-10-CM	Diagnosis
S97.119A	Crushing injury of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S97.121A	Crushing injury of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.122A	Crushing injury of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.129A	Crushing injury of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.80XA	Crushing injury of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S97.81XA	Crushing injury of right foot, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S97.82XA	Crushing injury of left foot, initial encounter	ICD-10-CM	Diagnosis
950	Injury to optic nerve and pathways	ICD-9-CM	Diagnosis
950.0	Optic nerve injury	ICD-9-CM	Diagnosis
950.1	Injury to optic chiasm	ICD-9-CM	Diagnosis
950.2	Injury to optic pathways	ICD-9-CM	Diagnosis
950.3	Injury to visual cortex	ICD-9-CM	Diagnosis
950.9	Injury to unspecified optic nerve and pathways	ICD-9-CM	Diagnosis
951	Injury to other cranial nerve(s)	ICD-9-CM	Diagnosis
951.0	Injury to oculomotor nerve	ICD-9-CM	Diagnosis
951.1	Injury to trochlear nerve	ICD-9-CM	Diagnosis
951.2	Injury to trigeminal nerve	ICD-9-CM	Diagnosis
951.3	Injury to abducens nerve	ICD-9-CM	Diagnosis
951.4	Injury to facial nerve	ICD-9-CM	Diagnosis
951.5	Injury to acoustic nerve	ICD-9-CM	Diagnosis
951.6	Injury to accessory nerve	ICD-9-CM	Diagnosis
951.7	Injury to hypoglossal nerve	ICD-9-CM	Diagnosis
951.8	Injury to other specified cranial nerves	ICD-9-CM	Diagnosis
951.9	Injury to unspecified cranial nerve	ICD-9-CM	Diagnosis
952	Spinal cord injury without evidence of spinal bone injury	ICD-9-CM	Diagnosis
952.0	Cervical spinal cord injury without evidence of spinal bone injury	ICD-9-CM	Diagnosis
952.00	C1-C4 level spinal cord injury, unspecified	ICD-9-CM	Diagnosis
952.01	C1-C4 level with complete lesion of spinal cord	ICD-9-CM	Diagnosis
952.02	C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
952.03	C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
952.04	C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
952.05	C5-C7 level spinal cord injury, unspecified	ICD-9-CM	Diagnosis
952.06	C5-C7 level with complete lesion of spinal cord	ICD-9-CM	Diagnosis
952.07	C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
952.08	C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
952.09	C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
952.1	Dorsal (thoracic) spinal cord injury without evidence of spinal bone injury	ICD-9-CM	Diagnosis
952.10	T1-T6 level spinal cord injury, unspecified	ICD-9-CM	Diagnosis
952.11	T1-T6 level with complete lesion of spinal cord	ICD-9-CM	Diagnosis
952.12	T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
952.13	T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
952.14	T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
952.15	T7-T12 level spinal cord injury, unspecified	ICD-9-CM	Diagnosis
952.16	T7-T12 level with complete lesion of spinal cord	ICD-9-CM	Diagnosis
952.17	T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
952.18	T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
952.19	T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
952.2	Lumbar spinal cord injury without spinal bone injury	ICD-9-CM	Diagnosis
952.3	Sacral spinal cord injury without spinal bone injury	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
952.4	Cauda equina spinal cord injury without spinal bone injury	ICD-9-CM	Diagnosis
952.8	Multiple sites of spinal cord injury without spinal bone injury	ICD-9-CM	Diagnosis
952.9	Unspecified site of spinal cord injury without spinal bone injury	ICD-9-CM	Diagnosis
953	Injury to nerve roots and spinal plexus	ICD-9-CM	Diagnosis
953.0	Injury to cervical nerve root	ICD-9-CM	Diagnosis
953.1	Injury to dorsal nerve root	ICD-9-CM	Diagnosis
953.2	Injury to lumbar nerve root	ICD-9-CM	Diagnosis
953.3	Injury to sacral nerve root	ICD-9-CM	Diagnosis
953.4	Injury to brachial plexus	ICD-9-CM	Diagnosis
953.5	Injury to lumbosacral plexus	ICD-9-CM	Diagnosis
953.8	Injury to multiple sites of nerve roots and spinal plexus	ICD-9-CM	Diagnosis
953.9	Injury to unspecified site of nerve roots and spinal plexus	ICD-9-CM	Diagnosis
954	Injury to other nerve(s) of trunk, excluding shoulder and pelvic girdles	ICD-9-CM	Diagnosis
954.0	Injury to cervical sympathetic nerve, excluding shoulder and pelvic girdles	ICD-9-CM	Diagnosis
954.1	Injury to other sympathetic nerve, excluding shoulder and pelvic girdles	ICD-9-CM	Diagnosis
954.8	Injury to other specified nerve(s) of trunk, excluding shoulder and pelvic girdles	ICD-9-CM	Diagnosis
954.9	Injury to unspecified nerve of trunk, excluding shoulder and pelvic girdles	ICD-9-CM	Diagnosis
955	Injury to peripheral nerve(s) of shoulder girdle and upper limb	ICD-9-CM	Diagnosis
955.0	Injury to axillary nerve	ICD-9-CM	Diagnosis
955.1	Injury to median nerve	ICD-9-CM	Diagnosis
955.2	Injury to ulnar nerve	ICD-9-CM	Diagnosis
955.3	Injury to radial nerve	ICD-9-CM	Diagnosis
955.4	Injury to musculocutaneous nerve	ICD-9-CM	Diagnosis
955.5	Injury to cutaneous sensory nerve, upper limb	ICD-9-CM	Diagnosis
955.6	Injury to digital nerve, upper limb	ICD-9-CM	Diagnosis
955.7	Injury to other specified nerve(s) of shoulder girdle and upper limb	ICD-9-CM	Diagnosis
955.8	Injury to multiple nerves of shoulder girdle and upper limb	ICD-9-CM	Diagnosis
955.9	Injury to unspecified nerve of shoulder girdle and upper limb	ICD-9-CM	Diagnosis
956	Injury to peripheral nerve(s) of pelvic girdle and lower limb	ICD-9-CM	Diagnosis
956.0	Injury to sciatic nerve	ICD-9-CM	Diagnosis
956.1	Injury to femoral nerve	ICD-9-CM	Diagnosis
956.2	Injury to posterior tibial nerve	ICD-9-CM	Diagnosis
956.3	Injury to peroneal nerve	ICD-9-CM	Diagnosis
956.4	Injury to cutaneous sensory nerve, lower limb	ICD-9-CM	Diagnosis
956.5	Injury to other specified nerve(s) of pelvic girdle and lower limb	ICD-9-CM	Diagnosis
956.8	Injury to multiple nerves of pelvic girdle and lower limb	ICD-9-CM	Diagnosis
956.9	Injury to unspecified nerve of pelvic girdle and lower limb	ICD-9-CM	Diagnosis
957	Injury to other and unspecified nerves	ICD-9-CM	Diagnosis
957.0	Injury to superficial nerves of head and neck	ICD-9-CM	Diagnosis
957.1	Injury to other specified nerve(s)	ICD-9-CM	Diagnosis
957.8	Injury to multiple nerves in several parts	ICD-9-CM	Diagnosis
957.9	Injury to nerves, unspecified site	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S04.011A	Injury of optic nerve, right eye, initial encounter	ICD-10-CM	Diagnosis
S04.012A	Injury of optic nerve, left eye, initial encounter	ICD-10-CM	Diagnosis
S04.019A	Injury of optic nerve, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S04.02XA	Injury of optic chiasm, initial encounter	ICD-10-CM	Diagnosis
S04.031A	Injury of optic tract and pathways, right side, initial encounter	ICD-10-CM	Diagnosis
S04.032A	Injury of optic tract and pathways, left side, initial encounter	ICD-10-CM	Diagnosis
S04.039A	Injury of optic tract and pathways, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.041A	Injury of visual cortex, right side, initial encounter	ICD-10-CM	Diagnosis
S04.042A	Injury of visual cortex, left side, initial encounter	ICD-10-CM	Diagnosis
S04.049A	Injury of visual cortex, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.10XA	Injury of oculomotor nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.11XA	Injury of oculomotor nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.12XA	Injury of oculomotor nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.20XA	Injury of trochlear nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.21XA	Injury of trochlear nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.22XA	Injury of trochlear nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.30XA	Injury of trigeminal nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.31XA	Injury of trigeminal nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.32XA	Injury of trigeminal nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.40XA	Injury of abducent nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.41XA	Injury of abducent nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.42XA	Injury of abducent nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.50XA	Injury of facial nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.51XA	Injury of facial nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.52XA	Injury of facial nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.60XA	Injury of acoustic nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.61XA	Injury of acoustic nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.62XA	Injury of acoustic nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.70XA	Injury of accessory nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.71XA	Injury of accessory nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.72XA	Injury of accessory nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.811A	Injury of olfactory [1st] nerve, right side, initial encounter	ICD-10-CM	Diagnosis
S04.812A	Injury of olfactory [1st] nerve, left side, initial encounter	ICD-10-CM	Diagnosis
S04.819A	Injury of olfactory [1st] nerve, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.891A	Injury of other cranial nerves, right side, initial encounter	ICD-10-CM	Diagnosis
S04.892A	Injury of other cranial nerves, left side, initial encounter	ICD-10-CM	Diagnosis
S04.899A	Injury of other cranial nerves, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S04.9XXA	Injury of unspecified cranial nerve, initial encounter	ICD-10-CM	Diagnosis
S14.0XXA	Concussion and edema of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.101A	Unspecified injury at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.102A	Unspecified injury at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.103A	Unspecified injury at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.104A	Unspecified injury at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S14.105A	Unspecified injury at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.106A	Unspecified injury at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.107A	Unspecified injury at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.108A	Unspecified injury at C8 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.109A	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.111A	Complete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.112A	Complete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.113A	Complete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.114A	Complete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.115A	Complete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.116A	Complete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.117A	Complete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.118A	Complete lesion at C8 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.119A	Complete lesion at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.121A	Central cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.122A	Central cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.123A	Central cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.124A	Central cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.125A	Central cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.126A	Central cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.128A	Central cord syndrome at C8 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.129A	Central cord syndrome at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.131A	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.132A	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.138A	Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.139A	Anterior cord syndrome at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.141A	Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.142A	Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.143A	Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.144A	Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.145A	Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.146A	Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.147A	Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.148A	Brown-Sequard syndrome at C8 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.149A	Brown-Sequard syndrome at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S14.151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.158A	Other incomplete lesion at C8 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.159A	Other incomplete lesion at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.2XXA	Injury of nerve root of cervical spine, initial encounter	ICD-10-CM	Diagnosis
S14.3XXA	Injury of brachial plexus, initial encounter	ICD-10-CM	Diagnosis
S14.4XXA	Injury of peripheral nerves of neck, initial encounter	ICD-10-CM	Diagnosis
S14.5XXA	Injury of cervical sympathetic nerves, initial encounter	ICD-10-CM	Diagnosis
S14.8XXA	Injury of other specified nerves of neck, initial encounter	ICD-10-CM	Diagnosis
S14.9XXA	Injury of unspecified nerves of neck, initial encounter	ICD-10-CM	Diagnosis
S24.0XXA	Concussion and edema of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.101A	Unspecified injury at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.102A	Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.103A	Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.104A	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.109A	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.119A	Complete lesion at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S24.131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.139A	Anterior cord syndrome at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.141A	Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.142A	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.143A	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.144A	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.149A	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.159A	Other incomplete lesion at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.2XXA	Injury of nerve root of thoracic spine, initial encounter	ICD-10-CM	Diagnosis
S24.3XXA	Injury of peripheral nerves of thorax, initial encounter	ICD-10-CM	Diagnosis
S24.4XXA	Injury of thoracic sympathetic nervous system, initial encounter	ICD-10-CM	Diagnosis
S24.8XXA	Injury of other specified nerves of thorax, initial encounter	ICD-10-CM	Diagnosis
S24.9XXA	Injury of unspecified nerve of thorax, initial encounter	ICD-10-CM	Diagnosis
S34.01XA	Concussion and edema of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.02XA	Concussion and edema of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.101A	Unspecified injury to L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.102A	Unspecified injury to L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.103A	Unspecified injury to L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.104A	Unspecified injury to L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.105A	Unspecified injury to L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S34.109A	Unspecified injury to unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.114A	Complete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.115A	Complete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.119A	Complete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.121A	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.122A	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.123A	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.124A	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.125A	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.129A	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.131A	Complete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.132A	Incomplete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.139A	Unspecified injury to sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.21XA	Injury of nerve root of lumbar spine, initial encounter	ICD-10-CM	Diagnosis
S34.22XA	Injury of nerve root of sacral spine, initial encounter	ICD-10-CM	Diagnosis
S34.3XXA	Injury of cauda equina, initial encounter	ICD-10-CM	Diagnosis
S34.4XXA	Injury of lumbosacral plexus, initial encounter	ICD-10-CM	Diagnosis
S34.5XXA	Injury of lumbar, sacral and pelvic sympathetic nerves, initial encounter	ICD-10-CM	Diagnosis
S34.6XXA	Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, initial encounter	ICD-10-CM	Diagnosis
S34.8XXA	Injury of other nerves at abdomen, lower back and pelvis level, initial encounter	ICD-10-CM	Diagnosis
S34.9XXA	Injury of unspecified nerves at abdomen, lower back and pelvis level, initial encounter	ICD-10-CM	Diagnosis
S44.00XA	Injury of ulnar nerve at upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.01XA	Injury of ulnar nerve at upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.02XA	Injury of ulnar nerve at upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S44.10XA	Injury of median nerve at upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.11XA	Injury of median nerve at upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.12XA	Injury of median nerve at upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S44.20XA	Injury of radial nerve at upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.21XA	Injury of radial nerve at upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.22XA	Injury of radial nerve at upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S44.30XA	Injury of axillary nerve, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.31XA	Injury of axillary nerve, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.32XA	Injury of axillary nerve, left arm, initial encounter	ICD-10-CM	Diagnosis
S44.40XA	Injury of musculocutaneous nerve, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.41XA	Injury of musculocutaneous nerve, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.42XA	Injury of musculocutaneous nerve, left arm, initial encounter	ICD-10-CM	Diagnosis
S44.50XA	Injury of cutaneous sensory nerve at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.51XA	Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.52XA	Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S44.8X1A	Injury of other nerves at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.8X2A	Injury of other nerves at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S44.8X9A	Injury of other nerves at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.90XA	Injury of unspecified nerve at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S44.91XA	Injury of unspecified nerve at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S44.92XA	Injury of unspecified nerve at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S54.00XA	Injury of ulnar nerve at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S54.01XA	Injury of ulnar nerve at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S54.02XA	Injury of ulnar nerve at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S54.10XA	Injury of median nerve at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S54.11XA	Injury of median nerve at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S54.12XA	Injury of median nerve at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S54.20XA	Injury of radial nerve at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S54.21XA	Injury of radial nerve at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S54.22XA	Injury of radial nerve at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S54.30XA	Injury of cutaneous sensory nerve at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S54.31XA	Injury of cutaneous sensory nerve at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S54.32XA	Injury of cutaneous sensory nerve at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S54.8X1A	Injury of other nerves at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S54.8X2A	Injury of other nerves at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S54.8X9A	Injury of other nerves at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S54.90XA	Injury of unspecified nerve at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S54.91XA	Injury of unspecified nerve at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S54.92XA	Injury of unspecified nerve at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S64.00XA	Injury of ulnar nerve at wrist and hand level of unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S64.01XA	Injury of ulnar nerve at wrist and hand level of right arm, initial encounter	ICD-10-CM	Diagnosis
S64.02XA	Injury of ulnar nerve at wrist and hand level of left arm, initial encounter	ICD-10-CM	Diagnosis
S64.10XA	Injury of median nerve at wrist and hand level of unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S64.11XA	Injury of median nerve at wrist and hand level of right arm, initial encounter	ICD-10-CM	Diagnosis
S64.12XA	Injury of median nerve at wrist and hand level of left arm, initial encounter	ICD-10-CM	Diagnosis
S64.20XA	Injury of radial nerve at wrist and hand level of unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S64.21XA	Injury of radial nerve at wrist and hand level of right arm, initial encounter	ICD-10-CM	Diagnosis
S64.22XA	Injury of radial nerve at wrist and hand level of left arm, initial encounter	ICD-10-CM	Diagnosis
S64.30XA	Injury of digital nerve of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S64.31XA	Injury of digital nerve of right thumb, initial encounter	ICD-10-CM	Diagnosis
S64.32XA	Injury of digital nerve of left thumb, initial encounter	ICD-10-CM	Diagnosis
S64.40XA	Injury of digital nerve of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S64.490A	Injury of digital nerve of right index finger, initial encounter	ICD-10-CM	Diagnosis
S64.491A	Injury of digital nerve of left index finger, initial encounter	ICD-10-CM	Diagnosis
S64.492A	Injury of digital nerve of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S64.493A	Injury of digital nerve of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S64.494A	Injury of digital nerve of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S64.495A	Injury of digital nerve of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S64.496A	Injury of digital nerve of right little finger, initial encounter	ICD-10-CM	Diagnosis
S64.497A	Injury of digital nerve of left little finger, initial encounter	ICD-10-CM	Diagnosis
S64.498A	Injury of digital nerve of other finger, initial encounter	ICD-10-CM	Diagnosis
S64.8X1A	Injury of other nerves at wrist and hand level of right arm, initial encounter	ICD-10-CM	Diagnosis
S64.8X2A	Injury of other nerves at wrist and hand level of left arm, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S64.8X9A	Injury of other nerves at wrist and hand level of unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S64.90XA	Injury of unspecified nerve at wrist and hand level of unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S64.91XA	Injury of unspecified nerve at wrist and hand level of right arm, initial encounter	ICD-10-CM	Diagnosis
S64.92XA	Injury of unspecified nerve at wrist and hand level of left arm, initial encounter	ICD-10-CM	Diagnosis
S74.00XA	Injury of sciatic nerve at hip and thigh level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S74.01XA	Injury of sciatic nerve at hip and thigh level, right leg, initial encounter	ICD-10-CM	Diagnosis
S74.02XA	Injury of sciatic nerve at hip and thigh level, left leg, initial encounter	ICD-10-CM	Diagnosis
S74.10XA	Injury of femoral nerve at hip and thigh level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S74.11XA	Injury of femoral nerve at hip and thigh level, right leg, initial encounter	ICD-10-CM	Diagnosis
S74.12XA	Injury of femoral nerve at hip and thigh level, left leg, initial encounter	ICD-10-CM	Diagnosis
S74.20XA	Injury of cutaneous sensory nerve at hip and thigh level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S74.21XA	Injury of cutaneous sensory nerve at hip and high level, right leg, initial encounter	ICD-10-CM	Diagnosis
S74.22XA	Injury of cutaneous sensory nerve at hip and thigh level, left leg, initial encounter	ICD-10-CM	Diagnosis
S74.8X1A	Injury of other nerves at hip and thigh level, right leg, initial encounter	ICD-10-CM	Diagnosis
S74.8X2A	Injury of other nerves at hip and thigh level, left leg, initial encounter	ICD-10-CM	Diagnosis
S74.8X9A	Injury of other nerves at hip and thigh level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S74.90XA	Injury of unspecified nerve at hip and thigh level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S74.91XA	Injury of unspecified nerve at hip and thigh level, right leg, initial encounter	ICD-10-CM	Diagnosis
S74.92XA	Injury of unspecified nerve at hip and thigh level, left leg, initial encounter	ICD-10-CM	Diagnosis
S84.00XA	Injury of tibial nerve at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S84.01XA	Injury of tibial nerve at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S84.02XA	Injury of tibial nerve at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S84.10XA	Injury of peroneal nerve at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S84.11XA	Injury of peroneal nerve at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S84.12XA	Injury of peroneal nerve at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S84.20XA	Injury of cutaneous sensory nerve at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
S84.21XA	Injury of cutaneous sensory nerve at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S84.22XA	Injury of cutaneous sensory nerve at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S84.801A	Injury of other nerves at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S84.802A	Injury of other nerves at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S84.809A	Injury of other nerves at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S84.90XA	Injury of unspecified nerve at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S84.91XA	Injury of unspecified nerve at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S84.92XA	Injury of unspecified nerve at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S94.00XA	Injury of lateral plantar nerve, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S94.01XA	Injury of lateral plantar nerve, right leg, initial encounter	ICD-10-CM	Diagnosis
S94.02XA	Injury of lateral plantar nerve, left leg, initial encounter	ICD-10-CM	Diagnosis
S94.10XA	Injury of medial plantar nerve, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S94.11XA	Injury of medial plantar nerve, right leg, initial encounter	ICD-10-CM	Diagnosis
S94.12XA	Injury of medial plantar nerve, left leg, initial encounter	ICD-10-CM	Diagnosis
S94.20XA	Injury of deep peroneal nerve at ankle and foot level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S94.21XA	Injury of deep peroneal nerve at ankle and foot level, right leg, initial encounter	ICD-10-CM	Diagnosis
S94.22XA	Injury of deep peroneal nerve at ankle and foot level, left leg, initial encounter	ICD-10-CM	Diagnosis
S94.30XA	Injury of cutaneous sensory nerve at ankle and foot level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S94.31XA	Injury of cutaneous sensory nerve at ankle and foot level, right leg, initial encounter	ICD-10-CM	Diagnosis
S94.32XA	Injury of cutaneous sensory nerve at ankle and foot level, left leg, initial encounter	ICD-10-CM	Diagnosis
S94.8X1A	Injury of other nerves at ankle and foot level, right leg, initial encounter	ICD-10-CM	Diagnosis
S94.8X2A	Injury of other nerves at ankle and foot level, left leg, initial encounter	ICD-10-CM	Diagnosis
S94.8X9A	Injury of other nerves at ankle and foot level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S94.90XA	Injury of unspecified nerve at ankle and foot level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S94.91XA	Injury of unspecified nerve at ankle and foot level, right leg, initial encounter	ICD-10-CM	Diagnosis
S94.92XA	Injury of unspecified nerve at ankle and foot level, left leg, initial encounter	ICD-10-CM	Diagnosis
E800	Railway accident involving collision with rolling stock	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E800.0	Railway accident involving collision with rolling stock, injuring railway employee	ICD-9-CM	Diagnosis
E800.1	Railway accident involving collision with rolling stock, injuring passenger on railway	ICD-9-CM	Diagnosis
E800.2	Railway accident involving collision with rolling stock, injuring pedestrian	ICD-9-CM	Diagnosis
E800.3	Railway accident involving collision with rolling stock, injuring pedal cyclist	ICD-9-CM	Diagnosis
E800.8	Railway accident involving collision with rolling stock, injuring other specified person	ICD-9-CM	Diagnosis
E800.9	Railway accident involving collision with rolling stock, injuring unspecified person	ICD-9-CM	Diagnosis
E801	Railway accident involving collision with other object	ICD-9-CM	Diagnosis
E801.0	Railway accident involving collision with other object, injuring railway employee	ICD-9-CM	Diagnosis
E801.1	Railway accident involving collision with other object, injuring passenger on railway	ICD-9-CM	Diagnosis
E801.2	Railway accident involving collision with other object, injuring pedestrian	ICD-9-CM	Diagnosis
E801.3	Railway accident involving collision with other object, injuring pedal cyclist	ICD-9-CM	Diagnosis
E801.8	Railway accident involving collision with other object, injuring other specified person	ICD-9-CM	Diagnosis
E801.9	Railway accident involving collision with other object, injuring unspecified person	ICD-9-CM	Diagnosis
E802	Railway accident involving derailment without antecedent collision	ICD-9-CM	Diagnosis
E802.0	Railway accident involving derailment without antecedent collision, injuring railway employee	ICD-9-CM	Diagnosis
E802.1	Railway accident involving derailment without antecedent collision, injuring passenger on railway	ICD-9-CM	Diagnosis
E802.2	Railway accident involving derailment without antecedent collision, injuring pedestrian	ICD-9-CM	Diagnosis
E802.3	Railway accident involving derailment without antecedent collision, injuring pedal cyclist	ICD-9-CM	Diagnosis
E802.8	Railway accident involving derailment without antecedent collision, injuring other specified person	ICD-9-CM	Diagnosis
E802.9	Railway accident involving derailment without antecedent collision, injuring unspecified person	ICD-9-CM	Diagnosis
E803	Railway accident involving explosion, fire, or burning	ICD-9-CM	Diagnosis
E803.0	Railway accident involving explosion, fire, or burning, injuring railway employee	ICD-9-CM	Diagnosis
E803.1	Railway accident involving explosion, fire, or burning, injuring passenger on railway	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E803.2	Railway accident involving explosion, fire, or burning, injuring pedestrian	ICD-9-CM	Diagnosis
E803.3	Railway accident involving explosion, fire, or burning, injuring pedal cyclist	ICD-9-CM	Diagnosis
E803.8	Railway accident involving explosion, fire, or burning, injuring other specified person	ICD-9-CM	Diagnosis
E803.9	Railway accident involving explosion, fire, or burning, injuring unspecified person	ICD-9-CM	Diagnosis
E804	Fall in, on, or from railway train	ICD-9-CM	Diagnosis
E804.0	Fall in, on, or from railway train, injuring railway employee	ICD-9-CM	Diagnosis
E804.1	Fall in, on, or from railway train, injuring passenger on railway	ICD-9-CM	Diagnosis
E804.2	Fall in, on, or from railway train, injuring pedestrian	ICD-9-CM	Diagnosis
E804.3	Fall in, on, or from railway train, injuring pedal cyclist	ICD-9-CM	Diagnosis
E804.8	Fall in, on, or from railway train, injuring other specified person	ICD-9-CM	Diagnosis
E804.9	Fall in, on, or from railway train, injuring unspecified person	ICD-9-CM	Diagnosis
E805	Hit by rolling stock	ICD-9-CM	Diagnosis
E805.0	Railway employee hit by rolling stock	ICD-9-CM	Diagnosis
E805.1	Passenger on railway hit by rolling stock	ICD-9-CM	Diagnosis
E805.2	Pedestrian hit by rolling stock	ICD-9-CM	Diagnosis
E805.3	Pedal cyclist hit by rolling stock	ICD-9-CM	Diagnosis
E805.8	Other specified person hit by rolling stock	ICD-9-CM	Diagnosis
E805.9	Unspecified person hit by rolling stock	ICD-9-CM	Diagnosis
E806	Other specified railway accident	ICD-9-CM	Diagnosis
E806.0	Other specified railway accident injuring railway employee	ICD-9-CM	Diagnosis
E806.1	Other specified railway accident injuring passenger on railway	ICD-9-CM	Diagnosis
E806.2	Other specified railway accident injuring pedestrian	ICD-9-CM	Diagnosis
E806.3	Other specified railway accident injuring pedal cyclist	ICD-9-CM	Diagnosis
E806.8	Other specified railway accident injuring other specified person	ICD-9-CM	Diagnosis
E806.9	Other specified railway accident injuring unspecified person	ICD-9-CM	Diagnosis
E807	Railway accident of unspecified nature	ICD-9-CM	Diagnosis
E807.0	Railway accident of unspecified nature injuring railway employee	ICD-9-CM	Diagnosis
E807.1	Railway accident of unspecified nature injuring passenger on railway	ICD-9-CM	Diagnosis
E807.2	Railway accident of unspecified nature injuring pedestrian	ICD-9-CM	Diagnosis
E807.3	Railway accident of unspecified nature injuring pedal cyclist	ICD-9-CM	Diagnosis
E807.8	Railway accident of unspecified nature injuring other specified person	ICD-9-CM	Diagnosis
E807.9	Railway accident of unspecified nature injuring unspecified person	ICD-9-CM	Diagnosis
E810	Motor vehicle traffic accident involving collision with train	ICD-9-CM	Diagnosis
E810.0	Motor vehicle collision with train, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E810.1	Motor vehicle collision with train, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E810.2	Motor vehicle collision with train, injuring motorcyclist	ICD-9-CM	Diagnosis
E810.3	Motor vehicle collision with train, injuring passenger on motorcycle	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E810.4	Motor vehicle collision with train, injuring occupant of streetcar	ICD-9-CM	Diagnosis
E810.5	Motor vehicle collision with train, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E810.6	Motor vehicle collision with train, injuring pedal cyclist	ICD-9-CM	Diagnosis
E810.7	Motor vehicle collision with train, injuring pedestrian	ICD-9-CM	Diagnosis
E810.8	Motor vehicle collision with train, injuring other specified person	ICD-9-CM	Diagnosis
E810.9	Motor vehicle collision with train, injuring unspecified person	ICD-9-CM	Diagnosis
E811	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle	ICD-9-CM	Diagnosis
E811.0	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E811.1	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E811.2	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring motorcyclist	ICD-9-CM	Diagnosis
E811.3	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E811.4	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring occupant of streetcar	ICD-9-CM	Diagnosis
E811.5	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E811.6	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring pedal cyclist	ICD-9-CM	Diagnosis
E811.7	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring pedestrian	ICD-9-CM	Diagnosis
E811.8	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring other specified person	ICD-9-CM	Diagnosis
E811.9	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, injuring unspecified person	ICD-9-CM	Diagnosis
E812	Other motor vehicle collision with motor vehicle	ICD-9-CM	Diagnosis
E812.0	Other motor vehicle collision with motor vehicle, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E812.1	Other motor vehicle collision with motor vehicle, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E812.2	Other motor vehicle collision with motor vehicle, injuring motorcyclist	ICD-9-CM	Diagnosis
E812.3	Other motor vehicle collision with motor vehicle, injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E812.4	Other motor vehicle collision with motor vehicle, injuring occupant of streetcar	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E812.5	Other motor vehicle collision with motor vehicle, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E812.6	Other motor vehicle collision with motor vehicle, injuring pedal cyclist	ICD-9-CM	Diagnosis
E812.7	Other motor vehicle collision with motor vehicle, injuring pedestrian	ICD-9-CM	Diagnosis
E812.8	Other motor vehicle collision with motor vehicle, injuring other specified person	ICD-9-CM	Diagnosis
E812.9	Other motor vehicle collision with motor vehicle, injuring unspecified person	ICD-9-CM	Diagnosis
E813	Motor vehicle collision with other vehicle	ICD-9-CM	Diagnosis
E813.0	Motor vehicle collision with other vehicle, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E813.1	Motor vehicle collision with other vehicle, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E813.2	Motor vehicle collision with other vehicle, injuring motorcyclist	ICD-9-CM	Diagnosis
E813.3	Motor vehicle collision with other vehicle, injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E813.4	Motor vehicle collision with other vehicle, injuring occupant of streetcar	ICD-9-CM	Diagnosis
E813.5	Motor vehicle collision with other vehicle, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E813.6	Motor vehicle collision with other vehicle, injuring pedal cyclist	ICD-9-CM	Diagnosis
E813.7	Motor vehicle collision with other vehicle, injuring pedestrian	ICD-9-CM	Diagnosis
E813.8	Motor vehicle collision with other vehicle, injuring other specified person	ICD-9-CM	Diagnosis
E813.9	Motor vehicle collision with other vehicle, injuring unspecified person	ICD-9-CM	Diagnosis
E814	Motor vehicle collision with pedestrian	ICD-9-CM	Diagnosis
E814.0	Motor vehicle collision with pedestrian, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E814.1	Motor vehicle collision with pedestrian, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E814.2	Motor vehicle collision with pedestrian, injuring motorcyclist	ICD-9-CM	Diagnosis
E814.3	Motor vehicle collision with pedestrian, injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E814.4	Motor vehicle collision with pedestrian, injuring occupant of streetcar	ICD-9-CM	Diagnosis
E814.5	Motor vehicle collision with pedestrian, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E814.6	Motor vehicle collision with pedestrian, injuring pedal cyclist	ICD-9-CM	Diagnosis
E814.7	Motor vehicle collision with pedestrian, injuring pedestrian	ICD-9-CM	Diagnosis
E814.8	Motor vehicle collision with pedestrian, injuring other specified person	ICD-9-CM	Diagnosis
E814.9	Motor vehicle collision with pedestrian, injuring unspecified person	ICD-9-CM	Diagnosis
E815	Other motor vehicle collision with object on the highway	ICD-9-CM	Diagnosis
E815.0	Other motor vehicle collision with object on the highway, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E815.1	Other motor vehicle collision with object on the highway, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E815.2	Other motor vehicle collision with object on the highway, injuring motorcyclist	ICD-9-CM	Diagnosis
E815.3	Other motor vehicle collision with object on the highway, injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E815.4	Other motor vehicle collision with object on the highway, injuring occupant of streetcar	ICD-9-CM	Diagnosis
E815.5	Other motor vehicle collision with object on the highway, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E815.6	Other motor vehicle collision with object on the highway, injuring pedal cyclist	ICD-9-CM	Diagnosis
E815.7	Other motor vehicle collision with object on the highway, injuring pedestrian	ICD-9-CM	Diagnosis
E815.8	Other motor vehicle collision with object on the highway, injuring other specified person	ICD-9-CM	Diagnosis
E815.9	Other motor vehicle collision with object on the highway, injuring unspecified person	ICD-9-CM	Diagnosis
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway	ICD-9-CM	Diagnosis
E816.0	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E816.1	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E816.2	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring motorcyclist	ICD-9-CM	Diagnosis
E816.3	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E816.4	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring occupant of streetcar	ICD-9-CM	Diagnosis
E816.5	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E816.6	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring pedal cyclist	ICD-9-CM	Diagnosis
E816.7	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring pedestrian	ICD-9-CM	Diagnosis
E816.8	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring other specified person	ICD-9-CM	Diagnosis
E816.9	Motor vehicle traffic accident due to loss of control, without collision on the highway, injuring unspecified person	ICD-9-CM	Diagnosis
E817	Noncollision motor vehicle traffic accident while boarding or alighting	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E817.0	Noncollision motor vehicle traffic accident injuring driver of motor vehicle other than motorcycle while boarding or alighting	ICD-9-CM	Diagnosis
E817.1	Noncollision motor vehicle traffic accident injuring passenger in motor vehicle other than motorcycle while boarding or alighting	ICD-9-CM	Diagnosis
E817.2	Noncollision motor vehicle traffic accident injuring motorcyclist while boarding or alighting	ICD-9-CM	Diagnosis
E817.3	Noncollision motor vehicle traffic accident injuring passenger on motorcycle while boarding or alighting	ICD-9-CM	Diagnosis
E817.4	Noncollision motor vehicle traffic accident injuring occupant of streetcar while boarding or alighting	ICD-9-CM	Diagnosis
E817.5	Noncollision motor vehicle traffic accident injuring rider of animal; occupant of animal-drawn vehicle while boarding or alighting	ICD-9-CM	Diagnosis
E817.6	Noncollision motor vehicle traffic accident injuring pedal cyclist while boarding or alighting	ICD-9-CM	Diagnosis
E817.7	Noncollision motor vehicle traffic accident injuring pedestrian while boarding or alighting	ICD-9-CM	Diagnosis
E817.8	Noncollision motor vehicle traffic accident injuring other specified person while boarding or alighting	ICD-9-CM	Diagnosis
E817.9	Noncollision motor vehicle traffic accident injuring unspecified person while boarding or alighting	ICD-9-CM	Diagnosis
E818	Other noncollision motor vehicle traffic accident	ICD-9-CM	Diagnosis
E818.0	Other noncollision motor vehicle traffic accident injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E818.1	Other noncollision motor vehicle traffic accident injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E818.2	Other noncollision motor vehicle traffic accident injuring motorcyclist	ICD-9-CM	Diagnosis
E818.3	Other noncollision motor vehicle traffic accident injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E818.4	Other noncollision motor vehicle traffic accident injuring occupant of streetcar	ICD-9-CM	Diagnosis
E818.5	Other noncollision motor vehicle traffic accident injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E818.6	Other noncollision motor vehicle traffic accident injuring pedal cyclist	ICD-9-CM	Diagnosis
E818.7	Other noncollision motor vehicle traffic accident injuring pedestrian	ICD-9-CM	Diagnosis
E818.8	Other noncollision motor vehicle traffic accident injuring other specified person	ICD-9-CM	Diagnosis
E818.9	Other noncollision motor vehicle traffic accident injuring unspecified person	ICD-9-CM	Diagnosis
E819	Motor vehicle traffic accident of unspecified nature	ICD-9-CM	Diagnosis
E819.0	Motor vehicle traffic accident of unspecified nature injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E819.1	Motor vehicle traffic accident of unspecified nature injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E819.2	Motor vehicle traffic accident of unspecified nature injuring motorcyclist	ICD-9-CM	Diagnosis
E819.3	Motor vehicle traffic accident of unspecified nature injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E819.4	Motor vehicle traffic accident of unspecified nature injuring occupant of streetcar	ICD-9-CM	Diagnosis
E819.5	Motor vehicle traffic accident of unspecified nature injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E819.6	Motor vehicle traffic accident of unspecified nature injuring pedal cyclist	ICD-9-CM	Diagnosis
E819.7	Motor vehicle traffic accident of unspecified nature injuring pedestrian	ICD-9-CM	Diagnosis
E819.8	Motor vehicle traffic accident of unspecified nature injuring other specified person	ICD-9-CM	Diagnosis
E819.9	Motor vehicle traffic accident of unspecified nature injuring unspecified person	ICD-9-CM	Diagnosis
E820	Nontraffic accident involving motor-driven snow vehicle	ICD-9-CM	Diagnosis
E820.0	Nontraffic accident involving motor-driven snow vehicle injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E820.1	Nontraffic accident involving motor-driven snow vehicle injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E820.2	Nontraffic accident involving motor-driven snow vehicle injuring motorcyclist	ICD-9-CM	Diagnosis
E820.3	Nontraffic accident involving motor-driven snow vehicle injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E820.4	Nontraffic accident involving motor-driven snow vehicle injuring occupant of streetcar	ICD-9-CM	Diagnosis
E820.5	Nontraffic accident involving motor-driven snow vehicle injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E820.6	Nontraffic accident involving motor-driven snow vehicle injuring pedal cyclist	ICD-9-CM	Diagnosis
E820.7	Nontraffic accident involving motor-driven snow vehicle injuring pedestrian	ICD-9-CM	Diagnosis
E820.8	Nontraffic accident involving motor-driven snow vehicle injuring other specified person	ICD-9-CM	Diagnosis
E820.9	Nontraffic accident involving motor-driven snow vehicle injuring unspecified person	ICD-9-CM	Diagnosis
E821	Nontraffic accident involving other off-road motor vehicle	ICD-9-CM	Diagnosis
E821.0	Nontraffic accident involving other off-road motor vehicle injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E821.1	Nontraffic accident involving other off-road motor vehicle injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E821.2	Nontraffic accident involving other off-road motor vehicle injuring motorcyclist	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E821.3	Nontraffic accident involving other off-road motor vehicle injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E821.4	Nontraffic accident involving other off-road motor vehicle injuring occupant of streetcar	ICD-9-CM	Diagnosis
E821.5	Nontraffic accident involving other off-road motor vehicle injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E821.6	Nontraffic accident involving other off-road motor vehicle injuring pedal cyclist	ICD-9-CM	Diagnosis
E821.7	Nontraffic accident involving other off-road motor vehicle injuring pedestrian	ICD-9-CM	Diagnosis
E821.8	Nontraffic accident involving other off-road motor vehicle injuring other specified person	ICD-9-CM	Diagnosis
E821.9	Nontraffic accident involving other off-road motor vehicle injuring unspecified person	ICD-9-CM	Diagnosis
E822	Other motor vehicle nontraffic accident involving collision with moving object	ICD-9-CM	Diagnosis
E822.0	Other motor vehicle nontraffic accident involving collision with moving object injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E822.1	Other motor vehicle nontraffic accident involving collision with moving object injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E822.2	Other motor vehicle nontraffic accident involving collision with moving object injuring motorcyclist	ICD-9-CM	Diagnosis
E822.3	Other motor vehicle nontraffic accident involving collision with moving object injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E822.4	Other motor vehicle nontraffic accident involving collision with moving object injuring occupant of streetcar	ICD-9-CM	Diagnosis
E822.5	Other motor vehicle nontraffic accident involving collision with moving object injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E822.6	Other motor vehicle nontraffic accident involving collision with moving object injuring pedal cyclist	ICD-9-CM	Diagnosis
E822.7	Other motor vehicle nontraffic accident involving collision with moving object injuring pedestrian	ICD-9-CM	Diagnosis
E822.8	Other motor vehicle nontraffic accident involving collision with moving object injuring other specified person	ICD-9-CM	Diagnosis
E822.9	Other motor vehicle nontraffic accident involving collision with moving object injuring unspecified person	ICD-9-CM	Diagnosis
E823	Other motor vehicle nontraffic accident involving collision with stationary object	ICD-9-CM	Diagnosis
E823.0	Other motor vehicle nontraffic accident involving collision with stationary object injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E823.1	Other motor vehicle nontraffic accident involving collision with stationary object injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E823.2	Other motor vehicle nontraffic accident involving collision with stationary object injuring motorcyclist	ICD-9-CM	Diagnosis
E823.3	Other motor vehicle nontraffic accident involving collision with stationary object injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E823.4	Other motor vehicle nontraffic accident involving collision with stationary object injuring occupant of streetcar	ICD-9-CM	Diagnosis
E823.5	Other motor vehicle nontraffic accident involving collision with stationary object injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E823.6	Other motor vehicle nontraffic accident involving collision with stationary object injuring pedal cyclist	ICD-9-CM	Diagnosis
E823.7	Other motor vehicle nontraffic accident involving collision with stationary object injuring pedestrian	ICD-9-CM	Diagnosis
E823.8	Other motor vehicle nontraffic accident involving collision with stationary object injuring other specified person	ICD-9-CM	Diagnosis
E823.9	Other motor vehicle nontraffic accident involving collision with stationary object injuring unspecified person	ICD-9-CM	Diagnosis
E824	Other motor vehicle nontraffic accident while boarding and alighting	ICD-9-CM	Diagnosis
E824.0	Other motor vehicle nontraffic accident injuring driver of motor vehicle other than motorcycle while boarding and alighting	ICD-9-CM	Diagnosis
E824.1	Other motor vehicle nontraffic accident injuring passenger in motor vehicle other than motorcycle while boarding and alighting	ICD-9-CM	Diagnosis
E824.2	Other motor vehicle nontraffic accident injuring motorcyclist while boarding and alighting	ICD-9-CM	Diagnosis
E824.3	Other motor vehicle nontraffic accident injuring passenger on motorcycle while boarding and alighting	ICD-9-CM	Diagnosis
E824.4	Other motor vehicle nontraffic accident injuring occupant of streetcar while boarding and alighting	ICD-9-CM	Diagnosis
E824.5	Other motor vehicle nontraffic accident injuring rider of animal; occupant of animal-drawn vehicle while boarding and alighting	ICD-9-CM	Diagnosis
E824.6	Other motor vehicle nontraffic accident injuring pedal cyclist while boarding and alighting	ICD-9-CM	Diagnosis
E824.7	Other motor vehicle nontraffic accident injuring pedestrian while boarding and alighting	ICD-9-CM	Diagnosis
E824.8	Other motor vehicle nontraffic accident injuring other specified person while boarding and alighting	ICD-9-CM	Diagnosis
E824.9	Other motor vehicle nontraffic accident injuring unspecified person while boarding and alighting	ICD-9-CM	Diagnosis
E825	Other motor vehicle nontraffic accident of other and unspecified nature	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E825.0	Other motor vehicle nontraffic accident of other and unspecified nature injuring driver of motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E825.1	Other motor vehicle nontraffic accident of other and unspecified nature injuring passenger in motor vehicle other than motorcycle	ICD-9-CM	Diagnosis
E825.2	Other motor vehicle nontraffic accident of other and unspecified nature injuring motorcyclist	ICD-9-CM	Diagnosis
E825.3	Other motor vehicle nontraffic accident of other and unspecified nature injuring passenger on motorcycle	ICD-9-CM	Diagnosis
E825.4	Other motor vehicle nontraffic accident of other and unspecified nature injuring occupant of streetcar	ICD-9-CM	Diagnosis
E825.5	Other motor vehicle nontraffic accident of other and unspecified nature injuring rider of animal; occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E825.6	Other motor vehicle nontraffic accident of other and unspecified nature injuring pedal cyclist	ICD-9-CM	Diagnosis
E825.7	Other motor vehicle nontraffic accident of other and unspecified nature injuring pedestrian	ICD-9-CM	Diagnosis
E825.8	Other motor vehicle nontraffic accident of other and unspecified nature injuring other specified person	ICD-9-CM	Diagnosis
E825.9	Other motor vehicle nontraffic accident of other and unspecified nature injuring unspecified person	ICD-9-CM	Diagnosis
E826	Pedal cycle accident	ICD-9-CM	Diagnosis
E826.0	Pedal cycle accident injuring pedestrian	ICD-9-CM	Diagnosis
E826.1	Pedal cycle accident injuring pedal cyclist	ICD-9-CM	Diagnosis
E826.2	Pedal cycle accident injuring rider of animal	ICD-9-CM	Diagnosis
E826.3	Pedal cycle accident injuring occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E826.4	Pedal cycle accident injuring occupant of streetcar	ICD-9-CM	Diagnosis
E826.8	Pedal cycle accident injuring other specified person	ICD-9-CM	Diagnosis
E826.9	Pedal cycle accident injuring unspecified person	ICD-9-CM	Diagnosis
E827	Animal-drawn vehicle accident	ICD-9-CM	Diagnosis
E827.0	Animal-drawn vehicle accident injuring pedestrian	ICD-9-CM	Diagnosis
E827.2	Animal-drawn vehicle accident injuring rider of animal	ICD-9-CM	Diagnosis
E827.3	Animal-drawn vehicle accident injuring occupant of animal-drawn vehicle	ICD-9-CM	Diagnosis
E827.4	Animal-drawn vehicle accident injuring occupant of streetcar	ICD-9-CM	Diagnosis
E827.8	Animal-drawn vehicle accident injuring other specified person	ICD-9-CM	Diagnosis
E827.9	Animal-drawn vehicle accident injuring unspecified person	ICD-9-CM	Diagnosis
E828	Accident involving animal being ridden	ICD-9-CM	Diagnosis
E828.0	Accident involving animal being ridden injuring pedestrian	ICD-9-CM	Diagnosis
E828.2	Accident involving animal being ridden injuring rider of animal	ICD-9-CM	Diagnosis
E828.4	Accident involving animal being ridden injuring occupant of streetcar	ICD-9-CM	Diagnosis
E828.8	Accident involving animal being ridden injuring other specified person	ICD-9-CM	Diagnosis
E828.9	Accident involving animal being ridden injuring unspecified person	ICD-9-CM	Diagnosis
E829	Other road vehicle accidents	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E829.0	Other road vehicle accidents injuring pedestrian	ICD-9-CM	Diagnosis
E829.4	Other road vehicle accidents injuring occupant of streetcar	ICD-9-CM	Diagnosis
E829.8	Other road vehicle accidents injuring other specified person	ICD-9-CM	Diagnosis
E829.9	Other road vehicle accidents injuring unspecified person	ICD-9-CM	Diagnosis
E830	Accident to watercraft causing submersion	ICD-9-CM	Diagnosis
E830.0	Accident to watercraft causing submersion, injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E830.1	Accident to watercraft causing submersion, injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E830.2	Accident to watercraft causing submersion, injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E830.3	Accident to watercraft causing submersion, injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E830.4	Accident to watercraft causing submersion, injuring water skier	ICD-9-CM	Diagnosis
E830.5	Accident to watercraft causing submersion, injuring swimmer	ICD-9-CM	Diagnosis
E830.6	Accident to watercraft causing submersion, injuring dockers, stevedores	ICD-9-CM	Diagnosis
E830.7	Accident to watercraft causing submersion, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E830.8	Accident to watercraft causing submersion, injuring other specified person	ICD-9-CM	Diagnosis
E830.9	Accident to watercraft causing submersion, injuring unspecified person	ICD-9-CM	Diagnosis
E831	Accident to watercraft causing other injury	ICD-9-CM	Diagnosis
E831.0	Accident to watercraft causing other injury to occupant of small unpowered boat	ICD-9-CM	Diagnosis
E831.1	Accident to watercraft causing other injury to occupant of small powered boat	ICD-9-CM	Diagnosis
E831.2	Accident to watercraft causing other injury to occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E831.3	Accident to watercraft causing other injury to occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E831.4	Accident to watercraft causing other injury to water skier	ICD-9-CM	Diagnosis
E831.5	Accident to watercraft causing other injury to swimmer	ICD-9-CM	Diagnosis
E831.6	Accident to watercraft causing other injury to dockers, stevedores	ICD-9-CM	Diagnosis
E831.7	Accident to watercraft causing other injury, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E831.8	Accident to watercraft causing other injury to other specified person	ICD-9-CM	Diagnosis
E831.9	Accident to watercraft causing other injury to unspecified person	ICD-9-CM	Diagnosis
E832	Other accidental submersion or drowning in water transport accident	ICD-9-CM	Diagnosis
E832.0	Other accidental submersion or drowning in water transport accident injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E832.1	Other accidental submersion or drowning in water transport accident injuring occupant of small powered boat	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E832.2	Other accidental submersion or drowning in water transport accident injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E832.3	Other accidental submersion or drowning in water transport accident injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E832.4	Other accidental submersion or drowning in water transport accident injuring water skier	ICD-9-CM	Diagnosis
E832.5	Other accidental submersion or drowning in water transport accident injuring swimmer	ICD-9-CM	Diagnosis
E832.6	Other accidental submersion or drowning in water transport accident injuring dockers, stevedores	ICD-9-CM	Diagnosis
E832.7	Other accidental submersion or drowning in water transport accident, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E832.8	Other accidental submersion or drowning in water transport accident injuring other specified person	ICD-9-CM	Diagnosis
E832.9	Other accidental submersion or drowning in water transport accident injuring unspecified person	ICD-9-CM	Diagnosis
E833	Fall on stairs or ladders in water transport	ICD-9-CM	Diagnosis
E833.0	Fall on stairs or ladders in water transport injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E833.1	Fall on stairs or ladders in water transport injuring occupant of small powered boat	ICD-9-CM	Diagnosis
E833.2	Fall on stairs or ladders in water transport injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E833.3	Fall on stairs or ladders in water transport injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E833.4	Fall on stairs or ladders in water transport injuring water skier	ICD-9-CM	Diagnosis
E833.5	Fall on stairs or ladders in water transport injuring swimmer	ICD-9-CM	Diagnosis
E833.6	Fall on stairs or ladders in water transport injuring dockers, stevedores	ICD-9-CM	Diagnosis
E833.7	Fall on stairs or ladders in water transport, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E833.8	Fall on stairs or ladders in water transport injuring other specified person	ICD-9-CM	Diagnosis
E833.9	Fall on stairs or ladders in water transport injuring unspecified person	ICD-9-CM	Diagnosis
E834	Other fall from one level to another in water transport	ICD-9-CM	Diagnosis
E834.0	Other fall from one level to another in water transport injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E834.1	Other fall from one level to another in water transport injuring occupant of small powered boat	ICD-9-CM	Diagnosis
E834.2	Other fall from one level to another in water transport injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E834.3	Other fall from one level to another in water transport injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E834.4	Other fall from one level to another in water transport injuring water skier	ICD-9-CM	Diagnosis
E834.5	Other fall from one level to another in water transport injuring swimmer	ICD-9-CM	Diagnosis
E834.6	Other fall from one level to another in water transport injuring dockers, stevedores	ICD-9-CM	Diagnosis
E834.7	Other fall from one level to another in water transport, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E834.8	Other fall from one level to another in water transport injuring other specified person	ICD-9-CM	Diagnosis
E834.9	Other fall from one level to another in water transport injuring unspecified person	ICD-9-CM	Diagnosis
E835	Other and unspecified fall in water transport	ICD-9-CM	Diagnosis
E835.0	Other and unspecified fall in water transport injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E835.1	Other and unspecified fall in water transport injuring occupant of small powered boat	ICD-9-CM	Diagnosis
E835.2	Other and unspecified fall in water transport injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E835.3	Other and unspecified fall in water transport injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E835.4	Other and unspecified fall in water transport injuring water skier	ICD-9-CM	Diagnosis
E835.5	Other and unspecified fall in water transport injuring swimmer	ICD-9-CM	Diagnosis
E835.6	Other and unspecified fall in water transport injuring dockers, stevedores	ICD-9-CM	Diagnosis
E835.7	Other and unspecified fall in water transport, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E835.8	Other and unspecified fall in water transport injuring other specified person	ICD-9-CM	Diagnosis
E835.9	Other and unspecified fall in water transport injuring unspecified person	ICD-9-CM	Diagnosis
E836	Machinery accident in water transport	ICD-9-CM	Diagnosis
E836.0	Machinery accident in water transport injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E836.1	Machinery accident in water transport injuring occupant of small powered boat	ICD-9-CM	Diagnosis
E836.2	Machinery accident in water transport injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E836.3	Machinery accident in water transport injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E836.4	Machinery accident in water transport injuring water skier	ICD-9-CM	Diagnosis
E836.5	Machinery accident in water transport injuring swimmer	ICD-9-CM	Diagnosis
E836.6	Machinery accident in water transport injuring dockers, stevedores	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E836.7	Machinery accident in water transport, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E836.8	Machinery accident in water transport injuring other specified person	ICD-9-CM	Diagnosis
E836.9	Machinery accident in water transport injuring unspecified person	ICD-9-CM	Diagnosis
E837	Explosion, fire, or burning in watercraft	ICD-9-CM	Diagnosis
E837.0	Explosion, fire, or burning in watercraft injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E837.1	Explosion, fire, or burning in watercraft injuring occupant of small powered boat	ICD-9-CM	Diagnosis
E837.2	Explosion, fire, or burning in watercraft injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E837.3	Explosion, fire, or burning in watercraft injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E837.4	Explosion, fire, or burning in watercraft injuring water skier	ICD-9-CM	Diagnosis
E837.5	Explosion, fire, or burning in watercraft injuring swimmer	ICD-9-CM	Diagnosis
E837.6	Explosion, fire, or burning in watercraft injuring dockers, stevedores	ICD-9-CM	Diagnosis
E837.7	Explosion, fire, or burning in watercraft, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E837.8	Explosion, fire, or burning in watercraft injuring other specified person	ICD-9-CM	Diagnosis
E837.9	Explosion, fire, or burning in watercraft injuring unspecified person	ICD-9-CM	Diagnosis
E838	Other and unspecified water transport accident	ICD-9-CM	Diagnosis
E838.0	Other and unspecified water transport accident injuring occupant of small unpowered boat	ICD-9-CM	Diagnosis
E838.1	Other and unspecified water transport accident injuring occupant of small powered boat	ICD-9-CM	Diagnosis
E838.2	Other and unspecified water transport accident injuring occupant of other watercraft, crew	ICD-9-CM	Diagnosis
E838.3	Other and unspecified water transport accident injuring occupant of other watercraft, other than crew	ICD-9-CM	Diagnosis
E838.4	Other and unspecified water transport accident injuring water skier	ICD-9-CM	Diagnosis
E838.5	Other and unspecified water transport accident injuring swimmer	ICD-9-CM	Diagnosis
E838.6	Other and unspecified water transport accident injuring dockers, stevedores	ICD-9-CM	Diagnosis
E838.7	Other and unspecified water transport accident, occupant of military watercraft, any type	ICD-9-CM	Diagnosis
E838.8	Other and unspecified water transport accident injuring other specified person	ICD-9-CM	Diagnosis
E838.9	Other and unspecified water transport accident injuring unspecified person	ICD-9-CM	Diagnosis
E840	Accident to powered aircraft at takeoff or landing	ICD-9-CM	Diagnosis
E840.0	Accident to powered aircraft at takeoff or landing, injuring occupant of spacecraft	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E840.1	Accident to powered aircraft at takeoff or landing, injuring any occupant of military aircraft	ICD-9-CM	Diagnosis
E840.2	Accident to powered aircraft at takeoff or landing, injuring crew of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E840.3	Accident to powered aircraft at takeoff or landing, injuring other occupant of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E840.4	Accident to powered aircraft at takeoff or landing, injuring occupant of commercial aircraft (powered) in surface to air transport	ICD-9-CM	Diagnosis
E840.5	Accident to powered aircraft at takeoff or landing, injuring occupant of other powered aircraft	ICD-9-CM	Diagnosis
E840.6	Accident to powered aircraft at takeoff or landing, injuring occupant of unpowered aircraft, except parachutist	ICD-9-CM	Diagnosis
E840.7	Accident to powered aircraft at takeoff or landing, injuring parachutist (military) (other)	ICD-9-CM	Diagnosis
E840.8	Accident to powered aircraft at takeoff or landing, injuring ground crew, airline employee	ICD-9-CM	Diagnosis
E840.9	Accident to powered aircraft at takeoff or landing, injuring other person	ICD-9-CM	Diagnosis
E841	Accident to powered aircraft, other and unspecified	ICD-9-CM	Diagnosis
E841.0	Accident to powered aircraft, other and unspecified, injuring occupant of spacecraft	ICD-9-CM	Diagnosis
E841.1	Accident to powered aircraft, other and unspecified, injuring any occupant of military aircraft	ICD-9-CM	Diagnosis
E841.2	Accident to powered aircraft, other and unspecified, injuring crew of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E841.3	Accident to powered aircraft, other and unspecified, injuring other occupant of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E841.4	Accident to powered aircraft, other and unspecified, injuring occupant of commercial aircraft (powered) in surface to air transport	ICD-9-CM	Diagnosis
E841.5	Accident to powered aircraft, other and unspecified, injuring occupant of other powered aircraft	ICD-9-CM	Diagnosis
E841.6	Accident to powered aircraft, other and unspecified, injuring occupant of unpowered aircraft, except parachutist	ICD-9-CM	Diagnosis
E841.7	Accident to powered aircraft, other and unspecified, injuring parachutist (military) (other)	ICD-9-CM	Diagnosis
E841.8	Accident to powered aircraft, other and unspecified, injuring ground crew, airline employee	ICD-9-CM	Diagnosis
E841.9	Accident to powered aircraft, other and unspecified, injuring other person	ICD-9-CM	Diagnosis
E842	Accident to unpowered aircraft	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E842.6	Accident to unpowered aircraft injuring occupant of unpowered aircraft, except parachutist	ICD-9-CM	Diagnosis
E842.7	Accident to unpowered aircraft injuring parachutist (military) (other)	ICD-9-CM	Diagnosis
E842.8	Accident to unpowered aircraft injuring ground crew, airline employee	ICD-9-CM	Diagnosis
E842.9	Accident to unpowered aircraft injuring other person	ICD-9-CM	Diagnosis
E843	Fall in, on, or from aircraft	ICD-9-CM	Diagnosis
E843.0	Fall in, on, or from aircraft, injuring occupant of spacecraft	ICD-9-CM	Diagnosis
E843.1	Fall in, on, or from aircraft, injuring any occupant of military aircraft	ICD-9-CM	Diagnosis
E843.2	Fall in, on, or from aircraft, injuring crew of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E843.3	Fall in, on, or from aircraft, injuring other occupant of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E843.4	Fall in, on, or from aircraft, injuring occupant of commercial aircraft (powered) in surface to air transport	ICD-9-CM	Diagnosis
E843.5	Fall in, on, or from aircraft, injuring occupant of other powered aircraft	ICD-9-CM	Diagnosis
E843.6	Fall in, on, or from aircraft, injuring occupant of unpowered aircraft, except parachutist	ICD-9-CM	Diagnosis
E843.7	Fall in, on, or from aircraft, injuring parachutist (military) (other)	ICD-9-CM	Diagnosis
E843.8	Fall in, on, or from aircraft, injuring ground crew, airline employee	ICD-9-CM	Diagnosis
E843.9	Fall in, on, or from aircraft, injuring other person	ICD-9-CM	Diagnosis
E844	Other specified air transport accidents	ICD-9-CM	Diagnosis
E844.0	Other specified air transport accidents injuring occupant of spacecraft	ICD-9-CM	Diagnosis
E844.1	Other specified air transport accidents injuring any occupant of military aircraft	ICD-9-CM	Diagnosis
E844.2	Other specified air transport accidents injuring crew of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E844.3	Other specified air transport accidents injuring other occupant of commercial aircraft (powered) in surface to surface transport	ICD-9-CM	Diagnosis
E844.4	Other specified air transport accidents injuring occupant of commercial aircraft (powered) in surface to air transport	ICD-9-CM	Diagnosis
E844.5	Other specified air transport accidents injuring occupant of other powered aircraft	ICD-9-CM	Diagnosis
E844.6	Other specified air transport accidents injuring occupant of unpowered aircraft, except parachutist	ICD-9-CM	Diagnosis
E844.7	Other specified air transport accidents injuring parachutist (military) (other)	ICD-9-CM	Diagnosis
E844.8	Other specified air transport accidents injuring ground crew, airline employee	ICD-9-CM	Diagnosis
E844.9	Other specified air transport accidents injuring other person	ICD-9-CM	Diagnosis
E845	Accident involving spacecraft	ICD-9-CM	Diagnosis
E845.0	Accident involving spacecraft injuring occupant of spacecraft	ICD-9-CM	Diagnosis
E845.8	Accident involving spacecraft injuring ground crew, airline employee	ICD-9-CM	Diagnosis
E845.9	Accident involving spacecraft injuring other person	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E846	Accidents involving powered vehicles used solely within the buildings and premises of industrial or commercial establishment	ICD-9-CM	Diagnosis
E847	Accidents involving cable cars not running on rails	ICD-9-CM	Diagnosis
E848	Accidents involving other vehicles, not elsewhere classifiable	ICD-9-CM	Diagnosis
E881	Accidental fall on or from ladders or scaffolding	ICD-9-CM	Diagnosis
E881.0	Accidental fall from ladder	ICD-9-CM	Diagnosis
E881.1	Accidental fall from scaffolding	ICD-9-CM	Diagnosis
E882	Accidental fall from or out of building or other structure	ICD-9-CM	Diagnosis
E883	Accidental fall into hole or other opening in surface	ICD-9-CM	Diagnosis
E883.0	Accident from diving or jumping into water (swimming pool)	ICD-9-CM	Diagnosis
E883.1	Accidental fall into well	ICD-9-CM	Diagnosis
E883.2	Accidental fall into storm drain or manhole	ICD-9-CM	Diagnosis
E883.9	Accidental fall into other hole or other opening in surface	ICD-9-CM	Diagnosis
E884	Other accidental fall from one level to another	ICD-9-CM	Diagnosis
E884.0	Accidental fall from playground equipment	ICD-9-CM	Diagnosis
E884.1	Accidental fall from cliff	ICD-9-CM	Diagnosis
E884.2	Accidental fall from chair	ICD-9-CM	Diagnosis
E884.3	Accidental fall from wheelchair	ICD-9-CM	Diagnosis
E884.4	Accidental fall from bed	ICD-9-CM	Diagnosis
E884.5	Accidental fall from other furniture	ICD-9-CM	Diagnosis
E884.6	Accidental fall from commode	ICD-9-CM	Diagnosis
E884.9	Other accidental fall from one level to another	ICD-9-CM	Diagnosis
E908	Accident due to cataclysmic storms, and floods resulting from storms	ICD-9-CM	Diagnosis
E908.0	Accident due to hurricane	ICD-9-CM	Diagnosis
E908.1	Accident due to tornado	ICD-9-CM	Diagnosis
E908.2	Accident due to floods	ICD-9-CM	Diagnosis
E908.3	Accident due to blizzard (snow) (ice)	ICD-9-CM	Diagnosis
E908.4	Accident due to dust storm	ICD-9-CM	Diagnosis
E908.8	Accident due to other cataclysmic storms	ICD-9-CM	Diagnosis
E908.9	Accident due to unspecified cataclysmic storms and floods resulting from storms	ICD-9-CM	Diagnosis
E909	Accident due to cataclysmic earth surface movements and eruptions	ICD-9-CM	Diagnosis
E909.0	Earthquakes	ICD-9-CM	Diagnosis
E909.1	Volcanic eruptions	ICD-9-CM	Diagnosis
E909.2	Avalanche, landslide, or mudslide	ICD-9-CM	Diagnosis
E909.3	Collapse of dam or man-made structure	ICD-9-CM	Diagnosis
E909.4	Tidalwave caused by earthquake	ICD-9-CM	Diagnosis
E909.8	Other cataclysmic earth surface movements and eruptions	ICD-9-CM	Diagnosis
E909.9	Unspecified cataclysmic earth surface movements and eruptions	ICD-9-CM	Diagnosis
E916	Struck accidentally by falling object	ICD-9-CM	Diagnosis
E917	Striking against or struck accidentally by objects or persons	ICD-9-CM	Diagnosis
E917.0	Striking against or struck accidentally by objects or persons in sports	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E917.1	Striking against or struck accidentally by crowd, by collective fear or panic	ICD-9-CM	Diagnosis
E917.2	Striking against or struck accidentally in running water	ICD-9-CM	Diagnosis
E917.3	Strike against or struck accidentally by furniture without subsequent fall	ICD-9-CM	Diagnosis
E917.4	Strike against or struck accidentally by other stationary object without subsequent fall	ICD-9-CM	Diagnosis
E917.5	Strike against or struck accidentally by other object in sports with subsequent fall	ICD-9-CM	Diagnosis
E917.6	Strike against or struck accidentally by crowd, by collective fear or panic with subsequent fall	ICD-9-CM	Diagnosis
E917.7	Strike against or struck accidentally by furniture with subsequent fall	ICD-9-CM	Diagnosis
E917.8	Strike against or struck accidentally by other stationary object with subsequent fall	ICD-9-CM	Diagnosis
E917.9	Other accident caused by striking against or being struck accidentally by objects or persons	ICD-9-CM	Diagnosis
E918	Caught accidentally in or between objects	ICD-9-CM	Diagnosis
E919	Accident caused by machinery	ICD-9-CM	Diagnosis
E919.0	Accident caused by agricultural machines	ICD-9-CM	Diagnosis
E919.1	Accident caused by mining and earth-drilling machinery	ICD-9-CM	Diagnosis
E919.2	Accident caused by lifting machines and appliances	ICD-9-CM	Diagnosis
E919.3	Accident caused by metalworking machines	ICD-9-CM	Diagnosis
E919.4	Accident caused by woodworking and forming machines	ICD-9-CM	Diagnosis
E919.5	Accident caused by prime movers, except electrical motors	ICD-9-CM	Diagnosis
E919.6	Accident caused by transmission machinery	ICD-9-CM	Diagnosis
E919.7	Accident caused by earth moving, scraping, and other excavating machines	ICD-9-CM	Diagnosis
E919.8	Accident caused by other specified machinery	ICD-9-CM	Diagnosis
E919.9	Accident caused by unspecified machinery	ICD-9-CM	Diagnosis
E920	Accident caused by cutting and piercing instruments or objects	ICD-9-CM	Diagnosis
E920.0	Accident caused by powered lawn mower	ICD-9-CM	Diagnosis
E920.1	Accident caused by other powered hand tools	ICD-9-CM	Diagnosis
E920.2	Accident caused by powered household appliances and implements	ICD-9-CM	Diagnosis
E920.3	Accident caused by knives, swords, and daggers	ICD-9-CM	Diagnosis
E920.4	Accident caused by other hand tools and implements	ICD-9-CM	Diagnosis
E920.5	Accident caused by hypodermic needle	ICD-9-CM	Diagnosis
E920.8	Accident caused by other specified cutting and piercing instruments or objects	ICD-9-CM	Diagnosis
E920.9	Accident caused by unspecified cutting and piercing instrument or object	ICD-9-CM	Diagnosis
E921	Accident caused by explosion of pressure vessel	ICD-9-CM	Diagnosis
E921.0	Accident caused by explosion of boilers	ICD-9-CM	Diagnosis
E921.1	Accident caused by explosion of gas cylinders	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E921.8	Accident caused by explosion of other specified pressure vessels	ICD-9-CM	Diagnosis
E921.9	Accident caused by explosion of unspecified pressure vessel	ICD-9-CM	Diagnosis
E922	Accident caused by firearm, and air gun missiles	ICD-9-CM	Diagnosis
E922.0	Accident caused by handgun	ICD-9-CM	Diagnosis
E922.1	Accident caused by shotgun (automatic)	ICD-9-CM	Diagnosis
E922.2	Accident caused by hunting rifle	ICD-9-CM	Diagnosis
E922.3	Accident caused by military firearms	ICD-9-CM	Diagnosis
E922.4	Accident caused by air gun	ICD-9-CM	Diagnosis
E922.5	Accident caused by paintball gun	ICD-9-CM	Diagnosis
E922.8	Accident caused by other specified firearm missile	ICD-9-CM	Diagnosis
E922.9	Accident caused by unspecified firearm missile	ICD-9-CM	Diagnosis
E923	Accident caused by explosive material	ICD-9-CM	Diagnosis
E923.0	Accident caused by fireworks	ICD-9-CM	Diagnosis
E923.1	Accident caused by blasting materials	ICD-9-CM	Diagnosis
E923.2	Accident caused by explosive gases	ICD-9-CM	Diagnosis
E923.8	Accident caused by other explosive materials	ICD-9-CM	Diagnosis
E923.9	Accident caused by unspecified explosive material	ICD-9-CM	Diagnosis
E924	Accident caused by hot substance or object, caustic or corrosive material, and steam	ICD-9-CM	Diagnosis
E924.0	Accident caused by hot liquids and vapors, including steam	ICD-9-CM	Diagnosis
E924.1	Accident caused by caustic and corrosive substances	ICD-9-CM	Diagnosis
E924.2	Accident caused by hot (boiling) tap water	ICD-9-CM	Diagnosis
E924.8	Accident caused by other hot substance or object	ICD-9-CM	Diagnosis
E924.9	Accident caused by unspecified hot substance or object	ICD-9-CM	Diagnosis
E925	Accident caused by electric current	ICD-9-CM	Diagnosis
E925.0	Electrical accident caused by domestic wiring and appliances	ICD-9-CM	Diagnosis
E925.1	Electrical accident caused by electric current in electric power generating plants, distribution stations, transmission lines	ICD-9-CM	Diagnosis
E925.2	Electrical accident caused by industrial wiring, appliances, and electrical machinery	ICD-9-CM	Diagnosis
E925.8	Accident caused by other electric current	ICD-9-CM	Diagnosis
E925.9	Accident caused by unspecified electric current	ICD-9-CM	Diagnosis
E926	Exposure to radiation	ICD-9-CM	Diagnosis
E926.0	Exposure to radiofrequency radiation	ICD-9-CM	Diagnosis
E926.1	Exposure to infrared radiation from heaters and lamps	ICD-9-CM	Diagnosis
E926.2	Exposure to visible and ultraviolet light sources	ICD-9-CM	Diagnosis
E926.3	Exposure to x-rays and other electromagnetic ionizing radiation	ICD-9-CM	Diagnosis
E926.4	Exposure to lasers	ICD-9-CM	Diagnosis
E926.5	Exposure to radioactive isotopes	ICD-9-CM	Diagnosis
E926.8	Exposure to other specified radiation	ICD-9-CM	Diagnosis
E926.9	Exposure to unspecified radiation	ICD-9-CM	Diagnosis
E927	Overexertion and strenuous and repetitive movements or loads	ICD-9-CM	Diagnosis
E927.0	Overexertion from sudden strenuous movement	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
E927.1	Overexertion from prolonged static position	ICD-9-CM	Diagnosis
E927.2	Excessive physical exertion from prolonged activity	ICD-9-CM	Diagnosis
E927.3	Cumulative trauma from repetitive motion	ICD-9-CM	Diagnosis
E927.4	Cumulative trauma from repetitive impact	ICD-9-CM	Diagnosis
E927.8	Other overexertion and strenuous and repetitive movements or loads	ICD-9-CM	Diagnosis
E927.9	Unspecified overexertion and strenuous and repetitive movements or loads	ICD-9-CM	Diagnosis
E928	Other and unspecified environmental and accidental causes	ICD-9-CM	Diagnosis
E928.0	Prolonged stay in weightless environment	ICD-9-CM	Diagnosis
E928.1	Exposure to noise	ICD-9-CM	Diagnosis
E928.2	Accident caused by vibration	ICD-9-CM	Diagnosis
E928.3	Accidental human bite	ICD-9-CM	Diagnosis
E928.4	External constriction caused by hair	ICD-9-CM	Diagnosis
E928.5	External constriction caused by other object	ICD-9-CM	Diagnosis
E928.6	Environmental exposure to harmful algae and toxins	ICD-9-CM	Diagnosis
E928.7	Environmental and accidental causes, mechanism or component of firearm and air gun	ICD-9-CM	Diagnosis
E928.8	Other accident	ICD-9-CM	Diagnosis
E928.9	Unspecified accident	ICD-9-CM	Diagnosis
T54.1X1A	Toxic effect of other corrosive organic compounds, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T54.1X4A	Toxic effect of other corrosive organic compounds, undetermined, initial encounter	ICD-10-CM	Diagnosis
T54.2X1A	Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T54.2X4A	Toxic effect of corrosive acids and acid-like substances, undetermined, initial encounter	ICD-10-CM	Diagnosis
T54.3X1A	Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T54.3X4A	Toxic effect of corrosive alkalis and alkali-like substances, undetermined, initial encounter	ICD-10-CM	Diagnosis
T54.91XA	Toxic effect of unspecified corrosive substance, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T65.821A	Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T65.824A	Toxic effect of harmful algae and algae toxins, undetermined, initial encounter	ICD-10-CM	Diagnosis
T73.3XXA	Exhaustion due to excessive exertion, initial encounter	ICD-10-CM	Diagnosis
V00.01XA	Pedestrian on foot injured in collision with roller-skater, initial encounter	ICD-10-CM	Diagnosis
V00.01XD	Pedestrian on foot injured in collision with roller-skater, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V00.02XA	Pedestrian on foot injured in collision with skateboarder, initial encounter	ICD-10-CM	Diagnosis
V00.02XD	Pedestrian on foot injured in collision with skateboarder, subsequent encounter	ICD-10-CM	Diagnosis
V00.09XA	Pedestrian on foot injured in collision with other pedestrian conveyance, initial encounter	ICD-10-CM	Diagnosis
V00.09XD	Pedestrian on foot injured in collision with other pedestrian conveyance, subsequent encounter	ICD-10-CM	Diagnosis
V00.811A	Fall from moving wheelchair (powered), initial encounter	ICD-10-CM	Diagnosis
V00.811D	Fall from moving wheelchair (powered), subsequent encounter	ICD-10-CM	Diagnosis
V00.812A	Wheelchair (powered) colliding with stationary object, initial encounter	ICD-10-CM	Diagnosis
V00.812D	Wheelchair (powered) colliding with stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V00.818A	Other accident with wheelchair (powered), initial encounter	ICD-10-CM	Diagnosis
V00.818D	Other accident with wheelchair (powered), subsequent encounter	ICD-10-CM	Diagnosis
V00.821A	Fall from babystroller, initial encounter	ICD-10-CM	Diagnosis
V00.821D	Fall from babystroller, subsequent encounter	ICD-10-CM	Diagnosis
V00.822A	Babystroller colliding with stationary object, initial encounter	ICD-10-CM	Diagnosis
V00.822D	Babystroller colliding with stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V00.828A	Other accident with babystroller, initial encounter	ICD-10-CM	Diagnosis
V00.828D	Other accident with babystroller, subsequent encounter	ICD-10-CM	Diagnosis
V00.831A	Fall from motorized mobility scooter, initial encounter	ICD-10-CM	Diagnosis
V00.831D	Fall from motorized mobility scooter, subsequent encounter	ICD-10-CM	Diagnosis
V00.832A	Motorized mobility scooter colliding with stationary object, initial encounter	ICD-10-CM	Diagnosis
V00.832D	Motorized mobility scooter colliding with stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V00.838A	Other accident with motorized mobility scooter, initial encounter	ICD-10-CM	Diagnosis
V00.838D	Other accident with motorized mobility scooter, subsequent encounter	ICD-10-CM	Diagnosis
V00.891A	Fall from other pedestrian conveyance, initial encounter	ICD-10-CM	Diagnosis
V00.891D	Fall from other pedestrian conveyance, subsequent encounter	ICD-10-CM	Diagnosis
V00.892A	Pedestrian on other pedestrian conveyance colliding with stationary object, initial encounter	ICD-10-CM	Diagnosis
V00.892D	Pedestrian on other pedestrian conveyance colliding with stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V00.898A	Other accident on other pedestrian conveyance, initial encounter	ICD-10-CM	Diagnosis
V00.898D	Other accident on other pedestrian conveyance, subsequent encounter	ICD-10-CM	Diagnosis
V01.00XA	Pedestrian on foot injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.00XD	Pedestrian on foot injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V01.01XA	Pedestrian on roller-skates injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.01XD	Pedestrian on roller-skates injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.02XA	Pedestrian on skateboard injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.02XD	Pedestrian on skateboard injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.09XA	Pedestrian with other conveyance injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.09XD	Pedestrian with other conveyance injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.10XA	Pedestrian on foot injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.10XD	Pedestrian on foot injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.11XA	Pedestrian on roller-skates injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.11XD	Pedestrian on roller-skates injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.12XA	Pedestrian on skateboard injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.12XD	Pedestrian on skateboard injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.19XA	Pedestrian with other conveyance injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.19XD	Pedestrian with other conveyance injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.90XA	Pedestrian on foot injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.90XD	Pedestrian on foot injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.91XA	Pedestrian on roller-skates injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.91XD	Pedestrian on roller-skates injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V01.92XA	Pedestrian on skateboard injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.92XD	Pedestrian on skateboard injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V01.99XA	Pedestrian with other conveyance injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V01.99XD	Pedestrian with other conveyance injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.00XA	Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.00XD	Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.01XA	Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.01XD	Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.02XA	Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.02XD	Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.09XA	Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.09XD	Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.10XA	Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.10XD	Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.11XA	Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.11XD	Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.12XA	Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.12XD	Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.19XA	Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.19XD	Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.90XA	Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V02.90XD	Pedestrian on foot injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.91XA	Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.91XD	Pedestrian on roller-skates injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.92XA	Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.92XD	Pedestrian on skateboard injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V02.99XA	Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V02.99XD	Pedestrian with other conveyance injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.00XA	Pedestrian on foot injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.00XD	Pedestrian on foot injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.01XA	Pedestrian on roller-skates injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.01XD	Pedestrian on roller-skates injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.02XA	Pedestrian on skateboard injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.02XD	Pedestrian on skateboard injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.09XA	Pedestrian with other conveyance injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.09XD	Pedestrian with other conveyance injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.10XA	Pedestrian on foot injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.10XD	Pedestrian on foot injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.11XA	Pedestrian on roller-skates injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V03.11XD	Pedestrian on roller-skates injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.12XA	Pedestrian on skateboard injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.12XD	Pedestrian on skateboard injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.19XA	Pedestrian with other conveyance injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.19XD	Pedestrian with other conveyance injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.90XA	Pedestrian on foot injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.90XD	Pedestrian on foot injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.91XA	Pedestrian on roller-skates injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.91XD	Pedestrian on roller-skates injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.92XA	Pedestrian on skateboard injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.92XD	Pedestrian on skateboard injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V03.99XA	Pedestrian with other conveyance injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V03.99XD	Pedestrian with other conveyance injured in collision with car, pick-up truck or van, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.00XA	Pedestrian on foot injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.00XD	Pedestrian on foot injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.01XA	Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.01XD	Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.02XA	Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V04.02XD	Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.09XA	Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.09XD	Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.10XA	Pedestrian on foot injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.10XD	Pedestrian on foot injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.11XA	Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.11XD	Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.12XA	Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.12XD	Pedestrian on skateboard injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.19XA	Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.19XD	Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.90XA	Pedestrian on foot injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.90XD	Pedestrian on foot injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.91XA	Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.91XD	Pedestrian on roller-skates injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.92XA	Pedestrian on skateboard injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V04.92XD	Pedestrian on skateboard injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V04.99XA	Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V04.99XD	Pedestrian with other conveyance injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.00XA	Pedestrian on foot injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.00XD	Pedestrian on foot injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.01XA	Pedestrian on roller-skates injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.01XD	Pedestrian on roller-skates injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.02XA	Pedestrian on skateboard injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.02XD	Pedestrian on skateboard injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.09XA	Pedestrian with other conveyance injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.09XD	Pedestrian with other conveyance injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.10XA	Pedestrian on foot injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.10XD	Pedestrian on foot injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.11XA	Pedestrian on roller-skates injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.11XD	Pedestrian on roller-skates injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.12XA	Pedestrian on skateboard injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.12XD	Pedestrian on skateboard injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.19XA	Pedestrian with other conveyance injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.19XD	Pedestrian with other conveyance injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.90XA	Pedestrian on foot injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.90XD	Pedestrian on foot injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V05.91XA	Pedestrian on roller-skates injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.91XD	Pedestrian on roller-skates injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.92XA	Pedestrian on skateboard injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.92XD	Pedestrian on skateboard injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.99XA	Pedestrian with other conveyance injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.99XD	Pedestrian with other conveyance injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.00XA	Pedestrian on foot injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.00XD	Pedestrian on foot injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.01XA	Pedestrian on roller-skates injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.01XD	Pedestrian on roller-skates injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.02XA	Pedestrian on skateboard injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.02XD	Pedestrian on skateboard injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.09XA	Pedestrian with other conveyance injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.09XD	Pedestrian with other conveyance injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.10XA	Pedestrian on foot injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.10XD	Pedestrian on foot injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.11XA	Pedestrian on roller-skates injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.11XD	Pedestrian on roller-skates injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V06.12XA	Pedestrian on skateboard injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.12XD	Pedestrian on skateboard injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.19XA	Pedestrian with other conveyance injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.19XD	Pedestrian with other conveyance injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.90XA	Pedestrian on foot injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.90XD	Pedestrian on foot injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.91XA	Pedestrian on roller-skates injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.91XD	Pedestrian on roller-skates injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.92XA	Pedestrian on skateboard injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.92XD	Pedestrian on skateboard injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V06.99XA	Pedestrian with other conveyance injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V06.99XD	Pedestrian with other conveyance injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V09.00XA	Pedestrian injured in nontraffic accident involving unspecified motor vehicles, initial encounter	ICD-10-CM	Diagnosis
V09.00XD	Pedestrian injured in nontraffic accident involving unspecified motor vehicles, subsequent encounter	ICD-10-CM	Diagnosis
V09.01XA	Pedestrian injured in nontraffic accident involving military vehicle, initial encounter	ICD-10-CM	Diagnosis
V09.01XD	Pedestrian injured in nontraffic accident involving military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V09.09XA	Pedestrian injured in nontraffic accident involving other motor vehicles, initial encounter	ICD-10-CM	Diagnosis
V09.09XD	Pedestrian injured in nontraffic accident involving other motor vehicles, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V09.1XXA	Pedestrian injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V09.1XXD	Pedestrian injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V09.20XA	Pedestrian injured in traffic accident involving unspecified motor vehicles, initial encounter	ICD-10-CM	Diagnosis
V09.20XD	Pedestrian injured in traffic accident involving unspecified motor vehicles, subsequent encounter	ICD-10-CM	Diagnosis
V09.21XA	Pedestrian injured in traffic accident involving military vehicle, initial encounter	ICD-10-CM	Diagnosis
V09.21XD	Pedestrian injured in traffic accident involving military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V09.29XA	Pedestrian injured in traffic accident involving other motor vehicles, initial encounter	ICD-10-CM	Diagnosis
V09.29XD	Pedestrian injured in traffic accident involving other motor vehicles, subsequent encounter	ICD-10-CM	Diagnosis
V09.3XXA	Pedestrian injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V09.3XXD	Pedestrian injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V09.9XXA	Pedestrian injured in unspecified transport accident, initial encounter	ICD-10-CM	Diagnosis
V09.9XXD	Pedestrian injured in unspecified transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V10.0XXA	Pedal cycle driver injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V10.0XXD	Pedal cycle driver injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V10.1XXA	Pedal cycle passenger injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V10.1XXD	Pedal cycle passenger injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V10.2XXA	Unspecified pedal cyclist injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V10.2XXD	Unspecified pedal cyclist injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V10.3XXA	Person boarding or alighting a pedal cycle injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V10.3XXD	Person boarding or alighting a pedal cycle injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V10.4XXA	Pedal cycle driver injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V10.4XXD	Pedal cycle driver injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V10.5XXA	Pedal cycle passenger injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V10.5XXD	Pedal cycle passenger injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V10.9XXA	Unspecified pedal cyclist injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V10.9XXD	Unspecified pedal cyclist injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V11.0XXA	Pedal cycle driver injured in collision with other pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V11.0XXD	Pedal cycle driver injured in collision with other pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V11.1XXA	Pedal cycle passenger injured in collision with other pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V11.1XXD	Pedal cycle passenger injured in collision with other pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V11.2XXA	Unspecified pedal cyclist injured in collision with other pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V11.2XXD	Unspecified pedal cyclist injured in collision with other pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V11.3XXA	Person boarding or alighting a pedal cycle injured in collision with other pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V11.3XXD	Person boarding or alighting a pedal cycle injured in collision with other pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V11.4XXA	Pedal cycle driver injured in collision with other pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V11.4XXD	Pedal cycle driver injured in collision with other pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V11.5XXA	Pedal cycle passenger injured in collision with other pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V11.5XXD	Pedal cycle passenger injured in collision with other pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V11.9XXA	Unspecified pedal cyclist injured in collision with other pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V11.9XXD	Unspecified pedal cyclist injured in collision with other pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V12.0XXA	Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V12.0XXD	Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V12.1XXA	Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V12.1XXD	Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V12.2XXA	Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V12.2XXD	Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V12.3XXA	Person boarding or alighting a pedal cycle injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V12.3XXD	Person boarding or alighting a pedal cycle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V12.4XXA	Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V12.4XXD	Pedal cycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V12.5XXA	Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V12.5XXD	Pedal cycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V12.9XXA	Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V12.9XXD	Unspecified pedal cyclist injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V13.0XXA	Pedal cycle driver injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V13.0XXD	Pedal cycle driver injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V13.1XXA	Pedal cycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V13.1XXD	Pedal cycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V13.2XXA	Unspecified pedal cyclist injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V13.2XXD	Unspecified pedal cyclist injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V13.3XXA	Person boarding or alighting a pedal cycle injured in collision with car, pick-up truck or van, initial encounter	ICD-10-CM	Diagnosis
V13.3XXD	Person boarding or alighting a pedal cycle injured in collision with car, pick-up truck or van, subsequent encounter	ICD-10-CM	Diagnosis
V13.4XXA	Pedal cycle driver injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V13.4XXD	Pedal cycle driver injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V13.5XXA	Pedal cycle passenger injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V13.5XXD	Pedal cycle passenger injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V13.9XXA	Unspecified pedal cyclist injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V13.9XXD	Unspecified pedal cyclist injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V14.0XXA	Pedal cycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V14.0XXD	Pedal cycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V14.1XXA	Pedal cycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V14.1XXD	Pedal cycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V14.2XXA	Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V14.2XXD	Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V14.3XXA	Person boarding or alighting a pedal cycle injured in collision with heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V14.3XXD	Person boarding or alighting a pedal cycle injured in collision with heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V14.4XXA	Pedal cycle driver injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V14.4XXD	Pedal cycle driver injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V14.5XXA	Pedal cycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V14.5XXD	Pedal cycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V14.9XXA	Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V14.9XXD	Unspecified pedal cyclist injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V15.0XXA	Pedal cycle driver injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V15.0XXD	Pedal cycle driver injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V15.1XXA	Pedal cycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V15.1XXD	Pedal cycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V15.2XXA	Unspecified pedal cyclist injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V15.2XXD	Unspecified pedal cyclist injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V15.3XXA	Person boarding or alighting a pedal cycle injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V15.3XXD	Person boarding or alighting a pedal cycle injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V15.4XXA	Pedal cycle driver injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V15.4XXD	Pedal cycle driver injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V15.5XXA	Pedal cycle passenger injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V15.5XXD	Pedal cycle passenger injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V15.9XXA	Unspecified pedal cyclist injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V15.9XXD	Unspecified pedal cyclist injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.0XXA	Pedal cycle driver injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V16.0XXD	Pedal cycle driver injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.1XXA	Pedal cycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V16.1XXD	Pedal cycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.2XXA	Unspecified pedal cyclist injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V16.2XXD	Unspecified pedal cyclist injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.3XXA	Person boarding or alighting a pedal cycle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V16.3XXD	Person boarding or alighting a pedal cycle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.4XXA	Pedal cycle driver injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V16.4XXD	Pedal cycle driver injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.5XXA	Pedal cycle passenger injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V16.5XXD	Pedal cycle passenger injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V16.9XXA	Unspecified pedal cyclist injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V16.9XXD	Unspecified pedal cyclist injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V17.0XXA	Pedal cycle driver injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V17.0XXD	Pedal cycle driver injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V17.1XXA	Pedal cycle passenger injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V17.1XXD	Pedal cycle passenger injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V17.2XXA	Unspecified pedal cyclist injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V17.2XXD	Unspecified pedal cyclist injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V17.3XXA	Person boarding or alighting a pedal cycle injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V17.3XXD	Person boarding or alighting a pedal cycle injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V17.4XXA	Pedal cycle driver injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V17.4XXD	Pedal cycle driver injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V17.5XXA	Pedal cycle passenger injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V17.5XXD	Pedal cycle passenger injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V17.9XXA	Unspecified pedal cyclist injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V17.9XXD	Unspecified pedal cyclist injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V18.0XXA	Pedal cycle driver injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V18.0XXD	Pedal cycle driver injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V18.1XXA	Pedal cycle passenger injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V18.1XXD	Pedal cycle passenger injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V18.2XXA	Unspecified pedal cyclist injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V18.2XXD	Unspecified pedal cyclist injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V18.3XXA	Person boarding or alighting a pedal cycle injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V18.3XXD	Person boarding or alighting a pedal cycle injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V18.4XXA	Pedal cycle driver injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V18.4XXD	Pedal cycle driver injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V18.5XXA	Pedal cycle passenger injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V18.5XXD	Pedal cycle passenger injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V18.9XXA	Unspecified pedal cyclist injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V18.9XXD	Unspecified pedal cyclist injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.00XA	Pedal cycle driver injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.00XD	Pedal cycle driver injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.09XA	Pedal cycle driver injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.09XD	Pedal cycle driver injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.10XA	Pedal cycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.10XD	Pedal cycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.19XA	Pedal cycle passenger injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.19XD	Pedal cycle passenger injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.20XA	Unspecified pedal cyclist injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.20XD	Unspecified pedal cyclist injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.29XA	Unspecified pedal cyclist injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V19.29XD	Unspecified pedal cyclist injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.3XXA	Pedal cyclist (driver) (passenger) injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.3XXD	Pedal cyclist (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.40XA	Pedal cycle driver injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.40XD	Pedal cycle driver injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.49XA	Pedal cycle driver injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.49XD	Pedal cycle driver injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.50XA	Pedal cycle passenger injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.50XD	Pedal cycle passenger injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.59XA	Pedal cycle passenger injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.59XD	Pedal cycle passenger injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.60XA	Unspecified pedal cyclist injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.60XD	Unspecified pedal cyclist injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.69XA	Unspecified pedal cyclist injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.69XD	Unspecified pedal cyclist injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V19.81XA	Pedal cyclist (driver) (passenger) injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V19.81XD	Pedal cyclist (driver) (passenger) injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V19.88XA	Pedal cyclist (driver) (passenger) injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V19.88XD	Pedal cyclist (driver) (passenger) injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V19.9XXA	Pedal cyclist (driver) (passenger) injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V19.9XXD	Pedal cyclist (driver) (passenger) injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V20.0XXA	Motorcycle driver injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V20.0XXD	Motorcycle driver injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V20.1XXA	Motorcycle passenger injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V20.1XXD	Motorcycle passenger injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V20.2XXA	Unspecified motorcycle rider injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V20.2XXD	Unspecified motorcycle rider injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V20.3XXA	Person boarding or alighting a motorcycle injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V20.3XXD	Person boarding or alighting a motorcycle injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V20.4XXA	Motorcycle driver injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V20.4XXD	Motorcycle driver injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V20.5XXA	Motorcycle passenger injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V20.5XXD	Motorcycle passenger injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V20.9XXA	Unspecified motorcycle rider injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V20.9XXD	Unspecified motorcycle rider injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V21.0XXA	Motorcycle driver injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V21.0XXD	Motorcycle driver injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V21.1XXA	Motorcycle passenger injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V21.1XXD	Motorcycle passenger injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V21.2XXA	Unspecified motorcycle rider injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V21.2XXD	Unspecified motorcycle rider injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V21.3XXA	Person boarding or alighting a motorcycle injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V21.3XXD	Person boarding or alighting a motorcycle injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V21.4XXA	Motorcycle driver injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V21.4XXD	Motorcycle driver injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V21.5XXA	Motorcycle passenger injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V21.5XXD	Motorcycle passenger injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V21.9XXA	Unspecified motorcycle rider injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V21.9XXD	Unspecified motorcycle rider injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V22.0XXA	Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V22.0XXD	Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V22.1XXA	Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V22.1XXD	Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V22.2XXA	Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V22.2XXD	Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V22.3XXA	Person boarding or alighting a motorcycle injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V22.3XXD	Person boarding or alighting a motorcycle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V22.4XXA	Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V22.4XXD	Motorcycle driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V22.5XXA	Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V22.5XXD	Motorcycle passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V22.9XXA	Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V22.9XXD	Unspecified motorcycle rider injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V23.0XXA	Motorcycle driver injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V23.0XXD	Motorcycle driver injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V23.1XXA	Motorcycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V23.1XXD	Motorcycle passenger injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V23.2XXA	Unspecified motorcycle rider injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V23.2XXD	Unspecified motorcycle rider injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V23.3XXA	Person boarding or alighting a motorcycle injured in collision with car, pick-up truck or van, initial encounter	ICD-10-CM	Diagnosis
V23.3XXD	Person boarding or alighting a motorcycle injured in collision with car, pick-up truck or van, subsequent encounter	ICD-10-CM	Diagnosis
V23.4XXA	Motorcycle driver injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V23.4XXD	Motorcycle driver injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V23.5XXA	Motorcycle passenger injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V23.5XXD	Motorcycle passenger injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V23.9XXA	Unspecified motorcycle rider injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V23.9XXD	Unspecified motorcycle rider injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V24.0XXA	Motorcycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V24.0XXD	Motorcycle driver injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V24.1XXA	Motorcycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V24.1XXD	Motorcycle passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V24.2XXA	Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V24.2XXD	Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V24.3XXA	Person boarding or alighting a motorcycle injured in collision with heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V24.3XXD	Person boarding or alighting a motorcycle injured in collision with heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V24.4XXA	Motorcycle driver injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V24.4XXD	Motorcycle driver injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V24.5XXA	Motorcycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V24.5XXD	Motorcycle passenger injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V24.9XXA	Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V24.9XXD	Unspecified motorcycle rider injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V25.0XXA	Motorcycle driver injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V25.0XXD	Motorcycle driver injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V25.1XXA	Motorcycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V25.1XXD	Motorcycle passenger injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V25.2XXA	Unspecified motorcycle rider injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V25.2XXD	Unspecified motorcycle rider injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V25.3XXA	Person boarding or alighting a motorcycle injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V25.3XXD	Person boarding or alighting a motorcycle injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V25.4XXA	Motorcycle driver injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V25.4XXD	Motorcycle driver injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V25.5XXA	Motorcycle passenger injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V25.5XXD	Motorcycle passenger injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V25.9XXA	Unspecified motorcycle rider injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V25.9XXD	Unspecified motorcycle rider injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V26.0XXA	Motorcycle driver injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V26.0XXD	Motorcycle driver injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V26.1XXA	Motorcycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V26.1XXD	Motorcycle passenger injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V26.2XXA	Unspecified motorcycle rider injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V26.2XXD	Unspecified motorcycle rider injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V26.3XXA	Person boarding or alighting a motorcycle injured in collision with other nonmotor vehicle, initial encounter	ICD-10-CM	Diagnosis
V26.3XXD	Person boarding or alighting a motorcycle injured in collision with other nonmotor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V26.4XXA	Motorcycle driver injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V26.4XXD	Motorcycle driver injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V26.5XXA	Motorcycle passenger injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V26.5XXD	Motorcycle passenger injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V26.9XXA	Unspecified motorcycle rider injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V26.9XXD	Unspecified motorcycle rider injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V27.0XXA	Motorcycle driver injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V27.0XXD	Motorcycle driver injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V27.1XXA	Motorcycle passenger injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V27.1XXD	Motorcycle passenger injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V27.2XXA	Unspecified motorcycle rider injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V27.2XXD	Unspecified motorcycle rider injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V27.3XXA	Person boarding or alighting a motorcycle injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V27.3XXD	Person boarding or alighting a motorcycle injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V27.4XXA	Motorcycle driver injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V27.4XXD	Motorcycle driver injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V27.5XXA	Motorcycle passenger injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V27.5XXD	Motorcycle passenger injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V27.9XXA	Unspecified motorcycle rider injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V27.9XXD	Unspecified motorcycle rider injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.0XXA	Motorcycle driver injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V28.0XXD	Motorcycle driver injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.1XXA	Motorcycle passenger injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V28.1XXD	Motorcycle passenger injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.2XXA	Unspecified motorcycle rider injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V28.2XXD	Unspecified motorcycle rider injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.3XXA	Person boarding or alighting a motorcycle injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V28.3XXD	Person boarding or alighting a motorcycle injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.4XXA	Motorcycle driver injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V28.4XXD	Motorcycle driver injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.5XXA	Motorcycle passenger injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V28.5XXD	Motorcycle passenger injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V28.9XXA	Unspecified motorcycle rider injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V28.9XXD	Unspecified motorcycle rider injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V29.00XA	Motorcycle driver injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.00XD	Motorcycle driver injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.09XA	Motorcycle driver injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.09XD	Motorcycle driver injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.10XA	Motorcycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.10XD	Motorcycle passenger injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.19XA	Motorcycle passenger injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.19XD	Motorcycle passenger injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.20XA	Unspecified motorcycle rider injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.20XD	Unspecified motorcycle rider injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.29XA	Unspecified motorcycle rider injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.29XD	Unspecified motorcycle rider injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.3XXA	Motorcycle rider (driver) (passenger) injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.3XXD	Motorcycle rider (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.40XA	Motorcycle driver injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.40XD	Motorcycle driver injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.49XA	Motorcycle driver injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.49XD	Motorcycle driver injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.50XA	Motorcycle passenger injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.50XD	Motorcycle passenger injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.59XA	Motorcycle passenger injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V29.59XD	Motorcycle passenger injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.60XA	Unspecified motorcycle rider injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.60XD	Unspecified motorcycle rider injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.69XA	Unspecified motorcycle rider injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.69XD	Unspecified motorcycle rider injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V29.81XA	Motorcycle rider (driver) (passenger) injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V29.81XD	Motorcycle rider (driver) (passenger) injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V29.88XA	Motorcycle rider (driver) (passenger) injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V29.88XD	Motorcycle rider (driver) (passenger) injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V29.9XXA	Motorcycle rider (driver) (passenger) injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V29.9XXD	Motorcycle rider (driver) (passenger) injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.0XXA	Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.0XXD	Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.1XXA	Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.1XXD	Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V30.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V30.5XXA	Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.5XXD	Driver of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.6XXA	Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.6XXD	Passenger in three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V30.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V30.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.0XXA	Driver of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.0XXD	Driver of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.1XXA	Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.1XXD	Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V31.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V31.5XXA	Driver of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.5XXD	Driver of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V31.6XXA	Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.6XXD	Passenger in three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V31.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V31.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.0XXA	Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.0XXD	Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.1XXA	Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.1XXD	Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V32.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V32.5XXA	Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.5XXD	Driver of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V32.6XXA	Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.6XXD	Passenger in three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V32.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V32.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.0XXA	Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.0XXD	Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.1XXA	Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.1XXD	Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with car, pick-up truck or van, initial encounter	ICD-10-CM	Diagnosis
V33.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with car, pick-up truck or van, subsequent encounter	ICD-10-CM	Diagnosis
V33.5XXA	Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V33.5XXD	Driver of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.6XXA	Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.6XXD	Passenger in three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V33.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V33.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.0XXA	Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.0XXD	Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.1XXA	Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.1XXD	Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V34.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V34.5XXA	Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V34.5XXD	Driver of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.6XXA	Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.6XXD	Passenger in three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V34.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V34.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.0XXA	Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.0XXD	Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.1XXA	Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.1XXD	Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V35.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V35.5XXA	Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.5XXD	Driver of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.6XXA	Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.6XXD	Passenger in three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V35.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V35.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.0XXA	Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.0XXD	Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.1XXA	Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.1XXD	Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with other nonmotor vehicle, initial encounter	ICD-10-CM	Diagnosis
V36.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with other nonmotor vehicle, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V36.5XXA	Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.5XXD	Driver of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.6XXA	Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.6XXD	Passenger in three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V36.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V36.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.0XXA	Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.0XXD	Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.1XXA	Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.1XXD	Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.2XXA	Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.2XXD	Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V37.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V37.5XXA	Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V37.5XXD	Driver of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.6XXA	Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.6XXD	Passenger in three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.7XXA	Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.7XXD	Person on outside of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V37.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V37.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.0XXA	Driver of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.0XXD	Driver of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.1XXA	Passenger in three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.1XXD	Passenger in three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.2XXA	Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.2XXD	Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.3XXA	Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.3XXD	Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.4XXA	Person boarding or alighting a three-wheeled motor vehicle injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V38.4XXD	Person boarding or alighting a three-wheeled motor vehicle injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.5XXA	Driver of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.5XXD	Driver of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V38.6XXA	Passenger in three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.6XXD	Passenger in three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.7XXA	Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.7XXD	Person on outside of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V38.9XXA	Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V38.9XXD	Unspecified occupant of three-wheeled motor vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.00XA	Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.00XD	Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.09XA	Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.09XD	Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.10XA	Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.10XD	Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.19XA	Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.19XD	Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.20XA	Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.20XD	Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.29XA	Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V39.29XD	Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.3XXA	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.3XXD	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.40XA	Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.40XD	Driver of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.49XA	Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.49XD	Driver of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.50XA	Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.50XD	Passenger in three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.59XA	Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.59XD	Passenger in three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.60XA	Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.60XD	Unspecified occupant of three-wheeled motor vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.69XA	Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.69XD	Unspecified occupant of three-wheeled motor vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V39.81XA	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V39.81XD	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V39.89XA	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V39.89XD	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V39.9XXA	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V39.9XXD	Occupant (driver) (passenger) of three-wheeled motor vehicle injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.0XXA	Car driver injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.0XXD	Car driver injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.1XXA	Car passenger injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.1XXD	Car passenger injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.2XXA	Person on outside of car injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.2XXD	Person on outside of car injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.3XXA	Unspecified car occupant injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.3XXD	Unspecified car occupant injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.4XXA	Person boarding or alighting a car injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V40.4XXD	Person boarding or alighting a car injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V40.5XXA	Car driver injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.5XXD	Car driver injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.6XXA	Car passenger injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.6XXD	Car passenger injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.7XXA	Person on outside of car injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.7XXD	Person on outside of car injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V40.9XXA	Unspecified car occupant injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V40.9XXD	Unspecified car occupant injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.0XXA	Car driver injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V41.0XXD	Car driver injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.1XXA	Car passenger injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.1XXD	Car passenger injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.2XXA	Person on outside of car injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.2XXD	Person on outside of car injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.3XXA	Unspecified car occupant injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.3XXD	Unspecified car occupant injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.4XXA	Person boarding or alighting a car injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V41.4XXD	Person boarding or alighting a car injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V41.5XXA	Car driver injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.5XXD	Car driver injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.6XXA	Car passenger injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.6XXD	Car passenger injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.7XXA	Person on outside of car injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.7XXD	Person on outside of car injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V41.9XXA	Unspecified car occupant injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V41.9XXD	Unspecified car occupant injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.0XXA	Car driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.0XXD	Car driver injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.1XXA	Car passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.1XXD	Car passenger injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V42.2XXA	Person on outside of car injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.2XXD	Person on outside of car injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.3XXA	Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.3XXD	Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.4XXA	Person boarding or alighting a car injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V42.4XXD	Person boarding or alighting a car injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V42.5XXA	Car driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.5XXD	Car driver injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.6XXA	Car passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.6XXD	Car passenger injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.7XXA	Person on outside of car injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.7XXD	Person on outside of car injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V42.9XXA	Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V42.9XXD	Unspecified car occupant injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.01XA	Car driver injured in collision with sport utility vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.01XD	Car driver injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.02XA	Car driver injured in collision with other type car in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.02XD	Car driver injured in collision with other type car in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.03XA	Car driver injured in collision with pick-up truck in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.03XD	Car driver injured in collision with pick-up truck in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.04XA	Car driver injured in collision with van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V43.04XD	Car driver injured in collision with van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.11XA	Car passenger injured in collision with sport utility vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.11XD	Car passenger injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.12XA	Car passenger injured in collision with other type car in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.12XD	Car passenger injured in collision with other type car in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.13XA	Car passenger injured in collision with pick-up in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.13XD	Car passenger injured in collision with pick-up in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.14XA	Car passenger injured in collision with van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.14XD	Car passenger injured in collision with van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.21XA	Person on outside of car injured in collision with sport utility vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.21XD	Person on outside of car injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.22XA	Person on outside of car injured in collision with other type car in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.22XD	Person on outside of car injured in collision with other type car in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.23XA	Person on outside of car injured in collision with pick-up truck in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.23XD	Person on outside of car injured in collision with pick-up truck in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.24XA	Person on outside of car injured in collision with van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.24XD	Person on outside of car injured in collision with van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.31XA	Unspecified car occupant injured in collision with sport utility vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.31XD	Unspecified car occupant injured in collision with sport utility vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.32XA	Unspecified car occupant injured in collision with other type car in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.32XD	Unspecified car occupant injured in collision with other type car in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V43.33XA	Unspecified car occupant injured in collision with pick-up truck in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.33XD	Unspecified car occupant injured in collision with pick-up truck in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.34XA	Unspecified car occupant injured in collision with van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.34XD	Unspecified car occupant injured in collision with van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.41XA	Person boarding or alighting a car injured in collision with sport utility vehicle, initial encounter	ICD-10-CM	Diagnosis
V43.41XD	Person boarding or alighting a car injured in collision with sport utility vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V43.42XA	Person boarding or alighting a car injured in collision with other type car, initial encounter	ICD-10-CM	Diagnosis
V43.42XD	Person boarding or alighting a car injured in collision with other type car, subsequent encounter	ICD-10-CM	Diagnosis
V43.43XA	Person boarding or alighting a car injured in collision with pick-up truck, initial encounter	ICD-10-CM	Diagnosis
V43.43XD	Person boarding or alighting a car injured in collision with pick-up truck, subsequent encounter	ICD-10-CM	Diagnosis
V43.44XA	Person boarding or alighting a car injured in collision with van, initial encounter	ICD-10-CM	Diagnosis
V43.44XD	Person boarding or alighting a car injured in collision with van, subsequent encounter	ICD-10-CM	Diagnosis
V43.51XA	Car driver injured in collision with sport utility vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.51XD	Car driver injured in collision with sport utility vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.52XA	Car driver injured in collision with other type car in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.52XD	Car driver injured in collision with other type car in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.53XA	Car driver injured in collision with pick-up truck in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.53XD	Car driver injured in collision with pick-up truck in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.54XA	Car driver injured in collision with van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.54XD	Car driver injured in collision with van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.61XA	Car passenger injured in collision with sport utility vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V43.61XD	Car passenger injured in collision with sport utility vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.62XA	Car passenger injured in collision with other type car in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.62XD	Car passenger injured in collision with other type car in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.63XA	Car passenger injured in collision with pick-up truck in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.63XD	Car passenger injured in collision with pick-up truck in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.64XA	Car passenger injured in collision with van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.64XD	Car passenger injured in collision with van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.71XA	Person on outside of car injured in collision with sport utility vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.71XD	Person on outside of car injured in collision with sport utility vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.72XA	Person on outside of car injured in collision with other type car in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.72XD	Person on outside of car injured in collision with other type car in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.73XA	Person on outside of car injured in collision with pick-up truck in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.73XD	Person on outside of car injured in collision with pick-up truck in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.74XA	Person on outside of car injured in collision with van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.74XD	Person on outside of car injured in collision with van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.91XA	Unspecified car occupant injured in collision with sport utility vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.91XD	Unspecified car occupant injured in collision with sport utility vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.92XA	Unspecified car occupant injured in collision with other type car in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.92XD	Unspecified car occupant injured in collision with other type car in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V43.93XA	Unspecified car occupant injured in collision with pick-up truck in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.93XD	Unspecified car occupant injured in collision with pick-up truck in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V43.94XA	Unspecified car occupant injured in collision with van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V43.94XD	Unspecified car occupant injured in collision with van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.0XXA	Car driver injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.0XXD	Car driver injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.1XXA	Car passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.1XXD	Car passenger injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.2XXA	Person on outside of car injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.2XXD	Person on outside of car injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.3XXA	Unspecified car occupant injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.3XXD	Unspecified car occupant injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.4XXA	Person boarding or alighting a car injured in collision with heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V44.4XXD	Person boarding or alighting a car injured in collision with heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V44.5XXA	Car driver injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.5XXD	Car driver injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.6XXA	Car passenger injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.6XXD	Car passenger injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.7XXA	Person on outside of car injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.7XXD	Person on outside of car injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V44.9XXA	Unspecified car occupant injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V44.9XXD	Unspecified car occupant injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.0XXA	Car driver injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V45.0XXD	Car driver injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.1XXA	Car passenger injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.1XXD	Car passenger injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.2XXA	Person on outside of car injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.2XXD	Person on outside of car injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.3XXA	Unspecified car occupant injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.3XXD	Unspecified car occupant injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.4XXA	Person boarding or alighting a car injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V45.4XXD	Person boarding or alighting a car injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V45.5XXA	Car driver injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.5XXD	Car driver injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.6XXA	Car passenger injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.6XXD	Car passenger injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.7XXA	Person on outside of car injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.7XXD	Person on outside of car injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V45.9XXA	Unspecified car occupant injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V45.9XXD	Unspecified car occupant injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.0XXA	Car driver injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.0XXD	Car driver injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.1XXA	Car passenger injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.1XXD	Car passenger injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V46.2XXA	Person on outside of car injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.2XXD	Person on outside of car injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.3XXA	Unspecified car occupant injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.3XXD	Unspecified car occupant injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.4XXA	Person boarding or alighting a car injured in collision with other nonmotor vehicle, initial encounter	ICD-10-CM	Diagnosis
V46.4XXD	Person boarding or alighting a car injured in collision with other nonmotor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V46.5XXA	Car driver injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.5XXD	Car driver injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.6XXA	Car passenger injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.6XXD	Car passenger injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.7XXA	Person on outside of car injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.7XXD	Person on outside of car injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V46.9XXA	Unspecified car occupant injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V46.9XXD	Unspecified car occupant injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.0XXA	Car driver injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.0XXD	Car driver injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.1XXA	Car passenger injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.1XXD	Car passenger injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.2XXA	Person on outside of car injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.2XXD	Person on outside of car injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.3XXA	Unspecified car occupant injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V47.3XXD	Unspecified car occupant injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.4XXA	Person boarding or alighting a car injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V47.4XXD	Person boarding or alighting a car injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V47.5XXA	Car driver injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.5XXD	Car driver injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.6XXA	Car passenger injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.6XXD	Car passenger injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.7XXA	Person on outside of car injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.7XXD	Person on outside of car injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V47.9XXA	Unspecified car occupant injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V47.9XXD	Unspecified car occupant injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.0XXA	Car driver injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.0XXD	Car driver injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.1XXA	Car passenger injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.1XXD	Car passenger injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.2XXA	Person on outside of car injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.2XXD	Person on outside of car injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.3XXA	Unspecified car occupant injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.3XXD	Unspecified car occupant injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.4XXA	Person boarding or alighting a car injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V48.4XXD	Person boarding or alighting a car injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V48.5XXA	Car driver injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.5XXD	Car driver injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.6XXA	Car passenger injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.6XXD	Car passenger injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.7XXA	Person on outside of car injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.7XXD	Person on outside of car injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V48.9XXA	Unspecified car occupant injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V48.9XXD	Unspecified car occupant injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.00XA	Driver injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.00XD	Driver injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.09XA	Driver injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.09XD	Driver injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.10XA	Passenger injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.10XD	Passenger injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.19XA	Passenger injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.19XD	Passenger injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.20XA	Unspecified car occupant injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.20XD	Unspecified car occupant injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.29XA	Unspecified car occupant injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.29XD	Unspecified car occupant injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.3XXA	Car occupant (driver) (passenger) injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V49.3XXD	Car occupant (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.40XA	Driver injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.40XD	Driver injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.49XA	Driver injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.49XD	Driver injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.50XA	Passenger injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.50XD	Passenger injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.59XA	Passenger injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.59XD	Passenger injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.60XA	Unspecified car occupant injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.60XD	Unspecified car occupant injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.69XA	Unspecified car occupant injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.69XD	Unspecified car occupant injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V49.81XA	Car occupant (driver) (passenger) injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V49.81XD	Car occupant (driver) (passenger) injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V49.88XA	Car occupant (driver) (passenger) injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V49.88XD	Car occupant (driver) (passenger) injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V49.9XXA	Car occupant (driver) (passenger) injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V49.9XXD	Car occupant (driver) (passenger) injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.0XXA	Driver of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.0XXD	Driver of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V50.1XXA	Passenger in pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.1XXD	Passenger in pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.2XXA	Person on outside of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.2XXD	Person on outside of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.3XXA	Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.3XXD	Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V50.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V50.5XXA	Driver of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.5XXD	Driver of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.6XXA	Passenger in pick-up truck or van injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.6XXD	Passenger in pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.7XXA	Person on outside of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.7XXD	Person on outside of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V50.9XXA	Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V50.9XXD	Unspecified occupant of pick-up truck or van injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.0XXA	Driver of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.0XXD	Driver of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.1XXA	Passenger in pick-up truck or van injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.1XXD	Passenger in pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.2XXA	Person on outside of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V51.2XXD	Person on outside of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.3XXA	Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.3XXD	Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V51.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V51.5XXA	Driver of pick-up truck or van injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.5XXD	Driver of pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.6XXA	Passenger in pick-up truck or van injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.6XXD	Passenger in pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.7XXA	Person on outside of pick-up truck or van injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.7XXD	Person on outside of pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V51.9XXA	Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V51.9XXD	Unspecified occupant of pick-up truck or van injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.0XXA	Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.0XXD	Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.1XXA	Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.1XXD	Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.2XXA	Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.2XXD	Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.3XXA	Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V52.3XXD	Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V52.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V52.5XXA	Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.5XXD	Driver of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.6XXA	Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.6XXD	Passenger in pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.7XXA	Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.7XXD	Person on outside of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V52.9XXA	Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V52.9XXD	Unspecified occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.0XXA	Driver of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.0XXD	Driver of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.1XXA	Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.1XXD	Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.2XXA	Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.2XXD	Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.3XXA	Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.3XXD	Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V53.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with car, pick-up truck or van, initial encounter	ICD-10-CM	Diagnosis
V53.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with car, pick-up truck or van, subsequent encounter	ICD-10-CM	Diagnosis
V53.5XXA	Driver of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.5XXD	Driver of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.6XXA	Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.6XXD	Passenger in pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.7XXA	Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.7XXD	Person on outside of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V53.9XXA	Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V53.9XXD	Unspecified occupant of pick-up truck or van injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.0XXA	Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.0XXD	Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.1XXA	Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.1XXD	Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.2XXA	Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.2XXD	Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.3XXA	Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.3XXD	Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V54.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V54.5XXA	Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.5XXD	Driver of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.6XXA	Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.6XXD	Passenger in pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.7XXA	Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.7XXD	Person on outside of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V54.9XXA	Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V54.9XXD	Unspecified occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.0XXA	Driver of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.0XXD	Driver of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.1XXA	Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.1XXD	Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.2XXA	Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.2XXD	Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.3XXA	Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.3XXD	Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V55.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V55.5XXA	Driver of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V55.5XXD	Driver of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.6XXA	Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.6XXD	Passenger in pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.7XXA	Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.7XXD	Person on outside of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V55.9XXA	Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V55.9XXD	Unspecified occupant of pick-up truck or van injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.0XXA	Driver of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.0XXD	Driver of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.1XXA	Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.1XXD	Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.2XXA	Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.2XXD	Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.3XXA	Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.3XXD	Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with other nonmotor vehicle, initial encounter	ICD-10-CM	Diagnosis
V56.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with other nonmotor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V56.5XXA	Driver of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.5XXD	Driver of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.6XXA	Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V56.6XXD	Passenger in pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.7XXA	Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.7XXD	Person on outside of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V56.9XXA	Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V56.9XXD	Unspecified occupant of pick-up truck or van injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.0XXA	Driver of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.0XXD	Driver of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.1XXA	Passenger in pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.1XXD	Passenger in pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.2XXA	Person on outside of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.2XXD	Person on outside of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.3XXA	Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.3XXD	Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.4XXA	Person boarding or alighting a pick-up truck or van injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V57.4XXD	Person boarding or alighting a pick-up truck or van injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V57.5XXA	Driver of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.5XXD	Driver of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.6XXA	Passenger in pick-up truck or van injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.6XXD	Passenger in pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V57.7XXA	Person on outside of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.7XXD	Person on outside of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V57.9XXA	Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V57.9XXD	Unspecified occupant of pick-up truck or van injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.0XXA	Driver of pick-up truck or van injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.0XXD	Driver of pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.1XXA	Passenger in pick-up truck or van injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.1XXD	Passenger in pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.2XXA	Person on outside of pick-up truck or van injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.2XXD	Person on outside of pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.3XXA	Unspecified occupant of pick-up truck or van injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.3XXD	Unspecified occupant of pick-up truck or van injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.4XXA	Person boarding or alighting a pick-up truck or van injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V58.4XXD	Person boarding or alighting a pick-up truck or van injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.5XXA	Driver of pick-up truck or van injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.5XXD	Driver of pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.6XXA	Passenger in pick-up truck or van injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.6XXD	Passenger in pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.7XXA	Person on outside of pick-up truck or van injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.7XXD	Person on outside of pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V58.9XXA	Unspecified occupant of pick-up truck or van injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V58.9XXD	Unspecified occupant of pick-up truck or van injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.00XA	Driver of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V59.00XD	Driver of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.09XA	Driver of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.09XD	Driver of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.10XA	Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.10XD	Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.19XA	Passenger in pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.19XD	Passenger in pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.20XA	Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.20XD	Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.29XA	Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.29XD	Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.3XXA	Occupant (driver) (passenger) of pick-up truck or van injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.3XXD	Occupant (driver) (passenger) of pick-up truck or van injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.40XA	Driver of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.40XD	Driver of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.49XA	Driver of pick-up truck or van injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.49XD	Driver of pick-up truck or van injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.50XA	Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.50XD	Passenger in pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.59XA	Passenger in pick-up truck or van injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.59XD	Passenger in pick-up truck or van injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V59.60XA	Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.60XD	Unspecified occupant of pick-up truck or van injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.69XA	Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.69XD	Unspecified occupant of pick-up truck or van injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V59.81XA	Occupant (driver) (passenger) of pick-up truck or van injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V59.81XD	Occupant (driver) (passenger) of pick-up truck or van injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V59.88XA	Occupant (driver) (passenger) of pick-up truck or van injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V59.88XD	Occupant (driver) (passenger) of pick-up truck or van injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V59.9XXA	Occupant (driver) (passenger) of pick-up truck or van injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V59.9XXD	Occupant (driver) (passenger) of pick-up truck or van injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.0XXA	Driver of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.0XXD	Driver of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.1XXA	Passenger in heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.1XXD	Passenger in heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.2XXA	Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.2XXD	Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V60.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V60.5XXA	Driver of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V60.5XXD	Driver of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.6XXA	Passenger in heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.6XXD	Passenger in heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.7XXA	Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.7XXD	Person on outside of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V60.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V60.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.0XXA	Driver of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.0XXD	Driver of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.1XXA	Passenger in heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.1XXD	Passenger in heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.2XXA	Person on outside of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.2XXD	Person on outside of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with pedal cycle while boarding or alighting, initial encounter	ICD-10-CM	Diagnosis
V61.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with pedal cycle while boarding or alighting, subsequent encounter	ICD-10-CM	Diagnosis
V61.5XXA	Driver of heavy transport vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.5XXD	Driver of heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.6XXA	Passenger in heavy transport vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.6XXD	Passenger in heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V61.7XXA	Person on outside of heavy transport vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.7XXD	Person on outside of heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V61.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V61.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.0XXA	Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.0XXD	Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.1XXA	Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.1XXD	Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.2XXA	Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.2XXD	Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V62.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V62.5XXA	Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.5XXD	Driver of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.6XXA	Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.6XXD	Passenger in heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V62.7XXA	Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.7XXD	Person on outside of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V62.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V62.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.0XXA	Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.0XXD	Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.1XXA	Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.1XXD	Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.2XXA	Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.2XXD	Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with car, pick-up truck or van, initial encounter	ICD-10-CM	Diagnosis
V63.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with car, pick-up truck or van, subsequent encounter	ICD-10-CM	Diagnosis
V63.5XXA	Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.5XXD	Driver of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.6XXA	Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.6XXD	Passenger in heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.7XXA	Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V63.7XXD	Person on outside of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V63.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V63.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.0XXA	Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.0XXD	Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.1XXA	Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.1XXD	Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.2XXA	Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.2XXD	Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with heavy transport vehicle or bus while boarding or alighting, initial encounter	ICD-10-CM	Diagnosis
V64.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with heavy transport vehicle or bus while boarding or alighting, subsequent encounter	ICD-10-CM	Diagnosis
V64.5XXA	Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.5XXD	Driver of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.6XXA	Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.6XXD	Passenger in heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.7XXA	Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V64.7XXD	Person on outside of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V64.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V64.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.0XXA	Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.0XXD	Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.1XXA	Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.1XXD	Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.2XXA	Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.2XXD	Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V65.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V65.5XXA	Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.5XXD	Driver of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.6XXA	Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.6XXD	Passenger in heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.7XXA	Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V65.7XXD	Person on outside of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V65.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V65.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.0XXA	Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.0XXD	Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.1XXA	Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.1XXD	Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.2XXA	Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.2XXD	Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with other nonmotor vehicle, initial encounter	ICD-10-CM	Diagnosis
V66.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with other nonmotor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V66.5XXA	Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.5XXD	Driver of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.6XXA	Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.6XXD	Passenger in heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.7XXA	Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V66.7XXD	Person on outside of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V66.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V66.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.0XXA	Driver of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.0XXD	Driver of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.1XXA	Passenger in heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.1XXD	Passenger in heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.2XXA	Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.2XXD	Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.3XXA	Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.3XXD	Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.4XXA	Person boarding or alighting a heavy transport vehicle injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V67.4XXD	Person boarding or alighting a heavy transport vehicle injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V67.5XXA	Driver of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.5XXD	Driver of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.6XXA	Passenger in heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.6XXD	Passenger in heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.7XXA	Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.7XXD	Person on outside of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V67.9XXA	Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V67.9XXD	Unspecified occupant of heavy transport vehicle injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.0XXA	Driver of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V68.0XXD	Driver of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.1XXA	Passenger in heavy transport vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.1XXD	Passenger in heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.2XXA	Person on outside of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.2XXD	Person on outside of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.3XXA	Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.3XXD	Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.4XXA	Person boarding or alighting a heavy transport vehicle injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V68.4XXD	Person boarding or alighting a heavy transport vehicle injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.5XXA	Driver of heavy transport vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.5XXD	Driver of heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.6XXA	Passenger in heavy transport vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.6XXD	Passenger in heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.7XXA	Person on outside of heavy transport vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.7XXD	Person on outside of heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V68.9XXA	Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V68.9XXD	Unspecified occupant of heavy transport vehicle injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.00XA	Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.00XD	Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.09XA	Driver of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.09XD	Driver of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V69.10XA	Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.10XD	Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.19XA	Passenger in heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.19XD	Passenger in heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.20XA	Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.20XD	Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.29XA	Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.29XD	Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.3XXA	Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.3XXD	Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.40XA	Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.40XD	Driver of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.49XA	Driver of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.49XD	Driver of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.50XA	Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.50XD	Passenger in heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.59XA	Passenger in heavy transport vehicle injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.59XD	Passenger in heavy transport vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.60XA	Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V69.60XD	Unspecified occupant of heavy transport vehicle injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.69XA	Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.69XD	Unspecified occupant of heavy transport vehicle injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V69.81XA	Occupant (driver) (passenger) of heavy transport vehicle injured in transport accidents with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V69.81XD	Occupant (driver) (passenger) of heavy transport vehicle injured in transport accidents with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V69.88XA	Occupant (driver) (passenger) of heavy transport vehicle injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V69.88XD	Occupant (driver) (passenger) of heavy transport vehicle injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V69.9XXA	Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V69.9XXD	Occupant (driver) (passenger) of heavy transport vehicle injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.0XXA	Driver of bus injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.0XXD	Driver of bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.1XXA	Passenger on bus injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.1XXD	Passenger on bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.2XXA	Person on outside of bus injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.2XXD	Person on outside of bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.3XXA	Unspecified occupant of bus injured in collision with pedestrian or animal in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.3XXD	Unspecified occupant of bus injured in collision with pedestrian or animal in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.4XXA	Person boarding or alighting from bus injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V70.4XXD	Person boarding or alighting from bus injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V70.5XXA	Driver of bus injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.5XXD	Driver of bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V70.6XXA	Passenger on bus injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.6XXD	Passenger on bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.7XXA	Person on outside of bus injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.7XXD	Person on outside of bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V70.9XXA	Unspecified occupant of bus injured in collision with pedestrian or animal in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V70.9XXD	Unspecified occupant of bus injured in collision with pedestrian or animal in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.0XXA	Driver of bus injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.0XXD	Driver of bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.1XXA	Passenger on bus injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.1XXD	Passenger on bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.2XXA	Person on outside of bus injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.2XXD	Person on outside of bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.3XXA	Unspecified occupant of bus injured in collision with pedal cycle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.3XXD	Unspecified occupant of bus injured in collision with pedal cycle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.4XXA	Person boarding or alighting from bus injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V71.4XXD	Person boarding or alighting from bus injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V71.5XXA	Driver of bus injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.5XXD	Driver of bus injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.6XXA	Passenger on bus injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.6XXD	Passenger on bus injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.7XXA	Person on outside of bus injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V71.7XXD	Person on outside of bus injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V71.9XXA	Unspecified occupant of bus injured in collision with pedal cycle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V71.9XXD	Unspecified occupant of bus injured in collision with pedal cycle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.0XXA	Driver of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.0XXD	Driver of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.1XXA	Passenger on bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.1XXD	Passenger on bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.2XXA	Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.2XXD	Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.3XXA	Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.3XXD	Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.4XXA	Person boarding or alighting from bus injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V72.4XXD	Person boarding or alighting from bus injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V72.5XXA	Driver of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.5XXD	Driver of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.6XXA	Passenger on bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.6XXD	Passenger on bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.7XXA	Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.7XXD	Person on outside of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V72.9XXA	Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V72.9XXD	Unspecified occupant of bus injured in collision with two- or three-wheeled motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V73.0XXA	Driver of bus injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.0XXD	Driver of bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.1XXA	Passenger on bus injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.1XXD	Passenger on bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.2XXA	Person on outside of bus injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.2XXD	Person on outside of bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.3XXA	Unspecified occupant of bus injured in collision with car, pick-up truck or van in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.3XXD	Unspecified occupant of bus injured in collision with car, pick-up truck or van in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.4XXA	Person boarding or alighting from bus injured in collision with car, pick-up truck or van, initial encounter	ICD-10-CM	Diagnosis
V73.4XXD	Person boarding or alighting from bus injured in collision with car, pick-up truck or van, subsequent encounter	ICD-10-CM	Diagnosis
V73.5XXA	Driver of bus injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.5XXD	Driver of bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.6XXA	Passenger on bus injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.6XXD	Passenger on bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.7XXA	Person on outside of bus injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.7XXD	Person on outside of bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V73.9XXA	Unspecified occupant of bus injured in collision with car, pick-up truck or van in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V73.9XXD	Unspecified occupant of bus injured in collision with car, pick-up truck or van in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.0XXA	Driver of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.0XXD	Driver of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.1XXA	Passenger on bus injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V74.1XXD	Passenger on bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.2XXA	Person on outside of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.2XXD	Person on outside of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.3XXA	Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.3XXD	Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.4XXA	Person boarding or alighting from bus injured in collision with heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V74.4XXD	Person boarding or alighting from bus injured in collision with heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V74.5XXA	Driver of bus injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.5XXD	Driver of bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.6XXA	Passenger on bus injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.6XXD	Passenger on bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.7XXA	Person on outside of bus injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.7XXD	Person on outside of bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V74.9XXA	Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V74.9XXD	Unspecified occupant of bus injured in collision with heavy transport vehicle or bus in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.0XXA	Driver of bus injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.0XXD	Driver of bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.1XXA	Passenger on bus injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.1XXD	Passenger on bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.2XXA	Person on outside of bus injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.2XXD	Person on outside of bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V75.3XXA	Unspecified occupant of bus injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.3XXD	Unspecified occupant of bus injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.4XXA	Person boarding or alighting from bus injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V75.4XXD	Person boarding or alighting from bus injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V75.5XXA	Driver of bus injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.5XXD	Driver of bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.6XXA	Passenger on bus injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.6XXD	Passenger on bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.7XXA	Person on outside of bus injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.7XXD	Person on outside of bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V75.9XXA	Unspecified occupant of bus injured in collision with railway train or railway vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V75.9XXD	Unspecified occupant of bus injured in collision with railway train or railway vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.0XXA	Driver of bus injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.0XXD	Driver of bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.1XXA	Passenger on bus injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.1XXD	Passenger on bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.2XXA	Person on outside of bus injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.2XXD	Person on outside of bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.3XXA	Unspecified occupant of bus injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.3XXD	Unspecified occupant of bus injured in collision with other nonmotor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.4XXA	Person boarding or alighting from bus injured in collision with other nonmotor vehicle, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V76.4XXD	Person boarding or alighting from bus injured in collision with other nonmotor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V76.5XXA	Driver of bus injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.5XXD	Driver of bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.6XXA	Passenger on bus injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.6XXD	Passenger on bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.7XXA	Person on outside of bus injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.7XXD	Person on outside of bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V76.9XXA	Unspecified occupant of bus injured in collision with other nonmotor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V76.9XXD	Unspecified occupant of bus injured in collision with other nonmotor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.0XXA	Driver of bus injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.0XXD	Driver of bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.1XXA	Passenger on bus injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.1XXD	Passenger on bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.2XXA	Person on outside of bus injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.2XXD	Person on outside of bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.3XXA	Unspecified occupant of bus injured in collision with fixed or stationary object in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.3XXD	Unspecified occupant of bus injured in collision with fixed or stationary object in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.4XXA	Person boarding or alighting from bus injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V77.4XXD	Person boarding or alighting from bus injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V77.5XXA	Driver of bus injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.5XXD	Driver of bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V77.6XXA	Passenger on bus injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.6XXD	Passenger on bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.7XXA	Person on outside of bus injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.7XXD	Person on outside of bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V77.9XXA	Unspecified occupant of bus injured in collision with fixed or stationary object in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V77.9XXD	Unspecified occupant of bus injured in collision with fixed or stationary object in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.0XXA	Driver of bus injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.0XXD	Driver of bus injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.1XXA	Passenger on bus injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.1XXD	Passenger on bus injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.2XXA	Person on outside of bus injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.2XXD	Person on outside of bus injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.3XXA	Unspecified occupant of bus injured in noncollision transport accident in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.3XXD	Unspecified occupant of bus injured in noncollision transport accident in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.4XXA	Person boarding or alighting from bus injured in noncollision transport accident, initial encounter	ICD-10-CM	Diagnosis
V78.4XXD	Person boarding or alighting from bus injured in noncollision transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.5XXA	Driver of bus injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.5XXD	Driver of bus injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.6XXA	Passenger on bus injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.6XXD	Passenger on bus injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.7XXA	Person on outside of bus injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V78.7XXD	Person on outside of bus injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V78.9XXA	Unspecified occupant of bus injured in noncollision transport accident in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V78.9XXD	Unspecified occupant of bus injured in noncollision transport accident in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.00XA	Driver of bus injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.00XD	Driver of bus injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.09XA	Driver of bus injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.09XD	Driver of bus injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.10XA	Passenger on bus injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.10XD	Passenger on bus injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.19XA	Passenger on bus injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.19XD	Passenger on bus injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.20XA	Unspecified bus occupant injured in collision with unspecified motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.20XD	Unspecified bus occupant injured in collision with unspecified motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.29XA	Unspecified bus occupant injured in collision with other motor vehicles in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.29XD	Unspecified bus occupant injured in collision with other motor vehicles in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.3XXA	Bus occupant (driver) (passenger) injured in unspecified nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.3XXD	Bus occupant (driver) (passenger) injured in unspecified nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.40XA	Driver of bus injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.40XD	Driver of bus injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.49XA	Driver of bus injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.49XD	Driver of bus injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V79.50XA	Passenger on bus injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.50XD	Passenger on bus injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.59XA	Passenger on bus injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.59XD	Passenger on bus injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.60XA	Unspecified bus occupant injured in collision with unspecified motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.60XD	Unspecified bus occupant injured in collision with unspecified motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.69XA	Unspecified bus occupant injured in collision with other motor vehicles in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.69XD	Unspecified bus occupant injured in collision with other motor vehicles in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V79.81XA	Bus occupant (driver) (passenger) injured in transport accidents with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V79.81XD	Bus occupant (driver) (passenger) injured in transport accidents with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V79.88XA	Bus occupant (driver) (passenger) injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V79.88XD	Bus occupant (driver) (passenger) injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V79.9XXA	Bus occupant (driver) (passenger) injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V79.9XXD	Bus occupant (driver) (passenger) injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.010A	Animal-rider injured by fall from or being thrown from horse in noncollision accident, initial encounter	ICD-10-CM	Diagnosis
V80.010D	Animal-rider injured by fall from or being thrown from horse in noncollision accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.018A	Animal-rider injured by fall from or being thrown from other animal in noncollision accident, initial encounter	ICD-10-CM	Diagnosis
V80.018D	Animal-rider injured by fall from or being thrown from other animal in noncollision accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.02XA	Occupant of animal-drawn vehicle injured by fall from or being thrown from animal-drawn vehicle in noncollision accident, initial encounter	ICD-10-CM	Diagnosis
V80.02XD	Occupant of animal-drawn vehicle injured by fall from or being thrown from animal-drawn vehicle in noncollision accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.11XA	Animal-rider injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V80.11XD	Animal-rider injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V80.12XA	Occupant of animal-drawn vehicle injured in collision with pedestrian or animal, initial encounter	ICD-10-CM	Diagnosis
V80.12XD	Occupant of animal-drawn vehicle injured in collision with pedestrian or animal, subsequent encounter	ICD-10-CM	Diagnosis
V80.21XA	Animal-rider injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V80.21XD	Animal-rider injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V80.22XA	Occupant of animal-drawn vehicle injured in collision with pedal cycle, initial encounter	ICD-10-CM	Diagnosis
V80.22XD	Occupant of animal-drawn vehicle injured in collision with pedal cycle, subsequent encounter	ICD-10-CM	Diagnosis
V80.31XA	Animal-rider injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.31XD	Animal-rider injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.32XA	Occupant of animal-drawn vehicle injured in collision with two- or three-wheeled motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.32XD	Occupant of animal-drawn vehicle injured in collision with two- or three-wheeled motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.41XA	Animal-rider injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V80.41XD	Animal-rider injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V80.42XA	Occupant of animal-drawn vehicle injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, initial encounter	ICD-10-CM	Diagnosis
V80.42XD	Occupant of animal-drawn vehicle injured in collision with car, pick-up truck, van, heavy transport vehicle or bus, subsequent encounter	ICD-10-CM	Diagnosis
V80.51XA	Animal-rider injured in collision with other specified motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.51XD	Animal-rider injured in collision with other specified motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.52XA	Occupant of animal-drawn vehicle injured in collision with other specified motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.52XD	Occupant of animal-drawn vehicle injured in collision with other specified motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.61XA	Animal-rider injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.61XD	Animal-rider injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.62XA	Occupant of animal-drawn vehicle injured in collision with railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V80.62XD	Occupant of animal-drawn vehicle injured in collision with railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.710A	Animal-rider injured in collision with other animal being ridden, initial encounter	ICD-10-CM	Diagnosis
V80.710D	Animal-rider injured in collision with other animal being ridden, subsequent encounter	ICD-10-CM	Diagnosis
V80.711A	Occupant of animal-drawn vehicle injured in collision with animal being ridden, initial encounter	ICD-10-CM	Diagnosis
V80.711D	Occupant of animal-drawn vehicle injured in collision with animal being ridden, subsequent encounter	ICD-10-CM	Diagnosis
V80.720A	Animal-rider injured in collision with animal-drawn vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.720D	Animal-rider injured in collision with animal-drawn vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.721A	Occupant of animal-drawn vehicle injured in collision with other animal-drawn vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.721D	Occupant of animal-drawn vehicle injured in collision with other animal-drawn vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.730A	Animal-rider injured in collision with streetcar, initial encounter	ICD-10-CM	Diagnosis
V80.730D	Animal-rider injured in collision with streetcar, subsequent encounter	ICD-10-CM	Diagnosis
V80.731A	Occupant of animal-drawn vehicle injured in collision with streetcar, initial encounter	ICD-10-CM	Diagnosis
V80.731D	Occupant of animal-drawn vehicle injured in collision with streetcar, subsequent encounter	ICD-10-CM	Diagnosis
V80.790A	Animal-rider injured in collision with other nonmotor vehicles, initial encounter	ICD-10-CM	Diagnosis
V80.790D	Animal-rider injured in collision with other nonmotor vehicles, subsequent encounter	ICD-10-CM	Diagnosis
V80.791A	Occupant of animal-drawn vehicle injured in collision with other nonmotor vehicles, initial encounter	ICD-10-CM	Diagnosis
V80.791D	Occupant of animal-drawn vehicle injured in collision with other nonmotor vehicles, subsequent encounter	ICD-10-CM	Diagnosis
V80.81XA	Animal-rider injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V80.81XD	Animal-rider injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V80.82XA	Occupant of animal-drawn vehicle injured in collision with fixed or stationary object, initial encounter	ICD-10-CM	Diagnosis
V80.82XD	Occupant of animal-drawn vehicle injured in collision with fixed or stationary object, subsequent encounter	ICD-10-CM	Diagnosis
V80.910A	Animal-rider injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V80.910D	Animal-rider injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.918A	Animal-rider injured in other transport accident, initial encounter	ICD-10-CM	Diagnosis
V80.918D	Animal-rider injured in other transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.919A	Animal-rider injured in unspecified transport accident, initial encounter	ICD-10-CM	Diagnosis
V80.919D	Animal-rider injured in unspecified transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.920A	Occupant of animal-drawn vehicle injured in transport accident with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V80.920D	Occupant of animal-drawn vehicle injured in transport accident with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V80.928A	Occupant of animal-drawn vehicle injured in other transport accident, initial encounter	ICD-10-CM	Diagnosis
V80.928D	Occupant of animal-drawn vehicle injured in other transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V80.929A	Occupant of animal-drawn vehicle injured in unspecified transport accident, initial encounter	ICD-10-CM	Diagnosis
V80.929D	Occupant of animal-drawn vehicle injured in unspecified transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V81.0XXA	Occupant of railway train or railway vehicle injured in collision with motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V81.0XXD	Occupant of railway train or railway vehicle injured in collision with motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V81.1XXA	Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V81.1XXD	Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V81.2XXA	Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock, initial encounter	ICD-10-CM	Diagnosis
V81.2XXD	Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock, subsequent encounter	ICD-10-CM	Diagnosis
V81.3XXA	Occupant of railway train or railway vehicle injured in collision with other object, initial encounter	ICD-10-CM	Diagnosis
V81.3XXD	Occupant of railway train or railway vehicle injured in collision with other object, subsequent encounter	ICD-10-CM	Diagnosis
V81.4XXA	Person injured while boarding or alighting from railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V81.4XXD	Person injured while boarding or alighting from railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V81.5XXA	Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V81.5XXD	Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V81.6XXA	Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle, initial encounter	ICD-10-CM	Diagnosis
V81.6XXD	Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V81.7XXA	Occupant of railway train or railway vehicle injured in derailment without antecedent collision, initial encounter	ICD-10-CM	Diagnosis
V81.7XXD	Occupant of railway train or railway vehicle injured in derailment without antecedent collision, subsequent encounter	ICD-10-CM	Diagnosis
V81.81XA	Occupant of railway train or railway vehicle injured due to explosion or fire on train, initial encounter	ICD-10-CM	Diagnosis
V81.81XD	Occupant of railway train or railway vehicle injured due to explosion or fire on train, subsequent encounter	ICD-10-CM	Diagnosis
V81.82XA	Occupant of railway train or railway vehicle injured due to object falling onto train, initial encounter	ICD-10-CM	Diagnosis
V81.82XD	Occupant of railway train or railway vehicle injured due to object falling onto train, subsequent encounter	ICD-10-CM	Diagnosis
V81.83XA	Occupant of railway train or railway vehicle injured due to collision with military vehicle, initial encounter	ICD-10-CM	Diagnosis
V81.83XD	Occupant of railway train or railway vehicle injured due to collision with military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V81.89XA	Occupant of railway train or railway vehicle injured due to other specified railway accident, initial encounter	ICD-10-CM	Diagnosis
V81.89XD	Occupant of railway train or railway vehicle injured due to other specified railway accident, subsequent encounter	ICD-10-CM	Diagnosis
V81.9XXA	Occupant of railway train or railway vehicle injured in unspecified railway accident, initial encounter	ICD-10-CM	Diagnosis
V81.9XXD	Occupant of railway train or railway vehicle injured in unspecified railway accident, subsequent encounter	ICD-10-CM	Diagnosis
V82.0XXA	Occupant of streetcar injured in collision with motor vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V82.0XXD	Occupant of streetcar injured in collision with motor vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V82.1XXA	Occupant of streetcar injured in collision with motor vehicle in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V82.1XXD	Occupant of streetcar injured in collision with motor vehicle in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V82.2XXA	Occupant of streetcar injured in collision with or hit by rolling stock, initial encounter	ICD-10-CM	Diagnosis
V82.2XXD	Occupant of streetcar injured in collision with or hit by rolling stock, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V82.3XXA	Occupant of streetcar injured in collision with other object, initial encounter	ICD-10-CM	Diagnosis
V82.3XXD	Occupant of streetcar injured in collision with other object, subsequent encounter	ICD-10-CM	Diagnosis
V82.4XXA	Person injured while boarding or alighting from streetcar, initial encounter	ICD-10-CM	Diagnosis
V82.4XXD	Person injured while boarding or alighting from streetcar, subsequent encounter	ICD-10-CM	Diagnosis
V82.5XXA	Occupant of streetcar injured by fall in streetcar, initial encounter	ICD-10-CM	Diagnosis
V82.5XXD	Occupant of streetcar injured by fall in streetcar, subsequent encounter	ICD-10-CM	Diagnosis
V82.6XXA	Occupant of streetcar injured by fall from streetcar, initial encounter	ICD-10-CM	Diagnosis
V82.6XXD	Occupant of streetcar injured by fall from streetcar, subsequent encounter	ICD-10-CM	Diagnosis
V82.7XXA	Occupant of streetcar injured in derailment without antecedent collision, initial encounter	ICD-10-CM	Diagnosis
V82.7XXD	Occupant of streetcar injured in derailment without antecedent collision, subsequent encounter	ICD-10-CM	Diagnosis
V82.8XXA	Occupant of streetcar injured in other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V82.8XXD	Occupant of streetcar injured in other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V82.9XXA	Occupant of streetcar injured in unspecified traffic accident, initial encounter	ICD-10-CM	Diagnosis
V82.9XXD	Occupant of streetcar injured in unspecified traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.0XXA	Driver of special industrial vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.0XXD	Driver of special industrial vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.1XXA	Passenger of special industrial vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.1XXD	Passenger of special industrial vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.2XXA	Person on outside of special industrial vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.2XXD	Person on outside of special industrial vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.3XXA	Unspecified occupant of special industrial vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.3XXD	Unspecified occupant of special industrial vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V83.4XXA	Person injured while boarding or alighting from special industrial vehicle, initial encounter	ICD-10-CM	Diagnosis
V83.4XXD	Person injured while boarding or alighting from special industrial vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V83.5XXA	Driver of special industrial vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.5XXD	Driver of special industrial vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.6XXA	Passenger of special industrial vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.6XXD	Passenger of special industrial vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.7XXA	Person on outside of special industrial vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.7XXD	Person on outside of special industrial vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V83.9XXA	Unspecified occupant of special industrial vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V83.9XXD	Unspecified occupant of special industrial vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.0XXA	Driver of special agricultural vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.0XXD	Driver of special agricultural vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.1XXA	Passenger of special agricultural vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.1XXD	Passenger of special agricultural vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.2XXA	Person on outside of special agricultural vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.2XXD	Person on outside of special agricultural vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.3XXA	Unspecified occupant of special agricultural vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.3XXD	Unspecified occupant of special agricultural vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.4XXA	Person injured while boarding or alighting from special agricultural vehicle, initial encounter	ICD-10-CM	Diagnosis
V84.4XXD	Person injured while boarding or alighting from special agricultural vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V84.5XXA	Driver of special agricultural vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V84.5XXD	Driver of special agricultural vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.6XXA	Passenger of special agricultural vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.6XXD	Passenger of special agricultural vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.7XXA	Person on outside of special agricultural vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.7XXD	Person on outside of special agricultural vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V84.9XXA	Unspecified occupant of special agricultural vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V84.9XXD	Unspecified occupant of special agricultural vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.0XXA	Driver of special construction vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.0XXD	Driver of special construction vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.1XXA	Passenger of special construction vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.1XXD	Passenger of special construction vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.2XXA	Person on outside of special construction vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.2XXD	Person on outside of special construction vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.3XXA	Unspecified occupant of special construction vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.3XXD	Unspecified occupant of special construction vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.4XXA	Person injured while boarding or alighting from special construction vehicle, initial encounter	ICD-10-CM	Diagnosis
V85.4XXD	Person injured while boarding or alighting from special construction vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V85.5XXA	Driver of special construction vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.5XXD	Driver of special construction vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.6XXA	Passenger of special construction vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.6XXD	Passenger of special construction vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V85.7XXA	Person on outside of special construction vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.7XXD	Person on outside of special construction vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V85.9XXA	Unspecified occupant of special construction vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V85.9XXD	Unspecified occupant of special construction vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.01XA	Driver of ambulance or fire engine injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.01XD	Driver of ambulance or fire engine injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.02XA	Driver of snowmobile injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.02XD	Driver of snowmobile injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.03XA	Driver of dune buggy injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.03XD	Driver of dune buggy injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.04XA	Driver of military vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.04XD	Driver of military vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.05XA	Driver of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.05XD	Driver of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.06XA	Driver of dirt bike or motor/cross bike injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.06XD	Driver of dirt bike or motor/cross bike injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.09XA	Driver of other special all-terrain or other off-road motor vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.09XD	Driver of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.11XA	Passenger of ambulance or fire engine injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.11XD	Passenger of ambulance or fire engine injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.12XA	Passenger of snowmobile injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.12XD	Passenger of snowmobile injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.13XA	Passenger of dune buggy injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.13XD	Passenger of dune buggy injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.14XA	Passenger of military vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V86.14XD	Passenger of military vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.15XA	Passenger of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.15XD	Passenger of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.16XA	Passenger of dirt bike or motor/cross bike injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.16XD	Passenger of dirt bike or motor/cross bike injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.19XA	Passenger of other special all-terrain or other off-road motor vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.19XD	Passenger of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.21XA	Person on outside of ambulance or fire engine injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.21XD	Person on outside of ambulance or fire engine injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.22XA	Person on outside of snowmobile injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.22XD	Person on outside of snowmobile injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.23XA	Person on outside of dune buggy injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.23XD	Person on outside of dune buggy injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.24XA	Person on outside of military vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.24XD	Person on outside of military vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.25XA	Person on outside of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.25XD	Person on outside of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.26XA	Person on outside of dirt bike or motor/cross bike injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.26XD	Person on outside of dirt bike or motor/cross bike injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.29XA	Person on outside of other special all-terrain or other off-road motor vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.29XD	Person on outside of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V86.31XA	Unspecified occupant of ambulance or fire engine injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.31XD	Unspecified occupant of ambulance or fire engine injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.32XA	Unspecified occupant of snowmobile injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.32XD	Unspecified occupant of snowmobile injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.33XA	Unspecified occupant of dune buggy injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.33XD	Unspecified occupant of dune buggy injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.34XA	Unspecified occupant of military vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.34XD	Unspecified occupant of military vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.35XA	Unspecified occupant of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.35XD	Unspecified occupant of 3- or 4- wheeled all-terrain vehicle (ATV) injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.36XA	Unspecified occupant of dirt bike or motor/cross bike injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.36XD	Unspecified occupant of dirt bike or motor/cross bike injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.39XA	Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in traffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.39XD	Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in traffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.41XA	Person injured while boarding or alighting from ambulance or fire engine, initial encounter	ICD-10-CM	Diagnosis
V86.41XD	Person injured while boarding or alighting from ambulance or fire engine, subsequent encounter	ICD-10-CM	Diagnosis
V86.42XA	Person injured while boarding or alighting from snowmobile, initial encounter	ICD-10-CM	Diagnosis
V86.42XD	Person injured while boarding or alighting from snowmobile, subsequent encounter	ICD-10-CM	Diagnosis
V86.43XA	Person injured while boarding or alighting from dune buggy, initial encounter	ICD-10-CM	Diagnosis
V86.43XD	Person injured while boarding or alighting from dune buggy, subsequent encounter	ICD-10-CM	Diagnosis
V86.44XA	Person injured while boarding or alighting from military vehicle, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V86.44XD	Person injured while boarding or alighting from military vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V86.45XA	Person injured while boarding or alighting from a 3- or 4- wheeled all-terrain vehicle (ATV), initial encounter	ICD-10-CM	Diagnosis
V86.45XD	Person injured while boarding or alighting from a 3- or 4- wheeled all-terrain vehicle (ATV), subsequent encounter	ICD-10-CM	Diagnosis
V86.46XA	Person injured while boarding or alighting from a dirt bike or motor/cross bike, initial encounter	ICD-10-CM	Diagnosis
V86.46XD	Person injured while boarding or alighting from a dirt bike or motor/cross bike, subsequent encounter	ICD-10-CM	Diagnosis
V86.49XA	Person injured while boarding or alighting from other special all-terrain or other off-road motor vehicle, initial encounter	ICD-10-CM	Diagnosis
V86.49XD	Person injured while boarding or alighting from other special all-terrain or other off-road motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
V86.51XA	Driver of ambulance or fire engine injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.51XD	Driver of ambulance or fire engine injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.52XA	Driver of snowmobile injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.52XD	Driver of snowmobile injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.53XA	Driver of dune buggy injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.53XD	Driver of dune buggy injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.54XA	Driver of military vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.54XD	Driver of military vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.55XA	Driver of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.55XD	Driver of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.56XA	Driver of dirt bike or motor/cross bike injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.56XD	Driver of dirt bike or motor/cross bike injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.59XA	Driver of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.59XD	Driver of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.61XA	Passenger of ambulance or fire engine injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V86.61XD	Passenger of ambulance or fire engine injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.62XA	Passenger of snowmobile injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.62XD	Passenger of snowmobile injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.63XA	Passenger of dune buggy injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.63XD	Passenger of dune buggy injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.64XA	Passenger of military vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.64XD	Passenger of military vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.65XA	Passenger of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.65XD	Passenger of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.66XA	Passenger of dirt bike or motor/cross bike injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.66XD	Passenger of dirt bike or motor/cross bike injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.69XA	Passenger of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.69XD	Passenger of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.71XA	Person on outside of ambulance or fire engine injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.71XD	Person on outside of ambulance or fire engine injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.72XA	Person on outside of snowmobile injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.72XD	Person on outside of snowmobile injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.73XA	Person on outside of dune buggy injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.73XD	Person on outside of dune buggy injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.74XA	Person on outside of military vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.74XD	Person on outside of military vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V86.75XA	Person on outside of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.75XD	Person on outside of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.76XA	Person on outside of dirt bike or motor/cross bike injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.76XD	Person on outside of dirt bike or motor/cross bike injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.79XA	Person on outside of other special all-terrain or other off-road motor vehicles injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.79XD	Person on outside of other special all-terrain or other off-road motor vehicles injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.91XA	Unspecified occupant of ambulance or fire engine injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.91XD	Unspecified occupant of ambulance or fire engine injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.92XA	Unspecified occupant of snowmobile injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.92XD	Unspecified occupant of snowmobile injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.93XA	Unspecified occupant of dune buggy injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.93XD	Unspecified occupant of dune buggy injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.94XA	Unspecified occupant of military vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.94XD	Unspecified occupant of military vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.95XA	Unspecified occupant of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.95XD	Unspecified occupant of 3- or 4- wheeled all-terrain vehicle (ATV) injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.96XA	Unspecified occupant of dirt bike or motor/cross bike injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.96XD	Unspecified occupant of dirt bike or motor/cross bike injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V86.99XA	Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V86.99XD	Unspecified occupant of other special all-terrain or other off-road motor vehicle injured in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V87.0XXA	Person injured in collision between car and two- or three-wheeled powered vehicle (traffic), initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V87.0XXD	Person injured in collision between car and two- or three-wheeled powered vehicle (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.1XXA	Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.1XXD	Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.2XXA	Person injured in collision between car and pick-up truck or van (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.2XXD	Person injured in collision between car and pick-up truck or van (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.3XXA	Person injured in collision between car and bus (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.3XXD	Person injured in collision between car and bus (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.4XXA	Person injured in collision between car and heavy transport vehicle (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.4XXD	Person injured in collision between car and heavy transport vehicle (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.5XXA	Person injured in collision between heavy transport vehicle and bus (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.5XXD	Person injured in collision between heavy transport vehicle and bus (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.6XXA	Person injured in collision between railway train or railway vehicle and car (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.6XXD	Person injured in collision between railway train or railway vehicle and car (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.7XXA	Person injured in collision between other specified motor vehicles (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.7XXD	Person injured in collision between other specified motor vehicles (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.8XXA	Person injured in other specified noncollision transport accidents involving motor vehicle (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.8XXD	Person injured in other specified noncollision transport accidents involving motor vehicle (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V87.9XXA	Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle (traffic), initial encounter	ICD-10-CM	Diagnosis
V87.9XXD	Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle (traffic), subsequent encounter	ICD-10-CM	Diagnosis
V88.0XXA	Person injured in collision between car and two- or three-wheeled motor vehicle, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.0XXD	Person injured in collision between car and two- or three-wheeled motor vehicle, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V88.1XXA	Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.1XXD	Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.2XXA	Person injured in collision between car and pick-up truck or van, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.2XXD	Person injured in collision between car and pick-up truck or van, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.3XXA	Person injured in collision between car and bus, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.3XXD	Person injured in collision between car and bus, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.4XXA	Person injured in collision between car and heavy transport vehicle, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.4XXD	Person injured in collision between car and heavy transport vehicle, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.5XXA	Person injured in collision between heavy transport vehicle and bus, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.5XXD	Person injured in collision between heavy transport vehicle and bus, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.6XXA	Person injured in collision between railway train or railway vehicle and car, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.6XXD	Person injured in collision between railway train or railway vehicle and car, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.7XXA	Person injured in collision between other specified motor vehicle, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.7XXD	Person injured in collision between other specified motor vehicle, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.8XXA	Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.8XXD	Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V88.9XXA	Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V88.9XXD	Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V89.0XXA	Person injured in unspecified motor-vehicle accident, nontraffic, initial encounter	ICD-10-CM	Diagnosis
V89.0XXD	Person injured in unspecified motor-vehicle accident, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V89.1XXA	Person injured in unspecified nonmotor-vehicle accident, nontraffic, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V89.1XXD	Person injured in unspecified nonmotor-vehicle accident, nontraffic, subsequent encounter	ICD-10-CM	Diagnosis
V89.2XXA	Person injured in unspecified motor-vehicle accident, traffic, initial encounter	ICD-10-CM	Diagnosis
V89.2XXD	Person injured in unspecified motor-vehicle accident, traffic, subsequent encounter	ICD-10-CM	Diagnosis
V89.3XXA	Person injured in unspecified nonmotor-vehicle accident, traffic, initial encounter	ICD-10-CM	Diagnosis
V89.3XXD	Person injured in unspecified nonmotor-vehicle accident, traffic, subsequent encounter	ICD-10-CM	Diagnosis
V89.9XXA	Person injured in unspecified vehicle accident, initial encounter	ICD-10-CM	Diagnosis
V89.9XXD	Person injured in unspecified vehicle accident, subsequent encounter	ICD-10-CM	Diagnosis
V90.00XA	Drowning and submersion due to merchant ship overturning, initial encounter	ICD-10-CM	Diagnosis
V90.00XD	Drowning and submersion due to merchant ship overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.01XA	Drowning and submersion due to passenger ship overturning, initial encounter	ICD-10-CM	Diagnosis
V90.01XD	Drowning and submersion due to passenger ship overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.02XA	Drowning and submersion due to fishing boat overturning, initial encounter	ICD-10-CM	Diagnosis
V90.02XD	Drowning and submersion due to fishing boat overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.03XA	Drowning and submersion due to other powered watercraft overturning, initial encounter	ICD-10-CM	Diagnosis
V90.03XD	Drowning and submersion due to other powered watercraft overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.04XA	Drowning and submersion due to sailboat overturning, initial encounter	ICD-10-CM	Diagnosis
V90.04XD	Drowning and submersion due to sailboat overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.05XA	Drowning and submersion due to canoe or kayak overturning, initial encounter	ICD-10-CM	Diagnosis
V90.05XD	Drowning and submersion due to canoe or kayak overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.06XA	Drowning and submersion due to (nonpowered) inflatable craft overturning, initial encounter	ICD-10-CM	Diagnosis
V90.06XD	Drowning and submersion due to (nonpowered) inflatable craft overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.08XA	Drowning and submersion due to other unpowered watercraft overturning, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V90.08XD	Drowning and submersion due to other unpowered watercraft overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.09XA	Drowning and submersion due to unspecified watercraft overturning, initial encounter	ICD-10-CM	Diagnosis
V90.09XD	Drowning and submersion due to unspecified watercraft overturning, subsequent encounter	ICD-10-CM	Diagnosis
V90.10XA	Drowning and submersion due to merchant ship sinking, initial encounter	ICD-10-CM	Diagnosis
V90.10XD	Drowning and submersion due to merchant ship sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.11XA	Drowning and submersion due to passenger ship sinking, initial encounter	ICD-10-CM	Diagnosis
V90.11XD	Drowning and submersion due to passenger ship sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.12XA	Drowning and submersion due to fishing boat sinking, initial encounter	ICD-10-CM	Diagnosis
V90.12XD	Drowning and submersion due to fishing boat sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.13XA	Drowning and submersion due to other powered watercraft sinking, initial encounter	ICD-10-CM	Diagnosis
V90.13XD	Drowning and submersion due to other powered watercraft sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.14XA	Drowning and submersion due to sailboat sinking, initial encounter	ICD-10-CM	Diagnosis
V90.14XD	Drowning and submersion due to sailboat sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.15XA	Drowning and submersion due to canoe or kayak sinking, initial encounter	ICD-10-CM	Diagnosis
V90.15XD	Drowning and submersion due to canoe or kayak sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.16XA	Drowning and submersion due to (nonpowered) inflatable craft sinking, initial encounter	ICD-10-CM	Diagnosis
V90.16XD	Drowning and submersion due to (nonpowered) inflatable craft sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.18XA	Drowning and submersion due to other unpowered watercraft sinking, initial encounter	ICD-10-CM	Diagnosis
V90.18XD	Drowning and submersion due to other unpowered watercraft sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.19XA	Drowning and submersion due to unspecified watercraft sinking, initial encounter	ICD-10-CM	Diagnosis
V90.19XD	Drowning and submersion due to unspecified watercraft sinking, subsequent encounter	ICD-10-CM	Diagnosis
V90.20XA	Drowning and submersion due to falling or jumping from burning merchant ship, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V90.20XD	Drowning and submersion due to falling or jumping from burning merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V90.21XA	Drowning and submersion due to falling or jumping from burning passenger ship, initial encounter	ICD-10-CM	Diagnosis
V90.21XD	Drowning and submersion due to falling or jumping from burning passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V90.22XA	Drowning and submersion due to falling or jumping from burning fishing boat, initial encounter	ICD-10-CM	Diagnosis
V90.22XD	Drowning and submersion due to falling or jumping from burning fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V90.23XA	Drowning and submersion due to falling or jumping from other burning powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.23XD	Drowning and submersion due to falling or jumping from other burning powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.24XA	Drowning and submersion due to falling or jumping from burning sailboat, initial encounter	ICD-10-CM	Diagnosis
V90.24XD	Drowning and submersion due to falling or jumping from burning sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V90.25XA	Drowning and submersion due to falling or jumping from burning canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V90.25XD	Drowning and submersion due to falling or jumping from burning canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V90.26XA	Drowning and submersion due to falling or jumping from burning (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V90.26XD	Drowning and submersion due to falling or jumping from burning (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V90.27XA	Drowning and submersion due to falling or jumping from burning water-skis, initial encounter	ICD-10-CM	Diagnosis
V90.27XD	Drowning and submersion due to falling or jumping from burning water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V90.28XA	Drowning and submersion due to falling or jumping from other burning unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.28XD	Drowning and submersion due to falling or jumping from other burning unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.29XA	Drowning and submersion due to falling or jumping from unspecified burning watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.29XD	Drowning and submersion due to falling or jumping from unspecified burning watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.30XA	Drowning and submersion due to falling or jumping from crushed merchant ship, initial encounter	ICD-10-CM	Diagnosis
V90.30XD	Drowning and submersion due to falling or jumping from crushed merchant ship, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V90.31XA	Drowning and submersion due to falling or jumping from crushed passenger ship, initial encounter	ICD-10-CM	Diagnosis
V90.31XD	Drowning and submersion due to falling or jumping from crushed passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V90.32XA	Drowning and submersion due to falling or jumping from crushed fishing boat, initial encounter	ICD-10-CM	Diagnosis
V90.32XD	Drowning and submersion due to falling or jumping from crushed fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V90.33XA	Drowning and submersion due to falling or jumping from other crushed powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.33XD	Drowning and submersion due to falling or jumping from other crushed powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.34XA	Drowning and submersion due to falling or jumping from crushed sailboat, initial encounter	ICD-10-CM	Diagnosis
V90.34XD	Drowning and submersion due to falling or jumping from crushed sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V90.35XA	Drowning and submersion due to falling or jumping from crushed canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V90.35XD	Drowning and submersion due to falling or jumping from crushed canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V90.36XA	Drowning and submersion due to falling or jumping from crushed (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V90.36XD	Drowning and submersion due to falling or jumping from crushed (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V90.37XA	Drowning and submersion due to falling or jumping from crushed water-skis, initial encounter	ICD-10-CM	Diagnosis
V90.37XD	Drowning and submersion due to falling or jumping from crushed water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V90.38XA	Drowning and submersion due to falling or jumping from other crushed unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.38XD	Drowning and submersion due to falling or jumping from other crushed unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.39XA	Drowning and submersion due to falling or jumping from crushed unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.39XD	Drowning and submersion due to falling or jumping from crushed unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.80XA	Drowning and submersion due to other accident to merchant ship, initial encounter	ICD-10-CM	Diagnosis
V90.80XD	Drowning and submersion due to other accident to merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V90.81XA	Drowning and submersion due to other accident to passenger ship, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V90.81XD	Drowning and submersion due to other accident to passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V90.82XA	Drowning and submersion due to other accident to fishing boat, initial encounter	ICD-10-CM	Diagnosis
V90.82XD	Drowning and submersion due to other accident to fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V90.83XA	Drowning and submersion due to other accident to other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.83XD	Drowning and submersion due to other accident to other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.84XA	Drowning and submersion due to other accident to sailboat, initial encounter	ICD-10-CM	Diagnosis
V90.84XD	Drowning and submersion due to other accident to sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V90.85XA	Drowning and submersion due to other accident to canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V90.85XD	Drowning and submersion due to other accident to canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V90.86XA	Drowning and submersion due to other accident to (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V90.86XD	Drowning and submersion due to other accident to (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V90.87XA	Drowning and submersion due to other accident to water-skis, initial encounter	ICD-10-CM	Diagnosis
V90.87XD	Drowning and submersion due to other accident to water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V90.88XA	Drowning and submersion due to other accident to other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.88XD	Drowning and submersion due to other accident to other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V90.89XA	Drowning and submersion due to other accident to unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V90.89XD	Drowning and submersion due to other accident to unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V91.00XA	Burn due to merchant ship on fire, initial encounter	ICD-10-CM	Diagnosis
V91.00XD	Burn due to merchant ship on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.01XA	Burn due to passenger ship on fire, initial encounter	ICD-10-CM	Diagnosis
V91.01XD	Burn due to passenger ship on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.02XA	Burn due to fishing boat on fire, initial encounter	ICD-10-CM	Diagnosis
V91.02XD	Burn due to fishing boat on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.03XA	Burn due to other powered watercraft on fire, initial encounter	ICD-10-CM	Diagnosis
V91.03XD	Burn due to other powered watercraft on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.04XA	Burn due to sailboat on fire, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V91.04XD	Burn due to sailboat on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.05XA	Burn due to canoe or kayak on fire, initial encounter	ICD-10-CM	Diagnosis
V91.05XD	Burn due to canoe or kayak on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.06XA	Burn due to (nonpowered) inflatable craft on fire, initial encounter	ICD-10-CM	Diagnosis
V91.06XD	Burn due to (nonpowered) inflatable craft on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.07XA	Burn due to water-skis on fire, initial encounter	ICD-10-CM	Diagnosis
V91.07XD	Burn due to water-skis on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.08XA	Burn due to other unpowered watercraft on fire, initial encounter	ICD-10-CM	Diagnosis
V91.08XD	Burn due to other unpowered watercraft on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.09XA	Burn due to unspecified watercraft on fire, initial encounter	ICD-10-CM	Diagnosis
V91.09XD	Burn due to unspecified watercraft on fire, subsequent encounter	ICD-10-CM	Diagnosis
V91.10XA	Crushed between merchant ship and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.10XD	Crushed between merchant ship and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.11XA	Crushed between passenger ship and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.11XD	Crushed between passenger ship and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.12XA	Crushed between fishing boat and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.12XD	Crushed between fishing boat and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.13XA	Crushed between other powered watercraft and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.13XD	Crushed between other powered watercraft and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.14XA	Crushed between sailboat and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.14XD	Crushed between sailboat and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.15XA	Crushed between canoe or kayak and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.15XD	Crushed between canoe or kayak and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.16XA	Crushed between (nonpowered) inflatable craft and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.16XD	Crushed between (nonpowered) inflatable craft and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.18XA	Crushed between other unpowered watercraft and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V91.18XD	Crushed between other unpowered watercraft and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.19XA	Crushed between unspecified watercraft and other watercraft or other object due to collision, initial encounter	ICD-10-CM	Diagnosis
V91.19XD	Crushed between unspecified watercraft and other watercraft or other object due to collision, subsequent encounter	ICD-10-CM	Diagnosis
V91.20XA	Fall due to collision between merchant ship and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.20XD	Fall due to collision between merchant ship and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.21XA	Fall due to collision between passenger ship and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.21XD	Fall due to collision between passenger ship and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.22XA	Fall due to collision between fishing boat and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.22XD	Fall due to collision between fishing boat and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.23XA	Fall due to collision between other powered watercraft and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.23XD	Fall due to collision between other powered watercraft and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.24XA	Fall due to collision between sailboat and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.24XD	Fall due to collision between sailboat and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.25XA	Fall due to collision between canoe or kayak and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.25XD	Fall due to collision between canoe or kayak and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.26XA	Fall due to collision between (nonpowered) inflatable craft and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.26XD	Fall due to collision between (nonpowered) inflatable craft and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.29XA	Fall due to collision between unspecified watercraft and other watercraft or other object, initial encounter	ICD-10-CM	Diagnosis
V91.29XD	Fall due to collision between unspecified watercraft and other watercraft or other object, subsequent encounter	ICD-10-CM	Diagnosis
V91.30XA	Hit or struck by falling object due to accident to merchant ship, initial encounter	ICD-10-CM	Diagnosis
V91.30XD	Hit or struck by falling object due to accident to merchant ship, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V91.31XA	Hit or struck by falling object due to accident to passenger ship, initial encounter	ICD-10-CM	Diagnosis
V91.31XD	Hit or struck by falling object due to accident to passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V91.32XA	Hit or struck by falling object due to accident to fishing boat, initial encounter	ICD-10-CM	Diagnosis
V91.32XD	Hit or struck by falling object due to accident to fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V91.33XA	Hit or struck by falling object due to accident to other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V91.33XD	Hit or struck by falling object due to accident to other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V91.34XA	Hit or struck by falling object due to accident to sailboat, initial encounter	ICD-10-CM	Diagnosis
V91.34XD	Hit or struck by falling object due to accident to sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V91.35XA	Hit or struck by falling object due to accident to canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V91.35XD	Hit or struck by falling object due to accident to canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V91.36XA	Hit or struck by falling object due to accident to (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V91.36XD	Hit or struck by falling object due to accident to (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V91.37XA	Hit or struck by falling object due to accident to water-skis, initial encounter	ICD-10-CM	Diagnosis
V91.37XD	Hit or struck by falling object due to accident to water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V91.38XA	Hit or struck by falling object due to accident to other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V91.38XD	Hit or struck by falling object due to accident to other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V91.39XA	Hit or struck by falling object due to accident to unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V91.39XD	Hit or struck by falling object due to accident to unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V91.80XA	Other injury due to other accident to merchant ship, initial encounter	ICD-10-CM	Diagnosis
V91.80XD	Other injury due to other accident to merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V91.81XA	Other injury due to other accident to passenger ship, initial encounter	ICD-10-CM	Diagnosis
V91.81XD	Other injury due to other accident to passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V91.82XA	Other injury due to other accident to fishing boat, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V91.82XD	Other injury due to other accident to fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V91.83XA	Other injury due to other accident to other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V91.83XD	Other injury due to other accident to other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V91.84XA	Other injury due to other accident to sailboat, initial encounter	ICD-10-CM	Diagnosis
V91.84XD	Other injury due to other accident to sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V91.85XA	Other injury due to other accident to canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V91.85XD	Other injury due to other accident to canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V91.86XA	Other injury due to other accident to (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V91.86XD	Other injury due to other accident to (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V91.87XA	Other injury due to other accident to water-skis, initial encounter	ICD-10-CM	Diagnosis
V91.87XD	Other injury due to other accident to water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V91.88XA	Other injury due to other accident to other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V91.88XD	Other injury due to other accident to other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V91.89XA	Other injury due to other accident to unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V91.89XD	Other injury due to other accident to unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.00XA	Drowning and submersion due to fall off merchant ship, initial encounter	ICD-10-CM	Diagnosis
V92.00XD	Drowning and submersion due to fall off merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V92.01XA	Drowning and submersion due to fall off passenger ship, initial encounter	ICD-10-CM	Diagnosis
V92.01XD	Drowning and submersion due to fall off passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V92.02XA	Drowning and submersion due to fall off fishing boat, initial encounter	ICD-10-CM	Diagnosis
V92.02XD	Drowning and submersion due to fall off fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V92.03XA	Drowning and submersion due to fall off other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.03XD	Drowning and submersion due to fall off other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.04XA	Drowning and submersion due to fall off sailboat, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V92.04XD	Drowning and submersion due to fall off sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V92.05XA	Drowning and submersion due to fall off canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V92.05XD	Drowning and submersion due to fall off canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V92.06XA	Drowning and submersion due to fall off (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V92.06XD	Drowning and submersion due to fall off (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V92.07XA	Drowning and submersion due to fall off water-skis, initial encounter	ICD-10-CM	Diagnosis
V92.07XD	Drowning and submersion due to fall off water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V92.08XA	Drowning and submersion due to fall off other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.08XD	Drowning and submersion due to fall off other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.09XA	Drowning and submersion due to fall off unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.09XD	Drowning and submersion due to fall off unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.10XA	Drowning and submersion due to being thrown overboard by motion of merchant ship, initial encounter	ICD-10-CM	Diagnosis
V92.10XD	Drowning and submersion due to being thrown overboard by motion of merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V92.11XA	Drowning and submersion due to being thrown overboard by motion of passenger ship, initial encounter	ICD-10-CM	Diagnosis
V92.11XD	Drowning and submersion due to being thrown overboard by motion of passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V92.12XA	Drowning and submersion due to being thrown overboard by motion of fishing boat, initial encounter	ICD-10-CM	Diagnosis
V92.12XD	Drowning and submersion due to being thrown overboard by motion of fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V92.13XA	Drowning and submersion due to being thrown overboard by motion of other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.13XD	Drowning and submersion due to being thrown overboard by motion of other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.14XA	Drowning and submersion due to being thrown overboard by motion of sailboat, initial encounter	ICD-10-CM	Diagnosis
V92.14XD	Drowning and submersion due to being thrown overboard by motion of sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V92.15XA	Drowning and submersion due to being thrown overboard by motion of canoe or kayak, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V92.15XD	Drowning and submersion due to being thrown overboard by motion of canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V92.16XA	Drowning and submersion due to being thrown overboard by motion of (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V92.16XD	Drowning and submersion due to being thrown overboard by motion of (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V92.19XA	Drowning and submersion due to being thrown overboard by motion of unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.19XD	Drowning and submersion due to being thrown overboard by motion of unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.20XA	Drowning and submersion due to being washed overboard from merchant ship, initial encounter	ICD-10-CM	Diagnosis
V92.20XD	Drowning and submersion due to being washed overboard from merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V92.21XA	Drowning and submersion due to being washed overboard from passenger ship, initial encounter	ICD-10-CM	Diagnosis
V92.21XD	Drowning and submersion due to being washed overboard from passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V92.22XA	Drowning and submersion due to being washed overboard from fishing boat, initial encounter	ICD-10-CM	Diagnosis
V92.22XD	Drowning and submersion due to being washed overboard from fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V92.23XA	Drowning and submersion due to being washed overboard from other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.23XD	Drowning and submersion due to being washed overboard from other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.24XA	Drowning and submersion due to being washed overboard from sailboat, initial encounter	ICD-10-CM	Diagnosis
V92.24XD	Drowning and submersion due to being washed overboard from sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V92.25XA	Drowning and submersion due to being washed overboard from canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V92.25XD	Drowning and submersion due to being washed overboard from canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V92.26XA	Drowning and submersion due to being washed overboard from (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V92.26XD	Drowning and submersion due to being washed overboard from (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V92.27XA	Drowning and submersion due to being washed overboard from water-skis, initial encounter	ICD-10-CM	Diagnosis
V92.27XD	Drowning and submersion due to being washed overboard from water-skis, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V92.28XA	Drowning and submersion due to being washed overboard from other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.28XD	Drowning and submersion due to being washed overboard from other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V92.29XA	Drowning and submersion due to being washed overboard from unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V92.29XD	Drowning and submersion due to being washed overboard from unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.00XA	Burn due to localized fire on board merchant vessel, initial encounter	ICD-10-CM	Diagnosis
V93.00XD	Burn due to localized fire on board merchant vessel, subsequent encounter	ICD-10-CM	Diagnosis
V93.01XA	Burn due to localized fire on board passenger vessel, initial encounter	ICD-10-CM	Diagnosis
V93.01XD	Burn due to localized fire on board passenger vessel, subsequent encounter	ICD-10-CM	Diagnosis
V93.02XA	Burn due to localized fire on board fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.02XD	Burn due to localized fire on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.03XA	Burn due to localized fire on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.03XD	Burn due to localized fire on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.04XA	Burn due to localized fire on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.04XD	Burn due to localized fire on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.09XA	Burn due to localized fire on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.09XD	Burn due to localized fire on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.10XA	Other burn on board merchant vessel, initial encounter	ICD-10-CM	Diagnosis
V93.10XD	Other burn on board merchant vessel, subsequent encounter	ICD-10-CM	Diagnosis
V93.11XA	Other burn on board passenger vessel, initial encounter	ICD-10-CM	Diagnosis
V93.11XD	Other burn on board passenger vessel, subsequent encounter	ICD-10-CM	Diagnosis
V93.12XA	Other burn on board fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.12XD	Other burn on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.13XA	Other burn on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.13XD	Other burn on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.14XA	Other burn on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.14XD	Other burn on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.19XA	Other burn on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.19XD	Other burn on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.20XA	Heat exposure on board merchant ship, initial encounter	ICD-10-CM	Diagnosis
V93.20XD	Heat exposure on board merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.21XA	Heat exposure on board passenger ship, initial encounter	ICD-10-CM	Diagnosis
V93.21XD	Heat exposure on board passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.22XA	Heat exposure on board fishing boat, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V93.22XD	Heat exposure on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.23XA	Heat exposure on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.23XD	Heat exposure on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.24XA	Heat exposure on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.24XD	Heat exposure on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.29XA	Heat exposure on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.29XD	Heat exposure on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.30XA	Fall on board merchant ship, initial encounter	ICD-10-CM	Diagnosis
V93.30XD	Fall on board merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.31XA	Fall on board passenger ship, initial encounter	ICD-10-CM	Diagnosis
V93.31XD	Fall on board passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.32XA	Fall on board fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.32XD	Fall on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.33XA	Fall on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.33XD	Fall on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.34XA	Fall on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.34XD	Fall on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.35XA	Fall on board canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V93.35XD	Fall on board canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V93.36XA	Fall on board (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V93.36XD	Fall on board (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V93.38XA	Fall on board other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.38XD	Fall on board other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.39XA	Fall on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.39XD	Fall on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.40XA	Struck by falling object on merchant ship, initial encounter	ICD-10-CM	Diagnosis
V93.40XD	Struck by falling object on merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.41XA	Struck by falling object on passenger ship, initial encounter	ICD-10-CM	Diagnosis
V93.41XD	Struck by falling object on passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.42XA	Struck by falling object on fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.42XD	Struck by falling object on fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.43XA	Struck by falling object on other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.43XD	Struck by falling object on other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.44XA	Struck by falling object on sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.44XD	Struck by falling object on sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.48XA	Struck by falling object on other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.48XD	Struck by falling object on other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.49XA	Struck by falling object on unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V93.49XD	Struck by falling object on unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.50XA	Explosion on board merchant ship, initial encounter	ICD-10-CM	Diagnosis
V93.50XD	Explosion on board merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.51XA	Explosion on board passenger ship, initial encounter	ICD-10-CM	Diagnosis
V93.51XD	Explosion on board passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.52XA	Explosion on board fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.52XD	Explosion on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.53XA	Explosion on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.53XD	Explosion on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.54XA	Explosion on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.54XD	Explosion on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.59XA	Explosion on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.59XD	Explosion on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.60XA	Machinery accident on board merchant ship, initial encounter	ICD-10-CM	Diagnosis
V93.60XD	Machinery accident on board merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.61XA	Machinery accident on board passenger ship, initial encounter	ICD-10-CM	Diagnosis
V93.61XD	Machinery accident on board passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.62XA	Machinery accident on board fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.62XD	Machinery accident on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.63XA	Machinery accident on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.63XD	Machinery accident on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.64XA	Machinery accident on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.64XD	Machinery accident on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.69XA	Machinery accident on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.69XD	Machinery accident on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.80XA	Other injury due to other accident on board merchant ship, initial encounter	ICD-10-CM	Diagnosis
V93.80XD	Other injury due to other accident on board merchant ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.81XA	Other injury due to other accident on board passenger ship, initial encounter	ICD-10-CM	Diagnosis
V93.81XD	Other injury due to other accident on board passenger ship, subsequent encounter	ICD-10-CM	Diagnosis
V93.82XA	Other injury due to other accident on board fishing boat, initial encounter	ICD-10-CM	Diagnosis
V93.82XD	Other injury due to other accident on board fishing boat, subsequent encounter	ICD-10-CM	Diagnosis
V93.83XA	Other injury due to other accident on board other powered watercraft, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V93.83XD	Other injury due to other accident on board other powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.84XA	Other injury due to other accident on board sailboat, initial encounter	ICD-10-CM	Diagnosis
V93.84XD	Other injury due to other accident on board sailboat, subsequent encounter	ICD-10-CM	Diagnosis
V93.85XA	Other injury due to other accident on board canoe or kayak, initial encounter	ICD-10-CM	Diagnosis
V93.85XD	Other injury due to other accident on board canoe or kayak, subsequent encounter	ICD-10-CM	Diagnosis
V93.86XA	Other injury due to other accident on board (nonpowered) inflatable craft, initial encounter	ICD-10-CM	Diagnosis
V93.86XD	Other injury due to other accident on board (nonpowered) inflatable craft, subsequent encounter	ICD-10-CM	Diagnosis
V93.87XA	Other injury due to other accident on board water-skis, initial encounter	ICD-10-CM	Diagnosis
V93.87XD	Other injury due to other accident on board water-skis, subsequent encounter	ICD-10-CM	Diagnosis
V93.88XA	Other injury due to other accident on board other unpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.88XD	Other injury due to other accident on board other unpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V93.89XA	Other injury due to other accident on board unspecified watercraft, initial encounter	ICD-10-CM	Diagnosis
V93.89XD	Other injury due to other accident on board unspecified watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.0XXA	Hitting object or bottom of body of water due to fall from watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.0XXD	Hitting object or bottom of body of water due to fall from watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.11XA	Bather struck by powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.11XD	Bather struck by powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.12XA	Bather struck by nonpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.12XD	Bather struck by nonpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.21XA	Rider of nonpowered watercraft struck by other nonpowered watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.21XD	Rider of nonpowered watercraft struck by other nonpowered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.22XA	Rider of nonpowered watercraft struck by powered watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.22XD	Rider of nonpowered watercraft struck by powered watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.31XA	Injury to rider of (inflatable) recreational watercraft being pulled behind other watercraft, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V94.31XD	Injury to rider of (inflatable) recreational watercraft being pulled behind other watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.32XA	Injury to rider of non-recreational watercraft being pulled behind other watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.32XD	Injury to rider of non-recreational watercraft being pulled behind other watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.4XXA	Injury to barefoot water-skier, initial encounter	ICD-10-CM	Diagnosis
V94.4XXD	Injury to barefoot water-skier, subsequent encounter	ICD-10-CM	Diagnosis
V94.810A	Civilian watercraft involved in water transport accident with military watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.810D	Civilian watercraft involved in water transport accident with military watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.811A	Civilian in water injured by military watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.811D	Civilian in water injured by military watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.818A	Other water transport accident involving military watercraft, initial encounter	ICD-10-CM	Diagnosis
V94.818D	Other water transport accident involving military watercraft, subsequent encounter	ICD-10-CM	Diagnosis
V94.89XA	Other water transport accident, initial encounter	ICD-10-CM	Diagnosis
V94.89XD	Other water transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V94.9XXA	Unspecified water transport accident, initial encounter	ICD-10-CM	Diagnosis
V94.9XXD	Unspecified water transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V95.00XA	Unspecified helicopter accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.00XD	Unspecified helicopter accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.01XA	Helicopter crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.01XD	Helicopter crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.02XA	Forced landing of helicopter injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.02XD	Forced landing of helicopter injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.03XA	Helicopter collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.03XD	Helicopter collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.04XA	Helicopter fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.04XD	Helicopter fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.05XA	Helicopter explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.05XD	Helicopter explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.09XA	Other helicopter accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.09XD	Other helicopter accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.10XA	Unspecified ultralight, microlight or powered-glider accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.10XD	Unspecified ultralight, microlight or powered-glider accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.11XA	Ultralight, microlight or powered-glider crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V95.11XD	Ultralight, microlight or powered-glider crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.12XA	Forced landing of ultralight, microlight or powered-glider injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.12XD	Forced landing of ultralight, microlight or powered-glider injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.13XA	Ultralight, microlight or powered-glider collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.13XD	Ultralight, microlight or powered-glider collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.14XA	Ultralight, microlight or powered-glider fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.14XD	Ultralight, microlight or powered-glider fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.15XA	Ultralight, microlight or powered-glider explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.15XD	Ultralight, microlight or powered-glider explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.19XA	Other ultralight, microlight or powered-glider accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.19XD	Other ultralight, microlight or powered-glider accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.20XA	Unspecified accident to other private fixed-wing aircraft, injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.20XD	Unspecified accident to other private fixed-wing aircraft, injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.21XA	Other private fixed-wing aircraft crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.21XD	Other private fixed-wing aircraft crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.22XA	Forced landing of other private fixed-wing aircraft injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.22XD	Forced landing of other private fixed-wing aircraft injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.23XA	Other private fixed-wing aircraft collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.23XD	Other private fixed-wing aircraft collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.24XA	Other private fixed-wing aircraft fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.24XD	Other private fixed-wing aircraft fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V95.25XA	Other private fixed-wing aircraft explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.25XD	Other private fixed-wing aircraft explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.29XA	Other accident to other private fixed-wing aircraft injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.29XD	Other accident to other private fixed-wing aircraft injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.30XA	Unspecified accident to commercial fixed-wing aircraft injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.30XD	Unspecified accident to commercial fixed-wing aircraft injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.31XA	Commercial fixed-wing aircraft crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.31XD	Commercial fixed-wing aircraft crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.32XA	Forced landing of commercial fixed-wing aircraft injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.32XD	Forced landing of commercial fixed-wing aircraft injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.33XA	Commercial fixed-wing aircraft collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.33XD	Commercial fixed-wing aircraft collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.34XA	Commercial fixed-wing aircraft fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.34XD	Commercial fixed-wing aircraft fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.35XA	Commercial fixed-wing aircraft explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.35XD	Commercial fixed-wing aircraft explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.39XA	Other accident to commercial fixed-wing aircraft injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.39XD	Other accident to commercial fixed-wing aircraft injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.40XA	Unspecified spacecraft accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.40XD	Unspecified spacecraft accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.41XA	Spacecraft crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.41XD	Spacecraft crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.42XA	Forced landing of spacecraft injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.42XD	Forced landing of spacecraft injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.43XA	Spacecraft collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V95.43XD	Spacecraft collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.44XA	Spacecraft fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.44XD	Spacecraft fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.45XA	Spacecraft explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.45XD	Spacecraft explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.49XA	Other spacecraft accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.49XD	Other spacecraft accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.8XXA	Other powered aircraft accidents injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.8XXD	Other powered aircraft accidents injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V95.9XXA	Unspecified aircraft accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V95.9XXD	Unspecified aircraft accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.00XA	Unspecified balloon accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.00XD	Unspecified balloon accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.01XA	Balloon crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.01XD	Balloon crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.02XA	Forced landing of balloon injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.02XD	Forced landing of balloon injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.03XA	Balloon collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.03XD	Balloon collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.04XA	Balloon fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.04XD	Balloon fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.05XA	Balloon explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.05XD	Balloon explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.09XA	Other balloon accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.09XD	Other balloon accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.10XA	Unspecified hang-glider accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.10XD	Unspecified hang-glider accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.11XA	Hang-glider crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.11XD	Hang-glider crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.12XA	Forced landing of hang-glider injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.12XD	Forced landing of hang-glider injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.13XA	Hang-glider collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.13XD	Hang-glider collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.14XA	Hang-glider fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.14XD	Hang-glider fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.15XA	Hang-glider explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.15XD	Hang-glider explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.19XA	Other hang-glider accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.19XD	Other hang-glider accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.20XA	Unspecified glider (nonpowered) accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V96.20XD	Unspecified glider (nonpowered) accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.21XA	Glider (nonpowered) crash injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.21XD	Glider (nonpowered) crash injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.22XA	Forced landing of glider (nonpowered) injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.22XD	Forced landing of glider (nonpowered) injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.23XA	Glider (nonpowered) collision injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.23XD	Glider (nonpowered) collision injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.24XA	Glider (nonpowered) fire injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.24XD	Glider (nonpowered) fire injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.25XA	Glider (nonpowered) explosion injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.25XD	Glider (nonpowered) explosion injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.29XA	Other glider (nonpowered) accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.29XD	Other glider (nonpowered) accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.8XXA	Other nonpowered-aircraft accidents injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.8XXD	Other nonpowered-aircraft accidents injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V96.9XXA	Unspecified nonpowered-aircraft accident injuring occupant, initial encounter	ICD-10-CM	Diagnosis
V96.9XXD	Unspecified nonpowered-aircraft accident injuring occupant, subsequent encounter	ICD-10-CM	Diagnosis
V97.0XXA	Occupant of aircraft injured in other specified air transport accidents, initial encounter	ICD-10-CM	Diagnosis
V97.0XXD	Occupant of aircraft injured in other specified air transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V97.1XXA	Person injured while boarding or alighting from aircraft, initial encounter	ICD-10-CM	Diagnosis
V97.1XXD	Person injured while boarding or alighting from aircraft, subsequent encounter	ICD-10-CM	Diagnosis
V97.21XA	Parachutist entangled in object, initial encounter	ICD-10-CM	Diagnosis
V97.21XD	Parachutist entangled in object, subsequent encounter	ICD-10-CM	Diagnosis
V97.22XA	Parachutist injured on landing, initial encounter	ICD-10-CM	Diagnosis
V97.22XD	Parachutist injured on landing, subsequent encounter	ICD-10-CM	Diagnosis
V97.29XA	Other parachutist accident, initial encounter	ICD-10-CM	Diagnosis
V97.29XD	Other parachutist accident, subsequent encounter	ICD-10-CM	Diagnosis
V97.31XA	Hit by object falling from aircraft, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
V97.31XD	Hit by object falling from aircraft, subsequent encounter	ICD-10-CM	Diagnosis
V97.32XA	Injured by rotating propeller, initial encounter	ICD-10-CM	Diagnosis
V97.32XD	Injured by rotating propeller, subsequent encounter	ICD-10-CM	Diagnosis
V97.33XA	Sucked into jet engine, initial encounter	ICD-10-CM	Diagnosis
V97.33XD	Sucked into jet engine, subsequent encounter	ICD-10-CM	Diagnosis
V97.39XA	Other injury to person on ground due to air transport accident, initial encounter	ICD-10-CM	Diagnosis
V97.39XD	Other injury to person on ground due to air transport accident, subsequent encounter	ICD-10-CM	Diagnosis
V97.810A	Civilian aircraft involved in air transport accident with military aircraft, initial encounter	ICD-10-CM	Diagnosis
V97.810D	Civilian aircraft involved in air transport accident with military aircraft, subsequent encounter	ICD-10-CM	Diagnosis
V97.811A	Civilian injured by military aircraft, initial encounter	ICD-10-CM	Diagnosis
V97.811D	Civilian injured by military aircraft, subsequent encounter	ICD-10-CM	Diagnosis
V97.818A	Other air transport accident involving military aircraft, initial encounter	ICD-10-CM	Diagnosis
V97.818D	Other air transport accident involving military aircraft, subsequent encounter	ICD-10-CM	Diagnosis
V97.89XA	Other air transport accidents, not elsewhere classified, initial encounter	ICD-10-CM	Diagnosis
V97.89XD	Other air transport accidents, not elsewhere classified, subsequent encounter	ICD-10-CM	Diagnosis
V98.0XXA	Accident to, on or involving cable-car, not on rails, initial encounter	ICD-10-CM	Diagnosis
V98.0XXD	Accident to, on or involving cable-car, not on rails, subsequent encounter	ICD-10-CM	Diagnosis
V98.1XXA	Accident to, on or involving land-yacht, initial encounter	ICD-10-CM	Diagnosis
V98.1XXD	Accident to, on or involving land-yacht, subsequent encounter	ICD-10-CM	Diagnosis
V98.2XXA	Accident to, on or involving ice yacht, initial encounter	ICD-10-CM	Diagnosis
V98.2XXD	Accident to, on or involving ice yacht, subsequent encounter	ICD-10-CM	Diagnosis
V98.3XXA	Accident to, on or involving ski lift, initial encounter	ICD-10-CM	Diagnosis
V98.3XXD	Accident to, on or involving ski lift, subsequent encounter	ICD-10-CM	Diagnosis
V98.8XXA	Other specified transport accidents, initial encounter	ICD-10-CM	Diagnosis
V98.8XXD	Other specified transport accidents, subsequent encounter	ICD-10-CM	Diagnosis
V99.XXXA	Unspecified transport accident, initial encounter	ICD-10-CM	Diagnosis
V99.XXXD	Unspecified transport accident, subsequent encounter	ICD-10-CM	Diagnosis
W00.1XXA	Fall from stairs and steps due to ice and snow, initial encounter	ICD-10-CM	Diagnosis
W00.1XXD	Fall from stairs and steps due to ice and snow, subsequent encounter	ICD-10-CM	Diagnosis
W00.2XXA	Other fall from one level to another due to ice and snow, initial encounter	ICD-10-CM	Diagnosis
W00.2XXD	Other fall from one level to another due to ice and snow, subsequent encounter	ICD-10-CM	Diagnosis
W05.0XXA	Fall from non-moving wheelchair, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W05.0XXD	Fall from non-moving wheelchair, subsequent encounter	ICD-10-CM	Diagnosis
W05.1XXA	Fall from non-moving nonmotorized scooter, initial encounter	ICD-10-CM	Diagnosis
W05.1XXD	Fall from non-moving nonmotorized scooter, subsequent encounter	ICD-10-CM	Diagnosis
W05.2XXA	Fall from non-moving motorized mobility scooter, initial encounter	ICD-10-CM	Diagnosis
W05.2XXD	Fall from non-moving motorized mobility scooter, subsequent encounter	ICD-10-CM	Diagnosis
W06.XXXA	Fall from bed, initial encounter	ICD-10-CM	Diagnosis
W06.XXXD	Fall from bed, subsequent encounter	ICD-10-CM	Diagnosis
W07.XXXA	Fall from chair, initial encounter	ICD-10-CM	Diagnosis
W07.XXXD	Fall from chair, subsequent encounter	ICD-10-CM	Diagnosis
W08.XXXA	Fall from other furniture, initial encounter	ICD-10-CM	Diagnosis
W08.XXXD	Fall from other furniture, subsequent encounter	ICD-10-CM	Diagnosis
W09.0XXA	Fall on or from playground slide, initial encounter	ICD-10-CM	Diagnosis
W09.0XXD	Fall on or from playground slide, subsequent encounter	ICD-10-CM	Diagnosis
W09.1XXA	Fall from playground swing, initial encounter	ICD-10-CM	Diagnosis
W09.1XXD	Fall from playground swing, subsequent encounter	ICD-10-CM	Diagnosis
W09.2XXA	Fall on or from jungle gym, initial encounter	ICD-10-CM	Diagnosis
W09.2XXD	Fall on or from jungle gym, subsequent encounter	ICD-10-CM	Diagnosis
W09.8XXA	Fall on or from other playground equipment, initial encounter	ICD-10-CM	Diagnosis
W09.8XXD	Fall on or from other playground equipment, subsequent encounter	ICD-10-CM	Diagnosis
W11.XXXA	Fall on and from ladder, initial encounter	ICD-10-CM	Diagnosis
W11.XXXD	Fall on and from ladder, subsequent encounter	ICD-10-CM	Diagnosis
W12.XXXA	Fall on and from scaffolding, initial encounter	ICD-10-CM	Diagnosis
W12.XXXD	Fall on and from scaffolding, subsequent encounter	ICD-10-CM	Diagnosis
W13.0XXA	Fall from, out of or through balcony, initial encounter	ICD-10-CM	Diagnosis
W13.0XXD	Fall from, out of or through balcony, subsequent encounter	ICD-10-CM	Diagnosis
W13.1XXA	Fall from, out of or through bridge, initial encounter	ICD-10-CM	Diagnosis
W13.1XXD	Fall from, out of or through bridge, subsequent encounter	ICD-10-CM	Diagnosis
W13.2XXA	Fall from, out of or through roof, initial encounter	ICD-10-CM	Diagnosis
W13.2XXD	Fall from, out of or through roof, subsequent encounter	ICD-10-CM	Diagnosis
W13.3XXA	Fall through floor, initial encounter	ICD-10-CM	Diagnosis
W13.3XXD	Fall through floor, subsequent encounter	ICD-10-CM	Diagnosis
W13.4XXA	Fall from, out of or through window, initial encounter	ICD-10-CM	Diagnosis
W13.4XXD	Fall from, out of or through window, subsequent encounter	ICD-10-CM	Diagnosis
W13.8XXA	Fall from, out of or through other building or structure, initial encounter	ICD-10-CM	Diagnosis
W13.8XXD	Fall from, out of or through other building or structure, subsequent encounter	ICD-10-CM	Diagnosis
W13.9XXA	Fall from, out of or through building, not otherwise specified, initial encounter	ICD-10-CM	Diagnosis
W13.9XXD	Fall from, out of or through building, not otherwise specified, subsequent encounter	ICD-10-CM	Diagnosis
W14.XXXA	Fall from tree, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W14.XXXD	Fall from tree, subsequent encounter	ICD-10-CM	Diagnosis
W15.XXXA	Fall from cliff, initial encounter	ICD-10-CM	Diagnosis
W15.XXXD	Fall from cliff, subsequent encounter	ICD-10-CM	Diagnosis
W16.011A	Fall into swimming pool striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.011D	Fall into swimming pool striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.012A	Fall into swimming pool striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.012D	Fall into swimming pool striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.021A	Fall into swimming pool striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.021D	Fall into swimming pool striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.022A	Fall into swimming pool striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.022D	Fall into swimming pool striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.031A	Fall into swimming pool striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.031D	Fall into swimming pool striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.032A	Fall into swimming pool striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.032D	Fall into swimming pool striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.111A	Fall into natural body of water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.111D	Fall into natural body of water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.112A	Fall into natural body of water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.112D	Fall into natural body of water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.121A	Fall into natural body of water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.121D	Fall into natural body of water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.122A	Fall into natural body of water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.122D	Fall into natural body of water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W16.131A	Fall into natural body of water striking side causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.131D	Fall into natural body of water striking side causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.132A	Fall into natural body of water striking side causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.132D	Fall into natural body of water striking side causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.211A	Fall in (into) filled bathtub causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.211D	Fall in (into) filled bathtub causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.212A	Fall in (into) filled bathtub causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.212D	Fall in (into) filled bathtub causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.221A	Fall in (into) bucket of water causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.221D	Fall in (into) bucket of water causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.222A	Fall in (into) bucket of water causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.222D	Fall in (into) bucket of water causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.311A	Fall into other water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.311D	Fall into other water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.312A	Fall into other water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.312D	Fall into other water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.321A	Fall into other water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.321D	Fall into other water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.322A	Fall into other water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.322D	Fall into other water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.331A	Fall into other water striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.331D	Fall into other water striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.332A	Fall into other water striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W16.332D	Fall into other water striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.41XA	Fall into unspecified water causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.41XD	Fall into unspecified water causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.42XA	Fall into unspecified water causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.42XD	Fall into unspecified water causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.511A	Jumping or diving into swimming pool striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.511D	Jumping or diving into swimming pool striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.512A	Jumping or diving into swimming pool striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.512D	Jumping or diving into swimming pool striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.521A	Jumping or diving into swimming pool striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.521D	Jumping or diving into swimming pool striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.522A	Jumping or diving into swimming pool striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.522D	Jumping or diving into swimming pool striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.531A	Jumping or diving into swimming pool striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.531D	Jumping or diving into swimming pool striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.532A	Jumping or diving into swimming pool striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.532D	Jumping or diving into swimming pool striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.611A	Jumping or diving into natural body of water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.611D	Jumping or diving into natural body of water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.612A	Jumping or diving into natural body of water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.612D	Jumping or diving into natural body of water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.621A	Jumping or diving into natural body of water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W16.621D	Jumping or diving into natural body of water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.622A	Jumping or diving into natural body of water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.622D	Jumping or diving into natural body of water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.711A	Jumping or diving from boat striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.711D	Jumping or diving from boat striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.712A	Jumping or diving from boat striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.712D	Jumping or diving from boat striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.721A	Jumping or diving from boat striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.721D	Jumping or diving from boat striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.722A	Jumping or diving from boat striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.722D	Jumping or diving from boat striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.811A	Jumping or diving into other water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.811D	Jumping or diving into other water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.812A	Jumping or diving into other water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.812D	Jumping or diving into other water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.821A	Jumping or diving into other water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.821D	Jumping or diving into other water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.822A	Jumping or diving into other water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.822D	Jumping or diving into other water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.831A	Jumping or diving into other water striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.831D	Jumping or diving into other water striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W16.832A	Jumping or diving into other water striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.832D	Jumping or diving into other water striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.91XA	Jumping or diving into unspecified water causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.91XD	Jumping or diving into unspecified water causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.92XA	Jumping or diving into unspecified water causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.92XD	Jumping or diving into unspecified water causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W17.0XXA	Fall into well, initial encounter	ICD-10-CM	Diagnosis
W17.0XXD	Fall into well, subsequent encounter	ICD-10-CM	Diagnosis
W17.1XXA	Fall into storm drain or manhole, initial encounter	ICD-10-CM	Diagnosis
W17.1XXD	Fall into storm drain or manhole, subsequent encounter	ICD-10-CM	Diagnosis
W17.2XXA	Fall into hole, initial encounter	ICD-10-CM	Diagnosis
W17.2XXD	Fall into hole, subsequent encounter	ICD-10-CM	Diagnosis
W17.3XXA	Fall into empty swimming pool, initial encounter	ICD-10-CM	Diagnosis
W17.3XXD	Fall into empty swimming pool, subsequent encounter	ICD-10-CM	Diagnosis
W17.4XXA	Fall from dock, initial encounter	ICD-10-CM	Diagnosis
W17.4XXD	Fall from dock, subsequent encounter	ICD-10-CM	Diagnosis
W17.81XA	Fall down embankment (hill), initial encounter	ICD-10-CM	Diagnosis
W17.81XD	Fall down embankment (hill), subsequent encounter	ICD-10-CM	Diagnosis
W17.82XA	Fall from (out of) grocery cart, initial encounter	ICD-10-CM	Diagnosis
W17.82XD	Fall from (out of) grocery cart, subsequent encounter	ICD-10-CM	Diagnosis
W17.89XA	Other fall from one level to another, initial encounter	ICD-10-CM	Diagnosis
W17.89XD	Other fall from one level to another, subsequent encounter	ICD-10-CM	Diagnosis
W18.09XA	Striking against other object with subsequent fall, initial encounter	ICD-10-CM	Diagnosis
W18.11XA	Fall from or off toilet without subsequent striking against object, initial encounter	ICD-10-CM	Diagnosis
W18.11XD	Fall from or off toilet without subsequent striking against object, subsequent encounter	ICD-10-CM	Diagnosis
W18.12XA	Fall from or off toilet with subsequent striking against object, initial encounter	ICD-10-CM	Diagnosis
W18.12XD	Fall from or off toilet with subsequent striking against object, subsequent encounter	ICD-10-CM	Diagnosis
W20.0XXA	Struck by falling object in cave-in, initial encounter	ICD-10-CM	Diagnosis
W20.0XXD	Struck by falling object in cave-in, subsequent encounter	ICD-10-CM	Diagnosis
W20.1XXA	Struck by object due to collapse of building, initial encounter	ICD-10-CM	Diagnosis
W20.1XXD	Struck by object due to collapse of building, subsequent encounter	ICD-10-CM	Diagnosis
W20.8XXA	Other cause of strike by thrown, projected or falling object, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W20.8XXD	Other cause of strike by thrown, projected or falling object, subsequent encounter	ICD-10-CM	Diagnosis
W21.00XA	Struck by hit or thrown ball, unspecified type, initial encounter	ICD-10-CM	Diagnosis
W21.00XD	Struck by hit or thrown ball, unspecified type, subsequent encounter	ICD-10-CM	Diagnosis
W21.01XA	Struck by football, initial encounter	ICD-10-CM	Diagnosis
W21.01XD	Struck by football, subsequent encounter	ICD-10-CM	Diagnosis
W21.02XA	Struck by soccer ball, initial encounter	ICD-10-CM	Diagnosis
W21.02XD	Struck by soccer ball, subsequent encounter	ICD-10-CM	Diagnosis
W21.03XA	Struck by baseball, initial encounter	ICD-10-CM	Diagnosis
W21.03XD	Struck by baseball, subsequent encounter	ICD-10-CM	Diagnosis
W21.04XA	Struck by golf ball, initial encounter	ICD-10-CM	Diagnosis
W21.04XD	Struck by golf ball, subsequent encounter	ICD-10-CM	Diagnosis
W21.05XA	Struck by basketball, initial encounter	ICD-10-CM	Diagnosis
W21.05XD	Struck by basketball, subsequent encounter	ICD-10-CM	Diagnosis
W21.06XA	Struck by volleyball, initial encounter	ICD-10-CM	Diagnosis
W21.06XD	Struck by volleyball, subsequent encounter	ICD-10-CM	Diagnosis
W21.07XA	Struck by softball, initial encounter	ICD-10-CM	Diagnosis
W21.07XD	Struck by softball, subsequent encounter	ICD-10-CM	Diagnosis
W21.09XA	Struck by other hit or thrown ball, initial encounter	ICD-10-CM	Diagnosis
W21.09XD	Struck by other hit or thrown ball, subsequent encounter	ICD-10-CM	Diagnosis
W21.11XA	Struck by baseball bat, initial encounter	ICD-10-CM	Diagnosis
W21.11XD	Struck by baseball bat, subsequent encounter	ICD-10-CM	Diagnosis
W21.12XA	Struck by tennis racquet, initial encounter	ICD-10-CM	Diagnosis
W21.12XD	Struck by tennis racquet, subsequent encounter	ICD-10-CM	Diagnosis
W21.13XA	Struck by golf club, initial encounter	ICD-10-CM	Diagnosis
W21.13XD	Struck by golf club, subsequent encounter	ICD-10-CM	Diagnosis
W21.19XA	Struck by other bat, racquet or club, initial encounter	ICD-10-CM	Diagnosis
W21.19XD	Struck by other bat, racquet or club, subsequent encounter	ICD-10-CM	Diagnosis
W21.210A	Struck by ice hockey stick, initial encounter	ICD-10-CM	Diagnosis
W21.210D	Struck by ice hockey stick, subsequent encounter	ICD-10-CM	Diagnosis
W21.211A	Struck by field hockey stick, initial encounter	ICD-10-CM	Diagnosis
W21.211D	Struck by field hockey stick, subsequent encounter	ICD-10-CM	Diagnosis
W21.220A	Struck by ice hockey puck, initial encounter	ICD-10-CM	Diagnosis
W21.220D	Struck by ice hockey puck, subsequent encounter	ICD-10-CM	Diagnosis
W21.221A	Struck by field hockey puck, initial encounter	ICD-10-CM	Diagnosis
W21.221D	Struck by field hockey puck, subsequent encounter	ICD-10-CM	Diagnosis
W21.31XA	Struck by shoe cleats, initial encounter	ICD-10-CM	Diagnosis
W21.31XD	Struck by shoe cleats, subsequent encounter	ICD-10-CM	Diagnosis
W21.32XA	Struck by skate blades, initial encounter	ICD-10-CM	Diagnosis
W21.32XD	Struck by skate blades, subsequent encounter	ICD-10-CM	Diagnosis
W21.39XA	Struck by other sports foot wear, initial encounter	ICD-10-CM	Diagnosis
W21.39XD	Struck by other sports foot wear, subsequent encounter	ICD-10-CM	Diagnosis
W21.4XXA	Striking against diving board, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W21.4XXD	Striking against diving board, subsequent encounter	ICD-10-CM	Diagnosis
W21.81XA	Striking against or struck by football helmet, initial encounter	ICD-10-CM	Diagnosis
W21.81XD	Striking against or struck by football helmet, subsequent encounter	ICD-10-CM	Diagnosis
W21.89XA	Striking against or struck by other sports equipment, initial encounter	ICD-10-CM	Diagnosis
W21.89XD	Striking against or struck by other sports equipment, subsequent encounter	ICD-10-CM	Diagnosis
W21.9XXA	Striking against or struck by unspecified sports equipment, initial encounter	ICD-10-CM	Diagnosis
W21.9XXD	Striking against or struck by unspecified sports equipment, subsequent encounter	ICD-10-CM	Diagnosis
W22.01XA	Walked into wall, initial encounter	ICD-10-CM	Diagnosis
W22.01XD	Walked into wall, subsequent encounter	ICD-10-CM	Diagnosis
W22.02XA	Walked into lamppost, initial encounter	ICD-10-CM	Diagnosis
W22.02XD	Walked into lamppost, subsequent encounter	ICD-10-CM	Diagnosis
W22.03XA	Walked into furniture, initial encounter	ICD-10-CM	Diagnosis
W22.03XD	Walked into furniture, subsequent encounter	ICD-10-CM	Diagnosis
W22.041A	Striking against wall of swimming pool causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W22.041D	Striking against wall of swimming pool causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W22.042A	Striking against wall of swimming pool causing other injury, initial encounter	ICD-10-CM	Diagnosis
W22.042D	Striking against wall of swimming pool causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W22.09XA	Striking against other stationary object, initial encounter	ICD-10-CM	Diagnosis
W22.09XD	Striking against other stationary object, subsequent encounter	ICD-10-CM	Diagnosis
W22.10XA	Striking against or struck by unspecified automobile airbag, initial encounter	ICD-10-CM	Diagnosis
W22.10XD	Striking against or struck by unspecified automobile airbag, subsequent encounter	ICD-10-CM	Diagnosis
W22.11XA	Striking against or struck by driver side automobile airbag, initial encounter	ICD-10-CM	Diagnosis
W22.11XD	Striking against or struck by driver side automobile airbag, subsequent encounter	ICD-10-CM	Diagnosis
W22.12XA	Striking against or struck by front passenger side automobile airbag, initial encounter	ICD-10-CM	Diagnosis
W22.12XD	Striking against or struck by front passenger side automobile airbag, subsequent encounter	ICD-10-CM	Diagnosis
W22.19XA	Striking against or struck by other automobile airbag, initial encounter	ICD-10-CM	Diagnosis
W22.19XD	Striking against or struck by other automobile airbag, subsequent encounter	ICD-10-CM	Diagnosis
W22.8XXA	Striking against or struck by other objects, initial encounter	ICD-10-CM	Diagnosis
W22.8XXD	Striking against or struck by other objects, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W23.0XXA	Caught, crushed, jammed, or pinched between moving objects, initial encounter	ICD-10-CM	Diagnosis
W23.0XXD	Caught, crushed, jammed, or pinched between moving objects, subsequent encounter	ICD-10-CM	Diagnosis
W23.1XXA	Caught, crushed, jammed, or pinched between stationary objects, initial encounter	ICD-10-CM	Diagnosis
W23.1XXD	Caught, crushed, jammed, or pinched between stationary objects, subsequent encounter	ICD-10-CM	Diagnosis
W24.0XXA	Contact with lifting devices, not elsewhere classified, initial encounter	ICD-10-CM	Diagnosis
W24.0XXD	Contact with lifting devices, not elsewhere classified, subsequent encounter	ICD-10-CM	Diagnosis
W24.1XXA	Contact with transmission devices, not elsewhere classified, initial encounter	ICD-10-CM	Diagnosis
W24.1XXD	Contact with transmission devices, not elsewhere classified, subsequent encounter	ICD-10-CM	Diagnosis
W25.XXXA	Contact with sharp glass, initial encounter	ICD-10-CM	Diagnosis
W25.XXXD	Contact with sharp glass, subsequent encounter	ICD-10-CM	Diagnosis
W26.0XXA	Contact with knife, initial encounter	ICD-10-CM	Diagnosis
W26.0XXD	Contact with knife, subsequent encounter	ICD-10-CM	Diagnosis
W26.1XXA	Contact with sword or dagger, initial encounter	ICD-10-CM	Diagnosis
W26.1XXD	Contact with sword or dagger, subsequent encounter	ICD-10-CM	Diagnosis
W26.2XXA	Contact with edge of stiff paper, initial encounter	ICD-10-CM	Diagnosis
W26.2XXD	Contact with edge of stiff paper, subsequent encounter	ICD-10-CM	Diagnosis
W26.8XXA	Contact with other sharp object(s), not elsewhere classified, initial encounter	ICD-10-CM	Diagnosis
W26.8XXD	Contact with other sharp object(s), not elsewhere classified, subsequent encounter	ICD-10-CM	Diagnosis
W26.9XXA	Contact with unspecified sharp object(s), initial encounter	ICD-10-CM	Diagnosis
W26.9XXD	Contact with unspecified sharp object(s), subsequent encounter	ICD-10-CM	Diagnosis
W27.0XXA	Contact with workbench tool, initial encounter	ICD-10-CM	Diagnosis
W27.0XXD	Contact with workbench tool, subsequent encounter	ICD-10-CM	Diagnosis
W27.1XXA	Contact with garden tool, initial encounter	ICD-10-CM	Diagnosis
W27.1XXD	Contact with garden tool, subsequent encounter	ICD-10-CM	Diagnosis
W27.2XXA	Contact with scissors, initial encounter	ICD-10-CM	Diagnosis
W27.2XXD	Contact with scissors, subsequent encounter	ICD-10-CM	Diagnosis
W27.3XXA	Contact with needle (sewing), initial encounter	ICD-10-CM	Diagnosis
W27.3XXD	Contact with needle (sewing), subsequent encounter	ICD-10-CM	Diagnosis
W27.4XXA	Contact with kitchen utensil, initial encounter	ICD-10-CM	Diagnosis
W27.4XXD	Contact with kitchen utensil, subsequent encounter	ICD-10-CM	Diagnosis
W27.5XXA	Contact with paper-cutter, initial encounter	ICD-10-CM	Diagnosis
W27.5XXD	Contact with paper-cutter, subsequent encounter	ICD-10-CM	Diagnosis
W27.8XXA	Contact with other nonpowered hand tool, initial encounter	ICD-10-CM	Diagnosis
W27.8XXD	Contact with other nonpowered hand tool, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W28.XXXA	Contact with powered lawn mower, initial encounter	ICD-10-CM	Diagnosis
W28.XXXD	Contact with powered lawn mower, subsequent encounter	ICD-10-CM	Diagnosis
W29.0XXA	Contact with powered kitchen appliance, initial encounter	ICD-10-CM	Diagnosis
W29.0XXD	Contact with powered kitchen appliance, subsequent encounter	ICD-10-CM	Diagnosis
W29.1XXA	Contact with electric knife, initial encounter	ICD-10-CM	Diagnosis
W29.1XXD	Contact with electric knife, subsequent encounter	ICD-10-CM	Diagnosis
W29.2XXA	Contact with other powered household machinery, initial encounter	ICD-10-CM	Diagnosis
W29.2XXD	Contact with other powered household machinery, subsequent encounter	ICD-10-CM	Diagnosis
W29.3XXA	Contact with powered garden and outdoor hand tools and machinery, initial encounter	ICD-10-CM	Diagnosis
W29.3XXD	Contact with powered garden and outdoor hand tools and machinery, subsequent encounter	ICD-10-CM	Diagnosis
W29.4XXA	Contact with nail gun, initial encounter	ICD-10-CM	Diagnosis
W29.4XXD	Contact with nail gun, subsequent encounter	ICD-10-CM	Diagnosis
W29.8XXA	Contact with other powered hand tools and household machinery, initial encounter	ICD-10-CM	Diagnosis
W29.8XXD	Contact with other powered hand tools and household machinery, subsequent encounter	ICD-10-CM	Diagnosis
W30.0XXA	Contact with combine harvester, initial encounter	ICD-10-CM	Diagnosis
W30.0XXD	Contact with combine harvester, subsequent encounter	ICD-10-CM	Diagnosis
W30.1XXA	Contact with power take-off devices (PTO), initial encounter	ICD-10-CM	Diagnosis
W30.1XXD	Contact with power take-off devices (PTO), subsequent encounter	ICD-10-CM	Diagnosis
W30.2XXA	Contact with hay derrick, initial encounter	ICD-10-CM	Diagnosis
W30.2XXD	Contact with hay derrick, subsequent encounter	ICD-10-CM	Diagnosis
W30.3XXA	Contact with grain storage elevator, initial encounter	ICD-10-CM	Diagnosis
W30.3XXD	Contact with grain storage elevator, subsequent encounter	ICD-10-CM	Diagnosis
W30.81XA	Contact with agricultural transport vehicle in stationary use, initial encounter	ICD-10-CM	Diagnosis
W30.81XD	Contact with agricultural transport vehicle in stationary use, subsequent encounter	ICD-10-CM	Diagnosis
W30.89XA	Contact with other specified agricultural machinery, initial encounter	ICD-10-CM	Diagnosis
W30.89XD	Contact with other specified agricultural machinery, subsequent encounter	ICD-10-CM	Diagnosis
W30.9XXA	Contact with unspecified agricultural machinery, initial encounter	ICD-10-CM	Diagnosis
W30.9XXD	Contact with unspecified agricultural machinery, subsequent encounter	ICD-10-CM	Diagnosis
W31.0XXA	Contact with mining and earth-drilling machinery, initial encounter	ICD-10-CM	Diagnosis
W31.0XXD	Contact with mining and earth-drilling machinery, subsequent encounter	ICD-10-CM	Diagnosis
W31.1XXA	Contact with metalworking machines, initial encounter	ICD-10-CM	Diagnosis
W31.1XXD	Contact with metalworking machines, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W31.2XXA	Contact with powered woodworking and forming machines, initial encounter	ICD-10-CM	Diagnosis
W31.2XXD	Contact with powered woodworking and forming machines, subsequent encounter	ICD-10-CM	Diagnosis
W31.3XXA	Contact with prime movers, initial encounter	ICD-10-CM	Diagnosis
W31.3XXD	Contact with prime movers, subsequent encounter	ICD-10-CM	Diagnosis
W31.81XA	Contact with recreational machinery, initial encounter	ICD-10-CM	Diagnosis
W31.81XD	Contact with recreational machinery, subsequent encounter	ICD-10-CM	Diagnosis
W31.82XA	Contact with other commercial machinery, initial encounter	ICD-10-CM	Diagnosis
W31.82XD	Contact with other commercial machinery, subsequent encounter	ICD-10-CM	Diagnosis
W31.83XA	Contact with special construction vehicle in stationary use, initial encounter	ICD-10-CM	Diagnosis
W31.83XD	Contact with special construction vehicle in stationary use, subsequent encounter	ICD-10-CM	Diagnosis
W31.89XA	Contact with other specified machinery, initial encounter	ICD-10-CM	Diagnosis
W31.89XD	Contact with other specified machinery, subsequent encounter	ICD-10-CM	Diagnosis
W31.9XXA	Contact with unspecified machinery, initial encounter	ICD-10-CM	Diagnosis
W31.9XXD	Contact with unspecified machinery, subsequent encounter	ICD-10-CM	Diagnosis
W32.0XXA	Accidental handgun discharge, initial encounter	ICD-10-CM	Diagnosis
W32.0XXD	Accidental handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
W32.1XXA	Accidental handgun malfunction, initial encounter	ICD-10-CM	Diagnosis
W32.1XXD	Accidental handgun malfunction, subsequent encounter	ICD-10-CM	Diagnosis
W33.00XA	Accidental discharge of unspecified larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.00XD	Accidental discharge of unspecified larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.01XA	Accidental discharge of shotgun, initial encounter	ICD-10-CM	Diagnosis
W33.01XD	Accidental discharge of shotgun, subsequent encounter	ICD-10-CM	Diagnosis
W33.02XA	Accidental discharge of hunting rifle, initial encounter	ICD-10-CM	Diagnosis
W33.02XD	Accidental discharge of hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
W33.03XA	Accidental discharge of machine gun, initial encounter	ICD-10-CM	Diagnosis
W33.03XD	Accidental discharge of machine gun, subsequent encounter	ICD-10-CM	Diagnosis
W33.09XA	Accidental discharge of other larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.09XD	Accidental discharge of other larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.10XA	Accidental malfunction of unspecified larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.10XD	Accidental malfunction of unspecified larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.11XA	Accidental malfunction of shotgun, initial encounter	ICD-10-CM	Diagnosis
W33.11XD	Accidental malfunction of shotgun, subsequent encounter	ICD-10-CM	Diagnosis
W33.12XA	Accidental malfunction of hunting rifle, initial encounter	ICD-10-CM	Diagnosis
W33.12XD	Accidental malfunction of hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
W33.13XA	Accidental malfunction of machine gun, initial encounter	ICD-10-CM	Diagnosis
W33.13XD	Accidental malfunction of machine gun, subsequent encounter	ICD-10-CM	Diagnosis
W33.19XA	Accidental malfunction of other larger firearm, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W33.19XD	Accidental malfunction of other larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W34.00XA	Accidental discharge from unspecified firearms or gun, initial encounter	ICD-10-CM	Diagnosis
W34.00XD	Accidental discharge from unspecified firearms or gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.010A	Accidental discharge of airgun, initial encounter	ICD-10-CM	Diagnosis
W34.010D	Accidental discharge of airgun, subsequent encounter	ICD-10-CM	Diagnosis
W34.011A	Accidental discharge of paintball gun, initial encounter	ICD-10-CM	Diagnosis
W34.011D	Accidental discharge of paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.018A	Accidental discharge of other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
W34.018D	Accidental discharge of other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.09XA	Accidental discharge from other specified firearms, initial encounter	ICD-10-CM	Diagnosis
W34.09XD	Accidental discharge from other specified firearms, subsequent encounter	ICD-10-CM	Diagnosis
W34.10XA	Accidental malfunction from unspecified firearms or gun, initial encounter	ICD-10-CM	Diagnosis
W34.10XD	Accidental malfunction from unspecified firearms or gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.110A	Accidental malfunction of airgun, initial encounter	ICD-10-CM	Diagnosis
W34.110D	Accidental malfunction of airgun, subsequent encounter	ICD-10-CM	Diagnosis
W34.111A	Accidental malfunction of paintball gun, initial encounter	ICD-10-CM	Diagnosis
W34.111D	Accidental malfunction of paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.118A	Accidental malfunction of other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
W34.118D	Accidental malfunction of other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.19XA	Accidental malfunction from other specified firearms, initial encounter	ICD-10-CM	Diagnosis
W34.19XD	Accidental malfunction from other specified firearms, subsequent encounter	ICD-10-CM	Diagnosis
W35.XXXA	Explosion and rupture of boiler, initial encounter	ICD-10-CM	Diagnosis
W35.XXXD	Explosion and rupture of boiler, subsequent encounter	ICD-10-CM	Diagnosis
W36.1XXA	Explosion and rupture of aerosol can, initial encounter	ICD-10-CM	Diagnosis
W36.1XXD	Explosion and rupture of aerosol can, subsequent encounter	ICD-10-CM	Diagnosis
W36.2XXA	Explosion and rupture of air tank, initial encounter	ICD-10-CM	Diagnosis
W36.2XXD	Explosion and rupture of air tank, subsequent encounter	ICD-10-CM	Diagnosis
W36.3XXA	Explosion and rupture of pressurized-gas tank, initial encounter	ICD-10-CM	Diagnosis
W36.3XXD	Explosion and rupture of pressurized-gas tank, subsequent encounter	ICD-10-CM	Diagnosis
W36.8XXA	Explosion and rupture of other gas cylinder, initial encounter	ICD-10-CM	Diagnosis
W36.8XXD	Explosion and rupture of other gas cylinder, subsequent encounter	ICD-10-CM	Diagnosis
W36.9XXA	Explosion and rupture of unspecified gas cylinder, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W36.9XXD	Explosion and rupture of unspecified gas cylinder, subsequent encounter	ICD-10-CM	Diagnosis
W37.0XXA	Explosion of bicycle tire, initial encounter	ICD-10-CM	Diagnosis
W37.0XXD	Explosion of bicycle tire, subsequent encounter	ICD-10-CM	Diagnosis
W37.8XXA	Explosion and rupture of other pressurized tire, pipe or hose, initial encounter	ICD-10-CM	Diagnosis
W37.8XXD	Explosion and rupture of other pressurized tire, pipe or hose, subsequent encounter	ICD-10-CM	Diagnosis
W38.XXXA	Explosion and rupture of other specified pressurized devices, initial encounter	ICD-10-CM	Diagnosis
W38.XXXD	Explosion and rupture of other specified pressurized devices, subsequent encounter	ICD-10-CM	Diagnosis
W39.XXXA	Discharge of firework, initial encounter	ICD-10-CM	Diagnosis
W39.XXXD	Discharge of firework, subsequent encounter	ICD-10-CM	Diagnosis
W40.0XXA	Explosion of blasting material, initial encounter	ICD-10-CM	Diagnosis
W40.0XXD	Explosion of blasting material, subsequent encounter	ICD-10-CM	Diagnosis
W40.1XXA	Explosion of explosive gases, initial encounter	ICD-10-CM	Diagnosis
W40.1XXD	Explosion of explosive gases, subsequent encounter	ICD-10-CM	Diagnosis
W40.8XXA	Explosion of other specified explosive materials, initial encounter	ICD-10-CM	Diagnosis
W40.8XXD	Explosion of other specified explosive materials, subsequent encounter	ICD-10-CM	Diagnosis
W40.9XXA	Explosion of unspecified explosive materials, initial encounter	ICD-10-CM	Diagnosis
W40.9XXD	Explosion of unspecified explosive materials, subsequent encounter	ICD-10-CM	Diagnosis
W42.0XXA	Exposure to supersonic waves, initial encounter	ICD-10-CM	Diagnosis
W42.0XXD	Exposure to supersonic waves, subsequent encounter	ICD-10-CM	Diagnosis
W42.9XXA	Exposure to other noise, initial encounter	ICD-10-CM	Diagnosis
W42.9XXD	Exposure to other noise, subsequent encounter	ICD-10-CM	Diagnosis
W45.0XXA	Nail entering through skin, initial encounter	ICD-10-CM	Diagnosis
W45.0XXD	Nail entering through skin, subsequent encounter	ICD-10-CM	Diagnosis
W45.8XXA	Other foreign body or object entering through skin, initial encounter	ICD-10-CM	Diagnosis
W45.8XXD	Other foreign body or object entering through skin, subsequent encounter	ICD-10-CM	Diagnosis
W46.0XXA	Contact with hypodermic needle, initial encounter	ICD-10-CM	Diagnosis
W46.0XXD	Contact with hypodermic needle, subsequent encounter	ICD-10-CM	Diagnosis
W46.1XXA	Contact with contaminated hypodermic needle, initial encounter	ICD-10-CM	Diagnosis
W46.1XXD	Contact with contaminated hypodermic needle, subsequent encounter	ICD-10-CM	Diagnosis
W49.01XA	Hair causing external constriction, initial encounter	ICD-10-CM	Diagnosis
W49.01XD	Hair causing external constriction, subsequent encounter	ICD-10-CM	Diagnosis
W49.02XA	String or thread causing external constriction, initial encounter	ICD-10-CM	Diagnosis
W49.02XD	String or thread causing external constriction, subsequent encounter	ICD-10-CM	Diagnosis
W49.03XA	Rubber band causing external constriction, initial encounter	ICD-10-CM	Diagnosis
W49.03XD	Rubber band causing external constriction, subsequent encounter	ICD-10-CM	Diagnosis
W49.04XA	Ring or other jewelry causing external constriction, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W49.04XD	Ring or other jewelry causing external constriction, subsequent encounter	ICD-10-CM	Diagnosis
W49.09XA	Other specified item causing external constriction, initial encounter	ICD-10-CM	Diagnosis
W49.09XD	Other specified item causing external constriction, subsequent encounter	ICD-10-CM	Diagnosis
W49.9XXA	Exposure to other inanimate mechanical forces, initial encounter	ICD-10-CM	Diagnosis
W49.9XXD	Exposure to other inanimate mechanical forces, subsequent encounter	ICD-10-CM	Diagnosis
W50.0XXA	Accidental hit or strike by another person, initial encounter	ICD-10-CM	Diagnosis
W50.0XXD	Accidental hit or strike by another person, subsequent encounter	ICD-10-CM	Diagnosis
W50.1XXA	Accidental kick by another person, initial encounter	ICD-10-CM	Diagnosis
W50.1XXD	Accidental kick by another person, subsequent encounter	ICD-10-CM	Diagnosis
W50.2XXA	Accidental twist by another person, initial encounter	ICD-10-CM	Diagnosis
W50.2XXD	Accidental twist by another person, subsequent encounter	ICD-10-CM	Diagnosis
W50.3XXA	Accidental bite by another person, initial encounter	ICD-10-CM	Diagnosis
W50.3XXD	Accidental bite by another person, subsequent encounter	ICD-10-CM	Diagnosis
W50.4XXA	Accidental scratch by another person, initial encounter	ICD-10-CM	Diagnosis
W50.4XXD	Accidental scratch by another person, subsequent encounter	ICD-10-CM	Diagnosis
W51.XXXA	Accidental striking against or bumped into by another person, initial encounter	ICD-10-CM	Diagnosis
W51.XXXD	Accidental striking against or bumped into by another person, subsequent encounter	ICD-10-CM	Diagnosis
W52.XXXA	Crushed, pushed or stepped on by crowd or human stampede, initial encounter	ICD-10-CM	Diagnosis
W52.XXXD	Crushed, pushed or stepped on by crowd or human stampede, subsequent encounter	ICD-10-CM	Diagnosis
W60.XXXA	Contact with nonvenomous plant thorns and spines and sharp leaves, initial encounter	ICD-10-CM	Diagnosis
W60.XXXD	Contact with nonvenomous plant thorns and spines and sharp leaves, subsequent encounter	ICD-10-CM	Diagnosis
W85.XXXA	Exposure to electric transmission lines, initial encounter	ICD-10-CM	Diagnosis
W85.XXXD	Exposure to electric transmission lines, subsequent encounter	ICD-10-CM	Diagnosis
W86.0XXA	Exposure to domestic wiring and appliances, initial encounter	ICD-10-CM	Diagnosis
W86.0XXD	Exposure to domestic wiring and appliances, subsequent encounter	ICD-10-CM	Diagnosis
W86.1XXA	Exposure to industrial wiring, appliances and electrical machinery, initial encounter	ICD-10-CM	Diagnosis
W86.1XXD	Exposure to industrial wiring, appliances and electrical machinery, subsequent encounter	ICD-10-CM	Diagnosis
W86.8XXA	Exposure to other electric current, initial encounter	ICD-10-CM	Diagnosis
W86.8XXD	Exposure to other electric current, subsequent encounter	ICD-10-CM	Diagnosis
W88.0XXA	Exposure to X-rays, initial encounter	ICD-10-CM	Diagnosis
W88.0XXD	Exposure to X-rays, subsequent encounter	ICD-10-CM	Diagnosis
W88.1XXA	Exposure to radioactive isotopes, initial encounter	ICD-10-CM	Diagnosis
W88.1XXD	Exposure to radioactive isotopes, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
W88.8XXA	Exposure to other ionizing radiation, initial encounter	ICD-10-CM	Diagnosis
W88.8XXD	Exposure to other ionizing radiation, subsequent encounter	ICD-10-CM	Diagnosis
W89.0XXA	Exposure to welding light (arc), initial encounter	ICD-10-CM	Diagnosis
W89.0XXD	Exposure to welding light (arc), subsequent encounter	ICD-10-CM	Diagnosis
W89.1XXA	Exposure to tanning bed, initial encounter	ICD-10-CM	Diagnosis
W89.1XXD	Exposure to tanning bed, subsequent encounter	ICD-10-CM	Diagnosis
W89.8XXA	Exposure to other man-made visible and ultraviolet light, initial encounter	ICD-10-CM	Diagnosis
W89.8XXD	Exposure to other man-made visible and ultraviolet light, subsequent encounter	ICD-10-CM	Diagnosis
W89.9XXA	Exposure to unspecified man-made visible and ultraviolet light, initial encounter	ICD-10-CM	Diagnosis
W89.9XXD	Exposure to unspecified man-made visible and ultraviolet light, subsequent encounter	ICD-10-CM	Diagnosis
W90.0XXA	Exposure to radiofrequency, initial encounter	ICD-10-CM	Diagnosis
W90.0XXD	Exposure to radiofrequency, subsequent encounter	ICD-10-CM	Diagnosis
W90.1XXA	Exposure to infrared radiation, initial encounter	ICD-10-CM	Diagnosis
W90.1XXD	Exposure to infrared radiation, subsequent encounter	ICD-10-CM	Diagnosis
W90.2XXA	Exposure to laser radiation, initial encounter	ICD-10-CM	Diagnosis
W90.2XXD	Exposure to laser radiation, subsequent encounter	ICD-10-CM	Diagnosis
W90.8XXA	Exposure to other nonionizing radiation, initial encounter	ICD-10-CM	Diagnosis
W90.8XXD	Exposure to other nonionizing radiation, subsequent encounter	ICD-10-CM	Diagnosis
X10.0XXA	Contact with hot drinks, initial encounter	ICD-10-CM	Diagnosis
X10.0XXD	Contact with hot drinks, subsequent encounter	ICD-10-CM	Diagnosis
X10.1XXA	Contact with hot food, initial encounter	ICD-10-CM	Diagnosis
X10.1XXD	Contact with hot food, subsequent encounter	ICD-10-CM	Diagnosis
X10.2XXA	Contact with fats and cooking oils, initial encounter	ICD-10-CM	Diagnosis
X10.2XXD	Contact with fats and cooking oils, subsequent encounter	ICD-10-CM	Diagnosis
X11.0XXA	Contact with hot water in bath or tub, initial encounter	ICD-10-CM	Diagnosis
X11.0XXD	Contact with hot water in bath or tub, subsequent encounter	ICD-10-CM	Diagnosis
X11.1XXA	Contact with running hot water, initial encounter	ICD-10-CM	Diagnosis
X11.1XXD	Contact with running hot water, subsequent encounter	ICD-10-CM	Diagnosis
X11.8XXA	Contact with other hot tap-water, initial encounter	ICD-10-CM	Diagnosis
X11.8XXD	Contact with other hot tap-water, subsequent encounter	ICD-10-CM	Diagnosis
X12.XXXA	Contact with other hot fluids, initial encounter	ICD-10-CM	Diagnosis
X12.XXXD	Contact with other hot fluids, subsequent encounter	ICD-10-CM	Diagnosis
X13.0XXA	Inhalation of steam and other hot vapors, initial encounter	ICD-10-CM	Diagnosis
X13.0XXD	Inhalation of steam and other hot vapors, subsequent encounter	ICD-10-CM	Diagnosis
X13.1XXA	Other contact with steam and other hot vapors, initial encounter	ICD-10-CM	Diagnosis
X13.1XXD	Other contact with steam and other hot vapors, subsequent encounter	ICD-10-CM	Diagnosis
X14.0XXA	Inhalation of hot air and gases, initial encounter	ICD-10-CM	Diagnosis
X14.0XXD	Inhalation of hot air and gases, subsequent encounter	ICD-10-CM	Diagnosis
X14.1XXA	Other contact with hot air and other hot gases, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
X14.1XXD	Other contact with hot air and other hot gases, subsequent encounter	ICD-10-CM	Diagnosis
X15.0XXA	Contact with hot stove (kitchen), initial encounter	ICD-10-CM	Diagnosis
X15.0XXD	Contact with hot stove (kitchen), subsequent encounter	ICD-10-CM	Diagnosis
X15.1XXA	Contact with hot toaster, initial encounter	ICD-10-CM	Diagnosis
X15.1XXD	Contact with hot toaster, subsequent encounter	ICD-10-CM	Diagnosis
X15.2XXA	Contact with hotplate, initial encounter	ICD-10-CM	Diagnosis
X15.2XXD	Contact with hotplate, subsequent encounter	ICD-10-CM	Diagnosis
X15.3XXA	Contact with hot saucepan or skillet, initial encounter	ICD-10-CM	Diagnosis
X15.3XXD	Contact with hot saucepan or skillet, subsequent encounter	ICD-10-CM	Diagnosis
X15.8XXA	Contact with other hot household appliances, initial encounter	ICD-10-CM	Diagnosis
X15.8XXD	Contact with other hot household appliances, subsequent encounter	ICD-10-CM	Diagnosis
X16.XXXA	Contact with hot heating appliances, radiators and pipes, initial encounter	ICD-10-CM	Diagnosis
X16.XXXD	Contact with hot heating appliances, radiators and pipes, subsequent encounter	ICD-10-CM	Diagnosis
X17.XXXA	Contact with hot engines, machinery and tools, initial encounter	ICD-10-CM	Diagnosis
X17.XXXD	Contact with hot engines, machinery and tools, subsequent encounter	ICD-10-CM	Diagnosis
X18.XXXA	Contact with other hot metals, initial encounter	ICD-10-CM	Diagnosis
X18.XXXD	Contact with other hot metals, subsequent encounter	ICD-10-CM	Diagnosis
X19.XXXA	Contact with other heat and hot substances, initial encounter	ICD-10-CM	Diagnosis
X19.XXXD	Contact with other heat and hot substances, subsequent encounter	ICD-10-CM	Diagnosis
X34.XXXA	Earthquake, initial encounter	ICD-10-CM	Diagnosis
X34.XXXD	Earthquake, subsequent encounter	ICD-10-CM	Diagnosis
X35.XXXA	Volcanic eruption, initial encounter	ICD-10-CM	Diagnosis
X35.XXXD	Volcanic eruption, subsequent encounter	ICD-10-CM	Diagnosis
X36.0XXA	Collapse of dam or man-made structure causing earth movement, initial encounter	ICD-10-CM	Diagnosis
X36.0XXD	Collapse of dam or man-made structure causing earth movement, subsequent encounter	ICD-10-CM	Diagnosis
X36.1XXA	Avalanche, landslide, or mudslide, initial encounter	ICD-10-CM	Diagnosis
X36.1XXD	Avalanche, landslide, or mudslide, subsequent encounter	ICD-10-CM	Diagnosis
X37.0XXA	Hurricane, initial encounter	ICD-10-CM	Diagnosis
X37.0XXD	Hurricane, subsequent encounter	ICD-10-CM	Diagnosis
X37.1XXA	Tornado, initial encounter	ICD-10-CM	Diagnosis
X37.1XXD	Tornado, subsequent encounter	ICD-10-CM	Diagnosis
X37.2XXA	Blizzard (snow)(ice), initial encounter	ICD-10-CM	Diagnosis
X37.2XXD	Blizzard (snow)(ice), subsequent encounter	ICD-10-CM	Diagnosis
X37.3XXA	Dust storm, initial encounter	ICD-10-CM	Diagnosis
X37.3XXD	Dust storm, subsequent encounter	ICD-10-CM	Diagnosis
X37.41XA	Tidal wave due to earthquake or volcanic eruption, initial encounter	ICD-10-CM	Diagnosis
X37.41XD	Tidal wave due to earthquake or volcanic eruption, subsequent encounter	ICD-10-CM	Diagnosis
X37.42XA	Tidal wave due to storm, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
X37.42XD	Tidal wave due to storm, subsequent encounter	ICD-10-CM	Diagnosis
X37.43XA	Tidal wave due to landslide, initial encounter	ICD-10-CM	Diagnosis
X37.43XD	Tidal wave due to landslide, subsequent encounter	ICD-10-CM	Diagnosis
X37.8XXA	Other cataclysmic storms, initial encounter	ICD-10-CM	Diagnosis
X37.8XXD	Other cataclysmic storms, subsequent encounter	ICD-10-CM	Diagnosis
X37.9XXA	Unspecified cataclysmic storm, initial encounter	ICD-10-CM	Diagnosis
X37.9XXD	Unspecified cataclysmic storm, subsequent encounter	ICD-10-CM	Diagnosis
X38.XXXA	Flood, initial encounter	ICD-10-CM	Diagnosis
X38.XXXD	Flood, subsequent encounter	ICD-10-CM	Diagnosis
X39.01XA	Exposure to radon, initial encounter	ICD-10-CM	Diagnosis
X39.01XD	Exposure to radon, subsequent encounter	ICD-10-CM	Diagnosis
X39.08XA	Exposure to other natural radiation, initial encounter	ICD-10-CM	Diagnosis
X39.08XD	Exposure to other natural radiation, subsequent encounter	ICD-10-CM	Diagnosis
X39.8XXA	Other exposure to forces of nature, initial encounter	ICD-10-CM	Diagnosis
X39.8XXD	Other exposure to forces of nature, subsequent encounter	ICD-10-CM	Diagnosis
X50.0XXA	Overexertion from strenuous movement or load, initial encounter	ICD-10-CM	Diagnosis
X50.0XXD	Overexertion from strenuous movement or load, subsequent encounter	ICD-10-CM	Diagnosis
X50.1XXA	Overexertion from prolonged static or awkward postures, initial encounter	ICD-10-CM	Diagnosis
X50.1XXD	Overexertion from prolonged static or awkward postures, subsequent encounter	ICD-10-CM	Diagnosis
X50.3XXA	Overexertion from repetitive movements, initial encounter	ICD-10-CM	Diagnosis
X50.3XXD	Overexertion from repetitive movements, subsequent encounter	ICD-10-CM	Diagnosis
X50.9XXA	Other and unspecified overexertion or strenuous movements or postures, initial encounter	ICD-10-CM	Diagnosis
X50.9XXD	Other and unspecified overexertion or strenuous movements or postures, subsequent encounter	ICD-10-CM	Diagnosis
X52.XXXA	Prolonged stay in weightless environment, initial encounter	ICD-10-CM	Diagnosis
X52.XXXD	Prolonged stay in weightless environment, subsequent encounter	ICD-10-CM	Diagnosis
X58.XXXA	Exposure to other specified factors, initial encounter	ICD-10-CM	Diagnosis
X58.XXXD	Exposure to other specified factors, subsequent encounter	ICD-10-CM	Diagnosis
Pancreatitis			
072.3	Mumps pancreatitis	ICD-9-CM	Diagnosis
577.0	Acute pancreatitis	ICD-9-CM	Diagnosis
577.1	Chronic pancreatitis	ICD-9-CM	Diagnosis
577.8	Other specified disease of pancreas	ICD-9-CM	Diagnosis
B25.2	Cytomegaloviral pancreatitis	ICD-10-CM	Diagnosis
B26.3	Mumps pancreatitis	ICD-10-CM	Diagnosis
K85	Acute pancreatitis	ICD-10-CM	Diagnosis
K85.0	Idiopathic acute pancreatitis	ICD-10-CM	Diagnosis
K85.00	Idiopathic acute pancreatitis without necrosis or infection	ICD-10-CM	Diagnosis
K85.01	Idiopathic acute pancreatitis with uninfected necrosis	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
K85.02	Idiopathic acute pancreatitis with infected necrosis	ICD-10-CM	Diagnosis
K85.1	Biliary acute pancreatitis	ICD-10-CM	Diagnosis
K85.10	Biliary acute pancreatitis without necrosis or infection	ICD-10-CM	Diagnosis
K85.11	Biliary acute pancreatitis with uninfected necrosis	ICD-10-CM	Diagnosis
K85.12	Biliary acute pancreatitis with infected necrosis	ICD-10-CM	Diagnosis
K85.2	Alcohol induced acute pancreatitis	ICD-10-CM	Diagnosis
K85.20	Alcohol induced acute pancreatitis without necrosis or infection	ICD-10-CM	Diagnosis
K85.21	Alcohol induced acute pancreatitis with uninfected necrosis	ICD-10-CM	Diagnosis
K85.22	Alcohol induced acute pancreatitis with infected necrosis	ICD-10-CM	Diagnosis
K85.3	Drug induced acute pancreatitis	ICD-10-CM	Diagnosis
K85.30	Drug induced acute pancreatitis without necrosis or infection	ICD-10-CM	Diagnosis
K85.31	Drug induced acute pancreatitis with uninfected necrosis	ICD-10-CM	Diagnosis
K85.32	Drug induced acute pancreatitis with infected necrosis	ICD-10-CM	Diagnosis
K85.8	Other acute pancreatitis	ICD-10-CM	Diagnosis
K85.80	Other acute pancreatitis without necrosis or infection	ICD-10-CM	Diagnosis
K85.81	Other acute pancreatitis with uninfected necrosis	ICD-10-CM	Diagnosis
K85.82	Other acute pancreatitis with infected necrosis	ICD-10-CM	Diagnosis
K85.9	Acute pancreatitis, unspecified	ICD-10-CM	Diagnosis
K85.90	Acute pancreatitis without necrosis or infection, unspecified	ICD-10-CM	Diagnosis
K85.91	Acute pancreatitis with uninfected necrosis, unspecified	ICD-10-CM	Diagnosis
K85.92	Acute pancreatitis with infected necrosis, unspecified	ICD-10-CM	Diagnosis
K86.0	Alcohol-induced chronic pancreatitis	ICD-10-CM	Diagnosis
K86.1	Other chronic pancreatitis	ICD-10-CM	Diagnosis
Anaphylaxis			
995.0	Other anaphylactic reaction	ICD-9-CM	Diagnosis
995.60	Anaphylactic reaction due to unspecified food	ICD-9-CM	Diagnosis
995.61	Anaphylactic reaction due to peanuts	ICD-9-CM	Diagnosis
995.62	Anaphylactic reaction due to crustaceans	ICD-9-CM	Diagnosis
995.63	Anaphylactic reaction due to fruits and vegetables	ICD-9-CM	Diagnosis
995.64	Anaphylactic reaction due to tree nuts and seeds	ICD-9-CM	Diagnosis
995.65	Anaphylactic reaction due to fish	ICD-9-CM	Diagnosis
995.66	Anaphylactic reaction due to food additives	ICD-9-CM	Diagnosis
995.67	Anaphylactic reaction due to milk products	ICD-9-CM	Diagnosis
995.68	Anaphylactic reaction due to eggs	ICD-9-CM	Diagnosis
995.69	Anaphylactic reaction due to other specified food	ICD-9-CM	Diagnosis
999.42	Anaphylactic reaction due to vaccination	ICD-9-CM	Diagnosis
T78.0	Anaphylactic reaction due to food	ICD-10-CM	Diagnosis
T78.00	Anaphylactic reaction due to unspecified food	ICD-10-CM	Diagnosis
T78.00XA	Anaphylactic reaction due to unspecified food, initial encounter	ICD-10-CM	Diagnosis
T78.00XD	Anaphylactic reaction due to unspecified food, subsequent encounter	ICD-10-CM	Diagnosis
T78.00XS	Anaphylactic reaction due to unspecified food, sequela	ICD-10-CM	Diagnosis
T78.01	Anaphylactic reaction due to peanuts	ICD-10-CM	Diagnosis
T78.01XA	Anaphylactic reaction due to peanuts, initial encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
T78.01XD	Anaphylactic reaction due to peanuts, subsequent encounter	ICD-10-CM	Diagnosis
T78.01XS	Anaphylactic reaction due to peanuts, sequela	ICD-10-CM	Diagnosis
T78.02	Anaphylactic reaction due to shellfish (crustaceans)	ICD-10-CM	Diagnosis
T78.02XA	Anaphylactic reaction due to shellfish (crustaceans), initial encounter	ICD-10-CM	Diagnosis
T78.02XD	Anaphylactic reaction due to shellfish (crustaceans), subsequent encounter	ICD-10-CM	Diagnosis
T78.02XS	Anaphylactic reaction due to shellfish (crustaceans), sequela	ICD-10-CM	Diagnosis
T78.03	Anaphylactic reaction due to other fish	ICD-10-CM	Diagnosis
T78.03XA	Anaphylactic reaction due to other fish, initial encounter	ICD-10-CM	Diagnosis
T78.03XD	Anaphylactic reaction due to other fish, subsequent encounter	ICD-10-CM	Diagnosis
T78.03XS	Anaphylactic reaction due to other fish, sequela	ICD-10-CM	Diagnosis
T78.04	Anaphylactic reaction due to fruits and vegetables	ICD-10-CM	Diagnosis
T78.04XA	Anaphylactic reaction due to fruits and vegetables, initial encounter	ICD-10-CM	Diagnosis
T78.04XD	Anaphylactic reaction due to fruits and vegetables, subsequent encounter	ICD-10-CM	Diagnosis
T78.04XS	Anaphylactic reaction due to fruits and vegetables, sequela	ICD-10-CM	Diagnosis
T78.05	Anaphylactic reaction due to tree nuts and seeds	ICD-10-CM	Diagnosis
T78.05XA	Anaphylactic reaction due to tree nuts and seeds, initial encounter	ICD-10-CM	Diagnosis
T78.05XD	Anaphylactic reaction due to tree nuts and seeds, subsequent encounter	ICD-10-CM	Diagnosis
T78.05XS	Anaphylactic reaction due to tree nuts and seeds, sequela	ICD-10-CM	Diagnosis
T78.06	Anaphylactic reaction due to food additives	ICD-10-CM	Diagnosis
T78.06XA	Anaphylactic reaction due to food additives, initial encounter	ICD-10-CM	Diagnosis
T78.06XD	Anaphylactic reaction due to food additives, subsequent encounter	ICD-10-CM	Diagnosis
T78.06XS	Anaphylactic reaction due to food additives, sequela	ICD-10-CM	Diagnosis
T78.07	Anaphylactic reaction due to milk and dairy products	ICD-10-CM	Diagnosis
T78.07XA	Anaphylactic reaction due to milk and dairy products, initial encounter	ICD-10-CM	Diagnosis
T78.07XD	Anaphylactic reaction due to milk and dairy products, subsequent encounter	ICD-10-CM	Diagnosis
T78.07XS	Anaphylactic reaction due to milk and dairy products, sequela	ICD-10-CM	Diagnosis
T78.08	Anaphylactic reaction due to eggs	ICD-10-CM	Diagnosis
T78.08XA	Anaphylactic reaction due to eggs, initial encounter	ICD-10-CM	Diagnosis
T78.08XD	Anaphylactic reaction due to eggs, subsequent encounter	ICD-10-CM	Diagnosis
T78.08XS	Anaphylactic reaction due to eggs, sequela	ICD-10-CM	Diagnosis
T78.09	Anaphylactic reaction due to other food products	ICD-10-CM	Diagnosis
T78.09XA	Anaphylactic reaction due to other food products, initial encounter	ICD-10-CM	Diagnosis
T78.09XD	Anaphylactic reaction due to other food products, subsequent encounter	ICD-10-CM	Diagnosis
T78.09XS	Anaphylactic reaction due to other food products, sequela	ICD-10-CM	Diagnosis
T78.2	Anaphylactic shock, unspecified	ICD-10-CM	Diagnosis
T78.2XXA	Anaphylactic shock, unspecified, initial encounter	ICD-10-CM	Diagnosis
T78.2XXD	Anaphylactic shock, unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T78.2XXS	Anaphylactic shock, unspecified, sequela	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
T80.52XA	Anaphylactic reaction due to vaccination, initial encounter	ICD-10-CM	Diagnosis
T88.6XXA	Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, initial encounter	ICD-10-CM	Diagnosis
995.6	Anaphylactic reaction due to food	ICD-9-CM	Diagnosis
999.4	Anaphylactic reaction due to serum	ICD-9-CM	Diagnosis
999.41	Anaphylactic reaction due to administration of blood and blood products	ICD-9-CM	Diagnosis
999.49	Anaphylactic reaction due to other serum	ICD-9-CM	Diagnosis
T80.51XA	Anaphylactic reaction due to administration of blood and blood products, initial encounter	ICD-10-CM	Diagnosis
T80.59XA	Anaphylactic reaction due to other serum, initial encounter	ICD-10-CM	Diagnosis
Shock			
308.9	Unspecified acute reaction to stress	ICD-9-CM	Diagnosis
634.5	Spontaneous abortion complicated by shock	ICD-9-CM	Diagnosis
634.50	Unspecified spontaneous abortion complicated by shock	ICD-9-CM	Diagnosis
634.51	Incomplete spontaneous abortion complicated by shock	ICD-9-CM	Diagnosis
634.52	Complete spontaneous abortion complicated by shock	ICD-9-CM	Diagnosis
635.5	Legally induced abortion complicated by shock	ICD-9-CM	Diagnosis
635.50	Unspecified legally induced abortion complicated by shock	ICD-9-CM	Diagnosis
635.51	Legally induced abortion, complicated by shock, incomplete	ICD-9-CM	Diagnosis
635.52	Complete legally induced abortion complicated by shock	ICD-9-CM	Diagnosis
636.5	Illegally induced abortion complicated by shock	ICD-9-CM	Diagnosis
636.50	Unspecified illegally induced abortion complicated by shock	ICD-9-CM	Diagnosis
636.51	Incomplete illegally induced abortion complicated by shock	ICD-9-CM	Diagnosis
636.52	Complete illegally induced abortion complicated by shock	ICD-9-CM	Diagnosis
637.5	Abortion, unspecified as to legality, complicated by shock	ICD-9-CM	Diagnosis
637.50	Abortion, unspecified as to completion or legality, complicated by shock	ICD-9-CM	Diagnosis
637.51	Abortion, unspecified as to legality, incomplete, complicated by shock	ICD-9-CM	Diagnosis
637.52	Abortion, unspecified as to legality, complete, complicated by shock	ICD-9-CM	Diagnosis
638.5	Failed attempted abortion complicated by shock	ICD-9-CM	Diagnosis
639.5	Shock following abortion or ectopic and molar pregnancies	ICD-9-CM	Diagnosis
669.1	Shock during or following labor and delivery	ICD-9-CM	Diagnosis
669.10	Shock during or following labor and delivery, unspecified as to episode of care	ICD-9-CM	Diagnosis
669.11	Shock during or following labor and delivery, with delivery, with or without mention of antepartum condition	ICD-9-CM	Diagnosis
669.12	Shock during or following labor and delivery, with delivery, with mention of postpartum complication	ICD-9-CM	Diagnosis
669.13	Shock during or following labor and delivery, antepartum shock	ICD-9-CM	Diagnosis
669.14	Shock during or following labor and delivery, postpartum condition or complication	ICD-9-CM	Diagnosis
785.5	Shock without mention of trauma	ICD-9-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
785.51	Cardiogenic shock	ICD-9-CM	Diagnosis
785.52	Septic shock	ICD-9-CM	Diagnosis
785.59	Other shock without mention of trauma	ICD-9-CM	Diagnosis
958.4	Traumatic shock	ICD-9-CM	Diagnosis
994.0	Effects of lightning	ICD-9-CM	Diagnosis
995.0	Other anaphylactic reaction	ICD-9-CM	Diagnosis
995.4	Shock due to anesthesia not elsewhere classified	ICD-9-CM	Diagnosis
998.0	Postoperative shock	ICD-9-CM	Diagnosis
998.00	Postoperative shock, unspecified	ICD-9-CM	Diagnosis
998.01	Postoperative shock, cardiogenic	ICD-9-CM	Diagnosis
998.02	Postoperative shock, septic	ICD-9-CM	Diagnosis
998.09	Postoperative shock, other	ICD-9-CM	Diagnosis
O03.31	Shock following incomplete spontaneous abortion	ICD-10-CM	Diagnosis
O03.81	Shock following complete or unspecified spontaneous abortion	ICD-10-CM	Diagnosis
O04.81	Shock following (induced) termination of pregnancy	ICD-10-CM	Diagnosis
O07.31	Shock following failed attempted termination of pregnancy	ICD-10-CM	Diagnosis
O08.3	Shock following ectopic and molar pregnancy	ICD-10-CM	Diagnosis
O75.1	Shock during or following labor and delivery	ICD-10-CM	Diagnosis
R45.7	State of emotional shock and stress, unspecified	ICD-10-CM	Diagnosis
R57.0	Cardiogenic shock	ICD-10-CM	Diagnosis
R57.1	Hypovolemic shock	ICD-10-CM	Diagnosis
R57.8	Other shock	ICD-10-CM	Diagnosis
R65.21	Severe sepsis with septic shock	ICD-10-CM	Diagnosis
T75.01	Shock due to being struck by lightning	ICD-10-CM	Diagnosis
T75.01XA	Shock due to being struck by lightning, initial encounter	ICD-10-CM	Diagnosis
T75.01XD	Shock due to being struck by lightning, subsequent encounter	ICD-10-CM	Diagnosis
T75.01XS	Shock due to being struck by lightning, sequela	ICD-10-CM	Diagnosis
T78.2	Anaphylactic shock, unspecified	ICD-10-CM	Diagnosis
T78.2XXA	Anaphylactic shock, unspecified, initial encounter	ICD-10-CM	Diagnosis
T78.2XXD	Anaphylactic shock, unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T78.2XXS	Anaphylactic shock, unspecified, sequela	ICD-10-CM	Diagnosis
T79.4	Traumatic shock	ICD-10-CM	Diagnosis
T79.4XXA	Traumatic shock, initial encounter	ICD-10-CM	Diagnosis
T79.4XXD	Traumatic shock, subsequent encounter	ICD-10-CM	Diagnosis
T79.4XXS	Traumatic shock, sequela	ICD-10-CM	Diagnosis
T81.1	Postprocedural shock	ICD-10-CM	Diagnosis
T81.10	Postprocedural shock unspecified	ICD-10-CM	Diagnosis
T81.10XA	Postprocedural shock unspecified, initial encounter	ICD-10-CM	Diagnosis
T81.10XD	Postprocedural shock unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T81.10XS	Postprocedural shock unspecified, sequela	ICD-10-CM	Diagnosis
T81.11	Postprocedural cardiogenic shock	ICD-10-CM	Diagnosis
T81.11XA	Postprocedural cardiogenic shock, initial encounter	ICD-10-CM	Diagnosis
T81.11XD	Postprocedural cardiogenic shock, subsequent encounter	ICD-10-CM	Diagnosis

Appendix G. List International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes, and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Concurrent Conditions in this Request

Code	Description	Code Type	Code Category
T81.11XS	Postprocedural cardiogenic shock, sequela	ICD-10-CM	Diagnosis
T81.12	Postprocedural septic shock	ICD-10-CM	Diagnosis
T81.12XA	Postprocedural septic shock, initial encounter	ICD-10-CM	Diagnosis
T81.12XD	Postprocedural septic shock, subsequent encounter	ICD-10-CM	Diagnosis
T81.12XS	Postprocedural septic shock, sequela	ICD-10-CM	Diagnosis
T81.19	Other postprocedural shock	ICD-10-CM	Diagnosis
T81.19XA	Other postprocedural shock, initial encounter	ICD-10-CM	Diagnosis
T81.19XD	Other postprocedural shock, subsequent encounter	ICD-10-CM	Diagnosis
T81.19XS	Other postprocedural shock, sequela	ICD-10-CM	Diagnosis
T88.2	Shock due to anesthesia	ICD-10-CM	Diagnosis
T88.2XXA	Shock due to anesthesia, initial encounter	ICD-10-CM	Diagnosis
T88.2XXD	Shock due to anesthesia, subsequent encounter	ICD-10-CM	Diagnosis
T88.2XXS	Shock due to anesthesia, sequela	ICD-10-CM	Diagnosis
Angioedema			
995.1	Angioneurotic edema not elsewhere classified	ICD-9-CM	Diagnosis
T78.3XXA	Angioneurotic edema, initial encounter	ICD-10-CM	Diagnosis
T78.3XXD	Angioneurotic edema, subsequent encounter	ICD-10-CM	Diagnosis
T78.3XXS	Angioneurotic edema, sequela	ICD-10-CM	Diagnosis

Appendix H. Specifications Defining Parameters in this Request

This request was executed using the Cohort Identification and Descriptive Analysis (CIDA) module version 9.4.1 to estimate rates of Trimethoprim-Sulfamethoxazole (TMP-SMX) or other antibiotic exposure and acute respiratory failure in the Sentinel Distributed Database (SDD).

Query Period: January 1, 2000 - December 31, 2019

Coverage Requirement: Medical & Drug Coverage

Pre-index Enrollment Requirement: 180 days

Post-index Enrollment Requirement: None

Post-episode Enrollment Requirement for Type 2 analyses: 0 days

Enrollment Gap: 45 days

Age Groups: 6 months-11 years, 12-17 years, 18-45 years, 46-64 years

Stratifications: Age group, Respiratory Tract Infections, Urinary Tract Infections (UTI), Otitis Media, Acne, Well-Check Visits, Skin Abscess, Rectal Abscess

Censor Output Categorization: 0-9 days, 10-19 days, 20-29 days, 30+ days

Restrictions: None

Envelope Macro: *Reclassify encounters during inpatient stay as inpatient

Distribution of Index-defining Codes: Yes

Freeze Data: No

Kaplan Meier Curves: Yes

Exposure

Scenario	Index Exposure	Cohort Definition	Incident Exposure		Exclude Evidence of Days Supply if Exposure Washout includes Dispensings	Exposure Episode Length	Censor Treatment Episode at Evidence of:
			Washout Period	Incident with Respect to:			
1	TMP-SMX (Bactrim)	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of Acute Respiratory Failure (ARF)
2	Doxycycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF

Appendix H. Specifications Defining Parameters in this Request

Exposure							
Scenario	Index Exposure	Cohort Definition	Incident Exposure Washout Period	Incident with Respect to:	Exclude Evidence of Days Supply if Exposure Washout includes Dispensings	Exposure Episode Length	Censor Treatment Episode at Evidence of:
3	Minocycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
4	Cephalexin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
5	Clindamycin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
6	TMP-SMX (Bactrim)	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
7	Doxycycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
8	Minocycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF

Appendix H. Specifications Defining Parameters in this Request

Exposure							
Scenario	Index Exposure	Cohort Definition	Incident Exposure Washout Period	Incident with Respect to:	Exclude Evidence of Days Supply if Exposure Washout includes Dispensings	Exposure Episode Length	Censor Treatment Episode at Evidence of:
9	Cephalexin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
10	Clindamycin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
11	TMP-SMX (Bactrim)	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
12	Doxycycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
13	Minocycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
14	Cephalexin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF

Appendix H. Specifications Defining Parameters in this Request

Exposure							
Scenario	Index Exposure	Cohort Definition	Incident Exposure Washout Period	Incident with Respect to:	Exclude Evidence of Days Supply if Exposure Washout includes Dispensings	Exposure Episode Length	Censor Treatment Episode at Evidence of:
15	Clindamycin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
16	TMP-SMX (Bactrim)	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
17	Doxycycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
18	Minocycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
19	Cephalexin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
20	Clindamycin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF

Appendix H. Specifications Defining Parameters in this Request

Exposure							
Scenario	Index Exposure	Cohort Definition	Incident Exposure Washout Period	Incident with Respect to:	Exclude Evidence of Days Supply if Exposure Washout includes Dispensings	Exposure Episode Length	Censor Treatment Episode at Evidence of:
21	TMP-SMX (Bactrim)	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
22	Doxycycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
23	Minocycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
24	Cephalexin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
25	Clindamycin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
26	TMP-SMX (Bactrim)	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF

Appendix H. Specifications Defining Parameters in this Request

Exposure							
Scenario	Index Exposure	Cohort Definition	Incident Exposure Washout Period	Incident with Respect to:	Exclude Evidence of Days Supply if Exposure Washout includes Dispensings	Exposure Episode Length	Censor Treatment Episode at Evidence of:
27	Doxycycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
28	Minocycline	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
29	Cephalexin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF
30	Clindamycin	*All valid exposure episodes during query period	30 days	TMP-SMX Doxycycline Minocycline Cephalexin Clindamycin	*Washout lookback period should search for evidence of days supply	30 days	Death, DP end date, Query end date, Disenrollment, Outcome of ARF

International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) codes are provided by Optum360.

National Drug Codes (NDCs) are checked against First Data Bank's "National Drug Data File (NDDF®) Plus."

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria									
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
1	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Doxyclyne, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
2	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	TMP-SMX, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
3	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Doxyclyne, TMP-SMX, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
4	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Doxyclyne, TMP-SMX, Minocycline, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Inclusion/Exclusion Criteria					
				Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
5	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Doxycycline, TMP-SMX, Minocycline, Cephalexin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
6	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	Doxycycline, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
7	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Inclusion/Exclusion Criteria					
				Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
8	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
9	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria									
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
10	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Cephalexin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
11	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	Doxycycline, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Inclusion/Exclusion Criteria					
				Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
12	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
13	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria									
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
14	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
15	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Cephalexin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria										
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes		Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
							Dispensings	Dispensings		
16	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A		1	N/A
	Doxycycline, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply		1	No
17	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A		1	N/A
	TMP-SMX, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply		1	No
18	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A		1	N/A
	TMP-SMX, Doxycycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply		1	No
19	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A		1	N/A
	TMP-SMX, Doxycycline, Minocycline, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply		1	No
20	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A		1	N/A
	TMP-SMX, Doxycycline, Minocycline, Cephalexin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply		1	No

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria									
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
21	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	Doxycycline, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
22	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
23	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Inclusion/Exclusion Criteria					
				Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
24	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
25	Inpatient Stay in 30 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-30	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Cephalexin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
26	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	Doxycycline, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria									
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes Dispensings	Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
27	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Minocycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
28	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Cephalexin, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No
29	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply	1	No
	TMP-SMX, Doxycycline, Minocycline, Clindamycin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply	1	No

Appendix H. Specifications Defining Parameters in this Request

Inclusion/Exclusion Criteria										
Scenario	Inclusion/ Exclusion Group	Criteria	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Inclusion/ Exclusion Evaluation Period Includes		Number of Instances the Criteria should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
							Dispensings	Dispensings		
30	Inpatient Stay in 180 days prior to index date OR	Exclusion	*Inpatient hospital stay;	N/A	-180	-1	N/A	N/A	1	N/A
	Evidence of HIV, Cancer (except non-melanoma skin cancer), Solid Organ or Bone Marrow Transplant, Rheumatoid Arthritis, Congenital Heart Diseases, Heart Failure or COPD OR	Exclusion	Any care setting	Any position	-180	0	Exclude evidence of days supply		1	No
	TMP-SMX, Doxycycline, Minocycline, Cephalexin	Exclusion	N/A	N/A	0	0	Exclude evidence of days supply		1	No

International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) codes are provided by Optum360.

National Drug Codes (NDCs) are checked against First Data Bank's "National Drug Data File (NDDF®) Plus."

Appendix H. Specifications Defining Parameters in this Request						
Scenario	Event	Incident Event Washout Period (Days)	Event Outcome			
			Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
1	Acute Respiratory Failure (ARF) defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
2	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
3	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
4	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
5	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

Appendix H. Specifications Defining Parameters in this Request						
Scenario	Event	Incident Event Washout Period (Days)	Event Outcome			
			Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
6	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
7	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
8	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
9	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
10	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

Appendix H. Specifications Defining Parameters in this Request						
Scenario	Event	Incident Event Washout Period (Days)	Event Outcome			
			Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
11	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
12	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
13	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
14	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
15	ARF defined as: 1. Inpatient code for acute respiratory failure AND 2. Inpatient code for mechanical ventilation AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

Appendix H. Specifications Defining Parameters in this Request						
Scenario	Event	Incident Event Washout Period (Days)	Event Outcome			
			Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
16	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation OR ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
17	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation OR ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
18	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation OR ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
19	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation OR ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

Appendix H. Specifications Defining Parameters in this Request						
Scenario	Event	Incident Event Washout Period (Days)	Event Outcome			
			Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
20	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation OR ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
21	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation or ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
22	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation or ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
23	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation or ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

Appendix H. Specifications Defining Parameters in this Request						
Scenario	Event	Incident Event Washout Period (Days)	Event Outcome			
			Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
24	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation or ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
25	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation or ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
26	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
27	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

Appendix H. Specifications Defining Parameters in this Request

Event Outcome						
Scenario	Event	Incident Event Washout Period (Days)	Incident with Respect to:	Care Setting	Principal Diagnosis Position	Blackout Period (Days)
28	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
29	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0
30	ARF defined as: 1. Inpatient code for acute respiratory failure OR hypersensitivity pneumonitis AND 2. Inpatient code for mechanical ventilation ECMO AND NO 3. Inpatient code for Heart Failure	0	Name of event washout criteria specified	Inpatient hospital stay;	Any	0

International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) codes are provided by Optum360.

National Drug Codes (NDCs) are checked against First Data Bank's "National Drug Data File (NDDF®) Plus."

Appendix I. Specifications Defining Baseline Characteristics in this Request

Baseline Characteristics							
Covariate	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Days)	Evaluation Period End (Days)	Exclude Evidence of Days Supply if Covariate Includes Dispensings	Number of Instances the Covariate should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
Respiratory Tract infections	Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A
Urinary Tract Infections (UTI)	Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A
Otitis Media	Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A
Acne	Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A
Well-Check Visits	Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A
Skin Abscess	*Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A
Rectal Abscess	Any care setting	Only applicable for Inpatient and Institutional stays: Any	-2	0	N/A	1	N/A

Appendix J. Concurrent Condition Program Parameter Specifications for this Request

Baseline Characteristics							
Covariate	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Relative to Event) (Days)	Evaluation Period End (Relative to Event) (Days)	Exclude Evidence of Days Supply if Covariate Includes Dispensings	Number of Instances the Covariate should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
Sepsis	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Pneumonia	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Pulmonary Contusion	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Severe Trauma	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Pancreatitis	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Anaphylaxis	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Shock	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A

Appendix J. Concurrent Condition Program Parameter Specifications for this Request

Baseline Characteristics							
Covariate	Care Setting	Principal Diagnosis Position	Evaluation Period Start (Relative to Event) (Days)	Evaluation Period End (Relative to Event) (Days)	Exclude Evidence of Days Supply if Covariate Includes Dispensings	Number of Instances the Covariate should be Found in Evaluation Period	Forced Supply to Attach to Dispensings
Angioedema	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
NO evidence of sepsis, pneumonia pulmonary contusion, severe trauma, pancreatitis, anaphylaxis, shock, or angioedema	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A
Evidence of either sepsis, pneumonia, pulmonary contusion, severe trauma, pancreatitis, anaphylaxis, shock, or angioedema	Inpatient hospital stay	Only applicable for Inpatient and Institutional stays: Any	0	0	N/A	1	N/A

Appendix K. Event Combination Defining Parameters for this Request

Combo							
Combination description	Combination date ¹	Raw Days from Start Date (Days)	Raw Days from End Date (Days)	Raw Exclusion	Combination Order	Encounter Type for Each Combination Component	Principal Diagnosis for each Combination Component
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonis	ADATEB	0	0	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
Acute Respiratory Failure (ARF) or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Sepsis	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Pneumonia	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Pulmonary Contusion	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Severe Trauma	ADATEB	0	0	0	5	Inpatient hospital stay	Any

Appendix K. Event Combination Defining Parameters for this Request

Combo							
Combination description	Combination date ¹	Raw Days from Start Date (Days)	Raw Days from End Date (Days)	Raw Exclusion	Combination Order	Encounter Type for Each Combination Component	Principal Diagnosis for each Combination Component
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Pancreatitis	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Anaphylaxis	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Shock	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Angiodema	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
ANY Concurrent Diagnosis (Sepsis OR Pneumonia OR Pulmonary Contusion OR Severe Trauma OR Pancreatitis OR Anaphylaxis OR Shock OR angiodema)	ADATEB	0	0	0	5	Inpatient hospital stay	Any

Appendix K. Event Combination Defining Parameters for this Request

Combo							
Combination description	Combination date ¹	Raw Days from Start Date (Days)	Raw Days from End Date (Days)	Raw Exclusion	Combination Order	Encounter Type for Each Combination Component	Principal Diagnosis for each Combination Component
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF Diagonis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
ANY Concurrent Diagnosis (Sepsis OR Pneumonia OR Pulmonary Contusion OR Severe Trauma OR Pancreatitis OR Anaphylaxis OR Shock OR angiodema)	ADATEB	0	0	1	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Sepsis	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Pneumonia	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Pulmonary Contusion	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Severe Trauma	ADATEB	0	0	0	5	Inpatient hospital stay	Any

Appendix K. Event Combination Defining Parameters for this Request

Combo							
Combination description	Combination date¹	Raw Days from Start Date (Days)	Raw Days from End Date (Days)	Raw Exclusion	Combination Order	Encounter Type for Each Combination Component	Principal Diagnosis for each Combination Component
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Pancreatitis	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Anaphylaxis	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Shock	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
Angiodema	ADATEB	0	0	0	5	Inpatient hospital stay	Any
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
ANY Concurrent Diagnosis (Sepsis OR Pneumonia OR Pulmonary Contusion OR Severe Trauma OR Pancreatitis OR Anaphylaxis OR Shock OR angiodema)	ADATEB	0	0	0	5	Inpatient hospital stay	Any

Appendix K. Event Combination Defining Parameters for this Request

Combo

Combination description	Combination date¹	Raw Days from Start Date (Days)	Raw Days from End Date (Days)	Raw Exclusion	Combination Order	Encounter Type for Each Combination Component	Principal Diagnosis for each Combination Component
Inpatient encounter	ADATEB	N/A	N/A	0	1	Inpatient hospital stay	N/A
ARF or Hypersensitivity Pneumonitis Diagnosis	ADATEB	N/A	N/A	0	2	Inpatient hospital stay	Any
Mechanical Ventilation or ECMO	ADATEB	0	0	0	3	Inpatient hospital stay	Any
Heart Failure	ADATEB	0	0	1	4	Inpatient hospital stay	Any
ANY Concurrent Diagnosis (Sepsis OR Pneumonia OR Pulmonary Contusion OR Severe Trauma OR Pancreatitis OR Anaphylaxis OR Shock OR angiodema)	ADATEB	0	0	1	5	Inpatient hospital stay	Any

**It is recommended to include figures with all combos*

¹ADATEB is defined as date of outcome hospital admission

Appendix L. Design Diagram of Cohort Entry Requirements, Index Exposure, and Event Outcome Assessment

