

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelssystem.org.

Overview for Request: cder_mpl1r_wp276

Request ID: cder_mpl1r_wp276

Request Description: In this request, we identified cohorts of individuals with an obesity diagnosis overall and with use of glucagon-like peptide-1 receptor agonists (GLP-1 RA) or other weight loss agents in the Sentinel Distributed Database (SDD) and evaluated the occurrence of intentional self-harm.

Sentinel Routine Querying Module: Cohort Identification and Descriptive Analysis (CIDA) module, version 13.1.1

Data Source: We distributed this query to 14 Sentinel Data Partners on March 18, 2024. Data from Medicare patients having both fee-for-service medical coverage and Part D drug coverage were included. The study period included data from October 1, 2015, through September 30, 2023. Please see Appendix A for a list of dates of available data for each Data Partner.

Study Design: We identified patients with a diagnosis code for obesity who were at least 18 years old and did not have evidence of diabetes or pregnancy. In product-specific cohorts, we further identified patients with incident use of GLP-1 RAs or other weight loss agents. We evaluated the occurrence of intentional self-harm (1) at any point after the obesity diagnosis and (2) only during product exposure episodes. This is a Type 2 analysis in the Query Request Package (QRP) documentation.

Exposures of Interest: We defined the drug exposure of interest, GLP-1 RAs or other weight loss agents using National Drug Codes (NDCs) identified in outpatient dispensing data. Only the first qualifying dispensing of GLP-1 RA or weight loss agent (index) was included: cohort re-entry was not allowed. Please see Appendix B for a list of generic/nonproprietary and brand/proprietary names of medical products for a list of NDCs used to define exposures in this request.

We defined the diagnosis of interest, obesity, using Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes. Only the first qualifying (index) obesity diagnosis in any care setting for each member was included: cohort re-entry was not allowed. Please see Appendix C for the specific diagnosis codes used.

Outcome of Interest: We defined the outcome of interest as intentional self-harm. Please see Appendix D for a list of the ICD-10-CM codes used to define intentional self-harm in this report.

Cohort Eligibility Criteria: We required members to be enrolled in health plans with medical and drug coverage in the 183 days prior to their index date in order to be included in the cohort; a gap in coverage of up to 45 days was allowed and treated as continuous enrollment. The following age groups were included in the cohort: 18-24, 25-44, 45-64, 65-79, and 80+ years. For the product-specific cohorts, we also required evidence of an obesity diagnosis in the 183 days (six months) prior to index. We excluded episodes if there was evidence of pregnancy or any diabetes in the 183 days prior to index. See Appendix E for a list of CPT-4, HCPCS, ICD-9-CM, ICD-10-CM, and ICD-10 PCS diagnosis codes used to define obesity, pregnancy, and diabetes inclusion and exclusion criteria. Additionally, for the other weight loss agent cohorts, we excluded episodes if there was evidence of GLP-1 RA use in the 183 days prior to index. See Appendix F for a list of generic/nonproprietary and brand/proprietary names of medical products for a list of NDCs used to define GLP-1 RA use.

Follow-up Time: For the GLP-1 RA and other weight loss agent cohorts we created exposure episodes based on the number of days of product supplied per dispensing in the outpatient pharmacy dispensing data. We bridged together episodes less than 30 days apart and added 30 days to the end of each episode. These “as treated” episodes are the time during which we assessed for intentional self-harm outcomes. Follow-up began on the day after the index dispensing and continued until the first occurrence of any of the following: 1) disenrollment; 2) death; 3) the end of the data provided by each Data Partner; 4) hospitalization; 5) initiation of another weight-loss product; or 6) occurrence of the outcome. Additionally, for the other weight loss agent cohorts, initiation of GLP1-RA resulted in the end of follow-up.

For the obesity cohort, exposure episodes started on the date of obesity diagnosis and continued until the first occurrence of any of the following: 1) disenrollment; 2) death; 3) the end of the data provided by each Data Partner; 4) hospitalization; 5) initiation of a GLP-1 RA; or 6) occurrence of the outcome. Please see Appendix G for a list of generic/nonproprietary and brand/proprietary names of medical products for a list of NDCs used to define censoring criteria.

Baseline Characteristics: We assessed the following characteristics in the 183 days prior to and including the index date: age; year; sex; Combined Comorbidity Score¹; Adapted Diabetes Complications Severity Index (aDCSI)²; health service and drug utilization; psychiatric history including: psychiatric drug dispensings and any other psychiatric event including: anxiety, attention-deficit/hyperactivity disorder, akathisia, behavioral disorder, bipolar disorder, cerebral degenerations usually manifested in childhood, other cerebral degenerations, conduct disorder, delirium, depression, electroconvulsive therapy, hallucination, obsessive-compulsive disorder, other mental disorders, other psychological disorders, persistent mental disorders due to conditions classified elsewhere, personality disorders, pervasive developmental disorders, post-traumatic stress disorder, psychotherapy, psychotic conditions, schizophrenia, sleep disorder, substance abuse, suicidal behavior, transcranial magnetic stimulation, and vagus nerve stimulation; type 2 diabetes; cardiovascular disease; cognitive impairment (Alzheimer's disease and related disorders, senile dementia); traumatic brain injury (including nonpsychotic disorders due to brain damage); migraine; epilepsy; and chronic pain. We assessed the following characteristics in the 183 days prior to the index date: self-harm, weight reduction surgeries, weight reduction procedures, and lifestyle intervention for weight reduction. We also assessed intentional self-harm at any point in the patient's history prior to the index date.

We assessed past history of drug use in the 183 days prior to and including the index date including analgesic opiates, antipsychotics, anxiolytics or hypnotics, lithium and other mood stabilizers, antidepressants, anti-diabetic agents (including alpha-glucosidase inhibitors, insulin, metformin, thiazolidinediones, meglitinides, amylin analogues, sulfonylureas, and bile acid sequestrants). We assessed use of weight loss agents (including benzphetamine, combination naltrexone and bupropion, diethylpropion, lorcaserin, orlistat, phendimetrazine, phentermine, phentermine-topiramate, and setmelanotide) separately in the 183 days prior to the index date and starting the day after index date until 183 days following index.

We identified the specified conditions by presence of a diagnosis or procedure code in any care setting and used ICD-9-CM diagnosis and procedure codes, ICD-10-CM diagnosis codes and ICD-10 Procedure Coding System (ICD-10-PCS) procedure codes, Healthcare Common Procedure Coding System (HCPCS) codes, and Current Procedural Terminology, Fourth Edition (CPT-4) and Third Edition (CPT Category III) codes to define these conditions. Please see Appendix H for a list of ICD-9-CM, ICD-10-CM, HCPCS CPT-2, CPT-3, and CPT-4 codes, Appendix I for a list of generic/nonproprietary and brand/proprietary names for a list of NDCs used to define baseline characteristics in this request.

Please see Appendices J and K for the specifications of parameters used in this request and a design diagram of cohort defining criteria.

Limitations: As with all observational studies, this evaluation was limited in its ability to control for all sources of potential bias. Algorithms used to define exposures, outcomes, inclusion and exclusion criteria, and covariates are imperfect and may be misclassified. Therefore, data should be interpreted with this limitation in mind.

Notes: Please contact the Sentinel Operations Center (info@sentinel-system.org) for questions and to provide comments/suggestions for future enhancements to this document. For more information on Sentinel's routine querying modules, please refer to the documentation (<https://dev.sentinel-system.org/projects/SENTINEL/repos/sentinel-routine-querying-tool-documentation/browse>).

¹The Combined Comorbidity Score is calculated based on comorbidities observed during a requester-defined window around the exposure episode start date. (Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score Predicted Mortality in Elderly Patients Better Than Existing Scores. *J Clin Epidemiol.* 2011;64(7):749-759; Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and Validation of the Combined Comorbidity Score for ICD-10-CM. *Med Care.* 2017;55(12):1046-1051)

²Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. *Am J Manag Care.* 2012;18(11):721-726.

Table of Contents

<u>Glossary (CIDA)</u>	List of Terms to Define the Cohort Identification and Descriptive Analysis (CIDA) Found in this Report
<u>Table 1a</u>	Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1b</u>	Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1c</u>	Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1d</u>	Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1e</u>	Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1f</u>	Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1g</u>	Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1h</u>	Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1i</u>	Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1j</u>	Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1k</u>	Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1l</u>	Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1m</u>	Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 1n</u>	Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 2</u>	Summary of Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 3</u>	Summary of Time to End of At-Risk Period for Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 4</u>	Summary of Reasons for End of At-Risk Period for Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Table 5</u>	Summary of Patient Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 1</u>	Kaplan-Meier Estimate of Event of Interest Not Occurring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2a</u>	Reasons for End of Follow-Up Among GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2b</u>	Reasons for End of Follow-Up Among GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2c</u>	Reasons for End of Follow-Up Among Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2d</u>	Reasons for End of Follow-Up Among Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2e</u>	Reasons for End of Follow-Up Among Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Table of Contents

<u>Figure 2f</u>	Reasons for End of Follow-Up Among Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2g</u>	Reasons for End of Follow-Up Among Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2h</u>	Reasons for End of Follow-Up Among Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2i</u>	Reasons for End of Follow-Up Among Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2j</u>	Reasons for End of Follow-Up Among Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2k</u>	Reasons for End of Follow-Up Among Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2l</u>	Reasons for End of Follow-Up Among Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2m</u>	Reasons for End of Follow-Up Among Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Figure 2n</u>	Reasons for End of Follow-Up Among Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023
<u>Appendix A</u>	Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (February 29, 2024)
<u>Appendix B</u>	List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposures in this Request
<u>Appendix C</u>	List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Exposures in this Request
<u>Appendix D</u>	List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request
<u>Appendix E</u>	List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request
<u>Appendix F</u>	List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposure Incidence Criteria in this Request
<u>Appendix G</u>	List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposure Censoring Criteria in this Request
<u>Appendix H</u>	List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request
<u>Appendix I</u>	List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request
<u>Appendix J</u>	Specifications of Parameters Used in this Request
<u>Appendix K</u>	Design Diagram for Cohort Defining Criteria

**Glossary of Terms for Analyses Using
Cohort Identification and Descriptive Analysis (CIDA) Module***

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*All terms may not be used in this report.

Table 1a. Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	340,779	N/A
Demographic Characteristics		
Age (years)	50.5	11.7
Age group		
18-24 years	9,248	2.70%
25-44 years	116,278	34.10%
45-64 years	150,228	44.10%
65-79 years	62,564	18.40%
≥ 80 years	2,461	0.70%
Sex		
Female	266,236	78.10%
Male	74,543	21.90%
Race ²		
American Indian or Alaska Native	841	0.20%
Asian	1,410	0.40%
Black or African American	19,037	5.60%
Multi-racial	5,756	1.70%
Native Hawaiian or Other Pacific Islander	184	0.10%
Unknown	203,994	59.90%
White	109,557	32.10%
Hispanic origin		
Yes	8,376	2.50%
No	94,167	27.60%
Unknown	238,236	69.90%

Table 1a. Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists		
Year		
2015	1,279	0.40%
2016	7,007	2.10%
2017	10,005	2.90%
2018	12,592	3.70%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	16,976	5.00%
2020	20,239	5.90%
2021	41,176	12.10%
2022	101,167	29.70%
2023	130,338	38.20%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.4	0.9
Combined Comorbidity Score ⁴	0.6	1.4
Medical History		
Type 2 Diabetes	0	0.00%
Cardiovascular Disease	23,379	6.90%
Cognitive Impairment	1,175	0.30%
Traumatic Brain Injury	783	0.20%
Migraine	31,753	9.30%
Epilepsy	3,280	1.00%
Chronic Pain	80,739	23.70%
Weight Reduction Surgeries	254	0.10%
Weight Reduction Procedures	16	0.00%
Lifestyle intervention	129,316	37.90%

Table 1a. Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists		
Psychiatric History		
Previous Intentional Self-Harm Ever	2,226	0.70%
Psychiatric History Overall	244,948	71.90%
Psychiatric Drug Dispensings	193,203	56.70%
Intentional Self-Harm Encounter	283	0.10%
Any Other Psychiatric Event	208,383	61.10%
Attention-Deficit/Hyperactivity Disorder	16,163	4.70%
Akathisia	288	0.10%
Anxiety	100,808	29.60%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	26,212	7.70%
Bipolar Disorder	15,921	4.70%
Cerebral Degenerations usually Manifested in Childhood	1,173	0.30%
Conduct Disorder	202	0.10%
Delirium	1,305	0.40%
Depression	75,218	22.10%
Electroconvulsive Therapy	62	0.00%
Hallucination	345	0.10%
Obsessive-Compulsive Disorder	1,650	0.50%
Other Cerebral Degenerations	1,577	0.50%
Other Mental Disorders	3,214	0.90%
Other Psychological Disorders	20,549	6.00%
Persistent Mental Disorders due to Conditions Classified Elsewhere	598	0.20%
Personality Disorders	2,057	0.60%

Table 1a. Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists		
Pervasive Developmental Disorders	1,035	0.30%
Post-Traumatic Stress Disorder	10,397	3.10%
Psychotherapy	36,761	10.80%
Psychotic Conditions	603	0.20%
Schizophrenia	2,853	0.80%
Sleep Disorder	104,590	30.70%
Substance Abuse	12,922	3.80%
Suicidal Behavior	1,625	0.50%
Transcranial Magnetic Stimulation	274	0.10%
Vagus Nerve Stimulation	290	0.10%
Medical Product Use		
albiglutide	301	0.10%
dulaglutide	22,173	6.50%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	3,004	0.90%
liraglutide	83,445	24.50%
lixisenatide	63	0.00%
semaglutide	212,143	62.30%
tirzepatide	19,894	5.80%
Analgesic Opiates	70,068	20.60%
Antipsychotics	23,554	6.90%
Anxiolytics/Hypnotics	83,214	24.40%
Lithium & Other Mood Stabilizers	23,867	7.00%
Antidepressants	158,370	46.50%
Any Anti-Diabetic Agents	61,927	18.20%

Table 1a. Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists		
alpha-glucosidase inhibitors	207	0.10%
insulin	1,243	0.40%
metformin	60,213	17.70%
thiazolidinediones	642	0.20%
meglitinides	25	0.00%
amylin analogue	*****	0.00%
sulfonylureas	1,001	0.30%
bile acid sequestrants	530	0.20%
Other Weight Loss Agents	15,254	4.50%
benzphetamine	15	0.00%
Combination naltrexone and bupropion	2,128	0.60%
Diethylpropion	310	0.10%
lorcaserin	723	0.20%
orlistat	176	0.10%
phendimetrazine	223	0.10%
phentermine	11,114	3.30%
phentermine-topiramate	1,246	0.40%
setmelanotide	0	0.00%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	10,433	3.10%
Benzphetamine	14	0.00%
Combination naltrexone and bupropion	1,356	0.40%
Diethylpropion	202	0.10%
Lorcaserin	385	0.10%
Orlistat	122	0.00%

Table 1a. Aggregated Characteristics of GLP-1 Receptor Agonists in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists		
Phendimetrazine	169	0.00%
Phentermine	7,672	2.30%
Phentermine-topiramate	863	0.30%
Setmelanotide	*****	0.00%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	10.6	9.9
Mean number of emergency room encounters	0.2	0.7
Mean number of inpatient hospital encounters	0	0.2
Mean number of non-acute institutional encounters	0	0.1
Mean number of other ambulatory encounters	2.6	6.1
Mean number of filled prescriptions	17.4	15
Mean number of generics dispensed	8.3	4.9
Mean number of unique drug classes dispensed	7.9	4.5

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1b. Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists without censoring		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	341,735	N/A
Demographic Characteristics		
Age (years)	50.5	11.7
Age group		
18-24 years	*****	2.70%
25-44 years	116,741	34.20%
45-64 years	150,647	44.10%
65-79 years	62,601	18.30%
≥ 80 years	*****	0.70%
Sex		
Female	267,031	78.10%
Male	74,704	21.90%
Race ²		
American Indian or Alaska Native	*****	0.20%
Asian	*****	0.40%
Black or African American	19,099	5.60%
Multi-racial	5,786	1.70%
Native Hawaiian or Other Pacific Islander	184	0.10%
Unknown	204,623	59.90%
White	109,786	32.10%
Hispanic origin		
Yes	8,417	2.50%
No	94,298	27.60%
Unknown	239,020	69.90%

Table 1b. Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists without censoring		
Year		
2015	*****	0.40%
2016	*****	2.10%
2017	10,044	2.90%
2018	12,642	3.70%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	17,055	5.00%
2020	20,326	5.90%
2021	41,378	12.10%
2022	101,445	29.70%
2023	130,536	38.20%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.4	0.9
Combined Comorbidity Score ⁴	0.6	1.4
Medical History		
Type 2 Diabetes	0	0.00%
Cardiovascular Disease	23,399	6.80%
Cognitive Impairment	*****	0.30%
Traumatic Brain Injury	783	0.20%
Migraine	31,831	9.30%
Epilepsy	*****	1.00%
Chronic Pain	80,910	23.70%
Weight Reduction Surgeries	*****	0.10%
Weight Reduction Procedures	16	0.00%
Lifestyle intervention	129,696	38.00%

Table 1b. Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists without censoring		
Psychiatric History		
Previous Intentional Self-Harm Ever	*****	0.70%
Psychiatric History Overall	245,559	71.90%
Psychiatric Drug Dispensings	193,683	56.70%
Intentional Self-Harm Encounter	*****	0.10%
Any Other Psychiatric Event	208,877	61.10%
Attention-Deficit/Hyperactivity Disorder	16,181	4.70%
Akathisia	288	0.10%
Anxiety	101,044	29.60%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	26,292	7.70%
Bipolar Disorder	15,944	4.70%
Cerebral Degenerations usually Manifested in Childhood	1,173	0.30%
Conduct Disorder	202	0.10%
Delirium	*****	0.40%
Depression	75,393	22.10%
Electroconvulsive Therapy	62	0.00%
Hallucination	*****	0.10%
Obsessive-Compulsive Disorder	*****	0.50%
Other Cerebral Degenerations	*****	0.50%
Other Mental Disorders	*****	0.90%
Other Psychological Disorders	20,588	6.00%
Persistent Mental Disorders due to Conditions Classified Elsewhere	598	0.20%
Personality Disorders	*****	0.60%

Table 1b. Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists without censoring		
Pervasive Developmental Disorders	*****	0.30%
Post-Traumatic Stress Disorder	10,409	3.00%
Psychotherapy	36,832	10.80%
Psychotic Conditions	*****	0.20%
Schizophrenia	*****	0.80%
Sleep Disorder	104,806	30.70%
Substance Abuse	12,937	3.80%
Suicidal Behavior	*****	0.50%
Transcranial Magnetic Stimulation	*****	0.10%
Vagus Nerve Stimulation	290	0.10%

Medical Product Use

albiglutide	*****	0.10%
dulaglutide	22,222	6.50%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	*****	0.90%
liraglutide	83,766	24.50%
lixisenatide	63	0.00%
semaglutide	212,693	62.20%
tirzepatide	19,925	5.80%
Analgesic Opiates	70,228	20.60%
Antipsychotics	23,589	6.90%
Anxiolytics/Hypnotics	83,393	24.40%
Lithium & Other Mood Stabilizers	23,912	7.00%
Antidepressants	158,742	46.50%
Any Anti-Diabetic Agents	62,095	18.20%

Table 1b. Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists without censoring		
alpha-glucosidase inhibitors	*****	0.10%
insulin	*****	0.40%
metformin	60,380	17.70%
thiazolidinediones	*****	0.20%
meglitinides	25	0.00%
amylin analogue	*****	0.00%
sulfonylureas	*****	0.30%
bile acid sequestrants	530	0.20%
Other Weight Loss Agents	15,777	4.60%
benzphetamine	15	0.00%
Combination naltrexone and bupropion	2,159	0.60%
Diethylpropion	327	0.10%
lorcaserin	735	0.20%
orlistat	176	0.10%
phendimetrazine	240	0.10%
phentermine	11,582	3.40%
phentermine-topiramate	1,266	0.40%
setmelanotide	0	0.00%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	11,449	3.40%
Benzphetamine	*****	0.00%
Combination naltrexone and bupropion	1,418	0.40%
Diethylpropion	238	0.10%
Lorcaserin	403	0.10%
Orlistat	*****	0.00%

Table 1b. Aggregated Characteristics of GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

GLP-1 Receptor Agonists without censoring		
Phendimetrazine	189	0.10%
Phentermine	8,566	2.50%
Phentermine-topiramate	894	0.30%
Setmelanotide	*****	0.00%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	10.6	9.9
Mean number of emergency room encounters	0.2	0.7
Mean number of inpatient hospital encounters	0	0.2
Mean number of non-acute institutional encounters	0	0.1
Mean number of other ambulatory encounters	2.6	6.1
Mean number of filled prescriptions	17.4	15
Mean number of generics dispensed	8.3	4.9
Mean number of unique drug classes dispensed	7.9	4.5

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1c. Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	129,942	N/A
Demographic Characteristics		
Age (years)	45.3	10.7
Age group		
18-24 years	4,684	3.6%
25-44 years	57,442	44.2%
45-64 years	64,873	49.9%
65-79 years	2,900	2.2%
≥ 80 years	43	0.0%
Sex		
Female	104,886	80.7%
Male	25,056	19.3%
Race ²		
American Indian or Alaska Native	76	0.1%
Asian	327	0.3%
Black or African American	3,052	2.3%
Multi-racial	2,447	1.9%
Native Hawaiian or Other Pacific Islander	29	0.0%
Unknown	109,406	84.2%
White	14,605	11.2%
Hispanic origin		
Yes	2,424	1.9%
No	4,347	3.3%
Unknown	123,171	94.8%
Year		

Table 1c. Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda		
2015	416	0.3%
2016	2,222	1.7%
2017	3,525	2.7%
2018	4,993	3.8%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	6,187	4.8%
2020	6,445	5.0%
2021	14,504	11.2%
2022	27,214	20.9%
2023	64,436	49.6%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.2	0.5
Combined Comorbidity Score ⁴	0.3	1.1
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	3,351	2.6%
Cognitive Impairment	87	0.1%
Traumatic Brain Injury	192	0.1%
Migraine	12,539	9.6%
Epilepsy	642	0.5%
Chronic Pain	22,711	17.5%
Weight Reduction Surgeries	109	0.1%
Weight Reduction Procedures	*****	0.0%
Lifestyle intervention	60,825	46.8%
Psychiatric History		

Table 1c. Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda		
Previous Intentional Self-Harm Ever	480	0.4%
Psychiatric History Overall	88,980	68.5%
Psychiatric Drug Dispensings	70,950	54.6%
Intentional Self-Harm Encounter	73	0.1%
Any Other Psychiatric Event	74,181	57.1%
Attention-Deficit/Hyperactivity Disorder	7,157	5.5%
Akathisia	57	0.0%
Anxiety	39,349	30.3%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	10,200	7.8%
Bipolar Disorder	4,003	3.1%
Cerebral Degenerations usually Manifested in Childhood	223	0.2%
Conduct Disorder	28	0.0%
Delirium	231	0.2%
Depression	25,040	19.3%
Electroconvulsive Therapy	11	0.0%
Hallucination	46	0.0%
Obsessive-Compulsive Disorder	567	0.4%
Other Cerebral Degenerations	193	0.1%
Other Mental Disorders	1,134	0.9%
Other Psychological Disorders	5,621	4.3%
Persistent Mental Disorders due to Conditions Classified Elsewhere	30	0.0%
Personality Disorders	483	0.4%
Pervasive Developmental Disorders	174	0.1%

Table 1c. Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda		
Post-Traumatic Stress Disorder	2,964	2.3%
Psychotherapy	13,996	10.8%
Psychotic Conditions	82	0.1%
Schizophrenia	200	0.2%
Sleep Disorder	32,193	24.8%
Substance Abuse	2,713	2.1%
Suicidal Behavior	553	0.4%
Transcranial Magnetic Stimulation	100	0.1%
Vagus Nerve Stimulation	49	0.0%
Medical Product Use		
albiglutide	0	0.0%
dulaglutide	*****	0.0%
exenatide	*****	0.0%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
liraglutide	53,370	41.1%
lixisenatide	0	0.0%
semaglutide	74,333	57.2%
tirzepatide	*****	0.0%
Analgesic Opiates	20,089	15.5%
Antipsychotics	5,663	4.4%
Anxiolytics/Hypnotics	27,771	21.4%
Lithium & Other Mood Stabilizers	6,652	5.1%
Antidepressants	57,562	44.3%
Any Anti-Diabetic Agents	11,564	8.9%
alpha-glucosidase inhibitors	36	0.0%
insulin	34	0.0%

Table 1c. Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda		
metformin	11,301	8.7%
thiazolidinediones	56	0.0%
meglitinides	0	0.0%
amylin analogue	*****	0.0%
sulfonylureas	16	0.0%
bile acid sequestrants	183	0.1%
Other Weight Loss Agents	9,997	7.7%
benzphetamine	*****	0.0%
Combination naltrexone and bupropion	1,821	1.4%
Diethylpropion	180	0.1%
lorcaserin	628	0.5%
orlistat	137	0.1%
phendimetrazine	129	0.1%
phentermine	6,626	5.1%
phentermine-topiramate	1,007	0.8%
setmelanotide	0	0.0%
Other Weight Loss Agents after index	6,629	5.1%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Benzphetamine	*****	0.0%
Combination naltrexone and bupropion	1,177	0.9%
Diethylpropion	121	0.1%
Lorcaserin	327	0.3%
Orlistat	89	0.1%
Phendimetrazine	101	0.1%
Phentermine	4,379	3.4%
Phentermine-topiramate	700	0.5%

Table 1c. Aggregated Characteristics of Wegovy & Saxenda in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda		
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	8.9	8.4
Mean number of emergency room encounters	0.2	0.5
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of non-acute institutional encounters	0.0	0.0
Mean number of other ambulatory encounters	2.1	4.2
Mean number of filled prescriptions	13.9	12.1
Mean number of generics dispensed	7.1	4.5
Mean number of unique drug classes dispensed	6.8	4.2

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1d. Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda without censoring		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	130,436	N/A
Demographic Characteristics		
Age (years)	45.3	10.7
Age group		
18-24 years	4,704	3.6%
25-44 years	57,684	44.2%
45-64 years	65,102	49.9%
65-79 years	*****	2.20%
≥ 80 years	*****	0.0%
Sex		
Female	105,309	80.7%
Male	25,127	19.3%
Race ²		
American Indian or Alaska Native	*****	0.1%
Asian	*****	0.3%
Black or African American	3,083	2.4%
Multi-racial	2,468	1.9%
Native Hawaiian or Other Pacific Islander	29	0.0%
Unknown	109,743	84.1%
White	14,706	11.3%
Hispanic origin		
Yes	2,443	1.9%
No	4,395	3.4%
Unknown	123,598	94.8%

Table 1d. Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda without censoring		
Year		
2015	*****	0.3%
2016	*****	1.7%
2017	3,552	2.7%
2018	5,025	3.9%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	6,240	4.8%
2020	6,490	5.0%
2021	14,612	11.2%
2022	27,292	20.9%
2023	64,572	49.5%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.2	0.5
Combined Comorbidity Score ⁴	0.3	1.1
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	3,350	2.6%
Cognitive Impairment	87	0.1%
Traumatic Brain Injury	192	0.1%
Migraine	12,585	9.6%
Epilepsy	*****	0.5%
Chronic Pain	22,799	17.5%
Weight Reduction Surgeries	*****	0.1%
Weight Reduction Procedures	*****	0.0%
Lifestyle intervention	61,035	46.8%

Table 1d. Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda without censoring		
Psychiatric History		
Previous Intentional Self-Harm Ever	*****	0.4%
Psychiatric History Overall	89,283	68.4%
Psychiatric Drug Dispensings	71,204	54.6%
Intentional Self-Harm Encounter	73	0.1%
Any Other Psychiatric Event	74,413	57.0%
Attention-Deficit/Hyperactivity Disorder	7,169	5.5%
Akathisia	57	0.0%
Anxiety	39,453	30.2%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	10,235	7.8%
Bipolar Disorder	4,017	3.1%
Cerebral Degenerations usually Manifested in Childhood	223	0.2%
Conduct Disorder	28	0.0%
Delirium	*****	0.2%
Depression	25,125	19.3%
Electroconvulsive Therapy	11	0.0%
Hallucination	*****	0.0%
Obsessive-Compulsive Disorder	*****	0.4%
Other Cerebral Degenerations	*****	0.1%
Other Mental Disorders	*****	0.9%
Other Psychological Disorders	5,637	4.3%
Persistent Mental Disorders due to Conditions Classified Elsewhere	30	0.0%
Personality Disorders	*****	0.4%

Table 1d. Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda without censoring		
Pervasive Developmental Disorders	*****	0.1%
Post-Traumatic Stress Disorder	*****	2.3%
Psychotherapy	14,029	10.8%
Psychotic Conditions	*****	0.1%
Schizophrenia	*****	0.2%
Sleep Disorder	32,294	24.8%
Substance Abuse	*****	2.1%
Suicidal Behavior	553	0.4%
Transcranial Magnetic Stimulation	*****	0.1%
Vagus Nerve Stimulation	49	0.0%

Medical Product Use

albiglutide	0	0.0%
dulaglutide	*****	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	*****	0.0%
liraglutide	53,648	41.1%
lixisenatide	0	0.0%
semaglutide	74,541	57.1%
tirzepatide	*****	0.0%
Analgesic Opiates	20,175	15.5%
Antipsychotics	5,684	4.4%
Anxiolytics/Hypnotics	27,850	21.4%
Lithium & Other Mood Stabilizers	6,667	5.1%
Antidepressants	57,753	44.3%
Any Anti-Diabetic Agents	11,602	8.9%

Table 1d. Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda without censoring		
alpha-glucosidase inhibitors	36	0.0%
insulin	34	0.0%
metformin	11,338	8.7%
thiazolidinediones	*****	0.0%
meglitinides	0	0.0%
amylin analogue	*****	0.0%
sulfonylureas	*****	0.0%
bile acid sequestrants	183	0.1%
Other Weight Loss Agents	10,268	7.9%
benzphetamine	*****	0.0%
Combination naltrexone and bupropion	1,841	1.4%
Diethylpropion	*****	0.1%
lorcaserin	*****	0.5%
orlistat	137	0.1%
phendimetrazine	*****	0.1%
phentermine	6,866	5.3%
phentermine-topiramate	1,026	0.8%
setmelanotide	0	0.0%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	7,157	5.5%
Benzphetamine	*****	0.0%
Combination naltrexone and bupropion	1,226	0.9%
Diethylpropion	139	0.1%
Lorcaserin	344	0.3%
Orlistat	*****	0.1%

Table 1d. Aggregated Characteristics of Wegovy & Saxenda without censoring in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Wegovy & Saxenda without censoring		
Phendimetrazine	*****	0.1%
Phentermine	4,825	3.7%
Phentermine-topiramate	727	0.6%
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	8.9	8.4
Mean number of emergency room encounters	0.2	0.5
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of non-acute institutional encounters	0.0	0.0
Mean number of other ambulatory encounters	2.1	4.2
Mean number of filled prescriptions	13.9	12.1
Mean number of generics dispensed	7.1	4.5
Mean number of unique drug classes dispensed	6.8	4.2

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1e. Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Obesity		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	26,539,423	N/A
Demographic Characteristics		
Age (years)	53.2	13.6
Age group		
18-24 years	1,637,548	6.2%
25-44 years	7,564,730	28.5%
45-64 years	8,491,489	32.0%
65-79 years	7,596,867	28.6%
≥ 80 years	1,248,789	4.7%
Sex		
Female	16,087,673	60.6%
Male	10,451,750	39.4%
Race ²		
American Indian or Alaska Native	111,038	0.4%
Asian	246,654	0.9%
Black or African American	2,534,004	9.5%
Multi-racial	194,933	0.7%
Native Hawaiian or Other Pacific Islander	49,950	0.2%
Unknown	11,592,198	43.7%
White	11,810,646	44.5%
Hispanic origin		
Yes	1,500,595	5.7%
No	12,966,379	48.9%
Unknown	12,072,449	45.5%

Table 1e. Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Obesity		
Year		
2015	1,631,620	6.1%
2016	4,525,599	17.1%
2017	4,136,217	15.6%
2018	3,758,164	14.2%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	3,525,915	13.3%
2020	3,068,309	11.6%
2021	2,411,565	9.1%
2022	2,284,742	8.6%
2023	1,197,292	4.5%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.6	1.1
Combined Comorbidity Score ⁴	0.7	1.7
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	2,764,555	10.4%
Cognitive Impairment	421,756	1.6%
Traumatic Brain Injury	58,697	0.2%
Migraine	1,312,709	4.9%
Epilepsy	437,039	1.6%
Chronic Pain	4,359,165	16.4%
Weight Reduction Surgeries	20,160	0.1%
Weight Reduction Procedures	7,688	0.0%
Lifestyle intervention	3,552,100	13.4%

Table 1e. Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Obesity		
Psychiatric History		
Previous Intentional Self-Harm Ever	121,637	0.5%
Psychiatric History Overall	14,277,101	53.8%
Psychiatric Drug Dispensings	9,557,354	36.0%
Intentional Self-Harm Encounter	39,474	0.1%
Any Other Psychiatric Event	12,217,574	46.0%
Attention-Deficit/Hyperactivity Disorder	521,088	2.0%
Akathisia	22,612	0.1%
Anxiety	4,626,581	17.4%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	1,173,420	4.4%
Bipolar Disorder	990,160	3.7%
Cerebral Degenerations usually Manifested in Childhood	171,507	0.6%
Conduct Disorder	32,533	0.1%
Delirium	291,340	1.1%
Depression	4,181,409	15.8%
Electroconvulsive Therapy	5,665	0.0%
Hallucination	57,878	0.2%
Obsessive-Compulsive Disorder	63,592	0.2%
Other Cerebral Degenerations	282,279	1.1%
Other Mental Disorders	241,662	0.9%
Other Psychological Disorders	2,421,865	9.1%
Persistent Mental Disorders due to Conditions Classified Elsewhere	307,723	1.2%
Personality Disorders	117,215	0.4%

Table 1e. Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Obesity		
Pervasive Developmental Disorders	101,750	0.4%
Post-Traumatic Stress Disorder	472,777	1.8%
Psychotherapy	1,529,767	5.8%
Psychotic Conditions	154,949	0.6%
Schizophrenia	410,071	1.5%
Sleep Disorder	4,728,151	17.8%
Substance Abuse	1,340,326	5.1%
Suicidal Behavior	163,296	0.6%
Transcranial Magnetic Stimulation	3,647	0.0%
Vagus Nerve Stimulation	19,919	0.1%

Medical Product Use

albiglutide	0	0.0%
dulaglutide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	0	0.0%
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	5,620,016	21.2%
Antipsychotics	1,488,073	5.6%
Anxiolytics/Hypnotics	4,323,486	16.3%
Lithium & Other Mood Stabilizers	1,468,461	5.5%
Antidepressants	7,129,057	26.9%
Any Anti-Diabetic Agents	812,561	3.1%

Table 1e. Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Obesity		
alpha-glucosidase inhibitors	2,549	0.0%
insulin	51,327	0.2%
metformin	724,134	2.7%
thiazolidinediones	17,009	0.1%
meglitinides	1,295	0.0%
amylin analogue	34	0.0%
sulfonylureas	73,483	0.3%
bile acid sequestrants	28,982	0.1%
Other Weight Loss Agents	72,523	0.3%
benzphetamine	133	0.0%
Combination naltrexone and bupropion	8,094	0.0%
Diethylpropion	1,230	0.0%
lorcaserin	3,779	0.0%
orlistat	930	0.0%
phendimetrazine	1,483	0.0%
phentermine	55,014	0.2%
phentermine-topiramate	3,905	0.0%
setmelanotide	0	0.0%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	160,304	0.6%
Benzphetamine	164	0.0%
Combination naltrexone and bupropion	17,808	0.1%
Diethylpropion	2,265	0.0%
Lorcaserin	6,877	0.0%
Orlistat	1,866	0.0%

Table 1e. Aggregated Characteristics of Obesity in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Obesity		
Phendimetrazine	2,373	0.0%
Phentermine	126,047	0.5%
Phentermine-topiramate	7,573	0.0%
Setmelanotide	*****	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	8.2	10.4
Mean number of emergency room encounters	0.3	1.1
Mean number of inpatient hospital encounters	0.1	0.4
Mean number of non-acute institutional encounters	0.0	0.2
Mean number of other ambulatory encounters	2.7	9.6
Mean number of filled prescriptions	12.7	14.9
Mean number of generics dispensed	5.3	4.5
Mean number of unique drug classes dispensed	5.0	4.2

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1f. Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Benzphetamine		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	237	N/A
Demographic Characteristics		
Age (years)	50.3	11.1
Age group		
18-24 years	*****	*****
25-44 years	78	32.9%
45-64 years	124	52.3%
65-79 years	*****	*****
≥ 80 years	*****	*****
Sex		
Female	185	78.1%
Male	52	21.9%
Race ²		
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African American	*****	*****
Multi-racial	*****	*****
Native Hawaiian or Other Pacific Islander	0	0.0%
Unknown	163	68.8%
White	*****	*****
Hispanic origin		
Yes	*****	*****
No	*****	*****
Unknown	184	77.6%

Table 1f. Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Benzphetamine		
Year		
2015	*****	*****
2016	28	11.8%
2017	29	12.2%
2018	31	13.1%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	42	17.7%
2020	34	14.3%
2021	31	13.1%
2022	26	11.0%
2023	*****	*****
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.3	0.7
Combined Comorbidity Score ⁴	0.4	1.2
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	11	4.6%
Cognitive Impairment	*****	*****
Traumatic Brain Injury	0	0.0%
Migraine	15	6.3%
Epilepsy	*****	*****
Chronic Pain	59	24.9%
Weight Reduction Surgeries	0	0.0%
Weight Reduction Procedures	0	0.0%
Lifestyle intervention	91	38.4%

Table 1f. Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Benzphetamine		
Psychiatric History		
Previous Intentional Self-Harm Ever	*****	*****
Psychiatric History Overall	174	73.4%
Psychiatric Drug Dispensings	144	60.8%
Intentional Self-Harm Encounter	*****	*****
Any Other Psychiatric Event	144	60.8%
Attention-Deficit/Hyperactivity Disorder	*****	*****
Akathisia	0	0.0%
Anxiety	77	32.5%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	23	9.7%
Bipolar Disorder	12	5.1%
Cerebral Degenerations usually Manifested in Childhood	*****	*****
Conduct Disorder	0	0.0%
Delirium	0	0.0%
Depression	55	23.2%
Electroconvulsive Therapy	0	0.0%
Hallucination	0	0.0%
Obsessive-Compulsive Disorder	0	0.0%
Other Cerebral Degenerations	0	0.0%
Other Mental Disorders	*****	*****
Other Psychological Disorders	*****	*****
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	0	0.0%

Table 1f. Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Benzphetamine		
Pervasive Developmental Disorders	0	0.0%
Post-Traumatic Stress Disorder	*****	*****
Psychotherapy	15	6.3%
Psychotic Conditions	0	0.0%
Schizophrenia	*****	*****
Sleep Disorder	56	23.6%
Substance Abuse	13	5.5%
Suicidal Behavior	0	0.0%
Transcranial Magnetic Stimulation	0	0.0%
Vagus Nerve Stimulation	0	0.0%

Medical Product Use

albiglutide	0	0.0%
dulaglutide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	0	0.0%
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	76	32.1%
Antipsychotics	15	6.3%
Anxiolytics/Hypnotics	84	35.4%
Lithium & Other Mood Stabilizers	17	7.2%
Antidepressants	107	45.1%
Any Anti-Diabetic Agents	17	7.2%

Table 1f. Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Benzphetamine		
alpha-glucosidase inhibitors	0	0.0%
insulin	0	0.0%
metformin	17	7.2%
thiazolidinediones	0	0.0%
meglitinides	0	0.0%
amylin analogue	0	0.0%
sulfonylureas	0	0.0%
bile acid sequestrants	0	0.0%
Other Weight Loss Agents	97	40.9%
benzphetamine	0	0.0%
Combination naltrexone and bupropion	*****	*****
Diethylpropion	*****	*****
lorcaserin	0	0.0%
orlistat	0	0.0%
phendimetrazine	*****	*****
phentermine	80	33.8%
phentermine-topiramate	*****	*****
setmelanotide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	237	100.0%
Benzphetamine	237	100.0%
Combination naltrexone and bupropion	*****	*****
Diethylpropion	*****	*****
Lorcaserin	*****	*****
Orlistat	0	0.0%

Table 1f. Aggregated Characteristics of Benzphetamine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Benzphetamine		
Phendimetrazine	*****	*****
Phentermine	49	20.7%
Phentermine-topiramate	*****	*****
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	9.6	8.5
Mean number of emergency room encounters	0.3	0.8
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of non-acute institutional encounters	0.0	0.1
Mean number of other ambulatory encounters	1.0	2.0
Mean number of filled prescriptions	18.8	14.3
Mean number of generics dispensed	8.6	5.2
Mean number of unique drug classes dispensed	7.8	4.5

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1g. Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Combination naltrexone & bupropion		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	26,780	N/A
Demographic Characteristics		
Age (years)	46.1	11.1
Age group		
18-24 years	963	3.6%
25-44 years	11,354	42.4%
45-64 years	13,198	49.3%
65-79 years	1,246	4.7%
≥ 80 years	19	0.1%
Sex		
Female	22,224	83.0%
Male	4,556	17.0%
Race ²		
American Indian or Alaska Native	31	0.1%
Asian	55	0.2%
Black or African American	683	2.6%
Multi-racial	209	0.8%
Native Hawaiian or Other Pacific Islander	15	0.1%
Unknown	22,489	84.0%
White	3,298	12.3%
Hispanic origin		
Yes	543	2.0%
No	2,616	9.8%
Unknown	23,621	88.2%

Table 1g. Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Combination naltrexone & bupropion		
Year		
2015	1,119	4.2%
2016	4,299	16.1%
2017	6,473	24.2%
2018	4,776	17.8%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	2,197	8.2%
2020	2,254	8.4%
2021	2,474	9.2%
2022	2,008	7.5%
2023	1,180	4.4%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.2	0.5
Combined Comorbidity Score ⁴	0.3	1.0
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	665	2.5%
Cognitive Impairment	16	0.1%
Traumatic Brain Injury	41	0.2%
Migraine	2,208	8.2%
Epilepsy	68	0.3%
Chronic Pain	3,998	14.9%
Weight Reduction Surgeries	21	0.1%
Weight Reduction Procedures	*****	0.0%
Lifestyle intervention	10,650	39.8%

Table 1g. Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Combination naltrexone & bupropion		
Psychiatric History		
Previous Intentional Self-Harm Ever	67	0.3%
Psychiatric History Overall	26,780	100.0%
Psychiatric Drug Dispensings	26,780	100.0%
Intentional Self-Harm Encounter	14	0.1%
Any Other Psychiatric Event	13,863	51.8%
Attention-Deficit/Hyperactivity Disorder	831	3.1%
Akathisia	20	0.1%
Anxiety	6,183	23.1%
Psychiatric History	Number/Mean	Standard Deviation ¹
Behavioral Disorder	1,663	6.2%
Bipolar Disorder	645	2.4%
Cerebral Degenerations usually Manifested in Childhood	29	0.1%
Conduct Disorder	*****	0.0%
Delirium	53	0.2%
Depression	5,095	19.0%
Electroconvulsive Therapy	*****	0.0%
Hallucination	*****	0.0%
Obsessive-Compulsive Disorder	54	0.2%
Other Cerebral Degenerations	37	0.1%
Other Mental Disorders	239	0.9%
Other Psychological Disorders	1,187	4.4%
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	0.0%
Personality Disorders	53	0.2%
Pervasive Developmental Disorders	11	0.0%

Table 1g. Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Combination naltrexone & bupropion		
Post-Traumatic Stress Disorder	377	1.4%
Psychotherapy	1,975	7.4%
Psychotic Conditions	19	0.1%
Schizophrenia	40	0.1%
Sleep Disorder	5,811	21.7%
Substance Abuse	438	1.6%
Suicidal Behavior	101	0.4%
Transcranial Magnetic Stimulation	*****	0.0%
Vagus Nerve Stimulation	*****	0.0%
Medical Product Use		
albiglutide	0	0.0%
dulaglutide	0	0.0%
exenatide	0	0.0%
Medical Product Use		
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	5,056	18.9%
Antipsychotics	801	3.0%
Anxiolytics/Hypnotics	5,203	19.4%
Lithium & Other Mood Stabilizers	1,093	4.1%
Antidepressants	10,258	38.3%
Any Anti-Diabetic Agents	1,813	6.8%
alpha-glucosidase inhibitors	*****	0.0%
insulin	*****	0.0%

Table 1g. Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Combination naltrexone & bupropion		
metformin	1,767	6.6%
thiazolidinediones	11	0.0%
meglitinides	0	0.0%
amylin analogue	0	0.0%
sulfonylureas	*****	0.0%
bile acid sequestrants	30	0.1%
Other Weight Loss Agents	2,801	10.5%
benzphetamine	*****	0.0%
Combination naltrexone and bupropion	0	0.0%
Diethylpropion	48	0.2%
lorcaserin	561	2.1%
orlistat	26	0.1%
phendimetrazine	52	0.2%
phentermine	1,891	7.1%
phentermine-topiramate	363	1.4%
setmelanotide	0	0.0%
Other Weight Loss Agents after index	*****	100.0%
Benzphetamine	*****	0.0%
Medical Product Use		
Combination naltrexone and bupropion	*****	100.0%
Diethylpropion	49	0.2%
Lorcaserin	499	1.9%
Orlistat	39	0.1%
Phendimetrazine	39	0.1%
Phentermine	1,587	5.9%
Phentermine-topiramate	342	1.3%
Setmelanotide	0	0.0%

Table 1g. Aggregated Characteristics of Combination Naltrexone & Bupropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Combination naltrexone & bupropion		
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	8.1	7.8
Mean number of emergency room encounters	0.2	0.6
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of non-acute institutional encounters	0.0	0.0
Mean number of other ambulatory encounters	1.7	4.1
Mean number of filled prescriptions	13.4	11.8
Mean number of generics dispensed	6.7	4.3
Mean number of unique drug classes dispensed	6.4	4.0

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1h. Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Diethylpropion		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	3,863	N/A
Demographic Characteristics		
Age (years)	48.3	11.9
Age group		
18-24 years	114	3.0%
25-44 years	1,470	38.1%
45-64 years	1,849	47.9%
65-79 years	412	10.7%
≥ 80 years	18	0.5%
Sex		
Female	3,217	83.3%
Male	646	16.7%
Race ²		
American Indian or Alaska Native	*****	*****
Asian	27	0.7%
Black or African American	202	5.2%
Multi-racial	83	2.1%
Native Hawaiian or Other Pacific Islander	*****	*****
Unknown	2,645	68.5%
White	887	23.0%
Hispanic origin		
Yes	129	3.3%
No	848	22.0%
Unknown	2,886	74.7%

Table 1h. Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Diethylpropion		
Year		
2015	73	1.9%
2016	344	8.9%
2017	353	9.1%
2018	426	11.0%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	493	12.8%
2020	579	15.0%
2021	544	14.1%
2022	670	17.3%
2023	381	9.9%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.2	0.6
Combined Comorbidity Score ⁴	0.4	1.1
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	140	3.6%
Cognitive Impairment	*****	*****
Traumatic Brain Injury	*****	*****
Migraine	361	9.3%
Epilepsy	18	0.5%
Chronic Pain	768	19.9%
Weight Reduction Surgeries	*****	*****
Weight Reduction Procedures	0	0.0%
Lifestyle intervention	1,475	38.2%

Table 1h. Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Diethylpropion		
Psychiatric History		
Previous Intentional Self-Harm Ever	*****	*****
Psychiatric History Overall	2,546	65.9%
Psychiatric Drug Dispensings	2,003	51.9%
Intentional Self-Harm Encounter	0	0.0%
Any Other Psychiatric Event	2,097	54.3%
Attention-Deficit/Hyperactivity Disorder	86	2.2%
Akathisia	*****	*****
Anxiety	976	25.3%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	292	7.6%
Bipolar Disorder	132	3.4%
Cerebral Degenerations usually Manifested in Childhood	*****	*****
Conduct Disorder	*****	*****
Delirium	*****	*****
Depression	767	19.9%
Electroconvulsive Therapy	*****	*****
Hallucination	*****	*****
Obsessive-Compulsive Disorder	*****	*****
Other Cerebral Degenerations	*****	*****
Other Mental Disorders	29	0.8%
Other Psychological Disorders	160	4.1%
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	*****	*****

Table 1h. Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Diethylpropion		
Pervasive Developmental Disorders	*****	*****
Post-Traumatic Stress Disorder	56	1.4%
Psychotherapy	270	7.0%
Psychotic Conditions	*****	*****
Schizophrenia	*****	*****
Sleep Disorder	954	24.7%
Substance Abuse	104	2.7%
Suicidal Behavior	19	0.5%
Transcranial Magnetic Stimulation	*****	*****
Vagus Nerve Stimulation	0	0.0%

Medical Product Use

albiglutide	0	0.0%
dulaglutide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	0	0.0%
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	850	22.0%
Antipsychotics	163	4.2%
Anxiolytics/Hypnotics	947	24.5%
Lithium & Other Mood Stabilizers	221	5.7%
Antidepressants	1,570	40.6%
Any Anti-Diabetic Agents	447	11.6%

Table 1h. Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Diethylpropion		
alpha-glucosidase inhibitors	20	0.5%
insulin	*****	*****
metformin	422	10.9%
thiazolidinediones	*****	*****
meglitinides	0	0.0%
amylin analogue	0	0.0%
sulfonylureas	*****	*****
bile acid sequestrants	*****	*****
Other Weight Loss Agents	1,058	27.4%
benzphetamine	*****	*****
Combination naltrexone and bupropion	52	1.3%
Diethylpropion	0	0.0%
lorcaserin	20	0.5%
orlistat	*****	*****
phendimetrazine	74	1.9%
phentermine	947	24.5%
phentermine-topiramate	22	0.6%
setmelanotide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	*****	*****
Benzphetamine	*****	*****
Combination naltrexone and bupropion	43	1.1%
Diethylpropion	*****	*****
Lorcaserin	17	0.4%
Orlistat	*****	*****

Table 1h. Aggregated Characteristics of Diethylpropion in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Diethylpropion		
Phendimetrazine	77	2.0%
Phentermine	754	19.5%
Phentermine-topiramate	25	0.6%
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	9.0	7.9
Mean number of emergency room encounters	0.2	0.6
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of non-acute institutional encounters	0.0	0.0
Mean number of other ambulatory encounters	2.2	4.1
Mean number of filled prescriptions	15.1	12.6
Mean number of generics dispensed	7.6	4.6
Mean number of unique drug classes dispensed	7.0	4.3

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1i. Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Lorcaserin		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	9,689	N/A
Demographic Characteristics		
Age (years)	46.2	11.0
Age group		
18-24 years	*****	*****
25-44 years	4,055	41.9%
45-64 years	4,912	50.7%
65-79 years	386	4.0%
≥ 80 years	*****	*****
Sex		
Female	7,844	81.0%
Male	1,845	19.0%
Race ²		
American Indian or Alaska Native	15	0.2%
Asian	34	0.4%
Black or African American	444	4.6%
Multi-racial	102	1.1%
Native Hawaiian or Other Pacific Islander	12	0.1%
Unknown	7,674	79.2%
White	1,408	14.5%
Hispanic origin		
Yes	308	3.2%
No	1,025	10.6%
Unknown	8,356	86.2%

Table 1i. Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Lorcaserin		
Year		
2015	475	4.9%
2016	2,035	21.0%
2017	2,401	24.8%
2018	2,300	23.7%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	2,276	23.5%
2020	202	2.1%
2021	0	0.0%
2022	0	0.0%
2023	0	0.0%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.2	0.6
Combined Comorbidity Score ⁴	0.2	1.0
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	256	2.6%
Cognitive Impairment	*****	*****
Traumatic Brain Injury	16	0.2%
Migraine	785	8.1%
Epilepsy	42	0.4%
Chronic Pain	1,626	16.8%
Weight Reduction Surgeries	*****	*****
Weight Reduction Procedures	*****	*****
Lifestyle intervention	3,831	39.5%

Table 1i. Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Lorcaserin		
Psychiatric History		
Previous Intentional Self-Harm Ever	20	0.2%
Psychiatric History Overall	6,062	62.6%
Psychiatric Drug Dispensings	4,769	49.2%
Intentional Self-Harm Encounter	*****	*****
Any Other Psychiatric Event	4,738	48.9%
Attention-Deficit/Hyperactivity Disorder	284	2.9%
Akathisia	*****	*****
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	531	5.5%
Bipolar Disorder	262	2.7%
Cerebral Degenerations usually Manifested in Childhood	13	0.1%
Conduct Disorder	*****	*****
Delirium	26	0.3%
Depression	1,627	16.8%
Electroconvulsive Therapy	0	0.0%
Hallucination	*****	*****
Obsessive-Compulsive Disorder	16	0.2%
Other Cerebral Degenerations	13	0.1%
Other Mental Disorders	85	0.9%
Other Psychological Disorders	426	4.4%
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	17	0.2%
Pervasive Developmental Disorders	11	0.1%

Table 1i. Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Lorcaserin		
Post-Traumatic Stress Disorder	133	1.4%
Psychotherapy	652	6.7%
Psychotic Conditions	*****	*****
Schizophrenia	26	0.3%
Sleep Disorder	2,200	22.7%
Substance Abuse	191	2.0%
Suicidal Behavior	44	0.5%
Transcranial Magnetic Stimulation	*****	*****
Vagus Nerve Stimulation	*****	*****
Medical Product Use		
albiglutide	0	0.0%
dulaglutide	0	0.0%
exenatide	0	0.0%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	2,294	23.7%
Antipsychotics	341	3.5%
Anxiolytics/Hypnotics	2,073	21.4%
Lithium & Other Mood Stabilizers	481	5.0%
Antidepressants	3,349	34.6%
Any Anti-Diabetic Agents	778	8.0%
alpha-glucosidase inhibitors	*****	*****

Table 1i. Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Lorcaserin		
insulin	0	0.0%
metformin	756	7.8%
thiazolidinediones	*****	*****
meglitinides	0	0.0%
amylin analogue	0	0.0%
sulfonylureas	*****	*****
bile acid sequestrants	17	0.2%
Other Weight Loss Agents	1,659	17.1%
benzphetamine	*****	*****
Combination naltrexone and bupropion	638	6.6%
Diethylpropion	26	0.3%
lorcaserin	0	0.0%
orlistat	46	0.5%
phendimetrazine	25	0.3%
phentermine	835	8.6%
phentermine-topiramate	212	2.2%
setmelanotide	0	0.0%
Other Weight Loss Agents after index	*****	*****
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Benzphetamine	*****	*****
Combination naltrexone and bupropion	452	4.7%
Diethylpropion	23	0.2%
Lorcaserin	*****	*****
Orlistat	33	0.3%
Phendimetrazine	18	0.2%
Phentermine	694	7.2%

Table 1i. Aggregated Characteristics of Lorcaserin in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Lorcaserin		
Phentermine-topiramate	192	2.0%
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	8.7	8.0
Mean number of emergency room encounters	0.2	0.6
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of non-acute institutional encounters	0.0	0.0
Mean number of other ambulatory encounters	1.9	7.0
Mean number of filled prescriptions	14.9	13.3
Mean number of generics dispensed	7.2	4.6
Mean number of unique drug classes dispensed	6.9	4.2

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1j. Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Orlistat		
Patient Characteristics	Number/Mean	Standard Deviation ¹
Unique patients	2,782	N/A
Demographic Characteristics		
Age (years)	43.2	11.7
Age group		
18-24 years	156	5.6%
25-44 years	1,439	51.7%
45-64 years	1,057	38.0%
65-79 years	*****	*****
≥ 80 years	*****	*****
Sex		
Female	2,258	81.2%
Male	524	18.8%
Race ²		
American Indian or Alaska Native	24	0.9%
Asian	34	1.2%
Black or African American	427	15.3%
Multi-racial	*****	*****
Native Hawaiian or Other Pacific Islander	*****	*****
Unknown	1,368	49.2%
White	909	32.7%
Hispanic origin		
Yes	489	17.6%
No	1,316	47.3%
Unknown	977	35.1%
Year		

Table 1j. Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Orlistat		
2015	61	2.2%
2016	320	11.5%
2017	565	20.3%
2018	448	16.1%
Demographic Characteristics		
2019	462	16.6%
2020	518	18.6%
2021	165	5.9%
2022	134	4.8%
2023	109	3.9%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.3	0.7
Combined Comorbidity Score ⁴	0.5	1.2
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	102	3.7%
Cognitive Impairment	*****	*****
Traumatic Brain Injury	*****	*****
Migraine	252	9.1%
Epilepsy	43	1.5%
Chronic Pain	656	23.6%
Weight Reduction Surgeries	*****	*****
Weight Reduction Procedures	*****	*****
Lifestyle intervention	841	30.2%
Psychiatric History		
Previous Intentional Self-Harm Ever	30	1.1%

Table 1j. Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Orlistat		
Psychiatric History Overall	1,951	70.1%
Psychiatric Drug Dispensings	1,581	56.8%
Intentional Self-Harm Encounter	*****	*****
Any Other Psychiatric Event	1,624	58.4%
Attention-Deficit/Hyperactivity Disorder	87	3.1%
Akathisia	*****	*****
Anxiety	737	26.5%
Behavioral Disorder	211	7.6%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Bipolar Disorder	217	7.8%
Cerebral Degenerations usually Manifested in Childhood	*****	*****
Conduct Disorder	*****	*****
Delirium	13	0.5%
Depression	666	23.9%
Electroconvulsive Therapy	0	0.0%
Hallucination	*****	*****
Obsessive-Compulsive Disorder	*****	*****
Other Cerebral Degenerations	*****	*****
Other Mental Disorders	34	1.2%
Other Psychological Disorders	197	7.1%
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	26	0.9%
Pervasive Developmental Disorders	*****	*****
Post-Traumatic Stress Disorder	148	5.3%

Table 1j. Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Orlistat		
Psychotherapy	416	15.0%
Psychotic Conditions	13	0.5%
Schizophrenia	80	2.9%
Sleep Disorder	645	23.2%
Substance Abuse	167	6.0%
Suicidal Behavior	28	1.0%
Transcranial Magnetic Stimulation	*****	*****
Vagus Nerve Stimulation	*****	*****
albiglutide	0	0.0%
dulaglutide	0	0.0%
exenatide	0	0.0%
liraglutide	0	0.0%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	885	31.8%
Antipsychotics	364	13.1%
Anxiolytics/Hypnotics	843	30.3%
Lithium & Other Mood Stabilizers	297	10.7%
Antidepressants	1,261	45.3%
Any Anti-Diabetic Agents	253	9.1%
alpha-glucosidase inhibitors	*****	*****
insulin	*****	*****
metformin	243	8.7%

Table 1j. Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Orlistat		
thiazolidinediones	*****	*****
meglitinides	*****	0.0%
amylin analogue	0	0.0%
sulfonylureas	*****	*****
bile acid sequestrants	*****	*****
Other Weight Loss Agents	218	7.8%
benzphetamine	0	0.0%
Combination naltrexone and bupropion	35	1.3%
Diethylpropion	*****	*****
lorcaserin	31	1.1%
orlistat	0	0.0%
phendimetrazine	0	0.0%
phentermine	145	5.2%
phentermine-topiramate	17	0.6%
setmelanotide	0	0.0%
Other Weight Loss Agents after index	2,782	100.0%
Benzphetamine	0	0.0%
Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Combination naltrexone and bupropion	34	1.2%
Diethylpropion	*****	*****
Lorcaserin	33	1.2%
Orlistat	2,782	100.0%
Phendimetrazine	0	0.0%
Phentermine	138	5.0%
Phentermine-topiramate	27	1.0%
Setmelanotide	0	0.0%

Table 1j. Aggregated Characteristics of Orlistat in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Orlistat		
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	11.3	11.7
Mean number of emergency room encounters	0.5	1.5
Mean number of inpatient hospital encounters	0.0	0.3
encounters	0.0	0.1
Mean number of other ambulatory encounters	5.4	14.8
Mean number of filled prescriptions	22.1	20.2
Mean number of generics dispensed	9.3	6.0
Mean number of unique drug classes dispensed	8.8	5.4

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1k. Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phendimetrazine		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	3,670	N/A
Demographic Characteristics		
Age (years)	47.9	11.6
Age group		
18-24 years	*****	*****
25-44 years	1,422	38.7%
45-64 years	1,800	49.0%
65-79 years	329	9.0%
≥ 80 years	*****	*****
Sex		
Female	3,069	83.6%
Male	601	16.4%
Race ²		
American Indian or Alaska Native	*****	*****
Asian	*****	*****
Black or African American	129	3.5%
Multi-racial	*****	*****
Native Hawaiian or Other Pacific Islander	*****	*****
Unknown	2,758	75.1%
White	715	19.5%
Hispanic origin		
Yes	66	1.8%
No	523	14.3%
Unknown	3,081	84.0%

Table 1k. Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phendimetrazine		
Year		
2015	78	2.1%
2016	404	11.0%
2017	388	10.6%
2018	464	12.6%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	481	13.1%
2020	602	16.4%
2021	514	14.0%
2022	468	12.8%
2023	271	7.4%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.2	0.6
Combined Comorbidity Score ⁴	0.3	1.1
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	102	2.8%
Cognitive Impairment	*****	*****
Traumatic Brain Injury	*****	*****
Migraine	352	9.6%
Epilepsy	15	0.4%
Chronic Pain	776	21.1%
Weight Reduction Surgeries	*****	*****
Weight Reduction Procedures	0	0.0%
Lifestyle intervention	1,497	40.8%

Table 1k. Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phendimetrazine		
Psychiatric History		
Previous Intentional Self-Harm Ever	*****	*****
Psychiatric History Overall	2,359	64.3%
Psychiatric Drug Dispensings	1,844	50.2%
Intentional Self-Harm Encounter	*****	*****
Any Other Psychiatric Event	1,899	51.7%
Attention-Deficit/Hyperactivity Disorder	78	2.1%
Akathisia	*****	*****
Anxiety	895	24.4%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	277	7.5%
Bipolar Disorder	87	2.4%
Cerebral Degenerations usually Manifested in Childhood	*****	*****
Conduct Disorder	0	0.0%
Delirium	*****	*****
Depression	725	19.8%
Electroconvulsive Therapy	0	0.0%
Hallucination	*****	*****
Obsessive-Compulsive Disorder	*****	*****
Other Cerebral Degenerations	14	0.4%
Other Mental Disorders	43	1.2%
Other Psychological Disorders	156	4.3%
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	13	0.4%

Table 1k. Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phendimetrazine		
Pervasive Developmental Disorders	0	0.0%
Post-Traumatic Stress Disorder	45	1.2%
Psychotherapy	233	6.3%
Psychotic Conditions	*****	*****
Schizophrenia	11	0.3%
Sleep Disorder	795	21.7%
Substance Abuse	92	2.5%
Suicidal Behavior	15	0.4%
Transcranial Magnetic Stimulation	*****	*****
Vagus Nerve Stimulation	0	0.0%

Medical Product Use

albiglutide	0	0.0%
dulaglutide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	0	0.0%
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	799	21.8%
Antipsychotics	129	3.5%
Anxiolytics/Hypnotics	892	24.3%
Lithium & Other Mood Stabilizers	190	5.2%
Antidepressants	1,405	38.3%
Any Anti-Diabetic Agents	250	6.8%

Table 1k. Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phendimetrazine		
alpha-glucosidase inhibitors	*****	*****
insulin	0	0.0%
metformin	240	6.5%
thiazolidinediones	*****	*****
meglitinides	0	0.0%
amylin analogue	0	0.0%
sulfonylureas	*****	*****
bile acid sequestrants	*****	*****
Other Weight Loss Agents	1,043	28.4%
benzphetamine	*****	*****
Combination naltrexone and bupropion	42	1.1%
Diethylpropion	81	2.2%
lorcaserin	20	0.5%
orlistat	0	0.0%
phendimetrazine	0	0.0%
phentermine	933	25.4%
phentermine-topiramate	22	0.6%
setmelanotide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	3,670	100.0%
Benzphetamine	*****	*****
Combination naltrexone and bupropion	33	0.9%
Diethylpropion	72	2.0%
Lorcaserin	18	0.5%
Orlistat	0	0.0%

Table 1k. Aggregated Characteristics of Phendimetrazine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phendimetrazine		
Phendimetrazine	*****	*****
Phentermine	748	20.4%
Phentermine-topiramate	20	0.5%
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	9.0	8.2
Mean number of emergency room encounters	0.2	0.6
Mean number of inpatient hospital encounters	0.0	0.2
encounters	0.0	0.0
Mean number of other ambulatory encounters	1.3	2.8
Mean number of filled prescriptions	14.3	12.1
Mean number of generics dispensed	7.2	4.5
Mean number of unique drug classes dispensed	6.6	4.1

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 11. Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	185,145	N/A
Demographic Characteristics		
Age (years)	44.8	11.5
Age group		
18-24 years	8,171	4.4%
25-44 years	88,358	47.7%
45-64 years	77,265	41.7%
65-79 years	11,166	6.0%
≥ 80 years	185	0.1%
Sex		
Female	153,098	82.7%
Male	32,047	17.3%
Race ²		
American Indian or Alaska Native	401	0.2%
Asian	1,138	0.6%
Black or African American	11,385	6.1%
Multi-racial	3,457	1.9%
Native Hawaiian or Other Pacific Islander	467	0.3%
Unknown	120,972	65.3%
White	47,325	25.6%
Hispanic origin		
Yes	8,726	4.7%
No	44,251	23.9%
Unknown	132,168	71.4%

Table 1I. Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine		
Year		
2015	3,041	1.6%
2016	14,769	8.0%
2017	16,363	8.8%
2018	17,758	9.6%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	21,564	11.6%
2020	30,587	16.5%
2021	31,316	16.9%
2022	31,299	16.9%
2023	18,448	10.0%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.1	0.5
Combined Comorbidity Score ⁴	0.3	1.0
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	3,648	2.0%
Cognitive Impairment	161	0.1%
Traumatic Brain Injury	246	0.1%
Migraine	17,496	9.4%
Epilepsy	858	0.5%
Chronic Pain	31,823	17.2%
Weight Reduction Surgeries	173	0.1%
Weight Reduction Procedures	*****	0.0%
Lifestyle intervention	63,743	34.4%

Table 11. Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine		
Psychiatric History		
Previous Intentional Self-Harm Ever	675	0.4%
Psychiatric History Overall	112,820	60.9%
Psychiatric Drug Dispensings	86,932	47.0%
Intentional Self-Harm Encounter	91	0.0%
Any Other Psychiatric Event	93,336	50.4%
Attention-Deficit/Hyperactivity Disorder	3,994	2.2%
Akathisia	84	0.0%
Anxiety	44,380	24.0%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	11,629	6.3%
Bipolar Disorder	4,841	2.6%
Cerebral Degenerations usually Manifested in Childhood	221	0.1%
Conduct Disorder	39	0.0%
Delirium	359	0.2%
Depression	35,831	19.4%
Electroconvulsive Therapy	12	0.0%
Hallucination	87	0.0%
Obsessive-Compulsive Disorder	475	0.3%
Other Cerebral Degenerations	264	0.1%
Other Mental Disorders	1,662	0.9%
Other Psychological Disorders	9,400	5.1%
Persistent Mental Disorders due to Conditions Classified Elsewhere	82	0.0%
Personality Disorders	495	0.3%

Table 11. Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine		
Pervasive Developmental Disorders	108	0.1%
Post-Traumatic Stress Disorder	3,391	1.8%
Psychotherapy	12,952	7.0%
Psychotic Conditions	136	0.1%
Schizophrenia	336	0.2%
Sleep Disorder	37,373	20.2%
Substance Abuse	4,351	2.4%
Suicidal Behavior	730	0.4%
Transcranial Magnetic Stimulation	38	0.0%
Vagus Nerve Stimulation	57	0.0%

Medical Product Use

albiglutide	0	0.0%
dulaglutide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	0	0.0%
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	36,766	19.9%
Antipsychotics	6,279	3.4%
Anxiolytics/Hypnotics	35,661	19.3%
Lithium & Other Mood Stabilizers	7,927	4.3%
Antidepressants	70,538	38.1%
Any Anti-Diabetic Agents	13,235	7.1%

Table 11. Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine		
alpha-glucosidase inhibitors	50	0.0%
insulin	61	0.0%
metformin	12,971	7.0%
thiazolidinediones	66	0.0%
meglitinides	0	0.0%
amylin analogue	*****	0.0%
sulfonylureas	109	0.1%
bile acid sequestrants	118	0.1%
Other Weight Loss Agents	4,208	2.3%
benzphetamine	38	0.0%
Combination naltrexone and bupropion	1,493	0.8%
Diethylpropion	459	0.2%
lorcaserin	635	0.3%
orlistat	136	0.1%
phendimetrazine	491	0.3%
phentermine	0	0.0%
phentermine-topiramate	1,122	0.6%
setmelanotide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	185,133	100.0%
Benzphetamine	46	0.0%
Combination naltrexone and bupropion	1,173	0.6%
Diethylpropion	618	0.3%
Lorcaserin	538	0.3%
Orlistat	125	0.1%

Table 1I. Aggregated Characteristics of Phentermine in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine		
Phendimetrazine	589	0.3%
Phentermine	185,133	100.0%
Phentermine-topiramate	1,000	0.5%
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	7.2	7.0
Mean number of emergency room encounters	0.2	0.6
Mean number of inpatient hospital encounters	0.0	0.2
encounters	0.0	0.0
Mean number of other ambulatory encounters	2.4	4.7
Mean number of filled prescriptions	11.9	11.1
Mean number of generics dispensed	6.3	4.2
Mean number of unique drug classes dispensed	6.1	3.8

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1m. Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine-topiramate		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	11,232	N/A
Demographic Characteristics		
Age (years)	45.3	10.8
Age group		
18-24 years	*****	*****
25-44 years	5,086	45.3%
45-64 years	5,407	48.1%
65-79 years	374	3.3%
≥ 80 years	*****	*****
Sex		
Female	9,304	82.8%
Male	1,928	17.2%
Race ²		
American Indian or Alaska Native	*****	*****
Asian	54	0.5%
Black or African American	450	4.0%
Multi-racial	197	1.8%
Native Hawaiian or Other Pacific Islander	*****	*****
Unknown	8,698	77.4%
White	1,819	16.2%
Hispanic origin		
Yes	376	3.3%
No	1,060	9.4%
Unknown	9,796	87.2%

Table 1m. Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine-topiramate		
Year		
2015	415	3.7%
2016	1,310	11.7%
2017	1,282	11.4%
2018	1,234	11.0%
Demographic Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	1,015	9.0%
2020	1,057	9.4%
2021	1,540	13.7%
2022	2,204	19.6%
2023	1,175	10.5%
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.1	0.5
Combined Comorbidity Score ⁴	0.3	1.0
Medical History		
Type 2 Diabetes	0	0.0%
Cardiovascular Disease	194	1.7%
Cognitive Impairment	*****	*****
Traumatic Brain Injury	12	0.1%
Migraine	995	8.9%
Epilepsy	29	0.3%
Chronic Pain	1,846	16.4%
Weight Reduction Surgeries	*****	*****
Weight Reduction Procedures	*****	*****
Lifestyle intervention	4,935	43.9%

Table 1m. Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine-topiramate		
Psychiatric History		
Previous Intentional Self-Harm Ever	22	0.2%
Psychiatric History Overall	6,978	62.1%
Psychiatric Drug Dispensings	5,397	48.1%
Intentional Self-Harm Encounter	*****	*****
Any Other Psychiatric Event	5,537	49.3%
Attention-Deficit/Hyperactivity Disorder	244	2.2%
Akathisia	*****	*****
Anxiety	2,579	23.0%
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	772	6.9%
Bipolar Disorder	272	2.4%
Cerebral Degenerations usually Manifested in Childhood	12	0.1%
Conduct Disorder	*****	*****
Delirium	16	0.1%
Depression	1,887	16.8%
Electroconvulsive Therapy	*****	*****
Hallucination	*****	*****
Obsessive-Compulsive Disorder	30	0.3%
Other Cerebral Degenerations	17	0.2%
Other Mental Disorders	81	0.7%
Other Psychological Disorders	389	3.5%
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	37	0.3%

Table 1m. Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine-topiramate		
Pervasive Developmental Disorders	*****	*****
Post-Traumatic Stress Disorder	195	1.7%
Psychotherapy	990	8.8%
Psychotic Conditions	*****	*****
Schizophrenia	14	0.1%
Sleep Disorder	2,443	21.8%
Substance Abuse	186	1.7%
Suicidal Behavior	46	0.4%
Transcranial Magnetic Stimulation	*****	*****
Vagus Nerve Stimulation	*****	*****

Medical Product Use

albiglutide	0	0.0%
dulaglutide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	0	0.0%
liraglutide	0	0.0%
lixisenatide	0	0.0%
semaglutide	0	0.0%
tirzepatide	0	0.0%
Analgesic Opiates	2,036	18.1%
Antipsychotics	359	3.2%
Anxiolytics/Hypnotics	2,213	19.7%
Lithium & Other Mood Stabilizers	449	4.0%
Antidepressants	4,125	36.7%
Any Anti-Diabetic Agents	911	8.1%

Table 1m. Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine-topiramate		
alpha-glucosidase inhibitors	*****	*****
insulin	*****	*****
metformin	895	8.0%
thiazolidinediones	*****	*****
meglitinides	0	0.0%
amylin analogue	0	0.0%
sulfonylureas	*****	*****
bile acid sequestrants	*****	*****
Other Weight Loss Agents	1,913	17.0%
benzphetamine	*****	*****
Combination naltrexone and bupropion	473	4.2%
Diethylpropion	27	0.2%
lorcaserin	245	2.2%
orlistat	35	0.3%
phendimetrazine	30	0.3%
phentermine	1,247	11.1%
phentermine-topiramate	0	0.0%
setmelanotide	0	0.0%

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	11,232	100.0%
Benzphetamine	*****	*****
Combination naltrexone and bupropion	245	2.2%
Diethylpropion	15	0.1%
Lorcaserin	134	1.2%
Orlistat	19	0.2%

Table 1m. Aggregated Characteristics of Phentermine-topiramate in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Phentermine-topiramate		
Phendimetrazine	15	0.1%
Phentermine	1,037	9.2%
Phentermine-topiramate	11,232	100.0%
Setmelanotide	0	0.0%
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	8.7	8.2
Mean number of emergency room encounters	0.2	0.6
Mean number of inpatient hospital encounters	0.0	0.2
Mean number of inpatient hospital encounters	0.0	0.0
Mean number of other ambulatory encounters	2.1	5.3
Mean number of filled prescriptions	12.9	11.5
Mean number of generics dispensed	6.5	4.3
Mean number of unique drug classes dispensed	6.2	3.9

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 1n. Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Setmelanotide		
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
Unique patients	*****	N/A
Demographic Characteristics		
Age (years)	26.2	6.3
Age group		
18-24 years	*****	*****
25-44 years	*****	*****
45-64 years	*****	*****
65-79 years	*****	*****
≥ 80 years	*****	*****
Sex		
Female	*****	*****
Male	*****	*****
Race ²		
American Indian or Alaska Native	*****	*****
Asian	*****	*****
Black or African American	*****	*****
Multi-racial	*****	*****
Native Hawaiian or Other Pacific Islander	*****	*****
Unknown	*****	*****
White	*****	*****
Hispanic origin		
Yes	*****	*****
No	*****	*****
Unknown	*****	*****

Table 1n. Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Setmelanotide		
Year		
2015	*****	*****
2016	*****	*****
2017	*****	*****
2018	*****	*****
Patient Characteristics	Number/Mean	Percent/ Standard Deviation ¹
2019	*****	*****
2020	*****	*****
2021	*****	*****
2022	*****	*****
2023	*****	*****
Health Characteristics		
Adapted Diabetes Complications Severity Index (aDCSI) ³	0.0	NaN
Combined Comorbidity Score ⁴	0.5	0.7
Medical History		
Type 2 Diabetes	*****	*****
Cardiovascular Disease	*****	*****
Cognitive Impairment	*****	*****
Traumatic Brain Injury	*****	*****
Migraine	*****	*****
Epilepsy	*****	*****
Chronic Pain	*****	*****
Weight Reduction Surgeries	*****	*****
Weight Reduction Procedures	*****	*****
Lifestyle intervention	*****	*****

Table 1n. Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Setmelanotide		
Psychiatric History		
Previous Intentional Self-Harm Ever	*****	*****
Psychiatric History Overall	*****	*****
Psychiatric Drug Dispensings	*****	*****
Intentional Self-Harm Encounter	*****	*****
Any Other Psychiatric Event	*****	*****
Attention-Deficit/Hyperactivity Disorder	*****	*****
Akathisia	*****	*****
Anxiety	*****	*****
Psychiatric History	Number/Mean	Percent/ Standard Deviation ¹
Behavioral Disorder	*****	*****
Bipolar Disorder	*****	*****
Cerebral Degenerations usually Manifested in Childhood	*****	*****
Conduct Disorder	*****	*****
Delirium	*****	*****
Depression	*****	*****
Electroconvulsive Therapy	*****	*****
Hallucination	*****	*****
Obsessive-Compulsive Disorder	*****	*****
Other Cerebral Degenerations	*****	*****
Other Mental Disorders	*****	*****
Other Psychological Disorders	*****	*****
Persistent Mental Disorders due to Conditions Classified Elsewhere	*****	*****
Personality Disorders	*****	*****

Table 1n. Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Setmelanotide		
Pervasive Developmental Disorders	*****	*****
Post-Traumatic Stress Disorder	*****	*****
Psychotherapy	*****	*****
Psychotic Conditions	*****	*****
Schizophrenia	*****	*****
Sleep Disorder	*****	*****
Substance Abuse	*****	*****
Suicidal Behavior	*****	*****
Transcranial Magnetic Stimulation	*****	*****
Vagus Nerve Stimulation	*****	*****

Medical Product Use

albiglutide	*****	*****
dulaglutide	*****	*****

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
exenatide	*****	*****
liraglutide	*****	*****
lixisenatide	*****	*****
semaglutide	*****	*****
tirzepatide	*****	*****
Analgesic Opiates	*****	*****
Antipsychotics	*****	*****
Anxiolytics/Hypnotics	*****	*****
Lithium & Other Mood Stabilizers	*****	*****
Antidepressants	*****	*****
Any Anti-Diabetic Agents	*****	*****

Table 1n. Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Setmelanotide		
alpha-glucosidase inhibitors	*****	*****
insulin	*****	*****
metformin	*****	*****
thiazolidinediones	*****	*****
meglitinides	*****	*****
amylin analogue	*****	*****
sulfonylureas	*****	*****
bile acid sequestrants	*****	*****
Other Weight Loss Agents	*****	*****
benzphetamine	*****	*****
Combination naltrexone and bupropion	*****	*****
Diethylpropion	*****	*****
lorcaserin	*****	*****
orlistat	*****	*****
phendimetrazine	*****	*****
phentermine	*****	*****
phentermine-topiramate	*****	*****
setmelanotide	*****	*****

Medical Product Use	Number/Mean	Percent/ Standard Deviation ¹
Other Weight Loss Agents after index	*****	*****
Benzphetamine	*****	*****
Combination naltrexone and bupropion	*****	*****
Diethylpropion	*****	*****
Lorcaserin	*****	*****
Orlistat	*****	*****

Table 1n. Aggregated Characteristics of Setmelanotide in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Setmelanotide		
Phendimetrazine	*****	*****
Phentermine	*****	*****
Phentermine-topiramate	*****	*****
Setmelanotide	*****	*****
Health Service Utilization Intensity Metrics		
Mean number of ambulatory encounters	5.5	0.7
Mean number of emergency room encounters	0.0	NaN
Mean number of inpatient hospital encounters	0.0	NaN
Mean number of inpatient hospital encounters	0.0	NaN
Mean number of other ambulatory encounters	1.5	2.1
Mean number of filled prescriptions	6.0	1.4
Mean number of generics dispensed	4.0	0.0
Mean number of unique drug classes dispensed	4.0	0.0

¹Value represents standard deviation where no % follows the value.

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

⁴Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A Combined Comorbidity Score predicted mortality in elderly patients better than existing scores. J Clin Epidemiol. 2011;64(7):749-759. Sun JW, Rogers JR, Her Q, Welch EC, Panozzo CA, Toh S, Gagne JJ. Adaptation and validation of the Combined Comorbidity Score for ICD-10-CM. Med Care. 2017;55(12):1046-1051.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 2. Summary of Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	Number of Patients	Number of Exposure Episodes with an Event	Number of Exposure Episodes with an Event per 1000 Exposure Episodes (95% Confidence Interval)	Total Years at Risk	Event Rate per 1000 Patient-Years at Risk (95% Confidence Interval)
<i>GLP-1 Receptor Agonists</i>	340,779	151	0.44 (0.37, 0.51)	144,003.5	1.05 (0.89, 1.23)
<i>GLP-1 Receptor Agonists without censoring</i>	341,735	*****	*****	*****	1.05 (0.89, 1.23)
<i>Wegovy & Saxenda</i>	129,942	36	0.28 (0.19, 0.37)	46,026.4	0.78 (0.56, 1.08)
<i>Wegovy & Saxenda without censoring</i>	130,436	*****	*****	*****	0.82 (0.60, 1.12)
<i>Obesity</i>	26,539,423	74,682	2.81 (2.79, 2.83)	50,321,512.3	1.48 (1.47, 1.49)
<i>Benzphetamine</i>	237	0	0.00 (0.00, 0.00)	56.2	0.00 (0.00, 0.00)
<i>Combination naltrexone & bupropion</i>	26,780	*****	*****	*****	1.16 (0.61, 2.24)
<i>Diethylpropion</i>	3,863	0	0.00 (0.00, 0.00)	933.2	0.00 (0.00, 0.00)
<i>Lorcaserin</i>	9,689	*****	*****	*****	1.11 (0.36, 3.44)
<i>Orlistat</i>	2,782	*****	*****	*****	7.26 (3.02, 17.44)
<i>Phendimetrazine</i>	3,670	*****	*****	*****	2.47 (0.62, 9.88)
<i>Phentermine</i>	185,145	96	0.52 (0.41, 0.62)	58,317.1	1.65 (1.35, 2.01)
<i>Phentermine-topiramate</i>	11,232	*****	*****	*****	1.01 (0.38, 2.68)
<i>Setmelanotide</i>	*****	0	0.00 (0.00, 0.00)	*****	0.00 (0.00, 0.00)

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 3. Summary of Time to End of At-Risk Period for Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

Distribution of At-Risk Time in Days, by Episode								
	Total Number of Episodes	Minimum	Q1	Median	Q3	Maximum	Mean	Standard Deviation
<i>GLP-1 Receptor Agonists</i>	340,779	1	59	106	187	2,829	154.3	161.0
<i>GLP-1 Receptor Agonists without censoring</i>	341,735	1	59	108	192	2,829	157.2	163.2
<i>Wegovy & Saxenda</i>	129,942	1	57	90	155	2,251	129.4	129.1
<i>Wegovy & Saxenda without censoring</i>	130,436	1	58	92	158	2,274	133.1	132.9
<i>Obesity</i>	26,539,423	1	149	470	1,044	2,922	692.6	681.6
<i>Benzphetamine</i>	237	1	59	59	104	1,031	86.6	87.1
<i>Combination naltrexone & bupropion</i>	26,780	1	59	59	119	2,640	105.4	111.7
<i>Diethylpropion</i>	3,863	1	59	59	101	2,049	88.2	86.6
<i>Lorcaserin</i>	9,689	1	59	59	119	1,467	101.8	91.4
<i>Orlistat</i>	2,782	1	59	59	106	888	90.5	76.7
<i>Phendimetrazine</i>	3,670	1	50	59	96	1,708	80.6	72.5
<i>Phentermine</i>	185,145	1	59	89	129	2,247	115.0	110.3
<i>Phentermine-topiramate</i>	11,232	1	59	89	155	1,976	129.3	131.0
<i>Setmelanotide</i>	*****	2	2	13	24	24	*****	*****

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 4. Summary of Reasons for End of At-Risk Period for Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023¹

Censoring Reason							
		End of Exposure Episode ²		Occurrence of Outcome of Interest ³		Occurrence of User-Defined Censoring Criteria ⁴	
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
GLP-1 Receptor Agonists	340,779	157,483	46.2%	151	0.0%	19,287	5.7%
GLP-1 Receptor Agonists without censoring	341,735	162,746	47.6%	*****	0.0%	12,122	3.5%
Wegovy & Saxenda	129,942	60,802	46.8%	36	0.0%	6,618	5.1%
Wegovy & Saxenda without censoring	130,436	64,122	49.2%	*****	0.0%	2,377	1.8%
Obesity	26,539,423	0	0.0%	74,682	0.3%	7,427,862	28.0%
Benzphetamine	237	168	70.9%	0	0.0%	46	19.4%
Combination naltrexone & bupropion	26,780	22,093	82.5%	*****	0.0%	2,323	8.7%
Diethylpropion	3,863	2,668	69.1%	0	0.0%	715	18.5%
Lorcaserin	9,689	7,864	81.2%	*****	0.0%	1,235	12.7%
Orlistat	2,782	2,184	78.5%	*****	0.2%	296	10.6%
Phendimetrazine	3,670	2,731	74.4%	*****	0.1%	601	16.4%
Phentermine	185,145	147,473	79.7%	96	0.1%	8,932	4.8%
Phentermine-topiramate	11,232	7,766	69.1%	*****	0.0%	1,506	13.4%
Setmelanotide	*****	0	0.0%	0	0.0%	0	0.0%

¹An episode may be censored due to more than one reason if they occur on the same date. Therefore, the sum of the reasons for censoring may be greater than the total number of episodes.

²Represents episodes censored due to end of the exposure episode. In as-treated analyses, exposure episodes are defined using days supplied as recorded in outpatient pharmacy dispensing records, and episodes end after days supplied are exhausted or a pre-determined maximum episode duration is met. In point exposure analyses, exposure episodes end when a pre-determined maximum episode duration is met.

³Represents episodes censored due to occurrence of request-defined event.

⁴Represents episodes censored due to occurrence of additional user-defined criteria using drug, procedure, diagnosis, and/or laboratory codes.

⁵Represents episodes censored due to evidence of death. Death data source and completeness varies by Data Partner.

⁶Represents episodes censored due to disenrollment from health plan. Data Partners often artificially assign a "disenrollment" date equal to data end date for members still enrolled on that date. Therefore, a patient may have dual reasons for censoring as "disenrollment" and "end of data" on the same day - this can be interpreted as right-censoring in most cases.

⁷Represents episodes censored due to Data Partner data end date. This end date represents the last day of the most recent year-month in which all of a Data Partner's data tables in the Sentinel Common Data Model have at least 80% of the record count relative to the prior month.

⁸Represents episodes censored due to user-specified study end date.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 4. Summary of Reasons for End of At-Risk Period for Exposures of Interest in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023¹

	Censoring Reason							
	Evidence of Death ⁵		Disenrollment ⁶		End of Data ⁷		End of Study Period ⁸	
	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
<i>GLP-1 Receptor Agonists</i>	115	0.0%	142,174	41.7%	138,835	40.7%	0	0.0%
<i>GLP-1 Receptor Agonists without censoring</i>	115	0.0%	144,397	42.3%	140,951	41.2%	0	0.0%
<i>Wegovy & Saxenda</i>	*****	0.0%	54,770	42.1%	55,281	42.5%	0	0.0%
<i>Wegovy & Saxenda without Obesity</i>	*****	0.0%	55,863	42.8%	56,328	43.2%	0	0.0%
<i>Benzphetamine</i>	152,636	0.6%	17,727,616	66.8%	9,701,508	36.6%	0	0.0%
<i>Combination naltrexone & bupropion</i>	0	0.0%	23	9.7%	*****	2.1%	0	0.0%
<i>Diethylpropion</i>	*****	0.0%	2,346	8.8%	824	3.1%	0	0.0%
<i>Lorcaserin</i>	*****	0.0%	429	11.1%	262	6.8%	0	0.0%
<i>Orlistat</i>	*****	0.0%	606	6.3%	0	0.0%	0	0.0%
<i>Phendimetrazine</i>	0	0.0%	303	10.9%	189	6.8%	0	0.0%
<i>Phentermine</i>	0	0.0%	324	8.8%	123	3.4%	0	0.0%
<i>Phentermine-topiramate</i>	26	0.0%	25,902	14.0%	15,508	8.4%	0	0.0%
<i>Setmelanotide</i>	*****	0.0%	1,756	15.6%	1,011	9.0%	0	0.0%
	0	0.0%	*****	100.0%	*****	100.0%	0	0.0%

¹An episode may be censored due to more than one reason if they occur on the same date. Therefore, the sum of the reasons for censoring may be greater than the total number of episodes.

²Represents episodes censored due to end of the exposure episode. In as-treated analyses, exposure episodes are defined using days supplied as recorded in outpatient pharmacy dispensing records, and episodes end after days supplied are exhausted or a pre-determined maximum episode duration is met. In point exposure analyses, exposure episodes end when a pre-determined maximum episode duration is met.

³Represents episodes censored due to occurrence of request-defined event.

⁴Represents episodes censored due to occurrence of additional user-defined criteria using drug, procedure, diagnosis, and/or laboratory codes.

⁵Represents episodes censored due to evidence of death. Death data source and completeness varies by Data Partner.

⁶Represents episodes censored due to disenrollment from health plan. Data Partners often artificially assign a "disenrollment" date equal to data end date for members still enrolled on that date. Therefore, a patient may have dual reasons for censoring as "disenrollment" and "end of data" on the same day - this can be interpreted as right-censoring in most cases.

⁷Represents episodes censored due to Data Partner data end date. This end date represents the last day of the most recent year-month in which all of a Data Partner's data tables in the Sentinel Common Data Model have at least 80% of the record count relative to the prior month.

⁸Represents episodes censored due to user-specified study end date.

*****Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 5. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	GLP-1 Receptor Agonists		GLP-1 Receptor Agonists without		Wegovy & Saxenda		Wegovy & Saxenda without	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements								
Enrolled at any point during the query period	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A
Had required coverage type (medical and/or drug coverage)	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799
Enrolled during specified age range	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757
Had requestable medical charts	218,588,286	0	218,588,286	0	218,588,286	0	218,588,286	0
Met demographic requirements (sex, race, and Hispanic origin)	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338
Members with a valid index event								
Had any cohort-defining claim during the query period	4,511,278	214,005,670	4,511,278	214,005,670	222,900	218,294,048	222,900	218,294,048
Claim recorded during specified age range	4,509,816	1,462	4,509,816	1,462	222,761	139	222,761	139
Episode defining index claim recorded during the query period	4,331,884	177,932	4,331,884	177,932	222,069	692	222,069	692
Members with required pre-index history								
Had sufficient pre-index continuous enrollment	3,084,288	1,247,596	3,084,288	1,247,596	191,277	30,792	191,277	30,792
Met inclusion and exclusion criteria ¹	342,468	2,741,820	342,468	2,741,820	130,705	60,572	130,705	60,572
Evidence of benz_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of dep_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of diabetes	N/A	2,549,698	N/A	2,549,698	N/A	16,887	N/A	16,887
Evidence of glp_washout	N/A	0	N/A	0	N/A	N/A	N/A	N/A
Evidence of glp1ra	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of loca_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Members with required pre-index history								
Evidence of orli_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of pdt_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of phen_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of phentop_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of pregnancy	N/A	44,493	N/A	44,493	N/A	3,734	N/A	3,734
Evidence of setmel_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Table 5. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	GLP-1 Receptor Agonists		GLP-1 Receptor Agonists without		Wegovy & Saxenda		Wegovy & Saxenda without	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
<i>Evidence of wegsax_washout</i>	N/A	N/A	N/A	N/A	N/A	0	N/A	0
<i>No evidence of obesity</i>	N/A	1,601,502	N/A	1,601,502	N/A	45,282	N/A	45,282
Met event incidence criteria	342,468	0	342,468	0	130,705	0	130,705	0
Had sufficient post-index continuous enrollment	342,468	0	342,468	0	130,705	0	130,705	0
Had minimum days' supply on index date	342,468	0	342,468	0	130,705	0	130,705	0
Had index episode of at least required length	342,468	0	342,468	0	130,705	0	130,705	0
Had index episode longer than blackout period	*****	*****	*****	*****	129,942	763	130,436	269
Did not have an event during blackout period	340,779	*****	341,735	*****	129,942	0	130,436	0
Final cohort								
Number of members	340,779	N/A	341,735	N/A	129,942	N/A	130,436	N/A
Number of episodes	340,779	N/A	341,735	N/A	129,942	N/A	130,436	N/A

¹Patients can meet multiple inclusion and/or exclusion criteria; therefore, the total number of patients excluded overall may not equal the sum of all patients in each criterion.

***** Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 5. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	Obesity		Benzphetamine		Combination naltrexone &		Diethylpropion		Lorcaserin	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements										
Enrolled at any point during the query period	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A
Had required coverage type (medical and/or drug coverage)	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799
Enrolled during specified age range	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757
Had requestable medical charts	218,588,286	0	218,588,286	0	218,588,286	0	218,588,286	0	218,588,286	0
Met demographic requirements (sex, race, and Hispanic origin)	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338
Members with a valid index event										
Had any cohort-defining claim during the query period	43,952,413	174,564,535	1,150	218,515,798	60,964	218,455,984	12,619	218,504,329	23,570	218,493,378
Claim recorded during specified age range	43,331,979	620,434	*****	*****	60,915	49	12,598	21	23,549	21
Episode defining index claim recorded during the query period	43,331,979	0	1,112	*****	58,952	1,963	12,273	325	22,131	1,418
Members with required pre-index history										
Had sufficient pre-index continuous enrollment	37,605,971	5,726,008	909	203	50,054	8,898	10,108	2,165	18,659	3,472
Met inclusion and exclusion criteria ¹	26,539,423	11,066,548	*****	*****	26,915	23,139	3,954	6,154	9,755	8,904
Evidence of benz_washout	N/A	N/A	N/A	0	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of dep_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A
Evidence of diabetes	N/A	9,774,175	N/A	100	N/A	6,688	N/A	1,266	N/A	3,016
Evidence of glp_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of glp1ra	N/A	1,750,568	N/A	66	N/A	3,890	N/A	673	N/A	1,557
Members with required pre-index history										
Evidence of loca_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0
Evidence of naltbup_washout	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A	N/A	N/A
Evidence of orli_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of pdt_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of phen_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of phentop_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of pregnancy	N/A	1,885,322	N/A	16	N/A	963	N/A	191	N/A	378
Evidence of setmel_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Table 5. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	Obesity		Benzphetamine		Combination naltrexone &		Diethylpropion		Lorcaserin	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
<i>Evidence of wegsax_ washout</i>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<i>No evidence of obesity</i>	N/A	0	N/A	585	N/A	16,186	N/A	5,004	N/A	5,999
Met event incidence criteria	26,539,423	0	*****	0	26,915	0	3,954	0	9,755	0
Had sufficient post-index continuous enrollment	26,539,423	0	*****	0	26,915	0	3,954	0	9,755	0
Had minimum days' supply on index date	N/A	N/A	*****	0	26,915	0	3,954	0	9,755	0
Had index episode of at least required length	26,539,423	0	*****	0	26,915	0	3,954	0	9,755	0
Had index episode longer than blackout period	26,539,423	0	237	*****	*****	*****	3,863	91	9,689	66
Did not have an event during blackout period	26,539,423	0	237	0	26,780	*****	3,863	0	9,689	0
Final cohort										
Number of members	26,539,423	N/A	237	N/A	26,780	N/A	3,863	N/A	9,689	N/A
Number of episodes	26,539,423	N/A	237	N/A	26,780	N/A	3,863	N/A	9,689	N/A

¹Patients can meet multiple inclusion and/or exclusion criteria; therefore, the total number of patients excluded overall may not equal the sum of all patients in each criterion.

***** Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

Table 5. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	Orlistat		Phendimetrazine		Phentermine		Phentermine-topiramate		Setmelanotide	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements										
Enrolled at any point during the query period	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A	374,546,842	N/A
Had required coverage type (medical and/or drug coverage)	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799	280,787,043	93,759,799
Enrolled during specified age range	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757	218,588,286	62,198,757
Had requestable medical charts	218,588,286	0	218,588,286	0	218,588,286	0	218,588,286	0	218,588,286	0
Met demographic requirements (sex, race, and Hispanic origin)	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338	218,516,948	71,338
Members with a valid index event										
Had any cohort-defining claim during the query period	7,484	218,509,464	13,249	218,503,69	450,032	218,066,91	25,747	218,491,201	*****	*****
Claim recorded during specified age range	7,412	72	13,226	23	449,449	583	*****	*****	*****	0
Episode defining index claim recorded during the query period	7,000	412	12,732	494	439,188	10,261	24,004	*****	*****	0
Members with required pre-index history										
Had sufficient pre-index continuous enrollment	5,914	1,086	10,375	2,357	355,373	83,815	19,910	4,094	*****	0
Met inclusion and exclusion criteria ¹	2,801	3,113	3,798	6,577	185,623	169,750	11,274	8,636	*****	*****
Evidence of benz_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of dep_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of diabetes	N/A	1,288	N/A	1,118	N/A	41,637	N/A	2,426	N/A	0
Evidence of glp_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of glp1ra	N/A	397	N/A	551	N/A	17,006	N/A	2,167	N/A	*****
Members with required pre-index history										
Evidence of loca_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of naltbup_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of orli_washout	N/A	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of pdt_washout	N/A	N/A	N/A	0	N/A	N/A	N/A	N/A	N/A	N/A
Evidence of phen_washout	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A	N/A	N/A
Evidence of phentop_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A
Evidence of pregnancy	N/A	195	N/A	175	N/A	8,714	N/A	423	N/A	*****
Evidence of setmel_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0
Evidence of wegsax_washout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A


Table 5. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to September 30, 2023

	Orlistat		Phendimetrazine		Phentermine		Phentermine-topiramate		Setmelanotide	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
<i>No evidence of obesity</i>	N/A	2,054	N/A	5,627	N/A	130,126	N/A	5,534	N/A	*****
Met event incidence criteria	2,801	0	3,798	0	185,623	0	11,274	0	*****	0
Had sufficient post-index continuous enrollment	2,801	0	3,798	0	185,623	0	11,274	0	*****	0
Had minimum days' supply on index date	2,801	0	3,798	0	185,623	0	11,274	0	*****	0
Had index episode of at least required length	2,801	0	3,798	0	185,623	0	11,274	0	*****	0
Had index episode longer than blackout period	2,782	19	*****	*****	*****	*****	11,232	42	*****	0
Did not have an event during blackout period	2,782	0	3,670	*****	185,145	*****	11,232	0	*****	0
Final cohort										
Number of members	2,782	N/A	3,670	N/A	185,145	N/A	11,232	N/A	*****	N/A
Number of episodes	2,782	N/A	3,670	N/A	185,145	N/A	11,232	N/A	*****	N/A

¹Patients can meet multiple inclusion and/or exclusion criteria; therefore, the total number of patients excluded overall may not equal the sum of all patients in each criterion.

***** Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.


Figure 1. Kaplan-Meier Estimate of Event of Interest Not Occurring in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹



¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.


...

Figure 2a. Reasons for End of Follow-Up Among GLP-1 Receptor Agonists in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2b. Reasons for End of Follow-Up Among GLP-1 Receptor Agonists without censoring in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2c. Reasons for End of Follow-Up Among Wegovy & Saxenda in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2d. Reasons for End of Follow-Up Among Wegovy & Saxenda without censoring in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2e. Reasons for End of Follow-Up Among Obesity in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2f. Reasons for End of Follow-Up Among Benzphetamine in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2g. Reasons for End of Follow-Up Among Combination Naltrexone & Bupropion in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2h. Reasons for End of Follow-Up Among Diethylpropion in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2i. Reasons for End of Follow-Up Among Lorcaserin in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2j. Reasons for End of Follow-Up Among Orlistat in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2k. Reasons for End of Follow-Up Among Phendimetrazine in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹




¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2I. Reasons for End of Follow-Up Among Phentermine in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹



¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2m. Reasons for End of Follow-Up Among Phentermine-topiramate in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹



¹A single episode may contribute to multiple categories if a patient was censored due to multiple criteria on the same day.

Figure 2n. Reasons for End of Follow-Up Among Setmelanotide in the Sentinel Distributed Database from October 1, 2015 to September 30, 2023¹

Data are not presented due to a small sample size or to assure a small cell cannot be recalculated through the data presented.

Appendix A. Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (March 18, 2024)

Masked DP ID ¹	DP Start Date	DP End Date ¹
DP01	01/01/2005	07/31/2022
DP02	01/01/2000	10/31/2022
DP03	01/01/2004	07/31/2023
DP04	01/01/2007	06/30/2023
DP05	01/01/2000	08/31/2022
DP06	01/01/2000	12/31/2021
DP07	01/01/2008	04/30/2023
DP08	01/01/2000	05/31/2023
DP09	01/01/2000	08/31/2022
DP10	01/01/2000	04/30/2023
DP11	01/01/2010	06/30/2023
DP12	01/01/2014	12/31/2020
DP13	01/01/2008	09/30/2023
DP14	01/01/2006	06/30/2023

¹End Date represents the earliest of: (1) query end date, or (2) last day of the most recent month for which all of a Data Partner's data tables (enrollment, dispensing, etc.) have at least 80% of the record count relative to the prior month.

Appendix B. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposures in this Request

Generic/Nonproprietary	Brand/Proprietary
GLP-1 Receptor Agonists	
albiglutide	Tanzeum
dulaglutide	Trulicity
exenatide	Byetta
exenatide microspheres	Bydureon
exenatide microspheres	Bydureon BCise
insulin degludec/liraglutide	Xultophy 100/3.6
insulin glargine,human recombinant analog/lixisenatide	Soliqua 100/33
liraglutide	Saxenda
liraglutide	Victoza 2-Pak
liraglutide	Victoza 3-Pak
lixisenatide	Adlyxin
semaglutide	Ozempic
semaglutide	Rybelsus
semaglutide	Wegovy
tirzepatide	Mounjaro
Wegovy & Saxenda	
liraglutide	Saxenda
semaglutide	Wegovy
Benzphetamine	
benzphetamine HCl	Didrex
benzphetamine HCl	Regimex
benzphetamine HCl	benzphetamine
Combination naltrexone & bupropion	
naltrexone HCl/bupropion HCl	Contrave
Diethylpropion	

Appendix B. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposures in this Request

Generic/Nonproprietary	Brand/Proprietary
diethylpropion HCl	diethylpropion
Lorcaserin	
lorcaserin HCl	Belviq
lorcaserin HCl	Belviq XR
Orlistat	
orlistat	Alli
orlistat	Xenical
orlistat	orlistat
Phendimetrazine	
phendimetrazine tartrate	Bontril PDM
phendimetrazine tartrate	phendimetrazine tartrate
Phentermine	
phentermine HCl	Adipex-P
phentermine HCl	Lomaira
phentermine HCl	Suprenza
phentermine HCl	phentermine
Phentermine-topiramate	
phentermine HCl/topiramate	Qsymia
Setmelanotide	
setmelanotide acetate	Imcivree

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
Obesity			
278.0	Overweight and obesity	Diagnosis	ICD-9-CM
278.00	Obesity, unspecified	Diagnosis	ICD-9-CM
278.01	Morbid obesity	Diagnosis	ICD-9-CM
278.03	Obesity hypoventilation syndrome	Diagnosis	ICD-9-CM
539.0	Complications of gastric band procedure	Diagnosis	ICD-9-CM
539.01	Infection due to gastric band procedure	Diagnosis	ICD-9-CM
539.09	Other complications of gastric band procedure	Diagnosis	ICD-9-CM
E66.01	Morbid (severe) obesity due to excess calories	Diagnosis	ICD-10-CM
E66.09	Other obesity due to excess calories	Diagnosis	ICD-10-CM
E66.1	Drug-induced obesity	Diagnosis	ICD-10-CM
E66.2	Morbid (severe) obesity with alveolar hypoventilation	Diagnosis	ICD-10-CM
E66.8	Other obesity	Diagnosis	ICD-10-CM
E66.9	Obesity, unspecified	Diagnosis	ICD-10-CM
K95.01	Infection due to gastric band procedure	Diagnosis	ICD-10-CM
K95.09	Other complications of gastric band procedure	Diagnosis	ICD-10-CM
K95.81	Infection due to other bariatric procedure	Diagnosis	ICD-10-CM
K95.89	Other complications of other bariatric procedure	Diagnosis	ICD-10-CM
O99.210	Obesity complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.211	Obesity complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.212	Obesity complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.213	Obesity complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.214	Obesity complicating childbirth	Diagnosis	ICD-10-CM
O99.215	Obesity complicating the puerperium	Diagnosis	ICD-10-CM
O99.840	Bariatric surgery status complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.841	Bariatric surgery status complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.842	Bariatric surgery status complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.843	Bariatric surgery status complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.844	Bariatric surgery status complicating childbirth	Diagnosis	ICD-10-CM
O99.845	Bariatric surgery status complicating the puerperium	Diagnosis	ICD-10-CM
V45.86	Bariatric surgery status	Diagnosis	ICD-9-CM
V85.3	Body Mass Index Between 30-39, adult	Diagnosis	ICD-9-CM
V85.30	Body Mass Index 30.0-30.9, adult	Diagnosis	ICD-9-CM

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
Obesity			
V85.31	Body Mass Index 31.0-31.9, adult	Diagnosis	ICD-9-CM
V85.32	Body Mass Index 32.0-32.9, adult	Diagnosis	ICD-9-CM
V85.33	Body Mass Index 33.0-33.9, adult	Diagnosis	ICD-9-CM
V85.34	Body Mass Index 34.0-34.9, adult	Diagnosis	ICD-9-CM
V85.35	Body Mass Index 35.0-35.9, adult	Diagnosis	ICD-9-CM
V85.36	Body Mass Index 36.0-36.9, adult	Diagnosis	ICD-9-CM
V85.37	Body Mass Index 37.0-37.9, adult	Diagnosis	ICD-9-CM
V85.38	Body Mass Index 38.0-38.9, adult	Diagnosis	ICD-9-CM
V85.39	Body Mass Index 39.0-39.9, adult	Diagnosis	ICD-9-CM
V85.4	Body Mass Index 40 and over, adult	Diagnosis	ICD-9-CM
V85.41	Body Mass Index 40.0-44.9, adult	Diagnosis	ICD-9-CM
V85.42	Body Mass Index 45.0-49.9, adult	Diagnosis	ICD-9-CM
V85.43	Body Mass Index 50.0-59.9, adult	Diagnosis	ICD-9-CM
V85.44	Body Mass Index 60.0-69.9, adult	Diagnosis	ICD-9-CM
V85.45	Body Mass Index 70 and over, adult	Diagnosis	ICD-9-CM
Z68.30	Body mass index [BMI] 30.0-30.9, adult	Diagnosis	ICD-10-CM
Z68.31	Body mass index [BMI] 31.0-31.9, adult	Diagnosis	ICD-10-CM
Z68.32	Body mass index [BMI] 32.0-32.9, adult	Diagnosis	ICD-10-CM
Z68.33	Body mass index [BMI] 33.0-33.9, adult	Diagnosis	ICD-10-CM
Z68.34	Body mass index [BMI] 34.0-34.9, adult	Diagnosis	ICD-10-CM
Z68.35	Body mass index [BMI] 35.0-35.9, adult	Diagnosis	ICD-10-CM
Z68.36	Body mass index [BMI] 36.0-36.9, adult	Diagnosis	ICD-10-CM
Z68.37	Body mass index [BMI] 37.0-37.9, adult	Diagnosis	ICD-10-CM
Z68.38	Body mass index [BMI] 38.0-38.9, adult	Diagnosis	ICD-10-CM
Z68.39	Body mass index [BMI] 39.0-39.9, adult	Diagnosis	ICD-10-CM
Z68.41	Body mass index [BMI] 40.0-44.9, adult	Diagnosis	ICD-10-CM
Z68.42	Body mass index [BMI] 45.0-49.9, adult	Diagnosis	ICD-10-CM
Z68.43	Body mass index [BMI] 50.0-59.9, adult	Diagnosis	ICD-10-CM
Z68.44	Body mass index [BMI] 60.0-69.9, adult	Diagnosis	ICD-10-CM
Z68.45	Body mass index [BMI] 70 or greater, adult	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T14.91	Suicide attempt	Diagnosis	ICD-10-CM
T14.91XA	Suicide attempt, initial encounter	Diagnosis	ICD-10-CM
T14.91XD	Suicide attempt, subsequent encounter	Diagnosis	ICD-10-CM
T14.91XS	Suicide attempt, sequela	Diagnosis	ICD-10-CM
T36.0X2	Poisoning by penicillins, intentional self-harm	Diagnosis	ICD-10-CM
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.1X2	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.2X2	Poisoning by chloramphenicol group, intentional self-harm	Diagnosis	ICD-10-CM
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.3X2	Poisoning by macrolides, intentional self-harm	Diagnosis	ICD-10-CM
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.4X2	Poisoning by tetracyclines, intentional self-harm	Diagnosis	ICD-10-CM
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.5X2	Poisoning by aminoglycosides, intentional self-harm	Diagnosis	ICD-10-CM
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.6X2	Poisoning by rifampicins, intentional self-harm	Diagnosis	ICD-10-CM
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.7X2	Poisoning by antifungal antibiotics, systemically used, intentional self-harm	Diagnosis	ICD-10-CM
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.8X2	Poisoning by other systemic antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.92	Poisoning by unspecified systemic antibiotic, intentional self-harm	Diagnosis	ICD-10-CM
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.0X2	Poisoning by sulfonamides, intentional self-harm	Diagnosis	ICD-10-CM
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.1X2	Poisoning by antimycobacterial drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.2X2	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm	Diagnosis	ICD-10-CM
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.3X2	Poisoning by other antiprotozoal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.4X2	Poisoning by anthelmintics, intentional self-harm	Diagnosis	ICD-10-CM
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.5X2	Poisoning by antiviral drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T37.8X2	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.92	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.0X2	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm	Diagnosis	ICD-10-CM
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.1X2	Poisoning by thyroid hormones and substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.2X2	Poisoning by antithyroid drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.3X2	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.4X2	Poisoning by oral contraceptives, intentional self-harm	Diagnosis	ICD-10-CM
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.5X2	Poisoning by other estrogens and progestogens, intentional self-harm	Diagnosis	ICD-10-CM
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.6X2	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.6X2D	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.6X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.7X2	Poisoning by androgens and anabolic congeners, intentional self-harm	Diagnosis	ICD-10-CM
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.802	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.812	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm	Diagnosis	ICD-10-CM
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.892	Poisoning by other hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.902	Poisoning by unspecified hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.992	Poisoning by other hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.012	Poisoning by aspirin, intentional self-harm	Diagnosis	ICD-10-CM
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T39.092	Poisoning by salicylates, intentional self-harm	Diagnosis	ICD-10-CM
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.1X2	Poisoning by 4-Aminophenol derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.2X2	Poisoning by pyrazolone derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.312	Poisoning by propionic acid derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.392	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm	Diagnosis	ICD-10-CM
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.4X2	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.8X2	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.92	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm	Diagnosis	ICD-10-CM
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.0X2	Poisoning by opium, intentional self-harm	Diagnosis	ICD-10-CM
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.1X2	Poisoning by heroin, intentional self-harm	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.2X2	Poisoning by other opioids, intentional self-harm	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.3X2	Poisoning by methadone, intentional self-harm	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.412	Poisoning by fentanyl or fentanyl analogs, intentional self-harm	Diagnosis	ICD-10-CM
T40.412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.412D	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.422	Poisoning by tramadol, intentional self-harm	Diagnosis	ICD-10-CM
T40.422A	Poisoning by tramadol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.422D	Poisoning by tramadol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.422S	Poisoning by tramadol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.492	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.492D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.4X2	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.5X2	Poisoning by cocaine, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.602	Poisoning by unspecified narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.692	Poisoning by other narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.712	Poisoning by cannabis, intentional self-harm	Diagnosis	ICD-10-CM
T40.712A	Poisoning by cannabis, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.712D	Poisoning by cannabis, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.712S	Poisoning by cannabis, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.722	Poisoning by synthetic cannabinoids, intentional self-harm	Diagnosis	ICD-10-CM
T40.722A	Poisoning by synthetic cannabinoids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.722D	Poisoning by synthetic cannabinoids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.7X2	Poisoning by cannabis (derivatives), intentional self-harm	Diagnosis	ICD-10-CM
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.8X2	Poisoning by lysergide [LSD], intentional self-harm	Diagnosis	ICD-10-CM
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.902	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.992	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.0X2	Poisoning by inhaled anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.1X2	Poisoning by intravenous anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.202	Poisoning by unspecified general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.292	Poisoning by other general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.3X2	Poisoning by local anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.42	Poisoning by unspecified anesthetic, intentional self-harm	Diagnosis	ICD-10-CM
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.5X2	Poisoning by therapeutic gases, intentional self-harm	Diagnosis	ICD-10-CM
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.0X2	Poisoning by hydantoin derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.1X2	Poisoning by iminostilbenes, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.2X2	Poisoning by succinimides and oxazolidinediones, intentional self-harm	Diagnosis	ICD-10-CM
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.3X2	Poisoning by barbiturates, intentional self-harm	Diagnosis	ICD-10-CM
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.4X2	Poisoning by benzodiazepines, intentional self-harm	Diagnosis	ICD-10-CM
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.5X2	Poisoning by mixed antiepileptics, intentional self-harm	Diagnosis	ICD-10-CM
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.6X2	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.72	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.8X2	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm	Diagnosis	ICD-10-CM
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial	Diagnosis	ICD-10-CM
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.012	Poisoning by tricyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.022	Poisoning by tetracyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.1X2	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.202	Poisoning by unspecified antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.212	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.222	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.292	Poisoning by other antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.3X2	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.4X2	Poisoning by butyrophenone and thioxixene neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.4X2A	Poisoning by butyrophenone and thioxixene neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.4X2D	Poisoning by butyrophenone and thioxixene neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.502	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.592	Poisoning by other antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.602	Poisoning by unspecified psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.612	Poisoning by caffeine, intentional self-harm	Diagnosis	ICD-10-CM
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.622	Poisoning by amphetamines, intentional self-harm	Diagnosis	ICD-10-CM
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.632	Poisoning by methylphenidate, intentional self-harm	Diagnosis	ICD-10-CM
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.642	Poisoning by ecstasy, intentional self-harm	Diagnosis	ICD-10-CM
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.642S	Poisoning by ecstasy, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.692	Poisoning by other psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.8X2	Poisoning by other psychotropic drugs, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.92	Poisoning by unspecified psychotropic drug, intentional self-harm	Diagnosis	ICD-10-CM
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.0X2	Poisoning by anticholinesterase agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.1X2	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm	Diagnosis	ICD-10-CM
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.2X2	Poisoning by ganglionic blocking drugs, intentional self-harm	Diagnosis	ICD-10-CM
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.3X2	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm	Diagnosis	ICD-10-CM
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.4X2	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.5X2	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.6X2	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.7X2	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.8X2	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.902	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial	Diagnosis	ICD-10-CM
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.992	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent	Diagnosis	ICD-10-CM
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X2	Poisoning by antiallergic and antiemetic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.1X2	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.2X2	Poisoning by vitamins, intentional self-harm	Diagnosis	ICD-10-CM
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.3X2	Poisoning by enzymes, intentional self-harm	Diagnosis	ICD-10-CM
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.4X2	Poisoning by iron and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.512	Poisoning by anticoagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.522	Poisoning by antithrombotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.602	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.612	Poisoning by thrombolytic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.622	Poisoning by hemostatic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.692	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.7X2	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.8X2	Poisoning by other primarily systemic and hematological agents, intentional self-harm	Diagnosis	ICD-10-CM
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.92	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm	Diagnosis	ICD-10-CM
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.0X2	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm	Diagnosis	ICD-10-CM
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.1X2	Poisoning by calcium-channel blockers, intentional self-harm	Diagnosis	ICD-10-CM
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.2X2	Poisoning by other antidysrhythmic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.3X2	Poisoning by coronary vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.4X2	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.5X2	Poisoning by other antihypertensive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.6X2	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.7X2	Poisoning by peripheral vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.8X2	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm	Diagnosis	ICD-10-CM
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.902	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.992	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.0X2	Poisoning by histamine H2-receptor blockers, intentional self-harm	Diagnosis	ICD-10-CM
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.1X2	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.2X2	Poisoning by stimulant laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.3X2	Poisoning by saline and osmotic laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.4X2	Poisoning by other laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.5X2	Poisoning by digestants, intentional self-harm	Diagnosis	ICD-10-CM
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.6X2	Poisoning by antidiarrheal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.7X2	Poisoning by emetics, intentional self-harm	Diagnosis	ICD-10-CM
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.8X2	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.92	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.0X2	Poisoning by oxytocic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.0X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T48.0X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.1X2	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm	Diagnosis	ICD-10-CM
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.202	Poisoning by unspecified drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.292	Poisoning by other drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.3X2	Poisoning by antitussives, intentional self-harm	Diagnosis	ICD-10-CM
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.4X2	Poisoning by expectorants, intentional self-harm	Diagnosis	ICD-10-CM
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.5X2	Poisoning by other anti-common-cold drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.6X2	Poisoning by antiasthmatics, intentional self-harm	Diagnosis	ICD-10-CM
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.902	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent	Diagnosis	ICD-10-CM
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.992	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.0X2	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm	Diagnosis	ICD-10-CM
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.1X2	Poisoning by antipruritics, intentional self-harm	Diagnosis	ICD-10-CM
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.2X2	Poisoning by local astringents and local detergents, intentional self-harm	Diagnosis	ICD-10-CM
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.3X2	Poisoning by emollients, demulcents and protectants, intentional self-harm	Diagnosis	ICD-10-CM
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.4X2	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.5X2	Poisoning by ophthalmological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.6X2	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T49.7X2	Poisoning by dental drugs, topically applied, intentional self-harm	Diagnosis	ICD-10-CM
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.8X2	Poisoning by other topical agents, intentional self-harm	Diagnosis	ICD-10-CM
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.92	Poisoning by unspecified topical agent, intentional self-harm	Diagnosis	ICD-10-CM
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X2	Poisoning by mineralocorticoids and their antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.1X2	Poisoning by loop [high-ceiling] diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.2X2	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.2X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.3X2	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.3X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.4X2	Poisoning by drugs affecting uric acid metabolism, intentional self-harm	Diagnosis	ICD-10-CM
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T50.5X2	Poisoning by appetite depressants, intentional self-harm	Diagnosis	ICD-10-CM
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.6X2	Poisoning by antidotes and chelating agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.7X2	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.8X2	Poisoning by diagnostic agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.902	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.912	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.912A	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial	Diagnosis	ICD-10-CM
T50.912D	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.992	Poisoning by other drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A12	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A22	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A92	Poisoning by other bacterial vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B12	Poisoning by smallpox vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B92	Poisoning by other viral vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z12	Poisoning by immunoglobulin, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z92	Poisoning by other vaccines and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.0X2	Toxic effect of ethanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.1X2	Toxic effect of methanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.2X2	Toxic effect of 2-Propanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.3X2	Toxic effect of fusel oil, intentional self-harm	Diagnosis	ICD-10-CM
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.8X2	Toxic effect of other alcohols, intentional self-harm	Diagnosis	ICD-10-CM
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.92	Toxic effect of unspecified alcohol, intentional self-harm	Diagnosis	ICD-10-CM
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.0X2	Toxic effect of petroleum products, intentional self-harm	Diagnosis	ICD-10-CM
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.1X2	Toxic effect of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.2X2	Toxic effect of homologues of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.3X2	Toxic effect of glycols, intentional self-harm	Diagnosis	ICD-10-CM
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.4X2	Toxic effect of ketones, intentional self-harm	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.8X2	Toxic effect of other organic solvents, intentional self-harm	Diagnosis	ICD-10-CM
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.92	Toxic effect of unspecified organic solvent, intentional self-harm	Diagnosis	ICD-10-CM
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.0X2	Toxic effect of carbon tetrachloride, intentional self-harm	Diagnosis	ICD-10-CM
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.1X2	Toxic effect of chloroform, intentional self-harm	Diagnosis	ICD-10-CM
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.2X2	Toxic effect of trichloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.3X2	Toxic effect of tetrachloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.4X2	Toxic effect of dichloromethane, intentional self-harm	Diagnosis	ICD-10-CM
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.5X2	Toxic effect of chlorofluorocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.6X2	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.7X2	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.92	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.0X2	Toxic effect of phenol and phenol homologues, intentional self-harm	Diagnosis	ICD-10-CM
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.1X2	Toxic effect of other corrosive organic compounds, intentional self-harm	Diagnosis	ICD-10-CM
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.2X2	Toxic effect of corrosive acids and acid-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.3X2	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.92	Toxic effect of unspecified corrosive substance, intentional self-harm	Diagnosis	ICD-10-CM
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.0X2	Toxic effect of soaps, intentional self-harm	Diagnosis	ICD-10-CM
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.1X2	Toxic effect of detergents, intentional self-harm	Diagnosis	ICD-10-CM
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.0X2	Toxic effect of lead and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.1X2	Toxic effect of mercury and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.2X2	Toxic effect of chromium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.3X2	Toxic effect of cadmium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.4X2	Toxic effect of copper and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.5X2	Toxic effect of zinc and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T56.6X2	Toxic effect of tin and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.7X2	Toxic effect of beryllium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.812	Toxic effect of thallium, intentional self-harm	Diagnosis	ICD-10-CM
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.892	Toxic effect of other metals, intentional self-harm	Diagnosis	ICD-10-CM
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.92	Toxic effect of unspecified metal, intentional self-harm	Diagnosis	ICD-10-CM
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.0X2	Toxic effect of arsenic and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.1X2	Toxic effect of phosphorus and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.2X2	Toxic effect of manganese and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.3X2	Toxic effect of hydrogen cyanide, intentional self-harm	Diagnosis	ICD-10-CM
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.8X2	Toxic effect of other specified inorganic substances, intentional self-harm	Diagnosis	ICD-10-CM
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.92	Toxic effect of unspecified inorganic substance, intentional self-harm	Diagnosis	ICD-10-CM
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.02	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm	Diagnosis	ICD-10-CM
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.12	Toxic effect of carbon monoxide from utility gas, intentional self-harm	Diagnosis	ICD-10-CM
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.2X2	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm	Diagnosis	ICD-10-CM
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.2X2D	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.8X2	Toxic effect of carbon monoxide from other source, intentional self-harm	Diagnosis	ICD-10-CM
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.92	Toxic effect of carbon monoxide from unspecified source, intentional self-harm	Diagnosis	ICD-10-CM
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.0X2	Toxic effect of nitrogen oxides, intentional self-harm	Diagnosis	ICD-10-CM
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.1X2	Toxic effect of sulfur dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.2X2	Toxic effect of formaldehyde, intentional self-harm	Diagnosis	ICD-10-CM
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.3X2	Toxic effect of lacrimogenic gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.4X2	Toxic effect of chlorine gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.5X2	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm	Diagnosis	ICD-10-CM
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.6X2	Toxic effect of hydrogen sulfide, intentional self-harm	Diagnosis	ICD-10-CM
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.7X2	Toxic effect of carbon dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.812	Toxic effect of smoke, intentional self-harm	Diagnosis	ICD-10-CM
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T59.892	Toxic effect of other specified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.92	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.0X2	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.1X2	Toxic effect of halogenated insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.2X2	Toxic effect of other insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.3X2	Toxic effect of herbicides and fungicides, intentional self-harm	Diagnosis	ICD-10-CM
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.4X2	Toxic effect of rodenticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.8X2	Toxic effect of other pesticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.92	Toxic effect of unspecified pesticide, intentional self-harm	Diagnosis	ICD-10-CM
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.02	Ciguatera fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.12	Scombroid fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.772	Other fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.772S	Other fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.782	Other shellfish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.8X2	Toxic effect of other seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.92	Toxic effect of unspecified seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.0X2	Toxic effect of ingested mushrooms, intentional self-harm	Diagnosis	ICD-10-CM
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.1X2	Toxic effect of ingested berries, intentional self-harm	Diagnosis	ICD-10-CM
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T62.2X2	Toxic effect of other ingested (parts of) plant(s), intentional self-harm	Diagnosis	ICD-10-CM
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.8X2	Toxic effect of other specified noxious substances eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.92	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.002	Toxic effect of unspecified snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.012	Toxic effect of rattlesnake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.022	Toxic effect of coral snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.032	Toxic effect of taipan venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.042	Toxic effect of cobra venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.062	Toxic effect of venom of other North and South American snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.072	Toxic effect of venom of other Australian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.082	Toxic effect of venom of other African and Asian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.092	Toxic effect of venom of other snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.112	Toxic effect of venom of gila monster, intentional self-harm	Diagnosis	ICD-10-CM
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.122	Toxic effect of venom of other venomous lizard, intentional self-harm	Diagnosis	ICD-10-CM
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.192	Toxic effect of venom of other reptiles, intentional self-harm	Diagnosis	ICD-10-CM
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.2X2	Toxic effect of venom of scorpion, intentional self-harm	Diagnosis	ICD-10-CM
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.302	Toxic effect of unspecified spider venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T63.312	Toxic effect of venom of black widow spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.322	Toxic effect of venom of tarantula, intentional self-harm	Diagnosis	ICD-10-CM
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.332	Toxic effect of venom of brown recluse spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.392	Toxic effect of venom of other spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.412	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm	Diagnosis	ICD-10-CM
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.422	Toxic effect of venom of ants, intentional self-harm	Diagnosis	ICD-10-CM
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.432	Toxic effect of venom of caterpillars, intentional self-harm	Diagnosis	ICD-10-CM
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.442	Toxic effect of venom of bees, intentional self-harm	Diagnosis	ICD-10-CM
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.452	Toxic effect of venom of hornets, intentional self-harm	Diagnosis	ICD-10-CM
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.462	Toxic effect of venom of wasps, intentional self-harm	Diagnosis	ICD-10-CM
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.482	Toxic effect of venom of other arthropod, intentional self-harm	Diagnosis	ICD-10-CM
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.512	Toxic effect of contact with stingray, intentional self-harm	Diagnosis	ICD-10-CM
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.592	Toxic effect of contact with other venomous fish, intentional self-harm	Diagnosis	ICD-10-CM
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.612	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm	Diagnosis	ICD-10-CM
T63.612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.622	Toxic effect of contact with other jellyfish, intentional self-harm	Diagnosis	ICD-10-CM
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.632	Toxic effect of contact with sea anemone, intentional self-harm	Diagnosis	ICD-10-CM
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.692	Toxic effect of contact with other venomous marine animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T63.712	Toxic effect of contact with venomous marine plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.792	Toxic effect of contact with other venomous plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.812	Toxic effect of contact with venomous frog, intentional self-harm	Diagnosis	ICD-10-CM
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.822	Toxic effect of contact with venomous toad, intentional self-harm	Diagnosis	ICD-10-CM
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.832	Toxic effect of contact with other venomous amphibian, intentional self-harm	Diagnosis	ICD-10-CM
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.892	Toxic effect of contact with other venomous animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.92	Toxic effect of contact with unspecified venomous animal, intentional self-harm	Diagnosis	ICD-10-CM
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.02	Toxic effect of aflatoxin, intentional self-harm	Diagnosis	ICD-10-CM
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.82	Toxic effect of other mycotoxin food contaminants, intentional self-harm	Diagnosis	ICD-10-CM
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.0X2	Toxic effect of cyanides, intentional self-harm	Diagnosis	ICD-10-CM
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.1X2	Toxic effect of strychnine and its salts, intentional self-harm	Diagnosis	ICD-10-CM
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.212	Toxic effect of chewing tobacco, intentional self-harm	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.222	Toxic effect of tobacco cigarettes, intentional self-harm	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.292	Toxic effect of other tobacco and nicotine, intentional self-harm	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm	Diagnosis	ICD-10-CM
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.3X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.4X2	Toxic effect of carbon disulfide, intentional self-harm	Diagnosis	ICD-10-CM
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.4X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.5X2	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm	Diagnosis	ICD-10-CM
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.5X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.6X2	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.6X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.812	Toxic effect of latex, intentional self-harm	Diagnosis	ICD-10-CM
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.812S	Toxic effect of latex, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.822	Toxic effect of harmful algae and algae toxins, intentional self-harm	Diagnosis	ICD-10-CM
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.832	Toxic effect of fiberglass, intentional self-harm	Diagnosis	ICD-10-CM
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.892	Toxic effect of other specified substances, intentional self-harm	Diagnosis	ICD-10-CM
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.92	Toxic effect of unspecified substance, intentional self-harm	Diagnosis	ICD-10-CM
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.112	Asphyxiation due to smothering under pillow, intentional self-harm	Diagnosis	ICD-10-CM
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.122	Asphyxiation due to plastic bag, intentional self-harm	Diagnosis	ICD-10-CM
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
T71.132	Asphyxiation due to being trapped in bed linens, intentional self-harm	Diagnosis	ICD-10-CM
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.152	Asphyxiation due to smothering in furniture, intentional self-harm	Diagnosis	ICD-10-CM
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.162	Asphyxiation due to hanging, intentional self-harm	Diagnosis	ICD-10-CM
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.192	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm	Diagnosis	ICD-10-CM
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.222	Asphyxiation due to being trapped in a car trunk, intentional self-harm	Diagnosis	ICD-10-CM
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.232	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm	Diagnosis	ICD-10-CM
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Diagnosis	ICD-10-CM
X71	Intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.0	Intentional self-harm by drowning and submersion while in bathtub	Diagnosis	ICD-10-CM
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Diagnosis	ICD-10-CM
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Diagnosis	ICD-10-CM
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Diagnosis	ICD-10-CM
X71.1	Intentional self-harm by drowning and submersion while in swimming pool	Diagnosis	ICD-10-CM
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Diagnosis	ICD-10-CM
X71.2	Intentional self-harm by drowning and submersion after jump into swimming pool	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Diagnosis	ICD-10-CM
X71.3	Intentional self-harm by drowning and submersion in natural water	Diagnosis	ICD-10-CM
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	Diagnosis	ICD-10-CM
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Diagnosis	ICD-10-CM
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Diagnosis	ICD-10-CM
X71.8	Other intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	Diagnosis	ICD-10-CM
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	Diagnosis	ICD-10-CM
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	Diagnosis	ICD-10-CM
X71.9	Intentional self-harm by drowning and submersion, unspecified	Diagnosis	ICD-10-CM
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Diagnosis	ICD-10-CM
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Diagnosis	ICD-10-CM
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Diagnosis	ICD-10-CM
X72	Intentional self-harm by handgun discharge	Diagnosis	ICD-10-CM
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	Diagnosis	ICD-10-CM
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X72.XXXS	Intentional self-harm by handgun discharge, sequela	Diagnosis	ICD-10-CM
X73	Intentional self-harm by rifle, shotgun and larger firearm discharge	Diagnosis	ICD-10-CM
X73.0	Intentional self-harm by shotgun discharge	Diagnosis	ICD-10-CM
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	Diagnosis	ICD-10-CM
X73.1	Intentional self-harm by hunting rifle discharge	Diagnosis	ICD-10-CM
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	Diagnosis	ICD-10-CM
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	Diagnosis	ICD-10-CM
X73.2	Intentional self-harm by machine gun discharge	Diagnosis	ICD-10-CM
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	Diagnosis	ICD-10-CM
X73.8	Intentional self-harm by other larger firearm discharge	Diagnosis	ICD-10-CM
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X73.9	Intentional self-harm by unspecified larger firearm discharge	Diagnosis	ICD-10-CM
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X74	Intentional self-harm by other and unspecified firearm and gun discharge	Diagnosis	ICD-10-CM
X74.0	Intentional self-harm by gas, air or spring-operated guns	Diagnosis	ICD-10-CM
X74.01	Intentional self-harm by airgun	Diagnosis	ICD-10-CM
X74.01XA	Intentional self-harm by airgun, initial encounter	Diagnosis	ICD-10-CM
X74.01XD	Intentional self-harm by airgun, subsequent encounter	Diagnosis	ICD-10-CM
X74.01XS	Intentional self-harm by airgun, sequela	Diagnosis	ICD-10-CM
X74.02	Intentional self-harm by paintball gun	Diagnosis	ICD-10-CM
X74.02XA	Intentional self-harm by paintball gun, initial encounter	Diagnosis	ICD-10-CM
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.02XS	Intentional self-harm by paintball gun, sequela	Diagnosis	ICD-10-CM
X74.09	Intentional self-harm by other gas, air or spring-operated gun	Diagnosis	ICD-10-CM
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Diagnosis	ICD-10-CM
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Diagnosis	ICD-10-CM
X74.8	Intentional self-harm by other firearm discharge	Diagnosis	ICD-10-CM
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.9	Intentional self-harm by unspecified firearm discharge	Diagnosis	ICD-10-CM
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	Diagnosis	ICD-10-CM
X75	Intentional self-harm by explosive material	Diagnosis	ICD-10-CM
X75.XXXA	Intentional self-harm by explosive material, initial encounter	Diagnosis	ICD-10-CM
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	Diagnosis	ICD-10-CM
X75.XXXS	Intentional self-harm by explosive material, sequela	Diagnosis	ICD-10-CM
X76	Intentional self-harm by smoke, fire and flames	Diagnosis	ICD-10-CM
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	Diagnosis	ICD-10-CM
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	Diagnosis	ICD-10-CM
X77	Intentional self-harm by steam, hot vapors and hot objects	Diagnosis	ICD-10-CM
X77.0	Intentional self-harm by steam or hot vapors	Diagnosis	ICD-10-CM
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	Diagnosis	ICD-10-CM
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	Diagnosis	ICD-10-CM
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	Diagnosis	ICD-10-CM
X77.1	Intentional self-harm by hot tap water	Diagnosis	ICD-10-CM
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	Diagnosis	ICD-10-CM
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	Diagnosis	ICD-10-CM
X77.1XXS	Intentional self-harm by hot tap water, sequela	Diagnosis	ICD-10-CM
X77.2	Intentional self-harm by other hot fluids	Diagnosis	ICD-10-CM
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	Diagnosis	ICD-10-CM
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	Diagnosis	ICD-10-CM
X77.2XXS	Intentional self-harm by other hot fluids, sequela	Diagnosis	ICD-10-CM
X77.3	Intentional self-harm by hot household appliances	Diagnosis	ICD-10-CM
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	Diagnosis	ICD-10-CM
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	Diagnosis	ICD-10-CM
X77.3XXS	Intentional self-harm by hot household appliances, sequela	Diagnosis	ICD-10-CM
X77.8	Intentional self-harm by other hot objects	Diagnosis	ICD-10-CM
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.8XXS	Intentional self-harm by other hot objects, sequela	Diagnosis	ICD-10-CM
X77.9	Intentional self-harm by unspecified hot objects	Diagnosis	ICD-10-CM
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	Diagnosis	ICD-10-CM
X78	Intentional self-harm by sharp object	Diagnosis	ICD-10-CM
X78.0	Intentional self-harm by sharp glass	Diagnosis	ICD-10-CM
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	Diagnosis	ICD-10-CM
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	Diagnosis	ICD-10-CM
X78.0XXS	Intentional self-harm by sharp glass, sequela	Diagnosis	ICD-10-CM
X78.1	Intentional self-harm by knife	Diagnosis	ICD-10-CM
X78.1XXA	Intentional self-harm by knife, initial encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
X78.1XXD	Intentional self-harm by knife, subsequent encounter	Diagnosis	ICD-10-CM
X78.1XXS	Intentional self-harm by knife, sequela	Diagnosis	ICD-10-CM
X78.2	Intentional self-harm by sword or dagger	Diagnosis	ICD-10-CM
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	Diagnosis	ICD-10-CM
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	Diagnosis	ICD-10-CM
X78.2XXS	Intentional self-harm by sword or dagger, sequela	Diagnosis	ICD-10-CM
X78.8	Intentional self-harm by other sharp object	Diagnosis	ICD-10-CM
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.8XXS	Intentional self-harm by other sharp object, sequela	Diagnosis	ICD-10-CM
X78.9	Intentional self-harm by unspecified sharp object	Diagnosis	ICD-10-CM
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	Diagnosis	ICD-10-CM
X79	Intentional self-harm by blunt object	Diagnosis	ICD-10-CM
X79.XXXA	Intentional self-harm by blunt object, initial encounter	Diagnosis	ICD-10-CM
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	Diagnosis	ICD-10-CM
X79.XXXS	Intentional self-harm by blunt object, sequela	Diagnosis	ICD-10-CM
X80	Intentional self-harm by jumping from a high place	Diagnosis	ICD-10-CM
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	Diagnosis	ICD-10-CM
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	Diagnosis	ICD-10-CM
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	Diagnosis	ICD-10-CM
X81	Intentional self-harm by jumping or lying in front of moving object	Diagnosis	ICD-10-CM
X81.0	Intentional self-harm by jumping or lying in front of motor vehicle	Diagnosis	ICD-10-CM
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Diagnosis	ICD-10-CM
X81.1	Intentional self-harm by jumping or lying in front of (subway) train	Diagnosis	ICD-10-CM
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Diagnosis	ICD-10-CM
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	Diagnosis	ICD-10-CM
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Diagnosis	ICD-10-CM
X81.8	Intentional self-harm by jumping or lying in front of other moving object	Diagnosis	ICD-10-CM
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	Diagnosis	ICD-10-CM
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Diagnosis	ICD-10-CM
X82	Intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.0	Intentional collision of motor vehicle with other motor vehicle	Diagnosis	ICD-10-CM
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.0XXS	Intentional collision of motor vehicle with other motor vehicle, sequela	Diagnosis	ICD-10-CM
X82.1	Intentional collision of motor vehicle with train	Diagnosis	ICD-10-CM
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	Diagnosis	ICD-10-CM
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	Diagnosis	ICD-10-CM
X82.1XXS	Intentional collision of motor vehicle with train, sequela	Diagnosis	ICD-10-CM
X82.2	Intentional collision of motor vehicle with tree	Diagnosis	ICD-10-CM
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	Diagnosis	ICD-10-CM
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	Diagnosis	ICD-10-CM
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	Diagnosis	ICD-10-CM
X82.8	Other intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Diagnosis	ICD-10-CM
X83	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.0	Intentional self-harm by crashing of aircraft	Diagnosis	ICD-10-CM
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	Diagnosis	ICD-10-CM
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	Diagnosis	ICD-10-CM
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	Diagnosis	ICD-10-CM
X83.1	Intentional self-harm by electrocution	Diagnosis	ICD-10-CM
X83.1XXA	Intentional self-harm by electrocution, initial encounter	Diagnosis	ICD-10-CM
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	Diagnosis	ICD-10-CM
X83.1XXS	Intentional self-harm by electrocution, sequela	Diagnosis	ICD-10-CM
X83.2	Intentional self-harm by exposure to extremes of cold	Diagnosis	ICD-10-CM
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	Diagnosis	ICD-10-CM
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Diagnosis	ICD-10-CM
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	Diagnosis	ICD-10-CM
X83.8	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.8XXA	Intentional self-harm by other specified means, initial encounter	Diagnosis	ICD-10-CM
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	Diagnosis	ICD-10-CM

Appendix D. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Outcomes in this Request

Code	Description	Code Category	Code Type
Intentional Self-Harm (Outcome)			
X83.8XXS	Intentional self-harm by other specified means, sequela	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
278.0	Overweight and obesity	Diagnosis	ICD-9-CM
278.00	Obesity, unspecified	Diagnosis	ICD-9-CM
278.01	Morbid obesity	Diagnosis	ICD-9-CM
278.03	Obesity hypoventilation syndrome	Diagnosis	ICD-9-CM
539.0	Complications of gastric band procedure	Diagnosis	ICD-9-CM
539.01	Infection due to gastric band procedure	Diagnosis	ICD-9-CM
539.09	Other complications of gastric band procedure	Diagnosis	ICD-9-CM
E66.01	Morbid (severe) obesity due to excess calories	Diagnosis	ICD-10-CM
E66.09	Other obesity due to excess calories	Diagnosis	ICD-10-CM
E66.1	Drug-induced obesity	Diagnosis	ICD-10-CM
E66.2	Morbid (severe) obesity with alveolar hypoventilation	Diagnosis	ICD-10-CM
E66.8	Other obesity	Diagnosis	ICD-10-CM
E66.9	Obesity, unspecified	Diagnosis	ICD-10-CM
K95.01	Infection due to gastric band procedure	Diagnosis	ICD-10-CM
K95.09	Other complications of gastric band procedure	Diagnosis	ICD-10-CM
K95.81	Infection due to other bariatric procedure	Diagnosis	ICD-10-CM
K95.89	Other complications of other bariatric procedure	Diagnosis	ICD-10-CM
O99.210	Obesity complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.211	Obesity complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.212	Obesity complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.213	Obesity complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.214	Obesity complicating childbirth	Diagnosis	ICD-10-CM
O99.215	Obesity complicating the puerperium	Diagnosis	ICD-10-CM
O99.840	Bariatric surgery status complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.841	Bariatric surgery status complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.842	Bariatric surgery status complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.843	Bariatric surgery status complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.844	Bariatric surgery status complicating childbirth	Diagnosis	ICD-10-CM
O99.845	Bariatric surgery status complicating the puerperium	Diagnosis	ICD-10-CM
V45.86	Bariatric surgery status	Diagnosis	ICD-9-CM
V85.3	Body Mass Index Between 30-39, adult	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
V85.30	Body Mass Index 30.0-30.9, adult	Diagnosis	ICD-9-CM
V85.31	Body Mass Index 31.0-31.9, adult	Diagnosis	ICD-9-CM
V85.32	Body Mass Index 32.0-32.9, adult	Diagnosis	ICD-9-CM
V85.33	Body Mass Index 33.0-33.9, adult	Diagnosis	ICD-9-CM
V85.34	Body Mass Index 34.0-34.9, adult	Diagnosis	ICD-9-CM
V85.35	Body Mass Index 35.0-35.9, adult	Diagnosis	ICD-9-CM
V85.36	Body Mass Index 36.0-36.9, adult	Diagnosis	ICD-9-CM
V85.37	Body Mass Index 37.0-37.9, adult	Diagnosis	ICD-9-CM
V85.38	Body Mass Index 38.0-38.9, adult	Diagnosis	ICD-9-CM
V85.39	Body Mass Index 39.0-39.9, adult	Diagnosis	ICD-9-CM
V85.4	Body Mass Index 40 and over, adult	Diagnosis	ICD-9-CM
V85.41	Body Mass Index 40.0-44.9, adult	Diagnosis	ICD-9-CM
V85.42	Body Mass Index 45.0-49.9, adult	Diagnosis	ICD-9-CM
V85.43	Body Mass Index 50.0-59.9, adult	Diagnosis	ICD-9-CM
V85.44	Body Mass Index 60.0-69.9, adult	Diagnosis	ICD-9-CM
V85.45	Body Mass Index 70 and over, adult	Diagnosis	ICD-9-CM
Z68.30	Body mass index [BMI] 30.0-30.9, adult	Diagnosis	ICD-10-CM
Z68.31	Body mass index [BMI] 31.0-31.9, adult	Diagnosis	ICD-10-CM
Z68.32	Body mass index [BMI] 32.0-32.9, adult	Diagnosis	ICD-10-CM
Z68.33	Body mass index [BMI] 33.0-33.9, adult	Diagnosis	ICD-10-CM
Z68.34	Body mass index [BMI] 34.0-34.9, adult	Diagnosis	ICD-10-CM
Z68.35	Body mass index [BMI] 35.0-35.9, adult	Diagnosis	ICD-10-CM
Z68.36	Body mass index [BMI] 36.0-36.9, adult	Diagnosis	ICD-10-CM
Z68.37	Body mass index [BMI] 37.0-37.9, adult	Diagnosis	ICD-10-CM
Z68.38	Body mass index [BMI] 38.0-38.9, adult	Diagnosis	ICD-10-CM
Z68.39	Body mass index [BMI] 39.0-39.9, adult	Diagnosis	ICD-10-CM
Z68.41	Body mass index [BMI] 40.0-44.9, adult	Diagnosis	ICD-10-CM
Z68.42	Body mass index [BMI] 45.0-49.9, adult	Diagnosis	ICD-10-CM
Z68.43	Body mass index [BMI] 50.0-59.9, adult	Diagnosis	ICD-10-CM
Z68.44	Body mass index [BMI] 60.0-69.9, adult	Diagnosis	ICD-10-CM
Z68.45	Body mass index [BMI] 70 or greater, adult	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
Any diabetes diagnosis			
249.00	Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.01	Secondary diabetes mellitus without mention of complication, uncontrolled	Diagnosis	ICD-9-CM
249.10	Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.11	Secondary diabetes mellitus with ketoacidosis, uncontrolled	Diagnosis	ICD-9-CM
249.20	Secondary diabetes mellitus with hyperosmolarity, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.21	Secondary diabetes mellitus with hyperosmolarity, uncontrolled	Diagnosis	ICD-9-CM
249.30	Secondary diabetes mellitus with other coma, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.31	Secondary diabetes mellitus with other coma, uncontrolled	Diagnosis	ICD-9-CM
249.40	Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.41	Secondary diabetes mellitus with renal manifestations, uncontrolled	Diagnosis	ICD-9-CM
249.50	Secondary diabetes mellitus with ophthalmic manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.51	Secondary diabetes mellitus with ophthalmic manifestations, uncontrolled	Diagnosis	ICD-9-CM
249.60	Secondary diabetes mellitus with neurological manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.61	Secondary diabetes mellitus with neurological manifestations, uncontrolled	Diagnosis	ICD-9-CM
249.70	Secondary diabetes mellitus with peripheral circulatory disorders, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.71	Secondary diabetes mellitus with peripheral circulatory disorders, uncontrolled	Diagnosis	ICD-9-CM
249.80	Secondary diabetes mellitus with other specified manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.81	Secondary diabetes mellitus with other specified manifestations, uncontrolled	Diagnosis	ICD-9-CM
249.90	Secondary diabetes mellitus with unspecified complication, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
249.91	Secondary diabetes mellitus with unspecified complication, uncontrolled	Diagnosis	ICD-9-CM
250.00	Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.01	Diabetes mellitus without mention of complication, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.02	Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.03	Diabetes mellitus without mention of complication, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.10	Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.11	Diabetes with ketoacidosis, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.12	Diabetes with ketoacidosis, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.13	Diabetes with ketoacidosis, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.20	Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.21	Diabetes with hyperosmolarity, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
250.22	Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.23	Diabetes with hyperosmolarity, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.30	Diabetes with other coma, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.31	Diabetes with other coma, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.32	Diabetes with other coma, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.33	Diabetes with other coma, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.40	Diabetes with renal manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.41	Diabetes with renal manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.42	Diabetes with renal manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.43	Diabetes with renal manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.50	Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.51	Diabetes with ophthalmic manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.52	Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.53	Diabetes with ophthalmic manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.60	Diabetes with neurological manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.61	Diabetes with neurological manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.62	Diabetes with neurological manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.63	Diabetes with neurological manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.70	Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.71	Diabetes with peripheral circulatory disorders, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.72	Diabetes with peripheral circulatory disorders, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.73	Diabetes with peripheral circulatory disorders, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.80	Diabetes with other specified manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.81	Diabetes with other specified manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.82	Diabetes with other specified manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.83	Diabetes with other specified manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
250.90	Diabetes with unspecified complication, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.91	Diabetes with unspecified complication, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
250.92	Diabetes with unspecified complication, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.93	Diabetes with unspecified complication, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
648.81	Abnormal maternal glucose tolerance, with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
648.82	Abnormal maternal glucose tolerance, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
648.83	Abnormal maternal glucose tolerance, antepartum	Diagnosis	ICD-9-CM
648.84	Abnormal maternal glucose tolerance complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
E08	Diabetes mellitus due to underlying condition	Diagnosis	ICD-10-CM
E08.0	Diabetes mellitus due to underlying condition with hyperosmolarity	Diagnosis	ICD-10-CM
E08.00	Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E08.01	Diabetes mellitus due to underlying condition with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E08.1	Diabetes mellitus due to underlying condition with ketoacidosis	Diagnosis	ICD-10-CM
E08.10	Diabetes mellitus due to underlying condition with ketoacidosis without coma	Diagnosis	ICD-10-CM
E08.11	Diabetes mellitus due to underlying condition with ketoacidosis with coma	Diagnosis	ICD-10-CM
E08.2	Diabetes mellitus due to underlying condition with kidney complications	Diagnosis	ICD-10-CM
E08.21	Diabetes mellitus due to underlying condition with diabetic nephropathy	Diagnosis	ICD-10-CM
E08.22	Diabetes mellitus due to underlying condition with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E08.29	Diabetes mellitus due to underlying condition with other diabetic kidney complication	Diagnosis	ICD-10-CM
E08.3	Diabetes mellitus due to underlying condition with ophthalmic complications	Diagnosis	ICD-10-CM
E08.31	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E08.311	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E08.319	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E08.32	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08.321	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E08.3211	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E08.3212	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E08.3213	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3219	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E08.329	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E08.3291	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E08.3292	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E08.3293	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3299	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08.33	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08.331	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E08.3311	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E08.3312	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E08.3313	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3319	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08.339	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E08.3391	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E08.3392	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E08.3393	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3399	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E08.34	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08.341	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E08.3411	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E08.3412	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E08.3413	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3419	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08.349	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E08.3491	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E08.3492	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E08.3493	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3499	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08.35	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08.351	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E08.3511	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E08.3512	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E08.3513	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3519	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E08.352	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E08.3521	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E08.3522	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E08.3523	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E08.3529	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E08.353	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E08.3531	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E08.3532	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E08.3533	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E08.3539	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E08.354	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E08.3541	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E08.3542	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E08.3543	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E08.3549	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E08.355	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E08.3551	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E08.3552	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E08.3553	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E08.3559	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E08.359	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E08.3591	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E08.3592	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E08.3593	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E08.3599	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08.36	Diabetes mellitus due to underlying condition with diabetic cataract	Diagnosis	ICD-10-CM
E08.37	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E08.37X1	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E08.37X2	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E08.37X3	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E08.37X9	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E08.39	Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E08.4	Diabetes mellitus due to underlying condition with neurological complications	Diagnosis	ICD-10-CM
E08.40	Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E08.41	Diabetes mellitus due to underlying condition with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E08.42	Diabetes mellitus due to underlying condition with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E08.43	Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E08.44	Diabetes mellitus due to underlying condition with diabetic amyotrophy	Diagnosis	ICD-10-CM
E08.49	Diabetes mellitus due to underlying condition with other diabetic neurological complication	Diagnosis	ICD-10-CM
E08.5	Diabetes mellitus due to underlying condition with circulatory complications	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E08.51	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E08.52	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E08.59	Diabetes mellitus due to underlying condition with other circulatory complications	Diagnosis	ICD-10-CM
E08.6	Diabetes mellitus due to underlying condition with other specified complications	Diagnosis	ICD-10-CM
E08.61	Diabetes mellitus due to underlying condition with diabetic arthropathy	Diagnosis	ICD-10-CM
E08.610	Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E08.618	Diabetes mellitus due to underlying condition with other diabetic arthropathy	Diagnosis	ICD-10-CM
E08.62	Diabetes mellitus due to underlying condition with skin complications	Diagnosis	ICD-10-CM
E08.620	Diabetes mellitus due to underlying condition with diabetic dermatitis	Diagnosis	ICD-10-CM
E08.621	Diabetes mellitus due to underlying condition with foot ulcer	Diagnosis	ICD-10-CM
E08.622	Diabetes mellitus due to underlying condition with other skin ulcer	Diagnosis	ICD-10-CM
E08.628	Diabetes mellitus due to underlying condition with other skin complications	Diagnosis	ICD-10-CM
E08.63	Diabetes mellitus due to underlying condition with oral complications	Diagnosis	ICD-10-CM
E08.630	Diabetes mellitus due to underlying condition with periodontal disease	Diagnosis	ICD-10-CM
E08.638	Diabetes mellitus due to underlying condition with other oral complications	Diagnosis	ICD-10-CM
E08.64	Diabetes mellitus due to underlying condition with hypoglycemia	Diagnosis	ICD-10-CM
E08.641	Diabetes mellitus due to underlying condition with hypoglycemia with coma	Diagnosis	ICD-10-CM
E08.649	Diabetes mellitus due to underlying condition with hypoglycemia without coma	Diagnosis	ICD-10-CM
E08.65	Diabetes mellitus due to underlying condition with hyperglycemia	Diagnosis	ICD-10-CM
E08.69	Diabetes mellitus due to underlying condition with other specified complication	Diagnosis	ICD-10-CM
E08.8	Diabetes mellitus due to underlying condition with unspecified complications	Diagnosis	ICD-10-CM
E08.9	Diabetes mellitus due to underlying condition without complications	Diagnosis	ICD-10-CM
E09	Drug or chemical induced diabetes mellitus	Diagnosis	ICD-10-CM
E09.0	Drug or chemical induced diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM
E09.00	Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E09.01	Drug or chemical induced diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E09.1	Drug or chemical induced diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E09.10	Drug or chemical induced diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E09.11	Drug or chemical induced diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E09.2	Drug or chemical induced diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E09.21	Drug or chemical induced diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E09.22	Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E09.29	Drug or chemical induced diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E09.3	Drug or chemical induced diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E09.31	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E09.311	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E09.319	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E09.32	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09.321	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E09.3211	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E09.3212	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E09.3213	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3219	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.329	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E09.3291	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E09.3292	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E09.3293	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3299	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.33	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09.331	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E09.3311	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E09.3312	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E09.3313	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3319	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.339	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E09.3391	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E09.3392	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E09.3393	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3399	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.34	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09.341	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E09.3411	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E09.3412	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E09.3413	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3419	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.349	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E09.3491	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E09.3492	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E09.3493	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3499	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.35	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09.351	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E09.3511	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E09.3512	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E09.3513	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3519	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.352	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E09.3521	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E09.3522	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E09.3523	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E09.3529	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E09.353	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E09.3531	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E09.3532	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E09.3533	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E09.3539	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E09.354	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E09.3541	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E09.3542	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E09.3543	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E09.3549	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E09.355	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09.3551	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E09.3552	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E09.3553	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E09.3559	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E09.359	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E09.3591	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E09.3592	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E09.3593	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E09.3599	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09.36	Drug or chemical induced diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E09.37	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E09.37X1	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E09.37X2	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E09.37X3	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E09.37X9	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E09.39	Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E09.4	Drug or chemical induced diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E09.40	Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E09.41	Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E09.42	Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E09.43	Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E09.44	Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy	Diagnosis	ICD-10-CM
E09.49	Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication	Diagnosis	ICD-10-CM
E09.5	Drug or chemical induced diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E09.51	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E09.52	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E09.59	Drug or chemical induced diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E09.6	Drug or chemical induced diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E09.61	Drug or chemical induced diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E09.610	Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E09.618	Drug or chemical induced diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E09.62	Drug or chemical induced diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E09.620	Drug or chemical induced diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E09.621	Drug or chemical induced diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E09.622	Drug or chemical induced diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E09.628	Drug or chemical induced diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E09.63	Drug or chemical induced diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E09.630	Drug or chemical induced diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E09.638	Drug or chemical induced diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E09.64	Drug or chemical induced diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E09.641	Drug or chemical induced diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E09.649	Drug or chemical induced diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E09.65	Drug or chemical induced diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E09.69	Drug or chemical induced diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E09.8	Drug or chemical induced diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E09.9	Drug or chemical induced diabetes mellitus without complications	Diagnosis	ICD-10-CM
E10	Type 1 diabetes mellitus	Diagnosis	ICD-10-CM
E10.1	Type 1 diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E10.10	Type 1 diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E10.11	Type 1 diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E10.2	Type 1 diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E10.21	Type 1 diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E10.22	Type 1 diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E10.29	Type 1 diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E10.3	Type 1 diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E10.31	Type 1 diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E10.311	Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E10.319	Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E10.32	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10.321	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E10.3211	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E10.3212	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E10.3213	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3219	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.329	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E10.3291	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E10.3292	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E10.3293	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3299	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.33	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E10.331	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E10.3311	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E10.3312	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E10.3313	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3319	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.339	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E10.3391	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E10.3392	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E10.3393	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3399	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.34	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10.341	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E10.3411	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E10.3412	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E10.3413	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3419	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.349	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E10.3491	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E10.3492	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E10.3493	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3499	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.35	Type 1 diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10.351	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E10.3511	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E10.3512	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E10.3513	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3519	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E10.352	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E10.3521	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E10.3522	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E10.3523	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E10.3529	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E10.353	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E10.3531	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E10.3532	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E10.3533	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E10.3539	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E10.354	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E10.3541	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E10.3542	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E10.3543	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E10.3549	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E10.355	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E10.3551	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E10.3552	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E10.3553	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E10.3559	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E10.359	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E10.3591	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E10.3592	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E10.3593	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E10.3599	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10.36	Type 1 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E10.37	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E10.37X1	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E10.37X2	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E10.37X3	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E10.37X9	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E10.39	Type 1 diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E10.4	Type 1 diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E10.40	Type 1 diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E10.41	Type 1 diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E10.42	Type 1 diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E10.43	Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E10.44	Type 1 diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E10.49	Type 1 diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E10.5	Type 1 diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E10.51	Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E10.52	Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E10.59	Type 1 diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E10.6	Type 1 diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E10.61	Type 1 diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E10.610	Type 1 diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E10.618	Type 1 diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E10.62	Type 1 diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E10.620	Type 1 diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E10.621	Type 1 diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E10.622	Type 1 diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E10.628	Type 1 diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E10.63	Type 1 diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E10.630	Type 1 diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E10.638	Type 1 diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E10.64	Type 1 diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E10.641	Type 1 diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E10.649	Type 1 diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E10.65	Type 1 diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E10.69	Type 1 diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E10.8	Type 1 diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E10.9	Type 1 diabetes mellitus without complications	Diagnosis	ICD-10-CM
E11	Type 2 diabetes mellitus	Diagnosis	ICD-10-CM
E11.0	Type 2 diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM
E11.00	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E11.01	Type 2 diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E11.1	Type 2 diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E11.10	Type 2 diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E11.11	Type 2 diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E11.2	Type 2 diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E11.21	Type 2 diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E11.22	Type 2 diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E11.29	Type 2 diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E11.3	Type 2 diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E11.31	Type 2 diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E11.311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.32	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E11.321	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3211	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3212	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3213	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3219	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.329	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3291	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E11.3292	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3293	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3299	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.33	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.331	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3311	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3312	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3313	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3319	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.339	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3391	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E11.3392	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3393	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3399	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.34	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.341	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3411	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3412	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3413	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3419	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.349	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3491	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E11.3492	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3493	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3499	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.35	Type 2 diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.351	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3511	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3519	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.352	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E11.3521	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E11.3522	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E11.3523	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E11.3529	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E11.353	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E11.3531	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E11.3532	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E11.3533	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E11.3539	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E11.354	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E11.3541	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E11.3542	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E11.3543	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E11.3549	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E11.355	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.3551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E11.3552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E11.3553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E11.3559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E11.359	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E11.3592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.36	Type 2 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E11.37	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E11.37X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E11.37X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E11.37X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E11.37X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E11.39	Type 2 diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E11.4	Type 2 diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E11.40	Type 2 diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E11.41	Type 2 diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E11.43	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E11.44	Type 2 diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E11.49	Type 2 diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E11.5	Type 2 diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E11.51	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E11.52	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E11.59	Type 2 diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E11.6	Type 2 diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E11.61	Type 2 diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E11.610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E11.618	Type 2 diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E11.62	Type 2 diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E11.620	Type 2 diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E11.621	Type 2 diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E11.622	Type 2 diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E11.628	Type 2 diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E11.63	Type 2 diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E11.630	Type 2 diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E11.638	Type 2 diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E11.64	Type 2 diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E11.641	Type 2 diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E11.649	Type 2 diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E11.65	Type 2 diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E11.69	Type 2 diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E11.8	Type 2 diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E11.9	Type 2 diabetes mellitus without complications	Diagnosis	ICD-10-CM
E13	Other specified diabetes mellitus	Diagnosis	ICD-10-CM
E13.0	Other specified diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM
	Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma		
E13.00	(NKHHC)	Diagnosis	ICD-10-CM
E13.01	Other specified diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E13.1	Other specified diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E13.10	Other specified diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E13.11	Other specified diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E13.2	Other specified diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E13.21	Other specified diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E13.22	Other specified diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E13.29	Other specified diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E13.3	Other specified diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E13.31	Other specified diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E13.311	Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E13.319	Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E13.32	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13.321	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E13.3211	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E13.3212	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E13.3213	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3219	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.329	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E13.3291	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E13.3292	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E13.3293	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3299	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.33	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13.331	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E13.3311	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E13.3319	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E13.3312	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E13.3313	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3319	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.339	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E13.3391	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E13.3392	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E13.3393	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3399	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.34	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13.341	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E13.3411	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E13.3412	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E13.3413	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3419	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.349	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E13.3491	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E13.3492	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E13.3493	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3499	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E13.35	Other specified diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13.351	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E13.3511	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E13.3512	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E13.3513	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3519	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.352	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E13.3521	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E13.3522	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E13.3523	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E13.3529	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E13.353	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E13.3531	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E13.3532	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E13.3533	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E13.3539	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E13.354	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E13.3541	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E13.3542	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E13.3543	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E13.3549	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E13.355	Other specified diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13.3551	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E13.3552	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E13.3553	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E13.3559	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E13.359	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E13.3591	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E13.3592	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E13.3593	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E13.3599	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13.36	Other specified diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E13.37	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E13.37X1	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E13.37X2	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E13.37X3	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E13.37X9	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E13.39	Other specified diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E13.4	Other specified diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E13.40	Other specified diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E13.41	Other specified diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E13.42	Other specified diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E13.43	Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E13.44	Other specified diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E13.49	Other specified diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E13.5	Other specified diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
E13.51	Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E13.52	Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E13.59	Other specified diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E13.6	Other specified diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E13.61	Other specified diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E13.610	Other specified diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E13.618	Other specified diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E13.62	Other specified diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E13.620	Other specified diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E13.621	Other specified diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E13.622	Other specified diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E13.628	Other specified diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E13.63	Other specified diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E13.630	Other specified diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E13.638	Other specified diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E13.64	Other specified diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E13.641	Other specified diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E13.649	Other specified diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E13.65	Other specified diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E13.69	Other specified diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E13.8	Other specified diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E13.9	Other specified diabetes mellitus without complications	Diagnosis	ICD-10-CM
O24.4	Gestational diabetes mellitus	Diagnosis	ICD-10-CM
O24.41	Gestational diabetes mellitus in pregnancy	Diagnosis	ICD-10-CM
O24.410	Gestational diabetes mellitus in pregnancy, diet controlled	Diagnosis	ICD-10-CM
O24.414	Gestational diabetes mellitus in pregnancy, insulin controlled	Diagnosis	ICD-10-CM
O24.415	Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24.419	Gestational diabetes mellitus in pregnancy, unspecified control	Diagnosis	ICD-10-CM
O24.42	Gestational diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O24.420	Gestational diabetes mellitus in childbirth, diet controlled	Diagnosis	ICD-10-CM
O24.424	Gestational diabetes mellitus in childbirth, insulin controlled	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O24.425	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24.429	Gestational diabetes mellitus in childbirth, unspecified control	Diagnosis	ICD-10-CM
O24.43	Gestational diabetes mellitus in the puerperium	Diagnosis	ICD-10-CM
O24.430	Gestational diabetes mellitus in the puerperium, diet controlled	Diagnosis	ICD-10-CM
O24.434	Gestational diabetes mellitus in the puerperium, insulin controlled	Diagnosis	ICD-10-CM
O24.435	Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24.439	Gestational diabetes mellitus in the puerperium, unspecified control	Diagnosis	ICD-10-CM
Pregnancy			
01964	ANESTHESIA FOR ABORTION PROCEDURES	Procedure	CPT-4
01965	Anesthesia for incomplete or missed abortion procedures	Procedure	CPT-4
01966	Anesthesia for induced abortion procedures	Procedure	CPT-4
0W8NXZZ	Division of Female Perineum, External Approach	Procedure	ICD-10-PCS
10900ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Open Approach	Procedure	ICD-10-PCS
10903ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Approach	Procedure	ICD-10-PCS
10904ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
10907ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10908ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
10A00ZZ	Abortion of Products of Conception, Open Approach	Procedure	ICD-10-PCS
10A03ZZ	Abortion of Products of Conception, Percutaneous Approach	Procedure	ICD-10-PCS
10A04ZZ	Abortion of Products of Conception, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
10A07Z6	Abortion of Products of Conception, Vacuum, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10A07ZW	Abortion of Products of Conception, Laminaria, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10A07ZX	Abortion of Products of Conception, Abortifacient, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10A07ZZ	Abortion of Products of Conception, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10A08ZZ	Abortion of Products of Conception, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
10D00Z0	Extraction of Products of Conception, Classical, Open Approach	Procedure	ICD-10-PCS
10D00Z1	Extraction of Products of Conception, Low Cervical, Open Approach	Procedure	ICD-10-PCS
10D00Z2	Extraction of Products of Conception, Extraperitoneal, Open Approach	Procedure	ICD-10-PCS
10D07Z3	Extraction of Products of Conception, Low Forceps, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z4	Extraction of Products of Conception, Mid Forceps, Via Natural or Artificial Opening	Procedure	ICD-10-PCS

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
10D07Z5	Extraction of Products of Conception, High Forceps, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z6	Extraction of Products of Conception, Vacuum, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z7	Extraction of Products of Conception, Internal Version, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z8	Extraction of Products of Conception, Other, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D27ZZ	Extraction of products of conception, ectopic, via natural or artificial opening	Procedure	ICD-10-PCS
10D28ZZ	Extraction of products of conception, ectopic, via natural or artificial opening endoscopic	Procedure	ICD-10-PCS
10E0XZZ	Delivery of Products of Conception, External Approach	Procedure	ICD-10-PCS
10S07ZZ	Reposition Products of Conception, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10T20ZZ	Resection of products of conception, ectopic, open approach	Procedure	ICD-10-PCS
10T23ZZ	Resection of products of conception, ectopic, percutaneous approach	Procedure	ICD-10-PCS
10T24ZZ	Resection of products of conception, ectopic, percutaneous endoscopic approach	Procedure	ICD-10-PCS
10T27ZZ	Resection of products of conception, ectopic, via natural or artificial opening	Procedure	ICD-10-PCS
10T28ZZ	Resection of products of conception, ectopic, via natural or artificial opening endoscopic	Procedure	ICD-10-PCS
58321	ARTIFICIAL INSEMINATION; INTRA-CERVICAL	Procedure	CPT-4
58322	ARTIFICIAL INSEMINATION	Procedure	CPT-4
58974	TRANSFER OF EMBRYO	Procedure	CPT-4
58976	Gamete, zygote, or embryo intrafallopian transfer	Procedure	CPT-4
59015	Chorionic villus sampling, any method	Procedure	CPT-4
59100	Surgical treatment of ectopic pregnancy: tubal or ovarian, requiring salpingectomy and/or oophorectomy, abdominal or vaginal approach	Procedure	CPT-4
59120	Surgical treatment of ectopic pregnancy; tubal or ovarian, requiring salpingectomy and/or oophorectomy, abdominal or vaginal approach	Procedure	CPT-4
59121	Surgical treatment of ectopic pregnancy; tubal or ovarian, without salpingectomy and/or oophorectomy	Procedure	CPT-4
59125	Surgical Treatment Of Ectopic Pregnancy	Procedure	CPT-4
59126	Surgical Treatment Of Ectopic Pregnancy	Procedure	CPT-4
59130	Surgical treatment of ectopic pregnancy; abdominal pregnancy	Procedure	CPT-4
59135	Surgical treatment of ectopic pregnancy; interstitial, uterine pregnancy requiring total hysterectomy	Procedure	CPT-4
59136	Surgical treatment of ectopic pregnancy; interstitial, uterine pregnancy with partial resection of uterus	Procedure	CPT-4
59140	Surgical treatment of ectopic pregnancy; cervical, with evacuation	Procedure	CPT-4
59150	Laparoscopic treatment of ectopic pregnancy; without salpingectomy and/or oophorectomy	Procedure	CPT-4
59151	Laparoscopic treatment of ectopic pregnancy; with salpingectomy and/or oophorectomy	Procedure	CPT-4

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
59400	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care	Procedure	CPT-4
59409	Vaginal delivery only (with or without episiotomy and/or forceps);	Procedure	CPT-4
59410	Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care	Procedure	CPT-4
59510	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care	Procedure	CPT-4
59514	Cesarean delivery only;	Procedure	CPT-4
59515	Cesarean delivery only; including postpartum care	Procedure	CPT-4
59610	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery	Procedure	CPT-4
59612	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps);	Procedure	CPT-4
59614	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care	Procedure	CPT-4
59618	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery	Procedure	CPT-4
59620	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery;	Procedure	CPT-4
59622	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; including postpartum care	Procedure	CPT-4
59812	Treatment of incomplete abortion, any trimester, completed surgically	Procedure	CPT-4
59820	Treatment of incomplete abortion completed surgically, first trimester	Procedure	CPT-4
59821	Treatment of incomplete abortion completed surgically, second trimester	Procedure	CPT-4
59830	Treatment of septic abortion, completed surgically	Procedure	CPT-4
59840	INDUCED ABORTION, BY DILATION AND CURETTAGE	Procedure	CPT-4
59841	INDUCED ABORTION, BY DILATION AND EVACUATION	Procedure	CPT-4
59850	INDUCED ABORTION, BY ONE OR MORE INTRAAMNIOTIC INJECTIONS	Procedure	CPT-4
59851	INDUCED ABORTION, BY ONE OR MORE INTRAAMNIOTIC INJECTIONS, WITH DILATION AND CURETTAGE AND/OR EVACUATION	Procedure	CPT-4
59852	INDUCED ABORTION, BY ONE OR MORE INTRAAMNIOTIC INJECTIONS, WITH HYSTEROTOMY	Procedure	CPT-4
59855	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES	Procedure	CPT-4
59856	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES, WITH DILATION AND CURETTAGE AND/OR EVACUATION	Procedure	CPT-4
59857	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES, WITH HYSTEROTOMY	Procedure	CPT-4

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
59870	Evacuation and curettage of uterus for hydatidiform mole	Procedure	CPT-4
630	Hydatidiform mole	Diagnosis	ICD-9-CM
6318	Other abnormal products of conception	Diagnosis	ICD-9-CM
632	Missed abortion	Diagnosis	ICD-9-CM
633	Ectopic pregnancy	Diagnosis	ICD-9-CM
6330	633.0(ABDOMINAL PREGNANCY)	Diagnosis	ICD-9-CM
63300	633.00(ABD PREG W/O INTRAU PREG)	Diagnosis	ICD-9-CM
63301	633.01(ABD PREG W INTRAUT PREG)	Diagnosis	ICD-9-CM
6331	Tubal pregnancy	Diagnosis	ICD-9-CM
63310	Tubal pregnancy without intrauterine pregnancy	Diagnosis	ICD-9-CM
63311	Tubal pregnancy with intrauterine pregnancy	Diagnosis	ICD-9-CM
6332	Ovarian pregnancy	Diagnosis	ICD-9-CM
63320	Ovarian pregnancy without intrauterine pregnancy	Diagnosis	ICD-9-CM
63321	Ovarian pregnancy with intrauterine pregnancy	Diagnosis	ICD-9-CM
6338	Other ectopic pregnancy	Diagnosis	ICD-9-CM
63380	Other ectopic pregnancy without intrauterine pregnancy	Diagnosis	ICD-9-CM
63381	Other ectopic pregnancy with intrauterine pregnancy	Diagnosis	ICD-9-CM
6339	Unspecified ectopic pregnancy	Diagnosis	ICD-9-CM
63390	Unspecified ectopic pregnancy without intrauterine pregnancy	Diagnosis	ICD-9-CM
63391	Unspecified ectopic pregnancy with intrauterine pregnancy	Diagnosis	ICD-9-CM
634	Spontaneous abortion	Diagnosis	ICD-9-CM
6340	Spontaneous abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63400	Unspecified spontaneous abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63401	Incomplete spontaneous abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63402	Complete spontaneous abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
6341	Spontaneous abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63410	Unspecified spontaneous abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63411	Incomplete spontaneous abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63412	Complete spontaneous abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
6342	Spontaneous abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63420	Unspecified spontaneous abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
63421	Incomplete spontaneous abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63422	Complete spontaneous abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
6343	Spontaneous abortion complicated by renal failure	Diagnosis	ICD-9-CM
63430	Unspecified spontaneous abortion complicated by renal failure	Diagnosis	ICD-9-CM
63431	Incomplete spontaneous abortion complicated by renal failure	Diagnosis	ICD-9-CM
63432	Complete spontaneous abortion complicated by renal failure	Diagnosis	ICD-9-CM
6344	Spontaneous abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63440	Unspecified spontaneous abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63441	Incomplete spontaneous abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63442	Complete spontaneous abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
6345	Spontaneous abortion complicated by shock	Diagnosis	ICD-9-CM
63450	Unspecified spontaneous abortion complicated by shock	Diagnosis	ICD-9-CM
63451	Incomplete spontaneous abortion complicated by shock	Diagnosis	ICD-9-CM
63452	Complete spontaneous abortion complicated by shock	Diagnosis	ICD-9-CM
6346	Spontaneous abortion complicated by embolism	Diagnosis	ICD-9-CM
63460	Unspecified spontaneous abortion complicated by embolism	Diagnosis	ICD-9-CM
63461	Incomplete spontaneous abortion complicated by embolism	Diagnosis	ICD-9-CM
63462	Complete spontaneous abortion complicated by embolism	Diagnosis	ICD-9-CM
6347	Spontaneous abortion with other specified complications	Diagnosis	ICD-9-CM
63470	Unspecified spontaneous abortion with other specified complications	Diagnosis	ICD-9-CM
63471	Incomplete spontaneous abortion with other specified complications	Diagnosis	ICD-9-CM
63472	Complete spontaneous abortion with other specified complications	Diagnosis	ICD-9-CM
6348	Spontaneous abortion with unspecified complication	Diagnosis	ICD-9-CM
63480	Unspecified spontaneous abortion with unspecified complication	Diagnosis	ICD-9-CM
63481	Incomplete spontaneous abortion with unspecified complication	Diagnosis	ICD-9-CM
63482	Complete spontaneous abortion with unspecified complication	Diagnosis	ICD-9-CM
6349	Spontaneous abortion without mention of complication	Diagnosis	ICD-9-CM
63490	Unspecified spontaneous abortion without mention of complication	Diagnosis	ICD-9-CM
63491	Incomplete spontaneous abortion without mention of complication	Diagnosis	ICD-9-CM
63492	Complete spontaneous abortion without mention of complication	Diagnosis	ICD-9-CM
635	Legally induced abortion	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
6350	Legally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63500	Unspecified legally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63501	Incomplete legally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63502	Complete legally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
6351	Legally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63510	Unspecified legally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63511	Incomplete legally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63512	Complete legally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
6352	Legally induced abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63520	Unspecified legally induced abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63521	Legally induced abortion complicated by damage to pelvic organs or tissues, incomplete	Diagnosis	ICD-9-CM
63522	Complete legally induced abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
6353	Legally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
63530	Unspecified legally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
63531	Incomplete legally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
63532	Complete legally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
6354	Legally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63540	Unspecified legally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63541	Incomplete legally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63542	Complete legally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
6355	Legally induced abortion complicated by shock	Diagnosis	ICD-9-CM
63550	Unspecified legally induced abortion complicated by shock	Diagnosis	ICD-9-CM
63551	Legally induced abortion, complicated by shock, incomplete	Diagnosis	ICD-9-CM
63552	Complete legally induced abortion complicated by shock	Diagnosis	ICD-9-CM
6356	Legally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
63560	Unspecified legally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
63561	Incomplete legally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
63562	Complete legally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
6357	Legally induced abortion with other specified complications	Diagnosis	ICD-9-CM
63570	Unspecified legally induced abortion with other specified complications	Diagnosis	ICD-9-CM
63571	Incomplete legally induced abortion with other specified complications	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
63572	Complete legally induced abortion with other specified complications	Diagnosis	ICD-9-CM
6358	Legally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
63580	Unspecified legally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
63581	Incomplete legally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
63582	Complete legally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
6359	Legally induced abortion without mention of complication	Diagnosis	ICD-9-CM
63590	Unspecified legally induced abortion without mention of complication	Diagnosis	ICD-9-CM
63591	Incomplete legally induced abortion without mention of complication	Diagnosis	ICD-9-CM
63592	Complete legally induced abortion without mention of complication	Diagnosis	ICD-9-CM
636	Illegal abortion	Diagnosis	ICD-9-CM
6360	Illegal abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63600	Unspecified illegally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63601	Incomplete illegally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63602	Complete illegally induced abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
6361	Illegal abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63610	Unspecified illegally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63611	Incomplete illegally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63612	Complete illegally induced abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
6362	Illegal abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63620	Unspecified illegally induced abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63621	Incomplete illegally induced abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63622	Complete illegally induced abortion complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
6363	Illegal abortion complicated by renal failure	Diagnosis	ICD-9-CM
63630	Unspecified illegally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
63631	Incomplete illegally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
63632	Complete illegally induced abortion complicated by renal failure	Diagnosis	ICD-9-CM
6364	Illegal abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63640	Unspecified illegally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63641	Incomplete illegally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
63642	Complete illegally induced abortion complicated by metabolic disorder	Diagnosis	ICD-9-CM
6365	636.5(ILLEGAL ABORTION W SHOCK)	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
63650	Unspecified illegally induced abortion complicated by shock	Diagnosis	ICD-9-CM
63651	Incomplete illegally induced abortion complicated by shock	Diagnosis	ICD-9-CM
63652	Complete illegally induced abortion complicated by shock	Diagnosis	ICD-9-CM
6366	Illegal abortion complicated by embolism	Diagnosis	ICD-9-CM
63660	Unspecified illegally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
63661	Incomplete illegally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
63662	Complete illegally induced abortion complicated by embolism	Diagnosis	ICD-9-CM
6367	Illegal abortion with other specified complications	Diagnosis	ICD-9-CM
63670	Unspecified illegally induced abortion with other specified complications	Diagnosis	ICD-9-CM
63671	Incomplete illegally induced abortion with other specified complications	Diagnosis	ICD-9-CM
63672	Complete illegally induced abortion with other specified complications	Diagnosis	ICD-9-CM
6368	Illegal abortion with unspecified complication	Diagnosis	ICD-9-CM
63680	Unspecified illegally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
63681	Incomplete illegally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
63682	Complete illegally induced abortion with unspecified complication	Diagnosis	ICD-9-CM
6369	Illegal abortion without mention of complication	Diagnosis	ICD-9-CM
63690	Unspecified illegally induced abortion without mention of complication	Diagnosis	ICD-9-CM
63691	Incomplete illegally induced abortion without mention of complication	Diagnosis	ICD-9-CM
63692	Complete illegally induced abortion without mention of complication	Diagnosis	ICD-9-CM
637	637(UNSPECIFIED ABORTION)	Diagnosis	ICD-9-CM
6370	Unspecified abortion complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63700	Abortion, unspecified as to completion or legality, complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63701	Abortion, unspecified as to legality, incomplete, complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
63702	Abortion, unspecified as to legality, complete, complicated by genital tract and pelvic infection	Diagnosis	ICD-9-CM
6371	Unspecified abortion complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63710	Abortion, unspecified as to completion or legality, complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63711	Abortion, unspecified as to legality, incomplete, complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
63712	Abortion, unspecified as to legality, complete, complicated by delayed or excessive hemorrhage	Diagnosis	ICD-9-CM
6372	637.2(ABORT NOS W PELVIC DAMAG)	Diagnosis	ICD-9-CM
63720	Abortion, unspecified as to completion or legality, complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
63721	Abortion, unspecified as to legality, incomplete, complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
63722	Abortion, unspecified as to legality, complete, complicated by damage to pelvic organs or tissues	Diagnosis	ICD-9-CM
6373	637.3(ABORT NOS W RENAL FAIL)	Diagnosis	ICD-9-CM
63730	Abortion, unspecified as to completion or legality, complicated by renal failure	Diagnosis	ICD-9-CM
63731	Abortion, unspecified as to legality, incomplete, complicated by renal failure	Diagnosis	ICD-9-CM
63732	Abortion, unspecified as to legality, complete, complicated by renal failure	Diagnosis	ICD-9-CM
6374	637.4(ABORT NOS W METABOL DIS)	Diagnosis	ICD-9-CM
63740	Abortion, unspecified as to completion or legality, complicated by metabolic disorder	Diagnosis	ICD-9-CM
63741	Abortion, unspecified as to legality, incomplete, complicated by metabolic disorder	Diagnosis	ICD-9-CM
63742	Abortion, unspecified as to legality, complete, complicated by metabolic disorder	Diagnosis	ICD-9-CM
6375	637.5(ABORTION NOS W SHOCK)	Diagnosis	ICD-9-CM
63750	Abortion, unspecified as to completion or legality, complicated by shock	Diagnosis	ICD-9-CM
63751	Abortion, unspecified as to legality, incomplete, complicated by shock	Diagnosis	ICD-9-CM
63752	Abortion, unspecified as to legality, complete, complicated by shock	Diagnosis	ICD-9-CM
6376	637.6(ABORTION NOS W EMBOLISM)	Diagnosis	ICD-9-CM
63760	Abortion, unspecified as to completion or legality, complicated by embolism	Diagnosis	ICD-9-CM
63761	Abortion, unspecified as to legality, incomplete, complicated by embolism	Diagnosis	ICD-9-CM
63762	Abortion, unspecified as to legality, complete, complicated by embolism	Diagnosis	ICD-9-CM
6377	637.7(ABORTION NOS W COMPL NEC)	Diagnosis	ICD-9-CM
63770	Abortion, unspecified as to completion or legality, with other specified complications	Diagnosis	ICD-9-CM
63771	Abortion, unspecified as to legality, incomplete, with other specified complications	Diagnosis	ICD-9-CM
63772	Abortion, unspecified as to legality, complete, with other specified complications	Diagnosis	ICD-9-CM
6378	637.8(ABORTION NOS W COMPL NOS)	Diagnosis	ICD-9-CM
63780	Abortion, unspecified as to completion or legality, with unspecified complication	Diagnosis	ICD-9-CM
63781	Abortion, unspecified as to legality, incomplete, with unspecified complication	Diagnosis	ICD-9-CM
63782	Abortion, unspecified as to legality, complete, with unspecified complication	Diagnosis	ICD-9-CM
6379	637.9(ABORTION NOS UNCOMPLICAT)	Diagnosis	ICD-9-CM
63790	Unspecified type of abortion, unspecified as to completion or legality, without mention of complication	Diagnosis	ICD-9-CM
63791	Abortion, unspecified as to legality, incomplete, without mention of complication	Diagnosis	ICD-9-CM
63792	Abortion, unspecified as to legality, complete, without mention of complication	Diagnosis	ICD-9-CM
6398	Other specified complications following abortion or ectopic and molar pregnancy	Diagnosis	ICD-9-CM
64101	Placenta previa without hemorrhage, with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
64111	Hemorrhage from placenta previa, with delivery	Diagnosis	ICD-9-CM
64121	Premature separation of placenta, with delivery	Diagnosis	ICD-9-CM
64131	Antepartum hemorrhage associated with coagulation defects, with delivery	Diagnosis	ICD-9-CM
64181	Other antepartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
64191	Unspecified antepartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
64201	Benign essential hypertension with delivery	Diagnosis	ICD-9-CM
64202	Benign essential hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64211	Hypertension secondary to renal disease, with delivery	Diagnosis	ICD-9-CM
64212	Hypertension secondary to renal disease, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64221	Other pre-existing hypertension, with delivery	Diagnosis	ICD-9-CM
64222	Other pre-existing hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64231	Transient hypertension of pregnancy, with delivery	Diagnosis	ICD-9-CM
64232	Transient hypertension of pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64241	Mild or unspecified pre-eclampsia, with delivery	Diagnosis	ICD-9-CM
64242	Mild or unspecified pre-eclampsia, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64251	Severe pre-eclampsia, with delivery	Diagnosis	ICD-9-CM
64252	Severe pre-eclampsia, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64261	Eclampsia, with delivery	Diagnosis	ICD-9-CM
64262	Eclampsia, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64271	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery	Diagnosis	ICD-9-CM
64272	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64291	Unspecified hypertension, with delivery	Diagnosis	ICD-9-CM
64292	Unspecified hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64301	Mild hyperemesis gravidarum, delivered	Diagnosis	ICD-9-CM
64311	Hyperemesis gravidarum with metabolic disturbance, delivered	Diagnosis	ICD-9-CM
64321	Late vomiting of pregnancy, delivered	Diagnosis	ICD-9-CM
64381	Other vomiting complicating pregnancy, delivered	Diagnosis	ICD-9-CM
64391	Unspecified vomiting of pregnancy, delivered	Diagnosis	ICD-9-CM
64421	Early onset of delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64501	Prolonged pregnancy, with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
64510	Post term pregnancy	Diagnosis	ICD-9-CM
64511	Post term pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64511	Post term pregnancy	Diagnosis	ICD-9-CM
64513	Post term pregnancy	Diagnosis	ICD-9-CM
64520	Prolonged pregnancy	Diagnosis	ICD-9-CM
64521	Prolonged pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64521	Prolonged pregnancy	Diagnosis	ICD-9-CM
64523	Prolonged pregnancy, antepartum condition or complication	Diagnosis	ICD-9-CM
64523	Prolonged pregnancy	Diagnosis	ICD-9-CM
64601	PAPYRACEOUS FETUS, DELIVERED, WITH OR WITHOUT MENTION ANTEPARTUM COND	Diagnosis	ICD-9-CM
64611	Edema or excessive weight gain in pregnancy, with delivery, with or without mention of antepartum complication	Diagnosis	ICD-9-CM
64612	Edema or excessive weight gain in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64621	Unspecified renal disease in pregnancy, with delivery	Diagnosis	ICD-9-CM
64622	Unspecified renal disease in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64641	Peripheral neuritis in pregnancy, with delivery	Diagnosis	ICD-9-CM
64642	Peripheral neuritis in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64651	Asymptomatic bacteriuria in pregnancy, with delivery	Diagnosis	ICD-9-CM
64652	Asymptomatic bacteriuria in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64661	Infections of genitourinary tract in pregnancy, with delivery	Diagnosis	ICD-9-CM
64662	Infections of genitourinary tract in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64671	Liver and biliary tract disorders in pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64681	Other specified complication of pregnancy, with delivery	Diagnosis	ICD-9-CM
64682	Other specified complications of pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64691	Unspecified complication of pregnancy, with delivery	Diagnosis	ICD-9-CM
64701	Maternal syphilis, complicating pregnancy, with delivery	Diagnosis	ICD-9-CM
64702	Maternal syphilis, complicating pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64711	Maternal gonorrhea with delivery	Diagnosis	ICD-9-CM
64712	Maternal gonorrhea, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64721	Other maternal venereal diseases with delivery	Diagnosis	ICD-9-CM
64722	Other maternal venereal diseases with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64731	Maternal tuberculosis with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
64732	Maternal tuberculosis with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64741	Maternal malaria with delivery	Diagnosis	ICD-9-CM
64742	Maternal malaria with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64751	Maternal rubella with delivery	Diagnosis	ICD-9-CM
64752	Maternal rubella with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64761	Other maternal viral disease with delivery	Diagnosis	ICD-9-CM
64762	Other maternal viral disease with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64781	Other specified maternal infectious and parasitic disease with delivery	Diagnosis	ICD-9-CM
64782	Other specified maternal infectious and parasitic disease with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64791	Unspecified maternal infection or infestation with delivery	Diagnosis	ICD-9-CM
64792	Unspecified maternal infection or infestation with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64801	Maternal diabetes mellitus with delivery	Diagnosis	ICD-9-CM
64802	Maternal diabetes mellitus with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64811	Maternal thyroid dysfunction with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64812	Maternal thyroid dysfunction with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64821	Maternal anemia, with delivery	Diagnosis	ICD-9-CM
64822	Maternal anemia with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64831	Maternal drug dependence, with delivery	Diagnosis	ICD-9-CM
64832	Maternal drug dependence, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64841	Maternal mental disorders, with delivery	Diagnosis	ICD-9-CM
64842	Maternal mental disorders, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64851	Maternal congenital cardiovascular disorders, with delivery	Diagnosis	ICD-9-CM
64852	Maternal congenital cardiovascular disorders, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64861	Other maternal cardiovascular diseases, with delivery	Diagnosis	ICD-9-CM
64862	Other maternal cardiovascular diseases, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64871	Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery	Diagnosis	ICD-9-CM
64872	Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64881	Abnormal maternal glucose tolerance, with delivery	Diagnosis	ICD-9-CM
64882	Abnormal maternal glucose tolerance, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64891	Other current maternal conditions classifiable elsewhere, with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
64892	Other current maternal conditions classifiable elsewhere, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64901	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64902	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64911	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64912	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64921	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64922	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64931	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64932	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64941	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64942	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64951	Spotting complicating pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64961	Uterine size date discrepancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64962	Uterine size date discrepancy, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64971	Cervical shortening, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64981	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64982	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
650	Normal delivery	Diagnosis	ICD-9-CM
65101	Twin pregnancy, delivered	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
65111	Triplet pregnancy, delivered	Diagnosis	ICD-9-CM
65121	Quadruplet pregnancy, delivered	Diagnosis	ICD-9-CM
65130	Twin pregnancy with fetal loss and retention of one fetus, unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM
65131	Twin pregnancy with fetal loss and retention of one fetus, delivered	Diagnosis	ICD-9-CM
65133	Twin pregnancy with fetal loss and retention of one fetus, antepartum	Diagnosis	ICD-9-CM
65140	Triplet pregnancy with fetal loss and retention of one or more, unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM
65141	Triplet pregnancy with fetal loss and retention of one or more, delivered	Diagnosis	ICD-9-CM
65143	Triplet pregnancy with fetal loss and retention of one or more, antepartum	Diagnosis	ICD-9-CM
65150	Quadruplet pregnancy with fetal loss and retention of one or more, unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM
65151	Quadruplet pregnancy with fetal loss and retention of one or more, delivered	Diagnosis	ICD-9-CM
65153	Quadruplet pregnancy with fetal loss and retention of one or more, antepartum	Diagnosis	ICD-9-CM
65160	Other multiple pregnancy with fetal loss and retention of one or more fetus(es), unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM
65161	Other multiple pregnancy with fetal loss and retention of one or more fetus(es), delivered	Diagnosis	ICD-9-CM
65163	Other multiple pregnancy with fetal loss and retention of one or more fetus(es), antepartum	Diagnosis	ICD-9-CM
65171	Multiple gestation following (elective) fetal reduction, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65181	Other specified multiple gestation, delivered	Diagnosis	ICD-9-CM
65191	Unspecified multiple gestation, delivered	Diagnosis	ICD-9-CM
65201	Unstable lie of fetus, delivered	Diagnosis	ICD-9-CM
65211	Breech or other malpresentation successfully converted to cephalic presentation, delivered	Diagnosis	ICD-9-CM
65221	Breech presentation without mention of version, delivered	Diagnosis	ICD-9-CM
65231	Transverse or oblique fetal presentation, delivered	Diagnosis	ICD-9-CM
65241	Fetal face or brow presentation, delivered	Diagnosis	ICD-9-CM
65251	High fetal head at term, delivered	Diagnosis	ICD-9-CM
65261	Multiple gestation with malpresentation of one fetus or more, delivered	Diagnosis	ICD-9-CM
65271	Prolapsed arm of fetus, delivered	Diagnosis	ICD-9-CM
65281	Other specified malposition or malpresentation of fetus, delivered	Diagnosis	ICD-9-CM
65291	Unspecified malposition or malpresentation of fetus, delivered	Diagnosis	ICD-9-CM
65301	Major abnormality of bony pelvis, not further specified, delivered	Diagnosis	ICD-9-CM
65311	Generally contracted pelvis in pregnancy, delivered	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
65321	Inlet contraction of pelvis in pregnancy, delivered	Diagnosis	ICD-9-CM
65331	Outlet contraction of pelvis in pregnancy, delivered	Diagnosis	ICD-9-CM
65341	Fetopelvic disproportion, delivered	Diagnosis	ICD-9-CM
65351	Unusually large fetus causing disproportion, delivered	Diagnosis	ICD-9-CM
65361	Hydrocephalic fetus causing disproportion, delivered	Diagnosis	ICD-9-CM
65371	Other fetal abnormality causing disproportion, delivered	Diagnosis	ICD-9-CM
65381	Fetal disproportion of other origin, delivered	Diagnosis	ICD-9-CM
65391	Unspecified fetal disproportion, delivered	Diagnosis	ICD-9-CM
65401	Congenital abnormalities of pregnant uterus, delivered	Diagnosis	ICD-9-CM
65402	Congenital abnormalities of pregnant uterus, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65411	Tumors of body of uterus, delivered	Diagnosis	ICD-9-CM
65412	Tumors of body of uterus, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65421	Previous cesarean delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65431	Retroverted and incarcerated gravid uterus, delivered	Diagnosis	ICD-9-CM
65432	Retroverted and incarcerated gravid uterus, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65441	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered	Diagnosis	ICD-9-CM
65442	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65451	Cervical incompetence, delivered	Diagnosis	ICD-9-CM
65452	Cervical incompetence, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65461	Other congenital or acquired abnormality of cervix, with delivery	Diagnosis	ICD-9-CM
65462	Other congenital or acquired abnormality of cervix, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65471	Congenital or acquired abnormality of vagina, with delivery	Diagnosis	ICD-9-CM
65472	Congenital or acquired abnormality of vagina, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65481	Congenital or acquired abnormality of vulva, with delivery	Diagnosis	ICD-9-CM
65482	Congenital or acquired abnormality of vulva, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65491	Other and unspecified abnormality of organs and soft tissues of pelvis, with delivery	Diagnosis	ICD-9-CM
65492	Other and unspecified abnormality of organs and soft tissues of pelvis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65501	Central nervous system malformation in fetus, with delivery	Diagnosis	ICD-9-CM
65511	Chromosomal abnormality in fetus, affecting management of mother, with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
65521	Hereditary disease in family possibly affecting fetus, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65531	Suspected damage to fetus from viral disease in mother, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65541	Suspected damage to fetus from other disease in mother, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65551	Suspected damage to fetus from drugs, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65561	Suspected damage to fetus from radiation, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65571	Decreased fetal movements, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65581	Other known or suspected fetal abnormality, not elsewhere classified, affecting management of mother, delivery	Diagnosis	ICD-9-CM
65591	Unspecified fetal abnormality affecting management of mother, delivery	Diagnosis	ICD-9-CM
65601	Fetal-maternal hemorrhage, with delivery	Diagnosis	ICD-9-CM
65611	Rhesus isoimmunization affecting management of mother, delivered	Diagnosis	ICD-9-CM
65621	Isoimmunization from other and unspecified blood-group incompatibility, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65631	Fetal distress affecting management of mother, delivered	Diagnosis	ICD-9-CM
65640	Intrauterine death affecting management of mother unspecified as to episode of care	Diagnosis	ICD-9-CM
65641	Intrauterine death, affecting management of mother, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65643	Intrauterine death affecting management of mother antepartum	Diagnosis	ICD-9-CM
65651	Poor fetal growth, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65661	Excessive fetal growth affecting management of mother, delivered	Diagnosis	ICD-9-CM
65671	Other placental conditions affecting management of mother, delivered	Diagnosis	ICD-9-CM
65681	Other specified fetal and placental problems affecting management of mother, delivered	Diagnosis	ICD-9-CM
65691	Unspecified fetal and placental problem affecting management of mother, delivered	Diagnosis	ICD-9-CM
65701	Polyhydramnios, with delivery	Diagnosis	ICD-9-CM
65801	Oligohydramnios, delivered	Diagnosis	ICD-9-CM
65811	Premature rupture of membranes in pregnancy, delivered	Diagnosis	ICD-9-CM
65821	Delayed delivery after spontaneous or unspecified rupture of membranes, delivered	Diagnosis	ICD-9-CM
65831	Delayed delivery after artificial rupture of membranes, delivered	Diagnosis	ICD-9-CM
65841	Infection of amniotic cavity, delivered	Diagnosis	ICD-9-CM
65881	Other problem associated with amniotic cavity and membranes, delivered	Diagnosis	ICD-9-CM
65891	Unspecified problem associated with amniotic cavity and membranes, delivered	Diagnosis	ICD-9-CM
65901	Failed mechanical induction of labor, delivered	Diagnosis	ICD-9-CM
65911	Failed medical or unspecified induction of labor, delivered	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
65921	Unspecified maternal pyrexia during labor, delivered	Diagnosis	ICD-9-CM
65931	Generalized infection during labor, delivered	Diagnosis	ICD-9-CM
65941	Grand multiparity, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65951	Elderly primigravida, delivered	Diagnosis	ICD-9-CM
65961	Elderly multigravida, delivered, with mention of antepartum condition	Diagnosis	ICD-9-CM
65971	Abnormality in fetal heart rate or rhythm, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65981	Other specified indication for care or intervention related to labor and delivery, delivered	Diagnosis	ICD-9-CM
65991	Unspecified indication for care or intervention related to labor and delivery, delivered	Diagnosis	ICD-9-CM
66001	Obstruction caused by malposition of fetus at onset of labor, delivered	Diagnosis	ICD-9-CM
66011	Obstruction by bony pelvis during labor and delivery, delivered	Diagnosis	ICD-9-CM
66021	Obstruction by abnormal pelvic soft tissues during labor and delivery, delivered	Diagnosis	ICD-9-CM
66031	Deep transverse arrest and persistent occipitoposterior position during labor and deliver, delivered	Diagnosis	ICD-9-CM
66041	Shoulder (girdle) dystocia during labor and deliver, delivered	Diagnosis	ICD-9-CM
66051	Locked twins, delivered	Diagnosis	ICD-9-CM
66061	Unspecified failed trial of labor, delivered	Diagnosis	ICD-9-CM
66071	Unspecified failed forceps or vacuum extractor, delivered	Diagnosis	ICD-9-CM
66081	Other causes of obstructed labor, delivered	Diagnosis	ICD-9-CM
66091	Unspecified obstructed labor, with delivery	Diagnosis	ICD-9-CM
66101	Primary uterine inertia, with delivery	Diagnosis	ICD-9-CM
66111	Secondary uterine inertia, with delivery	Diagnosis	ICD-9-CM
66121	Other and unspecified uterine inertia, with delivery	Diagnosis	ICD-9-CM
66131	Precipitate labor, with delivery	Diagnosis	ICD-9-CM
66141	Hypertonic, incoordinate, or prolonged uterine contractions, with delivery	Diagnosis	ICD-9-CM
66191	Unspecified abnormality of labor, with delivery	Diagnosis	ICD-9-CM
66201	Prolonged first stage of labor, delivered	Diagnosis	ICD-9-CM
66211	Unspecified prolonged labor, delivered	Diagnosis	ICD-9-CM
66221	Prolonged second stage of labor, delivered	Diagnosis	ICD-9-CM
66231	Delayed delivery of second twin, triplet, etc., delivered	Diagnosis	ICD-9-CM
66301	Prolapse of cord, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66311	Cord around neck, with compression, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66321	Other and unspecified cord entanglement, with compression, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
66331	Other and unspecified cord entanglement, without mention of compression, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66341	Short cord complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66351	Vasa previa complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66361	Vascular lesions of cord complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66381	Other umbilical cord complications during labor and delivery, delivered	Diagnosis	ICD-9-CM
66391	Unspecified umbilical cord complication during labor and delivery, delivered	Diagnosis	ICD-9-CM
66401	First-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66411	Second-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66421	Third-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66431	Fourth-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66441	Unspecified perineal laceration, with delivery	Diagnosis	ICD-9-CM
66451	Vulvar and perineal hematoma, with delivery	Diagnosis	ICD-9-CM
66461	Anal sphincter tear complicating delivery, not associated with third-degree perineal laceration, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66481	Other specified trauma to perineum and vulva, with delivery	Diagnosis	ICD-9-CM
66491	Unspecified trauma to perineum and vulva, with delivery	Diagnosis	ICD-9-CM
66501	Rupture of uterus before onset of labor, with delivery	Diagnosis	ICD-9-CM
66511	Rupture of uterus during labor, with delivery	Diagnosis	ICD-9-CM
66522	Inversion of uterus, delivered with postpartum complication	Diagnosis	ICD-9-CM
66531	Laceration of cervix, with delivery	Diagnosis	ICD-9-CM
66541	High vaginal laceration, with delivery	Diagnosis	ICD-9-CM
66551	Other injury to pelvic organs, with delivery	Diagnosis	ICD-9-CM
66561	Damage to pelvic joints and ligaments, with delivery	Diagnosis	ICD-9-CM
66571	Pelvic hematoma, with delivery	Diagnosis	ICD-9-CM
66572	Pelvic hematoma, delivered with postpartum complication	Diagnosis	ICD-9-CM
66581	Other specified obstetrical trauma, with delivery	Diagnosis	ICD-9-CM
66582	Other specified obstetrical trauma, delivered, with postpartum	Diagnosis	ICD-9-CM
66591	Unspecified obstetrical trauma, with delivery	Diagnosis	ICD-9-CM
66592	Unspecified obstetrical trauma, delivered, with postpartum complication	Diagnosis	ICD-9-CM
66602	Third-stage postpartum hemorrhage, with delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
66612	Other immediate postpartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
6662	REMOV TUBE ECTOP PREG	Procedure	ICD-9-CM
66622	Delayed and secondary postpartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
66632	Postpartum coagulation defects, with delivery	Diagnosis	ICD-9-CM
66702	Retained placenta without hemorrhage, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66712	Retained portions of placenta or membranes, without hemorrhage, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66801	Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66802	Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66811	Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66812	Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66821	Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66822	Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66881	Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66882	Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66891	Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66892	Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66901	Maternal distress, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66902	Maternal distress, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66911	Shock during or following labor and delivery, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66912	Shock during or following labor and delivery, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66921	Maternal hypotension syndrome, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66922	Maternal hypotension syndrome, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66932	Acute kidney failure following labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
66941	Other complications of obstetrical surgery and PRs, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66942	Other complications of obstetrical surgery and PRs, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66951	Forceps or vacuum extractor delivery without mention of indication, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66961	Breech extraction, without mention of indication, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66971	Cesarean delivery, without mention of indication, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66981	Other complication of labor and delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66982	Other complication of labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66991	Unspecified complication of labor and delivery, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66992	Unspecified complication of labor and delivery, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67002	Major puerperal infection, unspecified, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67012	Puerperal endometritis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67022	Puerperal sepsis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67032	Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67082	Other major puerperal infection, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67101	Varicose veins of legs, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67102	Varicose veins of legs, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67111	Varicose veins of vulva and perineum, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67112	Varicose veins of vulva and perineum, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67121	Superficial thrombophlebitis with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67122	Superficial thrombophlebitis with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67131	Deep phlebothrombosis, antepartum, with delivery	Diagnosis	ICD-9-CM
67142	Deep phlebothrombosis, postpartum, with delivery	Diagnosis	ICD-9-CM
67151	Other phlebitis and thrombosis with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67152	Other phlebitis and thrombosis with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67181	Other venous complication, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67182	Other venous complication, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67191	Unspecified venous complication, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67192	Unspecified venous complication, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67202	Puerperal pyrexia of unknown origin, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
67301	Obstetrical air embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67302	Obstetrical air embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67311	Amniotic fluid embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67312	Amniotic fluid embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67321	Obstetrical blood-clot embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67322	Obstetrical blood-clot embolism, with mention of postpartum complication	Diagnosis	ICD-9-CM
67331	Obstetrical pyemic and septic embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67332	Obstetrical pyemic and septic embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67381	Other obstetrical pulmonary embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67382	Other obstetrical pulmonary embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67401	Cerebrovascular disorder, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67402	Cerebrovascular disorder, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67412	Disruption of cesarean wound, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67422	Disruption of perineal wound, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67432	Other complication of obstetrical surgical wounds, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67442	Placental polyp, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67451	Peripartum cardiomyopathy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67452	Peripartum cardiomyopathy, delivered, with mention of postpartum condition	Diagnosis	ICD-9-CM
67482	Other complication of puerperium, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67492	Unspecified complications of puerperium, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67501	Infection of nipple associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67502	Infection of nipple associated with childbirth, delivered with mention of postpartum complication	Diagnosis	ICD-9-CM
67511	Abscess of breast associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67512	Abscess of breast associated with childbirth, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67521	Nonpurulent mastitis, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67522	Nonpurulent mastitis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67581	Other specified infection of the breast and nipple associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67582	Other specified infection of the breast and nipple associated with childbirth, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67591	Unspecified infection of the breast and nipple, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
67592	Unspecified infection of the breast and nipple, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67601	Retracted nipple, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67602	Retracted nipple, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67611	Cracked nipple, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67612	Cracked nipple, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67621	Engorgement of breasts, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67622	Engorgement of breasts, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67631	Other and unspecified disorder of breast associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67632	Other and unspecified disorder of breast associated with childbirth, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67641	Failure of lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67642	Failure of lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67651	Suppressed lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67652	Suppressed lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67661	Galactorrhea, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67662	Galactorrhea, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67681	Other disorder of lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67682	Other disorder of lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67691	Unspecified disorder of lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67692	Unspecified disorder of lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67801	Fetal hematologic conditions, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67811	Fetal conjoined twins, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67901	Maternal complications from in utero PR, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67902	Maternal complications from in utero PR, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67911	Fetal complications from in utero PR, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67912	Fetal complications from in utero PR, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
6901	Dilation and curettage for termination of pregnancy	Procedure	ICD-9-CM
6951	Aspiration curettage of uterus for termination of pregnancy	Procedure	ICD-9-CM
72	Forceps, vacuum, and breech delivery	Procedure	ICD-9-CM
720	Low forceps operation	Procedure	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
721	Low forceps operation with episiotomy	Procedure	ICD-9-CM
722	Mid forceps operation	Procedure	ICD-9-CM
7221	Mid forceps operation with episiotomy	Procedure	ICD-9-CM
7229	Other mid forceps operation	Procedure	ICD-9-CM
723	High forceps operation	Procedure	ICD-9-CM
7231	High forceps operation with episiotomy	Procedure	ICD-9-CM
7239	Other high forceps operation	Procedure	ICD-9-CM
724	Forceps rotation of fetal head	Procedure	ICD-9-CM
725	Breech extraction	Procedure	ICD-9-CM
7251	Partial breech extraction with forceps to aftercoming head	Procedure	ICD-9-CM
7252	Other partial breech extraction	Procedure	ICD-9-CM
7253	Total breech extraction with forceps to aftercoming head	Procedure	ICD-9-CM
7254	Other total breech extraction	Procedure	ICD-9-CM
726	Forceps application to aftercoming head	Procedure	ICD-9-CM
727	Vacuum extraction	Procedure	ICD-9-CM
7271	Vacuum extraction with episiotomy	Procedure	ICD-9-CM
7279	Other vacuum extraction	Procedure	ICD-9-CM
728	Other specified instrumental delivery	Procedure	ICD-9-CM
729	Unspecified instrumental delivery	Procedure	ICD-9-CM
73	Other PRs inducing or assisting delivery	Procedure	ICD-9-CM
730	Artificial rupture of membranes	Procedure	ICD-9-CM
7301	Induction of labor by artificial rupture of membranes	Procedure	ICD-9-CM
7309	Other artificial rupture of membranes	Procedure	ICD-9-CM
731	Other surgical induction of labor	Procedure	ICD-9-CM
732	Internal and combined version and extraction	Procedure	ICD-9-CM
7321	Internal and combined version without extraction	Procedure	ICD-9-CM
7322	Internal and combined version with extraction	Procedure	ICD-9-CM
733	Failed forceps	Procedure	ICD-9-CM
734	Medical induction of labor	Procedure	ICD-9-CM
735	Manually assisted delivery	Procedure	ICD-9-CM
7351	Manual rotation of fetal head	Procedure	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
7359	Other manually assisted delivery	Procedure	ICD-9-CM
736	Episiotomy	Procedure	ICD-9-CM
738	Operations on fetus to facilitate delivery	Procedure	ICD-9-CM
739	Other operations assisting delivery	Procedure	ICD-9-CM
7391	External version to assist delivery	Procedure	ICD-9-CM
7392	Replacement of prolapsed umbilical cord	Procedure	ICD-9-CM
7393	Incision of cervix to assist delivery	Procedure	ICD-9-CM
7394	Pubiotomy to assist delivery	Procedure	ICD-9-CM
7399	Other operations to assist delivery	Procedure	ICD-9-CM
740	Classical cesarean section	Procedure	ICD-9-CM
741	Low cervical cesarean section	Procedure	ICD-9-CM
742	Extraperitoneal cesarean section	Procedure	ICD-9-CM
743	REMOV INTRAPERIT FETUS	Procedure	ICD-9-CM
744	Cesarean section of other specified type	Procedure	ICD-9-CM
749	Cesarean section of unspecified type	Procedure	ICD-9-CM
7491	Hysterotomy to terminate pregnancy	Procedure	ICD-9-CM
7499	Other cesarean section of unspecified type	Procedure	ICD-9-CM
750	Intra-amniotic injection for abortion	Procedure	ICD-9-CM
7630	Fetus or newborn affected by breech delivery and extraction	Diagnosis	ICD-9-CM
7632	Fetus or newborn affected by forceps delivery	Diagnosis	ICD-9-CM
7633	Fetus or newborn affected by delivery by vacuum extractor	Diagnosis	ICD-9-CM
7634	Fetus or newborn affected by cesarean delivery	Diagnosis	ICD-9-CM
7636	Fetus or newborn affected by precipitate delivery	Diagnosis	ICD-9-CM
76500	Extreme immaturity, unspecified [weight]	Diagnosis	ICD-9-CM
76501	Extreme immaturity, less than 500 grams	Diagnosis	ICD-9-CM
76502	Extreme immaturity, 500-749 grams	Diagnosis	ICD-9-CM
76503	Extreme immaturity, 750-999 grams	Diagnosis	ICD-9-CM
76504	Extreme immaturity, 1,000-1,249 grams	Diagnosis	ICD-9-CM
76505	Extreme immaturity, 1,250-1,499 grams	Diagnosis	ICD-9-CM
76506	Extreme immaturity, 1,500-1,749 grams	Diagnosis	ICD-9-CM
76507	Extreme immaturity, 1,750-1,999 grams	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
76508	Extreme immaturity, 2,000-2,499 grams	Diagnosis	ICD-9-CM
76509	Extreme immaturity, 2,500 grams and over	Diagnosis	ICD-9-CM
76510	Other preterm infants, unspecified [weight]	Diagnosis	ICD-9-CM
76511	Other preterm infants, less than 500 grams	Diagnosis	ICD-9-CM
76512	Other preterm infants, 500-749 grams	Diagnosis	ICD-9-CM
76513	Other preterm infants, 750-999 grams	Diagnosis	ICD-9-CM
76514	Other preterm infants, 1,000-1,249 grams	Diagnosis	ICD-9-CM
76515	Other preterm infants, 1,250-1,499 grams	Diagnosis	ICD-9-CM
76516	Other preterm infants, 1,500-1,749 grams	Diagnosis	ICD-9-CM
76517	Other preterm infants, 1,750-1,999 grams	Diagnosis	ICD-9-CM
76518	Other preterm infants, 2,000-2,499 grams	Diagnosis	ICD-9-CM
76519	Other preterm infants, 2,500 grams and over	Diagnosis	ICD-9-CM
76520	Unspecified weeks of gestation	Diagnosis	ICD-9-CM
76521	Less than 24 completed weeks of gestation	Diagnosis	ICD-9-CM
76522	24 completed weeks of gestation	Diagnosis	ICD-9-CM
76523	25-26 completed weeks of gestation	Diagnosis	ICD-9-CM
76524	27-28 completed weeks of gestation	Diagnosis	ICD-9-CM
76525	29-30 completed weeks of gestation	Diagnosis	ICD-9-CM
76526	31-32 completed weeks of gestation	Diagnosis	ICD-9-CM
76527	33-34 completed weeks of gestation	Diagnosis	ICD-9-CM
76528	35-36 completed weeks of gestation	Diagnosis	ICD-9-CM
76529	37+ completed weeks of gestation	Diagnosis	ICD-9-CM
76621	Post-term infant	Diagnosis	ICD-9-CM
76622	Prolonged gestation of infant	Diagnosis	ICD-9-CM
7680	Fetal death from asphyxia or anoxia before onset of labor or at unspecified time	Diagnosis	ICD-9-CM
76801	Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; single or first gestation	Procedure	CPT-4
	Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; each additional gestation		
76802	Complete Ultrasounds (Maternal and Fetal Evaluation); Second and Third Trimesters (Single or First Gestation)	Procedure	CPT-4
76805	Complete Ultrasounds (Maternal and Fetal Evaluation); Second and Third Trimesters (Single or First Gestation)	Procedure	CPT-4
7681	Fetal death from asphyxia or anoxia during labor	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
76810	Complete Ultrasounds (Maternal and Fetal Evaluation); Second and Third Trimesters (Each Additional Gestation)	Procedure	CPT-4
76811	Detailed fetal anatomic examination (single or first gestation)	Procedure	CPT-4
76812	Detailed fetal anatomic examination (Each additional Gestation)	Procedure	CPT-4
76813	Nuchal Translucency Measurement (Single or First Gestation)	Procedure	CPT-4
76814	Nuchal Translucency Measurement (Each Additional Gestation)	Procedure	CPT-4
7796	Termination of pregnancy (fetus)	Diagnosis	ICD-9-CM
81420	Fetal aneuploidy genomic sequence analysis, cell-free fetal DNA	Procedure	CPT-4
81507	Fetal aneuploidy (trisomy 21, 18, and 13) DNA sequence analysis of selected regions using maternal plasma algorithm reported as a risk score for each trisomy	Procedure	CPT-4
82106	Alpha-fetoprotein, amniotic	Procedure	CPT-4
82677	Assay of estriol	Procedure	CPT-4
82950	Glucose; post glucose dose (includes glucose)	Procedure	CPT-4
82951	Glucose; tolerance test (GTT), 3 specimens (includes glucose)	Procedure	CPT-4
82952	Glucose tolerance test, additional beyond 3 specimens	Procedure	CPT-4
84163	PAPP-A serum test	Procedure	CPT-4
86336	Inhibin A	Procedure	CPT-4
87081	Group B streptococcus screening (genital)	Procedure	CPT-4
88016	Necropsy (autopsy), gross examination only; macerated stillborn	Procedure	CPT-4
000	Ectopic pregnancy	Diagnosis	ICD-10-CM
0000	Abdominal pregnancy	Diagnosis	ICD-10-CM
00000	Abdominal pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
00001	Abdominal pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
0001	Tubal pregnancy	Diagnosis	ICD-10-CM
00010	Tubal pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
000101	Right tubal pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
000102	Left tubal pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
000109	Unspecified tubal pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
00011	Tubal pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
000111	Right tubal pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
000112	Left tubal pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
000119	Unspecified tubal pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O002	Ovarian pregnancy	Diagnosis	ICD-10-CM
O0020	Ovarian pregnancy WITHOUT INTRAUTERINE PREGNANCY	Diagnosis	ICD-10-CM
O00201	Right ovarian pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
O00202	Left ovarian pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
O00209	Unspecified ovarian pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
O0021	Ovarian pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
O00211	Right ovarian pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
O00212	Left ovarian pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
O00219	Unspecified ovarian pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
O008	Other ectopic pregnancy	Diagnosis	ICD-10-CM
O0080	Other ectopic pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
O0081	Other ectopic pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
O009	Ectopic pregnancy, unspecified	Diagnosis	ICD-10-CM
O0090	Unspecified ectopic pregnancy without intrauterine pregnancy	Diagnosis	ICD-10-CM
O0091	Unspecified ectopic pregnancy with intrauterine pregnancy	Diagnosis	ICD-10-CM
O01	Hydatidiform mole	Diagnosis	ICD-10-CM
O010	Classical hydatidiform mole	Diagnosis	ICD-10-CM
O011	Incomplete and partial hydatidiform mole	Diagnosis	ICD-10-CM
O019	Hydatidiform mole, unspecified	Diagnosis	ICD-10-CM
O020	Blighted ovum and nonhydatidiform mole	Diagnosis	ICD-10-CM
O021	Missed abortion	Diagnosis	ICD-10-CM
O0289	Other abnormal products of conception	Diagnosis	ICD-10-CM
O029	Abnormal products of conception, unspecified	Diagnosis	ICD-10-CM
O03	Spontaneous abortion	Diagnosis	ICD-10-CM
O030	Genital tract and pelvic infection following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
O031	Delayed or excessive hemorrhage following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
O032	Embolism following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
O0330	Unspecified complication following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
O0331	Shock following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
O0332	Renal failure following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
O0333	Metabolic disorder following incomplete spontaneous abortion	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
00334	Damage to pelvic organs following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
00335	Other venous complications following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
00336	Cardiac arrest following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
00337	Sepsis following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
00338	Urinary tract infection following incomplete spontaneous abortion	Diagnosis	ICD-10-CM
00339	Incomplete spontaneous abortion with other complications	Diagnosis	ICD-10-CM
0034	Incomplete spontaneous abortion without complication	Diagnosis	ICD-10-CM
0035	Genital tract and pelvic infection following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
0036	Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
0037	Embolism following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00380	Unspecified complication following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00381	Shock following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00382	Renal failure following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00383	Metabolic disorder following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00384	Damage to pelvic organs following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00385	Other venous complications following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00386	Cardiac arrest following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00387	Sepsis following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00388	Urinary tract infection following complete or unspecified spontaneous abortion	Diagnosis	ICD-10-CM
00389	Complete or unspecified spontaneous abortion with other complications	Diagnosis	ICD-10-CM
0039	Complete or unspecified spontaneous abortion without complication	Diagnosis	ICD-10-CM
004	Complications following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
0045	Genital tract and pelvic infection following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
0046	Delayed or excessive hemorrhage following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
0047	Embolism following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
0048	(Induced) termination of pregnancy with other and unspecified complications	Diagnosis	ICD-10-CM
00480	(Induced) termination of pregnancy with unspecified complications	Diagnosis	ICD-10-CM
00481	Shock following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00482	Renal failure following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00483	Metabolic disorder following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00484	Damage to pelvic organs following (induced) termination of pregnancy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
00485	Other venous complications following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00486	Cardiac arrest following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00487	Sepsis following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00488	Urinary tract infection following (induced) termination of pregnancy	Diagnosis	ICD-10-CM
00489	(Induced) termination of pregnancy with other complications	Diagnosis	ICD-10-CM
0080	Genitl trct and pelvic infct fol ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0081	Delayed or excess hemor fol ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0082	Embolism following ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0083	Shock following ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0084	Renal failure following ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0085	Metabolic disorders following an ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0086	Damage to pelvic organs and tiss fol an ect and molar preg	Diagnosis	ICD-10-CM
0087	Oth venous comp following an ectopic and molar pregnancy	Diagnosis	ICD-10-CM
00881	Cardiac arrest following an ectopic and molar pregnancy	Diagnosis	ICD-10-CM
00882	Sepsis following ectopic and molar pregnancy	Diagnosis	ICD-10-CM
00883	Urinary tract infection fol an ectopic and molar pregnancy	Diagnosis	ICD-10-CM
00889	Other complications following an ectopic and molar pregnancy	Diagnosis	ICD-10-CM
0089	Unsp complication following an ectopic and molar pregnancy	Diagnosis	ICD-10-CM
00901	Supervision of pregnancy with history of infertility, first trimester	Diagnosis	ICD-10-CM
00902	Supervision of pregnancy with history of infertility, second trimester	Diagnosis	ICD-10-CM
00903	Supervision of pregnancy with history of infertility, third trimester	Diagnosis	ICD-10-CM
00911	Supervision of pregnancy with history of ectopic pregnancy, first trimester	Diagnosis	ICD-10-CM
00912	Supervision of pregnancy with history of ectopic pregnancy, second trimester	Diagnosis	ICD-10-CM
00913	Supervision of pregnancy with history of ectopic pregnancy, third trimester	Diagnosis	ICD-10-CM
009211	Supervision of pregnancy with history of pre-term labor, first trimester	Diagnosis	ICD-10-CM
009212	Supervision of pregnancy with history of pre-term labor, second trimester	Diagnosis	ICD-10-CM
009213	Supervision of pregnancy with history of pre-term labor, third trimester	Diagnosis	ICD-10-CM
009291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester	Diagnosis	ICD-10-CM
009292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester	Diagnosis	ICD-10-CM
009293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester	Diagnosis	ICD-10-CM
00931	Supervision of pregnancy with insufficient antenatal care, first trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
00932	Supervision of pregnancy with insufficient antenatal care, second trimester	Diagnosis	ICD-10-CM
00933	Supervision of pregnancy with insufficient antenatal care, third trimester	Diagnosis	ICD-10-CM
00941	Supervision of pregnancy with grand multiparity, first trimester	Diagnosis	ICD-10-CM
00942	Supervision of pregnancy with grand multiparity, second trimester	Diagnosis	ICD-10-CM
00943	Supervision of pregnancy with grand multiparity, third trimester	Diagnosis	ICD-10-CM
009511	Supervision of elderly primigravida, first trimester	Diagnosis	ICD-10-CM
009512	Supervision of elderly primigravida, second trimester	Diagnosis	ICD-10-CM
009513	Supervision of elderly primigravida, third trimester	Diagnosis	ICD-10-CM
009521	Supervision of elderly multigravida, first trimester	Diagnosis	ICD-10-CM
009522	Supervision of elderly multigravida, second trimester	Diagnosis	ICD-10-CM
009523	Supervision of elderly multigravida, third trimester	Diagnosis	ICD-10-CM
009611	Supervision of young primigravida, first trimester	Diagnosis	ICD-10-CM
009612	Supervision of young primigravida, second trimester	Diagnosis	ICD-10-CM
009613	Supervision of young primigravida, third trimester	Diagnosis	ICD-10-CM
009621	Supervision of young multigravida, first trimester	Diagnosis	ICD-10-CM
009622	Supervision of young multigravida, second trimester	Diagnosis	ICD-10-CM
009623	Supervision of young multigravida, third trimester	Diagnosis	ICD-10-CM
00971	Supervision of high risk pregnancy due to social problems, first trimester	Diagnosis	ICD-10-CM
00972	Supervision of high risk pregnancy due to social problems, second trimester	Diagnosis	ICD-10-CM
00973	Supervision of high risk pregnancy due to social problems, third trimester	Diagnosis	ICD-10-CM
009811	Supervision of pregnancy resulting from assisted reproductive technology, first trimester	Diagnosis	ICD-10-CM
009812	Supervision of pregnancy resulting from assisted reproductive technology, second trimester	Diagnosis	ICD-10-CM
009813	Supervision of pregnancy resulting from assisted reproductive technology, third trimester	Diagnosis	ICD-10-CM
009821	Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester	Diagnosis	ICD-10-CM
009822	Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester	Diagnosis	ICD-10-CM
009823	Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester	Diagnosis	ICD-10-CM
009891	Supervision of other high risk pregnancies, first trimester	Diagnosis	ICD-10-CM
009892	Supervision of other high risk pregnancies, second trimester	Diagnosis	ICD-10-CM
009893	Supervision of other high risk pregnancies, third trimester	Diagnosis	ICD-10-CM
00991	Supervision of high risk pregnancy, unspecified, first trimester	Diagnosis	ICD-10-CM
00992	Supervision of high risk pregnancy, unspecified, second trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O0993	Supervision of high risk pregnancy, unspecified, third trimester	Diagnosis	ICD-10-CM
O09A1	Supervision of pregnancy with history of molar pregnancy, first trimester	Diagnosis	ICD-10-CM
O09A2	Supervision of pregnancy with history of molar pregnancy, second trimester	Diagnosis	ICD-10-CM
O09A3	Supervision of pregnancy with history of molar pregnancy, third trimester	Diagnosis	ICD-10-CM
O10011	Pre-existing essential hypertension complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10012	Pre-existing essential hypertension complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10013	Pre-existing essential hypertension complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O1002	Pre-existing essential hypertension complicating childbirth	Diagnosis	ICD-10-CM
O10111	Pre-existing hypertensive heart disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10112	Pre-existing hypertensive heart disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10113	Pre-existing hypertensive heart disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O1012	Pre-existing hypertensive heart disease complicating childbirth	Diagnosis	ICD-10-CM
O10211	Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10212	Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10213	Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O1022	Pre-existing hypertensive chronic kidney disease complicating childbirth	Diagnosis	ICD-10-CM
O10311	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10312	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10313	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O1032	Pre-existing hypertensive heart and chronic kidney disease complicating childbirth	Diagnosis	ICD-10-CM
O10411	Pre-existing secondary hypertension complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10412	Pre-existing secondary hypertension complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10413	Pre-existing secondary hypertension complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O1042	Pre-existing secondary hypertension complicating childbirth	Diagnosis	ICD-10-CM
O10911	Unspecified pre-existing hypertension complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10912	Unspecified pre-existing hypertension complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10913	Unspecified pre-existing hypertension complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O1092	Unspecified pre-existing hypertension complicating childbirth	Diagnosis	ICD-10-CM
O111	Pre-existing hypertension with pre-eclampsia, first trimester	Diagnosis	ICD-10-CM
O112	Pre-existing hypertension with pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O113	Pre-existing hypertension with pre-eclampsia, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O114	Pre-existing hypertension with pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O1201	Gestational edema, first trimester	Diagnosis	ICD-10-CM
O1202	Gestational edema, second trimester	Diagnosis	ICD-10-CM
O1203	Gestational edema, third trimester	Diagnosis	ICD-10-CM
O1204	Gestational edema, complicating childbirth	Diagnosis	ICD-10-CM
O1211	Gestational proteinuria, first trimester	Diagnosis	ICD-10-CM
O1212	Gestational proteinuria, second trimester	Diagnosis	ICD-10-CM
O1213	Gestational proteinuria, third trimester	Diagnosis	ICD-10-CM
O1214	Gestational proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
O1221	Gestational edema with proteinuria, first trimester	Diagnosis	ICD-10-CM
O1222	Gestational edema with proteinuria, second trimester	Diagnosis	ICD-10-CM
O1223	Gestational edema with proteinuria, third trimester	Diagnosis	ICD-10-CM
O1224	Gestational edema with proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
O131	Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester	Diagnosis	ICD-10-CM
O132	Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester	Diagnosis	ICD-10-CM
O133	Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester	Diagnosis	ICD-10-CM
O134	Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
O1402	Mild to moderate pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O1403	Mild to moderate pre-eclampsia, third trimester	Diagnosis	ICD-10-CM
O1404	Mild to moderate pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O1412	Severe pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O1413	Severe pre-eclampsia, third trimester	Diagnosis	ICD-10-CM
O1414	Severe pre-eclampsia complicating childbirth	Diagnosis	ICD-10-CM
O1422	HELLP syndrome (HELLP), second trimester	Diagnosis	ICD-10-CM
O1423	HELLP syndrome (HELLP), third trimester	Diagnosis	ICD-10-CM
O1424	HELLP syndrome, complicating childbirth	Diagnosis	ICD-10-CM
O1492	Unspecified pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O1493	Unspecified pre-eclampsia, third trimester	Diagnosis	ICD-10-CM
O1494	Unspecified pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O1502	Eclampsia complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O1503	Eclampsia complicating pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O161	Unspecified maternal hypertension, first trimester	Diagnosis	ICD-10-CM
O162	Unspecified maternal hypertension, second trimester	Diagnosis	ICD-10-CM
O163	Unspecified maternal hypertension, third trimester	Diagnosis	ICD-10-CM
O164	Unspecified maternal hypertension, complicating childbirth	Diagnosis	ICD-10-CM
O2201	Varicose veins of lower extremity in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2202	Varicose veins of lower extremity in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2203	Varicose veins of lower extremity in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2211	Genital varices in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2212	Genital varices in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2213	Genital varices in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2221	Superficial thrombophlebitis in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2222	Superficial thrombophlebitis in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2223	Superficial thrombophlebitis in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2231	Deep phlebothrombosis in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2232	Deep phlebothrombosis in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2233	Deep phlebothrombosis in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2241	Hemorrhoids in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2242	Hemorrhoids in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2243	Hemorrhoids in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2251	Cerebral venous thrombosis in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2252	Cerebral venous thrombosis in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2253	Cerebral venous thrombosis in pregnancy, third trimester	Diagnosis	ICD-10-CM
O228X1	Other venous complications in pregnancy, first trimester	Diagnosis	ICD-10-CM
O228X2	Other venous complications in pregnancy, second trimester	Diagnosis	ICD-10-CM
O228X3	Other venous complications in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2291	Venous complication in pregnancy, unspecified, first trimester	Diagnosis	ICD-10-CM
O2292	Venous complication in pregnancy, unspecified, second trimester	Diagnosis	ICD-10-CM
O2293	Venous complication in pregnancy, unspecified, third trimester	Diagnosis	ICD-10-CM
O2301	Infections of kidney in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2302	Infections of kidney in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2303	Infections of kidney in pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O2311	Infections of bladder in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2312	Infections of bladder in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2313	Infections of bladder in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2321	Infections of urethra in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2322	Infections of urethra in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2323	Infections of urethra in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2331	Infections of other parts of urinary tract in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2332	Infections of other parts of urinary tract in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2333	Infections of other parts of urinary tract in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2341	Unspecified infection of urinary tract in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2342	Unspecified infection of urinary tract in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2343	Unspecified infection of urinary tract in pregnancy, third trimester	Diagnosis	ICD-10-CM
O23511	Infections of cervix in pregnancy, first trimester	Diagnosis	ICD-10-CM
O23512	Infections of cervix in pregnancy, second trimester	Diagnosis	ICD-10-CM
O23513	Infections of cervix in pregnancy, third trimester	Diagnosis	ICD-10-CM
O23521	Salpingo-oophoritis in pregnancy, first trimester	Diagnosis	ICD-10-CM
O23522	Salpingo-oophoritis in pregnancy, second trimester	Diagnosis	ICD-10-CM
O23523	Salpingo-oophoritis in pregnancy, third trimester	Diagnosis	ICD-10-CM
O23591	Infection of other part of genital tract in pregnancy, first trimester	Diagnosis	ICD-10-CM
O23592	Infection of other part of genital tract in pregnancy, second trimester	Diagnosis	ICD-10-CM
O23593	Infection of other part of genital tract in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2391	Unspecified genitourinary tract infection in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2392	Unspecified genitourinary tract infection in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2393	Unspecified genitourinary tract infection in pregnancy, third trimester	Diagnosis	ICD-10-CM
O24011	Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24012	Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24013	Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2402	Pre-existing type 1 diabetes mellitus, in childbirth	Diagnosis	ICD-10-CM
O24111	Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24112	Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24113	Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O2412	Pre-existing type 2 diabetes mellitus, in childbirth	Diagnosis	ICD-10-CM
O24311	Unspecified pre-existing diabetes mellitus in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24312	Unspecified pre-existing diabetes mellitus in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24313	Unspecified pre-existing diabetes mellitus in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2432	Unspecified pre-existing diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O24420	Gestational diabetes mellitus in childbirth, diet controlled	Diagnosis	ICD-10-CM
O24424	Gestational diabetes mellitus in childbirth, insulin controlled	Diagnosis	ICD-10-CM
O24425	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24429	Gestational diabetes mellitus in childbirth, unspecified control	Diagnosis	ICD-10-CM
O24811	Other pre-existing diabetes mellitus in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24812	Other pre-existing diabetes mellitus in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24813	Other pre-existing diabetes mellitus in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2482	Other pre-existing diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O24911	Unspecified diabetes mellitus in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24912	Unspecified diabetes mellitus in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24913	Unspecified diabetes mellitus in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2492	Unspecified diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O2511	Malnutrition in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2512	Malnutrition in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2513	Malnutrition in pregnancy, third trimester	Diagnosis	ICD-10-CM
O252	Malnutrition in childbirth	Diagnosis	ICD-10-CM
O2601	Excessive weight gain in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2602	Excessive weight gain in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2603	Excessive weight gain in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2611	Low weight gain in pregnancy, first trimester	Diagnosis	ICD-10-CM
O2612	Low weight gain in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2613	Low weight gain in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2621	Pregnancy care for patient with recurrent pregnancy loss, first trimester	Diagnosis	ICD-10-CM
O2622	Pregnancy care for patient with recurrent pregnancy loss, second trimester	Diagnosis	ICD-10-CM
O2623	Pregnancy care for patient with recurrent pregnancy loss, third trimester	Diagnosis	ICD-10-CM
O2631	Retained intrauterine contraceptive device in pregnancy, first trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O2632	Retained intrauterine contraceptive device in pregnancy, second trimester	Diagnosis	ICD-10-CM
O2633	Retained intrauterine contraceptive device in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2641	Herpes gestationis, first trimester	Diagnosis	ICD-10-CM
O2642	Herpes gestationis, second trimester	Diagnosis	ICD-10-CM
O2643	Herpes gestationis, third trimester	Diagnosis	ICD-10-CM
O2651	Maternal hypotension syndrome, first trimester	Diagnosis	ICD-10-CM
O2652	Maternal hypotension syndrome, second trimester	Diagnosis	ICD-10-CM
O2653	Maternal hypotension syndrome, third trimester	Diagnosis	ICD-10-CM
O26611	Liver and biliary tract disorders in pregnancy, first trimester	Diagnosis	ICD-10-CM
O26612	Liver and biliary tract disorders in pregnancy, second trimester	Diagnosis	ICD-10-CM
O26613	Liver and biliary tract disorders in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2662	Liver and biliary tract disorders in childbirth	Diagnosis	ICD-10-CM
O26711	Subluxation of symphysis (pubis) in pregnancy, first trimester	Diagnosis	ICD-10-CM
O26712	Subluxation of symphysis (pubis) in pregnancy, second trimester	Diagnosis	ICD-10-CM
O26713	Subluxation of symphysis (pubis) in pregnancy, third trimester	Diagnosis	ICD-10-CM
O2672	Subluxation of symphysis (pubis) in childbirth	Diagnosis	ICD-10-CM
O26811	Pregnancy related exhaustion and fatigue, first trimester	Diagnosis	ICD-10-CM
O26812	Pregnancy related exhaustion and fatigue, second trimester	Diagnosis	ICD-10-CM
O26813	Pregnancy related exhaustion and fatigue, third trimester	Diagnosis	ICD-10-CM
O26821	Pregnancy related peripheral neuritis, first trimester	Diagnosis	ICD-10-CM
O26822	Pregnancy related peripheral neuritis, second trimester	Diagnosis	ICD-10-CM
O26823	Pregnancy related peripheral neuritis, third trimester	Diagnosis	ICD-10-CM
O26831	Pregnancy related renal disease, first trimester	Diagnosis	ICD-10-CM
O26832	Pregnancy related renal disease, second trimester	Diagnosis	ICD-10-CM
O26833	Pregnancy related renal disease, third trimester	Diagnosis	ICD-10-CM
O26841	Uterine size-date discrepancy, first trimester	Diagnosis	ICD-10-CM
O26842	Uterine size-date discrepancy, second trimester	Diagnosis	ICD-10-CM
O26843	Uterine size-date discrepancy, third trimester	Diagnosis	ICD-10-CM
O26851	Spotting complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O26852	Spotting complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O26853	Spotting complicating pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
026872	Cervical shortening, second trimester	Diagnosis	ICD-10-CM
026873	Cervical shortening, third trimester	Diagnosis	ICD-10-CM
026891	Other specified pregnancy related conditions, first trimester	Diagnosis	ICD-10-CM
026892	Other specified pregnancy related conditions, second trimester	Diagnosis	ICD-10-CM
026893	Other specified pregnancy related conditions, third trimester	Diagnosis	ICD-10-CM
02691	Pregnancy related conditions, unspecified, first trimester	Diagnosis	ICD-10-CM
02692	Pregnancy related conditions, unspecified, second trimester	Diagnosis	ICD-10-CM
02693	Pregnancy related conditions, unspecified, third trimester	Diagnosis	ICD-10-CM
029011	Aspiration pneumonitis due to anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029012	Aspiration pneumonitis due to anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029013	Aspiration pneumonitis due to anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029021	Pressure collapse of lung due to anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029022	Pressure collapse of lung due to anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029023	Pressure collapse of lung due to anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029091	Other pulmonary complications of anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029092	Other pulmonary complications of anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029093	Other pulmonary complications of anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029111	Cardiac arrest due to anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029112	Cardiac arrest due to anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029113	Cardiac arrest due to anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029121	Cardiac failure due to anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029122	Cardiac failure due to anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029123	Cardiac failure due to anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029191	Other cardiac complications of anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029192	Other cardiac complications of anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029193	Other cardiac complications of anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029211	Cerebral anoxia due to anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029212	Cerebral anoxia due to anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
029213	Cerebral anoxia due to anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
029291	Other central nervous system complications of anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
029292	Other central nervous system complications of anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O29293	Other central nervous system complications of anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
O293X1	Toxic reaction to local anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
O293X2	Toxic reaction to local anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
O293X3	Toxic reaction to local anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
O2941	Spinal and epidural anesthesia induced headache during pregnancy, first trimester	Diagnosis	ICD-10-CM
O2942	Spinal and epidural anesthesia induced headache during pregnancy, second trimester	Diagnosis	ICD-10-CM
O2943	Spinal and epidural anesthesia induced headache during pregnancy, third trimester	Diagnosis	ICD-10-CM
O295X1	Other complications of spinal and epidural anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
O295X2	Other complications of spinal and epidural anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
O295X3	Other complications of spinal and epidural anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
O2961	Failed or difficult intubation for anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
O2962	Failed or difficult intubation for anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
O2963	Failed or difficult intubation for anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
O298X1	Other complications of anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
O298X2	Other complications of anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
O298X3	Other complications of anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
O2991	Unspecified complication of anesthesia during pregnancy, first trimester	Diagnosis	ICD-10-CM
O2992	Unspecified complication of anesthesia during pregnancy, second trimester	Diagnosis	ICD-10-CM
O2993	Unspecified complication of anesthesia during pregnancy, third trimester	Diagnosis	ICD-10-CM
O30001	Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30002	Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30003	Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30011	Twin pregnancy, monochorionic/monoamniotic, first trimester	Diagnosis	ICD-10-CM
O30012	Twin pregnancy, monochorionic/monoamniotic, second trimester	Diagnosis	ICD-10-CM
O30013	Twin pregnancy, monochorionic/monoamniotic, third trimester	Diagnosis	ICD-10-CM
O30021	Conjoined twin pregnancy, first trimester	Diagnosis	ICD-10-CM
O30022	Conjoined twin pregnancy, second trimester	Diagnosis	ICD-10-CM
O30023	Conjoined twin pregnancy, third trimester	Diagnosis	ICD-10-CM
O30031	Twin pregnancy, monochorionic/diamniotic, first trimester	Diagnosis	ICD-10-CM
O30032	Twin pregnancy, monochorionic/diamniotic, second trimester	Diagnosis	ICD-10-CM
O30033	Twin pregnancy, monochorionic/diamniotic, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O30041	Twin pregnancy, dichorionic/diamniotic, first trimester	Diagnosis	ICD-10-CM
O30042	Twin pregnancy, dichorionic/diamniotic, second trimester	Diagnosis	ICD-10-CM
O30043	Twin pregnancy, dichorionic/diamniotic, third trimester	Diagnosis	ICD-10-CM
O30091	Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30092	Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30093	Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30101	Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30102	Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30103	Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30111	Triplet pregnancy with two or more monochorionic fetuses, first trimester	Diagnosis	ICD-10-CM
O30112	Triplet pregnancy with two or more monochorionic fetuses, second trimester	Diagnosis	ICD-10-CM
O30113	Triplet pregnancy with two or more monochorionic fetuses, third trimester	Diagnosis	ICD-10-CM
O30121	Triplet pregnancy with two or more monoamniotic fetuses, first trimester	Diagnosis	ICD-10-CM
O30122	Triplet pregnancy with two or more monoamniotic fetuses, second trimester	Diagnosis	ICD-10-CM
O30123	Triplet pregnancy with two or more monoamniotic fetuses, third trimester	Diagnosis	ICD-10-CM
O30131	Triplet pregnancy, trichorionic/triamniotic, first trimester	Diagnosis	ICD-10-CM
O30132	Triplet pregnancy, trichorionic/triamniotic, second trimester	Diagnosis	ICD-10-CM
O30133	Triplet pregnancy, trichorionic/triamniotic, third trimester	Diagnosis	ICD-10-CM
O30191	Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30192	Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30193	Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30201	Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30202	Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30203	Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30211	Quadruplet pregnancy with two or more monochorionic fetuses, first trimester	Diagnosis	ICD-10-CM
O30212	Quadruplet pregnancy with two or more monochorionic fetuses, second trimester	Diagnosis	ICD-10-CM
O30213	Quadruplet pregnancy with two or more monochorionic fetuses, third trimester	Diagnosis	ICD-10-CM
O30221	Quadruplet pregnancy with two or more monoamniotic fetuses, first trimester	Diagnosis	ICD-10-CM
O30222	Quadruplet pregnancy with two or more monoamniotic fetuses, second trimester	Diagnosis	ICD-10-CM
O30223	Quadruplet pregnancy with two or more monoamniotic fetuses, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O30231	Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester	Diagnosis	ICD-10-CM
O30232	Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester	Diagnosis	ICD-10-CM
O30233	Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester	Diagnosis	ICD-10-CM
O30291	Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30292	Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30293	Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30801	Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30802	Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30803	Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O30811	Other specified multiple gestation with two or more monochorionic fetuses, first trimester	Diagnosis	ICD-10-CM
O30812	Other specified multiple gestation with two or more monochorionic fetuses, second trimester	Diagnosis	ICD-10-CM
O30813	Other specified multiple gestation with two or more monochorionic fetuses, third trimester	Diagnosis	ICD-10-CM
O30821	Other specified multiple gestation with two or more monoamniotic fetuses, first trimester	Diagnosis	ICD-10-CM
O30822	Other specified multiple gestation with two or more monoamniotic fetuses, second trimester	Diagnosis	ICD-10-CM
O30823	Other specified multiple gestation with two or more monoamniotic fetuses, third trimester	Diagnosis	ICD-10-CM
O30831	Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester	Diagnosis	ICD-10-CM
O30832	Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester	Diagnosis	ICD-10-CM
O30833	Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester	Diagnosis	ICD-10-CM
O30891	Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, first trimester	Diagnosis	ICD-10-CM
O30892	Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, second trimester	Diagnosis	ICD-10-CM
O30893	Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, third trimester	Diagnosis	ICD-10-CM
O3091	Multiple gestation, unspecified, first trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O3092	Multiple gestation, unspecified, second trimester	Diagnosis	ICD-10-CM
O3093	Multiple gestation, unspecified, third trimester	Diagnosis	ICD-10-CM
O3100X0	Papyraceous fetus, unspecified trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3100X1	Papyraceous fetus, unspecified trimester, fetus 1	Diagnosis	ICD-10-CM
O3100X2	Papyraceous fetus, unspecified trimester, fetus 2	Diagnosis	ICD-10-CM
O3100X3	Papyraceous fetus, unspecified trimester, fetus 3	Diagnosis	ICD-10-CM
O3100X4	Papyraceous fetus, unspecified trimester, fetus 4	Diagnosis	ICD-10-CM
O3100X5	Papyraceous fetus, unspecified trimester, fetus 5	Diagnosis	ICD-10-CM
O3100X9	Papyraceous fetus, unspecified trimester, other fetus	Diagnosis	ICD-10-CM
O3101X0	Papyraceous fetus, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3101X1	Papyraceous fetus, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3101X2	Papyraceous fetus, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3101X3	Papyraceous fetus, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3101X4	Papyraceous fetus, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3101X5	Papyraceous fetus, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3101X9	Papyraceous fetus, first trimester, other fetus	Diagnosis	ICD-10-CM
O3102X0	Papyraceous fetus, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3102X1	Papyraceous fetus, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3102X2	Papyraceous fetus, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3102X3	Papyraceous fetus, second trimester, fetus 3	Diagnosis	ICD-10-CM
O3102X4	Papyraceous fetus, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3102X5	Papyraceous fetus, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3102X9	Papyraceous fetus, second trimester, other fetus	Diagnosis	ICD-10-CM
O3103X0	Papyraceous fetus, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3103X1	Papyraceous fetus, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3103X2	Papyraceous fetus, third trimester, fetus 2	Diagnosis	ICD-10-CM
O3103X3	Papyraceous fetus, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3103X4	Papyraceous fetus, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3103X5	Papyraceous fetus, third trimester, fetus 5	Diagnosis	ICD-10-CM
O3103X9	Papyraceous fetus, third trimester, other fetus	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O3110X0	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3110X1	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1	Diagnosis	ICD-10-CM
O3110X2	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2	Diagnosis	ICD-10-CM
O3110X3	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3	Diagnosis	ICD-10-CM
O3110X4	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4	Diagnosis	ICD-10-CM
O3110X5	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5	Diagnosis	ICD-10-CM
O3110X9	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus	Diagnosis	ICD-10-CM
O3111X0	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3111X1	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3111X2	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3111X3	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3111X4	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3111X5	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3111X9	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus	Diagnosis	ICD-10-CM
O3112X0	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3112X1	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3112X2	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3112X3	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3	Diagnosis	ICD-10-CM
O3112X4	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3112X5	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3112X9	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus	Diagnosis	ICD-10-CM
O3113X0	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3113X1	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3113X2	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2	Diagnosis	ICD-10-CM
O3113X3	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3113X4	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3113X5	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O3113X9	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus	Diagnosis	ICD-10-CM
O312	Continuing pregnancy after intrauterine death of one fetus or more	Diagnosis	ICD-10-CM
O3120X0	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3120X1	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 1	Diagnosis	ICD-10-CM
O3120X2	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 2	Diagnosis	ICD-10-CM
O3120X3	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 3	Diagnosis	ICD-10-CM
O3120X4	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 4	Diagnosis	ICD-10-CM
O3120X5	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 5	Diagnosis	ICD-10-CM
O3120X9	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, other fetus	Diagnosis	ICD-10-CM
O3121X0	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3121X1	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3121X2	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3121X3	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3121X4	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3121X5	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3121X9	Continuing pregnancy after intrauterine death of one fetus or more, first trimester, other fetus	Diagnosis	ICD-10-CM
O3122X0	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3122X1	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3122X2	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3122X3	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 3	Diagnosis	ICD-10-CM
O3122X4	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3122X5	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3122X9	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, other fetus	Diagnosis	ICD-10-CM
O3123X0	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3123X1	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3123X2	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 2	Diagnosis	ICD-10-CM
O3123X3	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3123X4	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3123X5	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 5	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
03123X9	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, other fetus	Diagnosis	ICD-10-CM
03131X0	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
03131X1	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 1	Diagnosis	ICD-10-CM
03131X2	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 2	Diagnosis	ICD-10-CM
03131X3	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 3	Diagnosis	ICD-10-CM
03131X4	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 4	Diagnosis	ICD-10-CM
03131X5	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 5	Diagnosis	ICD-10-CM
03131X9	Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, other fetus	Diagnosis	ICD-10-CM
03132X0	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
03132X1	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 1	Diagnosis	ICD-10-CM
03132X2	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 2	Diagnosis	ICD-10-CM
03132X3	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 3	Diagnosis	ICD-10-CM
03132X4	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 4	Diagnosis	ICD-10-CM
03132X5	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 5	Diagnosis	ICD-10-CM
03132X9	Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, other fetus	Diagnosis	ICD-10-CM
03133X0	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
03133X1	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 1	Diagnosis	ICD-10-CM
03133X2	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 2	Diagnosis	ICD-10-CM
03133X3	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 3	Diagnosis	ICD-10-CM
03133X4	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 4	Diagnosis	ICD-10-CM
03133X5	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 5	Diagnosis	ICD-10-CM
03133X9	Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, other fetus	Diagnosis	ICD-10-CM
0318X10	Other complications specific to multiple gestation, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0318X11	Other complications specific to multiple gestation, first trimester, fetus 1	Diagnosis	ICD-10-CM
0318X12	Other complications specific to multiple gestation, first trimester, fetus 2	Diagnosis	ICD-10-CM
0318X13	Other complications specific to multiple gestation, first trimester, fetus 3	Diagnosis	ICD-10-CM
0318X14	Other complications specific to multiple gestation, first trimester, fetus 4	Diagnosis	ICD-10-CM
0318X15	Other complications specific to multiple gestation, first trimester, fetus 5	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
0318X19	Other complications specific to multiple gestation, first trimester, other fetus	Diagnosis	ICD-10-CM
0318X20	Other complications specific to multiple gestation, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0318X21	Other complications specific to multiple gestation, second trimester, fetus 1	Diagnosis	ICD-10-CM
0318X22	Other complications specific to multiple gestation, second trimester, fetus 2	Diagnosis	ICD-10-CM
0318X23	Other complications specific to multiple gestation, second trimester, fetus 3	Diagnosis	ICD-10-CM
0318X24	Other complications specific to multiple gestation, second trimester, fetus 4	Diagnosis	ICD-10-CM
0318X25	Other complications specific to multiple gestation, second trimester, fetus 5	Diagnosis	ICD-10-CM
0318X29	Other complications specific to multiple gestation, second trimester, other fetus	Diagnosis	ICD-10-CM
0318X30	Other complications specific to multiple gestation, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0318X31	Other complications specific to multiple gestation, third trimester, fetus 1	Diagnosis	ICD-10-CM
0318X32	Other complications specific to multiple gestation, third trimester, fetus 2	Diagnosis	ICD-10-CM
0318X33	Other complications specific to multiple gestation, third trimester, fetus 3	Diagnosis	ICD-10-CM
0318X34	Other complications specific to multiple gestation, third trimester, fetus 4	Diagnosis	ICD-10-CM
0318X35	Other complications specific to multiple gestation, third trimester, fetus 5	Diagnosis	ICD-10-CM
0318X39	Other complications specific to multiple gestation, third trimester, other fetus	Diagnosis	ICD-10-CM
03401	Maternal care for unspecified congenital malformation of uterus, first trimester	Diagnosis	ICD-10-CM
03402	Maternal care for unspecified congenital malformation of uterus, second trimester	Diagnosis	ICD-10-CM
03403	Maternal care for unspecified congenital malformation of uterus, third trimester	Diagnosis	ICD-10-CM
03411	Maternal care for benign tumor of corpus uteri, first trimester	Diagnosis	ICD-10-CM
03412	Maternal care for benign tumor of corpus uteri, second trimester	Diagnosis	ICD-10-CM
03413	Maternal care for benign tumor of corpus uteri, third trimester	Diagnosis	ICD-10-CM
03431	Maternal care for cervical incompetence, first trimester	Diagnosis	ICD-10-CM
03432	Maternal care for cervical incompetence, second trimester	Diagnosis	ICD-10-CM
03433	Maternal care for cervical incompetence, third trimester	Diagnosis	ICD-10-CM
03441	Maternal care for other abnormalities of cervix, first trimester	Diagnosis	ICD-10-CM
03442	Maternal care for other abnormalities of cervix, second trimester	Diagnosis	ICD-10-CM
03443	Maternal care for other abnormalities of cervix, third trimester	Diagnosis	ICD-10-CM
034511	Maternal care for incarceration of gravid uterus, first trimester	Diagnosis	ICD-10-CM
034512	Maternal care for incarceration of gravid uterus, second trimester	Diagnosis	ICD-10-CM
034513	Maternal care for incarceration of gravid uterus, third trimester	Diagnosis	ICD-10-CM
034521	Maternal care for prolapse of gravid uterus, first trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
034522	Maternal care for prolapse of gravid uterus, second trimester	Diagnosis	ICD-10-CM
034523	Maternal care for prolapse of gravid uterus, third trimester	Diagnosis	ICD-10-CM
034531	Maternal care for retroversion of gravid uterus, first trimester	Diagnosis	ICD-10-CM
034532	Maternal care for retroversion of gravid uterus, second trimester	Diagnosis	ICD-10-CM
034533	Maternal care for retroversion of gravid uterus, third trimester	Diagnosis	ICD-10-CM
034591	Maternal care for other abnormalities of gravid uterus, first trimester	Diagnosis	ICD-10-CM
034592	Maternal care for other abnormalities of gravid uterus, second trimester	Diagnosis	ICD-10-CM
034593	Maternal care for other abnormalities of gravid uterus, third trimester	Diagnosis	ICD-10-CM
03461	Maternal care for abnormality of vagina, first trimester	Diagnosis	ICD-10-CM
03462	Maternal care for abnormality of vagina, second trimester	Diagnosis	ICD-10-CM
03463	Maternal care for abnormality of vagina, third trimester	Diagnosis	ICD-10-CM
03471	Maternal care for abnormality of vulva and perineum, first trimester	Diagnosis	ICD-10-CM
03472	Maternal care for abnormality of vulva and perineum, second trimester	Diagnosis	ICD-10-CM
03473	Maternal care for abnormality of vulva and perineum, third trimester	Diagnosis	ICD-10-CM
03481	Maternal care for other abnormalities of pelvic organs, first trimester	Diagnosis	ICD-10-CM
03482	Maternal care for other abnormalities of pelvic organs, second trimester	Diagnosis	ICD-10-CM
03483	Maternal care for other abnormalities of pelvic organs, third trimester	Diagnosis	ICD-10-CM
03491	Maternal care for abnormality of pelvic organ, unspecified, first trimester	Diagnosis	ICD-10-CM
03492	Maternal care for abnormality of pelvic organ, unspecified, second trimester	Diagnosis	ICD-10-CM
03493	Maternal care for abnormality of pelvic organ, unspecified, third trimester	Diagnosis	ICD-10-CM
0360110	Maternal care for anti-D [Rh] antibodies, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0360111	Maternal care for anti-D [Rh] antibodies, first trimester, fetus 1	Diagnosis	ICD-10-CM
0360112	Maternal care for anti-D [Rh] antibodies, first trimester, fetus 2	Diagnosis	ICD-10-CM
0360113	Maternal care for anti-D [Rh] antibodies, first trimester, fetus 3	Diagnosis	ICD-10-CM
0360114	Maternal care for anti-D [Rh] antibodies, first trimester, fetus 4	Diagnosis	ICD-10-CM
0360115	Maternal care for anti-D [Rh] antibodies, first trimester, fetus 5	Diagnosis	ICD-10-CM
0360119	Maternal care for anti-D [Rh] antibodies, first trimester, other fetus	Diagnosis	ICD-10-CM
0360120	Maternal care for anti-D [Rh] antibodies, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0360121	Maternal care for anti-D [Rh] antibodies, second trimester, fetus 1	Diagnosis	ICD-10-CM
0360122	Maternal care for anti-D [Rh] antibodies, second trimester, fetus 2	Diagnosis	ICD-10-CM
0360123	Maternal care for anti-D [Rh] antibodies, second trimester, fetus 3	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O360124	Maternal care for anti-D [Rh] antibodies, second trimester, fetus 4	Diagnosis	ICD-10-CM
O360125	Maternal care for anti-D [Rh] antibodies, second trimester, fetus 5	Diagnosis	ICD-10-CM
O360129	Maternal care for anti-D [Rh] antibodies, second trimester, other fetus	Diagnosis	ICD-10-CM
O360130	Maternal care for anti-D [Rh] antibodies, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O360131	Maternal care for anti-D [Rh] antibodies, third trimester, fetus 1	Diagnosis	ICD-10-CM
O360132	Maternal care for anti-D [Rh] antibodies, third trimester, fetus 2	Diagnosis	ICD-10-CM
O360133	Maternal care for anti-D [Rh] antibodies, third trimester, fetus 3	Diagnosis	ICD-10-CM
O360134	Maternal care for anti-D [Rh] antibodies, third trimester, fetus 4	Diagnosis	ICD-10-CM
O360135	Maternal care for anti-D [Rh] antibodies, third trimester, fetus 5	Diagnosis	ICD-10-CM
O360139	Maternal care for anti-D [Rh] antibodies, third trimester, other fetus	Diagnosis	ICD-10-CM
O360910	Maternal care for other rhesus isoimmunization, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O360911	Maternal care for other rhesus isoimmunization, first trimester, fetus 1	Diagnosis	ICD-10-CM
O360912	Maternal care for other rhesus isoimmunization, first trimester, fetus 2	Diagnosis	ICD-10-CM
O360913	Maternal care for other rhesus isoimmunization, first trimester, fetus 3	Diagnosis	ICD-10-CM
O360914	Maternal care for other rhesus isoimmunization, first trimester, fetus 4	Diagnosis	ICD-10-CM
O360915	Maternal care for other rhesus isoimmunization, first trimester, fetus 5	Diagnosis	ICD-10-CM
O360919	Maternal care for other rhesus isoimmunization, first trimester, other fetus	Diagnosis	ICD-10-CM
O360920	Maternal care for other rhesus isoimmunization, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O360921	Maternal care for other rhesus isoimmunization, second trimester, fetus 1	Diagnosis	ICD-10-CM
O360922	Maternal care for other rhesus isoimmunization, second trimester, fetus 2	Diagnosis	ICD-10-CM
O360923	Maternal care for other rhesus isoimmunization, second trimester, fetus 3	Diagnosis	ICD-10-CM
O360924	Maternal care for other rhesus isoimmunization, second trimester, fetus 4	Diagnosis	ICD-10-CM
O360925	Maternal care for other rhesus isoimmunization, second trimester, fetus 5	Diagnosis	ICD-10-CM
O360929	Maternal care for other rhesus isoimmunization, second trimester, other fetus	Diagnosis	ICD-10-CM
O360930	Maternal care for other rhesus isoimmunization, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O360931	Maternal care for other rhesus isoimmunization, third trimester, fetus 1	Diagnosis	ICD-10-CM
O360932	Maternal care for other rhesus isoimmunization, third trimester, fetus 2	Diagnosis	ICD-10-CM
O360933	Maternal care for other rhesus isoimmunization, third trimester, fetus 3	Diagnosis	ICD-10-CM
O360934	Maternal care for other rhesus isoimmunization, third trimester, fetus 4	Diagnosis	ICD-10-CM
O360935	Maternal care for other rhesus isoimmunization, third trimester, fetus 5	Diagnosis	ICD-10-CM
O360939	Maternal care for other rhesus isoimmunization, third trimester, other fetus	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O361110	Maternal care for Anti-A sensitization, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O361111	Maternal care for Anti-A sensitization, first trimester, fetus 1	Diagnosis	ICD-10-CM
O361112	Maternal care for Anti-A sensitization, first trimester, fetus 2	Diagnosis	ICD-10-CM
O361113	Maternal care for Anti-A sensitization, first trimester, fetus 3	Diagnosis	ICD-10-CM
O361114	Maternal care for Anti-A sensitization, first trimester, fetus 4	Diagnosis	ICD-10-CM
O361115	Maternal care for Anti-A sensitization, first trimester, fetus 5	Diagnosis	ICD-10-CM
O361119	Maternal care for Anti-A sensitization, first trimester, other fetus	Diagnosis	ICD-10-CM
O361120	Maternal care for Anti-A sensitization, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O361121	Maternal care for Anti-A sensitization, second trimester, fetus 1	Diagnosis	ICD-10-CM
O361122	Maternal care for Anti-A sensitization, second trimester, fetus 2	Diagnosis	ICD-10-CM
O361123	Maternal care for Anti-A sensitization, second trimester, fetus 3	Diagnosis	ICD-10-CM
O361124	Maternal care for Anti-A sensitization, second trimester, fetus 4	Diagnosis	ICD-10-CM
O361125	Maternal care for Anti-A sensitization, second trimester, fetus 5	Diagnosis	ICD-10-CM
O361129	Maternal care for Anti-A sensitization, second trimester, other fetus	Diagnosis	ICD-10-CM
O361130	Maternal care for Anti-A sensitization, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O361131	Maternal care for Anti-A sensitization, third trimester, fetus 1	Diagnosis	ICD-10-CM
O361132	Maternal care for Anti-A sensitization, third trimester, fetus 2	Diagnosis	ICD-10-CM
O361133	Maternal care for Anti-A sensitization, third trimester, fetus 3	Diagnosis	ICD-10-CM
O361134	Maternal care for Anti-A sensitization, third trimester, fetus 4	Diagnosis	ICD-10-CM
O361135	Maternal care for Anti-A sensitization, third trimester, fetus 5	Diagnosis	ICD-10-CM
O361139	Maternal care for Anti-A sensitization, third trimester, other fetus	Diagnosis	ICD-10-CM
O361910	Maternal care for other isoimmunization, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O361911	Maternal care for other isoimmunization, first trimester, fetus 1	Diagnosis	ICD-10-CM
O361912	Maternal care for other isoimmunization, first trimester, fetus 2	Diagnosis	ICD-10-CM
O361913	Maternal care for other isoimmunization, first trimester, fetus 3	Diagnosis	ICD-10-CM
O361914	Maternal care for other isoimmunization, first trimester, fetus 4	Diagnosis	ICD-10-CM
O361915	Maternal care for other isoimmunization, first trimester, fetus 5	Diagnosis	ICD-10-CM
O361919	Maternal care for other isoimmunization, first trimester, other fetus	Diagnosis	ICD-10-CM
O361920	Maternal care for other isoimmunization, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O361921	Maternal care for other isoimmunization, second trimester, fetus 1	Diagnosis	ICD-10-CM
O361922	Maternal care for other isoimmunization, second trimester, fetus 2	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O361923	Maternal care for other isoimmunization, second trimester, fetus 3	Diagnosis	ICD-10-CM
O361924	Maternal care for other isoimmunization, second trimester, fetus 4	Diagnosis	ICD-10-CM
O361925	Maternal care for other isoimmunization, second trimester, fetus 5	Diagnosis	ICD-10-CM
O361929	Maternal care for other isoimmunization, second trimester, other fetus	Diagnosis	ICD-10-CM
O361930	Maternal care for other isoimmunization, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O361931	Maternal care for other isoimmunization, third trimester, fetus 1	Diagnosis	ICD-10-CM
O361932	Maternal care for other isoimmunization, third trimester, fetus 2	Diagnosis	ICD-10-CM
O361933	Maternal care for other isoimmunization, third trimester, fetus 3	Diagnosis	ICD-10-CM
O361934	Maternal care for other isoimmunization, third trimester, fetus 4	Diagnosis	ICD-10-CM
O361935	Maternal care for other isoimmunization, third trimester, fetus 5	Diagnosis	ICD-10-CM
O361939	Maternal care for other isoimmunization, third trimester, other fetus	Diagnosis	ICD-10-CM
O3621X0	Maternal care for hydrops fetalis, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3621X1	Maternal care for hydrops fetalis, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3621X2	Maternal care for hydrops fetalis, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3621X3	Maternal care for hydrops fetalis, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3621X4	Maternal care for hydrops fetalis, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3621X5	Maternal care for hydrops fetalis, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3621X9	Maternal care for hydrops fetalis, first trimester, other fetus	Diagnosis	ICD-10-CM
O3622X0	Maternal care for hydrops fetalis, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3622X1	Maternal care for hydrops fetalis, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3622X2	Maternal care for hydrops fetalis, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3622X3	Maternal care for hydrops fetalis, second trimester, fetus 3	Diagnosis	ICD-10-CM
O3622X4	Maternal care for hydrops fetalis, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3622X5	Maternal care for hydrops fetalis, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3622X9	Maternal care for hydrops fetalis, second trimester, other fetus	Diagnosis	ICD-10-CM
O3623X0	Maternal care for hydrops fetalis, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3623X1	Maternal care for hydrops fetalis, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3623X2	Maternal care for hydrops fetalis, third trimester, fetus 2	Diagnosis	ICD-10-CM
O3623X3	Maternal care for hydrops fetalis, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3623X4	Maternal care for hydrops fetalis, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3623X5	Maternal care for hydrops fetalis, third trimester, fetus 5	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O3623X9	Maternal care for hydrops fetalis, third trimester, other fetus	Diagnosis	ICD-10-CM
O364	Maternal care for intrauterine death	Diagnosis	ICD-10-CM
O364XX0	Maternal care for intrauterine death, not applicable or unspecified	Diagnosis	ICD-10-CM
O364XX1	Maternal care for intrauterine death, fetus 1	Diagnosis	ICD-10-CM
O364XX2	Maternal care for intrauterine death, fetus 2	Diagnosis	ICD-10-CM
O364XX3	Maternal care for intrauterine death, fetus 3	Diagnosis	ICD-10-CM
O364XX4	Maternal care for intrauterine death, fetus 4	Diagnosis	ICD-10-CM
O364XX5	Maternal care for intrauterine death, fetus 5	Diagnosis	ICD-10-CM
O364XX9	Maternal care for intrauterine death, other fetus	Diagnosis	ICD-10-CM
O365110	Maternal care for known or suspected placental insufficiency, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O365111	Maternal care for known or suspected placental insufficiency, first trimester, fetus 1	Diagnosis	ICD-10-CM
O365112	Maternal care for known or suspected placental insufficiency, first trimester, fetus 2	Diagnosis	ICD-10-CM
O365113	Maternal care for known or suspected placental insufficiency, first trimester, fetus 3	Diagnosis	ICD-10-CM
O365114	Maternal care for known or suspected placental insufficiency, first trimester, fetus 4	Diagnosis	ICD-10-CM
O365115	Maternal care for known or suspected placental insufficiency, first trimester, fetus 5	Diagnosis	ICD-10-CM
O365119	Maternal care for known or suspected placental insufficiency, first trimester, other fetus	Diagnosis	ICD-10-CM
O365120	Maternal care for known or suspected placental insufficiency, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O365121	Maternal care for known or suspected placental insufficiency, second trimester, fetus 1	Diagnosis	ICD-10-CM
O365122	Maternal care for known or suspected placental insufficiency, second trimester, fetus 2	Diagnosis	ICD-10-CM
O365123	Maternal care for known or suspected placental insufficiency, second trimester, fetus 3	Diagnosis	ICD-10-CM
O365124	Maternal care for known or suspected placental insufficiency, second trimester, fetus 4	Diagnosis	ICD-10-CM
O365125	Maternal care for known or suspected placental insufficiency, second trimester, fetus 5	Diagnosis	ICD-10-CM
O365129	Maternal care for known or suspected placental insufficiency, second trimester, other fetus	Diagnosis	ICD-10-CM
O365130	Maternal care for known or suspected placental insufficiency, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O365131	Maternal care for known or suspected placental insufficiency, third trimester, fetus 1	Diagnosis	ICD-10-CM
O365132	Maternal care for known or suspected placental insufficiency, third trimester, fetus 2	Diagnosis	ICD-10-CM
O365133	Maternal care for known or suspected placental insufficiency, third trimester, fetus 3	Diagnosis	ICD-10-CM
O365134	Maternal care for known or suspected placental insufficiency, third trimester, fetus 4	Diagnosis	ICD-10-CM
O365135	Maternal care for known or suspected placental insufficiency, third trimester, fetus 5	Diagnosis	ICD-10-CM
O365139	Maternal care for known or suspected placental insufficiency, third trimester, other fetus	Diagnosis	ICD-10-CM
O365910	Maternal care for other known or suspected poor fetal growth, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O365911	Maternal care for other known or suspected poor fetal growth, first trimester, fetus 1	Diagnosis	ICD-10-CM
O365912	Maternal care for other known or suspected poor fetal growth, first trimester, fetus 2	Diagnosis	ICD-10-CM
O365913	Maternal care for other known or suspected poor fetal growth, first trimester, fetus 3	Diagnosis	ICD-10-CM
O365914	Maternal care for other known or suspected poor fetal growth, first trimester, fetus 4	Diagnosis	ICD-10-CM
O365915	Maternal care for other known or suspected poor fetal growth, first trimester, fetus 5	Diagnosis	ICD-10-CM
O365919	Maternal care for other known or suspected poor fetal growth, first trimester, other fetus	Diagnosis	ICD-10-CM
O365920	Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O365921	Maternal care for other known or suspected poor fetal growth, second trimester, fetus 1	Diagnosis	ICD-10-CM
O365922	Maternal care for other known or suspected poor fetal growth, second trimester, fetus 2	Diagnosis	ICD-10-CM
O365923	Maternal care for other known or suspected poor fetal growth, second trimester, fetus 3	Diagnosis	ICD-10-CM
O365924	Maternal care for other known or suspected poor fetal growth, second trimester, fetus 4	Diagnosis	ICD-10-CM
O365925	Maternal care for other known or suspected poor fetal growth, second trimester, fetus 5	Diagnosis	ICD-10-CM
O365929	Maternal care for other known or suspected poor fetal growth, second trimester, other fetus	Diagnosis	ICD-10-CM
O365930	Maternal care for other known or suspected poor fetal growth, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O365931	Maternal care for other known or suspected poor fetal growth, third trimester, fetus 1	Diagnosis	ICD-10-CM
O365932	Maternal care for other known or suspected poor fetal growth, third trimester, fetus 2	Diagnosis	ICD-10-CM
O365933	Maternal care for other known or suspected poor fetal growth, third trimester, fetus 3	Diagnosis	ICD-10-CM
O365934	Maternal care for other known or suspected poor fetal growth, third trimester, fetus 4	Diagnosis	ICD-10-CM
O365935	Maternal care for other known or suspected poor fetal growth, third trimester, fetus 5	Diagnosis	ICD-10-CM
O365939	Maternal care for other known or suspected poor fetal growth, third trimester, other fetus	Diagnosis	ICD-10-CM
O3661X0	Maternal care for excessive fetal growth, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3661X1	Maternal care for excessive fetal growth, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3661X2	Maternal care for excessive fetal growth, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3661X3	Maternal care for excessive fetal growth, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3661X4	Maternal care for excessive fetal growth, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3661X5	Maternal care for excessive fetal growth, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3661X9	Maternal care for excessive fetal growth, first trimester, other fetus	Diagnosis	ICD-10-CM
O3662X0	Maternal care for excessive fetal growth, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3662X1	Maternal care for excessive fetal growth, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3662X2	Maternal care for excessive fetal growth, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3662X3	Maternal care for excessive fetal growth, second trimester, fetus 3	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O3662X4	Maternal care for excessive fetal growth, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3662X5	Maternal care for excessive fetal growth, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3662X9	Maternal care for excessive fetal growth, second trimester, other fetus	Diagnosis	ICD-10-CM
O3663X0	Maternal care for excessive fetal growth, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3663X1	Maternal care for excessive fetal growth, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3663X2	Maternal care for excessive fetal growth, third trimester, fetus 2	Diagnosis	ICD-10-CM
O3663X3	Maternal care for excessive fetal growth, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3663X4	Maternal care for excessive fetal growth, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3663X5	Maternal care for excessive fetal growth, third trimester, fetus 5	Diagnosis	ICD-10-CM
O3663X9	Maternal care for excessive fetal growth, third trimester, other fetus	Diagnosis	ICD-10-CM
O3671X0	Maternal care for viable fetus in abdominal pregnancy, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3671X1	Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3671X2	Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3671X3	Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3671X4	Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3671X5	Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3671X9	Maternal care for viable fetus in abdominal pregnancy, first trimester, other fetus	Diagnosis	ICD-10-CM
O3672X0	Maternal care for viable fetus in abdominal pregnancy, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3672X1	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3672X2	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3672X3	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 3	Diagnosis	ICD-10-CM
O3672X4	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3672X5	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3672X9	Maternal care for viable fetus in abdominal pregnancy, second trimester, other fetus	Diagnosis	ICD-10-CM
O3673X0	Maternal care for viable fetus in abdominal pregnancy, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3673X1	Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3673X2	Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 2	Diagnosis	ICD-10-CM
O3673X3	Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3673X4	Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3673X5	Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 5	Diagnosis	ICD-10-CM
O3673X9	Maternal care for viable fetus in abdominal pregnancy, third trimester, other fetus	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
0368120	Decreased fetal movements, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368121	Decreased fetal movements, second trimester, fetus 1	Diagnosis	ICD-10-CM
0368122	Decreased fetal movements, second trimester, fetus 2	Diagnosis	ICD-10-CM
0368123	Decreased fetal movements, second trimester, fetus 3	Diagnosis	ICD-10-CM
0368124	Decreased fetal movements, second trimester, fetus 4	Diagnosis	ICD-10-CM
0368125	Decreased fetal movements, second trimester, fetus 5	Diagnosis	ICD-10-CM
0368129	Decreased fetal movements, second trimester, other fetus	Diagnosis	ICD-10-CM
0368130	Decreased fetal movements, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368131	Decreased fetal movements, third trimester, fetus 1	Diagnosis	ICD-10-CM
0368132	Decreased fetal movements, third trimester, fetus 2	Diagnosis	ICD-10-CM
0368133	Decreased fetal movements, third trimester, fetus 3	Diagnosis	ICD-10-CM
0368134	Decreased fetal movements, third trimester, fetus 4	Diagnosis	ICD-10-CM
0368135	Decreased fetal movements, third trimester, fetus 5	Diagnosis	ICD-10-CM
0368139	Decreased fetal movements, third trimester, other fetus	Diagnosis	ICD-10-CM
0368210	Fetal anemia and thrombocytopenia, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368211	Fetal anemia and thrombocytopenia, first trimester, fetus 1	Diagnosis	ICD-10-CM
0368212	Fetal anemia and thrombocytopenia, first trimester, fetus 2	Diagnosis	ICD-10-CM
0368213	Fetal anemia and thrombocytopenia, first trimester, fetus 3	Diagnosis	ICD-10-CM
0368214	Fetal anemia and thrombocytopenia, first trimester, fetus 4	Diagnosis	ICD-10-CM
0368215	Fetal anemia and thrombocytopenia, first trimester, fetus 5	Diagnosis	ICD-10-CM
0368219	Fetal anemia and thrombocytopenia, first trimester, other fetus	Diagnosis	ICD-10-CM
0368220	Fetal anemia and thrombocytopenia, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368221	Fetal anemia and thrombocytopenia, second trimester, fetus 1	Diagnosis	ICD-10-CM
0368222	Fetal anemia and thrombocytopenia, second trimester, fetus 2	Diagnosis	ICD-10-CM
0368223	Fetal anemia and thrombocytopenia, second trimester, fetus 3	Diagnosis	ICD-10-CM
0368224	Fetal anemia and thrombocytopenia, second trimester, fetus 4	Diagnosis	ICD-10-CM
0368225	Fetal anemia and thrombocytopenia, second trimester, fetus 5	Diagnosis	ICD-10-CM
0368229	Fetal anemia and thrombocytopenia, second trimester, other fetus	Diagnosis	ICD-10-CM
0368230	Fetal anemia and thrombocytopenia, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368231	Fetal anemia and thrombocytopenia, third trimester, fetus 1	Diagnosis	ICD-10-CM
0368232	Fetal anemia and thrombocytopenia, third trimester, fetus 2	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
0368233	Fetal anemia and thrombocytopenia, third trimester, fetus 3	Diagnosis	ICD-10-CM
0368234	Fetal anemia and thrombocytopenia, third trimester, fetus 4	Diagnosis	ICD-10-CM
0368235	Fetal anemia and thrombocytopenia, third trimester, fetus 5	Diagnosis	ICD-10-CM
0368239	Fetal anemia and thrombocytopenia, third trimester, other fetus	Diagnosis	ICD-10-CM
0368310	Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368311	Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 1	Diagnosis	ICD-10-CM
0368312	Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 2	Diagnosis	ICD-10-CM
0368313	Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 3	Diagnosis	ICD-10-CM
0368314	Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 4	Diagnosis	ICD-10-CM
0368315	Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 5	Diagnosis	ICD-10-CM
0368320	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368321	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 1	Diagnosis	ICD-10-CM
0368322	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 2	Diagnosis	ICD-10-CM
0368323	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 3	Diagnosis	ICD-10-CM
0368324	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 4	Diagnosis	ICD-10-CM
0368325	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 5	Diagnosis	ICD-10-CM
0368329	Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, other fetus	Diagnosis	ICD-10-CM
0368330	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368331	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 1	Diagnosis	ICD-10-CM
0368332	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 2	Diagnosis	ICD-10-CM
0368333	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 3	Diagnosis	ICD-10-CM
0368334	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 4	Diagnosis	ICD-10-CM
0368335	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 5	Diagnosis	ICD-10-CM
0368339	Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, other fetus	Diagnosis	ICD-10-CM
0368910	Maternal care for other specified fetal problems, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
0368911	Maternal care for other specified fetal problems, first trimester, fetus 1	Diagnosis	ICD-10-CM
0368912	Maternal care for other specified fetal problems, first trimester, fetus 2	Diagnosis	ICD-10-CM
0368913	Maternal care for other specified fetal problems, first trimester, fetus 3	Diagnosis	ICD-10-CM
0368914	Maternal care for other specified fetal problems, first trimester, fetus 4	Diagnosis	ICD-10-CM
0368915	Maternal care for other specified fetal problems, first trimester, fetus 5	Diagnosis	ICD-10-CM
0368919	Maternal care for other specified fetal problems, first trimester, other fetus	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O368920	Maternal care for other specified fetal problems, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O368921	Maternal care for other specified fetal problems, second trimester, fetus 1	Diagnosis	ICD-10-CM
O368922	Maternal care for other specified fetal problems, second trimester, fetus 2	Diagnosis	ICD-10-CM
O368923	Maternal care for other specified fetal problems, second trimester, fetus 3	Diagnosis	ICD-10-CM
O368924	Maternal care for other specified fetal problems, second trimester, fetus 4	Diagnosis	ICD-10-CM
O368925	Maternal care for other specified fetal problems, second trimester, fetus 5	Diagnosis	ICD-10-CM
O368929	Maternal care for other specified fetal problems, second trimester, other fetus	Diagnosis	ICD-10-CM
O368930	Maternal care for other specified fetal problems, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O368931	Maternal care for other specified fetal problems, third trimester, fetus 1	Diagnosis	ICD-10-CM
O368932	Maternal care for other specified fetal problems, third trimester, fetus 2	Diagnosis	ICD-10-CM
O368933	Maternal care for other specified fetal problems, third trimester, fetus 3	Diagnosis	ICD-10-CM
O368934	Maternal care for other specified fetal problems, third trimester, fetus 4	Diagnosis	ICD-10-CM
O368935	Maternal care for other specified fetal problems, third trimester, fetus 5	Diagnosis	ICD-10-CM
O368939	Maternal care for other specified fetal problems, third trimester, other fetus	Diagnosis	ICD-10-CM
O3691X0	Maternal care for fetal problem, unspecified, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3691X1	Maternal care for fetal problem, unspecified, first trimester, fetus 1	Diagnosis	ICD-10-CM
O3691X2	Maternal care for fetal problem, unspecified, first trimester, fetus 2	Diagnosis	ICD-10-CM
O3691X3	Maternal care for fetal problem, unspecified, first trimester, fetus 3	Diagnosis	ICD-10-CM
O3691X4	Maternal care for fetal problem, unspecified, first trimester, fetus 4	Diagnosis	ICD-10-CM
O3691X5	Maternal care for fetal problem, unspecified, first trimester, fetus 5	Diagnosis	ICD-10-CM
O3691X9	Maternal care for fetal problem, unspecified, first trimester, other fetus	Diagnosis	ICD-10-CM
O3692X0	Maternal care for fetal problem, unspecified, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3692X1	Maternal care for fetal problem, unspecified, second trimester, fetus 1	Diagnosis	ICD-10-CM
O3692X2	Maternal care for fetal problem, unspecified, second trimester, fetus 2	Diagnosis	ICD-10-CM
O3692X3	Maternal care for fetal problem, unspecified, second trimester, fetus 3	Diagnosis	ICD-10-CM
O3692X4	Maternal care for fetal problem, unspecified, second trimester, fetus 4	Diagnosis	ICD-10-CM
O3692X5	Maternal care for fetal problem, unspecified, second trimester, fetus 5	Diagnosis	ICD-10-CM
O3692X9	Maternal care for fetal problem, unspecified, second trimester, other fetus	Diagnosis	ICD-10-CM
O3693X0	Maternal care for fetal problem, unspecified, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O3693X1	Maternal care for fetal problem, unspecified, third trimester, fetus 1	Diagnosis	ICD-10-CM
O3693X2	Maternal care for fetal problem, unspecified, third trimester, fetus 2	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O3693X3	Maternal care for fetal problem, unspecified, third trimester, fetus 3	Diagnosis	ICD-10-CM
O3693X4	Maternal care for fetal problem, unspecified, third trimester, fetus 4	Diagnosis	ICD-10-CM
O3693X5	Maternal care for fetal problem, unspecified, third trimester, fetus 5	Diagnosis	ICD-10-CM
O3693X9	Maternal care for fetal problem, unspecified, third trimester, other fetus	Diagnosis	ICD-10-CM
O401XX0	Polyhydramnios, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O401XX1	Polyhydramnios, first trimester, fetus 1	Diagnosis	ICD-10-CM
O401XX2	Polyhydramnios, first trimester, fetus 2	Diagnosis	ICD-10-CM
O401XX3	Polyhydramnios, first trimester, fetus 3	Diagnosis	ICD-10-CM
O401XX4	Polyhydramnios, first trimester, fetus 4	Diagnosis	ICD-10-CM
O401XX5	Polyhydramnios, first trimester, fetus 5	Diagnosis	ICD-10-CM
O401XX9	Polyhydramnios, first trimester, other fetus	Diagnosis	ICD-10-CM
O402XX0	Polyhydramnios, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O402XX1	Polyhydramnios, second trimester, fetus 1	Diagnosis	ICD-10-CM
O402XX2	Polyhydramnios, second trimester, fetus 2	Diagnosis	ICD-10-CM
O402XX3	Polyhydramnios, second trimester, fetus 3	Diagnosis	ICD-10-CM
O402XX4	Polyhydramnios, second trimester, fetus 4	Diagnosis	ICD-10-CM
O402XX5	Polyhydramnios, second trimester, fetus 5	Diagnosis	ICD-10-CM
O402XX9	Polyhydramnios, second trimester, other fetus	Diagnosis	ICD-10-CM
O403XX0	Polyhydramnios, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O403XX1	Polyhydramnios, third trimester, fetus 1	Diagnosis	ICD-10-CM
O403XX2	Polyhydramnios, third trimester, fetus 2	Diagnosis	ICD-10-CM
O403XX3	Polyhydramnios, third trimester, fetus 3	Diagnosis	ICD-10-CM
O403XX4	Polyhydramnios, third trimester, fetus 4	Diagnosis	ICD-10-CM
O403XX5	Polyhydramnios, third trimester, fetus 5	Diagnosis	ICD-10-CM
O403XX9	Polyhydramnios, third trimester, other fetus	Diagnosis	ICD-10-CM
O4101X0	Oligohydramnios, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O4101X1	Oligohydramnios, first trimester, fetus 1	Diagnosis	ICD-10-CM
O4101X2	Oligohydramnios, first trimester, fetus 2	Diagnosis	ICD-10-CM
O4101X3	Oligohydramnios, first trimester, fetus 3	Diagnosis	ICD-10-CM
O4101X4	Oligohydramnios, first trimester, fetus 4	Diagnosis	ICD-10-CM
O4101X5	Oligohydramnios, first trimester, fetus 5	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O4101X9	Oligohydramnios, first trimester, other fetus	Diagnosis	ICD-10-CM
O4102X0	Oligohydramnios, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O4102X1	Oligohydramnios, second trimester, fetus 1	Diagnosis	ICD-10-CM
O4102X2	Oligohydramnios, second trimester, fetus 2	Diagnosis	ICD-10-CM
O4102X3	Oligohydramnios, second trimester, fetus 3	Diagnosis	ICD-10-CM
O4102X4	Oligohydramnios, second trimester, fetus 4	Diagnosis	ICD-10-CM
O4102X5	Oligohydramnios, second trimester, fetus 5	Diagnosis	ICD-10-CM
O4102X9	Oligohydramnios, second trimester, other fetus	Diagnosis	ICD-10-CM
O4103X0	Oligohydramnios, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O4103X1	Oligohydramnios, third trimester, fetus 1	Diagnosis	ICD-10-CM
O4103X2	Oligohydramnios, third trimester, fetus 2	Diagnosis	ICD-10-CM
O4103X3	Oligohydramnios, third trimester, fetus 3	Diagnosis	ICD-10-CM
O4103X4	Oligohydramnios, third trimester, fetus 4	Diagnosis	ICD-10-CM
O4103X5	Oligohydramnios, third trimester, fetus 5	Diagnosis	ICD-10-CM
O4103X9	Oligohydramnios, third trimester, other fetus	Diagnosis	ICD-10-CM
O411010	Infection of amniotic sac and membranes, unspecified, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411011	Infection of amniotic sac and membranes, unspecified, first trimester, fetus 1	Diagnosis	ICD-10-CM
O411012	Infection of amniotic sac and membranes, unspecified, first trimester, fetus 2	Diagnosis	ICD-10-CM
O411013	Infection of amniotic sac and membranes, unspecified, first trimester, fetus 3	Diagnosis	ICD-10-CM
O411014	Infection of amniotic sac and membranes, unspecified, first trimester, fetus 4	Diagnosis	ICD-10-CM
O411015	Infection of amniotic sac and membranes, unspecified, first trimester, fetus 5	Diagnosis	ICD-10-CM
O411019	Infection of amniotic sac and membranes, unspecified, first trimester, other fetus	Diagnosis	ICD-10-CM
O411020	Infection of amniotic sac and membranes, unspecified, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411021	Infection of amniotic sac and membranes, unspecified, second trimester, fetus 1	Diagnosis	ICD-10-CM
O411022	Infection of amniotic sac and membranes, unspecified, second trimester, fetus 2	Diagnosis	ICD-10-CM
O411023	Infection of amniotic sac and membranes, unspecified, second trimester, fetus 3	Diagnosis	ICD-10-CM
O411024	Infection of amniotic sac and membranes, unspecified, second trimester, fetus 4	Diagnosis	ICD-10-CM
O411025	Infection of amniotic sac and membranes, unspecified, second trimester, fetus 5	Diagnosis	ICD-10-CM
O411029	Infection of amniotic sac and membranes, unspecified, second trimester, other fetus	Diagnosis	ICD-10-CM
O411030	Infection of amniotic sac and membranes, unspecified, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411031	Infection of amniotic sac and membranes, unspecified, third trimester, fetus 1	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O411032	Infection of amniotic sac and membranes, unspecified, third trimester, fetus 2	Diagnosis	ICD-10-CM
O411033	Infection of amniotic sac and membranes, unspecified, third trimester, fetus 3	Diagnosis	ICD-10-CM
O411034	Infection of amniotic sac and membranes, unspecified, third trimester, fetus 4	Diagnosis	ICD-10-CM
O411035	Infection of amniotic sac and membranes, unspecified, third trimester, fetus 5	Diagnosis	ICD-10-CM
O411039	Infection of amniotic sac and membranes, unspecified, third trimester, other fetus	Diagnosis	ICD-10-CM
O411210	Chorioamnionitis, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411211	Chorioamnionitis, first trimester, fetus 1	Diagnosis	ICD-10-CM
O411212	Chorioamnionitis, first trimester, fetus 2	Diagnosis	ICD-10-CM
O411213	Chorioamnionitis, first trimester, fetus 3	Diagnosis	ICD-10-CM
O411214	Chorioamnionitis, first trimester, fetus 4	Diagnosis	ICD-10-CM
O411215	Chorioamnionitis, first trimester, fetus 5	Diagnosis	ICD-10-CM
O411219	Chorioamnionitis, first trimester, other fetus	Diagnosis	ICD-10-CM
O411220	Chorioamnionitis, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411221	Chorioamnionitis, second trimester, fetus 1	Diagnosis	ICD-10-CM
O411222	Chorioamnionitis, second trimester, fetus 2	Diagnosis	ICD-10-CM
O411223	Chorioamnionitis, second trimester, fetus 3	Diagnosis	ICD-10-CM
O411224	Chorioamnionitis, second trimester, fetus 4	Diagnosis	ICD-10-CM
O411225	Chorioamnionitis, second trimester, fetus 5	Diagnosis	ICD-10-CM
O411229	Chorioamnionitis, second trimester, other fetus	Diagnosis	ICD-10-CM
O411230	Chorioamnionitis, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411231	Chorioamnionitis, third trimester, fetus 1	Diagnosis	ICD-10-CM
O411232	Chorioamnionitis, third trimester, fetus 2	Diagnosis	ICD-10-CM
O411233	Chorioamnionitis, third trimester, fetus 3	Diagnosis	ICD-10-CM
O411234	Chorioamnionitis, third trimester, fetus 4	Diagnosis	ICD-10-CM
O411235	Chorioamnionitis, third trimester, fetus 5	Diagnosis	ICD-10-CM
O411239	Chorioamnionitis, third trimester, other fetus	Diagnosis	ICD-10-CM
O411410	Placentitis, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411411	Placentitis, first trimester, fetus 1	Diagnosis	ICD-10-CM
O411412	Placentitis, first trimester, fetus 2	Diagnosis	ICD-10-CM
O411413	Placentitis, first trimester, fetus 3	Diagnosis	ICD-10-CM
O411414	Placentitis, first trimester, fetus 4	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O411415	Placentitis, first trimester, fetus 5	Diagnosis	ICD-10-CM
O411419	Placentitis, first trimester, other fetus	Diagnosis	ICD-10-CM
O411420	Placentitis, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411421	Placentitis, second trimester, fetus 1	Diagnosis	ICD-10-CM
O411422	Placentitis, second trimester, fetus 2	Diagnosis	ICD-10-CM
O411423	Placentitis, second trimester, fetus 3	Diagnosis	ICD-10-CM
O411424	Placentitis, second trimester, fetus 4	Diagnosis	ICD-10-CM
O411425	Placentitis, second trimester, fetus 5	Diagnosis	ICD-10-CM
O411429	Placentitis, second trimester, other fetus	Diagnosis	ICD-10-CM
O411430	Placentitis, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O411431	Placentitis, third trimester, fetus 1	Diagnosis	ICD-10-CM
O411432	Placentitis, third trimester, fetus 2	Diagnosis	ICD-10-CM
O411433	Placentitis, third trimester, fetus 3	Diagnosis	ICD-10-CM
O411434	Placentitis, third trimester, fetus 4	Diagnosis	ICD-10-CM
O411435	Placentitis, third trimester, fetus 5	Diagnosis	ICD-10-CM
O411439	Placentitis, third trimester, other fetus	Diagnosis	ICD-10-CM
O418X10	Other specified disorders of amniotic fluid and membranes, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O418X11	Other specified disorders of amniotic fluid and membranes, first trimester, fetus 1	Diagnosis	ICD-10-CM
O418X12	Other specified disorders of amniotic fluid and membranes, first trimester, fetus 2	Diagnosis	ICD-10-CM
O418X13	Other specified disorders of amniotic fluid and membranes, first trimester, fetus 3	Diagnosis	ICD-10-CM
O418X14	Other specified disorders of amniotic fluid and membranes, first trimester, fetus 4	Diagnosis	ICD-10-CM
O418X15	Other specified disorders of amniotic fluid and membranes, first trimester, fetus 5	Diagnosis	ICD-10-CM
O418X19	Other specified disorders of amniotic fluid and membranes, first trimester, other fetus	Diagnosis	ICD-10-CM
O418X20	Other specified disorders of amniotic fluid and membranes, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O418X21	Other specified disorders of amniotic fluid and membranes, second trimester, fetus 1	Diagnosis	ICD-10-CM
O418X22	Other specified disorders of amniotic fluid and membranes, second trimester, fetus 2	Diagnosis	ICD-10-CM
O418X23	Other specified disorders of amniotic fluid and membranes, second trimester, fetus 3	Diagnosis	ICD-10-CM
O418X24	Other specified disorders of amniotic fluid and membranes, second trimester, fetus 4	Diagnosis	ICD-10-CM
O418X25	Other specified disorders of amniotic fluid and membranes, second trimester, fetus 5	Diagnosis	ICD-10-CM
O418X29	Other specified disorders of amniotic fluid and membranes, second trimester, other fetus	Diagnosis	ICD-10-CM
O418X30	Other specified disorders of amniotic fluid and membranes, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O418X31	Other specified disorders of amniotic fluid and membranes, third trimester, fetus 1	Diagnosis	ICD-10-CM
O418X32	Other specified disorders of amniotic fluid and membranes, third trimester, fetus 2	Diagnosis	ICD-10-CM
O418X33	Other specified disorders of amniotic fluid and membranes, third trimester, fetus 3	Diagnosis	ICD-10-CM
O418X34	Other specified disorders of amniotic fluid and membranes, third trimester, fetus 4	Diagnosis	ICD-10-CM
O418X35	Other specified disorders of amniotic fluid and membranes, third trimester, fetus 5	Diagnosis	ICD-10-CM
O418X39	Other specified disorders of amniotic fluid and membranes, third trimester, other fetus	Diagnosis	ICD-10-CM
O4191X0	Disorder of amniotic fluid and membranes, unspecified, first trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O4191X1	Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 1	Diagnosis	ICD-10-CM
O4191X2	Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 2	Diagnosis	ICD-10-CM
O4191X3	Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 3	Diagnosis	ICD-10-CM
O4191X4	Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 4	Diagnosis	ICD-10-CM
O4191X5	Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 5	Diagnosis	ICD-10-CM
O4191X9	Disorder of amniotic fluid and membranes, unspecified, first trimester, other fetus	Diagnosis	ICD-10-CM
O4192X0	Disorder of amniotic fluid and membranes, unspecified, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O4192X1	Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 1	Diagnosis	ICD-10-CM
O4192X2	Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 2	Diagnosis	ICD-10-CM
O4192X3	Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 3	Diagnosis	ICD-10-CM
O4192X4	Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 4	Diagnosis	ICD-10-CM
O4192X5	Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 5	Diagnosis	ICD-10-CM
O4192X9	Disorder of amniotic fluid and membranes, unspecified, second trimester, other fetus	Diagnosis	ICD-10-CM
O4193X0	Disorder of amniotic fluid and membranes, unspecified, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O4193X1	Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 1	Diagnosis	ICD-10-CM
O4193X2	Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 2	Diagnosis	ICD-10-CM
O4193X3	Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 3	Diagnosis	ICD-10-CM
O4193X4	Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 4	Diagnosis	ICD-10-CM
O4193X5	Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 5	Diagnosis	ICD-10-CM
O4193X9	Disorder of amniotic fluid and membranes, unspecified, third trimester, other fetus	Diagnosis	ICD-10-CM
O42011	Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, first trimester	Diagnosis	ICD-10-CM
O42012	Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, second trimester	Diagnosis	ICD-10-CM
O42013	Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, third trimester	Diagnosis	ICD-10-CM
O42019	Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O4202	Full-term premature rupture of membranes, onset of labor within 24 hours of rupture	Diagnosis	ICD-10-CM
O42111	Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, first trimester	Diagnosis	ICD-10-CM
O42112	Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, second trimester	Diagnosis	ICD-10-CM
O42113	Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, third trimester	Diagnosis	ICD-10-CM
O42119	Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified trimester	Diagnosis	ICD-10-CM
O4212	Full-term premature rupture of membranes, onset of labor more than 24 hours following rupture	Diagnosis	ICD-10-CM
O42911	Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, first trimester	Diagnosis	ICD-10-CM
O42912	Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, second trimester	Diagnosis	ICD-10-CM
O42913	Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, third trimester	Diagnosis	ICD-10-CM
O42919	Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, unspecified trimester	Diagnosis	ICD-10-CM
O4292	Full-term premature rupture of membranes, unspecified as to length of time between rupture and onset of labor	Diagnosis	ICD-10-CM
O43011	Fetomaternal placental transfusion syndrome, first trimester	Diagnosis	ICD-10-CM
O43012	Fetomaternal placental transfusion syndrome, second trimester	Diagnosis	ICD-10-CM
O43013	Fetomaternal placental transfusion syndrome, third trimester	Diagnosis	ICD-10-CM
O43021	Fetus-to-fetus placental transfusion syndrome, first trimester	Diagnosis	ICD-10-CM
O43022	Fetus-to-fetus placental transfusion syndrome, second trimester	Diagnosis	ICD-10-CM
O43023	Fetus-to-fetus placental transfusion syndrome, third trimester	Diagnosis	ICD-10-CM
O43101	Malformation of placenta, unspecified, first trimester	Diagnosis	ICD-10-CM
O43102	Malformation of placenta, unspecified, second trimester	Diagnosis	ICD-10-CM
O43103	Malformation of placenta, unspecified, third trimester	Diagnosis	ICD-10-CM
O43111	Circumvallate placenta, first trimester	Diagnosis	ICD-10-CM
O43112	Circumvallate placenta, second trimester	Diagnosis	ICD-10-CM
O43113	Circumvallate placenta, third trimester	Diagnosis	ICD-10-CM
O43121	Velamentous insertion of umbilical cord, first trimester	Diagnosis	ICD-10-CM
O43122	Velamentous insertion of umbilical cord, second trimester	Diagnosis	ICD-10-CM
O43123	Velamentous insertion of umbilical cord, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O43191	Other malformation of placenta, first trimester	Diagnosis	ICD-10-CM
O43192	Other malformation of placenta, second trimester	Diagnosis	ICD-10-CM
O43193	Other malformation of placenta, third trimester	Diagnosis	ICD-10-CM
O43211	Placenta accreta, first trimester	Diagnosis	ICD-10-CM
O43212	Placenta accreta, second trimester	Diagnosis	ICD-10-CM
O43213	Placenta accreta, third trimester	Diagnosis	ICD-10-CM
O43221	Placenta increta, first trimester	Diagnosis	ICD-10-CM
O43222	Placenta increta, second trimester	Diagnosis	ICD-10-CM
O43223	Placenta increta, third trimester	Diagnosis	ICD-10-CM
O43231	Placenta percreta, first trimester	Diagnosis	ICD-10-CM
O43232	Placenta percreta, second trimester	Diagnosis	ICD-10-CM
O43233	Placenta percreta, third trimester	Diagnosis	ICD-10-CM
O43811	Placental infarction, first trimester	Diagnosis	ICD-10-CM
O43812	Placental infarction, second trimester	Diagnosis	ICD-10-CM
O43813	Placental infarction, third trimester	Diagnosis	ICD-10-CM
O43891	Other placental disorders, first trimester	Diagnosis	ICD-10-CM
O43892	Other placental disorders, second trimester	Diagnosis	ICD-10-CM
O43893	Other placental disorders, third trimester	Diagnosis	ICD-10-CM
O4391	Unspecified placental disorder, first trimester	Diagnosis	ICD-10-CM
O4392	Unspecified placental disorder, second trimester	Diagnosis	ICD-10-CM
O4393	Unspecified placental disorder, third trimester	Diagnosis	ICD-10-CM
O4401	Complete placenta previa NOS or without hemorrhage, first trimester	Diagnosis	ICD-10-CM
O4402	Complete placenta previa NOS or without hemorrhage, second trimester	Diagnosis	ICD-10-CM
O4403	Complete placenta previa NOS or without hemorrhage, third trimester	Diagnosis	ICD-10-CM
O4411	Complete placenta previa with hemorrhage, first trimester	Diagnosis	ICD-10-CM
O4412	Complete placenta previa with hemorrhage, second trimester	Diagnosis	ICD-10-CM
O4413	Complete placenta previa with hemorrhage, third trimester	Diagnosis	ICD-10-CM
O4421	Partial placenta previa NOS or without hemorrhage, first trimester	Diagnosis	ICD-10-CM
O4422	Partial placenta previa NOS or without hemorrhage, second trimester	Diagnosis	ICD-10-CM
O4423	Partial placenta previa NOS or without hemorrhage, third trimester	Diagnosis	ICD-10-CM
O4431	Partial placenta previa with hemorrhage, first trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O4432	Partial placenta previa with hemorrhage, second trimester	Diagnosis	ICD-10-CM
O4433	Partial placenta previa with hemorrhage, third trimester	Diagnosis	ICD-10-CM
O4441	Low lying placenta NOS or without hemorrhage, first trimester	Diagnosis	ICD-10-CM
O4442	Low lying placenta NOS or without hemorrhage, second trimester	Diagnosis	ICD-10-CM
O4443	Low lying placenta NOS or without hemorrhage, third trimester	Diagnosis	ICD-10-CM
O4451	Low lying placenta with hemorrhage, first trimester	Diagnosis	ICD-10-CM
O4452	Low lying placenta with hemorrhage, second trimester	Diagnosis	ICD-10-CM
O4453	Low lying placenta with hemorrhage, third trimester	Diagnosis	ICD-10-CM
O45001	Premature separation of placenta with coagulation defect, unspecified, first trimester	Diagnosis	ICD-10-CM
O45002	Premature separation of placenta with coagulation defect, unspecified, second trimester	Diagnosis	ICD-10-CM
O45003	Premature separation of placenta with coagulation defect, unspecified, third trimester	Diagnosis	ICD-10-CM
O45011	Premature separation of placenta with afibrinogenemia, first trimester	Diagnosis	ICD-10-CM
O45012	Premature separation of placenta with afibrinogenemia, second trimester	Diagnosis	ICD-10-CM
O45013	Premature separation of placenta with afibrinogenemia, third trimester	Diagnosis	ICD-10-CM
O45021	Premature separation of placenta with disseminated intravascular coagulation, first trimester	Diagnosis	ICD-10-CM
O45022	Premature separation of placenta with disseminated intravascular coagulation, second trimester	Diagnosis	ICD-10-CM
O45023	Premature separation of placenta with disseminated intravascular coagulation, third trimester	Diagnosis	ICD-10-CM
O45091	Premature separation of placenta with other coagulation defect, first trimester	Diagnosis	ICD-10-CM
O45092	Premature separation of placenta with other coagulation defect, second trimester	Diagnosis	ICD-10-CM
O45093	Premature separation of placenta with other coagulation defect, third trimester	Diagnosis	ICD-10-CM
O458X1	Other premature separation of placenta, first trimester	Diagnosis	ICD-10-CM
O458X2	Other premature separation of placenta, second trimester	Diagnosis	ICD-10-CM
O458X3	Other premature separation of placenta, third trimester	Diagnosis	ICD-10-CM
O4591	Premature separation of placenta, unspecified, first trimester	Diagnosis	ICD-10-CM
O4592	Premature separation of placenta, unspecified, second trimester	Diagnosis	ICD-10-CM
O4593	Premature separation of placenta, unspecified, third trimester	Diagnosis	ICD-10-CM
O46001	Antepartum hemorrhage with coagulation defect, unspecified, first trimester	Diagnosis	ICD-10-CM
O46002	Antepartum hemorrhage with coagulation defect, unspecified, second trimester	Diagnosis	ICD-10-CM
O46003	Antepartum hemorrhage with coagulation defect, unspecified, third trimester	Diagnosis	ICD-10-CM
O46011	Antepartum hemorrhage with afibrinogenemia, first trimester	Diagnosis	ICD-10-CM
O46012	Antepartum hemorrhage with afibrinogenemia, second trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O46013	Antepartum hemorrhage with afibrinogenemia, third trimester	Diagnosis	ICD-10-CM
O46021	Antepartum hemorrhage with disseminated intravascular coagulation, first trimester	Diagnosis	ICD-10-CM
O46022	Antepartum hemorrhage with disseminated intravascular coagulation, second trimester	Diagnosis	ICD-10-CM
O46023	Antepartum hemorrhage with disseminated intravascular coagulation, third trimester	Diagnosis	ICD-10-CM
O46091	Antepartum hemorrhage with other coagulation defect, first trimester	Diagnosis	ICD-10-CM
O46092	Antepartum hemorrhage with other coagulation defect, second trimester	Diagnosis	ICD-10-CM
O46093	Antepartum hemorrhage with other coagulation defect, third trimester	Diagnosis	ICD-10-CM
O468X1	Other antepartum hemorrhage, first trimester	Diagnosis	ICD-10-CM
O468X2	Other antepartum hemorrhage, second trimester	Diagnosis	ICD-10-CM
O468X3	Other antepartum hemorrhage, third trimester	Diagnosis	ICD-10-CM
O4691	Antepartum hemorrhage, unspecified, first trimester	Diagnosis	ICD-10-CM
O4692	Antepartum hemorrhage, unspecified, second trimester	Diagnosis	ICD-10-CM
O4693	Antepartum hemorrhage, unspecified, third trimester	Diagnosis	ICD-10-CM
O4702	False labor before 37 completed weeks of gestation, second trimester	Diagnosis	ICD-10-CM
O4703	False labor before 37 completed weeks of gestation, third trimester	Diagnosis	ICD-10-CM
O471	False labor at or after 37 completed weeks of gestation	Diagnosis	ICD-10-CM
O480	Post-term pregnancy	Diagnosis	ICD-10-CM
O481	Prolonged pregnancy	Diagnosis	ICD-10-CM
O6002	Preterm labor without delivery, second trimester	Diagnosis	ICD-10-CM
O6003	Preterm labor without delivery, third trimester	Diagnosis	ICD-10-CM
O6010X0	Preterm labor with preterm delivery, unspecified trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6010X1	Preterm labor with preterm delivery, unspecified trimester, fetus 1	Diagnosis	ICD-10-CM
O6010X2	Preterm labor with preterm delivery, unspecified trimester, fetus 2	Diagnosis	ICD-10-CM
O6010X3	Preterm labor with preterm delivery, unspecified trimester, fetus 3	Diagnosis	ICD-10-CM
O6010X4	Preterm labor with preterm delivery, unspecified trimester, fetus 4	Diagnosis	ICD-10-CM
O6010X5	Preterm labor with preterm delivery, unspecified trimester, fetus 5	Diagnosis	ICD-10-CM
O6010X9	Preterm labor with preterm delivery, unspecified trimester, other fetus	Diagnosis	ICD-10-CM
O6012X0	Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6012X1	Preterm labor second trimester with preterm delivery second trimester, fetus 1	Diagnosis	ICD-10-CM
O6012X2	Preterm labor second trimester with preterm delivery second trimester, fetus 2	Diagnosis	ICD-10-CM
O6012X3	Preterm labor second trimester with preterm delivery second trimester, fetus 3	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O6012X4	Preterm labor second trimester with preterm delivery second trimester, fetus 4	Diagnosis	ICD-10-CM
O6012X5	Preterm labor second trimester with preterm delivery second trimester, fetus 5	Diagnosis	ICD-10-CM
O6012X9	Preterm labor second trimester with preterm delivery second trimester, other fetus	Diagnosis	ICD-10-CM
O6013X0	Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6013X1	Preterm labor second trimester with preterm delivery third trimester, fetus 1	Diagnosis	ICD-10-CM
O6013X2	Preterm labor second trimester with preterm delivery third trimester, fetus 2	Diagnosis	ICD-10-CM
O6013X3	Preterm labor second trimester with preterm delivery third trimester, fetus 3	Diagnosis	ICD-10-CM
O6013X4	Preterm labor second trimester with preterm delivery third trimester, fetus 4	Diagnosis	ICD-10-CM
O6013X5	Preterm labor second trimester with preterm delivery third trimester, fetus 5	Diagnosis	ICD-10-CM
O6013X9	Preterm labor second trimester with preterm delivery third trimester, other fetus	Diagnosis	ICD-10-CM
O6014X0	Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6014X1	Preterm labor third trimester with preterm delivery third trimester, fetus 1	Diagnosis	ICD-10-CM
O6014X2	Preterm labor third trimester with preterm delivery third trimester, fetus 2	Diagnosis	ICD-10-CM
O6014X3	Preterm labor third trimester with preterm delivery third trimester, fetus 3	Diagnosis	ICD-10-CM
O6014X4	Preterm labor third trimester with preterm delivery third trimester, fetus 4	Diagnosis	ICD-10-CM
O6014X5	Preterm labor third trimester with preterm delivery third trimester, fetus 5	Diagnosis	ICD-10-CM
O6014X9	Preterm labor third trimester with preterm delivery third trimester, other fetus	Diagnosis	ICD-10-CM
O6020X0	Term delivery with preterm labor, unspecified trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6020X1	Term delivery with preterm labor, unspecified trimester, fetus 1	Diagnosis	ICD-10-CM
O6020X2	Term delivery with preterm labor, unspecified trimester, fetus 2	Diagnosis	ICD-10-CM
O6020X3	Term delivery with preterm labor, unspecified trimester, fetus 3	Diagnosis	ICD-10-CM
O6020X4	Term delivery with preterm labor, unspecified trimester, fetus 4	Diagnosis	ICD-10-CM
O6020X5	Term delivery with preterm labor, unspecified trimester, fetus 5	Diagnosis	ICD-10-CM
O6020X9	Term delivery with preterm labor, unspecified trimester, other fetus	Diagnosis	ICD-10-CM
O6022X0	Term delivery with preterm labor, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6022X1	Term delivery with preterm labor, second trimester, fetus 1	Diagnosis	ICD-10-CM
O6022X2	Term delivery with preterm labor, second trimester, fetus 2	Diagnosis	ICD-10-CM
O6022X3	Term delivery with preterm labor, second trimester, fetus 3	Diagnosis	ICD-10-CM
O6022X4	Term delivery with preterm labor, second trimester, fetus 4	Diagnosis	ICD-10-CM
O6022X5	Term delivery with preterm labor, second trimester, fetus 5	Diagnosis	ICD-10-CM
O6022X9	Term delivery with preterm labor, second trimester, other fetus	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O6023X0	Term delivery with preterm labor, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6023X1	Term delivery with preterm labor, third trimester, fetus 1	Diagnosis	ICD-10-CM
O6023X2	Term delivery with preterm labor, third trimester, fetus 2	Diagnosis	ICD-10-CM
O6023X3	Term delivery with preterm labor, third trimester, fetus 3	Diagnosis	ICD-10-CM
O6023X4	Term delivery with preterm labor, third trimester, fetus 4	Diagnosis	ICD-10-CM
O6023X5	Term delivery with preterm labor, third trimester, fetus 5	Diagnosis	ICD-10-CM
O6023X9	Term delivery with preterm labor, third trimester, other fetus	Diagnosis	ICD-10-CM
O632	Delayed delivery of second twin, triplet, etc	Diagnosis	ICD-10-CM
O670	Intrapartum hemorrhage with coagulation defect	Diagnosis	ICD-10-CM
O678	Other intrapartum hemorrhage	Diagnosis	ICD-10-CM
O679	Intrapartum hemorrhage, unspecified	Diagnosis	ICD-10-CM
O68	Labor and delivery complicated by abnormality of fetal acid-base balance	Diagnosis	ICD-10-CM
O690XX0	Labor and delivery complicated by prolapse of cord, not applicable or unspecified	Diagnosis	ICD-10-CM
O690XX1	Labor and delivery complicated by prolapse of cord, fetus 1	Diagnosis	ICD-10-CM
O690XX2	Labor and delivery complicated by prolapse of cord, fetus 2	Diagnosis	ICD-10-CM
O690XX3	Labor and delivery complicated by prolapse of cord, fetus 3	Diagnosis	ICD-10-CM
O690XX4	Labor and delivery complicated by prolapse of cord, fetus 4	Diagnosis	ICD-10-CM
O690XX5	Labor and delivery complicated by prolapse of cord, fetus 5	Diagnosis	ICD-10-CM
O690XX9	Labor and delivery complicated by prolapse of cord, other fetus	Diagnosis	ICD-10-CM
O691XX0	Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O691XX1	Labor and delivery complicated by cord around neck, with compression, fetus 1	Diagnosis	ICD-10-CM
O691XX2	Labor and delivery complicated by cord around neck, with compression, fetus 2	Diagnosis	ICD-10-CM
O691XX3	Labor and delivery complicated by cord around neck, with compression, fetus 3	Diagnosis	ICD-10-CM
O691XX4	Labor and delivery complicated by cord around neck, with compression, fetus 4	Diagnosis	ICD-10-CM
O691XX5	Labor and delivery complicated by cord around neck, with compression, fetus 5	Diagnosis	ICD-10-CM
O691XX9	Labor and delivery complicated by cord around neck, with compression, other fetus	Diagnosis	ICD-10-CM
O692XX0	Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O692XX1	Labor and delivery complicated by other cord entanglement, with compression, fetus 1	Diagnosis	ICD-10-CM
O692XX2	Labor and delivery complicated by other cord entanglement, with compression, fetus 2	Diagnosis	ICD-10-CM
O692XX3	Labor and delivery complicated by other cord entanglement, with compression, fetus 3	Diagnosis	ICD-10-CM
O692XX4	Labor and delivery complicated by other cord entanglement, with compression, fetus 4	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O692XX5	Labor and delivery complicated by other cord entanglement, with compression, fetus 5	Diagnosis	ICD-10-CM
O692XX9	Labor and delivery complicated by other cord entanglement, with compression, other fetus	Diagnosis	ICD-10-CM
O693XX0	Labor and delivery complicated by short cord, not applicable or unspecified	Diagnosis	ICD-10-CM
O693XX1	Labor and delivery complicated by short cord, fetus 1	Diagnosis	ICD-10-CM
O693XX2	Labor and delivery complicated by short cord, fetus 2	Diagnosis	ICD-10-CM
O693XX3	Labor and delivery complicated by short cord, fetus 3	Diagnosis	ICD-10-CM
O693XX4	Labor and delivery complicated by short cord, fetus 4	Diagnosis	ICD-10-CM
O693XX5	Labor and delivery complicated by short cord, fetus 5	Diagnosis	ICD-10-CM
O693XX9	Labor and delivery complicated by short cord, other fetus	Diagnosis	ICD-10-CM
O694XX0	Labor and delivery complicated by vasa previa, not applicable or unspecified	Diagnosis	ICD-10-CM
O694XX1	Labor and delivery complicated by vasa previa, fetus 1	Diagnosis	ICD-10-CM
O694XX2	Labor and delivery complicated by vasa previa, fetus 2	Diagnosis	ICD-10-CM
O694XX3	Labor and delivery complicated by vasa previa, fetus 3	Diagnosis	ICD-10-CM
O694XX4	Labor and delivery complicated by vasa previa, fetus 4	Diagnosis	ICD-10-CM
O694XX5	Labor and delivery complicated by vasa previa, fetus 5	Diagnosis	ICD-10-CM
O694XX9	Labor and delivery complicated by vasa previa, other fetus	Diagnosis	ICD-10-CM
O695XX0	Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified	Diagnosis	ICD-10-CM
O695XX1	Labor and delivery complicated by vascular lesion of cord, fetus 1	Diagnosis	ICD-10-CM
O695XX2	Labor and delivery complicated by vascular lesion of cord, fetus 2	Diagnosis	ICD-10-CM
O695XX3	Labor and delivery complicated by vascular lesion of cord, fetus 3	Diagnosis	ICD-10-CM
O695XX4	Labor and delivery complicated by vascular lesion of cord, fetus 4	Diagnosis	ICD-10-CM
O695XX5	Labor and delivery complicated by vascular lesion of cord, fetus 5	Diagnosis	ICD-10-CM
O695XX9	Labor and delivery complicated by vascular lesion of cord, other fetus	Diagnosis	ICD-10-CM
O6981X0	Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O6981X1	Labor and delivery complicated by cord around neck, without compression, fetus 1	Diagnosis	ICD-10-CM
O6981X2	Labor and delivery complicated by cord around neck, without compression, fetus 2	Diagnosis	ICD-10-CM
O6981X3	Labor and delivery complicated by cord around neck, without compression, fetus 3	Diagnosis	ICD-10-CM
O6981X4	Labor and delivery complicated by cord around neck, without compression, fetus 4	Diagnosis	ICD-10-CM
O6981X5	Labor and delivery complicated by cord around neck, without compression, fetus 5	Diagnosis	ICD-10-CM
O6981X9	Labor and delivery complicated by cord around neck, without compression, other fetus	Diagnosis	ICD-10-CM
O6982X0	Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O6982X1	Labor and delivery complicated by other cord entanglement, without compression, fetus 1	Diagnosis	ICD-10-CM
O6982X2	Labor and delivery complicated by other cord entanglement, without compression, fetus 2	Diagnosis	ICD-10-CM
O6982X3	Labor and delivery complicated by other cord entanglement, without compression, fetus 3	Diagnosis	ICD-10-CM
O6982X4	Labor and delivery complicated by other cord entanglement, without compression, fetus 4	Diagnosis	ICD-10-CM
O6982X5	Labor and delivery complicated by other cord entanglement, without compression, fetus 5	Diagnosis	ICD-10-CM
O6982X9	Labor and delivery complicated by other cord entanglement, without compression, other fetus	Diagnosis	ICD-10-CM
O6989X0	Labor and delivery complicated by other cord complications, not applicable or unspecified	Diagnosis	ICD-10-CM
O6989X1	Labor and delivery complicated by other cord complications, fetus 1	Diagnosis	ICD-10-CM
O6989X2	Labor and delivery complicated by other cord complications, fetus 2	Diagnosis	ICD-10-CM
O6989X3	Labor and delivery complicated by other cord complications, fetus 3	Diagnosis	ICD-10-CM
O6989X4	Labor and delivery complicated by other cord complications, fetus 4	Diagnosis	ICD-10-CM
O6989X5	Labor and delivery complicated by other cord complications, fetus 5	Diagnosis	ICD-10-CM
O6989X9	Labor and delivery complicated by other cord complications, other fetus	Diagnosis	ICD-10-CM
O699XX0	Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified	Diagnosis	ICD-10-CM
O699XX1	Labor and delivery complicated by cord complication, unspecified, fetus 1	Diagnosis	ICD-10-CM
O699XX2	Labor and delivery complicated by cord complication, unspecified, fetus 2	Diagnosis	ICD-10-CM
O699XX3	Labor and delivery complicated by cord complication, unspecified, fetus 3	Diagnosis	ICD-10-CM
O699XX4	Labor and delivery complicated by cord complication, unspecified, fetus 4	Diagnosis	ICD-10-CM
O699XX5	Labor and delivery complicated by cord complication, unspecified, fetus 5	Diagnosis	ICD-10-CM
O699XX9	Labor and delivery complicated by cord complication, unspecified, other fetus	Diagnosis	ICD-10-CM
O700	First degree perineal laceration during delivery	Diagnosis	ICD-10-CM
O701	Second degree perineal laceration during delivery	Diagnosis	ICD-10-CM
O7020	Third degree perineal laceration during delivery, unspecified	Diagnosis	ICD-10-CM
O7021	Third degree perineal laceration during delivery, IIIa	Diagnosis	ICD-10-CM
O7022	Third degree perineal laceration during delivery, IIIb	Diagnosis	ICD-10-CM
O7023	Third degree perineal laceration during delivery, IIIc	Diagnosis	ICD-10-CM
O703	Fourth degree perineal laceration during delivery	Diagnosis	ICD-10-CM
O704	Anal sphincter tear complicating delivery, not associated with third degree laceration	Diagnosis	ICD-10-CM
O709	Perineal laceration during delivery, unspecified	Diagnosis	ICD-10-CM
O7102	Rupture of uterus before onset of labor, second trimester	Diagnosis	ICD-10-CM
O7103	Rupture of uterus before onset of labor, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O740	Aspiration pneumonitis due to anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O741	Other pulmonary complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O742	Cardiac complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O743	Central nervous system complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O744	Toxic reaction to local anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O745	Spinal and epidural anesthesia-induced headache during labor and delivery	Diagnosis	ICD-10-CM
O746	Other complications of spinal and epidural anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O747	Failed or difficult intubation for anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O748	Other complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CM
O749	Complication of anesthesia during labor and delivery, unspecified	Diagnosis	ICD-10-CM
O750	Maternal distress during labor and delivery	Diagnosis	ICD-10-CM
O751	Shock during or following labor and delivery	Diagnosis	ICD-10-CM
O755	Delayed delivery after artificial rupture of membranes	Diagnosis	ICD-10-CM
O7581	Maternal exhaustion complicating labor and delivery	Diagnosis	ICD-10-CM
O7582	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section	Diagnosis	ICD-10-CM
O7589	Other specified complications of labor and delivery	Diagnosis	ICD-10-CM
O759	Complication of labor and delivery, unspecified	Diagnosis	ICD-10-CM
O76	Abnormality in fetal heart rate and rhythm complicating labor and delivery	Diagnosis	ICD-10-CM
O770	Labor and delivery complicated by meconium in amniotic fluid	Diagnosis	ICD-10-CM
O778	Labor and delivery complicated by other evidence of fetal stress	Diagnosis	ICD-10-CM
O779	Labor and delivery complicated by fetal stress, unspecified	Diagnosis	ICD-10-CM
O80	Encounter for full-term uncomplicated delivery	Diagnosis	ICD-10-CM
O82	Encounter for cesarean delivery without indication	Diagnosis	ICD-10-CM
O88011	Air embolism in pregnancy, first trimester	Diagnosis	ICD-10-CM
O88012	Air embolism in pregnancy, second trimester	Diagnosis	ICD-10-CM
O88013	Air embolism in pregnancy, third trimester	Diagnosis	ICD-10-CM
O8802	Air embolism in childbirth	Diagnosis	ICD-10-CM
O88111	Amniotic fluid embolism in pregnancy, first trimester	Diagnosis	ICD-10-CM
O88112	Amniotic fluid embolism in pregnancy, second trimester	Diagnosis	ICD-10-CM
O88113	Amniotic fluid embolism in pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O8812	Amniotic fluid embolism in childbirth	Diagnosis	ICD-10-CM
O88211	Thromboembolism in pregnancy, first trimester	Diagnosis	ICD-10-CM
O88212	Thromboembolism in pregnancy, second trimester	Diagnosis	ICD-10-CM
O88213	Thromboembolism in pregnancy, third trimester	Diagnosis	ICD-10-CM
O8822	Thromboembolism in childbirth	Diagnosis	ICD-10-CM
O88311	Pyemic and septic embolism in pregnancy, first trimester	Diagnosis	ICD-10-CM
O88312	Pyemic and septic embolism in pregnancy, second trimester	Diagnosis	ICD-10-CM
O88313	Pyemic and septic embolism in pregnancy, third trimester	Diagnosis	ICD-10-CM
O8832	Pyemic and septic embolism in childbirth	Diagnosis	ICD-10-CM
O88811	Other embolism in pregnancy, first trimester	Diagnosis	ICD-10-CM
O88812	Other embolism in pregnancy, second trimester	Diagnosis	ICD-10-CM
O88813	Other embolism in pregnancy, third trimester	Diagnosis	ICD-10-CM
O8882	Other embolism in childbirth	Diagnosis	ICD-10-CM
O91011	Infection of nipple associated with pregnancy, first trimester	Diagnosis	ICD-10-CM
O91012	Infection of nipple associated with pregnancy, second trimester	Diagnosis	ICD-10-CM
O91013	Infection of nipple associated with pregnancy, third trimester	Diagnosis	ICD-10-CM
O91111	Abscess of breast associated with pregnancy, first trimester	Diagnosis	ICD-10-CM
O91112	Abscess of breast associated with pregnancy, second trimester	Diagnosis	ICD-10-CM
O91113	Abscess of breast associated with pregnancy, third trimester	Diagnosis	ICD-10-CM
O91211	Nonpurulent mastitis associated with pregnancy, first trimester	Diagnosis	ICD-10-CM
O91212	Nonpurulent mastitis associated with pregnancy, second trimester	Diagnosis	ICD-10-CM
O91213	Nonpurulent mastitis associated with pregnancy, third trimester	Diagnosis	ICD-10-CM
O92011	Retracted nipple associated with pregnancy, first trimester	Diagnosis	ICD-10-CM
O92012	Retracted nipple associated with pregnancy, second trimester	Diagnosis	ICD-10-CM
O92013	Retracted nipple associated with pregnancy, third trimester	Diagnosis	ICD-10-CM
O92111	Cracked nipple associated with pregnancy, first trimester	Diagnosis	ICD-10-CM
O92112	Cracked nipple associated with pregnancy, second trimester	Diagnosis	ICD-10-CM
O92113	Cracked nipple associated with pregnancy, third trimester	Diagnosis	ICD-10-CM
O98011	Tuberculosis complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O98012	Tuberculosis complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O98013	Tuberculosis complicating pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
09802	Tuberculosis complicating childbirth	Diagnosis	ICD-10-CM
098111	Syphilis complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098112	Syphilis complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098113	Syphilis complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09812	Syphilis complicating childbirth	Diagnosis	ICD-10-CM
098211	Gonorrhea complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098212	Gonorrhea complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098213	Gonorrhea complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09822	Gonorrhea complicating childbirth	Diagnosis	ICD-10-CM
098311	Other infections with a predominantly sexual mode of transmission complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098312	Other infections with a predominantly sexual mode of transmission complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098313	Other infections with a predominantly sexual mode of transmission complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09832	Other infections with a predominantly sexual mode of transmission complicating childbirth	Diagnosis	ICD-10-CM
098411	Viral hepatitis complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098412	Viral hepatitis complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098413	Viral hepatitis complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09842	Viral hepatitis complicating childbirth	Diagnosis	ICD-10-CM
098511	Other viral diseases complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098512	Other viral diseases complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098513	Other viral diseases complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09852	Other viral diseases complicating childbirth	Diagnosis	ICD-10-CM
098611	Protozoal diseases complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098612	Protozoal diseases complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098613	Protozoal diseases complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09862	Protozoal diseases complicating childbirth	Diagnosis	ICD-10-CM
098711	Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098712	Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
098713	Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09872	Human immunodeficiency virus [HIV] disease complicating childbirth	Diagnosis	ICD-10-CM
098811	Other maternal infectious and parasitic diseases complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
098812	Other maternal infectious and parasitic diseases complicating pregnancy, second trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O98813	Other maternal infectious and parasitic diseases complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9882	Other maternal infectious and parasitic diseases complicating childbirth	Diagnosis	ICD-10-CM
O98911	Unspecified maternal infectious and parasitic disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O98912	Unspecified maternal infectious and parasitic disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O98913	Unspecified maternal infectious and parasitic disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9892	Unspecified maternal infectious and parasitic disease complicating childbirth	Diagnosis	ICD-10-CM
O99011	Anemia complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99012	Anemia complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99013	Anemia complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9902	Anemia complicating childbirth	Diagnosis	ICD-10-CM
O99111	Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99112	Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99113	Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9912	Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth	Diagnosis	ICD-10-CM
O99211	Obesity complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99212	Obesity complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99213	Obesity complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99214	Obesity complicating childbirth	Diagnosis	ICD-10-CM
O99281	Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99282	Endocrine, nutritional and metabolic diseases complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99283	Endocrine, nutritional and metabolic diseases complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99284	Endocrine, nutritional and metabolic diseases complicating childbirth	Diagnosis	ICD-10-CM
O99311	Alcohol use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99312	Alcohol use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99313	Alcohol use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99314	Alcohol use complicating childbirth	Diagnosis	ICD-10-CM
O99321	Drug use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
099322	Drug use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099323	Drug use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
099324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
099331	Smoking (tobacco) complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099332	Smoking (tobacco) complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099333	Smoking (tobacco) complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
099334	Smoking (tobacco) complicating childbirth	Diagnosis	ICD-10-CM
099341	Other mental disorders complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099342	Other mental disorders complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099343	Other mental disorders complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
099344	Other mental disorders complicating childbirth	Diagnosis	ICD-10-CM
099351	Diseases of the nervous system complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099352	Diseases of the nervous system complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099353	Diseases of the nervous system complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
099354	Diseases of the nervous system complicating childbirth	Diagnosis	ICD-10-CM
099411	Diseases of the circulatory system complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099412	Diseases of the circulatory system complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099413	Diseases of the circulatory system complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09942	Diseases of the circulatory system complicating childbirth	Diagnosis	ICD-10-CM
099511	Diseases of the respiratory system complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099512	Diseases of the respiratory system complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099513	Diseases of the respiratory system complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09952	Diseases of the respiratory system complicating childbirth	Diagnosis	ICD-10-CM
099611	Diseases of the digestive system complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099612	Diseases of the digestive system complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099613	Diseases of the digestive system complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09962	Diseases of the digestive system complicating childbirth	Diagnosis	ICD-10-CM
099711	Diseases of the skin and subcutaneous tissue complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
099712	Diseases of the skin and subcutaneous tissue complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
099713	Diseases of the skin and subcutaneous tissue complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
09972	Diseases of the skin and subcutaneous tissue complicating childbirth	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
O99814	Abnormal glucose complicating childbirth	Diagnosis	ICD-10-CM
O99824	Streptococcus B carrier state complicating childbirth	Diagnosis	ICD-10-CM
O99834	Other infection carrier state complicating childbirth	Diagnosis	ICD-10-CM
O99841	Bariatric surgery status complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99842	Bariatric surgery status complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99843	Bariatric surgery status complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99844	Bariatric surgery status complicating childbirth	Diagnosis	ICD-10-CM
O9A111	Malignant neoplasm complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O9A112	Malignant neoplasm complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O9A113	Malignant neoplasm complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9A12	Malignant neoplasm complicating childbirth	Diagnosis	ICD-10-CM
O9A211	Injury, poisoning and certain other consequences of external causes complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O9A212	Injury, poisoning and certain other consequences of external causes complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O9A213	Injury, poisoning and certain other consequences of external causes complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9A22	Injury, poisoning and certain other consequences of external causes complicating childbirth	Diagnosis	ICD-10-CM
O9A311	Physical abuse complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O9A312	Physical abuse complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O9A313	Physical abuse complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9A32	Physical abuse complicating childbirth	Diagnosis	ICD-10-CM
O9A411	Sexual abuse complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O9A412	Sexual abuse complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O9A413	Sexual abuse complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9A42	Sexual abuse complicating childbirth	Diagnosis	ICD-10-CM
O9A511	Psychological abuse complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O9A512	Psychological abuse complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O9A513	Psychological abuse complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O9A52	Psychological abuse complicating childbirth	Diagnosis	ICD-10-CM
P030	Newborn affected by breech delivery and extraction	Diagnosis	ICD-10-CM
P032	Newborn affected by forceps delivery	Diagnosis	ICD-10-CM
P033	Newborn affected by delivery by vacuum extractor [ventouse]	Diagnosis	ICD-10-CM
P034	Newborn affected by Cesarean delivery	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
P035	Newborn affected by precipitate delivery	Diagnosis	ICD-10-CM
P0700	Extremely low birth weight newborn, unspecified weight	Diagnosis	ICD-10-CM
P0701	Extremely low birth weight newborn, less than 500 grams	Diagnosis	ICD-10-CM
P0702	Extremely low birth weight newborn, 500-749 grams	Diagnosis	ICD-10-CM
P0703	Extremely low birth weight newborn, 750-999 grams	Diagnosis	ICD-10-CM
P0710	Other low birth weight newborn, unspecified weight	Diagnosis	ICD-10-CM
P0714	Other low birth weight newborn, 1000-1249 grams	Diagnosis	ICD-10-CM
P0715	Other low birth weight newborn, 1250-1499 grams	Diagnosis	ICD-10-CM
P0716	Other low birth weight newborn, 1500-1749 grams	Diagnosis	ICD-10-CM
P0717	Other low birth weight newborn, 1750-1999 grams	Diagnosis	ICD-10-CM
P0718	Other low birth weight newborn, 2000-2499 grams	Diagnosis	ICD-10-CM
P0720	Extreme immaturity of newborn, unspecified weeks of gestation	Diagnosis	ICD-10-CM
P0721	Extreme immaturity of newborn, gestational age less than 23 completed weeks	Diagnosis	ICD-10-CM
P0722	Extreme immaturity of newborn, gestational age 23 completed weeks	Diagnosis	ICD-10-CM
P0723	Extreme immaturity of newborn, gestational age 24 completed weeks	Diagnosis	ICD-10-CM
P0724	Extreme immaturity of newborn, gestational age 25 completed weeks	Diagnosis	ICD-10-CM
P0725	Extreme immaturity of newborn, gestational age 26 completed weeks	Diagnosis	ICD-10-CM
P0726	Extreme immaturity of newborn, gestational age 27 completed weeks	Diagnosis	ICD-10-CM
P0730	Preterm newborn, unspecified weeks of gestation	Diagnosis	ICD-10-CM
P0731	Preterm newborn, gestational age 28 completed weeks	Diagnosis	ICD-10-CM
P0732	Preterm newborn, gestational age 29 completed weeks	Diagnosis	ICD-10-CM
P0733	Preterm newborn, gestational age 30 completed weeks	Diagnosis	ICD-10-CM
P0734	Preterm newborn, gestational age 31 completed weeks	Diagnosis	ICD-10-CM
P0735	Preterm newborn, gestational age 32 completed weeks	Diagnosis	ICD-10-CM
P0736	Preterm newborn, gestational age 33 completed weeks	Diagnosis	ICD-10-CM
P0737	Preterm newborn, gestational age 34 completed weeks	Diagnosis	ICD-10-CM
P0738	Preterm newborn, gestational age 35 completed weeks	Diagnosis	ICD-10-CM
P0739	Preterm newborn, gestational age 36 completed weeks	Diagnosis	ICD-10-CM
P0821	Post-term newborn	Diagnosis	ICD-10-CM
P0822	Prolonged gestation of newborn	Diagnosis	ICD-10-CM
P95	Stillbirth	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
S0190	Mifepristone, oral, 200 mg	Procedure	HCPCS
S0191	Misoprostol, oral, 200 mcg	Procedure	HCPCS
S0199	Medically induced abortion by oral ingestion of medication including all associated services and supplies (e.g., patient counseling, office visits, confirmation of pregnancy by HCG, ultrasound to confirm duration of pregnancy, ultrasound to confirm completion of abortion) except drugs	Procedure	HCPCS
S2260	Induced abortion, 17 to 24 weeks	Procedure	HCPCS
S2262	Abortion for maternal indication, 25 weeks or greater	Procedure	HCPCS
S2265	Induced abortion, 25 to 28 weeks	Procedure	HCPCS
S2266	Induced abortion, 29 to 31 weeks	Procedure	HCPCS
S2267	Induced abortion, 32 weeks or greater	Procedure	HCPCS
S4011	IN VITRO FERTILIZATION;	Procedure	HCPCS
S4013	COMPLETE CYCLE GIFT CASE RATE	Procedure	HCPCS
S4014	COMPLETE CYCLE ZIFT CASE RATE	Procedure	HCPCS
S4015	COMPLETE IVF CYCLE CASE RATE NOS	Procedure	HCPCS
S4016	FROZEN IVF CYCLE CASE RATE	Procedure	HCPCS
S4035	STIMULATED INTRAUTERINE INSEMINATION (IUI), CASE RATE	Procedure	HCPCS
S4037	Cryopreserved embryo transfer, case rate	Procedure	HCPCS
V27	Outcome of delivery	Diagnosis	ICD-9-CM
V270	Outcome of delivery, single liveborn	Diagnosis	ICD-9-CM
V271	Outcome of delivery, single stillborn	Diagnosis	ICD-9-CM
V272	Outcome of delivery, twins, both liveborn	Diagnosis	ICD-9-CM
V273	Outcome of delivery, twins, one liveborn and one stillborn	Diagnosis	ICD-9-CM
V274	Outcome of delivery, twins, both stillborn	Diagnosis	ICD-9-CM
V275	Outcome of delivery, other multiple birth, all liveborn	Diagnosis	ICD-9-CM
V276	Outcome of delivery, other multiple birth, some liveborn	Diagnosis	ICD-9-CM
V277	Outcome of delivery, other multiple birth, all stillborn	Diagnosis	ICD-9-CM
V279	Outcome of delivery, unspecified	Diagnosis	ICD-9-CM
V30	Single liveborn	Diagnosis	ICD-9-CM
V300	Single liveborn, born in hospital	Diagnosis	ICD-9-CM
V3000	Single liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3001	Single liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
V301	Single liveborn, born before admission to hospital	Diagnosis	ICD-9-CM
V302	Single liveborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V31	Twin birth, mate liveborn	Diagnosis	ICD-9-CM
V310	Twin, mate liveborn, born in hospital	Diagnosis	ICD-9-CM
V3100	Twin, mate liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3101	Twin, mate liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V311	Twin birth, mate liveborn, born before admission to hospital	Diagnosis	ICD-9-CM
V312	Twin birth, mate liveborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V32	Twin birth, mate stillborn	Diagnosis	ICD-9-CM
V320	Twin, mate stillborn, born in hospital	Diagnosis	ICD-9-CM
V3200	Twin, mate stillborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3201	Twin, mate stillborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V321	Twin birth, mate stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V322	Twin birth, mate stillborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V33	Twin birth, unspecified whether mate liveborn or stillborn	Diagnosis	ICD-9-CM
V330	Twin, unspecified, born in hospital	Diagnosis	ICD-9-CM
V3300	Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3301	Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V331	Twin birth, unspecified whether mate liveborn or stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V332	Twin birth, unspecified whether mate liveborn or stillborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V34	Other multiple birth (three or more), mates all liveborn	Diagnosis	ICD-9-CM
V340	Other multiple, mates all liveborn, born in hospital	Diagnosis	ICD-9-CM
V3400	Other multiple, mates all liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3401	Other multiple, mates all liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V341	Other multiple birth (three or more), mates all liveborn, born before admission to hospital	Diagnosis	ICD-9-CM
V342	Other multiple birth (three or more), mates all liveborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V35	Other multiple birth (three or more), mates all stillborn	Diagnosis	ICD-9-CM
V350	Other multiple, mates all stillborn, born in hospital	Diagnosis	ICD-9-CM
V3500	Other multiple birth (three or more), mates all still born, born in hospital, delivered without mention of cesarean section	Diagnosis	ICD-9-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
V3501	Other multiple birth (three or more), mates all still born, born in hospital, delivered by cesarean section	Diagnosis	ICD-9-CM
V351	Other multiple birth (three or more), mates all stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V352	Other multiple birth (three or more), mates all stillborn, born outside of hospital and not hospitalized	Diagnosis	ICD-9-CM
V36	Other multiple birth (three or more), mates liveborn and stillborn	Diagnosis	ICD-9-CM
V360	Other multiple, mates liveborn and stillborn, born in hospital	Diagnosis	ICD-9-CM
V3600	Other multiple, mates liveborn and stillborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3601	Other multiple, mates liveborn and stillborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V361	Other multiple birth (three or more), mates liveborn and stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V362	Other multiple birth (three or more), mates liveborn and stillborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V37	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn	Diagnosis	ICD-9-CM
V370	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital	Diagnosis	ICD-9-CM
V3700	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3701	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V371	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V372	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born outside of hospital	Diagnosis	ICD-9-CM
V39	Liveborn, unspecified whether single, twin, or multiple	Diagnosis	ICD-9-CM
V390	Other liveborn, unspecified whether single, twin, or multiple, born in hospital	Diagnosis	ICD-9-CM
V3900	Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3901	Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered by cesarean	Diagnosis	ICD-9-CM
V391	Liveborn, unspecified whether single, twin or multiple, born before admission to hospital	Diagnosis	ICD-9-CM
V392	Liveborn, unspecified whether single, twin or multiple, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
Z332	Encounter for elective termination of pregnancy	Diagnosis	ICD-10-CM
Z3401	Encounter for supervision of normal first pregnancy, first trimester	Diagnosis	ICD-10-CM
Z3402	Encounter for supervision of normal first pregnancy, second trimester	Diagnosis	ICD-10-CM
Z3403	Encounter for supervision of normal first pregnancy, third trimester	Diagnosis	ICD-10-CM
Z3481	Encounter for supervision of other normal pregnancy, first trimester	Diagnosis	ICD-10-CM
Z3482	Encounter for supervision of other normal pregnancy, second trimester	Diagnosis	ICD-10-CM
Z3483	Encounter for supervision of other normal pregnancy, third trimester	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
Z3491	Encounter for supervision of normal pregnancy, unspecified, first trimester	Diagnosis	ICD-10-CM
Z3492	Encounter for supervision of normal pregnancy, unspecified, second trimester	Diagnosis	ICD-10-CM
Z3493	Encounter for supervision of normal pregnancy, unspecified, third trimester	Diagnosis	ICD-10-CM
Z370	Single live birth	Diagnosis	ICD-10-CM
Z371	Single stillbirth	Diagnosis	ICD-10-CM
Z372	Twins, both liveborn	Diagnosis	ICD-10-CM
Z373	Twins, one liveborn and one stillborn	Diagnosis	ICD-10-CM
Z374	Twins, both stillborn	Diagnosis	ICD-10-CM
Z3750	Multiple births, unspecified, all liveborn	Diagnosis	ICD-10-CM
Z3751	Triplets, all liveborn	Diagnosis	ICD-10-CM
Z3752	Quadruplets, all liveborn	Diagnosis	ICD-10-CM
Z3753	Quintuplets, all liveborn	Diagnosis	ICD-10-CM
Z3754	Sextuplets, all liveborn	Diagnosis	ICD-10-CM
Z3759	Other multiple births, all liveborn	Diagnosis	ICD-10-CM
Z3760	Multiple births, unspecified, some liveborn	Diagnosis	ICD-10-CM
Z3761	Triplets, some liveborn	Diagnosis	ICD-10-CM
Z3762	Quadruplets, some liveborn	Diagnosis	ICD-10-CM
Z3763	Quintuplets, some liveborn	Diagnosis	ICD-10-CM
Z3764	Sextuplets, some liveborn	Diagnosis	ICD-10-CM
Z3769	Other multiple births, some liveborn	Diagnosis	ICD-10-CM
Z377	Other multiple births, all stillborn	Diagnosis	ICD-10-CM
Z379	Outcome of delivery, unspecified	Diagnosis	ICD-10-CM
Z3800	Single liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3801	Single liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z381	Single liveborn infant, born outside hospital	Diagnosis	ICD-10-CM
Z382	Single liveborn infant, unspecified as to place of birth	Diagnosis	ICD-10-CM
Z3830	Twin liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3831	Twin liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z384	Twin liveborn infant, born outside hospital	Diagnosis	ICD-10-CM
Z385	Twin liveborn infant, unspecified as to place of birth	Diagnosis	ICD-10-CM
Z3861	Triplet liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
Z3862	Triplet liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z3863	Quadruplet liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3864	Quadruplet liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z3865	Quintuplet liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3866	Quintuplet liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z3868	Other multiple liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3869	Other multiple liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z387	Other multiple liveborn infant, born outside hospital	Diagnosis	ICD-10-CM
Z388	Other multiple liveborn infant, unspecified as to place of birth	Diagnosis	ICD-10-CM
Z3A01	Less than 8 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A08	8 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A09	9 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A10	10 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A11	11 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A12	12 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A13	13 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A14	14 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A15	15 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A16	16 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A17	17 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A18	18 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A19	19 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A20	20 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A21	21 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A22	22 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A23	23 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A24	24 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A25	25 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A26	26 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A27	27 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A28	28 weeks gestation of pregnancy	Diagnosis	ICD-10-CM

Appendix E. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Inclusion Criteria in this Request

Code	Description	Code Category	Code Type
Obesity			
Z3A29	29 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A30	30 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A31	31 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A32	32 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A33	33 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A34	34 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A35	35 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A36	36 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A37	37 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A38	38 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A39	39 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A40	40 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A41	41 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A42	42 weeks gestation of pregnancy	Diagnosis	ICD-10-CM
Z3A49	Greater than 42 weeks gestation of pregnancy	Diagnosis	ICD-10-CM

Appendix F. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposure Incidence Criteria in this Request

Generic/Nonproprietary	Brand/Proprietary
GLP-1 Receptor Agonists	
albiglutide	Tanzeum
dulaglutide	Trulicity
exenatide	Byetta
exenatide microspheres	Bydureon
exenatide microspheres	Bydureon BCise
insulin degludec/liraglutide	Xultophy 100/3.6
insulin glargine,human recombinant analog/lixisenatide	Soliqua 100/33
liraglutide	Saxenda
liraglutide	Victoza 2-Pak
liraglutide	Victoza 3-Pak
lixisenatide	Adlyxin
semaglutide	Ozempic
semaglutide	Rybelsus
semaglutide	Wegovy
tirzepatide	Mounjaro

Appendix G. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposure Censoring Criteria in this Request

Generic/Nonproprietary	Brand/Proprietary
Weight Loss Agents	
benzphetamine HCl	Didrex
benzphetamine HCl	Regimex
benzphetamine HCl	benzphetamine
diethylpropion HCl	diethylpropion
lorcaserin HCl	Belviq
lorcaserin HCl	Belviq XR
naltrexone HCl/bupropion HCl	Contrave
orlistat	Alli
orlistat	Xenical
orlistat	orlistat
phendimetrazine tartrate	Bontril PDM
phendimetrazine tartrate	phendimetrazine tartrate
phentermine HCl	Adipex-P
phentermine HCl	Lomaira
phentermine HCl	Suprenza
phentermine HCl	phentermine
phentermine HCl/topiramate	Qsymia
setmelanotide acetate	Imcivree
GLP-1 Receptor Agonists	
albiglutide	Tanzeum
dulaglutide	Trulicity
exenatide	Byetta
exenatide microspheres	Bydureon
exenatide microspheres	Bydureon BCise
insulin degludec/liraglutide	Xultophy 100/3.6

Appendix G. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Exposure Censoring Criteria in this Request

Generic/Nonproprietary	Brand/Proprietary
insulin glargine,human recombinant analog/lixisenatide	Soliqua 100/33
liraglutide	Saxenda
liraglutide	Victoza 2-Pak
liraglutide	Victoza 3-Pak
GLP-1 Receptor Agonists	
lixisenatide	Adlyxin
semaglutide	Ozempic
semaglutide	Rybelsus
semaglutide	Wegovy
tirzepatide	Mounjaro

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
293.83	Mood disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
296.0	Bipolar I disorder, single manic episode	Diagnosis	ICD-9-CM
296.00	Bipolar I disorder, single manic episode, unspecified	Diagnosis	ICD-9-CM
296.01	Bipolar I disorder, single manic episode, mild	Diagnosis	ICD-9-CM
296.02	Bipolar I disorder, single manic episode, moderate	Diagnosis	ICD-9-CM
296.03	Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.04	Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.05	Bipolar I disorder, single manic episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.06	Bipolar I disorder, single manic episode, in full remission	Diagnosis	ICD-9-CM
296.1	Manic disorder, recurrent episode	Diagnosis	ICD-9-CM
296.10	Manic disorder, recurrent episode, unspecified	Diagnosis	ICD-9-CM
296.11	Manic disorder, recurrent episode, mild	Diagnosis	ICD-9-CM
296.12	Manic disorder, recurrent episode, moderate	Diagnosis	ICD-9-CM
296.13	Manic disorder, recurrent episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.14	Manic disorder, recurrent episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.15	Manic disorder, recurrent episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.16	Manic disorder, recurrent episode, in full remission	Diagnosis	ICD-9-CM
296.2	Major depressive disorder, single episode	Diagnosis	ICD-9-CM
296.20	Major depressive disorder, single episode, unspecified	Diagnosis	ICD-9-CM
296.21	Major depressive disorder, single episode, mild	Diagnosis	ICD-9-CM
296.22	Major depressive disorder, single episode, moderate	Diagnosis	ICD-9-CM
296.23	Major depressive disorder, single episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.24	Major depressive disorder, single episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.25	Major depressive disorder, single episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.26	Major depressive disorder, single episode in full remission	Diagnosis	ICD-9-CM
296.3	Major depressive disorder, recurrent episode	Diagnosis	ICD-9-CM
296.30	Major depressive disorder, recurrent episode, unspecified	Diagnosis	ICD-9-CM
296.31	Major depressive disorder, recurrent episode, mild	Diagnosis	ICD-9-CM
296.32	Major depressive disorder, recurrent episode, moderate	Diagnosis	ICD-9-CM
296.33	Major depressive disorder, recurrent episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.34	Major depressive disorder, recurrent episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.35	Major depressive disorder, recurrent episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.36	Major depressive disorder, recurrent episode, in full remission	Diagnosis	ICD-9-CM
296.4	Bipolar I disorder, most recent episode (or current) manic	Diagnosis	ICD-9-CM
296.40	Bipolar I disorder, most recent episode (or current) manic, unspecified	Diagnosis	ICD-9-CM
296.41	Bipolar I disorder, most recent episode (or current) manic, mild	Diagnosis	ICD-9-CM
296.42	Bipolar I disorder, most recent episode (or current) manic, moderate	Diagnosis	ICD-9-CM
296.43	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.44	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.45	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.46	Bipolar I disorder, most recent episode (or current) manic, in full remission	Diagnosis	ICD-9-CM
296.5	Bipolar I disorder, most recent episode (or current), depressed	Diagnosis	ICD-9-CM
296.50	Bipolar I disorder, most recent episode (or current) depressed, unspecified	Diagnosis	ICD-9-CM
296.51	Bipolar I disorder, most recent episode (or current) depressed, mild	Diagnosis	ICD-9-CM
296.52	Bipolar I disorder, most recent episode (or current) depressed, moderate	Diagnosis	ICD-9-CM
296.53	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.54	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.55	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.56	Bipolar I disorder, most recent episode (or current) depressed, in full remission	Diagnosis	ICD-9-CM
296.6	Bipolar I disorder, most recent episode (or current), mixed	Diagnosis	ICD-9-CM
296.60	Bipolar I disorder, most recent episode (or current) mixed, unspecified	Diagnosis	ICD-9-CM
296.61	Bipolar I disorder, most recent episode (or current) mixed, mild	Diagnosis	ICD-9-CM
296.62	Bipolar I disorder, most recent episode (or current) mixed, moderate	Diagnosis	ICD-9-CM
296.63	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.64	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.65	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.66	Bipolar I disorder, most recent episode (or current) mixed, in full remission	Diagnosis	ICD-9-CM
296.7	Bipolar I disorder, most recent episode (or current) unspecified	Diagnosis	ICD-9-CM
296.8	Other and unspecified bipolar disorders	Diagnosis	ICD-9-CM
296.80	Bipolar disorder, unspecified	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.81	Atypical manic disorder	Diagnosis	ICD-9-CM
296.82	Atypical depressive disorder	Diagnosis	ICD-9-CM
296.89	Other and unspecified bipolar disorders	Diagnosis	ICD-9-CM
296.90	Unspecified episodic mood disorder	Diagnosis	ICD-9-CM
296.99	Other specified episodic mood disorder	Diagnosis	ICD-9-CM
298.0	Depressive type psychosis	Diagnosis	ICD-9-CM
300.4	Dysthymic disorder	Diagnosis	ICD-9-CM
300.9	Unspecified nonpsychotic mental disorder	Diagnosis	ICD-9-CM
301.0	Paranoid personality disorder	Diagnosis	ICD-9-CM
301.1	Affective personality disorder	Diagnosis	ICD-9-CM
301.10	Affective personality disorder, unspecified	Diagnosis	ICD-9-CM
301.11	Chronic hypomanic personality disorder	Diagnosis	ICD-9-CM
301.12	Chronic depressive personality disorder	Diagnosis	ICD-9-CM
301.13	Cyclothymic disorder	Diagnosis	ICD-9-CM
301.2	Schizoid personality disorder	Diagnosis	ICD-9-CM
301.20	Schizoid personality disorder, unspecified	Diagnosis	ICD-9-CM
301.21	Introverted personality	Diagnosis	ICD-9-CM
301.22	Schizotypal personality disorder	Diagnosis	ICD-9-CM
301.3	Explosive personality disorder	Diagnosis	ICD-9-CM
301.4	Obsessive-compulsive personality disorder	Diagnosis	ICD-9-CM
301.5	Histrionic personality disorder	Diagnosis	ICD-9-CM
301.50	Histrionic personality disorder, unspecified	Diagnosis	ICD-9-CM
301.51	Chronic factitious illness with physical symptoms	Diagnosis	ICD-9-CM
301.59	Other histrionic personality disorder	Diagnosis	ICD-9-CM
301.6	Dependent personality disorder	Diagnosis	ICD-9-CM
301.7	Antisocial personality disorder	Diagnosis	ICD-9-CM
301.8	Other personality disorders	Diagnosis	ICD-9-CM
301.81	Narcissistic personality disorder	Diagnosis	ICD-9-CM
301.82	Avoidant personality disorder	Diagnosis	ICD-9-CM
301.83	Borderline personality disorder	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
301.84	Passive-aggressive personality	Diagnosis	ICD-9-CM
301.89	Other personality disorder	Diagnosis	ICD-9-CM
301.9	Unspecified personality disorder	Diagnosis	ICD-9-CM
309.0	Adjustment disorder with depressed mood	Diagnosis	ICD-9-CM
309.1	Prolonged depressive reaction as adjustment reaction	Diagnosis	ICD-9-CM
309.2	Predominant disturbance of other emotions as adjustment reaction	Diagnosis	ICD-9-CM
309.21	Separation anxiety disorder	Diagnosis	ICD-9-CM
309.22	Emancipation disorder of adolescence and early adult life	Diagnosis	ICD-9-CM
309.23	Specific academic or work inhibition as adjustment reaction	Diagnosis	ICD-9-CM
309.24	Adjustment disorder with anxiety	Diagnosis	ICD-9-CM
309.28	Adjustment disorder with mixed anxiety and depressed mood	Diagnosis	ICD-9-CM
309.29	Other adjustment reaction with predominant disturbance of other emotions	Diagnosis	ICD-9-CM
309.3	Adjustment disorder with disturbance of conduct	Diagnosis	ICD-9-CM
309.4	Adjustment disorder with mixed disturbance of emotions and conduct	Diagnosis	ICD-9-CM
309.8	Other specified adjustment reactions	Diagnosis	ICD-9-CM
309.81	Posttraumatic stress disorder	Diagnosis	ICD-9-CM
309.82	Adjustment reaction with physical symptoms	Diagnosis	ICD-9-CM
309.83	Adjustment reaction with withdrawal	Diagnosis	ICD-9-CM
309.89	Other specified adjustment reaction	Diagnosis	ICD-9-CM
309.9	Unspecified adjustment reaction	Diagnosis	ICD-9-CM
311	Depressive disorder, not elsewhere classified	Diagnosis	ICD-9-CM
881	Open wound of elbow, forearm, and wrist	Diagnosis	ICD-9-CM
960	Poisoning by antibiotics	Diagnosis	ICD-9-CM
960.0	Poisoning by penicillins	Diagnosis	ICD-9-CM
960.1	Poisoning by antifungal antibiotics	Diagnosis	ICD-9-CM
960.2	Poisoning by chloramphenicol group	Diagnosis	ICD-9-CM
960.3	Poisoning by erythromycin and other macrolides	Diagnosis	ICD-9-CM
960.4	Poisoning by tetracycline group	Diagnosis	ICD-9-CM
960.5	Poisoning of cephalosporin group	Diagnosis	ICD-9-CM
960.6	Poisoning of antimycobacterial antibiotics	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
960.7	Poisoning by antineoplastic antibiotics	Diagnosis	ICD-9-CM
960.8	Poisoning by other specified antibiotics	Diagnosis	ICD-9-CM
960.9	Poisoning by unspecified antibiotic	Diagnosis	ICD-9-CM
961	Poisoning by other anti-infectives	Diagnosis	ICD-9-CM
961.0	Poisoning by sulfonamides	Diagnosis	ICD-9-CM
961.1	Poisoning by arsenical anti-infectives	Diagnosis	ICD-9-CM
961.2	Poisoning by heavy metal anti-infectives	Diagnosis	ICD-9-CM
961.3	Poisoning by quinoline and hydroxyquinoline derivatives	Diagnosis	ICD-9-CM
961.4	Poisoning by antimalarials and drugs acting on other blood protozoa	Diagnosis	ICD-9-CM
961.5	Poisoning by other antiprotozoal drugs	Diagnosis	ICD-9-CM
961.6	Poisoning by anthelmintics	Diagnosis	ICD-9-CM
961.7	Poisoning by antiviral drugs	Diagnosis	ICD-9-CM
961.8	Poisoning by other antimycobacterial drugs	Diagnosis	ICD-9-CM
961.9	Poisoning by other and unspecified anti-infectives	Diagnosis	ICD-9-CM
962	Poisoning by hormones and synthetic substitutes	Diagnosis	ICD-9-CM
962.0	Poisoning by adrenal cortical steroids	Diagnosis	ICD-9-CM
962.1	Poisoning by androgens and anabolic congeners	Diagnosis	ICD-9-CM
962.2	Poisoning by ovarian hormones and synthetic substitutes	Diagnosis	ICD-9-CM
962.3	Poisoning by insulins and antidiabetic agents	Diagnosis	ICD-9-CM
962.4	Poisoning by anterior pituitary hormones	Diagnosis	ICD-9-CM
962.5	Poisoning by posterior pituitary hormones	Diagnosis	ICD-9-CM
962.6	Poisoning by parathyroid and parathyroid derivatives	Diagnosis	ICD-9-CM
962.7	Poisoning by thyroid and thyroid derivatives	Diagnosis	ICD-9-CM
962.8	Poisoning by antithyroid agents	Diagnosis	ICD-9-CM
962.9	Poisoning by other and unspecified hormones and synthetic substitutes	Diagnosis	ICD-9-CM
963	Poisoning by primarily systemic agents	Diagnosis	ICD-9-CM
963.0	Poisoning by antiallergic and antiemetic drugs	Diagnosis	ICD-9-CM
963.1	Poisoning by antineoplastic and immunosuppressive drugs	Diagnosis	ICD-9-CM
963.2	Poisoning by acidifying agents	Diagnosis	ICD-9-CM
963.3	Poisoning by alkalizing agents	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
963.4	Poisoning by enzymes, not elsewhere classified	Diagnosis	ICD-9-CM
963.5	Poisoning by vitamins, not elsewhere classified	Diagnosis	ICD-9-CM
963.8	Poisoning by other specified systemic agents	Diagnosis	ICD-9-CM
963.9	Poisoning by unspecified systemic agent	Diagnosis	ICD-9-CM
964	Poisoning by agents primarily affecting blood constituents	Diagnosis	ICD-9-CM
964.0	Poisoning by iron and its compounds	Diagnosis	ICD-9-CM
964.1	Poisoning by liver preparations and other antianemic agents	Diagnosis	ICD-9-CM
964.2	Poisoning by anticoagulants	Diagnosis	ICD-9-CM
964.3	Poisoning by vitamin K (phytonadione)	Diagnosis	ICD-9-CM
964.4	Poisoning by fibrinolysis-affecting drugs	Diagnosis	ICD-9-CM
964.5	Poisoning by anticoagulant antagonists and other coagulants	Diagnosis	ICD-9-CM
964.6	Poisoning by gamma globulin	Diagnosis	ICD-9-CM
964.7	Poisoning by natural blood and blood products	Diagnosis	ICD-9-CM
964.8	Poisoning by other specified agents affecting blood constituents	Diagnosis	ICD-9-CM
964.9	Poisoning by unspecified agent affecting blood constituents	Diagnosis	ICD-9-CM
965	Poisoning by analgesics, antipyretics, and antirheumatics	Diagnosis	ICD-9-CM
965.0	Poisoning by opiates and related narcotics	Diagnosis	ICD-9-CM
965.00	Poisoning by opium (alkaloids), unspecified	Diagnosis	ICD-9-CM
965.01	Poisoning by heroin	Diagnosis	ICD-9-CM
965.02	Poisoning by methadone	Diagnosis	ICD-9-CM
965.09	Poisoning by opiates and related narcotics, other	Diagnosis	ICD-9-CM
965.1	Poisoning by salicylates	Diagnosis	ICD-9-CM
965.4	Poisoning by aromatic analgesics, not elsewhere classified	Diagnosis	ICD-9-CM
965.5	Poisoning by pyrazole derivatives	Diagnosis	ICD-9-CM
965.6	Poisoning by antirheumatics (antiphlogistics)	Diagnosis	ICD-9-CM
965.61	Poisoning by propionic acid derivatives	Diagnosis	ICD-9-CM
965.69	Poisoning by other antirheumatics	Diagnosis	ICD-9-CM
965.7	Poisoning by other non-narcotic analgesics	Diagnosis	ICD-9-CM
965.8	Poisoning by other specified analgesics and antipyretics	Diagnosis	ICD-9-CM
965.9	Poisoning by unspecified analgesic and antipyretic	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
966	Poisoning by anticonvulsants and anti-Parkinsonism drugs	Diagnosis	ICD-9-CM
966.0	Poisoning by oxazolidine derivatives	Diagnosis	ICD-9-CM
966.1	Poisoning by hydantoin derivatives	Diagnosis	ICD-9-CM
966.2	Poisoning by succinimides	Diagnosis	ICD-9-CM
966.3	Poisoning by other and unspecified anticonvulsants	Diagnosis	ICD-9-CM
966.4	Poisoning by anti-Parkinsonism drugs	Diagnosis	ICD-9-CM
967	Poisoning by sedatives and hypnotics	Diagnosis	ICD-9-CM
967.0	Poisoning by barbiturates	Diagnosis	ICD-9-CM
967.1	Poisoning by chloral hydrate group	Diagnosis	ICD-9-CM
967.2	Poisoning by paraldehyde	Diagnosis	ICD-9-CM
967.3	Poisoning by bromine compounds	Diagnosis	ICD-9-CM
967.4	Poisoning by methaqualone compounds	Diagnosis	ICD-9-CM
967.5	Poisoning by glutethimide group	Diagnosis	ICD-9-CM
967.6	Poisoning by mixed sedatives, not elsewhere classified	Diagnosis	ICD-9-CM
967.8	Poisoning by other sedatives and hypnotics	Diagnosis	ICD-9-CM
967.9	Poisoning by unspecified sedative or hypnotic	Diagnosis	ICD-9-CM
968	Poisoning by other central nervous system depressants and anesthetics	Diagnosis	ICD-9-CM
968.0	Poisoning by central nervous system muscle-tone depressants	Diagnosis	ICD-9-CM
968.1	Poisoning by halothane	Diagnosis	ICD-9-CM
968.2	Poisoning by other gaseous anesthetics	Diagnosis	ICD-9-CM
968.3	Poisoning by intravenous anesthetics	Diagnosis	ICD-9-CM
968.4	Poisoning by other and unspecified general anesthetics	Diagnosis	ICD-9-CM
968.5	Poisoning by other central nervous system depressants and anesthetics, Surface (topical) and infiltration anesthetics	Diagnosis	ICD-9-CM
968.6	Poisoning by peripheral nerve- and plexus-blocking anesthetics	Diagnosis	ICD-9-CM
968.7	Poisoning by spinal anesthetics	Diagnosis	ICD-9-CM
968.9	Poisoning by other and unspecified local anesthetics	Diagnosis	ICD-9-CM
969	Poisoning by psychotropic agents	Diagnosis	ICD-9-CM
969.0	Poisoning by antidepressants	Diagnosis	ICD-9-CM
969.00	Poisoning by antidepressant, unspecified	Diagnosis	ICD-9-CM
969.01	Poisoning by monoamine oxidase inhibitors	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
969.02	Poisoning by selective serotonin and norepinephrine reuptake inhibitors	Diagnosis	ICD-9-CM
969.03	Poisoning by selective serotonin reuptake inhibitors	Diagnosis	ICD-9-CM
969.04	Poisoning by tetracyclic antidepressants	Diagnosis	ICD-9-CM
969.05	Poisoning by tricyclic antidepressants	Diagnosis	ICD-9-CM
969.09	Poisoning by other antidepressants	Diagnosis	ICD-9-CM
969.1	Poisoning by phenothiazine-based tranquilizers	Diagnosis	ICD-9-CM
969.2	Poisoning by butyrophenone-based tranquilizers	Diagnosis	ICD-9-CM
969.3	Poisoning by other antipsychotics, neuroleptics, and major tranquilizers	Diagnosis	ICD-9-CM
969.4	Poisoning by benzodiazepine-based tranquilizers	Diagnosis	ICD-9-CM
969.5	Poisoning by other tranquilizers	Diagnosis	ICD-9-CM
969.6	Poisoning by psychodysleptics (hallucinogens)	Diagnosis	ICD-9-CM
969.7	Poisoning by psychostimulants	Diagnosis	ICD-9-CM
969.70	Poisoning by psychostimulant, unspecified	Diagnosis	ICD-9-CM
969.71	Poisoning by caffeine	Diagnosis	ICD-9-CM
969.72	Poisoning by amphetamines	Diagnosis	ICD-9-CM
969.73	Poisoning by methylphenidate	Diagnosis	ICD-9-CM
969.79	Poisoning by other psychostimulants	Diagnosis	ICD-9-CM
969.8	Poisoning by other specified psychotropic agents	Diagnosis	ICD-9-CM
969.9	Poisoning by unspecified psychotropic agent	Diagnosis	ICD-9-CM
970	Poisoning by central nervous system stimulants	Diagnosis	ICD-9-CM
970.0	Poisoning by analeptics	Diagnosis	ICD-9-CM
970.1	Poisoning by opiate antagonists	Diagnosis	ICD-9-CM
970.8	Poisoning by other specified central nervous system stimulants	Diagnosis	ICD-9-CM
970.9	Poisoning by unspecified central nervous system stimulant	Diagnosis	ICD-9-CM
971	Poisoning by drugs primarily affecting the autonomic nervous system	Diagnosis	ICD-9-CM
971.0	Poisoning by parasympathomimetics (cholinergics)	Diagnosis	ICD-9-CM
971.1	Poisoning by parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics	Diagnosis	ICD-9-CM
971.2	Poisoning by sympathomimetics (adrenergics)	Diagnosis	ICD-9-CM
971.3	Poisoning by sympatholytics (antiadrenergics)	Diagnosis	ICD-9-CM
971.9	Poisoning by unspecified drug primarily affecting autonomic nervous system	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
972	Poisoning by agents primarily affecting the cardiovascular system	Diagnosis	ICD-9-CM
972.0	Poisoning by cardiac rhythm regulators	Diagnosis	ICD-9-CM
972.1	Poisoning by cardiotonic glycosides and drugs of similar action	Diagnosis	ICD-9-CM
972.2	Poisoning by antilipemic and antiarteriosclerotic drugs	Diagnosis	ICD-9-CM
972.3	Poisoning by ganglion-blocking agents	Diagnosis	ICD-9-CM
972.4	Poisoning by coronary vasodilators	Diagnosis	ICD-9-CM
972.5	Poisoning by other vasodilators	Diagnosis	ICD-9-CM
972.6	Poisoning by other antihypertensive agents	Diagnosis	ICD-9-CM
972.7	Poisoning by antivaricose drugs, including sclerosing agents	Diagnosis	ICD-9-CM
972.8	Poisoning by capillary-active drugs	Diagnosis	ICD-9-CM
972.9	Poisoning by other and unspecified agents primarily affecting the cardiovascular system	Diagnosis	ICD-9-CM
973	Poisoning by agents primarily affecting the gastrointestinal system	Diagnosis	ICD-9-CM
973.0	Poisoning by antacids and antigastric secretion drugs	Diagnosis	ICD-9-CM
973.1	Poisoning by irritant cathartics	Diagnosis	ICD-9-CM
973.2	Poisoning by emollient cathartics	Diagnosis	ICD-9-CM
973.3	Poisoning by other cathartics, including intestinal atonia drugs	Diagnosis	ICD-9-CM
973.4	Poisoning by digestants	Diagnosis	ICD-9-CM
973.5	Poisoning by antidiarrheal drugs	Diagnosis	ICD-9-CM
973.6	Poisoning by emetics	Diagnosis	ICD-9-CM
973.8	Poisoning by other specified agents primarily affecting the gastrointestinal system	Diagnosis	ICD-9-CM
973.9	Poisoning by unspecified agent primarily affecting the gastrointestinal system	Diagnosis	ICD-9-CM
974	Poisoning by water, mineral, and uric acid metabolism drugs	Diagnosis	ICD-9-CM
974.0	Poisoning by mercurial diuretics	Diagnosis	ICD-9-CM
974.1	Poisoning by purine derivative diuretics	Diagnosis	ICD-9-CM
974.2	Poisoning by carbonic acid anhydrase inhibitors	Diagnosis	ICD-9-CM
974.3	Poisoning by saluretics	Diagnosis	ICD-9-CM
974.4	Poisoning by other diuretics	Diagnosis	ICD-9-CM
974.5	Poisoning by electrolytic, caloric, and water-balance agents	Diagnosis	ICD-9-CM
974.6	Poisoning by other mineral salts, not elsewhere classified	Diagnosis	ICD-9-CM
974.7	Poisoning by uric acid metabolism drugs	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
975	Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system	Diagnosis	ICD-9-CM
975.0	Poisoning by oxytotic agents	Diagnosis	ICD-9-CM
975.1	Poisoning by smooth muscle relaxants	Diagnosis	ICD-9-CM
975.2	Poisoning by skeletal muscle relaxants	Diagnosis	ICD-9-CM
975.3	Poisoning by other and unspecified drugs acting on muscles	Diagnosis	ICD-9-CM
975.4	Poisoning by antitussives	Diagnosis	ICD-9-CM
975.5	Poisoning by expectorants	Diagnosis	ICD-9-CM
975.6	Poisoning by anti-common cold drugs	Diagnosis	ICD-9-CM
975.7	Poisoning by antiasthmatics	Diagnosis	ICD-9-CM
975.8	Poisoning by other and unspecified respiratory drugs	Diagnosis	ICD-9-CM
976	Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological, and dental drugs	Diagnosis	ICD-9-CM
976.0	Poisoning by local anti-infectives and anti-inflammatory drugs	Diagnosis	ICD-9-CM
976.1	Poisoning by antipruritics	Diagnosis	ICD-9-CM
976.2	Poisoning by local astringents and local detergents	Diagnosis	ICD-9-CM
976.3	Poisoning by emollients, demulcents, and protectants	Diagnosis	ICD-9-CM
976.4	Poisoning by keratolytics, keratoplastics, other hair treatment drugs and preparations	Diagnosis	ICD-9-CM
976.5	Poisoning by eye anti-infectives and other eye drugs	Diagnosis	ICD-9-CM
976.6	Poisoning by anti-infectives and other drugs and preparations for ear, nose, and throat	Diagnosis	ICD-9-CM
976.7	Poisoning by dental drugs topically applied	Diagnosis	ICD-9-CM
976.8	Poisoning by other agents primarily affecting skin and mucous membrane	Diagnosis	ICD-9-CM
976.9	Poisoning by unspecified agent primarily affecting skin and mucous membrane	Diagnosis	ICD-9-CM
977	Poisoning by other and unspecified drugs and medicinal substances	Diagnosis	ICD-9-CM
977.0	Poisoning by dietetics	Diagnosis	ICD-9-CM
977.1	Poisoning by lipotropic drugs	Diagnosis	ICD-9-CM
977.2	Poisoning by antidotes and chelating agents, not elsewhere classified	Diagnosis	ICD-9-CM
977.3	Poisoning by alcohol deterrents	Diagnosis	ICD-9-CM
977.4	Poisoning by pharmaceutical excipients	Diagnosis	ICD-9-CM
977.8	Poisoning by other specified drugs and medicinal substances	Diagnosis	ICD-9-CM
977.9	Poisoning by unspecified drug or medicinal substance	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
978	Poisoning by bacterial vaccines	Diagnosis	ICD-9-CM
978.0	Poisoning by BCG vaccine	Diagnosis	ICD-9-CM
978.1	Poisoning by typhoid and paratyphoid vaccine	Diagnosis	ICD-9-CM
978.2	Poisoning by cholera vaccine	Diagnosis	ICD-9-CM
978.3	Poisoning by plague vaccine	Diagnosis	ICD-9-CM
978.4	Poisoning by tetanus vaccine	Diagnosis	ICD-9-CM
978.5	Poisoning by diphtheria vaccine	Diagnosis	ICD-9-CM
978.6	Poisoning by pertussis vaccine, including combinations with pertussis component	Diagnosis	ICD-9-CM
978.8	Poisoning by other and unspecified bacterial vaccines	Diagnosis	ICD-9-CM
978.9	Poisoning by mixed bacterial vaccines, except combinations with pertussis component	Diagnosis	ICD-9-CM
979	Poisoning by other vaccines and biological substances	Diagnosis	ICD-9-CM
979.0	Poisoning by smallpox vaccine	Diagnosis	ICD-9-CM
979.1	Poisoning by rabies vaccine	Diagnosis	ICD-9-CM
979.2	Poisoning by typhus vaccine	Diagnosis	ICD-9-CM
979.3	Poisoning by yellow fever vaccine	Diagnosis	ICD-9-CM
979.4	Poisoning by measles vaccine	Diagnosis	ICD-9-CM
979.5	Poisoning by poliomyelitis vaccine	Diagnosis	ICD-9-CM
979.6	Poisoning by other and unspecified viral and rickettsial vaccines	Diagnosis	ICD-9-CM
979.7	Poisoning by mixed viral-rickettsial and bacterial vaccines, except combinations with pertussis component	Diagnosis	ICD-9-CM
979.9	Poisoning by other and unspecified vaccines and biological substances	Diagnosis	ICD-9-CM
980	Toxic effect of alcohol	Diagnosis	ICD-9-CM
980.0	Toxic effect of ethyl alcohol	Diagnosis	ICD-9-CM
980.1	Toxic effect of methyl alcohol	Diagnosis	ICD-9-CM
980.2	Toxic effect of isopropyl alcohol	Diagnosis	ICD-9-CM
980.3	Toxic effect of fusel oil	Diagnosis	ICD-9-CM
980.8	Toxic effect of other specified alcohols	Diagnosis	ICD-9-CM
980.9	Toxic effect of unspecified alcohol	Diagnosis	ICD-9-CM
981	Toxic effect of petroleum products	Diagnosis	ICD-9-CM
982	Toxic effect of solvents other than petroleum-based	Diagnosis	ICD-9-CM
982.0	Toxic effect of benzene and homologues	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
982.1	Toxic effect of carbon tetrachloride	Diagnosis	ICD-9-CM
982.2	Toxic effect of carbon disulfide	Diagnosis	ICD-9-CM
982.3	Toxic effect of other chlorinated hydrocarbon solvents	Diagnosis	ICD-9-CM
982.4	Toxic effect of nitroglycol	Diagnosis	ICD-9-CM
982.8	Toxic effect of other nonpetroleum-based solvents	Diagnosis	ICD-9-CM
983	Toxic effect of corrosive aromatics, acids, and caustic alkalis	Diagnosis	ICD-9-CM
983.0	Toxic effect of corrosive aromatics	Diagnosis	ICD-9-CM
983.1	Toxic effect of acids	Diagnosis	ICD-9-CM
983.2	Toxic effect of caustic alkalis	Diagnosis	ICD-9-CM
983.9	Toxic effect of caustic, unspecified	Diagnosis	ICD-9-CM
984	Toxic effect of lead and its compounds (including fumes)	Diagnosis	ICD-9-CM
984.0	Toxic effect of inorganic lead compounds	Diagnosis	ICD-9-CM
984.1	Toxic effect of organic lead compounds	Diagnosis	ICD-9-CM
984.8	Toxic effect of other lead compounds	Diagnosis	ICD-9-CM
984.9	Toxic effect of unspecified lead compound	Diagnosis	ICD-9-CM
985	Toxic effect of other metals	Diagnosis	ICD-9-CM
985.0	Toxic effect of mercury and its compounds	Diagnosis	ICD-9-CM
985.1	Toxic effect of arsenic and its compounds	Diagnosis	ICD-9-CM
985.2	Toxic effect of manganese and its compounds	Diagnosis	ICD-9-CM
985.3	Toxic effect of beryllium and its compounds	Diagnosis	ICD-9-CM
985.4	Toxic effect of antimony and its compounds	Diagnosis	ICD-9-CM
985.5	Toxic effect of cadmium and its compounds	Diagnosis	ICD-9-CM
985.6	Toxic effect of chromium	Diagnosis	ICD-9-CM
985.8	Toxic effect of other specified metals	Diagnosis	ICD-9-CM
985.9	Toxic effect of unspecified metal	Diagnosis	ICD-9-CM
986	Toxic effect of carbon monoxide	Diagnosis	ICD-9-CM
987	Toxic effect of other gases, fumes, or vapors	Diagnosis	ICD-9-CM
987.0	Toxic effect of liquefied petroleum gases	Diagnosis	ICD-9-CM
987.1	Toxic effect of other hydrocarbon gas	Diagnosis	ICD-9-CM
987.2	Toxic effect of nitrogen oxides	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
987.3	Toxic effect of sulfur dioxide	Diagnosis	ICD-9-CM
987.4	Toxic effect of freon	Diagnosis	ICD-9-CM
987.5	Toxic effect of lacrimogenic gas	Diagnosis	ICD-9-CM
987.6	Toxic effect of chlorine gas	Diagnosis	ICD-9-CM
987.7	Toxic effect of hydrocyanic acid gas	Diagnosis	ICD-9-CM
987.8	Toxic effect of other specified gases, fumes, or vapors	Diagnosis	ICD-9-CM
987.9	Toxic effect of unspecified gas, fume, or vapor	Diagnosis	ICD-9-CM
988	Toxic effect of noxious substances eaten as food	Diagnosis	ICD-9-CM
988.0	Toxic effect of fish and shellfish	Diagnosis	ICD-9-CM
988.1	Toxic effect of mushrooms	Diagnosis	ICD-9-CM
988.2	Toxic effect of berries and other plants	Diagnosis	ICD-9-CM
988.8	Toxic effect of other specified noxious substances	Diagnosis	ICD-9-CM
988.9	Toxic effect of unspecified noxious substance	Diagnosis	ICD-9-CM
989	Toxic effect of other substances, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
989.0	Toxic effect of hydrocyanic acid and cyanides	Diagnosis	ICD-9-CM
989.1	Toxic effect of strychnine and salts	Diagnosis	ICD-9-CM
989.2	Toxic effect of chlorinated hydrocarbons	Diagnosis	ICD-9-CM
989.3	Toxic effect of organophosphate and carbamate	Diagnosis	ICD-9-CM
989.4	Toxic effect of other pesticides, not elsewhere classified	Diagnosis	ICD-9-CM
989.5	Toxic effect of venom	Diagnosis	ICD-9-CM
989.6	Toxic effect of soaps and detergents	Diagnosis	ICD-9-CM
989.7	Toxic effect of aflatoxin and other mycotoxin (food contaminants)	Diagnosis	ICD-9-CM
989.8	Toxic effect of other substances, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
989.81	Toxic effect of asbestos	Diagnosis	ICD-9-CM
989.82	Toxic effect of latex	Diagnosis	ICD-9-CM
989.83	Toxic effect of silicone	Diagnosis	ICD-9-CM
989.84	Toxic effect of tobacco	Diagnosis	ICD-9-CM
989.89	Toxic effect of other substances	Diagnosis	ICD-9-CM
989.9	Toxic effect of unspecified substance, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
994.7	Asphyxiation and strangulation	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E950	Suicide and self-inflicted poisoning by solid or liquid substances	Diagnosis	ICD-9-CM
E951	Suicide and self-inflicted poisoning by gases in domestic use	Diagnosis	ICD-9-CM
E952	Suicide and self-inflicted poisoning by other gases and vapors	Diagnosis	ICD-9-CM
E953	Suicide and self-inflicted injury by hanging strangulation and suffocation	Diagnosis	ICD-9-CM
E954	Suicide and self-inflicted injury by submersion [drowning]	Diagnosis	ICD-9-CM
E955	Suicide and self-inflicted injury by firearms air guns and explosives	Diagnosis	ICD-9-CM
E956	Suicide and self-inflicted injury by cutting and piercing instrument	Diagnosis	ICD-9-CM
E957	Suicide and self-inflicted injuries by jumping from high place	Diagnosis	ICD-9-CM
E958	Suicide and self-inflicted injury by other and unspecified means	Diagnosis	ICD-9-CM
T14.91	Suicide attempt	Diagnosis	ICD-10-CM
T14.91XA	Suicide attempt, initial encounter	Diagnosis	ICD-10-CM
T14.91XD	Suicide attempt, subsequent encounter	Diagnosis	ICD-10-CM
T14.91XS	Suicide attempt, sequela	Diagnosis	ICD-10-CM
T36.0X2	Poisoning by penicillins, intentional self-harm	Diagnosis	ICD-10-CM
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.1X2	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.2X2	Poisoning by chloramphenicol group, intentional self-harm	Diagnosis	ICD-10-CM
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.3X2	Poisoning by macrolides, intentional self-harm	Diagnosis	ICD-10-CM
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.4X2	Poisoning by tetracyclines, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.5X2	Poisoning by aminoglycosides, intentional self-harm	Diagnosis	ICD-10-CM
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.6X2	Poisoning by rifampicins, intentional self-harm	Diagnosis	ICD-10-CM
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.7X2	Poisoning by antifungal antibiotics, systemically used, intentional self-harm	Diagnosis	ICD-10-CM
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.8X2	Poisoning by other systemic antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.92	Poisoning by unspecified systemic antibiotic, intentional self-harm	Diagnosis	ICD-10-CM
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.0X2	Poisoning by sulfonamides, intentional self-harm	Diagnosis	ICD-10-CM
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.1X2	Poisoning by antimycobacterial drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.2X2	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm	Diagnosis	ICD-10-CM
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.3X2	Poisoning by other antiprotozoal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.4X2	Poisoning by anthelmintics, intentional self-harm	Diagnosis	ICD-10-CM
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.5X2	Poisoning by antiviral drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.8X2	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.92	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.0X2	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm	Diagnosis	ICD-10-CM
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.1X2	Poisoning by thyroid hormones and substitutes, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.2X2	Poisoning by antithyroid drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.3X2	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.4X2	Poisoning by oral contraceptives, intentional self-harm	Diagnosis	ICD-10-CM
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.5X2	Poisoning by other estrogens and progestogens, intentional self-harm	Diagnosis	ICD-10-CM
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.6X2	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.6X2D	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.6X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.7X2	Poisoning by androgens and anabolic congeners, intentional self-harm	Diagnosis	ICD-10-CM
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.802	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.812	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm	Diagnosis	ICD-10-CM
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.892	Poisoning by other hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.902	Poisoning by unspecified hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.992	Poisoning by other hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.012	Poisoning by aspirin, intentional self-harm	Diagnosis	ICD-10-CM
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.092	Poisoning by salicylates, intentional self-harm	Diagnosis	ICD-10-CM
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.1X2	Poisoning by 4-Aminophenol derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.2X2	Poisoning by pyrazolone derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.312	Poisoning by propionic acid derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.392	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm	Diagnosis	ICD-10-CM
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.4X2	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.8X2	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.92	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm	Diagnosis	ICD-10-CM
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.0X2	Poisoning by opium, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.1X2	Poisoning by heroin, intentional self-harm	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.2X2	Poisoning by other opioids, intentional self-harm	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.3X2	Poisoning by methadone, intentional self-harm	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.412	Poisoning by fentanyl or fentanyl analogs, intentional self-harm	Diagnosis	ICD-10-CM
T40.412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.412D	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.422	Poisoning by tramadol, intentional self-harm	Diagnosis	ICD-10-CM
T40.422A	Poisoning by tramadol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.422D	Poisoning by tramadol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.422S	Poisoning by tramadol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.492	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.492D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.4X2	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.5X2	Poisoning by cocaine, intentional self-harm	Diagnosis	ICD-10-CM
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.602	Poisoning by unspecified narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.692	Poisoning by other narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.712	Poisoning by cannabis, intentional self-harm	Diagnosis	ICD-10-CM
T40.712A	Poisoning by cannabis, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.712D	Poisoning by cannabis, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.712S	Poisoning by cannabis, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.722	Poisoning by synthetic cannabinoids, intentional self-harm	Diagnosis	ICD-10-CM
T40.722A	Poisoning by synthetic cannabinoids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.722D	Poisoning by synthetic cannabinoids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.7X2	Poisoning by cannabis (derivatives), intentional self-harm	Diagnosis	ICD-10-CM
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.8X2	Poisoning by lysergide [LSD], intentional self-harm	Diagnosis	ICD-10-CM
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.902	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.992	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.0X2	Poisoning by inhaled anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.1X2	Poisoning by intravenous anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.202	Poisoning by unspecified general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.292	Poisoning by other general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.3X2	Poisoning by local anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.42	Poisoning by unspecified anesthetic, intentional self-harm	Diagnosis	ICD-10-CM
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.5X2	Poisoning by therapeutic gases, intentional self-harm	Diagnosis	ICD-10-CM
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.0X2	Poisoning by hydantoin derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.1X2	Poisoning by iminostilbenes, intentional self-harm	Diagnosis	ICD-10-CM
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.2X2	Poisoning by succinimides and oxazolidinediones, intentional self-harm	Diagnosis	ICD-10-CM
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.3X2	Poisoning by barbiturates, intentional self-harm	Diagnosis	ICD-10-CM
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.4X2	Poisoning by benzodiazepines, intentional self-harm	Diagnosis	ICD-10-CM
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.5X2	Poisoning by mixed antiepileptics, intentional self-harm	Diagnosis	ICD-10-CM
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.6X2	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.72	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.8X2	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm	Diagnosis	ICD-10-CM
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.012	Poisoning by tricyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.022	Poisoning by tetracyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.1X2	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.202	Poisoning by unspecified antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.212	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.222	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.292	Poisoning by other antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.3X2	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.4X2	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.502	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.592	Poisoning by other antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.602	Poisoning by unspecified psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.612	Poisoning by caffeine, intentional self-harm	Diagnosis	ICD-10-CM
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.622	Poisoning by amphetamines, intentional self-harm	Diagnosis	ICD-10-CM
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.632	Poisoning by methylphenidate, intentional self-harm	Diagnosis	ICD-10-CM
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.642	Poisoning by ecstasy, intentional self-harm	Diagnosis	ICD-10-CM
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.642S	Poisoning by ecstasy, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.692	Poisoning by other psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.8X2	Poisoning by other psychotropic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.92	Poisoning by unspecified psychotropic drug, intentional self-harm	Diagnosis	ICD-10-CM
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.0X2	Poisoning by anticholinesterase agents, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.1X2	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm	Diagnosis	ICD-10-CM
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.2X2	Poisoning by ganglionic blocking drugs, intentional self-harm	Diagnosis	ICD-10-CM
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.3X2	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm	Diagnosis	ICD-10-CM
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.4X2	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.5X2	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.6X2	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.7X2	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.8X2	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.902	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.992	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X2	Poisoning by antiallergic and antiemetic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.1X2	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.2X2	Poisoning by vitamins, intentional self-harm	Diagnosis	ICD-10-CM
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.3X2	Poisoning by enzymes, intentional self-harm	Diagnosis	ICD-10-CM
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.4X2	Poisoning by iron and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.512	Poisoning by anticoagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.522	Poisoning by antithrombotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.602	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.612	Poisoning by thrombolytic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.622	Poisoning by hemostatic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.692	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.7X2	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.8X2	Poisoning by other primarily systemic and hematological agents, intentional self-harm	Diagnosis	ICD-10-CM
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.92	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm	Diagnosis	ICD-10-CM
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.0X2	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm	Diagnosis	ICD-10-CM
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.1X2	Poisoning by calcium-channel blockers, intentional self-harm	Diagnosis	ICD-10-CM
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.2X2	Poisoning by other antidysrhythmic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.3X2	Poisoning by coronary vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.4X2	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.5X2	Poisoning by other antihypertensive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.6X2	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.7X2	Poisoning by peripheral vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.8X2	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm	Diagnosis	ICD-10-CM
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.902	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.992	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.0X2	Poisoning by histamine H2-receptor blockers, intentional self-harm	Diagnosis	ICD-10-CM
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.1X2	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.2X2	Poisoning by stimulant laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.3X2	Poisoning by saline and osmotic laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.4X2	Poisoning by other laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.5X2	Poisoning by digestants, intentional self-harm	Diagnosis	ICD-10-CM
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.6X2	Poisoning by antidiarrheal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.7X2	Poisoning by emetics, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.8X2	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.92	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.0X2	Poisoning by oxytocic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.0X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.0X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.1X2	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm	Diagnosis	ICD-10-CM
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.202	Poisoning by unspecified drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.292	Poisoning by other drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.3X2	Poisoning by antitussives, intentional self-harm	Diagnosis	ICD-10-CM
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.4X2	Poisoning by expectorants, intentional self-harm	Diagnosis	ICD-10-CM
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.5X2	Poisoning by other anti-common-cold drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.6X2	Poisoning by antiasthmatics, intentional self-harm	Diagnosis	ICD-10-CM
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.902	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.992	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.0X2	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm	Diagnosis	ICD-10-CM
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.1X2	Poisoning by antipruritics, intentional self-harm	Diagnosis	ICD-10-CM
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.2X2	Poisoning by local astringents and local detergents, intentional self-harm	Diagnosis	ICD-10-CM
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.3X2	Poisoning by emollients, demulcents and protectants, intentional self-harm	Diagnosis	ICD-10-CM
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.4X2	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.5X2	Poisoning by ophthalmological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.6X2	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.7X2	Poisoning by dental drugs, topically applied, intentional self-harm	Diagnosis	ICD-10-CM
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.8X2	Poisoning by other topical agents, intentional self-harm	Diagnosis	ICD-10-CM
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.92	Poisoning by unspecified topical agent, intentional self-harm	Diagnosis	ICD-10-CM
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X2	Poisoning by mineralocorticoids and their antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.1X2	Poisoning by loop [high-ceiling] diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.2X2	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.2X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.3X2	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.3X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.4X2	Poisoning by drugs affecting uric acid metabolism, intentional self-harm	Diagnosis	ICD-10-CM
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.5X2	Poisoning by appetite depressants, intentional self-harm	Diagnosis	ICD-10-CM
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.6X2	Poisoning by antidotes and chelating agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.7X2	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.8X2	Poisoning by diagnostic agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.902	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.912	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.912A	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.912D	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.992	Poisoning by other drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A12	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A22	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A92	Poisoning by other bacterial vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B12	Poisoning by smallpox vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B92	Poisoning by other viral vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z12	Poisoning by immunoglobulin, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z92	Poisoning by other vaccines and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.OX2	Toxic effect of ethanol, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.1X2	Toxic effect of methanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.2X2	Toxic effect of 2-Propanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.3X2	Toxic effect of fusel oil, intentional self-harm	Diagnosis	ICD-10-CM
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.8X2	Toxic effect of other alcohols, intentional self-harm	Diagnosis	ICD-10-CM
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.92	Toxic effect of unspecified alcohol, intentional self-harm	Diagnosis	ICD-10-CM
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.0X2	Toxic effect of petroleum products, intentional self-harm	Diagnosis	ICD-10-CM
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.1X2	Toxic effect of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.2X2	Toxic effect of homologues of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.3X2	Toxic effect of glycols, intentional self-harm	Diagnosis	ICD-10-CM
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.4X2	Toxic effect of ketones, intentional self-harm	Diagnosis	ICD-10-CM
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.8X2	Toxic effect of other organic solvents, intentional self-harm	Diagnosis	ICD-10-CM
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.92	Toxic effect of unspecified organic solvent, intentional self-harm	Diagnosis	ICD-10-CM
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.0X2	Toxic effect of carbon tetrachloride, intentional self-harm	Diagnosis	ICD-10-CM
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.1X2	Toxic effect of chloroform, intentional self-harm	Diagnosis	ICD-10-CM
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.2X2	Toxic effect of trichloroethylene, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.3X2	Toxic effect of tetrachloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.4X2	Toxic effect of dichloromethane, intentional self-harm	Diagnosis	ICD-10-CM
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.5X2	Toxic effect of chlorofluorocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.6X2	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.7X2	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.92	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.0X2	Toxic effect of phenol and phenol homologues, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.1X2	Toxic effect of other corrosive organic compounds, intentional self-harm	Diagnosis	ICD-10-CM
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.2X2	Toxic effect of corrosive acids and acid-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.3X2	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.92	Toxic effect of unspecified corrosive substance, intentional self-harm	Diagnosis	ICD-10-CM
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.0X2	Toxic effect of soaps, intentional self-harm	Diagnosis	ICD-10-CM
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.1X2	Toxic effect of detergents, intentional self-harm	Diagnosis	ICD-10-CM
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.0X2	Toxic effect of lead and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.1X2	Toxic effect of mercury and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.2X2	Toxic effect of chromium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.3X2	Toxic effect of cadmium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.4X2	Toxic effect of copper and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.5X2	Toxic effect of zinc and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.6X2	Toxic effect of tin and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.7X2	Toxic effect of beryllium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.812	Toxic effect of thallium, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.892	Toxic effect of other metals, intentional self-harm	Diagnosis	ICD-10-CM
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.92	Toxic effect of unspecified metal, intentional self-harm	Diagnosis	ICD-10-CM
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.0X2	Toxic effect of arsenic and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.1X2	Toxic effect of phosphorus and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.2X2	Toxic effect of manganese and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.3X2	Toxic effect of hydrogen cyanide, intentional self-harm	Diagnosis	ICD-10-CM
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.8X2	Toxic effect of other specified inorganic substances, intentional self-harm	Diagnosis	ICD-10-CM
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.92	Toxic effect of unspecified inorganic substance, intentional self-harm	Diagnosis	ICD-10-CM
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.02	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm	Diagnosis	ICD-10-CM
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.12	Toxic effect of carbon monoxide from utility gas, intentional self-harm	Diagnosis	ICD-10-CM
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.2X2	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm	Diagnosis	ICD-10-CM
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.2X2D	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.8X2	Toxic effect of carbon monoxide from other source, intentional self-harm	Diagnosis	ICD-10-CM
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.92	Toxic effect of carbon monoxide from unspecified source, intentional self-harm	Diagnosis	ICD-10-CM
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.0X2	Toxic effect of nitrogen oxides, intentional self-harm	Diagnosis	ICD-10-CM
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.1X2	Toxic effect of sulfur dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.2X2	Toxic effect of formaldehyde, intentional self-harm	Diagnosis	ICD-10-CM
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.3X2	Toxic effect of lacrimogenic gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.4X2	Toxic effect of chlorine gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.5X2	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm	Diagnosis	ICD-10-CM
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.6X2	Toxic effect of hydrogen sulfide, intentional self-harm	Diagnosis	ICD-10-CM
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.7X2	Toxic effect of carbon dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.812	Toxic effect of smoke, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.892	Toxic effect of other specified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.92	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.0X2	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.1X2	Toxic effect of halogenated insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.2X2	Toxic effect of other insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.3X2	Toxic effect of herbicides and fungicides, intentional self-harm	Diagnosis	ICD-10-CM
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.4X2	Toxic effect of rodenticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.8X2	Toxic effect of other pesticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.92	Toxic effect of unspecified pesticide, intentional self-harm	Diagnosis	ICD-10-CM
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.02	Ciguatera fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.12	Scombroid fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.772	Other fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.772S	Other fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.782	Other shellfish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.8X2	Toxic effect of other seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.92	Toxic effect of unspecified seafood, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.0X2	Toxic effect of ingested mushrooms, intentional self-harm	Diagnosis	ICD-10-CM
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.1X2	Toxic effect of ingested berries, intentional self-harm	Diagnosis	ICD-10-CM
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.2X2	Toxic effect of other ingested (parts of) plant(s), intentional self-harm	Diagnosis	ICD-10-CM
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.8X2	Toxic effect of other specified noxious substances eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.92	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.002	Toxic effect of unspecified snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.012	Toxic effect of rattlesnake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.022	Toxic effect of coral snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.032	Toxic effect of taipan venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.042	Toxic effect of cobra venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.062	Toxic effect of venom of other North and South American snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.072	Toxic effect of venom of other Australian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.082	Toxic effect of venom of other African and Asian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.092	Toxic effect of venom of other snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.112	Toxic effect of venom of gila monster, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.122	Toxic effect of venom of other venomous lizard, intentional self-harm	Diagnosis	ICD-10-CM
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.192	Toxic effect of venom of other reptiles, intentional self-harm	Diagnosis	ICD-10-CM
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.2X2	Toxic effect of venom of scorpion, intentional self-harm	Diagnosis	ICD-10-CM
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.302	Toxic effect of unspecified spider venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.312	Toxic effect of venom of black widow spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.322	Toxic effect of venom of tarantula, intentional self-harm	Diagnosis	ICD-10-CM
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.332	Toxic effect of venom of brown recluse spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.392	Toxic effect of venom of other spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.412	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm	Diagnosis	ICD-10-CM
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.422	Toxic effect of venom of ants, intentional self-harm	Diagnosis	ICD-10-CM
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.432	Toxic effect of venom of caterpillars, intentional self-harm	Diagnosis	ICD-10-CM
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.442	Toxic effect of venom of bees, intentional self-harm	Diagnosis	ICD-10-CM
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.452	Toxic effect of venom of hornets, intentional self-harm	Diagnosis	ICD-10-CM
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.462	Toxic effect of venom of wasps, intentional self-harm	Diagnosis	ICD-10-CM
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.482	Toxic effect of venom of other arthropod, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.512	Toxic effect of contact with stingray, intentional self-harm	Diagnosis	ICD-10-CM
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.592	Toxic effect of contact with other venomous fish, intentional self-harm	Diagnosis	ICD-10-CM
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.612	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm	Diagnosis	ICD-10-CM
T63.612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.622	Toxic effect of contact with other jellyfish, intentional self-harm	Diagnosis	ICD-10-CM
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.632	Toxic effect of contact with sea anemone, intentional self-harm	Diagnosis	ICD-10-CM
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.692	Toxic effect of contact with other venomous marine animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.712	Toxic effect of contact with venomous marine plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.792	Toxic effect of contact with other venomous plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.812	Toxic effect of contact with venomous frog, intentional self-harm	Diagnosis	ICD-10-CM
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.822	Toxic effect of contact with venomous toad, intentional self-harm	Diagnosis	ICD-10-CM
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.832	Toxic effect of contact with other venomous amphibian, intentional self-harm	Diagnosis	ICD-10-CM
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.892	Toxic effect of contact with other venomous animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.92	Toxic effect of contact with unspecified venomous animal, intentional self-harm	Diagnosis	ICD-10-CM
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.02	Toxic effect of aflatoxin, intentional self-harm	Diagnosis	ICD-10-CM
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.82	Toxic effect of other mycotoxin food contaminants, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.0X2	Toxic effect of cyanides, intentional self-harm	Diagnosis	ICD-10-CM
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.1X2	Toxic effect of strychnine and its salts, intentional self-harm	Diagnosis	ICD-10-CM
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.212	Toxic effect of chewing tobacco, intentional self-harm	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.222	Toxic effect of tobacco cigarettes, intentional self-harm	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.292	Toxic effect of other tobacco and nicotine, intentional self-harm	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm	Diagnosis	ICD-10-CM
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter		
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2S	Toxic effect of carbon disulfide, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.4X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.5X2	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm	Diagnosis	ICD-10-CM
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.5X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.6X2	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.6X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.812	Toxic effect of latex, intentional self-harm	Diagnosis	ICD-10-CM
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.812S	Toxic effect of latex, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.822	Toxic effect of harmful algae and algae toxins, intentional self-harm	Diagnosis	ICD-10-CM
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.832	Toxic effect of fiberglass, intentional self-harm	Diagnosis	ICD-10-CM
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.892	Toxic effect of other specified substances, intentional self-harm	Diagnosis	ICD-10-CM
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.92	Toxic effect of unspecified substance, intentional self-harm	Diagnosis	ICD-10-CM
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.112	Asphyxiation due to smothering under pillow, intentional self-harm	Diagnosis	ICD-10-CM
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.122	Asphyxiation due to plastic bag, intentional self-harm	Diagnosis	ICD-10-CM
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.132	Asphyxiation due to being trapped in bed linens, intentional self-harm	Diagnosis	ICD-10-CM
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.152	Asphyxiation due to smothering in furniture, intentional self-harm	Diagnosis	ICD-10-CM
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.162	Asphyxiation due to hanging, intentional self-harm	Diagnosis	ICD-10-CM
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.192	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm	Diagnosis	ICD-10-CM
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.222	Asphyxiation due to being trapped in a car trunk, intentional self-harm	Diagnosis	ICD-10-CM
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.232	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Diagnosis	ICD-10-CM
X71	Intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.0	Intentional self-harm by drowning and submersion while in bathtub	Diagnosis	ICD-10-CM
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Diagnosis	ICD-10-CM
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Diagnosis	ICD-10-CM
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Diagnosis	ICD-10-CM
X71.1	Intentional self-harm by drowning and submersion while in swimming pool	Diagnosis	ICD-10-CM
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Diagnosis	ICD-10-CM
X71.2	Intentional self-harm by drowning and submersion after jump into swimming pool	Diagnosis	ICD-10-CM
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Diagnosis	ICD-10-CM
X71.3	Intentional self-harm by drowning and submersion in natural water	Diagnosis	ICD-10-CM
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	Diagnosis	ICD-10-CM
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Diagnosis	ICD-10-CM
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Diagnosis	ICD-10-CM
X71.8	Other intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	Diagnosis	ICD-10-CM
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	Diagnosis	ICD-10-CM
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	Diagnosis	ICD-10-CM
X71.9	Intentional self-harm by drowning and submersion, unspecified	Diagnosis	ICD-10-CM
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Diagnosis	ICD-10-CM
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Diagnosis	ICD-10-CM
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Diagnosis	ICD-10-CM
X72	Intentional self-harm by handgun discharge	Diagnosis	ICD-10-CM
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X72.XXXS	Intentional self-harm by handgun discharge, sequela	Diagnosis	ICD-10-CM
X73	Intentional self-harm by rifle, shotgun and larger firearm discharge	Diagnosis	ICD-10-CM
X73.0	Intentional self-harm by shotgun discharge	Diagnosis	ICD-10-CM
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	Diagnosis	ICD-10-CM
X73.1	Intentional self-harm by hunting rifle discharge	Diagnosis	ICD-10-CM
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	Diagnosis	ICD-10-CM
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	Diagnosis	ICD-10-CM
X73.2	Intentional self-harm by machine gun discharge	Diagnosis	ICD-10-CM
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	Diagnosis	ICD-10-CM
X73.8	Intentional self-harm by other larger firearm discharge	Diagnosis	ICD-10-CM
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X73.9	Intentional self-harm by unspecified larger firearm discharge	Diagnosis	ICD-10-CM
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X74	Intentional self-harm by other and unspecified firearm and gun discharge	Diagnosis	ICD-10-CM
X74.0	Intentional self-harm by gas, air or spring-operated guns	Diagnosis	ICD-10-CM
X74.01	Intentional self-harm by airgun	Diagnosis	ICD-10-CM
X74.01XA	Intentional self-harm by airgun, initial encounter	Diagnosis	ICD-10-CM
X74.01XD	Intentional self-harm by airgun, subsequent encounter	Diagnosis	ICD-10-CM
X74.01XS	Intentional self-harm by airgun, sequela	Diagnosis	ICD-10-CM
X74.02	Intentional self-harm by paintball gun	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X74.02XA	Intentional self-harm by paintball gun, initial encounter	Diagnosis	ICD-10-CM
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.02XS	Intentional self-harm by paintball gun, sequela	Diagnosis	ICD-10-CM
X74.09	Intentional self-harm by other gas, air or spring-operated gun	Diagnosis	ICD-10-CM
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Diagnosis	ICD-10-CM
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Diagnosis	ICD-10-CM
X74.8	Intentional self-harm by other firearm discharge	Diagnosis	ICD-10-CM
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.9	Intentional self-harm by unspecified firearm discharge	Diagnosis	ICD-10-CM
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	Diagnosis	ICD-10-CM
X75	Intentional self-harm by explosive material	Diagnosis	ICD-10-CM
X75.XXXA	Intentional self-harm by explosive material, initial encounter	Diagnosis	ICD-10-CM
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	Diagnosis	ICD-10-CM
X75.XXXS	Intentional self-harm by explosive material, sequela	Diagnosis	ICD-10-CM
X76	Intentional self-harm by smoke, fire and flames	Diagnosis	ICD-10-CM
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	Diagnosis	ICD-10-CM
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	Diagnosis	ICD-10-CM
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	Diagnosis	ICD-10-CM
X77	Intentional self-harm by steam, hot vapors and hot objects	Diagnosis	ICD-10-CM
X77.0	Intentional self-harm by steam or hot vapors	Diagnosis	ICD-10-CM
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	Diagnosis	ICD-10-CM
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	Diagnosis	ICD-10-CM
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	Diagnosis	ICD-10-CM
X77.1	Intentional self-harm by hot tap water	Diagnosis	ICD-10-CM
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	Diagnosis	ICD-10-CM
X77.1XXS	Intentional self-harm by hot tap water, sequela	Diagnosis	ICD-10-CM
X77.2	Intentional self-harm by other hot fluids	Diagnosis	ICD-10-CM
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	Diagnosis	ICD-10-CM
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	Diagnosis	ICD-10-CM
X77.2XXS	Intentional self-harm by other hot fluids, sequela	Diagnosis	ICD-10-CM
X77.3	Intentional self-harm by hot household appliances	Diagnosis	ICD-10-CM
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	Diagnosis	ICD-10-CM
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	Diagnosis	ICD-10-CM
X77.3XXS	Intentional self-harm by hot household appliances, sequela	Diagnosis	ICD-10-CM
X77.8	Intentional self-harm by other hot objects	Diagnosis	ICD-10-CM
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.8XXS	Intentional self-harm by other hot objects, sequela	Diagnosis	ICD-10-CM
X77.9	Intentional self-harm by unspecified hot objects	Diagnosis	ICD-10-CM
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	Diagnosis	ICD-10-CM
X78	Intentional self-harm by sharp object	Diagnosis	ICD-10-CM
X78.0	Intentional self-harm by sharp glass	Diagnosis	ICD-10-CM
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	Diagnosis	ICD-10-CM
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	Diagnosis	ICD-10-CM
X78.0XXS	Intentional self-harm by sharp glass, sequela	Diagnosis	ICD-10-CM
X78.1	Intentional self-harm by knife	Diagnosis	ICD-10-CM
X78.1XXA	Intentional self-harm by knife, initial encounter	Diagnosis	ICD-10-CM
X78.1XXD	Intentional self-harm by knife, subsequent encounter	Diagnosis	ICD-10-CM
X78.1XXS	Intentional self-harm by knife, sequela	Diagnosis	ICD-10-CM
X78.2	Intentional self-harm by sword or dagger	Diagnosis	ICD-10-CM
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	Diagnosis	ICD-10-CM
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X78.2XXS	Intentional self-harm by sword or dagger, sequela	Diagnosis	ICD-10-CM
X78.8	Intentional self-harm by other sharp object	Diagnosis	ICD-10-CM
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.8XXS	Intentional self-harm by other sharp object, sequela	Diagnosis	ICD-10-CM
X78.9	Intentional self-harm by unspecified sharp object	Diagnosis	ICD-10-CM
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	Diagnosis	ICD-10-CM
X79	Intentional self-harm by blunt object	Diagnosis	ICD-10-CM
X79.XXXA	Intentional self-harm by blunt object, initial encounter	Diagnosis	ICD-10-CM
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	Diagnosis	ICD-10-CM
X79.XXXS	Intentional self-harm by blunt object, sequela	Diagnosis	ICD-10-CM
X80	Intentional self-harm by jumping from a high place	Diagnosis	ICD-10-CM
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	Diagnosis	ICD-10-CM
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	Diagnosis	ICD-10-CM
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	Diagnosis	ICD-10-CM
X81	Intentional self-harm by jumping or lying in front of moving object	Diagnosis	ICD-10-CM
X81.0	Intentional self-harm by jumping or lying in front of motor vehicle	Diagnosis	ICD-10-CM
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Diagnosis	ICD-10-CM
X81.1	Intentional self-harm by jumping or lying in front of (subway) train	Diagnosis	ICD-10-CM
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Diagnosis	ICD-10-CM
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	Diagnosis	ICD-10-CM
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Diagnosis	ICD-10-CM
X81.8	Intentional self-harm by jumping or lying in front of other moving object	Diagnosis	ICD-10-CM
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	Diagnosis	ICD-10-CM
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	Diagnosis	ICD-10-CM
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X82	Intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.0	Intentional collision of motor vehicle with other motor vehicle	Diagnosis	ICD-10-CM
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.0XXS	Intentional collision of motor vehicle with other motor vehicle, sequela	Diagnosis	ICD-10-CM
X82.1	Intentional collision of motor vehicle with train	Diagnosis	ICD-10-CM
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	Diagnosis	ICD-10-CM
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	Diagnosis	ICD-10-CM
X82.1XXS	Intentional collision of motor vehicle with train, sequela	Diagnosis	ICD-10-CM
X82.2	Intentional collision of motor vehicle with tree	Diagnosis	ICD-10-CM
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	Diagnosis	ICD-10-CM
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	Diagnosis	ICD-10-CM
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	Diagnosis	ICD-10-CM
X82.8	Other intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Diagnosis	ICD-10-CM
X83	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.0	Intentional self-harm by crashing of aircraft	Diagnosis	ICD-10-CM
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	Diagnosis	ICD-10-CM
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	Diagnosis	ICD-10-CM
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	Diagnosis	ICD-10-CM
X83.1	Intentional self-harm by electrocution	Diagnosis	ICD-10-CM
X83.1XXA	Intentional self-harm by electrocution, initial encounter	Diagnosis	ICD-10-CM
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	Diagnosis	ICD-10-CM
X83.1XXS	Intentional self-harm by electrocution, sequela	Diagnosis	ICD-10-CM
X83.2	Intentional self-harm by exposure to extremes of cold	Diagnosis	ICD-10-CM
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	Diagnosis	ICD-10-CM
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Diagnosis	ICD-10-CM
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X83.8	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.8XXA	Intentional self-harm by other specified means, initial encounter	Diagnosis	ICD-10-CM
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	Diagnosis	ICD-10-CM
X83.8XXS	Intentional self-harm by other specified means, sequela	Diagnosis	ICD-10-CM
Psychiatric drug dispensings			
80184	Phenobarbital	Procedure	CPT-4
C9035	Injection, aripiprazole lauroxil (Aristada Initio), 1 mg	Procedure	HCPCS
C9037	Injection, risperidone (Perseris), 0.5 mg	Procedure	HCPCS
C9055	Injection, brexanolone, 1 mg	Procedure	HCPCS
C9470	Injection, aripiprazole lauroxil, 1 mg	Procedure	HCPCS
C9497	Loxapine, inhalation powder, 10 mg	Procedure	HCPCS
G2082	Office or other outpatient visit for the evaluation and management of an established patient that requires the supervision of a physician or other qualified health care professional and provision of up to 56 mg of esketamine nasal self administration, includes 2 hours post administration observation	Procedure	HCPCS
	Office or other outpatient visit for the evaluation and management of an established patient that requires the supervision of a physician or other qualified health care professional and provision of greater than 56 mg esketamine nasal self administration, includes 2 hours post administration observation		
G2083	nasal self administration, includes 2 hours post administration observation	Procedure	HCPCS
J0400	Injection, aripiprazole, intramuscular, 0.25 mg	Procedure	HCPCS
J0401	Injection, aripiprazole, extended release, 1 mg	Procedure	HCPCS
J1320	Injection, amitriptyline HCl, up to 20 mg	Procedure	HCPCS
J1630	Injection, haloperidol, up to 5 mg	Procedure	HCPCS
J1631	Injection, haloperidol decanoate, per 50 mg	Procedure	HCPCS
J1632	Injection, brexanolone, 1 mg	Procedure	HCPCS
J1790	Injection, droperidol, up to 5 mg	Procedure	HCPCS
J1810	Injection, droperidol and fentanyl citrate, up to 2 ml ampule	Procedure	HCPCS
J1942	Injection, aripiprazole lauroxil, 1 mg	Procedure	HCPCS
J1990	Injection, chlordiazepoxide HCl, up to 100 mg	Procedure	HCPCS
J2060	Injection, lorazepam, 2 mg	Procedure	HCPCS
J2062	Loxapine for inhalation, 1 mg	Procedure	HCPCS
J2358	Injection, olanzapine, long-acting, 1 mg	Procedure	HCPCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
J2426	Injection, paliperidone palmitate extended release, 1 mg	Procedure	HCPCS
J2515	Injection, pentobarbital sodium, per 50 mg	Procedure	HCPCS
J2560	Injection, phenobarbital sodium, up to 120 mg	Procedure	HCPCS
J2561	Injection, phenobarbital sodium (Sezaby), 1 mg	Procedure	HCPCS
J2680	Injection, fluphenazine decanoate, up to 25 mg	Procedure	HCPCS
J2794	Injection, risperidone (RISPERDAL CONSTA), 0.5 mg	Procedure	HCPCS
J3230	Injection, chlorpromazine HCl, up to 50 mg	Procedure	HCPCS
J3310	Injection, perphenazine, up to 5 mg	Procedure	HCPCS
J3360	Injection, diazepam, up to 5 mg	Procedure	HCPCS
J3486	Injection, ziprasidone mesylate, 10 mg	Procedure	HCPCS
S0013	Esketamine, nasal spray, 1 mg	Procedure	HCPCS
S0136	Clozapine, 25 mg	Procedure	HCPCS
S0160	Dextroamphetamine sulfate, 5 mg	Procedure	HCPCS
S0166	Injection, olanzapine, 2.5 mg	Procedure	HCPCS
S0183	Prochlorperazine maleate, oral, 5 mg (for circumstances falling under the Medicare statute, use Q0164)	Procedure	HCPCS
Intentional Self-Harm (Covariate)			
E950	Suicide and self-inflicted poisoning by solid or liquid substances	Diagnosis	ICD-9-CM
E951	Suicide and self-inflicted poisoning by gases in domestic use	Diagnosis	ICD-9-CM
E952	Suicide and self-inflicted poisoning by other gases and vapors	Diagnosis	ICD-9-CM
E953	Suicide and self-inflicted injury by hanging strangulation and suffocation	Diagnosis	ICD-9-CM
E954	Suicide and self-inflicted injury by submersion [drowning]	Diagnosis	ICD-9-CM
E955	Suicide and self-inflicted injury by firearms air guns and explosives	Diagnosis	ICD-9-CM
E956	Suicide and self-inflicted injury by cutting and piercing instrument	Diagnosis	ICD-9-CM
E957	Suicide and self-inflicted injuries by jumping from high place	Diagnosis	ICD-9-CM
E958	Suicide and self-inflicted injury by other and unspecified means	Diagnosis	ICD-9-CM
T14.91	Suicide attempt	Diagnosis	ICD-10-CM
T14.91XA	Suicide attempt, initial encounter	Diagnosis	ICD-10-CM
T14.91XD	Suicide attempt, subsequent encounter	Diagnosis	ICD-10-CM
T14.91XS	Suicide attempt, sequela	Diagnosis	ICD-10-CM
T36.0X2	Poisoning by penicillins, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.1X2	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.2X2	Poisoning by chloramphenicol group, intentional self-harm	Diagnosis	ICD-10-CM
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.3X2	Poisoning by macrolides, intentional self-harm	Diagnosis	ICD-10-CM
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.4X2	Poisoning by tetracyclines, intentional self-harm	Diagnosis	ICD-10-CM
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.5X2	Poisoning by aminoglycosides, intentional self-harm	Diagnosis	ICD-10-CM
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.6X2	Poisoning by rifampicins, intentional self-harm	Diagnosis	ICD-10-CM
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.7X2	Poisoning by antifungal antibiotics, systemically used, intentional self-harm	Diagnosis	ICD-10-CM
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.8X2	Poisoning by other systemic antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.92	Poisoning by unspecified systemic antibiotic, intentional self-harm	Diagnosis	ICD-10-CM
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.0X2	Poisoning by sulfonamides, intentional self-harm	Diagnosis	ICD-10-CM
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.1X2	Poisoning by antimycobacterial drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.2X2	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm	Diagnosis	ICD-10-CM
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.3X2	Poisoning by other antiprotozoal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.4X2	Poisoning by anthelmintics, intentional self-harm	Diagnosis	ICD-10-CM
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.5X2	Poisoning by antiviral drugs, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.8X2	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.92	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.0X2	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm	Diagnosis	ICD-10-CM
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.1X2	Poisoning by thyroid hormones and substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.2X2	Poisoning by antithyroid drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.3X2	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.4X2	Poisoning by oral contraceptives, intentional self-harm	Diagnosis	ICD-10-CM
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.5X2	Poisoning by other estrogens and progestogens, intentional self-harm	Diagnosis	ICD-10-CM
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.6X2	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.6X2D	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.6X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.7X2	Poisoning by androgens and anabolic congeners, intentional self-harm	Diagnosis	ICD-10-CM
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.802	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.812	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm	Diagnosis	ICD-10-CM
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.892	Poisoning by other hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.902	Poisoning by unspecified hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.992	Poisoning by other hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.012	Poisoning by aspirin, intentional self-harm	Diagnosis	ICD-10-CM
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.092	Poisoning by salicylates, intentional self-harm	Diagnosis	ICD-10-CM
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.1X2	Poisoning by 4-Aminophenol derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.2X2	Poisoning by pyrazolone derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.312	Poisoning by propionic acid derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.392	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm	Diagnosis	ICD-10-CM
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T39.4X2	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.8X2	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.92	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm	Diagnosis	ICD-10-CM
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.0X2	Poisoning by opium, intentional self-harm	Diagnosis	ICD-10-CM
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.1X2	Poisoning by heroin, intentional self-harm	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.2X2	Poisoning by other opioids, intentional self-harm	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.3X2	Poisoning by methadone, intentional self-harm	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.412	Poisoning by fentanyl or fentanyl analogs, intentional self-harm	Diagnosis	ICD-10-CM
T40.412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.412D	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.422	Poisoning by tramadol, intentional self-harm	Diagnosis	ICD-10-CM
T40.422A	Poisoning by tramadol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.422D	Poisoning by tramadol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.422S	Poisoning by tramadol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.492	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.492D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.4X2	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.5X2	Poisoning by cocaine, intentional self-harm	Diagnosis	ICD-10-CM
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.602	Poisoning by unspecified narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.692	Poisoning by other narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.712	Poisoning by cannabis, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.712A	Poisoning by cannabis, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.712D	Poisoning by cannabis, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.712S	Poisoning by cannabis, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.722	Poisoning by synthetic cannabinoids, intentional self-harm	Diagnosis	ICD-10-CM
T40.722A	Poisoning by synthetic cannabinoids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.722D	Poisoning by synthetic cannabinoids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.7X2	Poisoning by cannabis (derivatives), intentional self-harm	Diagnosis	ICD-10-CM
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.8X2	Poisoning by lysergide [LSD], intentional self-harm	Diagnosis	ICD-10-CM
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.902	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.992	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.0X2	Poisoning by inhaled anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.1X2	Poisoning by intravenous anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.202	Poisoning by unspecified general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.292	Poisoning by other general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.3X2	Poisoning by local anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.42	Poisoning by unspecified anesthetic, intentional self-harm	Diagnosis	ICD-10-CM
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.5X2	Poisoning by therapeutic gases, intentional self-harm	Diagnosis	ICD-10-CM
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.0X2	Poisoning by hydantoin derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.1X2	Poisoning by iminostilbenes, intentional self-harm	Diagnosis	ICD-10-CM
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.2X2	Poisoning by succinimides and oxazolidinediones, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.3X2	Poisoning by barbiturates, intentional self-harm	Diagnosis	ICD-10-CM
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.4X2	Poisoning by benzodiazepines, intentional self-harm	Diagnosis	ICD-10-CM
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.5X2	Poisoning by mixed antiepileptics, intentional self-harm	Diagnosis	ICD-10-CM
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.6X2	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.72	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.8X2	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm	Diagnosis	ICD-10-CM
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.012	Poisoning by tricyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.022	Poisoning by tetracyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.1X2	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.202	Poisoning by unspecified antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.212	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.222	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.292	Poisoning by other antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.3X2	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.4X2	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.502	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.592	Poisoning by other antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.602	Poisoning by unspecified psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.612	Poisoning by caffeine, intentional self-harm	Diagnosis	ICD-10-CM
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.622	Poisoning by amphetamines, intentional self-harm	Diagnosis	ICD-10-CM
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.632	Poisoning by methylphenidate, intentional self-harm	Diagnosis	ICD-10-CM
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.642	Poisoning by ecstasy, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.642S	Poisoning by ecstasy, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.692	Poisoning by other psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.8X2	Poisoning by other psychotropic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.92	Poisoning by unspecified psychotropic drug, intentional self-harm	Diagnosis	ICD-10-CM
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.0X2	Poisoning by anticholinesterase agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.1X2	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm	Diagnosis	ICD-10-CM
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.2X2	Poisoning by ganglionic blocking drugs, intentional self-harm	Diagnosis	ICD-10-CM
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.3X2	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.4X2	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.5X2	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.6X2	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.7X2	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.8X2	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.902	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.992	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X2	Poisoning by antiallergic and antiemetic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.1X2	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.2X2	Poisoning by vitamins, intentional self-harm	Diagnosis	ICD-10-CM
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.3X2	Poisoning by enzymes, intentional self-harm	Diagnosis	ICD-10-CM
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.4X2	Poisoning by iron and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.512	Poisoning by anticoagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.522	Poisoning by antithrombotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.602	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.612	Poisoning by thrombolytic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.622	Poisoning by hemostatic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.692	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.7X2	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.8X2	Poisoning by other primarily systemic and hematological agents, intentional self-harm	Diagnosis	ICD-10-CM
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.92	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm	Diagnosis	ICD-10-CM
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.0X2	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm	Diagnosis	ICD-10-CM
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.1X2	Poisoning by calcium-channel blockers, intentional self-harm	Diagnosis	ICD-10-CM
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.2X2	Poisoning by other antidysrhythmic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.3X2	Poisoning by coronary vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.4X2	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.5X2	Poisoning by other antihypertensive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.6X2	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.7X2	Poisoning by peripheral vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.8X2	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm	Diagnosis	ICD-10-CM
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.902	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.992	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.0X2	Poisoning by histamine H2-receptor blockers, intentional self-harm	Diagnosis	ICD-10-CM
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.1X2	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.2X2	Poisoning by stimulant laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.3X2	Poisoning by saline and osmotic laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.4X2	Poisoning by other laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.5X2	Poisoning by digestants, intentional self-harm	Diagnosis	ICD-10-CM
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.6X2	Poisoning by antidiarrheal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.7X2	Poisoning by emetics, intentional self-harm	Diagnosis	ICD-10-CM
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.8X2	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.92	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T48.0X2	Poisoning by oxytocic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.0X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.0X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.1X2	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm	Diagnosis	ICD-10-CM
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.202	Poisoning by unspecified drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.292	Poisoning by other drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.3X2	Poisoning by antitussives, intentional self-harm	Diagnosis	ICD-10-CM
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.4X2	Poisoning by expectorants, intentional self-harm	Diagnosis	ICD-10-CM
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.5X2	Poisoning by other anti-common-cold drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.6X2	Poisoning by antiasthmatics, intentional self-harm	Diagnosis	ICD-10-CM
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.902	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.992	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.0X2	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm	Diagnosis	ICD-10-CM
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.1X2	Poisoning by antipruritics, intentional self-harm	Diagnosis	ICD-10-CM
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.2X2	Poisoning by local astringents and local detergents, intentional self-harm	Diagnosis	ICD-10-CM
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.3X2	Poisoning by emollients, demulcents and protectants, intentional self-harm	Diagnosis	ICD-10-CM
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.4X2	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.5X2	Poisoning by ophthalmological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.6X2	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.7X2	Poisoning by dental drugs, topically applied, intentional self-harm	Diagnosis	ICD-10-CM
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.8X2	Poisoning by other topical agents, intentional self-harm	Diagnosis	ICD-10-CM
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.92	Poisoning by unspecified topical agent, intentional self-harm	Diagnosis	ICD-10-CM
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X2	Poisoning by mineralocorticoids and their antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.1X2	Poisoning by loop [high-ceiling] diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.2X2	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.2X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.3X2	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.3X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.4X2	Poisoning by drugs affecting uric acid metabolism, intentional self-harm	Diagnosis	ICD-10-CM
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.5X2	Poisoning by appetite depressants, intentional self-harm	Diagnosis	ICD-10-CM
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.6X2	Poisoning by antidotes and chelating agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.7X2	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.8X2	Poisoning by diagnostic agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.902	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.912	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.912A	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.912D	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.992	Poisoning by other drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A12	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A22	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A92	Poisoning by other bacterial vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.B12	Poisoning by smallpox vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B92	Poisoning by other viral vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z12	Poisoning by immunoglobulin, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z92	Poisoning by other vaccines and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.0X2	Toxic effect of ethanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.1X2	Toxic effect of methanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.2X2	Toxic effect of 2-Propanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.3X2	Toxic effect of fusel oil, intentional self-harm	Diagnosis	ICD-10-CM
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.8X2	Toxic effect of other alcohols, intentional self-harm	Diagnosis	ICD-10-CM
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.92	Toxic effect of unspecified alcohol, intentional self-harm	Diagnosis	ICD-10-CM
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.0X2	Toxic effect of petroleum products, intentional self-harm	Diagnosis	ICD-10-CM
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.1X2	Toxic effect of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.2X2	Toxic effect of homologues of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.3X2	Toxic effect of glycols, intentional self-harm	Diagnosis	ICD-10-CM
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.4X2	Toxic effect of ketones, intentional self-harm	Diagnosis	ICD-10-CM
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T52.8X2	Toxic effect of other organic solvents, intentional self-harm	Diagnosis	ICD-10-CM
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.92	Toxic effect of unspecified organic solvent, intentional self-harm	Diagnosis	ICD-10-CM
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.0X2	Toxic effect of carbon tetrachloride, intentional self-harm	Diagnosis	ICD-10-CM
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.1X2	Toxic effect of chloroform, intentional self-harm	Diagnosis	ICD-10-CM
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.2X2	Toxic effect of trichloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.3X2	Toxic effect of tetrachloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.4X2	Toxic effect of dichloromethane, intentional self-harm	Diagnosis	ICD-10-CM
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.5X2	Toxic effect of chlorofluorocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.6X2	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.7X2	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.92	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter		
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.0X2	Toxic effect of phenol and phenol homologues, intentional self-harm	Diagnosis	ICD-10-CM
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.1X2	Toxic effect of other corrosive organic compounds, intentional self-harm	Diagnosis	ICD-10-CM
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.2X2	Toxic effect of corrosive acids and acid-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.3X2	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.92	Toxic effect of unspecified corrosive substance, intentional self-harm	Diagnosis	ICD-10-CM
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.0X2	Toxic effect of soaps, intentional self-harm	Diagnosis	ICD-10-CM
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.1X2	Toxic effect of detergents, intentional self-harm	Diagnosis	ICD-10-CM
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.0X2	Toxic effect of lead and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.1X2	Toxic effect of mercury and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.2X2	Toxic effect of chromium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.3X2	Toxic effect of cadmium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.4X2	Toxic effect of copper and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.5X2	Toxic effect of zinc and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.6X2	Toxic effect of tin and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.7X2	Toxic effect of beryllium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.812	Toxic effect of thallium, intentional self-harm	Diagnosis	ICD-10-CM
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.892	Toxic effect of other metals, intentional self-harm	Diagnosis	ICD-10-CM
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.92	Toxic effect of unspecified metal, intentional self-harm	Diagnosis	ICD-10-CM
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.0X2	Toxic effect of arsenic and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.1X2	Toxic effect of phosphorus and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.2X2	Toxic effect of manganese and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.3X2	Toxic effect of hydrogen cyanide, intentional self-harm	Diagnosis	ICD-10-CM
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.8X2	Toxic effect of other specified inorganic substances, intentional self-harm	Diagnosis	ICD-10-CM
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.92	Toxic effect of unspecified inorganic substance, intentional self-harm	Diagnosis	ICD-10-CM
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.02	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm	Diagnosis	ICD-10-CM
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.12	Toxic effect of carbon monoxide from utility gas, intentional self-harm	Diagnosis	ICD-10-CM
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T58.2X2	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm	Diagnosis	ICD-10-CM
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.2X2D	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.8X2	Toxic effect of carbon monoxide from other source, intentional self-harm	Diagnosis	ICD-10-CM
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.92	Toxic effect of carbon monoxide from unspecified source, intentional self-harm	Diagnosis	ICD-10-CM
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.0X2	Toxic effect of nitrogen oxides, intentional self-harm	Diagnosis	ICD-10-CM
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.1X2	Toxic effect of sulfur dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.2X2	Toxic effect of formaldehyde, intentional self-harm	Diagnosis	ICD-10-CM
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.3X2	Toxic effect of lacrimogenic gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T59.4X2	Toxic effect of chlorine gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.5X2	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm	Diagnosis	ICD-10-CM
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.6X2	Toxic effect of hydrogen sulfide, intentional self-harm	Diagnosis	ICD-10-CM
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.7X2	Toxic effect of carbon dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.812	Toxic effect of smoke, intentional self-harm	Diagnosis	ICD-10-CM
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.892	Toxic effect of other specified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.92	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.0X2	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.1X2	Toxic effect of halogenated insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.2X2	Toxic effect of other insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.3X2	Toxic effect of herbicides and fungicides, intentional self-harm	Diagnosis	ICD-10-CM
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.4X2	Toxic effect of rodenticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.8X2	Toxic effect of other pesticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.92	Toxic effect of unspecified pesticide, intentional self-harm	Diagnosis	ICD-10-CM
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.02	Ciguatera fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T61.12	Scombroid fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.772	Other fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.772S	Other fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.782	Other shellfish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.8X2	Toxic effect of other seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.92	Toxic effect of unspecified seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.0X2	Toxic effect of ingested mushrooms, intentional self-harm	Diagnosis	ICD-10-CM
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.1X2	Toxic effect of ingested berries, intentional self-harm	Diagnosis	ICD-10-CM
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.2X2	Toxic effect of other ingested (parts of) plant(s), intentional self-harm	Diagnosis	ICD-10-CM
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.8X2	Toxic effect of other specified noxious substances eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.92	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.002	Toxic effect of unspecified snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.012	Toxic effect of rattlesnake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.022	Toxic effect of coral snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.032	Toxic effect of taipan venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.042	Toxic effect of cobra venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.062	Toxic effect of venom of other North and South American snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.072	Toxic effect of venom of other Australian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.082	Toxic effect of venom of other African and Asian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.092	Toxic effect of venom of other snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.112	Toxic effect of venom of gila monster, intentional self-harm	Diagnosis	ICD-10-CM
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.122	Toxic effect of venom of other venomous lizard, intentional self-harm	Diagnosis	ICD-10-CM
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.192	Toxic effect of venom of other reptiles, intentional self-harm	Diagnosis	ICD-10-CM
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.2X2	Toxic effect of venom of scorpion, intentional self-harm	Diagnosis	ICD-10-CM
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.302	Toxic effect of unspecified spider venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.312	Toxic effect of venom of black widow spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.322	Toxic effect of venom of tarantula, intentional self-harm	Diagnosis	ICD-10-CM
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.332	Toxic effect of venom of brown recluse spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.392	Toxic effect of venom of other spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.412	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm	Diagnosis	ICD-10-CM
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.422	Toxic effect of venom of ants, intentional self-harm	Diagnosis	ICD-10-CM
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.432	Toxic effect of venom of caterpillars, intentional self-harm	Diagnosis	ICD-10-CM
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.442	Toxic effect of venom of bees, intentional self-harm	Diagnosis	ICD-10-CM
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.452	Toxic effect of venom of hornets, intentional self-harm	Diagnosis	ICD-10-CM
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.462	Toxic effect of venom of wasps, intentional self-harm	Diagnosis	ICD-10-CM
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.482	Toxic effect of venom of other arthropod, intentional self-harm	Diagnosis	ICD-10-CM
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.512	Toxic effect of contact with stingray, intentional self-harm	Diagnosis	ICD-10-CM
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.592	Toxic effect of contact with other venomous fish, intentional self-harm	Diagnosis	ICD-10-CM
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.612	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm	Diagnosis	ICD-10-CM
T63.612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.622	Toxic effect of contact with other jellyfish, intentional self-harm	Diagnosis	ICD-10-CM
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.632	Toxic effect of contact with sea anemone, intentional self-harm	Diagnosis	ICD-10-CM
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.692	Toxic effect of contact with other venomous marine animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.712	Toxic effect of contact with venomous marine plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.792	Toxic effect of contact with other venomous plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.812	Toxic effect of contact with venomous frog, intentional self-harm	Diagnosis	ICD-10-CM
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.822	Toxic effect of contact with venomous toad, intentional self-harm	Diagnosis	ICD-10-CM
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.832	Toxic effect of contact with other venomous amphibian, intentional self-harm	Diagnosis	ICD-10-CM
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.892	Toxic effect of contact with other venomous animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.92	Toxic effect of contact with unspecified venomous animal, intentional self-harm	Diagnosis	ICD-10-CM
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.02	Toxic effect of aflatoxin, intentional self-harm	Diagnosis	ICD-10-CM
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.82	Toxic effect of other mycotoxin food contaminants, intentional self-harm	Diagnosis	ICD-10-CM
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.0X2	Toxic effect of cyanides, intentional self-harm	Diagnosis	ICD-10-CM
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.1X2	Toxic effect of strychnine and its salts, intentional self-harm	Diagnosis	ICD-10-CM
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.212	Toxic effect of chewing tobacco, intentional self-harm	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.222	Toxic effect of tobacco cigarettes, intentional self-harm	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.292	Toxic effect of other tobacco and nicotine, intentional self-harm	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm	Diagnosis	ICD-10-CM
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter		
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2S	Toxic effect of carbon disulfide, intentional self-harm	Diagnosis	ICD-10-CM
T65.4X2	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.4X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm	Diagnosis	ICD-10-CM
T65.5X2	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.5X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T65.6X2	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.6X2S	Toxic effect of latex, intentional self-harm	Diagnosis	ICD-10-CM
T65.812	Toxic effect of latex, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.812A			

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.812S	Toxic effect of latex, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.822	Toxic effect of harmful algae and algae toxins, intentional self-harm	Diagnosis	ICD-10-CM
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.832	Toxic effect of fiberglass, intentional self-harm	Diagnosis	ICD-10-CM
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.892	Toxic effect of other specified substances, intentional self-harm	Diagnosis	ICD-10-CM
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.92	Toxic effect of unspecified substance, intentional self-harm	Diagnosis	ICD-10-CM
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.112	Asphyxiation due to smothering under pillow, intentional self-harm	Diagnosis	ICD-10-CM
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.122	Asphyxiation due to plastic bag, intentional self-harm	Diagnosis	ICD-10-CM
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.132	Asphyxiation due to being trapped in bed linens, intentional self-harm	Diagnosis	ICD-10-CM
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T71.152	Asphyxiation due to smothering in furniture, intentional self-harm	Diagnosis	ICD-10-CM
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.162	Asphyxiation due to hanging, intentional self-harm	Diagnosis	ICD-10-CM
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.192	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm	Diagnosis	ICD-10-CM
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.222	Asphyxiation due to being trapped in a car trunk, intentional self-harm	Diagnosis	ICD-10-CM
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.232	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm	Diagnosis	ICD-10-CM
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Diagnosis	ICD-10-CM
X71	Intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.0	Intentional self-harm by drowning and submersion while in bathtub	Diagnosis	ICD-10-CM
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Diagnosis	ICD-10-CM
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Diagnosis	ICD-10-CM
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Diagnosis	ICD-10-CM
X71.1	Intentional self-harm by drowning and submersion while in swimming pool	Diagnosis	ICD-10-CM
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Diagnosis	ICD-10-CM
X71.2	Intentional self-harm by drowning and submersion after jump into swimming pool	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Diagnosis	ICD-10-CM
X71.3	Intentional self-harm by drowning and submersion in natural water	Diagnosis	ICD-10-CM
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	Diagnosis	ICD-10-CM
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Diagnosis	ICD-10-CM
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Diagnosis	ICD-10-CM
X71.8	Other intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	Diagnosis	ICD-10-CM
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	Diagnosis	ICD-10-CM
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	Diagnosis	ICD-10-CM
X71.9	Intentional self-harm by drowning and submersion, unspecified	Diagnosis	ICD-10-CM
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Diagnosis	ICD-10-CM
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Diagnosis	ICD-10-CM
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Diagnosis	ICD-10-CM
X72	Intentional self-harm by handgun discharge	Diagnosis	ICD-10-CM
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	Diagnosis	ICD-10-CM
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X72.XXXS	Intentional self-harm by handgun discharge, sequela	Diagnosis	ICD-10-CM
X73	Intentional self-harm by rifle, shotgun and larger firearm discharge	Diagnosis	ICD-10-CM
X73.0	Intentional self-harm by shotgun discharge	Diagnosis	ICD-10-CM
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	Diagnosis	ICD-10-CM
X73.1	Intentional self-harm by hunting rifle discharge	Diagnosis	ICD-10-CM
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	Diagnosis	ICD-10-CM
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	Diagnosis	ICD-10-CM
X73.2	Intentional self-harm by machine gun discharge	Diagnosis	ICD-10-CM
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	Diagnosis	ICD-10-CM
X73.8	Intentional self-harm by other larger firearm discharge	Diagnosis	ICD-10-CM
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X73.9	Intentional self-harm by unspecified larger firearm discharge	Diagnosis	ICD-10-CM
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X74	Intentional self-harm by other and unspecified firearm and gun discharge	Diagnosis	ICD-10-CM
X74.0	Intentional self-harm by gas, air or spring-operated guns	Diagnosis	ICD-10-CM
X74.01	Intentional self-harm by airgun	Diagnosis	ICD-10-CM
X74.01XA	Intentional self-harm by airgun, initial encounter	Diagnosis	ICD-10-CM
X74.01XD	Intentional self-harm by airgun, subsequent encounter	Diagnosis	ICD-10-CM
X74.01XS	Intentional self-harm by airgun, sequela	Diagnosis	ICD-10-CM
X74.02	Intentional self-harm by paintball gun	Diagnosis	ICD-10-CM
X74.02XA	Intentional self-harm by paintball gun, initial encounter	Diagnosis	ICD-10-CM
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.02XS	Intentional self-harm by paintball gun, sequela	Diagnosis	ICD-10-CM
X74.09	Intentional self-harm by other gas, air or spring-operated gun	Diagnosis	ICD-10-CM
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Diagnosis	ICD-10-CM
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Diagnosis	ICD-10-CM
X74.8	Intentional self-harm by other firearm discharge	Diagnosis	ICD-10-CM
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.9	Intentional self-harm by unspecified firearm discharge	Diagnosis	ICD-10-CM
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	Diagnosis	ICD-10-CM
X75	Intentional self-harm by explosive material	Diagnosis	ICD-10-CM
X75.XXXA	Intentional self-harm by explosive material, initial encounter	Diagnosis	ICD-10-CM
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	Diagnosis	ICD-10-CM
X75.XXXS	Intentional self-harm by explosive material, sequela	Diagnosis	ICD-10-CM
X76	Intentional self-harm by smoke, fire and flames	Diagnosis	ICD-10-CM
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	Diagnosis	ICD-10-CM
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	Diagnosis	ICD-10-CM
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	Diagnosis	ICD-10-CM
X77	Intentional self-harm by steam, hot vapors and hot objects	Diagnosis	ICD-10-CM
X77.0	Intentional self-harm by steam or hot vapors	Diagnosis	ICD-10-CM
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	Diagnosis	ICD-10-CM
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	Diagnosis	ICD-10-CM
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	Diagnosis	ICD-10-CM
X77.1	Intentional self-harm by hot tap water	Diagnosis	ICD-10-CM
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	Diagnosis	ICD-10-CM
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	Diagnosis	ICD-10-CM
X77.1XXS	Intentional self-harm by hot tap water, sequela	Diagnosis	ICD-10-CM
X77.2	Intentional self-harm by other hot fluids	Diagnosis	ICD-10-CM
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	Diagnosis	ICD-10-CM
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	Diagnosis	ICD-10-CM
X77.2XXS	Intentional self-harm by other hot fluids, sequela	Diagnosis	ICD-10-CM
X77.3	Intentional self-harm by hot household appliances	Diagnosis	ICD-10-CM
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	Diagnosis	ICD-10-CM
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	Diagnosis	ICD-10-CM
X77.3XXS	Intentional self-harm by hot household appliances, sequela	Diagnosis	ICD-10-CM
X77.8	Intentional self-harm by other hot objects	Diagnosis	ICD-10-CM
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X77.8XXS	Intentional self-harm by other hot objects, sequela	Diagnosis	ICD-10-CM
X77.9	Intentional self-harm by unspecified hot objects	Diagnosis	ICD-10-CM
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	Diagnosis	ICD-10-CM
X78	Intentional self-harm by sharp object	Diagnosis	ICD-10-CM
X78.0	Intentional self-harm by sharp glass	Diagnosis	ICD-10-CM
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	Diagnosis	ICD-10-CM
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	Diagnosis	ICD-10-CM
X78.0XXS	Intentional self-harm by sharp glass, sequela	Diagnosis	ICD-10-CM
X78.1	Intentional self-harm by knife	Diagnosis	ICD-10-CM
X78.1XXA	Intentional self-harm by knife, initial encounter	Diagnosis	ICD-10-CM
X78.1XXD	Intentional self-harm by knife, subsequent encounter	Diagnosis	ICD-10-CM
X78.1XXS	Intentional self-harm by knife, sequela	Diagnosis	ICD-10-CM
X78.2	Intentional self-harm by sword or dagger	Diagnosis	ICD-10-CM
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	Diagnosis	ICD-10-CM
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	Diagnosis	ICD-10-CM
X78.2XXS	Intentional self-harm by sword or dagger, sequela	Diagnosis	ICD-10-CM
X78.8	Intentional self-harm by other sharp object	Diagnosis	ICD-10-CM
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.8XXS	Intentional self-harm by other sharp object, sequela	Diagnosis	ICD-10-CM
X78.9	Intentional self-harm by unspecified sharp object	Diagnosis	ICD-10-CM
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	Diagnosis	ICD-10-CM
X79	Intentional self-harm by blunt object	Diagnosis	ICD-10-CM
X79.XXXA	Intentional self-harm by blunt object, initial encounter	Diagnosis	ICD-10-CM
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	Diagnosis	ICD-10-CM
X79.XXXS	Intentional self-harm by blunt object, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X80	Intentional self-harm by jumping from a high place	Diagnosis	ICD-10-CM
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	Diagnosis	ICD-10-CM
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	Diagnosis	ICD-10-CM
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	Diagnosis	ICD-10-CM
X81	Intentional self-harm by jumping or lying in front of moving object	Diagnosis	ICD-10-CM
X81.0	Intentional self-harm by jumping or lying in front of motor vehicle	Diagnosis	ICD-10-CM
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Diagnosis	ICD-10-CM
X81.1	Intentional self-harm by jumping or lying in front of (subway) train	Diagnosis	ICD-10-CM
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Diagnosis	ICD-10-CM
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	Diagnosis	ICD-10-CM
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Diagnosis	ICD-10-CM
X81.8	Intentional self-harm by jumping or lying in front of other moving object	Diagnosis	ICD-10-CM
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	Diagnosis	ICD-10-CM
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	Diagnosis	ICD-10-CM
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Diagnosis	ICD-10-CM
X82	Intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.0	Intentional collision of motor vehicle with other motor vehicle	Diagnosis	ICD-10-CM
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.0XXS	Intentional collision of motor vehicle with other motor vehicle, sequela	Diagnosis	ICD-10-CM
X82.1	Intentional collision of motor vehicle with train	Diagnosis	ICD-10-CM
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	Diagnosis	ICD-10-CM
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	Diagnosis	ICD-10-CM
X82.1XXS	Intentional collision of motor vehicle with train, sequela	Diagnosis	ICD-10-CM
X82.2	Intentional collision of motor vehicle with tree	Diagnosis	ICD-10-CM
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	Diagnosis	ICD-10-CM
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	Diagnosis	ICD-10-CM
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X82.8	Other intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Diagnosis	ICD-10-CM
X83	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.0	Intentional self-harm by crashing of aircraft	Diagnosis	ICD-10-CM
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	Diagnosis	ICD-10-CM
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	Diagnosis	ICD-10-CM
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	Diagnosis	ICD-10-CM
X83.1	Intentional self-harm by electrocution	Diagnosis	ICD-10-CM
X83.1XXA	Intentional self-harm by electrocution, initial encounter	Diagnosis	ICD-10-CM
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	Diagnosis	ICD-10-CM
X83.1XXS	Intentional self-harm by electrocution, sequela	Diagnosis	ICD-10-CM
X83.2	Intentional self-harm by exposure to extremes of cold	Diagnosis	ICD-10-CM
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	Diagnosis	ICD-10-CM
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Diagnosis	ICD-10-CM
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	Diagnosis	ICD-10-CM
X83.8	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.8XXA	Intentional self-harm by other specified means, initial encounter	Diagnosis	ICD-10-CM
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	Diagnosis	ICD-10-CM
X83.8XXS	Intentional self-harm by other specified means, sequela	Diagnosis	ICD-10-CM
Any Other Psychiatric Event			
290.0	Senile dementia, uncomplicated	Diagnosis	ICD-9-CM
290.10	Presenile dementia, uncomplicated	Diagnosis	ICD-9-CM
290.11	Presenile dementia with delirium	Diagnosis	ICD-9-CM
290.12	Presenile dementia with delusional features	Diagnosis	ICD-9-CM
290.13	Presenile dementia with depressive features	Diagnosis	ICD-9-CM
290.20	Senile dementia with delusional features	Diagnosis	ICD-9-CM
290.21	Senile dementia with depressive features	Diagnosis	ICD-9-CM
290.3	Senile dementia with delirium	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
290.40	Vascular dementia, uncomplicated	Diagnosis	ICD-9-CM
290.41	Vascular dementia, with delirium	Diagnosis	ICD-9-CM
290.42	Vascular dementia, with delusions	Diagnosis	ICD-9-CM
290.43	Vascular dementia, with depressed mood	Diagnosis	ICD-9-CM
290.8	Other specified senile psychotic conditions	Diagnosis	ICD-9-CM
290.9	Unspecified senile psychotic condition	Diagnosis	ICD-9-CM
291	Alcohol-induced mental disorders	Diagnosis	ICD-9-CM
291.0	Alcohol withdrawal delirium	Diagnosis	ICD-9-CM
291.1	Alcohol-induced persisting amnesic disorder	Diagnosis	ICD-9-CM
291.2	Alcohol-induced persisting dementia	Diagnosis	ICD-9-CM
291.3	Alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-9-CM
291.4	Idiosyncratic alcohol intoxication	Diagnosis	ICD-9-CM
291.5	Alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-9-CM
291.8	Other specified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
291.81	Alcohol withdrawal	Diagnosis	ICD-9-CM
291.82	Alcohol induced sleep disorders	Diagnosis	ICD-9-CM
291.89	Other specified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
291.9	Unspecified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
292	Drug-induced mental disorders	Diagnosis	ICD-9-CM
292.0	Drug withdrawal	Diagnosis	ICD-9-CM
292.1	Drug-induced psychotic disorder	Diagnosis	ICD-9-CM
292.11	Drug-induced psychotic disorder with delusions	Diagnosis	ICD-9-CM
292.12	Drug-induced psychotic disorder with hallucinations	Diagnosis	ICD-9-CM
292.2	Pathological drug intoxication	Diagnosis	ICD-9-CM
292.8	Other specified drug-induced mental disorders	Diagnosis	ICD-9-CM
292.81	Drug-induced delirium	Diagnosis	ICD-9-CM
292.82	Drug-induced persisting dementia	Diagnosis	ICD-9-CM
292.83	Drug-induced persisting amnesic disorder	Diagnosis	ICD-9-CM
292.84	Drug-induced mood disorder	Diagnosis	ICD-9-CM
292.85	Drug induced sleep disorders	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
292.89	Other specified drug-induced mental disorder	Diagnosis	ICD-9-CM
292.9	Unspecified drug-induced mental disorder	Diagnosis	ICD-9-CM
293	Transient mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.0	Delirium due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.1	Subacute delirium	Diagnosis	ICD-9-CM
293.8	Other specified transient mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.81	Psychotic disorder with delusions in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.82	Psychotic disorder with hallucinations in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.83	Mood disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.84	Anxiety disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.89	Other transient mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.9	Unspecified transient mental disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
294	Persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
294.0	Amnestic disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
294.1	Dementia in conditions classified elsewhere	Diagnosis	ICD-9-CM
294.10	Dementia in conditions classified elsewhere without behavioral disturbance	Diagnosis	ICD-9-CM
294.11	Dementia in conditions classified elsewhere with behavioral disturbance	Diagnosis	ICD-9-CM
294.2	Dementia, unspecified	Diagnosis	ICD-9-CM
294.20	Dementia, unspecified, without behavioral disturbance	Diagnosis	ICD-9-CM
294.21	Dementia, unspecified, with behavioral disturbance	Diagnosis	ICD-9-CM
294.8	Other persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
294.9	Unspecified persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
295	Schizophrenic disorders	Diagnosis	ICD-9-CM
295.0	Simple type schizophrenia	Diagnosis	ICD-9-CM
295.00	Simple schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.01	Simple schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.02	Simple schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.03	Simple schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.04	Simple schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.05	Simple schizophrenia, in remission	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
295.1	Disorganized type schizophrenia	Diagnosis	ICD-9-CM
295.10	Disorganized schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.11	Disorganized schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.12	Disorganized schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.13	Disorganized schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.14	Disorganized schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.15	Disorganized schizophrenia, in remission	Diagnosis	ICD-9-CM
295.2	Catatonic type schizophrenia	Diagnosis	ICD-9-CM
295.20	Catatonic schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.21	Catatonic schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.22	Catatonic schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.23	Catatonic schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.24	Catatonic schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.25	Catatonic schizophrenia, in remission	Diagnosis	ICD-9-CM
295.3	Paranoid type schizophrenia	Diagnosis	ICD-9-CM
295.30	Paranoid schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.31	Paranoid schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.32	Paranoid schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.33	Paranoid schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.34	Paranoid schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.35	Paranoid schizophrenia, in remission	Diagnosis	ICD-9-CM
295.4	Schizophreniform disorder	Diagnosis	ICD-9-CM
295.40	Schizophreniform disorder, unspecified	Diagnosis	ICD-9-CM
295.41	Schizophreniform disorder, subchronic	Diagnosis	ICD-9-CM
295.42	Schizophreniform disorder, chronic	Diagnosis	ICD-9-CM
295.43	Schizophreniform disorder, subchronic with acute exacerbation	Diagnosis	ICD-9-CM
295.44	Schizophreniform disorder, chronic with acute exacerbation	Diagnosis	ICD-9-CM
295.45	Schizophreniform disorder, in remission	Diagnosis	ICD-9-CM
295.5	Latent schizophrenia	Diagnosis	ICD-9-CM
295.50	Latent schizophrenia, unspecified condition	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
295.51	Latent schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.52	Latent schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.53	Latent schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.54	Latent schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.55	Latent schizophrenia, in remission	Diagnosis	ICD-9-CM
295.6	Schizophrenic disorders, residual type	Diagnosis	ICD-9-CM
295.60	Schizophrenic disorders, residual type, unspecified	Diagnosis	ICD-9-CM
295.61	Schizophrenic disorders, residual type, subchronic	Diagnosis	ICD-9-CM
295.62	Schizophrenic disorders, residual type, chronic	Diagnosis	ICD-9-CM
295.63	Schizophrenic disorders, residual type, subchronic with acute exacerbation	Diagnosis	ICD-9-CM
295.64	Schizophrenic disorders, residual type, chronic with acute exacerbation	Diagnosis	ICD-9-CM
295.65	Schizophrenic disorders, residual type, in remission	Diagnosis	ICD-9-CM
295.7	Schizoaffective disorder	Diagnosis	ICD-9-CM
295.70	Schizoaffective disorder, unspecified	Diagnosis	ICD-9-CM
295.71	Schizoaffective disorder, subchronic	Diagnosis	ICD-9-CM
295.72	Schizoaffective disorder, chronic	Diagnosis	ICD-9-CM
295.73	Schizoaffective disorder, subchronic with acute exacerbation	Diagnosis	ICD-9-CM
295.74	Schizoaffective disorder, chronic with acute exacerbation	Diagnosis	ICD-9-CM
295.75	Schizoaffective disorder, in remission	Diagnosis	ICD-9-CM
295.8	Other specified types of schizophrenia	Diagnosis	ICD-9-CM
295.80	Other specified types of schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.81	Other specified types of schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.82	Other specified types of schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.83	Other specified types of schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.84	Other specified types of schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.85	Other specified types of schizophrenia, in remission	Diagnosis	ICD-9-CM
295.9	Unspecified schizophrenia	Diagnosis	ICD-9-CM
295.90	Unspecified schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.91	Unspecified schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.92	Unspecified schizophrenia, chronic condition	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
295.93	Unspecified schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.94	Unspecified schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.95	Unspecified schizophrenia, in remission	Diagnosis	ICD-9-CM
296.0	Bipolar I disorder, single manic episode	Diagnosis	ICD-9-CM
296.00	Bipolar I disorder, single manic episode, unspecified	Diagnosis	ICD-9-CM
296.01	Bipolar I disorder, single manic episode, mild	Diagnosis	ICD-9-CM
296.02	Bipolar I disorder, single manic episode, moderate	Diagnosis	ICD-9-CM
296.03	Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.04	Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.05	Bipolar I disorder, single manic episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.06	Bipolar I disorder, single manic episode, in full remission	Diagnosis	ICD-9-CM
296.1	Manic disorder, recurrent episode	Diagnosis	ICD-9-CM
296.10	Manic disorder, recurrent episode, unspecified	Diagnosis	ICD-9-CM
296.11	Manic disorder, recurrent episode, mild	Diagnosis	ICD-9-CM
296.12	Manic disorder, recurrent episode, moderate	Diagnosis	ICD-9-CM
296.13	Manic disorder, recurrent episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.14	Manic disorder, recurrent episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.15	Manic disorder, recurrent episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.16	Manic disorder, recurrent episode, in full remission	Diagnosis	ICD-9-CM
296.2	Major depressive disorder, single episode	Diagnosis	ICD-9-CM
296.20	Major depressive disorder, single episode, unspecified	Diagnosis	ICD-9-CM
296.21	Major depressive disorder, single episode, mild	Diagnosis	ICD-9-CM
296.22	Major depressive disorder, single episode, moderate	Diagnosis	ICD-9-CM
296.23	Major depressive disorder, single episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.24	Major depressive disorder, single episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.25	Major depressive disorder, single episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.26	Major depressive disorder, single episode in full remission	Diagnosis	ICD-9-CM
296.3	Major depressive disorder, recurrent episode	Diagnosis	ICD-9-CM
296.30	Major depressive disorder, recurrent episode, unspecified	Diagnosis	ICD-9-CM
296.31	Major depressive disorder, recurrent episode, mild	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.32	Major depressive disorder, recurrent episode, moderate	Diagnosis	ICD-9-CM
296.33	Major depressive disorder, recurrent episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.34	Major depressive disorder, recurrent episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.35	Major depressive disorder, recurrent episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.36	Major depressive disorder, recurrent episode, in full remission	Diagnosis	ICD-9-CM
296.4	Bipolar I disorder, most recent episode (or current) manic	Diagnosis	ICD-9-CM
296.40	Bipolar I disorder, most recent episode (or current) manic, unspecified	Diagnosis	ICD-9-CM
296.41	Bipolar I disorder, most recent episode (or current) manic, mild	Diagnosis	ICD-9-CM
296.42	Bipolar I disorder, most recent episode (or current) manic, moderate	Diagnosis	ICD-9-CM
296.43	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.44	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.45	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.46	Bipolar I disorder, most recent episode (or current) manic, in full remission	Diagnosis	ICD-9-CM
296.5	Bipolar I disorder, most recent episode (or current), depressed	Diagnosis	ICD-9-CM
296.50	Bipolar I disorder, most recent episode (or current) depressed, unspecified	Diagnosis	ICD-9-CM
296.51	Bipolar I disorder, most recent episode (or current) depressed, mild	Diagnosis	ICD-9-CM
296.52	Bipolar I disorder, most recent episode (or current) depressed, moderate	Diagnosis	ICD-9-CM
296.53	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.54	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.55	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.56	Bipolar I disorder, most recent episode (or current) depressed, in full remission	Diagnosis	ICD-9-CM
296.6	Bipolar I disorder, most recent episode (or current), mixed	Diagnosis	ICD-9-CM
296.60	Bipolar I disorder, most recent episode (or current) mixed, unspecified	Diagnosis	ICD-9-CM
296.61	Bipolar I disorder, most recent episode (or current) mixed, mild	Diagnosis	ICD-9-CM
296.62	Bipolar I disorder, most recent episode (or current) mixed, moderate	Diagnosis	ICD-9-CM
296.63	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.64	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.65	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.66	Bipolar I disorder, most recent episode (or current) mixed, in full remission	Diagnosis	ICD-9-CM
296.7	Bipolar I disorder, most recent episode (or current) unspecified	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.8	Other and unspecified bipolar disorders	Diagnosis	ICD-9-CM
296.80	Bipolar disorder, unspecified	Diagnosis	ICD-9-CM
296.81	Atypical manic disorder	Diagnosis	ICD-9-CM
296.82	Atypical depressive disorder	Diagnosis	ICD-9-CM
296.89	Other and unspecified bipolar disorders	Diagnosis	ICD-9-CM
296.90	Unspecified episodic mood disorder	Diagnosis	ICD-9-CM
296.99	Other specified episodic mood disorder	Diagnosis	ICD-9-CM
297	Delusional disorders	Diagnosis	ICD-9-CM
297.0	Paranoid state, simple	Diagnosis	ICD-9-CM
297.1	Delusional disorder	Diagnosis	ICD-9-CM
297.2	Paraphrenia	Diagnosis	ICD-9-CM
297.3	Shared psychotic disorder	Diagnosis	ICD-9-CM
297.8	Other specified paranoid states	Diagnosis	ICD-9-CM
297.9	Unspecified paranoid state	Diagnosis	ICD-9-CM
298	Other nonorganic psychoses	Diagnosis	ICD-9-CM
298.0	Depressive type psychosis	Diagnosis	ICD-9-CM
298.1	Excitatory type psychosis	Diagnosis	ICD-9-CM
298.2	Reactive confusion	Diagnosis	ICD-9-CM
298.3	Acute paranoid reaction	Diagnosis	ICD-9-CM
298.4	Psychogenic paranoid psychosis	Diagnosis	ICD-9-CM
298.8	Other and unspecified reactive psychosis	Diagnosis	ICD-9-CM
298.9	Unspecified psychosis	Diagnosis	ICD-9-CM
299	Pervasive developmental disorders	Diagnosis	ICD-9-CM
299.0	Autistic disorder	Diagnosis	ICD-9-CM
299.00	Autistic disorder, current or active state	Diagnosis	ICD-9-CM
299.01	Autistic disorder, residual state	Diagnosis	ICD-9-CM
299.1	Childhood disintegrative disorder	Diagnosis	ICD-9-CM
299.10	Childhood disintegrative disorder, current or active state	Diagnosis	ICD-9-CM
299.11	Childhood disintegrative disorder, residual state	Diagnosis	ICD-9-CM
299.8	Other specified pervasive developmental disorders	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
299.80	Other specified pervasive developmental disorders, current or active state	Diagnosis	ICD-9-CM
299.81	Other specified pervasive developmental disorders, residual state	Diagnosis	ICD-9-CM
299.9	Unspecified pervasive developmental disorder	Diagnosis	ICD-9-CM
299.90	Unspecified pervasive developmental disorder, current or active state	Diagnosis	ICD-9-CM
299.91	Unspecified pervasive developmental disorder, residual state	Diagnosis	ICD-9-CM
300.0	Anxiety states	Diagnosis	ICD-9-CM
300.00	Anxiety state, unspecified	Diagnosis	ICD-9-CM
300.01	Panic disorder without agoraphobia	Diagnosis	ICD-9-CM
300.02	Generalized anxiety disorder	Diagnosis	ICD-9-CM
300.09	Other anxiety states	Diagnosis	ICD-9-CM
300.1	Dissociative, conversion and factitious disorders	Diagnosis	ICD-9-CM
300.10	Hysteria, unspecified	Diagnosis	ICD-9-CM
300.11	Conversion disorder	Diagnosis	ICD-9-CM
300.12	Dissociative amnesia	Diagnosis	ICD-9-CM
300.13	Dissociative fugue	Diagnosis	ICD-9-CM
300.14	Dissociative identity disorder	Diagnosis	ICD-9-CM
300.15	Dissociative disorder or reaction, unspecified	Diagnosis	ICD-9-CM
300.16	Factitious disorder with predominantly psychological signs and symptoms	Diagnosis	ICD-9-CM
300.19	Other and unspecified factitious illness	Diagnosis	ICD-9-CM
300.2	Phobic disorders	Diagnosis	ICD-9-CM
300.20	Phobia, unspecified	Diagnosis	ICD-9-CM
300.21	Agoraphobia with panic disorder	Diagnosis	ICD-9-CM
300.22	Agoraphobia without mention of panic attacks	Diagnosis	ICD-9-CM
300.23	Social phobia	Diagnosis	ICD-9-CM
300.29	Other isolated or specific phobias	Diagnosis	ICD-9-CM
300.3	Obsessive-compulsive disorders	Diagnosis	ICD-9-CM
300.4	Dysthymic disorder	Diagnosis	ICD-9-CM
300.5	Neurasthenia	Diagnosis	ICD-9-CM
300.6	Depersonalization disorder	Diagnosis	ICD-9-CM
300.7	Hypochondriasis	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
300.8	Somatoform disorders	Diagnosis	ICD-9-CM
300.81	Somatization disorder	Diagnosis	ICD-9-CM
300.82	Undifferentiated somatoform disorder	Diagnosis	ICD-9-CM
300.89	Other somatoform disorders	Diagnosis	ICD-9-CM
300.9	Unspecified nonpsychotic mental disorder	Diagnosis	ICD-9-CM
301	Personality disorders	Diagnosis	ICD-9-CM
301.0	Paranoid personality disorder	Diagnosis	ICD-9-CM
301.1	Affective personality disorder	Diagnosis	ICD-9-CM
301.10	Affective personality disorder, unspecified	Diagnosis	ICD-9-CM
301.11	Chronic hypomanic personality disorder	Diagnosis	ICD-9-CM
301.12	Chronic depressive personality disorder	Diagnosis	ICD-9-CM
301.13	Cyclothymic disorder	Diagnosis	ICD-9-CM
301.2	Schizoid personality disorder	Diagnosis	ICD-9-CM
301.20	Schizoid personality disorder, unspecified	Diagnosis	ICD-9-CM
301.21	Introverted personality	Diagnosis	ICD-9-CM
301.22	Schizotypal personality disorder	Diagnosis	ICD-9-CM
301.3	Explosive personality disorder	Diagnosis	ICD-9-CM
301.4	Obsessive-compulsive personality disorder	Diagnosis	ICD-9-CM
301.5	Histrionic personality disorder	Diagnosis	ICD-9-CM
301.50	Histrionic personality disorder, unspecified	Diagnosis	ICD-9-CM
301.51	Chronic factitious illness with physical symptoms	Diagnosis	ICD-9-CM
301.59	Other histrionic personality disorder	Diagnosis	ICD-9-CM
301.6	Dependent personality disorder	Diagnosis	ICD-9-CM
301.7	Antisocial personality disorder	Diagnosis	ICD-9-CM
301.8	Other personality disorders	Diagnosis	ICD-9-CM
301.81	Narcissistic personality disorder	Diagnosis	ICD-9-CM
301.82	Avoidant personality disorder	Diagnosis	ICD-9-CM
301.83	Borderline personality disorder	Diagnosis	ICD-9-CM
301.84	Passive-aggressive personality	Diagnosis	ICD-9-CM
301.89	Other personality disorder	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
301.9	Unspecified personality disorder	Diagnosis	ICD-9-CM
302	Sexual and gender identity disorders	Diagnosis	ICD-9-CM
302.0	Ego-dystonic sexual orientation	Diagnosis	ICD-9-CM
302.1	Zoophilia	Diagnosis	ICD-9-CM
302.2	Pedophilia	Diagnosis	ICD-9-CM
302.3	Transvestic fetishism	Diagnosis	ICD-9-CM
302.4	Exhibitionism	Diagnosis	ICD-9-CM
302.5	Trans-sexualism	Diagnosis	ICD-9-CM
302.50	Trans-sexualism with unspecified sexual history	Diagnosis	ICD-9-CM
302.51	Trans-sexualism with asexual history	Diagnosis	ICD-9-CM
302.52	Trans-sexualism with homosexual history	Diagnosis	ICD-9-CM
302.53	Trans-sexualism with heterosexual history	Diagnosis	ICD-9-CM
302.6	Gender identity disorder in children	Diagnosis	ICD-9-CM
302.7	Psychosexual dysfunction	Diagnosis	ICD-9-CM
302.70	Psychosexual dysfunction, unspecified	Diagnosis	ICD-9-CM
302.71	Hypoactive sexual desire disorder	Diagnosis	ICD-9-CM
302.72	Psychosexual dysfunction with inhibited sexual excitement	Diagnosis	ICD-9-CM
302.73	Female orgasmic disorder	Diagnosis	ICD-9-CM
302.74	Male orgasmic disorder	Diagnosis	ICD-9-CM
302.75	Premature ejaculation	Diagnosis	ICD-9-CM
302.76	Dyspareunia, psychogenic	Diagnosis	ICD-9-CM
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	Diagnosis	ICD-9-CM
302.8	Other specified psychosexual disorders	Diagnosis	ICD-9-CM
302.81	Fetishism	Diagnosis	ICD-9-CM
302.82	Voyeurism	Diagnosis	ICD-9-CM
302.83	Sexual masochism	Diagnosis	ICD-9-CM
302.84	Sexual sadism	Diagnosis	ICD-9-CM
302.85	Gender identity disorder in adolescents or adults	Diagnosis	ICD-9-CM
302.89	Other specified psychosexual disorder	Diagnosis	ICD-9-CM
302.9	Unspecified psychosexual disorder	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
303	Alcohol dependence syndrome	Diagnosis	ICD-9-CM
303.0	Acute alcoholic intoxication	Diagnosis	ICD-9-CM
303.00	Acute alcoholic intoxication, unspecified	Diagnosis	ICD-9-CM
303.01	Acute alcoholic intoxication, continuous	Diagnosis	ICD-9-CM
303.02	Acute alcoholic intoxication, episodic	Diagnosis	ICD-9-CM
303.03	Acute alcoholic intoxication, in remission	Diagnosis	ICD-9-CM
303.9	Other and unspecified alcohol dependence	Diagnosis	ICD-9-CM
303.90	Other and unspecified alcohol dependence, unspecified	Diagnosis	ICD-9-CM
303.91	Other and unspecified alcohol dependence, continuous	Diagnosis	ICD-9-CM
303.92	Other and unspecified alcohol dependence, episodic	Diagnosis	ICD-9-CM
303.93	Other and unspecified alcohol dependence, in remission	Diagnosis	ICD-9-CM
304	Drug dependence	Diagnosis	ICD-9-CM
304.0	Opioid type dependence	Diagnosis	ICD-9-CM
304.00	Opioid type dependence, unspecified	Diagnosis	ICD-9-CM
304.01	Opioid type dependence, continuous	Diagnosis	ICD-9-CM
304.02	Opioid type dependence, episodic	Diagnosis	ICD-9-CM
304.03	Opioid type dependence, in remission	Diagnosis	ICD-9-CM
304.1	Sedative, hypnotic or anxiolytic dependence	Diagnosis	ICD-9-CM
304.10	Sedative, hypnotic or anxiolytic dependence, unspecified	Diagnosis	ICD-9-CM
304.11	Sedative, hypnotic or anxiolytic dependence, continuous	Diagnosis	ICD-9-CM
304.12	Sedative, hypnotic or anxiolytic dependence, episodic	Diagnosis	ICD-9-CM
304.13	Sedative, hypnotic or anxiolytic dependence, in remission	Diagnosis	ICD-9-CM
304.2	Cocaine dependence	Diagnosis	ICD-9-CM
304.20	Cocaine dependence, unspecified	Diagnosis	ICD-9-CM
304.21	Cocaine dependence, continuous	Diagnosis	ICD-9-CM
304.22	Cocaine dependence, episodic	Diagnosis	ICD-9-CM
304.23	Cocaine dependence, in remission	Diagnosis	ICD-9-CM
304.3	Cannabis dependence	Diagnosis	ICD-9-CM
304.30	Cannabis dependence, unspecified	Diagnosis	ICD-9-CM
304.31	Cannabis dependence, continuous	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
304.32	Cannabis dependence, episodic	Diagnosis	ICD-9-CM
304.33	Cannabis dependence, in remission	Diagnosis	ICD-9-CM
304.4	Amphetamine and other psychostimulant dependence	Diagnosis	ICD-9-CM
304.40	Amphetamine and other psychostimulant dependence, unspecified	Diagnosis	ICD-9-CM
304.41	Amphetamine and other psychostimulant dependence, continuous	Diagnosis	ICD-9-CM
304.42	Amphetamine and other psychostimulant dependence, episodic	Diagnosis	ICD-9-CM
304.43	Amphetamine and other psychostimulant dependence, in remission	Diagnosis	ICD-9-CM
304.5	Hallucinogen dependence	Diagnosis	ICD-9-CM
304.50	Hallucinogen dependence, unspecified	Diagnosis	ICD-9-CM
304.51	Hallucinogen dependence, continuous	Diagnosis	ICD-9-CM
304.52	Hallucinogen dependence, episodic	Diagnosis	ICD-9-CM
304.53	Hallucinogen dependence, in remission	Diagnosis	ICD-9-CM
304.6	Other specified drug dependence	Diagnosis	ICD-9-CM
304.60	Other specified drug dependence, unspecified	Diagnosis	ICD-9-CM
304.61	Other specified drug dependence, continuous	Diagnosis	ICD-9-CM
304.62	Other specified drug dependence, episodic	Diagnosis	ICD-9-CM
304.63	Other specified drug dependence, in remission	Diagnosis	ICD-9-CM
304.7	Combinations of opioid type drug with any other drug dependence	Diagnosis	ICD-9-CM
304.70	Combinations of opioid type drug with any other drug dependence, unspecified	Diagnosis	ICD-9-CM
304.71	Combinations of opioid type drug with any other drug dependence, continuous	Diagnosis	ICD-9-CM
304.72	Combinations of opioid type drug with any other drug dependence, episodic	Diagnosis	ICD-9-CM
304.73	Combinations of opioid type drug with any other drug dependence, in remission	Diagnosis	ICD-9-CM
304.8	Combinations of drug dependence excluding opioid type drug	Diagnosis	ICD-9-CM
304.80	Combinations of drug dependence excluding opioid type drug, unspecified	Diagnosis	ICD-9-CM
304.81	Combinations of drug dependence excluding opioid type drug, continuous	Diagnosis	ICD-9-CM
304.82	Combinations of drug dependence excluding opioid type drug, episodic	Diagnosis	ICD-9-CM
304.83	Combinations of drug dependence excluding opioid type drug, in remission	Diagnosis	ICD-9-CM
304.9	Unspecified drug dependence	Diagnosis	ICD-9-CM
304.90	Unspecified drug dependence, unspecified	Diagnosis	ICD-9-CM
304.91	Unspecified drug dependence, continuous	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
304.92	Unspecified drug dependence, episodic	Diagnosis	ICD-9-CM
304.93	Unspecified drug dependence, in remission	Diagnosis	ICD-9-CM
305	Nondependent abuse of drugs	Diagnosis	ICD-9-CM
305.0	Nondependent alcohol abuse	Diagnosis	ICD-9-CM
305.00	Nondependent alcohol abuse, unspecified	Diagnosis	ICD-9-CM
305.01	Nondependent alcohol abuse, continuous	Diagnosis	ICD-9-CM
305.02	Nondependent alcohol abuse, episodic	Diagnosis	ICD-9-CM
305.03	Nondependent alcohol abuse, in remission	Diagnosis	ICD-9-CM
305.1	Nondependent tobacco use disorder	Diagnosis	ICD-9-CM
305.2	Nondependent cannabis abuse	Diagnosis	ICD-9-CM
305.20	Nondependent cannabis abuse, unspecified	Diagnosis	ICD-9-CM
305.21	Nondependent cannabis abuse, continuous	Diagnosis	ICD-9-CM
305.22	Nondependent cannabis abuse, episodic	Diagnosis	ICD-9-CM
305.23	Nondependent cannabis abuse, in remission	Diagnosis	ICD-9-CM
305.3	Nondependent hallucinogen abuse	Diagnosis	ICD-9-CM
305.30	Nondependent hallucinogen abuse, unspecified	Diagnosis	ICD-9-CM
305.31	Nondependent hallucinogen abuse, continuous	Diagnosis	ICD-9-CM
305.32	Nondependent hallucinogen abuse, episodic	Diagnosis	ICD-9-CM
305.33	Nondependent hallucinogen abuse, in remission	Diagnosis	ICD-9-CM
305.4	Nondependent sedative, hypnotic or anxiolytic abuse	Diagnosis	ICD-9-CM
305.40	Nondependent sedative, hypnotic or anxiolytic abuse, unspecified	Diagnosis	ICD-9-CM
305.41	Nondependent sedative hypnotic or anxiolytic abuse, continuous	Diagnosis	ICD-9-CM
305.42	Nondependent sedative, hypnotic or anxiolytic abuse, episodic	Diagnosis	ICD-9-CM
305.43	Nondependent sedative, hypnotic or anxiolytic abuse, in remission	Diagnosis	ICD-9-CM
305.5	Nondependent opioid abuse	Diagnosis	ICD-9-CM
305.50	Nondependent opioid abuse, unspecified	Diagnosis	ICD-9-CM
305.51	Nondependent opioid abuse, continuous	Diagnosis	ICD-9-CM
305.52	Nondependent opioid abuse, episodic	Diagnosis	ICD-9-CM
305.53	Nondependent opioid abuse, in remission	Diagnosis	ICD-9-CM
305.6	Nondependent cocaine abuse	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
305.60	Nondependent cocaine abuse, unspecified	Diagnosis	ICD-9-CM
305.61	Nondependent cocaine abuse, continuous	Diagnosis	ICD-9-CM
305.62	Nondependent cocaine abuse, episodic	Diagnosis	ICD-9-CM
305.63	Nondependent cocaine abuse, in remission	Diagnosis	ICD-9-CM
305.7	Nondependent amphetamine or related acting sympathomimetic abuse	Diagnosis	ICD-9-CM
305.70	Nondependent amphetamine or related acting sympathomimetic abuse, unspecified	Diagnosis	ICD-9-CM
305.71	Nondependent amphetamine or related acting sympathomimetic abuse, continuous	Diagnosis	ICD-9-CM
305.72	Nondependent amphetamine or related acting sympathomimetic abuse, episodic	Diagnosis	ICD-9-CM
305.73	Nondependent amphetamine or related acting sympathomimetic abuse, in remission	Diagnosis	ICD-9-CM
305.8	Nondependent antidepressant type abuse	Diagnosis	ICD-9-CM
305.80	Nondependent antidepressant type abuse, unspecified	Diagnosis	ICD-9-CM
305.81	Nondependent antidepressant type abuse, continuous	Diagnosis	ICD-9-CM
305.82	Nondependent antidepressant type abuse, episodic	Diagnosis	ICD-9-CM
305.83	Nondependent antidepressant type abuse, in remission	Diagnosis	ICD-9-CM
305.9	Other, mixed, or unspecified nondependent drug abuse	Diagnosis	ICD-9-CM
305.90	Other, mixed, or unspecified nondependent drug abuse, unspecified	Diagnosis	ICD-9-CM
305.91	Other, mixed, or unspecified nondependent drug abuse, continuous	Diagnosis	ICD-9-CM
305.92	Other, mixed, or unspecified nondependent drug abuse, episodic	Diagnosis	ICD-9-CM
305.93	Other, mixed, or unspecified nondependent drug abuse, in remission	Diagnosis	ICD-9-CM
306	Physiological malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.0	Musculoskeletal malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.1	Respiratory malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.2	Cardiovascular malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.3	Skin malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.4	Gastrointestinal malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.5	Genitourinary malfunctions arising from mental factors	Diagnosis	ICD-9-CM
306.50	Psychogenic genitourinary malfunction, unspecified	Diagnosis	ICD-9-CM
306.51	Psychogenic vaginismus	Diagnosis	ICD-9-CM
306.52	Psychogenic dysmenorrhea	Diagnosis	ICD-9-CM
306.53	Psychogenic dysuria	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
306.59	Other genitourinary malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.6	Endocrine malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.7	Malfunction of organs of special sense arising from mental factors	Diagnosis	ICD-9-CM
306.8	Other specified psychophysiological malfunction	Diagnosis	ICD-9-CM
306.9	Unspecified psychophysiological malfunction	Diagnosis	ICD-9-CM
307	Special symptoms or syndromes, not elsewhere classified	Diagnosis	ICD-9-CM
307.0	Adult onset fluency disorder	Diagnosis	ICD-9-CM
307.1	Anorexia nervosa	Diagnosis	ICD-9-CM
307.2	Tics	Diagnosis	ICD-9-CM
307.20	Tic disorder, unspecified	Diagnosis	ICD-9-CM
307.21	Transient tic disorder	Diagnosis	ICD-9-CM
307.22	Chronic motor or vocal tic disorder	Diagnosis	ICD-9-CM
307.23	Tourette's disorder	Diagnosis	ICD-9-CM
307.3	Stereotypic movement disorder	Diagnosis	ICD-9-CM
307.4	Specific disorders of sleep of nonorganic origin	Diagnosis	ICD-9-CM
307.40	Nonorganic sleep disorder, unspecified	Diagnosis	ICD-9-CM
307.41	Transient disorder of initiating or maintaining sleep	Diagnosis	ICD-9-CM
307.42	Persistent disorder of initiating or maintaining sleep	Diagnosis	ICD-9-CM
307.43	Transient disorder of initiating or maintaining wakefulness	Diagnosis	ICD-9-CM
307.44	Persistent disorder of initiating or maintaining wakefulness	Diagnosis	ICD-9-CM
307.45	Circadian rhythm sleep disorder of nonorganic origin	Diagnosis	ICD-9-CM
307.46	Sleep arousal disorder	Diagnosis	ICD-9-CM
307.47	Other dysfunctions of sleep stages or arousal from sleep	Diagnosis	ICD-9-CM
307.48	Repetitive intrusions of sleep	Diagnosis	ICD-9-CM
307.49	Other specific disorder of sleep of nonorganic origin	Diagnosis	ICD-9-CM
307.5	Other and unspecified disorders of eating	Diagnosis	ICD-9-CM
307.50	Eating disorder, unspecified	Diagnosis	ICD-9-CM
307.51	Bulimia nervosa	Diagnosis	ICD-9-CM
307.52	Pica	Diagnosis	ICD-9-CM
307.53	Rumination disorder	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
307.54	Psychogenic vomiting	Diagnosis	ICD-9-CM
307.59	Other disorder of eating	Diagnosis	ICD-9-CM
307.6	Enuresis	Diagnosis	ICD-9-CM
307.7	Encopresis	Diagnosis	ICD-9-CM
307.8	Pain disorders related to psychological factors	Diagnosis	ICD-9-CM
307.80	Psychogenic pain, site unspecified	Diagnosis	ICD-9-CM
307.81	Tension headache	Diagnosis	ICD-9-CM
307.89	Other pain disorder related to psychological factors	Diagnosis	ICD-9-CM
307.9	Other and unspecified special symptom or syndrome, not elsewhere classified	Diagnosis	ICD-9-CM
308	Acute reaction to stress	Diagnosis	ICD-9-CM
308.0	Predominant disturbance of emotions	Diagnosis	ICD-9-CM
308.1	Predominant disturbance of consciousness as reaction to stress	Diagnosis	ICD-9-CM
308.2	Predominant psychomotor disturbance as reaction to stress	Diagnosis	ICD-9-CM
308.3	Other acute reactions to stress	Diagnosis	ICD-9-CM
308.4	Mixed disorders as reaction to stress	Diagnosis	ICD-9-CM
308.9	Unspecified acute reaction to stress	Diagnosis	ICD-9-CM
309.0	Adjustment disorder with depressed mood	Diagnosis	ICD-9-CM
309.1	Prolonged depressive reaction as adjustment reaction	Diagnosis	ICD-9-CM
309.2	Predominant disturbance of other emotions as adjustment reaction	Diagnosis	ICD-9-CM
309.21	Separation anxiety disorder	Diagnosis	ICD-9-CM
309.22	Emancipation disorder of adolescence and early adult life	Diagnosis	ICD-9-CM
309.23	Specific academic or work inhibition as adjustment reaction	Diagnosis	ICD-9-CM
309.24	Adjustment disorder with anxiety	Diagnosis	ICD-9-CM
309.28	Adjustment disorder with mixed anxiety and depressed mood	Diagnosis	ICD-9-CM
309.29	Other adjustment reaction with predominant disturbance of other emotions	Diagnosis	ICD-9-CM
309.3	Adjustment disorder with disturbance of conduct	Diagnosis	ICD-9-CM
309.4	Adjustment disorder with mixed disturbance of emotions and conduct	Diagnosis	ICD-9-CM
309.8	Other specified adjustment reactions	Diagnosis	ICD-9-CM
309.81	Posttraumatic stress disorder	Diagnosis	ICD-9-CM
309.82	Adjustment reaction with physical symptoms	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
309.83	Adjustment reaction with withdrawal	Diagnosis	ICD-9-CM
309.89	Other specified adjustment reaction	Diagnosis	ICD-9-CM
309.9	Unspecified adjustment reaction	Diagnosis	ICD-9-CM
310	Specific nonpsychotic mental disorders due to brain damage	Diagnosis	ICD-9-CM
310.0	Frontal lobe syndrome	Diagnosis	ICD-9-CM
310.1	Personality change due to conditions classified elsewhere	Diagnosis	ICD-9-CM
310.2	Postconcussion syndrome	Diagnosis	ICD-9-CM
310.8	Other specified nonpsychotic mental disorder following organic brain damage	Diagnosis	ICD-9-CM
310.81	Pseudobulbar affect	Diagnosis	ICD-9-CM
310.89	Other specified nonpsychotic mental disorders following organic brain damage	Diagnosis	ICD-9-CM
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	Diagnosis	ICD-9-CM
311	Depressive disorder, not elsewhere classified	Diagnosis	ICD-9-CM
312	Disturbance of conduct, not elsewhere classified	Diagnosis	ICD-9-CM
312.0	Undersocialized conduct disorder, aggressive type	Diagnosis	ICD-9-CM
312.00	Undersocialized conduct disorder, aggressive type, unspecified	Diagnosis	ICD-9-CM
312.01	Undersocialized conduct disorder, aggressive type, mild	Diagnosis	ICD-9-CM
312.02	Undersocialized conduct disorder, aggressive type, moderate	Diagnosis	ICD-9-CM
312.03	Undersocialized conduct disorder, aggressive type, severe	Diagnosis	ICD-9-CM
312.1	Undersocialized conduct disorder, unaggressive type	Diagnosis	ICD-9-CM
312.10	Undersocialized conduct disorder, unaggressive type, unspecified	Diagnosis	ICD-9-CM
312.11	Undersocialized conduct disorder, unaggressive type, mild	Diagnosis	ICD-9-CM
312.12	Undersocialized conduct disorder, unaggressive type, moderate	Diagnosis	ICD-9-CM
312.13	Undersocialized conduct disorder, unaggressive type, severe	Diagnosis	ICD-9-CM
312.2	Socialized conduct disorder	Diagnosis	ICD-9-CM
312.20	Socialized conduct disorder, unspecified	Diagnosis	ICD-9-CM
312.21	Socialized conduct disorder, mild	Diagnosis	ICD-9-CM
312.22	Socialized conduct disorder, moderate	Diagnosis	ICD-9-CM
312.23	Socialized conduct disorder, severe	Diagnosis	ICD-9-CM
312.3	Disorders of impulse control, not elsewhere classified	Diagnosis	ICD-9-CM
312.30	Impulse control disorder, unspecified	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
312.31	Pathological gambling	Diagnosis	ICD-9-CM
312.32	Kleptomania	Diagnosis	ICD-9-CM
312.33	Pyromania	Diagnosis	ICD-9-CM
312.34	Intermittent explosive disorder	Diagnosis	ICD-9-CM
312.35	Isolated explosive disorder	Diagnosis	ICD-9-CM
312.39	Other disorder of impulse control	Diagnosis	ICD-9-CM
312.4	Mixed disturbance of conduct and emotions	Diagnosis	ICD-9-CM
312.8	Other specified disturbances of conduct, not elsewhere classified	Diagnosis	ICD-9-CM
312.81	Conduct disorder, childhood onset type	Diagnosis	ICD-9-CM
312.82	Conduct disorder, adolescent onset type	Diagnosis	ICD-9-CM
312.89	Other specified disturbance of conduct, not elsewhere classified	Diagnosis	ICD-9-CM
312.9	Unspecified disturbance of conduct	Diagnosis	ICD-9-CM
313	Disturbance of emotions specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.0	Overanxious disorder specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.1	Misery and unhappiness disorder specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.21	Shyness disorder of childhood	Diagnosis	ICD-9-CM
313.22	Introverted disorder of childhood	Diagnosis	ICD-9-CM
313.23	Selective mutism	Diagnosis	ICD-9-CM
313.3	Relationship problems specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.8	Other or mixed emotional disturbances of childhood or adolescence	Diagnosis	ICD-9-CM
313.81	Oppositional defiant disorder	Diagnosis	ICD-9-CM
313.82	Identity disorder of childhood or adolescence	Diagnosis	ICD-9-CM
313.83	Academic underachievement disorder of childhood or adolescence	Diagnosis	ICD-9-CM
313.89	Other emotional disturbance of childhood or adolescence	Diagnosis	ICD-9-CM
313.9	Unspecified emotional disturbance of childhood or adolescence	Diagnosis	ICD-9-CM
314	Hyperkinetic syndrome of childhood	Diagnosis	ICD-9-CM
314.0	Attention deficit disorder of childhood	Diagnosis	ICD-9-CM
314.00	Attention deficit disorder of childhood without mention of hyperactivity	Diagnosis	ICD-9-CM
314.01	Attention deficit disorder of childhood with hyperactivity	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
314.1	Hyperkinesis of childhood with developmental delay	Diagnosis	ICD-9-CM
314.2	Hyperkinetic conduct disorder of childhood	Diagnosis	ICD-9-CM
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	Diagnosis	ICD-9-CM
314.9	Unspecified hyperkinetic syndrome of childhood	Diagnosis	ICD-9-CM
315	Specific delays in development	Diagnosis	ICD-9-CM
315.0	Specific developmental reading disorder	Diagnosis	ICD-9-CM
315.00	Developmental reading disorder, unspecified	Diagnosis	ICD-9-CM
315.01	Alexia	Diagnosis	ICD-9-CM
315.02	Developmental dyslexia	Diagnosis	ICD-9-CM
315.09	Other specific developmental reading disorder	Diagnosis	ICD-9-CM
315.1	Mathematics disorder	Diagnosis	ICD-9-CM
315.2	Other specific developmental learning difficulties	Diagnosis	ICD-9-CM
315.3	Developmental speech or language disorder	Diagnosis	ICD-9-CM
315.31	Expressive language disorder	Diagnosis	ICD-9-CM
315.32	Mixed receptive-expressive language disorder	Diagnosis	ICD-9-CM
315.34	Speech and language developmental delay due to hearing loss	Diagnosis	ICD-9-CM
315.35	Childhood onset fluency disorder	Diagnosis	ICD-9-CM
315.39	Other developmental speech or language disorder	Diagnosis	ICD-9-CM
315.4	Developmental coordination disorder	Diagnosis	ICD-9-CM
315.5	Mixed development disorder	Diagnosis	ICD-9-CM
315.8	Other specified delay in development	Diagnosis	ICD-9-CM
315.9	Unspecified delay in development	Diagnosis	ICD-9-CM
316	Psychic factors associated with diseases classified elsewhere	Diagnosis	ICD-9-CM
317	Mild intellectual disabilities	Diagnosis	ICD-9-CM
318.0	Moderate intellectual disabilities	Diagnosis	ICD-9-CM
318.1	Severe intellectual disabilities	Diagnosis	ICD-9-CM
318.2	Profound intellectual disabilities	Diagnosis	ICD-9-CM
319	Unspecified intellectual disabilities	Diagnosis	ICD-9-CM
327	Organic sleep disorders	Diagnosis	ICD-9-CM
327.0	Organic disorders of initiating and maintaining sleep [Organic insomnia]	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
327.00	Organic insomnia, unspecified	Diagnosis	ICD-9-CM
327.01	Insomnia due to medical condition classified elsewhere	Diagnosis	ICD-9-CM
327.02	Insomnia due to mental disorder	Diagnosis	ICD-9-CM
327.09	Other organic insomnia	Diagnosis	ICD-9-CM
327.1	Organic disorders of excessive somnolence [Organic hypersomnia]	Diagnosis	ICD-9-CM
327.10	Organic hypersomnia, unspecified	Diagnosis	ICD-9-CM
327.11	Idiopathic hypersomnia with long sleep time	Diagnosis	ICD-9-CM
327.12	Idiopathic hypersomnia without long sleep time	Diagnosis	ICD-9-CM
327.13	Recurrent hypersomnia	Diagnosis	ICD-9-CM
327.14	Hypersomnia due to medical condition classified elsewhere	Diagnosis	ICD-9-CM
327.15	Hypersomnia due to mental disorder	Diagnosis	ICD-9-CM
327.19	Other organic hypersomnia	Diagnosis	ICD-9-CM
327.2	Organic sleep apnea	Diagnosis	ICD-9-CM
327.20	Organic sleep apnea, unspecified	Diagnosis	ICD-9-CM
327.21	Primary central sleep apnea	Diagnosis	ICD-9-CM
327.23	Obstructive sleep apnea (adult) (pediatric)	Diagnosis	ICD-9-CM
327.24	Idiopathic sleep related nonobstructive alveolar hypoventilation	Diagnosis	ICD-9-CM
327.25	Congenital central alveolar hypoventilation syndrome	Diagnosis	ICD-9-CM
327.26	Sleep related hypoventilation/hypoxemia in conditions classifiable elsewhere	Diagnosis	ICD-9-CM
327.27	Central sleep apnea in conditions classified elsewhere	Diagnosis	ICD-9-CM
327.29	Other organic sleep apnea	Diagnosis	ICD-9-CM
327.3	Circadian rhythm sleep disorder	Diagnosis	ICD-9-CM
327.30	Circadian rhythm sleep disorder, unspecified	Diagnosis	ICD-9-CM
327.31	Circadian rhythm sleep disorder, delayed sleep phase type	Diagnosis	ICD-9-CM
327.32	Circadian rhythm sleep disorder, advanced sleep phase type	Diagnosis	ICD-9-CM
327.33	Circadian rhythm sleep disorder, irregular sleep-wake type	Diagnosis	ICD-9-CM
327.34	Circadian rhythm sleep disorder, free-running type	Diagnosis	ICD-9-CM
327.35	Circadian rhythm sleep disorder, jet lag type	Diagnosis	ICD-9-CM
327.36	Circadian rhythm sleep disorder, shift work type	Diagnosis	ICD-9-CM
327.37	Circadian rhythm sleep disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
327.39	Other circadian rhythm sleep disorder	Diagnosis	ICD-9-CM
327.4	Organic parasomnia	Diagnosis	ICD-9-CM
327.40	Organic parasomnia, unspecified	Diagnosis	ICD-9-CM
327.41	Confusional arousals	Diagnosis	ICD-9-CM
327.42	REM sleep behavior disorder	Diagnosis	ICD-9-CM
327.43	Recurrent isolated sleep paralysis	Diagnosis	ICD-9-CM
327.44	Parasomnia in conditions classified elsewhere	Diagnosis	ICD-9-CM
327.49	Other organic parasomnia	Diagnosis	ICD-9-CM
327.5	Organic sleep related movement disorders	Diagnosis	ICD-9-CM
327.51	Periodic limb movement disorder	Diagnosis	ICD-9-CM
327.52	Sleep related leg cramps	Diagnosis	ICD-9-CM
327.53	Sleep related bruxism	Diagnosis	ICD-9-CM
327.59	Other organic sleep related movement disorders	Diagnosis	ICD-9-CM
327.8	Other organic sleep disorders	Diagnosis	ICD-9-CM
330	Cerebral degenerations usually manifest in childhood	Diagnosis	ICD-9-CM
330.0	Leukodystrophy	Diagnosis	ICD-9-CM
330.1	Cerebral lipidoses	Diagnosis	ICD-9-CM
330.2	Cerebral degeneration in generalized lipidoses	Diagnosis	ICD-9-CM
330.3	Cerebral degeneration of childhood in other diseases classified elsewhere	Diagnosis	ICD-9-CM
330.8	Other specified cerebral degenerations in childhood	Diagnosis	ICD-9-CM
330.9	Unspecified cerebral degeneration in childhood	Diagnosis	ICD-9-CM
331	Other cerebral degenerations	Diagnosis	ICD-9-CM
331.0	Alzheimer's disease	Diagnosis	ICD-9-CM
331.1	Frontotemporal dementia	Diagnosis	ICD-9-CM
331.11	Pick's disease	Diagnosis	ICD-9-CM
331.19	Other frontotemporal dementia	Diagnosis	ICD-9-CM
331.2	Senile degeneration of brain	Diagnosis	ICD-9-CM
331.3	Communicating hydrocephalus	Diagnosis	ICD-9-CM
331.4	Obstructive hydrocephalus	Diagnosis	ICD-9-CM
331.5	Idiopathic normal pressure hydrocephalus [INPH]	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
331.6	Corticobasal degeneration	Diagnosis	ICD-9-CM
331.7	Cerebral degeneration in diseases classified elsewhere	Diagnosis	ICD-9-CM
331.8	Other cerebral degeneration	Diagnosis	ICD-9-CM
331.81	Reye's syndrome	Diagnosis	ICD-9-CM
331.82	Dementia with Lewy bodies	Diagnosis	ICD-9-CM
331.83	Mild cognitive impairment, so stated	Diagnosis	ICD-9-CM
331.89	Other cerebral degeneration	Diagnosis	ICD-9-CM
331.9	Unspecified cerebral degeneration	Diagnosis	ICD-9-CM
333.99	Other extrapyramidal disease and abnormal movement disorder	Diagnosis	ICD-9-CM
347	Cataplexy and narcolepsy	Diagnosis	ICD-9-CM
347.0	Narcolepsy	Diagnosis	ICD-9-CM
347.00	Narcolepsy, without cataplexy	Diagnosis	ICD-9-CM
347.01	Narcolepsy, with cataplexy	Diagnosis	ICD-9-CM
347.1	Narcolepsy in conditions classified elsewhere	Diagnosis	ICD-9-CM
347.10	Narcolepsy in conditions classified elsewhere, without cataplexy	Diagnosis	ICD-9-CM
347.11	Narcolepsy in conditions classified elsewhere, with cataplexy	Diagnosis	ICD-9-CM
348.3	Encephalopathy, not elsewhere classified	Diagnosis	ICD-9-CM
348.30	Encephalopathy, unspecified	Diagnosis	ICD-9-CM
348.31	Metabolic encephalopathy	Diagnosis	ICD-9-CM
348.39	Other encephalopathy	Diagnosis	ICD-9-CM
357.5	Alcoholic polyneuropathy	Diagnosis	ICD-9-CM
425.5	Alcoholic cardiomyopathy	Diagnosis	ICD-9-CM
4320F	Patient counseled regarding psychosocial and pharmacologic treatment options for alcohol dependence (SUD)	Procedure	CPT-2
535.3	Alcoholic gastritis	Diagnosis	ICD-9-CM
535.30	Alcoholic gastritis without mention of hemorrhage	Diagnosis	ICD-9-CM
535.31	Alcoholic gastritis with hemorrhage	Diagnosis	ICD-9-CM
571.0	Alcoholic fatty liver	Diagnosis	ICD-9-CM
571.1	Acute alcoholic hepatitis	Diagnosis	ICD-9-CM
571.2	Alcoholic cirrhosis of liver	Diagnosis	ICD-9-CM
571.3	Unspecified alcoholic liver damage	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
61885	Insertion or replacement of cranial neurostimulator pulse generator or receiver, direct or inductive coupling; with connection to a single electrode array	Procedure	CPT-4
61886	Insertion or replacement of cranial neurostimulator pulse generator or receiver, direct or inductive coupling; with connection to 2 or more electrode arrays	Procedure	CPT-4
61888	Revision or removal of cranial neurostimulator pulse generator or receiver	Procedure	CPT-4
625.4	Premenstrual tension syndromes	Diagnosis	ICD-9-CM
64553	Percutaneous implantation of neurostimulator electrode array; cranial nerve	Procedure	CPT-4
64568	Open implantation of cranial nerve (eg, vagus nerve) neurostimulator electrode array and pulse generator	Procedure	CPT-4
64569	Revision or replacement of cranial nerve (eg, vagus nerve) neurostimulator electrode array, including connection to existing pulse generator	Procedure	CPT-4
64570	Removal of cranial nerve (eg, vagus nerve) neurostimulator electrode array and pulse generator	Procedure	CPT-4
64585	Revision or removal of peripheral neurostimulator electrode array	Procedure	CPT-4
780.1	Hallucinations	Diagnosis	ICD-9-CM
780.5	Sleep disturbances	Diagnosis	ICD-9-CM
780.50	Unspecified sleep disturbance	Diagnosis	ICD-9-CM
780.51	Insomnia with sleep apnea, unspecified	Diagnosis	ICD-9-CM
780.52	Insomnia, unspecified	Diagnosis	ICD-9-CM
780.53	Hypersomnia with sleep apnea, unspecified	Diagnosis	ICD-9-CM
780.54	Hypersomnia, unspecified	Diagnosis	ICD-9-CM
780.55	Disruption of 24 hour sleep wake cycle, unspecified	Diagnosis	ICD-9-CM
780.56	Dysfunctions associated with sleep stages or arousal from sleep	Diagnosis	ICD-9-CM
780.57	Unspecified sleep apnea	Diagnosis	ICD-9-CM
780.58	Sleep related movement disorder, unspecified	Diagnosis	ICD-9-CM
780.59	Other sleep disturbances	Diagnosis	ICD-9-CM
881	Open wound of elbow, forearm, and wrist	Diagnosis	ICD-9-CM
8E0ZXY5	Meditation	Procedure	ICD-10-PCS
90810	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient;	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
90811	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90812	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient;	Procedure	CPT-4
90813	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90814	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient;	Procedure	CPT-4
90815	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90823	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient;	Procedure	CPT-4
90824	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90826	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient;	Procedure	CPT-4
90827	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90828	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient;	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
90829	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90832	Psychotherapy, 30 minutes with patient	Procedure	CPT-4
90833	Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	Procedure	CPT-4
90834	Psychotherapy, 45 minutes with patient	Procedure	CPT-4
90836	Psychotherapy, 45 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	Procedure	CPT-4
90837	Psychotherapy, 60 minutes with patient	Procedure	CPT-4
90838	Psychotherapy, 60 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	Procedure	CPT-4
90839	Psychotherapy for crisis; first 60 minutes	Procedure	CPT-4
90840	Psychotherapy for crisis; each additional 30 minutes (List separately in addition to code for primary service)	Procedure	CPT-4
90845	Psychoanalysis	Procedure	CPT-4
90853	Group psychotherapy (other than of a multiple-family group)	Procedure	CPT-4
90857	Interactive group psychotherapy	Procedure	CPT-4
90867	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; initial, including cortical mapping, motor threshold determination, delivery and management	Procedure	CPT-4
90868	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent delivery and management, per session	Procedure	CPT-4
90869	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent motor threshold re-determination with delivery and management	Procedure	CPT-4
90870	Electroconvulsive therapy (includes necessary monitoring)	Procedure	CPT-4
90871	Electroconvulsive therapy (includes necessary monitoring); multiple seizures, per day	Procedure	CPT-4
94.31	Psychoanalysis	Procedure	ICD-9-CM
94.32	Hypnotherapy	Procedure	ICD-9-CM
94.33	Behavior therapy	Procedure	ICD-9-CM
94.35	Crisis intervention	Procedure	ICD-9-CM
94.36	Play psychotherapy	Procedure	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
94.37	Exploratory verbal psychotherapy	Procedure	ICD-9-CM
94.38	Supportive verbal psychotherapy	Procedure	ICD-9-CM
94.39	Other individual psychotherapy	Procedure	ICD-9-CM
94.43	Psychodrama	Procedure	ICD-9-CM
94.44	Other group therapy	Procedure	ICD-9-CM
94.46	Alcoholism counseling	Procedure	ICD-9-CM
94.53	Referral for alcoholism rehabilitation	Procedure	ICD-9-CM
94.6	Alcohol and drug rehabilitation and detoxification	Procedure	ICD-9-CM
94.61	Alcohol rehabilitation	Procedure	ICD-9-CM
94.62	Alcohol detoxification	Procedure	ICD-9-CM
94.63	Alcohol rehabilitation and detoxification	Procedure	ICD-9-CM
94.67	Combined alcohol and drug rehabilitation	Procedure	ICD-9-CM
94.68	Combined alcohol and drug detoxification	Procedure	ICD-9-CM
94.69	Combined alcohol and drug rehabilitation and detoxification	Procedure	ICD-9-CM
95970	Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with brain, cranial nerve, spinal cord, peripheral nerve, or sacral nerve, neurostimulator pulse generator/transmitter, without programming	Procedure	CPT-4
95971	Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with simple spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional	Procedure	CPT-4
95974	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, with or without nerve interface testing, first hour	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
95975	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, each additional 30 minutes after first hour (List separately in addition to code for primary procedure)	Procedure	CPT-4
960	Poisoning by antibiotics	Diagnosis	ICD-9-CM
960.0	Poisoning by penicillins	Diagnosis	ICD-9-CM
960.1	Poisoning by antifungal antibiotics	Diagnosis	ICD-9-CM
960.2	Poisoning by chloramphenicol group	Diagnosis	ICD-9-CM
960.3	Poisoning by erythromycin and other macrolides	Diagnosis	ICD-9-CM
960.4	Poisoning by tetracycline group	Diagnosis	ICD-9-CM
960.5	Poisoning of cephalosporin group	Diagnosis	ICD-9-CM
960.6	Poisoning of antimycobacterial antibiotics	Diagnosis	ICD-9-CM
960.7	Poisoning by antineoplastic antibiotics	Diagnosis	ICD-9-CM
960.8	Poisoning by other specified antibiotics	Diagnosis	ICD-9-CM
960.9	Poisoning by unspecified antibiotic	Diagnosis	ICD-9-CM
961	Poisoning by other anti-infectives	Diagnosis	ICD-9-CM
961.0	Poisoning by sulfonamides	Diagnosis	ICD-9-CM
961.1	Poisoning by arsenical anti-infectives	Diagnosis	ICD-9-CM
961.2	Poisoning by heavy metal anti-infectives	Diagnosis	ICD-9-CM
961.3	Poisoning by quinoline and hydroxyquinoline derivatives	Diagnosis	ICD-9-CM
961.4	Poisoning by antimalarials and drugs acting on other blood protozoa	Diagnosis	ICD-9-CM
961.5	Poisoning by other antiprotozoal drugs	Diagnosis	ICD-9-CM
961.6	Poisoning by anthelmintics	Diagnosis	ICD-9-CM
961.7	Poisoning by antiviral drugs	Diagnosis	ICD-9-CM
961.8	Poisoning by other antimycobacterial drugs	Diagnosis	ICD-9-CM
961.9	Poisoning by other and unspecified anti-infectives	Diagnosis	ICD-9-CM
962	Poisoning by hormones and synthetic substitutes	Diagnosis	ICD-9-CM
962.0	Poisoning by adrenal cortical steroids	Diagnosis	ICD-9-CM
962.1	Poisoning by androgens and anabolic congeners	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
962.2	Poisoning by ovarian hormones and synthetic substitutes	Diagnosis	ICD-9-CM
962.3	Poisoning by insulins and antidiabetic agents	Diagnosis	ICD-9-CM
962.4	Poisoning by anterior pituitary hormones	Diagnosis	ICD-9-CM
962.5	Poisoning by posterior pituitary hormones	Diagnosis	ICD-9-CM
962.6	Poisoning by parathyroid and parathyroid derivatives	Diagnosis	ICD-9-CM
962.7	Poisoning by thyroid and thyroid derivatives	Diagnosis	ICD-9-CM
962.8	Poisoning by antithyroid agents	Diagnosis	ICD-9-CM
962.9	Poisoning by other and unspecified hormones and synthetic substitutes	Diagnosis	ICD-9-CM
963	Poisoning by primarily systemic agents	Diagnosis	ICD-9-CM
963.0	Poisoning by antiallergic and antiemetic drugs	Diagnosis	ICD-9-CM
963.1	Poisoning by antineoplastic and immunosuppressive drugs	Diagnosis	ICD-9-CM
963.2	Poisoning by acidifying agents	Diagnosis	ICD-9-CM
963.3	Poisoning by alkalizing agents	Diagnosis	ICD-9-CM
963.4	Poisoning by enzymes, not elsewhere classified	Diagnosis	ICD-9-CM
963.5	Poisoning by vitamins, not elsewhere classified	Diagnosis	ICD-9-CM
963.8	Poisoning by other specified systemic agents	Diagnosis	ICD-9-CM
963.9	Poisoning by unspecified systemic agent	Diagnosis	ICD-9-CM
964	Poisoning by agents primarily affecting blood constituents	Diagnosis	ICD-9-CM
964.0	Poisoning by iron and its compounds	Diagnosis	ICD-9-CM
964.1	Poisoning by liver preparations and other antianemic agents	Diagnosis	ICD-9-CM
964.2	Poisoning by anticoagulants	Diagnosis	ICD-9-CM
964.3	Poisoning by vitamin K (phytonadione)	Diagnosis	ICD-9-CM
964.4	Poisoning by fibrinolysis-affecting drugs	Diagnosis	ICD-9-CM
964.5	Poisoning by anticoagulant antagonists and other coagulants	Diagnosis	ICD-9-CM
964.6	Poisoning by gamma globulin	Diagnosis	ICD-9-CM
964.7	Poisoning by natural blood and blood products	Diagnosis	ICD-9-CM
964.8	Poisoning by other specified agents affecting blood constituents	Diagnosis	ICD-9-CM
964.9	Poisoning by unspecified agent affecting blood constituents	Diagnosis	ICD-9-CM
965	Poisoning by analgesics, antipyretics, and antirheumatics	Diagnosis	ICD-9-CM
965.0	Poisoning by opiates and related narcotics	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
965.00	Poisoning by opium (alkaloids), unspecified	Diagnosis	ICD-9-CM
965.01	Poisoning by heroin	Diagnosis	ICD-9-CM
965.02	Poisoning by methadone	Diagnosis	ICD-9-CM
965.09	Poisoning by opiates and related narcotics, other	Diagnosis	ICD-9-CM
965.1	Poisoning by salicylates	Diagnosis	ICD-9-CM
965.4	Poisoning by aromatic analgesics, not elsewhere classified	Diagnosis	ICD-9-CM
965.5	Poisoning by pyrazole derivatives	Diagnosis	ICD-9-CM
965.6	Poisoning by antirheumatics (antiphlogistics)	Diagnosis	ICD-9-CM
965.61	Poisoning by propionic acid derivatives	Diagnosis	ICD-9-CM
965.69	Poisoning by other antirheumatics	Diagnosis	ICD-9-CM
965.7	Poisoning by other non-narcotic analgesics	Diagnosis	ICD-9-CM
965.8	Poisoning by other specified analgesics and antipyretics	Diagnosis	ICD-9-CM
965.9	Poisoning by unspecified analgesic and antipyretic	Diagnosis	ICD-9-CM
966	Poisoning by anticonvulsants and anti-Parkinsonism drugs	Diagnosis	ICD-9-CM
966.0	Poisoning by oxazolidine derivatives	Diagnosis	ICD-9-CM
966.1	Poisoning by hydantoin derivatives	Diagnosis	ICD-9-CM
966.2	Poisoning by succinimides	Diagnosis	ICD-9-CM
966.3	Poisoning by other and unspecified anticonvulsants	Diagnosis	ICD-9-CM
966.4	Poisoning by anti-Parkinsonism drugs	Diagnosis	ICD-9-CM
967	Poisoning by sedatives and hypnotics	Diagnosis	ICD-9-CM
967.0	Poisoning by barbiturates	Diagnosis	ICD-9-CM
967.1	Poisoning by chloral hydrate group	Diagnosis	ICD-9-CM
967.2	Poisoning by paraldehyde	Diagnosis	ICD-9-CM
967.3	Poisoning by bromine compounds	Diagnosis	ICD-9-CM
967.4	Poisoning by methaqualone compounds	Diagnosis	ICD-9-CM
967.5	Poisoning by glutethimide group	Diagnosis	ICD-9-CM
967.6	Poisoning by mixed sedatives, not elsewhere classified	Diagnosis	ICD-9-CM
967.8	Poisoning by other sedatives and hypnotics	Diagnosis	ICD-9-CM
967.9	Poisoning by unspecified sedative or hypnotic	Diagnosis	ICD-9-CM
968	Poisoning by other central nervous system depressants and anesthetics	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
968.0	Poisoning by central nervous system muscle-tone depressants	Diagnosis	ICD-9-CM
968.1	Poisoning by halothane	Diagnosis	ICD-9-CM
968.2	Poisoning by other gaseous anesthetics	Diagnosis	ICD-9-CM
968.3	Poisoning by intravenous anesthetics	Diagnosis	ICD-9-CM
968.4	Poisoning by other and unspecified general anesthetics	Diagnosis	ICD-9-CM
968.5	Poisoning by other central nervous system depressants and anesthetics, Surface (topical) and infiltration anesthetics	Diagnosis	ICD-9-CM
968.6	Poisoning by peripheral nerve- and plexus-blocking anesthetics	Diagnosis	ICD-9-CM
968.7	Poisoning by spinal anesthetics	Diagnosis	ICD-9-CM
968.9	Poisoning by other and unspecified local anesthetics	Diagnosis	ICD-9-CM
969	Poisoning by psychotropic agents	Diagnosis	ICD-9-CM
969.0	Poisoning by antidepressants	Diagnosis	ICD-9-CM
969.00	Poisoning by antidepressant, unspecified	Diagnosis	ICD-9-CM
969.01	Poisoning by monoamine oxidase inhibitors	Diagnosis	ICD-9-CM
969.02	Poisoning by selective serotonin and norepinephrine reuptake inhibitors	Diagnosis	ICD-9-CM
969.03	Poisoning by selective serotonin reuptake inhibitors	Diagnosis	ICD-9-CM
969.04	Poisoning by tetracyclic antidepressants	Diagnosis	ICD-9-CM
969.05	Poisoning by tricyclic antidepressants	Diagnosis	ICD-9-CM
969.09	Poisoning by other antidepressants	Diagnosis	ICD-9-CM
969.1	Poisoning by phenothiazine-based tranquilizers	Diagnosis	ICD-9-CM
969.2	Poisoning by butyrophenone-based tranquilizers	Diagnosis	ICD-9-CM
969.3	Poisoning by other antipsychotics, neuroleptics, and major tranquilizers	Diagnosis	ICD-9-CM
969.4	Poisoning by benzodiazepine-based tranquilizers	Diagnosis	ICD-9-CM
969.5	Poisoning by other tranquilizers	Diagnosis	ICD-9-CM
969.6	Poisoning by psychodysleptics (hallucinogens)	Diagnosis	ICD-9-CM
969.7	Poisoning by psychostimulants	Diagnosis	ICD-9-CM
969.70	Poisoning by psychostimulant, unspecified	Diagnosis	ICD-9-CM
969.71	Poisoning by caffeine	Diagnosis	ICD-9-CM
969.72	Poisoning by amphetamines	Diagnosis	ICD-9-CM
969.73	Poisoning by methylphenidate	Diagnosis	ICD-9-CM
969.79	Poisoning by other psychostimulants	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
969.8	Poisoning by other specified psychotropic agents	Diagnosis	ICD-9-CM
969.9	Poisoning by unspecified psychotropic agent	Diagnosis	ICD-9-CM
980	Toxic effect of alcohol	Diagnosis	ICD-9-CM
980.0	Toxic effect of ethyl alcohol	Diagnosis	ICD-9-CM
980.1	Toxic effect of methyl alcohol	Diagnosis	ICD-9-CM
980.2	Toxic effect of isopropyl alcohol	Diagnosis	ICD-9-CM
980.3	Toxic effect of fusel oil	Diagnosis	ICD-9-CM
980.8	Toxic effect of other specified alcohols	Diagnosis	ICD-9-CM
980.9	Toxic effect of unspecified alcohol	Diagnosis	ICD-9-CM
981	Toxic effect of petroleum products	Diagnosis	ICD-9-CM
982	Toxic effect of solvents other than petroleum-based	Diagnosis	ICD-9-CM
982.0	Toxic effect of benzene and homologues	Diagnosis	ICD-9-CM
982.1	Toxic effect of carbon tetrachloride	Diagnosis	ICD-9-CM
982.2	Toxic effect of carbon disulfide	Diagnosis	ICD-9-CM
982.3	Toxic effect of other chlorinated hydrocarbon solvents	Diagnosis	ICD-9-CM
982.4	Toxic effect of nitroglycol	Diagnosis	ICD-9-CM
982.8	Toxic effect of other nonpetroleum-based solvents	Diagnosis	ICD-9-CM
983	Toxic effect of corrosive aromatics, acids, and caustic alkalis	Diagnosis	ICD-9-CM
983.0	Toxic effect of corrosive aromatics	Diagnosis	ICD-9-CM
983.1	Toxic effect of acids	Diagnosis	ICD-9-CM
983.2	Toxic effect of caustic alkalis	Diagnosis	ICD-9-CM
983.9	Toxic effect of caustic, unspecified	Diagnosis	ICD-9-CM
984	Toxic effect of lead and its compounds (including fumes)	Diagnosis	ICD-9-CM
984.0	Toxic effect of inorganic lead compounds	Diagnosis	ICD-9-CM
984.1	Toxic effect of organic lead compounds	Diagnosis	ICD-9-CM
984.8	Toxic effect of other lead compounds	Diagnosis	ICD-9-CM
984.9	Toxic effect of unspecified lead compound	Diagnosis	ICD-9-CM
985	Toxic effect of other metals	Diagnosis	ICD-9-CM
985.0	Toxic effect of mercury and its compounds	Diagnosis	ICD-9-CM
985.1	Toxic effect of arsenic and its compounds	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
985.2	Toxic effect of manganese and its compounds	Diagnosis	ICD-9-CM
985.3	Toxic effect of beryllium and its compounds	Diagnosis	ICD-9-CM
985.4	Toxic effect of antimony and its compounds	Diagnosis	ICD-9-CM
985.5	Toxic effect of cadmium and its compounds	Diagnosis	ICD-9-CM
985.6	Toxic effect of chromium	Diagnosis	ICD-9-CM
985.8	Toxic effect of other specified metals	Diagnosis	ICD-9-CM
985.9	Toxic effect of unspecified metal	Diagnosis	ICD-9-CM
986	Toxic effect of carbon monoxide	Diagnosis	ICD-9-CM
987	Toxic effect of other gases, fumes, or vapors	Diagnosis	ICD-9-CM
987.0	Toxic effect of liquefied petroleum gases	Diagnosis	ICD-9-CM
987.1	Toxic effect of other hydrocarbon gas	Diagnosis	ICD-9-CM
987.2	Toxic effect of nitrogen oxides	Diagnosis	ICD-9-CM
987.3	Toxic effect of sulfur dioxide	Diagnosis	ICD-9-CM
987.4	Toxic effect of freon	Diagnosis	ICD-9-CM
987.5	Toxic effect of lacrimogenic gas	Diagnosis	ICD-9-CM
987.6	Toxic effect of chlorine gas	Diagnosis	ICD-9-CM
987.7	Toxic effect of hydrocyanic acid gas	Diagnosis	ICD-9-CM
987.8	Toxic effect of other specified gases, fumes, or vapors	Diagnosis	ICD-9-CM
987.9	Toxic effect of unspecified gas, fume, or vapor	Diagnosis	ICD-9-CM
988	Toxic effect of noxious substances eaten as food	Diagnosis	ICD-9-CM
988.0	Toxic effect of fish and shellfish	Diagnosis	ICD-9-CM
988.1	Toxic effect of mushrooms	Diagnosis	ICD-9-CM
988.2	Toxic effect of berries and other plants	Diagnosis	ICD-9-CM
988.8	Toxic effect of other specified noxious substances	Diagnosis	ICD-9-CM
988.9	Toxic effect of unspecified noxious substance	Diagnosis	ICD-9-CM
989	Toxic effect of other substances, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
989.0	Toxic effect of hydrocyanic acid and cyanides	Diagnosis	ICD-9-CM
989.1	Toxic effect of strychnine and salts	Diagnosis	ICD-9-CM
989.2	Toxic effect of chlorinated hydrocarbons	Diagnosis	ICD-9-CM
989.3	Toxic effect of organophosphate and carbamate	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
989.4	Toxic effect of other pesticides, not elsewhere classified	Diagnosis	ICD-9-CM
989.5	Toxic effect of venom	Diagnosis	ICD-9-CM
989.6	Toxic effect of soaps and detergents	Diagnosis	ICD-9-CM
989.7	Toxic effect of aflatoxin and other mycotoxin (food contaminants)	Diagnosis	ICD-9-CM
989.8	Toxic effect of other substances, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
989.81	Toxic effect of asbestos	Diagnosis	ICD-9-CM
989.82	Toxic effect of latex	Diagnosis	ICD-9-CM
989.83	Toxic effect of silicone	Diagnosis	ICD-9-CM
989.84	Toxic effect of tobacco	Diagnosis	ICD-9-CM
989.89	Toxic effect of other substances	Diagnosis	ICD-9-CM
989.9	Toxic effect of unspecified substance, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
994.7	Asphyxiation and strangulation	Diagnosis	ICD-9-CM
E75.00	GM2 gangliosidosis, unspecified	Diagnosis	ICD-10-CM
E75.01	Sandhoff disease	Diagnosis	ICD-10-CM
E75.02	Tay-Sachs disease	Diagnosis	ICD-10-CM
E75.09	Other GM2 gangliosidosis	Diagnosis	ICD-10-CM
E75.10	Unspecified gangliosidosis	Diagnosis	ICD-10-CM
E75.11	Mucopolipidosis IV	Diagnosis	ICD-10-CM
E75.19	Other gangliosidosis	Diagnosis	ICD-10-CM
E75.23	Krabbe disease	Diagnosis	ICD-10-CM
E75.25	Metachromatic leukodystrophy	Diagnosis	ICD-10-CM
E75.29	Other sphingolipidosis	Diagnosis	ICD-10-CM
E75.4	Neuronal ceroid lipofuscinosis	Diagnosis	ICD-10-CM
E952.8	Suicide and self-inflicted poisoning by other specified gases and vapors	Diagnosis	ICD-9-CM
E952.9	Suicide and self-inflicted poisoning by unspecified gases and vapors	Diagnosis	ICD-9-CM
E953.0	Suicide and self-inflicted injury by hanging	Diagnosis	ICD-9-CM
E953.1	Suicide and self-inflicted injury by suffocation by plastic bag	Diagnosis	ICD-9-CM
E953.8	Suicide and self-inflicted injury by other specified means	Diagnosis	ICD-9-CM
E953.9	Suicide and self-inflicted injury by unspecified means	Diagnosis	ICD-9-CM
E955.1	Suicide and self-inflicted injury by shotgun	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E955.2	Suicide and self-inflicted injury by hunting rifle	Diagnosis	ICD-9-CM
E955.3	Suicide and self-inflicted injury by military firearms	Diagnosis	ICD-9-CM
E955.4	Suicide and self-inflicted injury by other and unspecified firearm	Diagnosis	ICD-9-CM
E955.5	Suicide and self-inflicted injury by explosives	Diagnosis	ICD-9-CM
E955.6	Suicide and self-inflicted injury by air gun	Diagnosis	ICD-9-CM
E955.7	Suicide and self-inflicted injury by paintball gun	Diagnosis	ICD-9-CM
E955.9	Suicide and self-inflicted injury by firearms and explosives, unspecified	Diagnosis	ICD-9-CM
E957.0	Suicide and self-inflicted injuries by jumping from residential premises	Diagnosis	ICD-9-CM
E957.1	Suicide and self-inflicted injuries by jumping from other man-made structures	Diagnosis	ICD-9-CM
E957.2	Suicide and self-inflicted injuries by jumping from natural sites	Diagnosis	ICD-9-CM
E957.9	Suicide and self-inflicted injuries by jumping from unspecified site	Diagnosis	ICD-9-CM
E958.0	Suicide and self-inflicted injury by jumping or lying before moving object	Diagnosis	ICD-9-CM
E958.1	Suicide and self-inflicted injury by burns, fire	Diagnosis	ICD-9-CM
E958.2	Suicide and self-inflicted injury by scald	Diagnosis	ICD-9-CM
E958.3	Suicide and self-inflicted injury by extremes of cold	Diagnosis	ICD-9-CM
E958.4	Suicide and self-inflicted injury by electrocution	Diagnosis	ICD-9-CM
E958.5	Suicide and self-inflicted injury by crashing of motor vehicle	Diagnosis	ICD-9-CM
E958.6	Suicide and self-inflicted injury by crashing of aircraft	Diagnosis	ICD-9-CM
E958.7	Suicide and self-inflicted injury by caustic substances, except poisoning	Diagnosis	ICD-9-CM
E958.8	Suicide and self-inflicted injury by other specified means	Diagnosis	ICD-9-CM
E958.9	Suicide and self-inflicted injury by unspecified means	Diagnosis	ICD-9-CM
E959	Late effects of self-inflicted injury	Diagnosis	ICD-9-CM
F01	Vascular dementia	Diagnosis	ICD-10-CM
F01.5	Vascular dementia	Diagnosis	ICD-10-CM
F01.50	Vascular dementia without behavioral disturbance	Diagnosis	ICD-10-CM
F01.51	Vascular dementia with behavioral disturbance	Diagnosis	ICD-10-CM
F02	Dementia in other diseases classified elsewhere	Diagnosis	ICD-10-CM
F02.8	Dementia in other diseases classified elsewhere	Diagnosis	ICD-10-CM
F02.80	Dementia in other diseases classified elsewhere without behavioral disturbance	Diagnosis	ICD-10-CM
F02.81	Dementia in other diseases classified elsewhere with behavioral disturbance	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F03	Unspecified dementia	Diagnosis	ICD-10-CM
F03.9	Unspecified dementia	Diagnosis	ICD-10-CM
F03.90	Unspecified dementia without behavioral disturbance	Diagnosis	ICD-10-CM
F03.91	Unspecified dementia with behavioral disturbance	Diagnosis	ICD-10-CM
F04	Amnestic disorder due to known physiological condition	Diagnosis	ICD-10-CM
F05	Delirium due to known physiological condition	Diagnosis	ICD-10-CM
F06	Other mental disorders due to known physiological condition	Diagnosis	ICD-10-CM
F06.0	Psychotic disorder with hallucinations due to known physiological condition	Diagnosis	ICD-10-CM
F06.1	Catatonic disorder due to known physiological condition	Diagnosis	ICD-10-CM
F06.2	Psychotic disorder with delusions due to known physiological condition	Diagnosis	ICD-10-CM
F06.3	Mood disorder due to known physiological condition	Diagnosis	ICD-10-CM
F06.30	Mood disorder due to known physiological condition, unspecified	Diagnosis	ICD-10-CM
F06.31	Mood disorder due to known physiological condition with depressive features	Diagnosis	ICD-10-CM
F06.32	Mood disorder due to known physiological condition with major depressive-like episode	Diagnosis	ICD-10-CM
F06.33	Mood disorder due to known physiological condition with manic features	Diagnosis	ICD-10-CM
F06.34	Mood disorder due to known physiological condition with mixed features	Diagnosis	ICD-10-CM
F06.4	Anxiety disorder due to known physiological condition	Diagnosis	ICD-10-CM
F06.8	Other specified mental disorders due to known physiological condition	Diagnosis	ICD-10-CM
F07	Personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F07.0	Personality change due to known physiological condition	Diagnosis	ICD-10-CM
F07.8	Other personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F07.81	Postconcussional syndrome	Diagnosis	ICD-10-CM
F07.89	Other personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F07.9	Unspecified personality and behavioral disorder due to known physiological condition	Diagnosis	ICD-10-CM
F09	Unspecified mental disorder due to known physiological condition	Diagnosis	ICD-10-CM
F10	Alcohol related disorders	Diagnosis	ICD-10-CM
F10.1	Alcohol abuse	Diagnosis	ICD-10-CM
F10.10	Alcohol abuse, uncomplicated	Diagnosis	ICD-10-CM
F10.11	Alcohol abuse, in remission	Diagnosis	ICD-10-CM
F10.12	Alcohol abuse with intoxication	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F10.120	Alcohol abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.121	Alcohol abuse with intoxication delirium	Diagnosis	ICD-10-CM
F10.129	Alcohol abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.14	Alcohol abuse with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.15	Alcohol abuse with alcohol-induced psychotic disorder	Diagnosis	ICD-10-CM
F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.18	Alcohol abuse with other alcohol-induced disorders	Diagnosis	ICD-10-CM
F10.180	Alcohol abuse with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.181	Alcohol abuse with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.182	Alcohol abuse with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.188	Alcohol abuse with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.19	Alcohol abuse with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.2	Alcohol dependence	Diagnosis	ICD-10-CM
F10.20	Alcohol dependence, uncomplicated	Diagnosis	ICD-10-CM
F10.21	Alcohol dependence, in remission	Diagnosis	ICD-10-CM
F10.22	Alcohol dependence with intoxication	Diagnosis	ICD-10-CM
F10.220	Alcohol dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.221	Alcohol dependence with intoxication delirium	Diagnosis	ICD-10-CM
F10.229	Alcohol dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.23	Alcohol dependence with withdrawal	Diagnosis	ICD-10-CM
F10.230	Alcohol dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F10.231	Alcohol dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F10.232	Alcohol dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F10.239	Alcohol dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F10.24	Alcohol dependence with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.25	Alcohol dependence with alcohol-induced psychotic disorder	Diagnosis	ICD-10-CM
F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.26	Alcohol dependence with alcohol-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F10.27	Alcohol dependence with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10.28	Alcohol dependence with other alcohol-induced disorders	Diagnosis	ICD-10-CM
F10.280	Alcohol dependence with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.282	Alcohol dependence with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.288	Alcohol dependence with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.29	Alcohol dependence with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.9	Alcohol use, unspecified	Diagnosis	ICD-10-CM
F10.92	Alcohol use, unspecified with intoxication	Diagnosis	ICD-10-CM
F10.920	Alcohol use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.921	Alcohol use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F10.929	Alcohol use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.94	Alcohol use, unspecified with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.95	Alcohol use, unspecified with alcohol-induced psychotic disorder	Diagnosis	ICD-10-CM
F10.950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10.98	Alcohol use, unspecified with other alcohol-induced disorders	Diagnosis	ICD-10-CM
F10.980	Alcohol use, unspecified with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.982	Alcohol use, unspecified with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.988	Alcohol use, unspecified with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.99	Alcohol use, unspecified with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F11	Opioid related disorders	Diagnosis	ICD-10-CM
F11.1	Opioid abuse	Diagnosis	ICD-10-CM
F11.10	Opioid abuse, uncomplicated	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F11.11	Opioid abuse, in remission	Diagnosis	ICD-10-CM
F11.12	Opioid abuse with intoxication	Diagnosis	ICD-10-CM
F11.120	Opioid abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.121	Opioid abuse with intoxication delirium	Diagnosis	ICD-10-CM
F11.122	Opioid abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.129	Opioid abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.14	Opioid abuse with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.15	Opioid abuse with opioid-induced psychotic disorder	Diagnosis	ICD-10-CM
F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.18	Opioid abuse with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.181	Opioid abuse with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.182	Opioid abuse with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.188	Opioid abuse with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.19	Opioid abuse with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.2	Opioid dependence	Diagnosis	ICD-10-CM
F11.20	Opioid dependence, uncomplicated	Diagnosis	ICD-10-CM
F11.21	Opioid dependence, in remission	Diagnosis	ICD-10-CM
F11.22	Opioid dependence with intoxication	Diagnosis	ICD-10-CM
F11.220	Opioid dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.221	Opioid dependence with intoxication delirium	Diagnosis	ICD-10-CM
F11.222	Opioid dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.229	Opioid dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.23	Opioid dependence with withdrawal	Diagnosis	ICD-10-CM
F11.24	Opioid dependence with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.25	Opioid dependence with opioid-induced psychotic disorder	Diagnosis	ICD-10-CM
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F11.28	Opioid dependence with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.281	Opioid dependence with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.282	Opioid dependence with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.288	Opioid dependence with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.29	Opioid dependence with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.9	Opioid use, unspecified	Diagnosis	ICD-10-CM
F11.90	Opioid use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F11.92	Opioid use, unspecified with intoxication	Diagnosis	ICD-10-CM
F11.920	Opioid use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.921	Opioid use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F11.922	Opioid use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.929	Opioid use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.93	Opioid use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F11.94	Opioid use, unspecified with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.95	Opioid use, unspecified with opioid-induced psychotic disorder	Diagnosis	ICD-10-CM
F11.950	Opioid use, unspecified with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.951	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.98	Opioid use, unspecified with other specified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.981	Opioid use, unspecified with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.982	Opioid use, unspecified with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.988	Opioid use, unspecified with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.99	Opioid use, unspecified with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F12	Cannabis related disorders	Diagnosis	ICD-10-CM
F12.1	Cannabis abuse	Diagnosis	ICD-10-CM
F12.10	Cannabis abuse, uncomplicated	Diagnosis	ICD-10-CM
F12.11	Cannabis abuse, in remission	Diagnosis	ICD-10-CM
F12.12	Cannabis abuse with intoxication	Diagnosis	ICD-10-CM
F12.120	Cannabis abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.121	Cannabis abuse with intoxication delirium	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F12.122	Cannabis abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.129	Cannabis abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.15	Cannabis abuse with psychotic disorder	Diagnosis	ICD-10-CM
F12.150	Cannabis abuse with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.151	Cannabis abuse with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.159	Cannabis abuse with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.18	Cannabis abuse with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.180	Cannabis abuse with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12.188	Cannabis abuse with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.19	Cannabis abuse with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.2	Cannabis dependence	Diagnosis	ICD-10-CM
F12.20	Cannabis dependence, uncomplicated	Diagnosis	ICD-10-CM
F12.21	Cannabis dependence, in remission	Diagnosis	ICD-10-CM
F12.22	Cannabis dependence with intoxication	Diagnosis	ICD-10-CM
F12.220	Cannabis dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.221	Cannabis dependence with intoxication delirium	Diagnosis	ICD-10-CM
F12.222	Cannabis dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.229	Cannabis dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.23	Cannabis dependence with withdrawal	Diagnosis	ICD-10-CM
F12.25	Cannabis dependence with psychotic disorder	Diagnosis	ICD-10-CM
F12.250	Cannabis dependence with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.251	Cannabis dependence with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.259	Cannabis dependence with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.28	Cannabis dependence with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.280	Cannabis dependence with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12.288	Cannabis dependence with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.29	Cannabis dependence with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.9	Cannabis use, unspecified	Diagnosis	ICD-10-CM
F12.90	Cannabis use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F12.92	Cannabis use, unspecified with intoxication	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F12.920	Cannabis use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.921	Cannabis use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F12.922	Cannabis use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.929	Cannabis use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.93	Cannabis use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F12.95	Cannabis use, unspecified with psychotic disorder	Diagnosis	ICD-10-CM
F12.950	Cannabis use, unspecified with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.951	Cannabis use, unspecified with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.98	Cannabis use, unspecified with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.980	Cannabis use, unspecified with anxiety disorder	Diagnosis	ICD-10-CM
F12.988	Cannabis use, unspecified with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.99	Cannabis use, unspecified with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F13	Sedative, hypnotic, or anxiolytic related disorders	Diagnosis	ICD-10-CM
F13.1	Sedative, hypnotic or anxiolytic-related abuse	Diagnosis	ICD-10-CM
F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated	Diagnosis	ICD-10-CM
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission	Diagnosis	ICD-10-CM
F13.12	Sedative, hypnotic or anxiolytic abuse with intoxication	Diagnosis	ICD-10-CM
F13.120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	Diagnosis	ICD-10-CM
F13.129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.14	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.15	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder	Diagnosis	ICD-10-CM
F13.150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.18	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorders	Diagnosis	ICD-10-CM
F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F13.182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.19	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.2	Sedative, hypnotic or anxiolytic-related dependence	Diagnosis	ICD-10-CM
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated	Diagnosis	ICD-10-CM
F13.21	Sedative, hypnotic or anxiolytic dependence, in remission	Diagnosis	ICD-10-CM
F13.22	Sedative, hypnotic or anxiolytic dependence with intoxication	Diagnosis	ICD-10-CM
F13.220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	Diagnosis	ICD-10-CM
F13.229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.23	Sedative, hypnotic or anxiolytic dependence with withdrawal	Diagnosis	ICD-10-CM
F13.230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13.231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F13.232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F13.239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F13.24	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.25	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder	Diagnosis	ICD-10-CM
F13.250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.26	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F13.27	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13.28	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorders	Diagnosis	ICD-10-CM
F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F13.29	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.9	Sedative, hypnotic or anxiolytic-related use, unspecified	Diagnosis	ICD-10-CM
F13.90	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F13.92	Sedative, hypnotic or anxiolytic use, unspecified with intoxication	Diagnosis	ICD-10-CM
F13.920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.921	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F13.929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.93	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F13.930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13.931	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F13.932	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances	Diagnosis	ICD-10-CM
F13.939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F13.94	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.95	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder	Diagnosis	ICD-10-CM
F13.950	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations		
F13.951	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F13.96	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13.97	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorders	Diagnosis	ICD-10-CM
F13.98	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.981	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.982	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.988	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.99	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F14	Cocaine related disorders	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F14.1	Cocaine abuse	Diagnosis	ICD-10-CM
F14.10	Cocaine abuse, uncomplicated	Diagnosis	ICD-10-CM
F14.11	Cocaine abuse, in remission	Diagnosis	ICD-10-CM
F14.12	Cocaine abuse with intoxication	Diagnosis	ICD-10-CM
F14.120	Cocaine abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.121	Cocaine abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F14.122	Cocaine abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.129	Cocaine abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.14	Cocaine abuse with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.15	Cocaine abuse with cocaine-induced psychotic disorder	Diagnosis	ICD-10-CM
F14.150	Cocaine abuse with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.18	Cocaine abuse with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.180	Cocaine abuse with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.181	Cocaine abuse with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.182	Cocaine abuse with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.188	Cocaine abuse with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.19	Cocaine abuse with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.2	Cocaine dependence	Diagnosis	ICD-10-CM
F14.20	Cocaine dependence, uncomplicated	Diagnosis	ICD-10-CM
F14.21	Cocaine dependence, in remission	Diagnosis	ICD-10-CM
F14.22	Cocaine dependence with intoxication	Diagnosis	ICD-10-CM
F14.220	Cocaine dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.221	Cocaine dependence with intoxication delirium	Diagnosis	ICD-10-CM
F14.222	Cocaine dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.229	Cocaine dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.23	Cocaine dependence with withdrawal	Diagnosis	ICD-10-CM
F14.24	Cocaine dependence with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.25	Cocaine dependence with cocaine-induced psychotic disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F14.250	Cocaine dependence with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.28	Cocaine dependence with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.280	Cocaine dependence with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.281	Cocaine dependence with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.282	Cocaine dependence with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.288	Cocaine dependence with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.29	Cocaine dependence with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.9	Cocaine use, unspecified	Diagnosis	ICD-10-CM
F14.90	Cocaine use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F14.92	Cocaine use, unspecified with intoxication	Diagnosis	ICD-10-CM
F14.920	Cocaine use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.921	Cocaine use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F14.922	Cocaine use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.929	Cocaine use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.94	Cocaine use, unspecified with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.95	Cocaine use, unspecified with cocaine-induced psychotic disorder	Diagnosis	ICD-10-CM
F14.950	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.951	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.98	Cocaine use, unspecified with other specified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.980	Cocaine use, unspecified with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.981	Cocaine use, unspecified with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.982	Cocaine use, unspecified with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.988	Cocaine use, unspecified with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.99	Cocaine use, unspecified with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F15	Other stimulant related disorders	Diagnosis	ICD-10-CM
F15.1	Other stimulant abuse	Diagnosis	ICD-10-CM
F15.10	Other stimulant abuse, uncomplicated	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F15.11	Other stimulant abuse, in remission	Diagnosis	ICD-10-CM
F15.12	Other stimulant abuse with intoxication	Diagnosis	ICD-10-CM
F15.120	Other stimulant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.121	Other stimulant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F15.122	Other stimulant abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.129	Other stimulant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.14	Other stimulant abuse with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.15	Other stimulant abuse with stimulant-induced psychotic disorder	Diagnosis	ICD-10-CM
F15.150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.18	Other stimulant abuse with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.180	Other stimulant abuse with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.181	Other stimulant abuse with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.182	Other stimulant abuse with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.188	Other stimulant abuse with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.19	Other stimulant abuse with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.2	Other stimulant dependence	Diagnosis	ICD-10-CM
F15.20	Other stimulant dependence, uncomplicated	Diagnosis	ICD-10-CM
F15.21	Other stimulant dependence, in remission	Diagnosis	ICD-10-CM
F15.22	Other stimulant dependence with intoxication	Diagnosis	ICD-10-CM
F15.220	Other stimulant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.221	Other stimulant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F15.222	Other stimulant dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.229	Other stimulant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.23	Other stimulant dependence with withdrawal	Diagnosis	ICD-10-CM
F15.24	Other stimulant dependence with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.25	Other stimulant dependence with stimulant-induced psychotic disorder	Diagnosis	ICD-10-CM
F15.250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.28	Other stimulant dependence with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.280	Other stimulant dependence with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.281	Other stimulant dependence with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.282	Other stimulant dependence with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.288	Other stimulant dependence with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.29	Other stimulant dependence with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.9	Other stimulant use, unspecified	Diagnosis	ICD-10-CM
F15.90	Other stimulant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F15.92	Other stimulant use, unspecified with intoxication	Diagnosis	ICD-10-CM
F15.920	Other stimulant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.921	Other stimulant use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F15.922	Other stimulant use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.929	Other stimulant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.93	Other stimulant use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F15.94	Other stimulant use, unspecified with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.95	Other stimulant use, unspecified with stimulant-induced psychotic disorder	Diagnosis	ICD-10-CM
F15.950	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.951	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.98	Other stimulant use, unspecified with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.980	Other stimulant use, unspecified with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.981	Other stimulant use, unspecified with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.982	Other stimulant use, unspecified with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.988	Other stimulant use, unspecified with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.99	Other stimulant use, unspecified with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F16	Hallucinogen related disorders	Diagnosis	ICD-10-CM
F16.1	Hallucinogen abuse	Diagnosis	ICD-10-CM
F16.10	Hallucinogen abuse, uncomplicated	Diagnosis	ICD-10-CM
F16.11	Hallucinogen abuse, in remission	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F16.12	Hallucinogen abuse with intoxication	Diagnosis	ICD-10-CM
F16.120	Hallucinogen abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.121	Hallucinogen abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F16.122	Hallucinogen abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F16.129	Hallucinogen abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.14	Hallucinogen abuse with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.15	Hallucinogen abuse with hallucinogen-induced psychotic disorder	Diagnosis	ICD-10-CM
F16.150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.18	Hallucinogen abuse with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.188	Hallucinogen abuse with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.19	Hallucinogen abuse with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.2	Hallucinogen dependence	Diagnosis	ICD-10-CM
F16.20	Hallucinogen dependence, uncomplicated	Diagnosis	ICD-10-CM
F16.21	Hallucinogen dependence, in remission	Diagnosis	ICD-10-CM
F16.22	Hallucinogen dependence with intoxication	Diagnosis	ICD-10-CM
F16.220	Hallucinogen dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.221	Hallucinogen dependence with intoxication with delirium	Diagnosis	ICD-10-CM
F16.229	Hallucinogen dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.24	Hallucinogen dependence with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.25	Hallucinogen dependence with hallucinogen-induced psychotic disorder	Diagnosis	ICD-10-CM
F16.250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.28	Hallucinogen dependence with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F16.288	Hallucinogen dependence with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.29	Hallucinogen dependence with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.9	Hallucinogen use, unspecified	Diagnosis	ICD-10-CM
F16.90	Hallucinogen use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F16.92	Hallucinogen use, unspecified with intoxication	Diagnosis	ICD-10-CM
F16.920	Hallucinogen use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.921	Hallucinogen use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F16.929	Hallucinogen use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.94	Hallucinogen use, unspecified with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.95	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder	Diagnosis	ICD-10-CM
F16.950	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.951	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.98	Hallucinogen use, unspecified with other specified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.983	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.988	Hallucinogen use, unspecified with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.99	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F17	Nicotine dependence	Diagnosis	ICD-10-CM
F17.2	Nicotine dependence	Diagnosis	ICD-10-CM
F17.20	Nicotine dependence, unspecified	Diagnosis	ICD-10-CM
F17.200	Nicotine dependence, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F17.201	Nicotine dependence, unspecified, in remission	Diagnosis	ICD-10-CM
F17.203	Nicotine dependence unspecified, with withdrawal	Diagnosis	ICD-10-CM
F17.208	Nicotine dependence, unspecified, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.21	Nicotine dependence, cigarettes	Diagnosis	ICD-10-CM
F17.210	Nicotine dependence, cigarettes, uncomplicated	Diagnosis	ICD-10-CM
F17.211	Nicotine dependence, cigarettes, in remission	Diagnosis	ICD-10-CM
F17.213	Nicotine dependence, cigarettes, with withdrawal	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.22	Nicotine dependence, chewing tobacco	Diagnosis	ICD-10-CM
F17.220	Nicotine dependence, chewing tobacco, uncomplicated	Diagnosis	ICD-10-CM
F17.221	Nicotine dependence, chewing tobacco, in remission	Diagnosis	ICD-10-CM
F17.223	Nicotine dependence, chewing tobacco, with withdrawal	Diagnosis	ICD-10-CM
F17.228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.29	Nicotine dependence, other tobacco product	Diagnosis	ICD-10-CM
F17.290	Nicotine dependence, other tobacco product, uncomplicated	Diagnosis	ICD-10-CM
F17.291	Nicotine dependence, other tobacco product, in remission	Diagnosis	ICD-10-CM
F17.293	Nicotine dependence, other tobacco product, with withdrawal	Diagnosis	ICD-10-CM
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F18	Inhalant related disorders	Diagnosis	ICD-10-CM
F18.1	Inhalant abuse	Diagnosis	ICD-10-CM
F18.10	Inhalant abuse, uncomplicated	Diagnosis	ICD-10-CM
F18.11	Inhalant abuse, in remission	Diagnosis	ICD-10-CM
F18.12	Inhalant abuse with intoxication	Diagnosis	ICD-10-CM
F18.120	Inhalant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.121	Inhalant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F18.129	Inhalant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.14	Inhalant abuse with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.15	Inhalant abuse with inhalant-induced psychotic disorder	Diagnosis	ICD-10-CM
F18.150	Inhalant abuse with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.17	Inhalant abuse with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18.18	Inhalant abuse with other inhalant-induced disorders	Diagnosis	ICD-10-CM
F18.180	Inhalant abuse with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F18.188	Inhalant abuse with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.19	Inhalant abuse with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.2	Inhalant dependence	Diagnosis	ICD-10-CM
F18.20	Inhalant dependence, uncomplicated	Diagnosis	ICD-10-CM
F18.21	Inhalant dependence, in remission	Diagnosis	ICD-10-CM
F18.22	Inhalant dependence with intoxication	Diagnosis	ICD-10-CM
F18.220	Inhalant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.221	Inhalant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F18.229	Inhalant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.24	Inhalant dependence with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.25	Inhalant dependence with inhalant-induced psychotic disorder	Diagnosis	ICD-10-CM
F18.250	Inhalant dependence with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.27	Inhalant dependence with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18.28	Inhalant dependence with other inhalant-induced disorders	Diagnosis	ICD-10-CM
F18.280	Inhalant dependence with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.288	Inhalant dependence with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.29	Inhalant dependence with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.9	Inhalant use, unspecified	Diagnosis	ICD-10-CM
F18.90	Inhalant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F18.92	Inhalant use, unspecified with intoxication	Diagnosis	ICD-10-CM
F18.920	Inhalant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.921	Inhalant use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F18.929	Inhalant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.94	Inhalant use, unspecified with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.95	Inhalant use, unspecified with inhalant-induced psychotic disorder	Diagnosis	ICD-10-CM
F18.950	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.951	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F18.97	Inhalant use, unspecified with inhalant-induced persisting dementia	Diagnosis	ICD-10-CM
F18.98	Inhalant use, unspecified with other inhalant-induced disorders	Diagnosis	ICD-10-CM
F18.980	Inhalant use, unspecified with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.988	Inhalant use, unspecified with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.99	Inhalant use, unspecified with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F19	Other psychoactive substance related disorders	Diagnosis	ICD-10-CM
F19.1	Other psychoactive substance abuse	Diagnosis	ICD-10-CM
F19.10	Other psychoactive substance abuse, uncomplicated	Diagnosis	ICD-10-CM
F19.11	Other psychoactive substance abuse, in remission	Diagnosis	ICD-10-CM
F19.12	Other psychoactive substance abuse with intoxication	Diagnosis	ICD-10-CM
F19.120	Other psychoactive substance abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.121	Other psychoactive substance abuse with intoxication delirium	Diagnosis	ICD-10-CM
F19.122	Other psychoactive substance abuse with intoxication with perceptual disturbances	Diagnosis	ICD-10-CM
F19.129	Other psychoactive substance abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.14	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.15	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder	Diagnosis	ICD-10-CM
F19.150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.16	Other psychoactive substance abuse with psychoactive substance-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F19.17	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.18	Other psychoactive substance abuse with other psychoactive substance-induced disorders	Diagnosis	ICD-10-CM
F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.188	Other psychoactive substance abuse with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.19	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.2	Other psychoactive substance dependence	Diagnosis	ICD-10-CM
F19.20	Other psychoactive substance dependence, uncomplicated	Diagnosis	ICD-10-CM
F19.21	Other psychoactive substance dependence, in remission	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F19.22	Other psychoactive substance dependence with intoxication	Diagnosis	ICD-10-CM
F19.220	Other psychoactive substance dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.221	Other psychoactive substance dependence with intoxication delirium	Diagnosis	ICD-10-CM
F19.222	Other psychoactive substance dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19.229	Other psychoactive substance dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.23	Other psychoactive substance dependence with withdrawal	Diagnosis	ICD-10-CM
F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.231	Other psychoactive substance dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F19.232	Other psychoactive substance dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.239	Other psychoactive substance dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.24	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.25	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder	Diagnosis	ICD-10-CM
F19.250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.26	Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.27	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.28	Other psychoactive substance dependence with other psychoactive substance-induced disorders	Diagnosis	ICD-10-CM
F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.288	Other psychoactive substance dependence with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.29	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.9	Other psychoactive substance use, unspecified	Diagnosis	ICD-10-CM
F19.90	Other psychoactive substance use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F19.92	Other psychoactive substance use, unspecified with intoxication	Diagnosis	ICD-10-CM
F19.920	Other psychoactive substance use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.921	Other psychoactive substance use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F19.922	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F19.929	Other psychoactive substance use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.93	Other psychoactive substance use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F19.930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.931	Other psychoactive substance use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F19.932	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.939	Other psychoactive substance use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.94	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.95	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder	Diagnosis	ICD-10-CM
F19.950	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.951	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.96	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.97	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.98	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorders	Diagnosis	ICD-10-CM
F19.980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.981	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.982	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.988	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F20	Schizophrenia	Diagnosis	ICD-10-CM
F20.0	Paranoid schizophrenia	Diagnosis	ICD-10-CM
F20.1	Disorganized schizophrenia	Diagnosis	ICD-10-CM
F20.2	Catatonic schizophrenia	Diagnosis	ICD-10-CM
F20.3	Undifferentiated schizophrenia	Diagnosis	ICD-10-CM
F20.5	Residual schizophrenia	Diagnosis	ICD-10-CM
F20.8	Other schizophrenia	Diagnosis	ICD-10-CM
F20.81	Schizophreniform disorder	Diagnosis	ICD-10-CM
F20.89	Other schizophrenia	Diagnosis	ICD-10-CM
F20.9	Schizophrenia, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F21	Schizotypal disorder	Diagnosis	ICD-10-CM
F22	Delusional disorders	Diagnosis	ICD-10-CM
F23	Brief psychotic disorder	Diagnosis	ICD-10-CM
F24	Shared psychotic disorder	Diagnosis	ICD-10-CM
F25	Schizoaffective disorders	Diagnosis	ICD-10-CM
F25.0	Schizoaffective disorder, bipolar type	Diagnosis	ICD-10-CM
F25.1	Schizoaffective disorder, depressive type	Diagnosis	ICD-10-CM
F25.8	Other schizoaffective disorders	Diagnosis	ICD-10-CM
F25.9	Schizoaffective disorder, unspecified	Diagnosis	ICD-10-CM
F28	Other psychotic disorder not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F29	Unspecified psychosis not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F30	Manic episode	Diagnosis	ICD-10-CM
F30.1	Manic episode without psychotic symptoms	Diagnosis	ICD-10-CM
F30.10	Manic episode without psychotic symptoms, unspecified	Diagnosis	ICD-10-CM
F30.11	Manic episode without psychotic symptoms, mild	Diagnosis	ICD-10-CM
F30.12	Manic episode without psychotic symptoms, moderate	Diagnosis	ICD-10-CM
F30.13	Manic episode, severe, without psychotic symptoms	Diagnosis	ICD-10-CM
F30.2	Manic episode, severe with psychotic symptoms	Diagnosis	ICD-10-CM
F30.3	Manic episode in partial remission	Diagnosis	ICD-10-CM
F30.4	Manic episode in full remission	Diagnosis	ICD-10-CM
F30.8	Other manic episodes	Diagnosis	ICD-10-CM
F30.9	Manic episode, unspecified	Diagnosis	ICD-10-CM
F31	Bipolar disorder	Diagnosis	ICD-10-CM
F31.0	Bipolar disorder, current episode hypomanic	Diagnosis	ICD-10-CM
F31.1	Bipolar disorder, current episode manic without psychotic features	Diagnosis	ICD-10-CM
F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified	Diagnosis	ICD-10-CM
F31.11	Bipolar disorder, current episode manic without psychotic features, mild	Diagnosis	ICD-10-CM
F31.12	Bipolar disorder, current episode manic without psychotic features, moderate	Diagnosis	ICD-10-CM
F31.13	Bipolar disorder, current episode manic without psychotic features, severe	Diagnosis	ICD-10-CM
F31.2	Bipolar disorder, current episode manic severe with psychotic features	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F31.3	Bipolar disorder, current episode depressed, mild or moderate severity	Diagnosis	ICD-10-CM
F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified	Diagnosis	ICD-10-CM
F31.31	Bipolar disorder, current episode depressed, mild	Diagnosis	ICD-10-CM
F31.32	Bipolar disorder, current episode depressed, moderate	Diagnosis	ICD-10-CM
F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features	Diagnosis	ICD-10-CM
F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features	Diagnosis	ICD-10-CM
F31.6	Bipolar disorder, current episode mixed	Diagnosis	ICD-10-CM
F31.60	Bipolar disorder, current episode mixed, unspecified	Diagnosis	ICD-10-CM
F31.61	Bipolar disorder, current episode mixed, mild	Diagnosis	ICD-10-CM
F31.62	Bipolar disorder, current episode mixed, moderate	Diagnosis	ICD-10-CM
F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features	Diagnosis	ICD-10-CM
F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features	Diagnosis	ICD-10-CM
F31.7	Bipolar disorder, currently in remission	Diagnosis	ICD-10-CM
F31.70	Bipolar disorder, currently in remission, most recent episode unspecified	Diagnosis	ICD-10-CM
F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic	Diagnosis	ICD-10-CM
F31.72	Bipolar disorder, in full remission, most recent episode hypomanic	Diagnosis	ICD-10-CM
F31.73	Bipolar disorder, in partial remission, most recent episode manic	Diagnosis	ICD-10-CM
F31.74	Bipolar disorder, in full remission, most recent episode manic	Diagnosis	ICD-10-CM
F31.75	Bipolar disorder, in partial remission, most recent episode depressed	Diagnosis	ICD-10-CM
F31.76	Bipolar disorder, in full remission, most recent episode depressed	Diagnosis	ICD-10-CM
F31.77	Bipolar disorder, in partial remission, most recent episode mixed	Diagnosis	ICD-10-CM
F31.78	Bipolar disorder, in full remission, most recent episode mixed	Diagnosis	ICD-10-CM
F31.8	Other bipolar disorders	Diagnosis	ICD-10-CM
F31.81	Bipolar II disorder	Diagnosis	ICD-10-CM
F31.89	Other bipolar disorder	Diagnosis	ICD-10-CM
F31.9	Bipolar disorder, unspecified	Diagnosis	ICD-10-CM
F32	Depressive episode	Diagnosis	ICD-10-CM
F32.0	Major depressive disorder, single episode, mild	Diagnosis	ICD-10-CM
F32.1	Major depressive disorder, single episode, moderate	Diagnosis	ICD-10-CM
F32.2	Major depressive disorder, single episode, severe without psychotic features	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F32.3	Major depressive disorder, single episode, severe with psychotic features	Diagnosis	ICD-10-CM
F32.4	Major depressive disorder, single episode, in partial remission	Diagnosis	ICD-10-CM
F32.5	Major depressive disorder, single episode, in full remission	Diagnosis	ICD-10-CM
F32.8	Other depressive episodes	Diagnosis	ICD-10-CM
F32.81	Premenstrual dysphoric disorder	Diagnosis	ICD-10-CM
F32.89	Other specified depressive episodes	Diagnosis	ICD-10-CM
F32.9	Major depressive disorder, single episode, unspecified	Diagnosis	ICD-10-CM
F33	Major depressive disorder, recurrent	Diagnosis	ICD-10-CM
F33.0	Major depressive disorder, recurrent, mild	Diagnosis	ICD-10-CM
F33.1	Major depressive disorder, recurrent, moderate	Diagnosis	ICD-10-CM
F33.2	Major depressive disorder, recurrent severe without psychotic features	Diagnosis	ICD-10-CM
F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms	Diagnosis	ICD-10-CM
F33.4	Major depressive disorder, recurrent, in remission	Diagnosis	ICD-10-CM
F33.40	Major depressive disorder, recurrent, in remission, unspecified	Diagnosis	ICD-10-CM
F33.41	Major depressive disorder, recurrent, in partial remission	Diagnosis	ICD-10-CM
F33.42	Major depressive disorder, recurrent, in full remission	Diagnosis	ICD-10-CM
F33.8	Other recurrent depressive disorders	Diagnosis	ICD-10-CM
F33.9	Major depressive disorder, recurrent, unspecified	Diagnosis	ICD-10-CM
F34	Persistent mood [affective] disorders	Diagnosis	ICD-10-CM
F34.0	Cyclothymic disorder	Diagnosis	ICD-10-CM
F34.1	Dysthymic disorder	Diagnosis	ICD-10-CM
F34.8	Other persistent mood [affective] disorders	Diagnosis	ICD-10-CM
F34.81	Disruptive mood dysregulation disorder	Diagnosis	ICD-10-CM
F34.89	Other specified persistent mood disorders	Diagnosis	ICD-10-CM
F34.9	Persistent mood [affective] disorder, unspecified	Diagnosis	ICD-10-CM
F39	Unspecified mood [affective] disorder	Diagnosis	ICD-10-CM
F40	Phobic anxiety disorders	Diagnosis	ICD-10-CM
F40.0	Agoraphobia	Diagnosis	ICD-10-CM
F40.00	Agoraphobia, unspecified	Diagnosis	ICD-10-CM
F40.01	Agoraphobia with panic disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F40.02	Agoraphobia without panic disorder	Diagnosis	ICD-10-CM
F40.1	Social phobias	Diagnosis	ICD-10-CM
F40.10	Social phobia, unspecified	Diagnosis	ICD-10-CM
F40.11	Social phobia, generalized	Diagnosis	ICD-10-CM
F40.2	Specific (isolated) phobias	Diagnosis	ICD-10-CM
F40.21	Animal type phobia	Diagnosis	ICD-10-CM
F40.210	Arachnophobia	Diagnosis	ICD-10-CM
F40.218	Other animal type phobia	Diagnosis	ICD-10-CM
F40.22	Natural environment type phobia	Diagnosis	ICD-10-CM
F40.220	Fear of thunderstorms	Diagnosis	ICD-10-CM
F40.228	Other natural environment type phobia	Diagnosis	ICD-10-CM
F40.23	Blood, injection, injury type phobia	Diagnosis	ICD-10-CM
F40.230	Fear of blood	Diagnosis	ICD-10-CM
F40.231	Fear of injections and transfusions	Diagnosis	ICD-10-CM
F40.232	Fear of other medical care	Diagnosis	ICD-10-CM
F40.233	Fear of injury	Diagnosis	ICD-10-CM
F40.24	Situational type phobia	Diagnosis	ICD-10-CM
F40.240	Claustrophobia	Diagnosis	ICD-10-CM
F40.241	Acrophobia	Diagnosis	ICD-10-CM
F40.242	Fear of bridges	Diagnosis	ICD-10-CM
F40.243	Fear of flying	Diagnosis	ICD-10-CM
F40.248	Other situational type phobia	Diagnosis	ICD-10-CM
F40.29	Other specified phobia	Diagnosis	ICD-10-CM
F40.290	Androphobia	Diagnosis	ICD-10-CM
F40.291	Gynephobia	Diagnosis	ICD-10-CM
F40.298	Other specified phobia	Diagnosis	ICD-10-CM
F40.8	Other phobic anxiety disorders	Diagnosis	ICD-10-CM
F40.9	Phobic anxiety disorder, unspecified	Diagnosis	ICD-10-CM
F41	Other anxiety disorders	Diagnosis	ICD-10-CM
F41.0	Panic disorder [episodic paroxysmal anxiety]	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F41.1	Generalized anxiety disorder	Diagnosis	ICD-10-CM
F41.3	Other mixed anxiety disorders	Diagnosis	ICD-10-CM
F41.8	Other specified anxiety disorders	Diagnosis	ICD-10-CM
F41.9	Anxiety disorder, unspecified	Diagnosis	ICD-10-CM
F42	Obsessive-compulsive disorder	Diagnosis	ICD-10-CM
F42.2	Mixed obsessional thoughts and acts	Diagnosis	ICD-10-CM
F42.3	Hoarding disorder	Diagnosis	ICD-10-CM
F42.4	Excoriation (skin-picking) disorder	Diagnosis	ICD-10-CM
F42.8	Other obsessive-compulsive disorder	Diagnosis	ICD-10-CM
F42.9	Obsessive-compulsive disorder, unspecified	Diagnosis	ICD-10-CM
F43	Reaction to severe stress, and adjustment disorders	Diagnosis	ICD-10-CM
F43.0	Acute stress reaction	Diagnosis	ICD-10-CM
F43.1	Post-traumatic stress disorder (PTSD)	Diagnosis	ICD-10-CM
F43.10	Post-traumatic stress disorder, unspecified	Diagnosis	ICD-10-CM
F43.11	Post-traumatic stress disorder, acute	Diagnosis	ICD-10-CM
F43.12	Post-traumatic stress disorder, chronic	Diagnosis	ICD-10-CM
F43.2	Adjustment disorders	Diagnosis	ICD-10-CM
F43.20	Adjustment disorder, unspecified	Diagnosis	ICD-10-CM
F43.21	Adjustment disorder with depressed mood	Diagnosis	ICD-10-CM
F43.22	Adjustment disorder with anxiety	Diagnosis	ICD-10-CM
F43.23	Adjustment disorder with mixed anxiety and depressed mood	Diagnosis	ICD-10-CM
F43.24	Adjustment disorder with disturbance of conduct	Diagnosis	ICD-10-CM
F43.25	Adjustment disorder with mixed disturbance of emotions and conduct	Diagnosis	ICD-10-CM
F43.29	Adjustment disorder with other symptoms	Diagnosis	ICD-10-CM
F43.8	Other reactions to severe stress	Diagnosis	ICD-10-CM
F43.9	Reaction to severe stress, unspecified	Diagnosis	ICD-10-CM
F44	Dissociative and conversion disorders	Diagnosis	ICD-10-CM
F44.0	Dissociative amnesia	Diagnosis	ICD-10-CM
F44.1	Dissociative fugue	Diagnosis	ICD-10-CM
F44.2	Dissociative stupor	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F44.4	Conversion disorder with motor symptom or deficit	Diagnosis	ICD-10-CM
F44.5	Conversion disorder with seizures or convulsions	Diagnosis	ICD-10-CM
F44.6	Conversion disorder with sensory symptom or deficit	Diagnosis	ICD-10-CM
F44.7	Conversion disorder with mixed symptom presentation	Diagnosis	ICD-10-CM
F44.8	Other dissociative and conversion disorders	Diagnosis	ICD-10-CM
F44.81	Dissociative identity disorder	Diagnosis	ICD-10-CM
F44.89	Other dissociative and conversion disorders	Diagnosis	ICD-10-CM
F44.9	Dissociative and conversion disorder, unspecified	Diagnosis	ICD-10-CM
F45	Somatoform disorders	Diagnosis	ICD-10-CM
F45.0	Somatization disorder	Diagnosis	ICD-10-CM
F45.1	Undifferentiated somatoform disorder	Diagnosis	ICD-10-CM
F45.2	Hypochondriacal disorders	Diagnosis	ICD-10-CM
F45.20	Hypochondriacal disorder, unspecified	Diagnosis	ICD-10-CM
F45.21	Hypochondriasis	Diagnosis	ICD-10-CM
F45.22	Body dysmorphic disorder	Diagnosis	ICD-10-CM
F45.29	Other hypochondriacal disorders	Diagnosis	ICD-10-CM
F45.4	Pain disorders related to psychological factors	Diagnosis	ICD-10-CM
F45.41	Pain disorder exclusively related to psychological factors	Diagnosis	ICD-10-CM
F45.42	Pain disorder with related psychological factors	Diagnosis	ICD-10-CM
F45.8	Other somatoform disorders	Diagnosis	ICD-10-CM
F45.9	Somatoform disorder, unspecified	Diagnosis	ICD-10-CM
F48	Other nonpsychotic mental disorders	Diagnosis	ICD-10-CM
F48.1	Depersonalization-derealization syndrome	Diagnosis	ICD-10-CM
F48.2	Pseudobulbar affect	Diagnosis	ICD-10-CM
F48.8	Other specified nonpsychotic mental disorders	Diagnosis	ICD-10-CM
F48.9	Nonpsychotic mental disorder, unspecified	Diagnosis	ICD-10-CM
F50	Eating disorders	Diagnosis	ICD-10-CM
F50.0	Anorexia nervosa	Diagnosis	ICD-10-CM
F50.00	Anorexia nervosa, unspecified	Diagnosis	ICD-10-CM
F50.01	Anorexia nervosa, restricting type	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F50.02	Anorexia nervosa, binge eating/purging type	Diagnosis	ICD-10-CM
F50.2	Bulimia nervosa	Diagnosis	ICD-10-CM
F50.8	Other eating disorders	Diagnosis	ICD-10-CM
F50.81	Binge eating disorder	Diagnosis	ICD-10-CM
F50.82	Avoidant/restrictive food intake disorder	Diagnosis	ICD-10-CM
F50.89	Other specified eating disorder	Diagnosis	ICD-10-CM
F50.9	Eating disorder, unspecified	Diagnosis	ICD-10-CM
F51	Sleep disorders not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.0	Insomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.01	Primary insomnia	Diagnosis	ICD-10-CM
F51.02	Adjustment insomnia	Diagnosis	ICD-10-CM
F51.03	Paradoxical insomnia	Diagnosis	ICD-10-CM
F51.04	Psychophysilogic insomnia	Diagnosis	ICD-10-CM
F51.05	Insomnia due to other mental disorder	Diagnosis	ICD-10-CM
F51.09	Other insomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.1	Hypersomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.11	Primary hypersomnia	Diagnosis	ICD-10-CM
F51.12	Insufficient sleep syndrome	Diagnosis	ICD-10-CM
F51.13	Hypersomnia due to other mental disorder	Diagnosis	ICD-10-CM
F51.19	Other hypersomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.3	Sleepwalking [somnambulism]	Diagnosis	ICD-10-CM
F51.4	Sleep terrors [night terrors]	Diagnosis	ICD-10-CM
F51.5	Nightmare disorder	Diagnosis	ICD-10-CM
F51.8	Other sleep disorders not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.9	Sleep disorder not due to a substance or known physiological condition, unspecified	Diagnosis	ICD-10-CM
F52	Sexual dysfunction not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.0	Hypoactive sexual desire disorder	Diagnosis	ICD-10-CM
F52.1	Sexual aversion disorder	Diagnosis	ICD-10-CM
F52.2	Sexual arousal disorders	Diagnosis	ICD-10-CM
F52.21	Male erectile disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F52.22	Female sexual arousal disorder	Diagnosis	ICD-10-CM
F52.3	Orgasmic disorder	Diagnosis	ICD-10-CM
F52.31	Female orgasmic disorder	Diagnosis	ICD-10-CM
F52.32	Male orgasmic disorder	Diagnosis	ICD-10-CM
F52.4	Premature ejaculation	Diagnosis	ICD-10-CM
F52.5	Vaginismus not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.6	Dyspareunia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.8	Other sexual dysfunction not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.9	Unspecified sexual dysfunction not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F53	Mental and behavioral disorders associated with the puerperium, not elsewhere classified	Diagnosis	ICD-10-CM
F53.0	Postpartum depression	Diagnosis	ICD-10-CM
F53.1	Puerperal psychosis	Diagnosis	ICD-10-CM
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	Diagnosis	ICD-10-CM
F55.0	Abuse of antacids	Diagnosis	ICD-10-CM
F55.1	Abuse of herbal or folk remedies	Diagnosis	ICD-10-CM
F55.2	Abuse of laxatives	Diagnosis	ICD-10-CM
F55.3	Abuse of steroids or hormones	Diagnosis	ICD-10-CM
F55.4	Abuse of vitamins	Diagnosis	ICD-10-CM
F55.8	Abuse of other non-psychoactive substances	Diagnosis	ICD-10-CM
F59	Unspecified behavioral syndromes associated with physiological disturbances and physical factors	Diagnosis	ICD-10-CM
F60	Specific personality disorders	Diagnosis	ICD-10-CM
F60.0	Paranoid personality disorder	Diagnosis	ICD-10-CM
F60.1	Schizoid personality disorder	Diagnosis	ICD-10-CM
F60.2	Antisocial personality disorder	Diagnosis	ICD-10-CM
F60.3	Borderline personality disorder	Diagnosis	ICD-10-CM
F60.4	Histrionic personality disorder	Diagnosis	ICD-10-CM
F60.5	Obsessive-compulsive personality disorder	Diagnosis	ICD-10-CM
F60.6	Avoidant personality disorder	Diagnosis	ICD-10-CM
F60.7	Dependent personality disorder	Diagnosis	ICD-10-CM
F60.8	Other specific personality disorders	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F60.81	Narcissistic personality disorder	Diagnosis	ICD-10-CM
F60.89	Other specific personality disorders	Diagnosis	ICD-10-CM
F60.9	Personality disorder, unspecified	Diagnosis	ICD-10-CM
F63	Impulse disorders	Diagnosis	ICD-10-CM
F63.0	Pathological gambling	Diagnosis	ICD-10-CM
F63.1	Pyromania	Diagnosis	ICD-10-CM
F63.2	Kleptomania	Diagnosis	ICD-10-CM
F63.3	Trichotillomania	Diagnosis	ICD-10-CM
F63.8	Other impulse disorders	Diagnosis	ICD-10-CM
F63.81	Intermittent explosive disorder	Diagnosis	ICD-10-CM
F63.89	Other impulse disorders	Diagnosis	ICD-10-CM
F63.9	Impulse disorder, unspecified	Diagnosis	ICD-10-CM
F64	Gender identity disorders	Diagnosis	ICD-10-CM
F64.0	Transsexualism	Diagnosis	ICD-10-CM
F64.1	Dual role transvestism	Diagnosis	ICD-10-CM
F64.2	Gender identity disorder of childhood	Diagnosis	ICD-10-CM
F64.8	Other gender identity disorders	Diagnosis	ICD-10-CM
F64.9	Gender identity disorder, unspecified	Diagnosis	ICD-10-CM
F65	Paraphilias	Diagnosis	ICD-10-CM
F65.0	Fetishism	Diagnosis	ICD-10-CM
F65.1	Transvestic fetishism	Diagnosis	ICD-10-CM
F65.2	Exhibitionism	Diagnosis	ICD-10-CM
F65.3	Voyeurism	Diagnosis	ICD-10-CM
F65.4	Pedophilia	Diagnosis	ICD-10-CM
F65.5	Sadomasochism	Diagnosis	ICD-10-CM
F65.50	Sadomasochism, unspecified	Diagnosis	ICD-10-CM
F65.51	Sexual masochism	Diagnosis	ICD-10-CM
F65.52	Sexual sadism	Diagnosis	ICD-10-CM
F65.8	Other paraphilias	Diagnosis	ICD-10-CM
F65.81	Frotteurism	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F65.89	Other paraphilias	Diagnosis	ICD-10-CM
F65.9	Paraphilia, unspecified	Diagnosis	ICD-10-CM
F66	Other sexual disorders	Diagnosis	ICD-10-CM
F68	Other disorders of adult personality and behavior	Diagnosis	ICD-10-CM
F68.1	Factitious disorder imposed on self	Diagnosis	ICD-10-CM
F68.10	Factitious disorder imposed on self, unspecified	Diagnosis	ICD-10-CM
F68.11	Factitious disorder imposed on self, with predominantly psychological signs and symptoms	Diagnosis	ICD-10-CM
F68.12	Factitious disorder imposed on self, with predominantly physical signs and symptoms	Diagnosis	ICD-10-CM
F68.13	Factitious disorder imposed on self, with combined psychological and physical signs and symptoms	Diagnosis	ICD-10-CM
F68.8	Other specified disorders of adult personality and behavior	Diagnosis	ICD-10-CM
F68.A	Factitious disorder imposed on another	Diagnosis	ICD-10-CM
F69	Unspecified disorder of adult personality and behavior	Diagnosis	ICD-10-CM
F70	Mild intellectual disabilities	Diagnosis	ICD-10-CM
F71	Moderate intellectual disabilities	Diagnosis	ICD-10-CM
F72	Severe intellectual disabilities	Diagnosis	ICD-10-CM
F73	Profound intellectual disabilities	Diagnosis	ICD-10-CM
F78	Other intellectual disabilities	Diagnosis	ICD-10-CM
F79	Unspecified intellectual disabilities	Diagnosis	ICD-10-CM
F80	Specific developmental disorders of speech and language	Diagnosis	ICD-10-CM
F80.0	Phonological disorder	Diagnosis	ICD-10-CM
F80.1	Expressive language disorder	Diagnosis	ICD-10-CM
F80.2	Mixed receptive-expressive language disorder	Diagnosis	ICD-10-CM
F80.4	Speech and language development delay due to hearing loss	Diagnosis	ICD-10-CM
F80.8	Other developmental disorders of speech and language	Diagnosis	ICD-10-CM
F80.81	Childhood onset fluency disorder	Diagnosis	ICD-10-CM
F80.82	Social pragmatic communication disorder	Diagnosis	ICD-10-CM
F80.89	Other developmental disorders of speech and language	Diagnosis	ICD-10-CM
F80.9	Developmental disorder of speech and language, unspecified	Diagnosis	ICD-10-CM
F81	Specific developmental disorders of scholastic skills	Diagnosis	ICD-10-CM
F81.0	Specific reading disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F81.2	Mathematics disorder	Diagnosis	ICD-10-CM
F81.8	Other developmental disorders of scholastic skills	Diagnosis	ICD-10-CM
F81.81	Disorder of written expression	Diagnosis	ICD-10-CM
F81.89	Other developmental disorders of scholastic skills	Diagnosis	ICD-10-CM
F81.9	Developmental disorder of scholastic skills, unspecified	Diagnosis	ICD-10-CM
F82	Specific developmental disorder of motor function	Diagnosis	ICD-10-CM
F84	Pervasive developmental disorders	Diagnosis	ICD-10-CM
F84.0	Autistic disorder	Diagnosis	ICD-10-CM
F84.2	Rett's syndrome	Diagnosis	ICD-10-CM
F84.3	Other childhood disintegrative disorder	Diagnosis	ICD-10-CM
F84.5	Asperger's syndrome	Diagnosis	ICD-10-CM
F84.8	Other pervasive developmental disorders	Diagnosis	ICD-10-CM
F84.9	Pervasive developmental disorder, unspecified	Diagnosis	ICD-10-CM
F88	Other disorders of psychological development	Diagnosis	ICD-10-CM
F89	Unspecified disorder of psychological development	Diagnosis	ICD-10-CM
F90	Attention-deficit hyperactivity disorders	Diagnosis	ICD-10-CM
F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type	Diagnosis	ICD-10-CM
F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type	Diagnosis	ICD-10-CM
F90.2	Attention-deficit hyperactivity disorder, combined type	Diagnosis	ICD-10-CM
F90.8	Attention-deficit hyperactivity disorder, other type	Diagnosis	ICD-10-CM
F90.9	Attention-deficit hyperactivity disorder, unspecified type	Diagnosis	ICD-10-CM
F91	Conduct disorders	Diagnosis	ICD-10-CM
F91.0	Conduct disorder confined to family context	Diagnosis	ICD-10-CM
F91.1	Conduct disorder, childhood-onset type	Diagnosis	ICD-10-CM
F91.2	Conduct disorder, adolescent-onset type	Diagnosis	ICD-10-CM
F91.3	Oppositional defiant disorder	Diagnosis	ICD-10-CM
F91.8	Other conduct disorders	Diagnosis	ICD-10-CM
F91.9	Conduct disorder, unspecified	Diagnosis	ICD-10-CM
F93	Emotional disorders with onset specific to childhood	Diagnosis	ICD-10-CM
F93.0	Separation anxiety disorder of childhood	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F93.8	Other childhood emotional disorders	Diagnosis	ICD-10-CM
F93.9	Childhood emotional disorder, unspecified	Diagnosis	ICD-10-CM
F94	Disorders of social functioning with onset specific to childhood and adolescence	Diagnosis	ICD-10-CM
F94.0	Selective mutism	Diagnosis	ICD-10-CM
F94.1	Reactive attachment disorder of childhood	Diagnosis	ICD-10-CM
F94.2	Disinhibited attachment disorder of childhood	Diagnosis	ICD-10-CM
F94.8	Other childhood disorders of social functioning	Diagnosis	ICD-10-CM
F94.9	Childhood disorder of social functioning, unspecified	Diagnosis	ICD-10-CM
F95	Tic disorder	Diagnosis	ICD-10-CM
F95.0	Transient tic disorder	Diagnosis	ICD-10-CM
F95.1	Chronic motor or vocal tic disorder	Diagnosis	ICD-10-CM
F95.2	Tourette's disorder	Diagnosis	ICD-10-CM
F95.8	Other tic disorders	Diagnosis	ICD-10-CM
F95.9	Tic disorder, unspecified	Diagnosis	ICD-10-CM
F98	Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence	Diagnosis	ICD-10-CM
F98.0	Enuresis not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F98.1	Encopresis not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F98.2	Other feeding disorders of infancy and childhood	Diagnosis	ICD-10-CM
F98.21	Rumination disorder of infancy	Diagnosis	ICD-10-CM
F98.29	Other feeding disorders of infancy and early childhood	Diagnosis	ICD-10-CM
F98.3	Pica of infancy and childhood	Diagnosis	ICD-10-CM
F98.4	Stereotyped movement disorders	Diagnosis	ICD-10-CM
F98.5	Adult onset fluency disorder	Diagnosis	ICD-10-CM
F98.8	Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence	Diagnosis	ICD-10-CM
F98.9	Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence	Diagnosis	ICD-10-CM
F99	Mental disorder, not otherwise specified	Diagnosis	ICD-10-CM
G13.2	Systemic atrophy primarily affecting the central nervous system in myxedema	Diagnosis	ICD-10-CM
G13.8	Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere	Diagnosis	ICD-10-CM
G25.70	Drug induced movement disorder, unspecified	Diagnosis	ICD-10-CM
G25.71	Drug induced akathisia	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G25.79	Other drug induced movement disorders	Diagnosis	ICD-10-CM
G25.89	Other specified extrapyramidal and movement disorders	Diagnosis	ICD-10-CM
G25.9	Extrapyramidal and movement disorder, unspecified	Diagnosis	ICD-10-CM
G26	Extrapyramidal and movement disorders in diseases classified elsewhere	Diagnosis	ICD-10-CM
G30.0	Alzheimer's disease with early onset	Diagnosis	ICD-10-CM
G30.1	Alzheimer's disease with late onset	Diagnosis	ICD-10-CM
G30.8	Other Alzheimer's disease	Diagnosis	ICD-10-CM
G30.9	Alzheimer's disease, unspecified	Diagnosis	ICD-10-CM
G31.01	Pick's disease	Diagnosis	ICD-10-CM
G31.09	Other frontotemporal dementia	Diagnosis	ICD-10-CM
G31.1	Senile degeneration of brain, not elsewhere classified	Diagnosis	ICD-10-CM
G31.2	Degeneration of nervous system due to alcohol	Diagnosis	ICD-10-CM
G31.81	Alpers disease	Diagnosis	ICD-10-CM
G31.82	Leigh's disease	Diagnosis	ICD-10-CM
G31.83	Dementia with Lewy bodies	Diagnosis	ICD-10-CM
G31.84	Mild cognitive impairment, so stated	Diagnosis	ICD-10-CM
G31.85	Corticobasal degeneration	Diagnosis	ICD-10-CM
G31.89	Other specified degenerative diseases of nervous system	Diagnosis	ICD-10-CM
G31.9	Degenerative disease of nervous system, unspecified	Diagnosis	ICD-10-CM
G44.209	Tension-type headache, unspecified, not intractable	Diagnosis	ICD-10-CM
G47	Sleep disorders	Diagnosis	ICD-10-CM
G47.0	Insomnia	Diagnosis	ICD-10-CM
G47.00	Insomnia, unspecified	Diagnosis	ICD-10-CM
G47.01	Insomnia due to medical condition	Diagnosis	ICD-10-CM
G47.09	Other insomnia	Diagnosis	ICD-10-CM
G47.1	Hypersomnia	Diagnosis	ICD-10-CM
G47.10	Hypersomnia, unspecified	Diagnosis	ICD-10-CM
G47.11	Idiopathic hypersomnia with long sleep time	Diagnosis	ICD-10-CM
G47.12	Idiopathic hypersomnia without long sleep time	Diagnosis	ICD-10-CM
G47.13	Recurrent hypersomnia	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G47.14	Hypersomnia due to medical condition	Diagnosis	ICD-10-CM
G47.19	Other hypersomnia	Diagnosis	ICD-10-CM
G47.2	Circadian rhythm sleep disorders	Diagnosis	ICD-10-CM
G47.20	Circadian rhythm sleep disorder, unspecified type	Diagnosis	ICD-10-CM
G47.21	Circadian rhythm sleep disorder, delayed sleep phase type	Diagnosis	ICD-10-CM
G47.22	Circadian rhythm sleep disorder, advanced sleep phase type	Diagnosis	ICD-10-CM
G47.23	Circadian rhythm sleep disorder, irregular sleep wake type	Diagnosis	ICD-10-CM
G47.24	Circadian rhythm sleep disorder, free running type	Diagnosis	ICD-10-CM
G47.25	Circadian rhythm sleep disorder, jet lag type	Diagnosis	ICD-10-CM
G47.26	Circadian rhythm sleep disorder, shift work type	Diagnosis	ICD-10-CM
G47.27	Circadian rhythm sleep disorder in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.29	Other circadian rhythm sleep disorder	Diagnosis	ICD-10-CM
G47.3	Sleep apnea	Diagnosis	ICD-10-CM
G47.30	Sleep apnea, unspecified	Diagnosis	ICD-10-CM
G47.31	Primary central sleep apnea	Diagnosis	ICD-10-CM
G47.33	Obstructive sleep apnea (adult) (pediatric)	Diagnosis	ICD-10-CM
G47.34	Idiopathic sleep related nonobstructive alveolar hypoventilation	Diagnosis	ICD-10-CM
G47.35	Congenital central alveolar hypoventilation syndrome	Diagnosis	ICD-10-CM
G47.36	Sleep related hypoventilation in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.37	Central sleep apnea in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.39	Other sleep apnea	Diagnosis	ICD-10-CM
G47.4	Narcolepsy and cataplexy	Diagnosis	ICD-10-CM
G47.41	Narcolepsy	Diagnosis	ICD-10-CM
G47.411	Narcolepsy with cataplexy	Diagnosis	ICD-10-CM
G47.419	Narcolepsy without cataplexy	Diagnosis	ICD-10-CM
G47.42	Narcolepsy in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.421	Narcolepsy in conditions classified elsewhere with cataplexy	Diagnosis	ICD-10-CM
G47.429	Narcolepsy in conditions classified elsewhere without cataplexy	Diagnosis	ICD-10-CM
G47.5	Parasomnia	Diagnosis	ICD-10-CM
G47.50	Parasomnia, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G47.51	Confusional arousals	Diagnosis	ICD-10-CM
G47.52	REM sleep behavior disorder	Diagnosis	ICD-10-CM
G47.53	Recurrent isolated sleep paralysis	Diagnosis	ICD-10-CM
G47.54	Parasomnia in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.59	Other parasomnia	Diagnosis	ICD-10-CM
G47.6	Sleep related movement disorders	Diagnosis	ICD-10-CM
G47.61	Periodic limb movement disorder	Diagnosis	ICD-10-CM
G47.62	Sleep related leg cramps	Diagnosis	ICD-10-CM
G47.63	Sleep related bruxism	Diagnosis	ICD-10-CM
G47.69	Other sleep related movement disorders	Diagnosis	ICD-10-CM
G47.8	Other sleep disorders	Diagnosis	ICD-10-CM
G47.9	Sleep disorder, unspecified	Diagnosis	ICD-10-CM
G62.1	Alcoholic polyneuropathy	Diagnosis	ICD-10-CM
G91.0	Communicating hydrocephalus	Diagnosis	ICD-10-CM
G91.1	Obstructive hydrocephalus	Diagnosis	ICD-10-CM
G91.2	(Idiopathic) normal pressure hydrocephalus	Diagnosis	ICD-10-CM
G91.3	Post-traumatic hydrocephalus, unspecified	Diagnosis	ICD-10-CM
G91.4	Hydrocephalus in diseases classified elsewhere	Diagnosis	ICD-10-CM
G91.8	Other hydrocephalus	Diagnosis	ICD-10-CM
G91.9	Hydrocephalus, unspecified	Diagnosis	ICD-10-CM
G93.40	Encephalopathy, unspecified	Diagnosis	ICD-10-CM
G93.41	Metabolic encephalopathy	Diagnosis	ICD-10-CM
G93.49	Other encephalopathy	Diagnosis	ICD-10-CM
G93.7	Reye's syndrome	Diagnosis	ICD-10-CM
G93.89	Other specified disorders of brain	Diagnosis	ICD-10-CM
G93.9	Disorder of brain, unspecified	Diagnosis	ICD-10-CM
G94	Other disorders of brain in diseases classified elsewhere	Diagnosis	ICD-10-CM
GZ2ZZZZ	Crisis Intervention	Procedure	ICD-10-PCS
GZ50ZZZ	Individual Psychotherapy, Interactive	Procedure	ICD-10-PCS
GZ51ZZZ	Individual Psychotherapy, Behavioral	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
GZ52ZZZ	Individual Psychotherapy, Cognitive	Procedure	ICD-10-PCS
GZ53ZZZ	Individual Psychotherapy, Interpersonal	Procedure	ICD-10-PCS
GZ54ZZZ	Individual Psychotherapy, Psychoanalysis	Procedure	ICD-10-PCS
GZ55ZZZ	Individual Psychotherapy, Psychodynamic	Procedure	ICD-10-PCS
GZ56ZZZ	Individual Psychotherapy, Supportive	Procedure	ICD-10-PCS
GZ58ZZZ	Individual Psychotherapy, Cognitive-Behavioral	Procedure	ICD-10-PCS
GZC9ZZZ	Biofeedback	Procedure	ICD-10-PCS
GZFZZZZ	Hypnosis	Procedure	ICD-10-PCS
GZHZZZZ	Group Psychotherapy	Procedure	ICD-10-PCS
H0005	Alcohol and/or drug services; group counseling by a clinician	Procedure	HCPCS
H0007	Alcohol and/or drug services; crisis intervention (outpatient)	Procedure	HCPCS
H0008	Alcohol and/or drug services; subacute detoxification (hospital inpatient)	Procedure	HCPCS
H0010	Alcohol and/or drug services; subacute detoxification (residential addiction program inpatient)	Procedure	HCPCS
H0011	Alcohol and/or drug services; acute detoxification (residential addiction program inpatient)	Procedure	HCPCS
H0012	Alcohol and/or drug services; subacute detoxification (residential addiction program outpatient)	Procedure	HCPCS
H0013	Alcohol and/or drug services; acute detoxification (residential addiction program outpatient)	Procedure	HCPCS
H0014	Alcohol and/or drug services; ambulatory detoxification	Procedure	HCPCS
	Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education		
H0015		Procedure	HCPCS
H0020	Alcohol and/or drug services; methadone administration and/or service (provision of the drug by a licensed program)	Procedure	HCPCS
H0022	Alcohol and/or drug intervention service (planned facilitation)	Procedure	HCPCS
H2035	Alcohol and/or other drug treatment program, per hour	Procedure	HCPCS
H2036	Alcohol and/or other drug treatment program, per diem	Procedure	HCPCS
H93.25	Central auditory processing disorder	Diagnosis	ICD-10-CM
HZ2ZZZZ	Detoxification Services for Substance Abuse Treatment	Procedure	ICD-10-PCS
HZ30ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ31ZZZ	Individual Counseling for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ32ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ33ZZZ	Individual Counseling for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
HZ34ZZZ	Individual Counseling for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ35ZZZ	Individual Counseling for Substance Abuse Treatment, Vocational	Procedure	ICD-10-PCS
HZ36ZZZ	Individual Counseling for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ37ZZZ	Individual Counseling for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ38ZZZ	Individual Counseling for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ39ZZZ	Individual Counseling for Substance Abuse Treatment, Continuing Care	Procedure	ICD-10-PCS
HZ3BZZZ	Individual Counseling for Substance Abuse Treatment, Spiritual	Procedure	ICD-10-PCS
HZ40ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ41ZZZ	Group Counseling for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ42ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ43ZZZ	Group Counseling for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ44ZZZ	Group Counseling for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ45ZZZ	Group Counseling for Substance Abuse Treatment, Vocational	Procedure	ICD-10-PCS
HZ46ZZZ	Group Counseling for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ47ZZZ	Group Counseling for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ48ZZZ	Group Counseling for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ49ZZZ	Group Counseling for Substance Abuse Treatment, Continuing Care	Procedure	ICD-10-PCS
HZ4BZZZ	Group Counseling for Substance Abuse Treatment, Spiritual	Procedure	ICD-10-PCS
HZ50ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ51ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ52ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ53ZZZ	Individual Psychotherapy for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ54ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ55ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Interactive	Procedure	ICD-10-PCS
HZ56ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ57ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ58ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ59ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Supportive	Procedure	ICD-10-PCS
HZ5BZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis	Procedure	ICD-10-PCS
HZ5CZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychodynamic	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
HZ5DZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychophysiological	Procedure	ICD-10-PCS
HZ63ZZZ	Family Counseling for Substance Abuse Treatment	Procedure	ICD-10-PCS
HZ83ZZZ	Medication Management for Substance Abuse Treatment, Antabuse	Procedure	ICD-10-PCS
HZ86ZZZ	Medication Management for Substance Abuse Treatment, Clonidine	Procedure	ICD-10-PCS
HZ88ZZZ	Medication Management for Substance Abuse Treatment, Psychiatric Medication	Procedure	ICD-10-PCS
HZ89ZZZ	Medication Management for Substance Abuse Treatment, Other Replacement Medication	Procedure	ICD-10-PCS
HZ93ZZZ	Pharmacotherapy for Substance Abuse Treatment, Antabuse	Procedure	ICD-10-PCS
HZ96ZZZ	Pharmacotherapy for Substance Abuse Treatment, Clonidine	Procedure	ICD-10-PCS
HZ98ZZZ	Pharmacotherapy for Substance Abuse Treatment, Psychiatric Medication	Procedure	ICD-10-PCS
HZ99ZZZ	Pharmacotherapy for Substance Abuse Treatment, Other Replacement Medication	Procedure	ICD-10-PCS
I42.6	Alcoholic cardiomyopathy	Diagnosis	ICD-10-CM
I67.83	Posterior reversible encephalopathy syndrome	Diagnosis	ICD-10-CM
J0570	Buprenorphine implant, 74.2 mg	Procedure	HCPCS
J0571	Buprenorphine, oral, 1 mg	Procedure	HCPCS
J0572	Buprenorphine/naloxone, oral, less than or equal to 3 mg buprenorphine	Procedure	HCPCS
J0573	Buprenorphine/naloxone, oral, greater than 3 mg, but less than or equal to 6 mg buprenorphine	Procedure	HCPCS
J0574	Buprenorphine/naloxone, oral, greater than 6 mg, but less than or equal to 10 mg buprenorphine	Procedure	HCPCS
J0575	Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine	Procedure	HCPCS
J0592	Injection, buprenorphine HCl, 0.1 mg	Procedure	HCPCS
J1230	Injection, methadone HCl, up to 10 mg	Procedure	HCPCS
J2212	Injection, methylnaltrexone, 0.1 mg	Procedure	HCPCS
J2315	Injection, naltrexone, depot form, 1 mg	Procedure	HCPCS
K29.2	Alcoholic gastritis	Diagnosis	ICD-10-CM
K29.20	Alcoholic gastritis without bleeding	Diagnosis	ICD-10-CM
K29.21	Alcoholic gastritis with bleeding	Diagnosis	ICD-10-CM
K70.0	Alcoholic fatty liver	Diagnosis	ICD-10-CM
K70.10	Alcoholic hepatitis without ascites	Diagnosis	ICD-10-CM
K70.11	Alcoholic hepatitis with ascites	Diagnosis	ICD-10-CM
K70.2	Alcoholic fibrosis and sclerosis of liver	Diagnosis	ICD-10-CM
K70.30	Alcoholic cirrhosis of liver without ascites	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
K70.31	Alcoholic cirrhosis of liver with ascites	Diagnosis	ICD-10-CM
K70.40	Alcoholic hepatic failure without coma	Diagnosis	ICD-10-CM
K70.41	Alcoholic hepatic failure with coma	Diagnosis	ICD-10-CM
K70.9	Alcoholic liver disease, unspecified	Diagnosis	ICD-10-CM
L8679	Implantable neurostimulator, pulse generator, any type	Procedure	HCPCS
L8680	Implantable neurostimulator electrode, each	Procedure	HCPCS
L8681	Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	Procedure	HCPCS
L8682	Implantable neurostimulator radiofrequency receiver	Procedure	HCPCS
L8683	Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	Procedure	HCPCS
L8685	Implantable neurostimulator pulse generator, single array, rechargeable, includes extension	Procedure	HCPCS
L8686	Implantable neurostimulator pulse generator, single array, nonrechargeable, includes extension	Procedure	HCPCS
L8687	Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension	Procedure	HCPCS
L8688	Implantable neurostimulator pulse generator, dual array, nonrechargeable, includes extension	Procedure	HCPCS
L8689	External recharging system for battery (internal) for use with implantable neurostimulator, replacement only	Procedure	HCPCS
M1A.10X0	Lead-induced chronic gout, unspecified site, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.10X1	Lead-induced chronic gout, unspecified site, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1110	Lead-induced chronic gout, right shoulder, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1111	Lead-induced chronic gout, right shoulder, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1120	Lead-induced chronic gout, left shoulder, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1121	Lead-induced chronic gout, left shoulder, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1190	Lead-induced chronic gout, unspecified shoulder, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1191	Lead-induced chronic gout, unspecified shoulder, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1210	Lead-induced chronic gout, right elbow, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1211	Lead-induced chronic gout, right elbow, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1220	Lead-induced chronic gout, left elbow, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1221	Lead-induced chronic gout, left elbow, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1290	Lead-induced chronic gout, unspecified elbow, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1291	Lead-induced chronic gout, unspecified elbow, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1310	Lead-induced chronic gout, right wrist, without tophus (tophi)	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
M1A.1311	Lead-induced chronic gout, right wrist, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1320	Lead-induced chronic gout, left wrist, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1321	Lead-induced chronic gout, left wrist, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1390	Lead-induced chronic gout, unspecified wrist, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1391	Lead-induced chronic gout, unspecified wrist, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1410	Lead-induced chronic gout, right hand, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1411	Lead-induced chronic gout, right hand, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1420	Lead-induced chronic gout, left hand, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1421	Lead-induced chronic gout, left hand, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1490	Lead-induced chronic gout, unspecified hand, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1491	Lead-induced chronic gout, unspecified hand, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1510	Lead-induced chronic gout, right hip, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1511	Lead-induced chronic gout, right hip, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1520	Lead-induced chronic gout, left hip, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1521	Lead-induced chronic gout, left hip, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1590	Lead-induced chronic gout, unspecified hip, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1591	Lead-induced chronic gout, unspecified hip, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1610	Lead-induced chronic gout, right knee, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1611	Lead-induced chronic gout, right knee, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1620	Lead-induced chronic gout, left knee, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1621	Lead-induced chronic gout, left knee, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1690	Lead-induced chronic gout, unspecified knee, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1691	Lead-induced chronic gout, unspecified knee, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1710	Lead-induced chronic gout, right ankle and foot, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1711	Lead-induced chronic gout, right ankle and foot, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1720	Lead-induced chronic gout, left ankle and foot, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1721	Lead-induced chronic gout, left ankle and foot, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1790	Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1791	Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.18X0	Lead-induced chronic gout, vertebrae, without tophus (tophi)	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
M1A.18X1	Lead-induced chronic gout, vertebrae, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.19X0	Lead-induced chronic gout, multiple sites, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.19X1	Lead-induced chronic gout, multiple sites, with tophus (tophi)	Diagnosis	ICD-10-CM
O35.5XX0	Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified	Diagnosis	ICD-10-CM
O35.5XX1	Maternal care for (suspected) damage to fetus by drugs, fetus 1	Diagnosis	ICD-10-CM
O35.5XX2	Maternal care for (suspected) damage to fetus by drugs, fetus 2	Diagnosis	ICD-10-CM
O35.5XX3	Maternal care for (suspected) damage to fetus by drugs, fetus 3	Diagnosis	ICD-10-CM
O35.5XX4	Maternal care for (suspected) damage to fetus by drugs, fetus 4	Diagnosis	ICD-10-CM
O35.5XX5	Maternal care for (suspected) damage to fetus by drugs, fetus 5	Diagnosis	ICD-10-CM
O35.5XX9	Maternal care for (suspected) damage to fetus by drugs, other fetus	Diagnosis	ICD-10-CM
O90.6	Postpartum mood disturbance	Diagnosis	ICD-10-CM
O99.310	Alcohol use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.311	Alcohol use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.312	Alcohol use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.313	Alcohol use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.314	Alcohol use complicating childbirth	Diagnosis	ICD-10-CM
O99.315	Alcohol use complicating the puerperium	Diagnosis	ICD-10-CM
O99.320	Drug use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.321	Drug use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.322	Drug use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.323	Drug use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
O99.325	Drug use complicating the puerperium	Diagnosis	ICD-10-CM
Q9991	Injection, buprenorphine extended-release (Sublocade), less than or equal to 100 mg	Procedure	HCPCS
Q9992	Injection, buprenorphine extended-release (Sublocade), greater than 100 mg	Procedure	HCPCS
R37	Sexual dysfunction, unspecified	Diagnosis	ICD-10-CM
R44.0	Auditory hallucinations	Diagnosis	ICD-10-CM
R44.2	Other hallucinations	Diagnosis	ICD-10-CM
R44.3	Hallucinations, unspecified	Diagnosis	ICD-10-CM
R45.1	Restlessness and agitation	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
R45.2	Unhappiness	Diagnosis	ICD-10-CM
R45.3	Demoralization and apathy	Diagnosis	ICD-10-CM
R45.4	Irritability and anger	Diagnosis	ICD-10-CM
R45.5	Hostility	Diagnosis	ICD-10-CM
R45.6	Violent behavior	Diagnosis	ICD-10-CM
R45.7	State of emotional shock and stress, unspecified	Diagnosis	ICD-10-CM
R45.81	Low self-esteem	Diagnosis	ICD-10-CM
R45.82	Worries	Diagnosis	ICD-10-CM
R45.83	Excessive crying of child, adolescent or adult	Diagnosis	ICD-10-CM
R45.84	Anhedonia	Diagnosis	ICD-10-CM
R45.850	Homicidal ideations	Diagnosis	ICD-10-CM
R45.851	Suicidal ideations	Diagnosis	ICD-10-CM
R45.86	Emotional lability	Diagnosis	ICD-10-CM
R45.89	Other symptoms and signs involving emotional state	Diagnosis	ICD-10-CM
R46.0	Very low level of personal hygiene	Diagnosis	ICD-10-CM
R46.1	Bizarre personal appearance	Diagnosis	ICD-10-CM
R46.2	Strange and inexplicable behavior	Diagnosis	ICD-10-CM
R46.3	Overactivity	Diagnosis	ICD-10-CM
R46.4	Slowness and poor responsiveness	Diagnosis	ICD-10-CM
R46.5	Suspiciousness and marked evasiveness	Diagnosis	ICD-10-CM
R46.6	Undue concern and preoccupation with stressful events	Diagnosis	ICD-10-CM
R46.7	Verbosity and circumstantial detail obscuring reason for contact	Diagnosis	ICD-10-CM
R46.81	Obsessive-compulsive behavior	Diagnosis	ICD-10-CM
R46.89	Other symptoms and signs involving appearance and behavior	Diagnosis	ICD-10-CM
R48.0	Dyslexia and alexia	Diagnosis	ICD-10-CM
S0109	Methadone, oral, 5 mg	Procedure	HCPCS
T1006	Alcohol and/or substance abuse services, family/couple counseling	Procedure	HCPCS
T1007	Alcohol and/or substance abuse services, treatment plan development and/or modification	Procedure	HCPCS
T1008	Day treatment for individual alcohol and/or substance abuse services	Procedure	HCPCS
T1010	Meals for individuals receiving alcohol and/or substance abuse services (when meals not included in the program)	Procedure	HCPCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T1012	Alcohol and/or substance abuse services, skills development	Procedure	HCPCS
T14.91	Suicide attempt	Diagnosis	ICD-10-CM
T14.91XA	Suicide attempt, initial encounter	Diagnosis	ICD-10-CM
T14.91XD	Suicide attempt, subsequent encounter	Diagnosis	ICD-10-CM
T14.91XS	Suicide attempt, sequela	Diagnosis	ICD-10-CM
T36.0X1A	Poisoning by penicillins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.0X3A	Poisoning by penicillins, assault, initial encounter	Diagnosis	ICD-10-CM
T36.0X4A	Poisoning by penicillins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.1X1A	Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.1X3A	Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter	Diagnosis	ICD-10-CM
T36.1X4A	Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.2X1A	Poisoning by chloramphenicol group, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.2X3A	Poisoning by chloramphenicol group, assault, initial encounter	Diagnosis	ICD-10-CM
T36.2X4A	Poisoning by chloramphenicol group, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.3X1A	Poisoning by macrolides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.3X3A	Poisoning by macrolides, assault, initial encounter	Diagnosis	ICD-10-CM
T36.3X4A	Poisoning by macrolides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.4X1A	Poisoning by tetracyclines, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.4X3A	Poisoning by tetracyclines, assault, initial encounter	Diagnosis	ICD-10-CM
T36.4X4A	Poisoning by tetracyclines, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.5X1A	Poisoning by aminoglycosides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.5X3A	Poisoning by aminoglycosides, assault, initial encounter	Diagnosis	ICD-10-CM
T36.5X4A	Poisoning by aminoglycosides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.6X1A	Poisoning by rifampicins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.6X3A	Poisoning by rifampicins, assault, initial encounter	Diagnosis	ICD-10-CM
T36.6X4A	Poisoning by rifampicins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.7X1A	Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.7X3A	Poisoning by antifungal antibiotics, systemically used, assault, initial encounter	Diagnosis	ICD-10-CM
T36.7X4A	Poisoning by antifungal antibiotics, systemically used, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.8X1A	Poisoning by other systemic antibiotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.8X3A	Poisoning by other systemic antibiotics, assault, initial encounter	Diagnosis	ICD-10-CM
T36.8X4A	Poisoning by other systemic antibiotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.91XA	Poisoning by unspecified systemic antibiotic, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.93XA	Poisoning by unspecified systemic antibiotic, assault, initial encounter	Diagnosis	ICD-10-CM
T36.94XA	Poisoning by unspecified systemic antibiotic, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.0X1A	Poisoning by sulfonamides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.0X3A	Poisoning by sulfonamides, assault, initial encounter	Diagnosis	ICD-10-CM
T37.0X4A	Poisoning by sulfonamides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.1X1A	Poisoning by antimycobacterial drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.1X3A	Poisoning by antimycobacterial drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T37.1X4A	Poisoning by antimycobacterial drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.2X1A	Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.2X3A	Poisoning by antimalarials and drugs acting on other blood protozoa, assault, initial encounter	Diagnosis	ICD-10-CM
T37.2X4A	Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.3X1A	Poisoning by other antiprotozoal drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.3X3A	Poisoning by other antiprotozoal drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T37.3X4A	Poisoning by other antiprotozoal drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.4X1A	Poisoning by anthelmintics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.4X3A	Poisoning by anthelmintics, assault, initial encounter	Diagnosis	ICD-10-CM
T37.4X4A	Poisoning by anthelmintics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.5X1A	Poisoning by antiviral drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.5X3A	Poisoning by antiviral drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T37.5X4A	Poisoning by antiviral drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.8X1A	Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.8X3A	Poisoning by other specified systemic anti-infectives and antiparasitics, assault, initial encounter	Diagnosis	ICD-10-CM
T37.8X4A	Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.91XA	Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.93XA	Poisoning by unspecified systemic anti-infective and antiparasitics, assault, initial encounter	Diagnosis	ICD-10-CM
T37.94XA	Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.0X1A	Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.0X3A	Poisoning by glucocorticoids and synthetic analogues, assault, initial encounter	Diagnosis	ICD-10-CM
T38.0X4A	Poisoning by glucocorticoids and synthetic analogues, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.1X1A	Poisoning by thyroid hormones and substitutes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.1X3A	Poisoning by thyroid hormones and substitutes, assault, initial encounter	Diagnosis	ICD-10-CM
T38.1X4A	Poisoning by thyroid hormones and substitutes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.2X1A	Poisoning by antithyroid drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.2X3A	Poisoning by antithyroid drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T38.2X4A	Poisoning by antithyroid drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.3X1A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.3X3A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T38.3X4A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.4X1A	Poisoning by oral contraceptives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.4X3A	Poisoning by oral contraceptives, assault, initial encounter	Diagnosis	ICD-10-CM
T38.4X4A	Poisoning by oral contraceptives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.5X1A	Poisoning by other estrogens and progestogens, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.5X3A	Poisoning by other estrogens and progestogens, assault, initial encounter	Diagnosis	ICD-10-CM
T38.5X4A	Poisoning by other estrogens and progestogens, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.6X1A	Poisoning by antgonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.6X2A	Poisoning by antgonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.6X2D	Poisoning by antgonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.6X2S	Poisoning by antgonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.6X3A	Poisoning by antgonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T38.6X4A	Poisoning by antgonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.7X1A	Poisoning by androgens and anabolic congeners, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.7X3A	Poisoning by androgens and anabolic congeners, assault, initial encounter	Diagnosis	ICD-10-CM
T38.7X4A	Poisoning by androgens and anabolic congeners, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.801A	Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.803A	Poisoning by unspecified hormones and synthetic substitutes, assault, initial encounter	Diagnosis	ICD-10-CM
T38.804A	Poisoning by unspecified hormones and synthetic substitutes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.811A	Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.813A	Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, initial encounter	Diagnosis	ICD-10-CM
T38.814A	Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.891A	Poisoning by other hormones and synthetic substitutes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.893A	Poisoning by other hormones and synthetic substitutes, assault, initial encounter	Diagnosis	ICD-10-CM
T38.894A	Poisoning by other hormones and synthetic substitutes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.901A	Poisoning by unspecified hormone antagonists, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.903A	Poisoning by unspecified hormone antagonists, assault, initial encounter	Diagnosis	ICD-10-CM
T38.904A	Poisoning by unspecified hormone antagonists, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.991A	Poisoning by other hormone antagonists, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.993A	Poisoning by other hormone antagonists, assault, initial encounter	Diagnosis	ICD-10-CM
T38.994A	Poisoning by other hormone antagonists, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.011A	Poisoning by aspirin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.013A	Poisoning by aspirin, assault, initial encounter	Diagnosis	ICD-10-CM
T39.014A	Poisoning by aspirin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.091A	Poisoning by salicylates, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.093A	Poisoning by salicylates, assault, initial encounter	Diagnosis	ICD-10-CM
T39.094A	Poisoning by salicylates, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.1X1A	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.1X3A	Poisoning by 4-Aminophenol derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T39.1X4A	Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.2X1A	Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.2X3A	Poisoning by pyrazolone derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T39.2X4A	Poisoning by pyrazolone derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.311A	Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.313A	Poisoning by propionic acid derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T39.314A	Poisoning by propionic acid derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.391A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.393A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter	Diagnosis	ICD-10-CM
T39.394A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.4X1A	Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.4X3A	Poisoning by antirheumatics, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T39.4X4A	Poisoning by antirheumatics, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T39.8X1A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.8X3A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T39.8X4A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.91XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.93XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, initial encounter	Diagnosis	ICD-10-CM
T39.94XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.0X1D	Poisoning by opium, accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.0X1S	Poisoning by opium, accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.0X3A	Poisoning by opium, assault, initial encounter	Diagnosis	ICD-10-CM
T40.0X3D	Poisoning by opium, assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X3S	Poisoning by opium, assault, sequela	Diagnosis	ICD-10-CM
T40.0X4A	Poisoning by opium, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.0X4D	Poisoning by opium, undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X4S	Poisoning by opium, undetermined, sequela	Diagnosis	ICD-10-CM
T40.0X5A	Adverse effect of opium, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.0X5D	Adverse effect of opium, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X5S	Adverse effect of opium, sequela	Diagnosis	ICD-10-CM
T40.0X6A	Underdosing of opium, initial encounter	Diagnosis	ICD-10-CM
T40.0X6D	Underdosing of opium, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X6S	Underdosing of opium, sequela	Diagnosis	ICD-10-CM
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.1X1D	Poisoning by heroin, accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.1X1S	Poisoning by heroin, accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.1X3A	Poisoning by heroin, assault, initial encounter	Diagnosis	ICD-10-CM
T40.1X3D	Poisoning by heroin, assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X3S	Poisoning by heroin, assault, sequela	Diagnosis	ICD-10-CM
T40.1X4A	Poisoning by heroin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.1X4D	Poisoning by heroin, undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X4S	Poisoning by heroin, undetermined, sequela	Diagnosis	ICD-10-CM
T40.1X5A	Adverse effect of heroin, initial encounter	Diagnosis	ICD-10-CM
T40.1X5D	Adverse effect of heroin, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X5S	Adverse effect of heroin, sequela	Diagnosis	ICD-10-CM
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.2X3A	Poisoning by other opioids, assault, initial encounter	Diagnosis	ICD-10-CM
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.3X3A	Poisoning by methadone, assault, initial encounter	Diagnosis	ICD-10-CM
T40.3X4A	Poisoning by methadone, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.5X1A	Poisoning by cocaine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.5X1D	Poisoning by cocaine, accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.5X1S	Poisoning by cocaine, accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.5X3A	Poisoning by cocaine, assault, initial encounter	Diagnosis	ICD-10-CM
T40.5X3D	Poisoning by cocaine, assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X3S	Poisoning by cocaine, assault, sequela	Diagnosis	ICD-10-CM
T40.5X4A	Poisoning by cocaine, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.5X4D	Poisoning by cocaine, undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X4S	Poisoning by cocaine, undetermined, sequela	Diagnosis	ICD-10-CM
T40.5X5A	Adverse effect of cocaine, initial encounter	Diagnosis	ICD-10-CM
T40.5X5D	Adverse effect of cocaine, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X5S	Adverse effect of cocaine, sequela	Diagnosis	ICD-10-CM
T40.5X6A	Underdosing of cocaine, initial encounter	Diagnosis	ICD-10-CM
T40.5X6D	Underdosing of cocaine, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X6S	Underdosing of cocaine, sequela	Diagnosis	ICD-10-CM
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.693A	Poisoning by other narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.694A	Poisoning by other narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.7X1D	Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.7X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter	Diagnosis	ICD-10-CM
T40.7X3D	Poisoning by cannabis (derivatives), assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X3S	Poisoning by cannabis (derivatives), assault, sequela	Diagnosis	ICD-10-CM
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.7X4D	Poisoning by cannabis (derivatives), undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X4S	Poisoning by cannabis (derivatives), undetermined, sequela	Diagnosis	ICD-10-CM
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter	Diagnosis	ICD-10-CM
T40.7X5D	Adverse effect of cannabis (derivatives), subsequent encounter	Diagnosis	ICD-10-CM
T40.7X5S	Adverse effect of cannabis (derivatives), sequela	Diagnosis	ICD-10-CM
T40.7X6A	Underdosing of cannabis (derivatives), initial encounter	Diagnosis	ICD-10-CM
T40.7X6D	Underdosing of cannabis (derivatives), subsequent encounter	Diagnosis	ICD-10-CM
T40.7X6S	Underdosing of cannabis (derivatives), sequela	Diagnosis	ICD-10-CM
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.8X1D	Poisoning by lysergide [LSD], accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.8X1S	Poisoning by lysergide [LSD], accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.8X3A	Poisoning by lysergide [LSD], assault, initial encounter	Diagnosis	ICD-10-CM
T40.8X3D	Poisoning by lysergide [LSD], assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X3S	Poisoning by lysergide [LSD], assault, sequela	Diagnosis	ICD-10-CM
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.8X4D	Poisoning by lysergide [LSD], undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X4S	Poisoning by lysergide [LSD], undetermined, sequela	Diagnosis	ICD-10-CM
T40.8X5A	Adverse effect of lysergide [LSD], initial encounter	Diagnosis	ICD-10-CM
T40.8X5D	Adverse effect of lysergide [LSD], subsequent encounter	Diagnosis	ICD-10-CM
T40.8X5S	Adverse effect of lysergide [LSD], sequela	Diagnosis	ICD-10-CM
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.901D	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.901S	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter	Diagnosis	ICD-10-CM
T40.903D	Poisoning by unspecified psychodysleptics [hallucinogens], assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.903S	Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela	Diagnosis	ICD-10-CM
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.904D	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.904S	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela	Diagnosis	ICD-10-CM
T40.905A	Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.905D	Adverse effect of unspecified psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.905S	Adverse effect of unspecified psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T40.906A	Underdosing of unspecified psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.906D	Underdosing of unspecified psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.906S	Underdosing of unspecified psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.991D	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.991S	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter	Diagnosis	ICD-10-CM
T40.993D	Poisoning by other psychodysleptics [hallucinogens], assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.993S	Poisoning by other psychodysleptics [hallucinogens], assault, sequela	Diagnosis	ICD-10-CM
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.994D	Poisoning by other psychodysleptics [hallucinogens], undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.994S	Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela	Diagnosis	ICD-10-CM
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.995D	Adverse effect of other psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.995S	Adverse effect of other psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T40.996A	Underdosing of other psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.996D	Underdosing of other psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.996S	Underdosing of other psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T41.0X1A	Poisoning by inhaled anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.0X3A	Poisoning by inhaled anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.0X4A	Poisoning by inhaled anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.1X1A	Poisoning by intravenous anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.1X3A	Poisoning by intravenous anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.1X4A	Poisoning by intravenous anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.201A	Poisoning by unspecified general anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.203A	Poisoning by unspecified general anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.204A	Poisoning by unspecified general anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.291A	Poisoning by other general anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.293A	Poisoning by other general anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.294A	Poisoning by other general anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.3X1A	Poisoning by local anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.3X3A	Poisoning by local anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.3X4A	Poisoning by local anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.41XA	Poisoning by unspecified anesthetic, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.43XA	Poisoning by unspecified anesthetic, assault, initial encounter	Diagnosis	ICD-10-CM
T41.44XA	Poisoning by unspecified anesthetic, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.0X1A	Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T42.0X3A	Poisoning by hydantoin derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T42.0X4A	Poisoning by hydantoin derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.1X1A	Poisoning by iminostilbenes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.1X3A	Poisoning by iminostilbenes, assault, initial encounter	Diagnosis	ICD-10-CM
T42.1X4A	Poisoning by iminostilbenes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.2X1A	Poisoning by succinimides and oxazolidinediones, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.2X3A	Poisoning by succinimides and oxazolidinediones, assault, initial encounter	Diagnosis	ICD-10-CM
T42.2X4A	Poisoning by succinimides and oxazolidinediones, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.3X1A	Poisoning by barbiturates, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.3X3A	Poisoning by barbiturates, assault, initial encounter	Diagnosis	ICD-10-CM
T42.3X4A	Poisoning by barbiturates, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.4X1A	Poisoning by benzodiazepines, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.4X3A	Poisoning by benzodiazepines, assault, initial encounter	Diagnosis	ICD-10-CM
T42.4X4A	Poisoning by benzodiazepines, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.5X1A	Poisoning by mixed antiepileptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T42.5X3A	Poisoning by mixed antiepileptics, assault, initial encounter	Diagnosis	ICD-10-CM
T42.5X4A	Poisoning by mixed antiepileptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.6X1A	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.6X3A	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T42.6X4A	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.71XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.73XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T42.74XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.8X1A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.8X3A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, initial encounter	Diagnosis	ICD-10-CM
T42.8X4A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.011A	Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.013A	Poisoning by tricyclic antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.014A	Poisoning by tricyclic antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.021A	Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.023A	Poisoning by tetracyclic antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.024A	Poisoning by tetracyclic antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.1X1A	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.1X3A	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.1X4A	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.201A	Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.203A	Poisoning by unspecified antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.204A	Poisoning by unspecified antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.211A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.213A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter	Diagnosis	ICD-10-CM
T43.214A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.221A	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.223A	Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter	Diagnosis	ICD-10-CM
T43.224A	Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.291A	Poisoning by other antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.293A	Poisoning by other antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.294A	Poisoning by other antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.3X1A	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.3X3A	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.3X4A	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.4X1A	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.4X3A	Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.4X4A	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.501A	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.503A	Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.504A	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.591A	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.593A	Poisoning by other antipsychotics and neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.594A	Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.601A	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.603A	Poisoning by unspecified psychostimulants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.604A	Poisoning by unspecified psychostimulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.611A	Poisoning by caffeine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.613A	Poisoning by caffeine, assault, initial encounter	Diagnosis	ICD-10-CM
T43.614A	Poisoning by caffeine, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.621A	Poisoning by amphetamines, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.623A	Poisoning by amphetamines, assault, initial encounter	Diagnosis	ICD-10-CM
T43.624A	Poisoning by amphetamines, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.631A	Poisoning by methylphenidate, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.633A	Poisoning by methylphenidate, assault, initial encounter	Diagnosis	ICD-10-CM
T43.634A	Poisoning by methylphenidate, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.691A	Poisoning by other psychostimulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.693A	Poisoning by other psychostimulants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.694A	Poisoning by other psychostimulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.8X1A	Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.8X3A	Poisoning by other psychotropic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T43.8X4A	Poisoning by other psychotropic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.91XA	Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.93XA	Poisoning by unspecified psychotropic drug, assault, initial encounter	Diagnosis	ICD-10-CM
T43.94XA	Poisoning by unspecified psychotropic drug, undetermined, initial encounter	Diagnosis	ICD-10-CM
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X1A	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X3A	Poisoning by antiallergic and antiemetic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.0X4A	Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.1X1A	Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.1X3A	Poisoning by antineoplastic and immunosuppressive drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.1X4A	Poisoning by antineoplastic and immunosuppressive drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.2X1A	Poisoning by vitamins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.2X3A	Poisoning by vitamins, assault, initial encounter	Diagnosis	ICD-10-CM
T45.2X4A	Poisoning by vitamins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.3X1A	Poisoning by enzymes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.3X3A	Poisoning by enzymes, assault, initial encounter	Diagnosis	ICD-10-CM
T45.3X4A	Poisoning by enzymes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.4X1A	Poisoning by iron and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.4X3A	Poisoning by iron and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T45.4X4A	Poisoning by iron and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.511A	Poisoning by anticoagulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.513A	Poisoning by anticoagulants, assault, initial encounter	Diagnosis	ICD-10-CM
T45.514A	Poisoning by anticoagulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.521A	Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.523A	Poisoning by antithrombotic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.524A	Poisoning by antithrombotic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.601A	Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.603A	Poisoning by unspecified fibrinolysis-affecting drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.604A	Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.611A	Poisoning by thrombolytic drug, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.613A	Poisoning by thrombolytic drug, assault, initial encounter	Diagnosis	ICD-10-CM
T45.614A	Poisoning by thrombolytic drug, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.621A	Poisoning by hemostatic drug, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.623A	Poisoning by hemostatic drug, assault, initial encounter	Diagnosis	ICD-10-CM
T45.624A	Poisoning by hemostatic drug, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.691A	Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.693A	Poisoning by other fibrinolysis-affecting drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.694A	Poisoning by other fibrinolysis-affecting drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.7X1A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.7X3A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter	Diagnosis	ICD-10-CM
T45.7X4A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.8X1A	Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.8X3A	Poisoning by other primarily systemic and hematological agents, assault, initial encounter	Diagnosis	ICD-10-CM
T45.8X4A	Poisoning by other primarily systemic and hematological agents, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.91XA	Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.93XA	Poisoning by unspecified primarily systemic and hematological agent, assault, initial encounter	Diagnosis	ICD-10-CM
T45.94XA	Poisoning by unspecified primarily systemic and hematological agent, undetermined, initial encounter	Diagnosis	ICD-10-CM
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.0X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.0X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X1A	Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X3A	Poisoning by mineralocorticoids and their antagonists, assault, initial encounter	Diagnosis	ICD-10-CM
T50.0X4A	Poisoning by mineralocorticoids and their antagonists, undetermined, initial encounter	Diagnosis	ICD-10-CM
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter		
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.2X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z11A	Poisoning by immunoglobulin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z13A	Poisoning by immunoglobulin, assault, initial encounter	Diagnosis	ICD-10-CM
T50.Z14A	Poisoning by immunoglobulin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.0X1A	Toxic effect of ethanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.0X3A	Toxic effect of ethanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.0X4A	Toxic effect of ethanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.1X1A	Toxic effect of methanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.1X3A	Toxic effect of methanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.1X4A	Toxic effect of methanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.2X1A	Toxic effect of 2-Propanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.2X3A	Toxic effect of 2-Propanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.2X4A	Toxic effect of 2-Propanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.3X1A	Toxic effect of fusel oil, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.3X3A	Toxic effect of fusel oil, assault, initial encounter	Diagnosis	ICD-10-CM
T51.3X4A	Toxic effect of fusel oil, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.8X1A	Toxic effect of other alcohols, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.8X3A	Toxic effect of other alcohols, assault, initial encounter	Diagnosis	ICD-10-CM
T51.8X4A	Toxic effect of other alcohols, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.91XA	Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.93XA	Toxic effect of unspecified alcohol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.94XA	Toxic effect of unspecified alcohol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.0X1A	Toxic effect of petroleum products, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.0X3A	Toxic effect of petroleum products, assault, initial encounter	Diagnosis	ICD-10-CM
T52.0X4A	Toxic effect of petroleum products, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.1X1A	Toxic effect of benzene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.1X3A	Toxic effect of benzene, assault, initial encounter	Diagnosis	ICD-10-CM
T52.1X4A	Toxic effect of benzene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.2X1A	Toxic effect of homologues of benzene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.2X3A	Toxic effect of homologues of benzene, assault, initial encounter	Diagnosis	ICD-10-CM
T52.2X4A	Toxic effect of homologues of benzene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.3X1A	Toxic effect of glycols, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.3X3A	Toxic effect of glycols, assault, initial encounter	Diagnosis	ICD-10-CM
T52.3X4A	Toxic effect of glycols, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.4X1A	Toxic effect of ketones, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.4X3A	Toxic effect of ketones, assault, initial encounter	Diagnosis	ICD-10-CM
T52.4X4A	Toxic effect of ketones, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.8X1A	Toxic effect of other organic solvents, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.8X3A	Toxic effect of other organic solvents, assault, initial encounter	Diagnosis	ICD-10-CM
T52.8X4A	Toxic effect of other organic solvents, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.91XA	Toxic effect of unspecified organic solvent, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.93XA	Toxic effect of unspecified organic solvent, assault, initial encounter	Diagnosis	ICD-10-CM
T52.94XA	Toxic effect of unspecified organic solvent, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.0X1A	Toxic effect of carbon tetrachloride, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.0X3A	Toxic effect of carbon tetrachloride, assault, initial encounter	Diagnosis	ICD-10-CM
T53.0X4A	Toxic effect of carbon tetrachloride, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.1X1A	Toxic effect of chloroform, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.1X3A	Toxic effect of chloroform, assault, initial encounter	Diagnosis	ICD-10-CM
T53.1X4A	Toxic effect of chloroform, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.2X1A	Toxic effect of trichloroethylene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.2X3A	Toxic effect of trichloroethylene, assault, initial encounter	Diagnosis	ICD-10-CM
T53.2X4A	Toxic effect of trichloroethylene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.3X1A	Toxic effect of tetrachloroethylene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.3X3A	Toxic effect of tetrachloroethylene, assault, initial encounter	Diagnosis	ICD-10-CM
T53.3X4A	Toxic effect of tetrachloroethylene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.4X1A	Toxic effect of dichloromethane, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.4X3A	Toxic effect of dichloromethane, assault, initial encounter	Diagnosis	ICD-10-CM
T53.4X4A	Toxic effect of dichloromethane, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.5X1A	Toxic effect of chlorofluorocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.5X3A	Toxic effect of chlorofluorocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.5X4A	Toxic effect of chlorofluorocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.6X1A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.6X3A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.6X4A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.7X1A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.7X3A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.7X4A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.91XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.93XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.94XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.0X1A	Toxic effect of phenol and phenol homologues, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.0X3A	Toxic effect of phenol and phenol homologues, assault, initial encounter	Diagnosis	ICD-10-CM
T54.0X4A	Toxic effect of phenol and phenol homologues, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.1X1A	Toxic effect of other corrosive organic compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.1X3A	Toxic effect of other corrosive organic compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T54.1X4A	Toxic effect of other corrosive organic compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.2X1A	Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.2X3A	Toxic effect of corrosive acids and acid-like substances, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T54.2X4A	Toxic effect of corrosive acids and acid-like substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.3X1A	Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.3X3A	Toxic effect of corrosive alkalis and alkali-like substances, assault, initial encounter	Diagnosis	ICD-10-CM
T54.3X4A	Toxic effect of corrosive alkalis and alkali-like substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.91XA	Toxic effect of unspecified corrosive substance, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.93XA	Toxic effect of unspecified corrosive substance, assault, initial encounter	Diagnosis	ICD-10-CM
T54.94XA	Toxic effect of unspecified corrosive substance, undetermined, initial encounter	Diagnosis	ICD-10-CM
T55.0X1A	Toxic effect of soaps, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.0X3A	Toxic effect of soaps, assault, initial encounter	Diagnosis	ICD-10-CM
T55.0X4A	Toxic effect of soaps, undetermined, initial encounter	Diagnosis	ICD-10-CM
T55.1X1A	Toxic effect of detergents, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.1X3A	Toxic effect of detergents, assault, initial encounter	Diagnosis	ICD-10-CM
T55.1X4A	Toxic effect of detergents, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.0X1A	Toxic effect of lead and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.0X3A	Toxic effect of lead and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.0X4A	Toxic effect of lead and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.1X1A	Toxic effect of mercury and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.1X3A	Toxic effect of mercury and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.1X4A	Toxic effect of mercury and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.2X1A	Toxic effect of chromium and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.2X3A	Toxic effect of chromium and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.2X4A	Toxic effect of chromium and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.3X1A	Toxic effect of cadmium and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.3X3A	Toxic effect of cadmium and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.3X4A	Toxic effect of cadmium and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.4X1A	Toxic effect of copper and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.4X3A	Toxic effect of copper and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.4X4A	Toxic effect of copper and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.5X1A	Toxic effect of zinc and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.5X3A	Toxic effect of zinc and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.5X4A	Toxic effect of zinc and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.6X1A	Toxic effect of tin and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.6X3A	Toxic effect of tin and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.6X4A	Toxic effect of tin and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.7X1A	Toxic effect of beryllium and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.7X3A	Toxic effect of beryllium and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.7X4A	Toxic effect of beryllium and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.811A	Toxic effect of thallium, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.813A	Toxic effect of thallium, assault, initial encounter	Diagnosis	ICD-10-CM
T56.814A	Toxic effect of thallium, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.891A	Toxic effect of other metals, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.893A	Toxic effect of other metals, assault, initial encounter	Diagnosis	ICD-10-CM
T56.894A	Toxic effect of other metals, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.91XA	Toxic effect of unspecified metal, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.93XA	Toxic effect of unspecified metal, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.94XA	Toxic effect of unspecified metal, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.0X1A	Toxic effect of arsenic and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.0X3A	Toxic effect of arsenic and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T57.0X4A	Toxic effect of arsenic and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.1X1A	Toxic effect of phosphorus and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.1X3A	Toxic effect of phosphorus and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T57.1X4A	Toxic effect of phosphorus and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.2X1A	Toxic effect of manganese and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.2X3A	Toxic effect of manganese and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T57.2X4A	Toxic effect of manganese and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.3X1A	Toxic effect of hydrogen cyanide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.3X3A	Toxic effect of hydrogen cyanide, assault, initial encounter	Diagnosis	ICD-10-CM
T57.3X4A	Toxic effect of hydrogen cyanide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.8X1A	Toxic effect of other specified inorganic substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.8X3A	Toxic effect of other specified inorganic substances, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T57.8X4A	Toxic effect of other specified inorganic substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.91XA	Toxic effect of unspecified inorganic substance, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.93XA	Toxic effect of unspecified inorganic substance, assault, initial encounter	Diagnosis	ICD-10-CM
T57.94XA	Toxic effect of unspecified inorganic substance, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.01XA	Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.03XA	Toxic effect of carbon monoxide from motor vehicle exhaust, assault, initial encounter	Diagnosis	ICD-10-CM
T58.04XA	Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.11XA	Toxic effect of carbon monoxide from utility gas, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.13XA	Toxic effect of carbon monoxide from utility gas, assault, initial encounter	Diagnosis	ICD-10-CM
T58.14XA	Toxic effect of carbon monoxide from utility gas, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.2X1A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.2X2D	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.2X3A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, initial encounter	Diagnosis	ICD-10-CM
T58.2X4A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.8X1A	Toxic effect of carbon monoxide from other source, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.8X3A	Toxic effect of carbon monoxide from other source, assault, initial encounter	Diagnosis	ICD-10-CM
T58.8X4A	Toxic effect of carbon monoxide from other source, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.91XA	Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.93XA	Toxic effect of carbon monoxide from unspecified source, assault, initial encounter	Diagnosis	ICD-10-CM
T58.94XA	Toxic effect of carbon monoxide from unspecified source, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.0X1A	Toxic effect of nitrogen oxides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.0X3A	Toxic effect of nitrogen oxides, assault, initial encounter	Diagnosis	ICD-10-CM
T59.0X4A	Toxic effect of nitrogen oxides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.1X1A	Toxic effect of sulfur dioxide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.1X3A	Toxic effect of sulfur dioxide, assault, initial encounter	Diagnosis	ICD-10-CM
T59.1X4A	Toxic effect of sulfur dioxide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.2X1A	Toxic effect of formaldehyde, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.2X3A	Toxic effect of formaldehyde, assault, initial encounter	Diagnosis	ICD-10-CM
T59.2X4A	Toxic effect of formaldehyde, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.3X1A	Toxic effect of lacrimogenic gas, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.3X3A	Toxic effect of lacrimogenic gas, assault, initial encounter	Diagnosis	ICD-10-CM
T59.3X4A	Toxic effect of lacrimogenic gas, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.4X1A	Toxic effect of chlorine gas, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.4X3A	Toxic effect of chlorine gas, assault, initial encounter	Diagnosis	ICD-10-CM
T59.4X4A	Toxic effect of chlorine gas, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.5X1A	Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.5X3A	Toxic effect of fluorine gas and hydrogen fluoride, assault, initial encounter	Diagnosis	ICD-10-CM
T59.5X4A	Toxic effect of fluorine gas and hydrogen fluoride, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.6X1A	Toxic effect of hydrogen sulfide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.6X3A	Toxic effect of hydrogen sulfide, assault, initial encounter	Diagnosis	ICD-10-CM
T59.6X4A	Toxic effect of hydrogen sulfide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.7X1A	Toxic effect of carbon dioxide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.7X3A	Toxic effect of carbon dioxide, assault, initial encounter	Diagnosis	ICD-10-CM
T59.7X4A	Toxic effect of carbon dioxide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.811A	Toxic effect of smoke, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.813A	Toxic effect of smoke, assault, initial encounter	Diagnosis	ICD-10-CM
T59.814A	Toxic effect of smoke, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.891A	Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.893A	Toxic effect of other specified gases, fumes and vapors, assault, initial encounter	Diagnosis	ICD-10-CM
T59.894A	Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.91XA	Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.93XA	Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter	Diagnosis	ICD-10-CM
T59.94XA	Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.0X1A	Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.0X3A	Toxic effect of organophosphate and carbamate insecticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.0X4A	Toxic effect of organophosphate and carbamate insecticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.1X1A	Toxic effect of halogenated insecticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.1X3A	Toxic effect of halogenated insecticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.1X4A	Toxic effect of halogenated insecticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.2X1A	Toxic effect of other insecticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.2X3A	Toxic effect of other insecticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.2X4A	Toxic effect of other insecticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.3X1A	Toxic effect of herbicides and fungicides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.3X3A	Toxic effect of herbicides and fungicides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.3X4A	Toxic effect of herbicides and fungicides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.4X1A	Toxic effect of rodenticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.4X3A	Toxic effect of rodenticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.4X4A	Toxic effect of rodenticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.8X1A	Toxic effect of other pesticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.8X3A	Toxic effect of other pesticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.8X4A	Toxic effect of other pesticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.91XA	Toxic effect of unspecified pesticide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.93XA	Toxic effect of unspecified pesticide, assault, initial encounter	Diagnosis	ICD-10-CM
T60.94XA	Toxic effect of unspecified pesticide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.01XA	Ciguatera fish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.03XA	Ciguatera fish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.04XA	Ciguatera fish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.11XA	Scombroid fish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.13XA	Scombroid fish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.14XA	Scombroid fish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.771A	Other fish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.772S	Other fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.773A	Other fish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.774A	Other fish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.781A	Other shellfish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.783A	Other shellfish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.784A	Other shellfish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.8X1A	Toxic effect of other seafood, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.8X3A	Toxic effect of other seafood, assault, initial encounter	Diagnosis	ICD-10-CM
T61.8X4A	Toxic effect of other seafood, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.91XA	Toxic effect of unspecified seafood, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.93XA	Toxic effect of unspecified seafood, assault, initial encounter	Diagnosis	ICD-10-CM
T61.94XA	Toxic effect of unspecified seafood, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.0X1A	Toxic effect of ingested mushrooms, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.0X3A	Toxic effect of ingested mushrooms, assault, initial encounter	Diagnosis	ICD-10-CM
T62.0X4A	Toxic effect of ingested mushrooms, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.1X1A	Toxic effect of ingested berries, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.1X3A	Toxic effect of ingested berries, assault, initial encounter	Diagnosis	ICD-10-CM
T62.1X4A	Toxic effect of ingested berries, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.2X1A	Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.2X3A	Toxic effect of other ingested (parts of) plant(s), assault, initial encounter	Diagnosis	ICD-10-CM
T62.2X4A	Toxic effect of other ingested (parts of) plant(s), undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.8X1A	Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.8X3A	Toxic effect of other specified noxious substances eaten as food, assault, initial encounter	Diagnosis	ICD-10-CM
T62.8X4A	Toxic effect of other specified noxious substances eaten as food, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.91XA	Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.93XA	Toxic effect of unspecified noxious substance eaten as food, assault, initial encounter	Diagnosis	ICD-10-CM
T62.94XA	Toxic effect of unspecified noxious substance eaten as food, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.001A	Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.003A	Toxic effect of unspecified snake venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.004A	Toxic effect of unspecified snake venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.011A	Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.013A	Toxic effect of rattlesnake venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.014A	Toxic effect of rattlesnake venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.021A	Toxic effect of coral snake venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.023A	Toxic effect of coral snake venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.024A	Toxic effect of coral snake venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.031A	Toxic effect of taipan venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.033A	Toxic effect of taipan venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.034A	Toxic effect of taipan venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.041A	Toxic effect of cobra venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.043A	Toxic effect of cobra venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.044A	Toxic effect of cobra venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.061A	Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.063A	Toxic effect of venom of other North and South American snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.064A	Toxic effect of venom of other North and South American snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.071A	Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.073A	Toxic effect of venom of other Australian snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.074A	Toxic effect of venom of other Australian snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.081A	Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.083A	Toxic effect of venom of other African and Asian snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.084A	Toxic effect of venom of other African and Asian snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.091A	Toxic effect of venom of other snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.093A	Toxic effect of venom of other snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.094A	Toxic effect of venom of other snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.111A	Toxic effect of venom of gila monster, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.113A	Toxic effect of venom of gila monster, assault, initial encounter	Diagnosis	ICD-10-CM
T63.114A	Toxic effect of venom of gila monster, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.121A	Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.123A	Toxic effect of venom of other venomous lizard, assault, initial encounter	Diagnosis	ICD-10-CM
T63.124A	Toxic effect of venom of other venomous lizard, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.191A	Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.193A	Toxic effect of venom of other reptiles, assault, initial encounter	Diagnosis	ICD-10-CM
T63.194A	Toxic effect of venom of other reptiles, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.2X1A	Toxic effect of venom of scorpion, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.2X3A	Toxic effect of venom of scorpion, assault, initial encounter	Diagnosis	ICD-10-CM
T63.2X4A	Toxic effect of venom of scorpion, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.301A	Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.303A	Toxic effect of unspecified spider venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.304A	Toxic effect of unspecified spider venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.311A	Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.313A	Toxic effect of venom of black widow spider, assault, initial encounter	Diagnosis	ICD-10-CM
T63.314A	Toxic effect of venom of black widow spider, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.321A	Toxic effect of venom of tarantula, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.323A	Toxic effect of venom of tarantula, assault, initial encounter	Diagnosis	ICD-10-CM
T63.324A	Toxic effect of venom of tarantula, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.331A	Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.333A	Toxic effect of venom of brown recluse spider, assault, initial encounter	Diagnosis	ICD-10-CM
T63.334A	Toxic effect of venom of brown recluse spider, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.391A	Toxic effect of venom of other spider, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.393A	Toxic effect of venom of other spider, assault, initial encounter	Diagnosis	ICD-10-CM
T63.394A	Toxic effect of venom of other spider, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.411A	Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.413A	Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter	Diagnosis	ICD-10-CM
T63.414A	Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.421A	Toxic effect of venom of ants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.423A	Toxic effect of venom of ants, assault, initial encounter	Diagnosis	ICD-10-CM
T63.424A	Toxic effect of venom of ants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.431A	Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.433A	Toxic effect of venom of caterpillars, assault, initial encounter	Diagnosis	ICD-10-CM
T63.434A	Toxic effect of venom of caterpillars, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.441A	Toxic effect of venom of bees, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.443A	Toxic effect of venom of bees, assault, initial encounter	Diagnosis	ICD-10-CM
T63.444A	Toxic effect of venom of bees, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.451A	Toxic effect of venom of hornets, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.453A	Toxic effect of venom of hornets, assault, initial encounter	Diagnosis	ICD-10-CM
T63.454A	Toxic effect of venom of hornets, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.461A	Toxic effect of venom of wasps, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.463A	Toxic effect of venom of wasps, assault, initial encounter	Diagnosis	ICD-10-CM
T63.464A	Toxic effect of venom of wasps, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.481A	Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.483A	Toxic effect of venom of other arthropod, assault, initial encounter	Diagnosis	ICD-10-CM
T63.484A	Toxic effect of venom of other arthropod, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.511A	Toxic effect of contact with stingray, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.513A	Toxic effect of contact with stingray, assault, initial encounter	Diagnosis	ICD-10-CM
T63.514A	Toxic effect of contact with stingray, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.591A	Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.593A	Toxic effect of contact with other venomous fish, assault, initial encounter	Diagnosis	ICD-10-CM
T63.594A	Toxic effect of contact with other venomous fish, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.611A	Toxic effect of contact with Portuguese Man-o-war, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.613A	Toxic effect of contact with Portuguese Man-o-war, assault, initial encounter	Diagnosis	ICD-10-CM
T63.614A	Toxic effect of contact with Portuguese Man-o-war, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.621A	Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.623A	Toxic effect of contact with other jellyfish, assault, initial encounter	Diagnosis	ICD-10-CM
T63.624A	Toxic effect of contact with other jellyfish, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.631A	Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.633A	Toxic effect of contact with sea anemone, assault, initial encounter	Diagnosis	ICD-10-CM
T63.634A	Toxic effect of contact with sea anemone, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.691A	Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.693A	Toxic effect of contact with other venomous marine animals, assault, initial encounter	Diagnosis	ICD-10-CM
T63.694A	Toxic effect of contact with other venomous marine animals, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.711A	Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.713A	Toxic effect of contact with venomous marine plant, assault, initial encounter	Diagnosis	ICD-10-CM
T63.714A	Toxic effect of contact with venomous marine plant, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.791A	Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.793A	Toxic effect of contact with other venomous plant, assault, initial encounter	Diagnosis	ICD-10-CM
T63.794A	Toxic effect of contact with other venomous plant, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.811A	Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.813A	Toxic effect of contact with venomous frog, assault, initial encounter	Diagnosis	ICD-10-CM
T63.814A	Toxic effect of contact with venomous frog, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.821A	Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.823A	Toxic effect of contact with venomous toad, assault, initial encounter	Diagnosis	ICD-10-CM
T63.824A	Toxic effect of contact with venomous toad, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.831A	Toxic effect of contact with other venomous amphibian, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.833A	Toxic effect of contact with other venomous amphibian, assault, initial encounter	Diagnosis	ICD-10-CM
T63.834A	Toxic effect of contact with other venomous amphibian, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.891A	Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.893A	Toxic effect of contact with other venomous animals, assault, initial encounter	Diagnosis	ICD-10-CM
T63.894A	Toxic effect of contact with other venomous animals, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.91XA	Toxic effect of contact with unspecified venomous animal, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.93XA	Toxic effect of contact with unspecified venomous animal, assault, initial encounter	Diagnosis	ICD-10-CM
T63.94XA	Toxic effect of contact with unspecified venomous animal, undetermined, initial encounter	Diagnosis	ICD-10-CM
T64.01XA	Toxic effect of aflatoxin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.03XA	Toxic effect of aflatoxin, assault, initial encounter	Diagnosis	ICD-10-CM
T64.04XA	Toxic effect of aflatoxin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T64.81XA	Toxic effect of other mycotoxin food contaminants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.83XA	Toxic effect of other mycotoxin food contaminants, assault, initial encounter	Diagnosis	ICD-10-CM
T64.84XA	Toxic effect of other mycotoxin food contaminants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.0X1A	Toxic effect of cyanides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.0X3A	Toxic effect of cyanides, assault, initial encounter	Diagnosis	ICD-10-CM
T65.0X4A	Toxic effect of cyanides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.1X1A	Toxic effect of strychnine and its salts, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.1X3A	Toxic effect of strychnine and its salts, assault, initial encounter	Diagnosis	ICD-10-CM
T65.1X4A	Toxic effect of strychnine and its salts, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.211A	Toxic effect of chewing tobacco, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.213A	Toxic effect of chewing tobacco, assault, initial encounter	Diagnosis	ICD-10-CM
T65.214A	Toxic effect of chewing tobacco, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.221A	Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.223A	Toxic effect of tobacco cigarettes, assault, initial encounter	Diagnosis	ICD-10-CM
T65.224A	Toxic effect of tobacco cigarettes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.291A	Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.293A	Toxic effect of other tobacco and nicotine, assault, initial encounter	Diagnosis	ICD-10-CM
T65.294A	Toxic effect of other tobacco and nicotine, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.3X1A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.3X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X3A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, initial encounter	Diagnosis	ICD-10-CM
T65.3X4A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.4X1A	Toxic effect of carbon disulfide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.4X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.4X3A	Toxic effect of carbon disulfide, assault, initial encounter	Diagnosis	ICD-10-CM
T65.4X4A	Toxic effect of carbon disulfide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.5X1A	Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.5X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.5X3A	Toxic effect of nitroglycerin and other nitric acids and esters, assault, initial encounter	Diagnosis	ICD-10-CM
T65.5X4A	Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.6X1A	Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.6X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.6X3A	Toxic effect of paints and dyes, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.6X4A	Toxic effect of paints and dyes, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.811A	Toxic effect of latex, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.812S	Toxic effect of latex, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.813A	Toxic effect of latex, assault, initial encounter	Diagnosis	ICD-10-CM
T65.814A	Toxic effect of latex, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.821A	Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.823A	Toxic effect of harmful algae and algae toxins, assault, initial encounter	Diagnosis	ICD-10-CM
T65.824A	Toxic effect of harmful algae and algae toxins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.831A	Toxic effect of fiberglass, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.833A	Toxic effect of fiberglass, assault, initial encounter	Diagnosis	ICD-10-CM
T65.834A	Toxic effect of fiberglass, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.891A	Toxic effect of other specified substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.893A	Toxic effect of other specified substances, assault, initial encounter	Diagnosis	ICD-10-CM
T65.894A	Toxic effect of other specified substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.91XA	Toxic effect of unspecified substance, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.93XA	Toxic effect of unspecified substance, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.94XA	Toxic effect of unspecified substance, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.111A	Asphyxiation due to smothering under pillow, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.113A	Asphyxiation due to smothering under pillow, assault, initial encounter	Diagnosis	ICD-10-CM
T71.114A	Asphyxiation due to smothering under pillow, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.121A	Asphyxiation due to plastic bag, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.123A	Asphyxiation due to plastic bag, assault, initial encounter	Diagnosis	ICD-10-CM
T71.124A	Asphyxiation due to plastic bag, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.131A	Asphyxiation due to being trapped in bed linens, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.133A	Asphyxiation due to being trapped in bed linens, assault, initial encounter	Diagnosis	ICD-10-CM
T71.134A	Asphyxiation due to being trapped in bed linens, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.141A	Asphyxiation due to smothering under another person's body (in bed), accidental, initial encounter	Diagnosis	ICD-10-CM
T71.143A	Asphyxiation due to smothering under another person's body (in bed), assault, initial encounter	Diagnosis	ICD-10-CM
T71.144A	Asphyxiation due to smothering under another person's body (in bed), undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.151A	Asphyxiation due to smothering in furniture, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.153A	Asphyxiation due to smothering in furniture, assault, initial encounter	Diagnosis	ICD-10-CM
T71.154A	Asphyxiation due to smothering in furniture, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.161A	Asphyxiation due to hanging, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.163A	Asphyxiation due to hanging, assault, initial encounter	Diagnosis	ICD-10-CM
T71.164A	Asphyxiation due to hanging, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.191A	Asphyxiation due to mechanical threat to breathing due to other causes, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.193A	Asphyxiation due to mechanical threat to breathing due to other causes, assault, initial encounter	Diagnosis	ICD-10-CM
T71.194A	Asphyxiation due to mechanical threat to breathing due to other causes, undetermined, initial encounter	Diagnosis	ICD-10-CM
	Asphyxiation due to systemic oxygen deficiency due to low oxygen content in ambient air due to unspecified cause, initial encounter	Diagnosis	ICD-10-CM
T71.20XA	Asphyxiation due to cave-in or falling earth, initial encounter	Diagnosis	ICD-10-CM
T71.21XA	Asphyxiation due to being trapped in a car trunk, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.221A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.223A	Asphyxiation due to being trapped in a car trunk, assault, initial encounter	Diagnosis	ICD-10-CM
T71.224A	Asphyxiation due to being trapped in a car trunk, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.231A	Asphyxiation due to being trapped in a (discarded) refrigerator, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.233A	Asphyxiation due to being trapped in a (discarded) refrigerator, assault, initial encounter	Diagnosis	ICD-10-CM
T71.234A	Asphyxiation due to being trapped in a (discarded) refrigerator, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.29XA	Asphyxiation due to being trapped in other low oxygen environment, initial encounter	Diagnosis	ICD-10-CM
T71.9XXA	Asphyxiation due to unspecified cause, initial encounter	Diagnosis	ICD-10-CM
T78.1XXA	Other adverse food reactions, not elsewhere classified, initial encounter	Diagnosis	ICD-10-CM
V40.0	Problems with learning	Diagnosis	ICD-9-CM
V40.2	Other mental problems	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
V40.3	Other behavioral problems	Diagnosis	ICD-9-CM
V40.31	Wandering in diseases classified elsewhere	Diagnosis	ICD-9-CM
V40.39	Other specified behavioral problem	Diagnosis	ICD-9-CM
V40.9	Unspecified mental or behavioral problem	Diagnosis	ICD-9-CM
V41.7	Problems with sexual function	Diagnosis	ICD-9-CM
V62.84	Suicidal ideation	Diagnosis	ICD-9-CM
V65.42	Counseling on substance use and abuse	Diagnosis	ICD-9-CM
V67.3	Psychotherapy and other treatment for mental disorder follow-up examination	Diagnosis	ICD-9-CM
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Diagnosis	ICD-10-CM
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Diagnosis	ICD-10-CM
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Diagnosis	ICD-10-CM
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Diagnosis	ICD-10-CM
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Diagnosis	ICD-10-CM
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	Diagnosis	ICD-10-CM
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Diagnosis	ICD-10-CM
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Diagnosis	ICD-10-CM
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	Diagnosis	ICD-10-CM
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	Diagnosis	ICD-10-CM
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	Diagnosis	ICD-10-CM
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Diagnosis	ICD-10-CM
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Diagnosis	ICD-10-CM
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Diagnosis	ICD-10-CM
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	Diagnosis	ICD-10-CM
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X72.XXXS	Intentional self-harm by handgun discharge, sequela	Diagnosis	ICD-10-CM
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	Diagnosis	ICD-10-CM
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	Diagnosis	ICD-10-CM
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	Diagnosis	ICD-10-CM
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	Diagnosis	ICD-10-CM
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.01XA	Intentional self-harm by airgun, initial encounter	Diagnosis	ICD-10-CM
X74.01XD	Intentional self-harm by airgun, subsequent encounter	Diagnosis	ICD-10-CM
X74.01XS	Intentional self-harm by airgun, sequela	Diagnosis	ICD-10-CM
X74.02XA	Intentional self-harm by paintball gun, initial encounter	Diagnosis	ICD-10-CM
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.02XS	Intentional self-harm by paintball gun, sequela	Diagnosis	ICD-10-CM
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Diagnosis	ICD-10-CM
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Diagnosis	ICD-10-CM
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	Diagnosis	ICD-10-CM
X75.XXXA	Intentional self-harm by explosive material, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	Diagnosis	ICD-10-CM
X75.XXXS	Intentional self-harm by explosive material, sequela	Diagnosis	ICD-10-CM
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	Diagnosis	ICD-10-CM
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	Diagnosis	ICD-10-CM
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	Diagnosis	ICD-10-CM
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	Diagnosis	ICD-10-CM
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	Diagnosis	ICD-10-CM
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	Diagnosis	ICD-10-CM
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	Diagnosis	ICD-10-CM
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	Diagnosis	ICD-10-CM
X77.1XXS	Intentional self-harm by hot tap water, sequela	Diagnosis	ICD-10-CM
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	Diagnosis	ICD-10-CM
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	Diagnosis	ICD-10-CM
X77.2XXS	Intentional self-harm by other hot fluids, sequela	Diagnosis	ICD-10-CM
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	Diagnosis	ICD-10-CM
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	Diagnosis	ICD-10-CM
X77.3XXS	Intentional self-harm by hot household appliances, sequela	Diagnosis	ICD-10-CM
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.8XXS	Intentional self-harm by other hot objects, sequela	Diagnosis	ICD-10-CM
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	Diagnosis	ICD-10-CM
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	Diagnosis	ICD-10-CM
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	Diagnosis	ICD-10-CM
X78.0XXS	Intentional self-harm by sharp glass, sequela	Diagnosis	ICD-10-CM
X78.1XXA	Intentional self-harm by knife, initial encounter	Diagnosis	ICD-10-CM
X78.1XXD	Intentional self-harm by knife, subsequent encounter	Diagnosis	ICD-10-CM
X78.1XXS	Intentional self-harm by knife, sequela	Diagnosis	ICD-10-CM
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	Diagnosis	ICD-10-CM
X78.2XXS	Intentional self-harm by sword or dagger, sequela	Diagnosis	ICD-10-CM
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.8XXS	Intentional self-harm by other sharp object, sequela	Diagnosis	ICD-10-CM
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	Diagnosis	ICD-10-CM
X79.XXXA	Intentional self-harm by blunt object, initial encounter	Diagnosis	ICD-10-CM
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	Diagnosis	ICD-10-CM
X79.XXXS	Intentional self-harm by blunt object, sequela	Diagnosis	ICD-10-CM
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	Diagnosis	ICD-10-CM
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	Diagnosis	ICD-10-CM
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	Diagnosis	ICD-10-CM
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Diagnosis	ICD-10-CM
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Diagnosis	ICD-10-CM
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	Diagnosis	ICD-10-CM
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Diagnosis	ICD-10-CM
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	Diagnosis	ICD-10-CM
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	Diagnosis	ICD-10-CM
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Diagnosis	ICD-10-CM
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.0XXS	Intentional collision of motor vehicle with other motor vehicle, sequela	Diagnosis	ICD-10-CM
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	Diagnosis	ICD-10-CM
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	Diagnosis	ICD-10-CM
X82.1XXS	Intentional collision of motor vehicle with train, sequela	Diagnosis	ICD-10-CM
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	Diagnosis	ICD-10-CM
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	Diagnosis	ICD-10-CM
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Diagnosis	ICD-10-CM
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	Diagnosis	ICD-10-CM
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	Diagnosis	ICD-10-CM
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	Diagnosis	ICD-10-CM
X83.1XXA	Intentional self-harm by electrocution, initial encounter	Diagnosis	ICD-10-CM
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	Diagnosis	ICD-10-CM
X83.1XXS	Intentional self-harm by electrocution, sequela	Diagnosis	ICD-10-CM
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	Diagnosis	ICD-10-CM
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Diagnosis	ICD-10-CM
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	Diagnosis	ICD-10-CM
X83.8XXA	Intentional self-harm by other specified means, initial encounter	Diagnosis	ICD-10-CM
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	Diagnosis	ICD-10-CM
X83.8XXS	Intentional self-harm by other specified means, sequela	Diagnosis	ICD-10-CM
Z87.890	Personal history of sex reassignment	Diagnosis	ICD-10-CM
Z91.5	Personal history of self-harm	Diagnosis	ICD-10-CM
Z91.83	Wandering in diseases classified elsewhere	Diagnosis	ICD-10-CM
Attention deficit hyperactivity disorder			
314	Hyperkinetic syndrome of childhood	Diagnosis	ICD-9-CM
314.0	Attention deficit disorder of childhood	Diagnosis	ICD-9-CM
314.00	Attention deficit disorder of childhood without mention of hyperactivity	Diagnosis	ICD-9-CM
314.01	Attention deficit disorder of childhood with hyperactivity	Diagnosis	ICD-9-CM
314.1	Hyperkinesia of childhood with developmental delay	Diagnosis	ICD-9-CM
314.2	Hyperkinetic conduct disorder of childhood	Diagnosis	ICD-9-CM
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	Diagnosis	ICD-9-CM
314.9	Unspecified hyperkinetic syndrome of childhood	Diagnosis	ICD-9-CM
F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type	Diagnosis	ICD-10-CM
F90.2	Attention-deficit hyperactivity disorder, combined type	Diagnosis	ICD-10-CM
F90.8	Attention-deficit hyperactivity disorder, other type	Diagnosis	ICD-10-CM
F90.9	Attention-deficit hyperactivity disorder, unspecified type	Diagnosis	ICD-10-CM
Akathisia			
333.99	Other extrapyramidal disease and abnormal movement disorder	Diagnosis	ICD-9-CM
G25.70	Drug induced movement disorder, unspecified	Diagnosis	ICD-10-CM
G25.71	Drug induced akathisia	Diagnosis	ICD-10-CM
G25.79	Other drug induced movement disorders	Diagnosis	ICD-10-CM
G25.89	Other specified extrapyramidal and movement disorders	Diagnosis	ICD-10-CM
G25.9	Extrapyramidal and movement disorder, unspecified	Diagnosis	ICD-10-CM
G26	Extrapyramidal and movement disorders in diseases classified elsewhere	Diagnosis	ICD-10-CM
Anxiety			
293.84	Anxiety disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
300.0	Anxiety states	Diagnosis	ICD-9-CM
300.00	Anxiety state, unspecified	Diagnosis	ICD-9-CM
300.01	Panic disorder without agoraphobia	Diagnosis	ICD-9-CM
300.02	Generalized anxiety disorder	Diagnosis	ICD-9-CM
300.09	Other anxiety states	Diagnosis	ICD-9-CM
300.10	Hysteria, unspecified	Diagnosis	ICD-9-CM
300.2	Phobic disorders	Diagnosis	ICD-9-CM
300.20	Phobia, unspecified	Diagnosis	ICD-9-CM
300.21	Agoraphobia with panic disorder	Diagnosis	ICD-9-CM
300.22	Agoraphobia without mention of panic attacks	Diagnosis	ICD-9-CM
300.23	Social phobia	Diagnosis	ICD-9-CM
300.29	Other isolated or specific phobias	Diagnosis	ICD-9-CM
300.5	Neurasthenia	Diagnosis	ICD-9-CM
300.89	Other somatoform disorders	Diagnosis	ICD-9-CM
300.9	Unspecified nonpsychotic mental disorder	Diagnosis	ICD-9-CM
308.0	Predominant disturbance of emotions	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
308.1	Predominant disturbance of consciousness as reaction to stress	Diagnosis	ICD-9-CM
308.2	Predominant psychomotor disturbance as reaction to stress	Diagnosis	ICD-9-CM
308.3	Other acute reactions to stress	Diagnosis	ICD-9-CM
308.4	Mixed disorders as reaction to stress	Diagnosis	ICD-9-CM
308.9	Unspecified acute reaction to stress	Diagnosis	ICD-9-CM
313.0	Overanxious disorder specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.1	Misery and unhappiness disorder specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.21	Shyness disorder of childhood	Diagnosis	ICD-9-CM
313.22	Introverted disorder of childhood	Diagnosis	ICD-9-CM
313.3	Relationship problems specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.82	Identity disorder of childhood or adolescence	Diagnosis	ICD-9-CM
313.83	Academic underachievement disorder of childhood or adolescence	Diagnosis	ICD-9-CM
F06.4	Anxiety disorder due to known physiological condition	Diagnosis	ICD-10-CM
F40.00	Agoraphobia, unspecified	Diagnosis	ICD-10-CM
F40.01	Agoraphobia with panic disorder	Diagnosis	ICD-10-CM
F40.02	Agoraphobia without panic disorder	Diagnosis	ICD-10-CM
F40.10	Social phobia, unspecified	Diagnosis	ICD-10-CM
F40.11	Social phobia, generalized	Diagnosis	ICD-10-CM
F40.210	Arachnophobia	Diagnosis	ICD-10-CM
F40.218	Other animal type phobia	Diagnosis	ICD-10-CM
F40.220	Fear of thunderstorms	Diagnosis	ICD-10-CM
F40.228	Other natural environment type phobia	Diagnosis	ICD-10-CM
F40.230	Fear of blood	Diagnosis	ICD-10-CM
F40.231	Fear of injections and transfusions	Diagnosis	ICD-10-CM
F40.232	Fear of other medical care	Diagnosis	ICD-10-CM
F40.233	Fear of injury	Diagnosis	ICD-10-CM
F40.240	Claustrophobia	Diagnosis	ICD-10-CM
F40.241	Acrophobia	Diagnosis	ICD-10-CM
F40.242	Fear of bridges	Diagnosis	ICD-10-CM
F40.243	Fear of flying	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F40.248	Other situational type phobia	Diagnosis	ICD-10-CM
F40.290	Androphobia	Diagnosis	ICD-10-CM
F40.291	Gynephobia	Diagnosis	ICD-10-CM
F40.298	Other specified phobia	Diagnosis	ICD-10-CM
F40.8	Other phobic anxiety disorders	Diagnosis	ICD-10-CM
F40.9	Phobic anxiety disorder, unspecified	Diagnosis	ICD-10-CM
F41.0	Panic disorder [episodic paroxysmal anxiety]	Diagnosis	ICD-10-CM
F41.1	Generalized anxiety disorder	Diagnosis	ICD-10-CM
F41.3	Other mixed anxiety disorders	Diagnosis	ICD-10-CM
F41.8	Other specified anxiety disorders	Diagnosis	ICD-10-CM
F41.9	Anxiety disorder, unspecified	Diagnosis	ICD-10-CM
F42	Obsessive-compulsive disorder	Diagnosis	ICD-10-CM
F42.2	Mixed obsessional thoughts and acts	Diagnosis	ICD-10-CM
F42.3	Hoarding disorder	Diagnosis	ICD-10-CM
F42.4	Excoriation (skin-picking) disorder	Diagnosis	ICD-10-CM
F43.0	Acute stress reaction	Diagnosis	ICD-10-CM
F44.9	Dissociative and conversion disorder, unspecified	Diagnosis	ICD-10-CM
F45.8	Other somatoform disorders	Diagnosis	ICD-10-CM
F48.8	Other specified nonpsychotic mental disorders	Diagnosis	ICD-10-CM
F48.9	Nonpsychotic mental disorder, unspecified	Diagnosis	ICD-10-CM
F93.8	Other childhood emotional disorders	Diagnosis	ICD-10-CM
F99	Mental disorder, not otherwise specified	Diagnosis	ICD-10-CM
R45.2	Unhappiness	Diagnosis	ICD-10-CM
R45.5	Hostility	Diagnosis	ICD-10-CM
R45.6	Violent behavior	Diagnosis	ICD-10-CM
R45.7	State of emotional shock and stress, unspecified	Diagnosis	ICD-10-CM
Behavioral Disorder			
300.11	Conversion disorder	Diagnosis	ICD-9-CM
300.12	Dissociative amnesia	Diagnosis	ICD-9-CM
300.13	Dissociative fugue	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
300.14	Dissociative identity disorder	Diagnosis	ICD-9-CM
300.15	Dissociative disorder or reaction, unspecified	Diagnosis	ICD-9-CM
300.16	Factitious disorder with predominantly psychological signs and symptoms	Diagnosis	ICD-9-CM
300.19	Other and unspecified factitious illness	Diagnosis	ICD-9-CM
300.6	Depersonalization disorder	Diagnosis	ICD-9-CM
300.7	Hypochondriasis	Diagnosis	ICD-9-CM
300.81	Somatization disorder	Diagnosis	ICD-9-CM
300.82	Undifferentiated somatoform disorder	Diagnosis	ICD-9-CM
301.10	Affective personality disorder, unspecified	Diagnosis	ICD-9-CM
302.1	Zoophilia	Diagnosis	ICD-9-CM
302.2	Pedophilia	Diagnosis	ICD-9-CM
302.3	Transvestic fetishism	Diagnosis	ICD-9-CM
302.4	Exhibitionism	Diagnosis	ICD-9-CM
302.50	Trans-sexualism with unspecified sexual history	Diagnosis	ICD-9-CM
302.51	Trans-sexualism with asexual history	Diagnosis	ICD-9-CM
302.52	Trans-sexualism with homosexual history	Diagnosis	ICD-9-CM
302.53	Trans-sexualism with heterosexual history	Diagnosis	ICD-9-CM
302.6	Gender identity disorder in children	Diagnosis	ICD-9-CM
302.70	Psychosexual dysfunction, unspecified	Diagnosis	ICD-9-CM
302.71	Hypoactive sexual desire disorder	Diagnosis	ICD-9-CM
302.72	Psychosexual dysfunction with inhibited sexual excitement	Diagnosis	ICD-9-CM
302.73	Female orgasmic disorder	Diagnosis	ICD-9-CM
302.74	Male orgasmic disorder	Diagnosis	ICD-9-CM
302.75	Premature ejaculation	Diagnosis	ICD-9-CM
302.76	Dyspareunia, psychogenic	Diagnosis	ICD-9-CM
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	Diagnosis	ICD-9-CM
302.81	Fetishism	Diagnosis	ICD-9-CM
302.82	Voyeurism	Diagnosis	ICD-9-CM
302.83	Sexual masochism	Diagnosis	ICD-9-CM
302.84	Sexual sadism	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
302.85	Gender identity disorder in adolescents or adults	Diagnosis	ICD-9-CM
302.89	Other specified psychosexual disorder	Diagnosis	ICD-9-CM
302.9	Unspecified psychosexual disorder	Diagnosis	ICD-9-CM
306.0	Musculoskeletal malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.1	Respiratory malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.2	Cardiovascular malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.3	Skin malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.4	Gastrointestinal malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.50	Psychogenic genitourinary malfunction, unspecified	Diagnosis	ICD-9-CM
306.51	Psychogenic vaginismus	Diagnosis	ICD-9-CM
306.52	Psychogenic dysmenorrhea	Diagnosis	ICD-9-CM
306.53	Psychogenic dysuria	Diagnosis	ICD-9-CM
306.59	Other genitourinary malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.6	Endocrine malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.7	Malfunction of organs of special sense arising from mental factors	Diagnosis	ICD-9-CM
306.8	Other specified psychophysiological malfunction	Diagnosis	ICD-9-CM
306.9	Unspecified psychophysiological malfunction	Diagnosis	ICD-9-CM
307.1	Anorexia nervosa	Diagnosis	ICD-9-CM
307.50	Eating disorder, unspecified	Diagnosis	ICD-9-CM
307.51	Bulimia nervosa	Diagnosis	ICD-9-CM
307.52	Pica	Diagnosis	ICD-9-CM
307.53	Rumination disorder	Diagnosis	ICD-9-CM
307.54	Psychogenic vomiting	Diagnosis	ICD-9-CM
307.59	Other disorder of eating	Diagnosis	ICD-9-CM
307.80	Psychogenic pain, site unspecified	Diagnosis	ICD-9-CM
307.81	Tension headache	Diagnosis	ICD-9-CM
307.89	Other pain disorder related to psychological factors	Diagnosis	ICD-9-CM
309.22	Emancipation disorder of adolescence and early adult life	Diagnosis	ICD-9-CM
309.23	Specific academic or work inhibition as adjustment reaction	Diagnosis	ICD-9-CM
309.24	Adjustment disorder with anxiety	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
309.28	Adjustment disorder with mixed anxiety and depressed mood	Diagnosis	ICD-9-CM
309.29	Other adjustment reaction with predominant disturbance of other emotions	Diagnosis	ICD-9-CM
309.3	Adjustment disorder with disturbance of conduct	Diagnosis	ICD-9-CM
309.4	Adjustment disorder with mixed disturbance of emotions and conduct	Diagnosis	ICD-9-CM
309.82	Adjustment reaction with physical symptoms	Diagnosis	ICD-9-CM
309.83	Adjustment reaction with withdrawal	Diagnosis	ICD-9-CM
309.89	Other specified adjustment reaction	Diagnosis	ICD-9-CM
309.9	Unspecified adjustment reaction	Diagnosis	ICD-9-CM
310.1	Personality change due to conditions classified elsewhere	Diagnosis	ICD-9-CM
312.32	Kleptomania	Diagnosis	ICD-9-CM
312.81	Conduct disorder, childhood onset type	Diagnosis	ICD-9-CM
312.82	Conduct disorder, adolescent onset type	Diagnosis	ICD-9-CM
313.81	Oppositional defiant disorder	Diagnosis	ICD-9-CM
316	Psychic factors associated with diseases classified elsewhere	Diagnosis	ICD-9-CM
E952.8	Suicide and self-inflicted poisoning by other specified gases and vapors	Diagnosis	ICD-9-CM
E952.9	Suicide and self-inflicted poisoning by unspecified gases and vapors	Diagnosis	ICD-9-CM
E953.0	Suicide and self-inflicted injury by hanging	Diagnosis	ICD-9-CM
E953.1	Suicide and self-inflicted injury by suffocation by plastic bag	Diagnosis	ICD-9-CM
E953.8	Suicide and self-inflicted injury by other specified means	Diagnosis	ICD-9-CM
E953.9	Suicide and self-inflicted injury by unspecified means	Diagnosis	ICD-9-CM
E955.1	Suicide and self-inflicted injury by shotgun	Diagnosis	ICD-9-CM
E955.2	Suicide and self-inflicted injury by hunting rifle	Diagnosis	ICD-9-CM
E955.3	Suicide and self-inflicted injury by military firearms	Diagnosis	ICD-9-CM
E955.4	Suicide and self-inflicted injury by other and unspecified firearm	Diagnosis	ICD-9-CM
E955.5	Suicide and self-inflicted injury by explosives	Diagnosis	ICD-9-CM
E955.6	Suicide and self-inflicted injury by air gun	Diagnosis	ICD-9-CM
E955.7	Suicide and self-inflicted injury by paintball gun	Diagnosis	ICD-9-CM
E955.9	Suicide and self-inflicted injury by firearms and explosives, unspecified	Diagnosis	ICD-9-CM
E957.0	Suicide and self-inflicted injuries by jumping from residential premises	Diagnosis	ICD-9-CM
E957.1	Suicide and self-inflicted injuries by jumping from other man-made structures	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E957.2	Suicide and self-inflicted injuries by jumping from natural sites	Diagnosis	ICD-9-CM
E957.9	Suicide and self-inflicted injuries by jumping from unspecified site	Diagnosis	ICD-9-CM
E958.0	Suicide and self-inflicted injury by jumping or lying before moving object	Diagnosis	ICD-9-CM
E958.1	Suicide and self-inflicted injury by burns, fire	Diagnosis	ICD-9-CM
E958.2	Suicide and self-inflicted injury by scald	Diagnosis	ICD-9-CM
E958.3	Suicide and self-inflicted injury by extremes of cold	Diagnosis	ICD-9-CM
E958.4	Suicide and self-inflicted injury by electrocution	Diagnosis	ICD-9-CM
E958.5	Suicide and self-inflicted injury by crashing of motor vehicle	Diagnosis	ICD-9-CM
E958.6	Suicide and self-inflicted injury by crashing of aircraft	Diagnosis	ICD-9-CM
E958.7	Suicide and self-inflicted injury by caustic substances, except poisoning	Diagnosis	ICD-9-CM
E958.8	Suicide and self-inflicted injury by other specified means	Diagnosis	ICD-9-CM
E958.9	Suicide and self-inflicted injury by unspecified means	Diagnosis	ICD-9-CM
E959	Late effects of self-inflicted injury	Diagnosis	ICD-9-CM
F22	Delusional disorders	Diagnosis	ICD-10-CM
F23	Brief psychotic disorder	Diagnosis	ICD-10-CM
F32.8	Other depressive episodes	Diagnosis	ICD-10-CM
F32.81	Premenstrual dysphoric disorder	Diagnosis	ICD-10-CM
F34.8	Other persistent mood [affective] disorders	Diagnosis	ICD-10-CM
F43.20	Adjustment disorder, unspecified	Diagnosis	ICD-10-CM
F43.22	Adjustment disorder with anxiety	Diagnosis	ICD-10-CM
F43.23	Adjustment disorder with mixed anxiety and depressed mood	Diagnosis	ICD-10-CM
F43.24	Adjustment disorder with disturbance of conduct	Diagnosis	ICD-10-CM
F43.25	Adjustment disorder with mixed disturbance of emotions and conduct	Diagnosis	ICD-10-CM
F43.29	Adjustment disorder with other symptoms	Diagnosis	ICD-10-CM
F43.8	Other reactions to severe stress	Diagnosis	ICD-10-CM
F43.9	Reaction to severe stress, unspecified	Diagnosis	ICD-10-CM
F44.0	Dissociative amnesia	Diagnosis	ICD-10-CM
F44.1	Dissociative fugue	Diagnosis	ICD-10-CM
F44.2	Dissociative stupor	Diagnosis	ICD-10-CM
F44.4	Conversion disorder with motor symptom or deficit	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F44.5	Conversion disorder with seizures or convulsions	Diagnosis	ICD-10-CM
F44.6	Conversion disorder with sensory symptom or deficit	Diagnosis	ICD-10-CM
F44.7	Conversion disorder with mixed symptom presentation	Diagnosis	ICD-10-CM
F44.81	Dissociative identity disorder	Diagnosis	ICD-10-CM
F45.0	Somatization disorder	Diagnosis	ICD-10-CM
F45.1	Undifferentiated somatoform disorder	Diagnosis	ICD-10-CM
F45.20	Hypochondriacal disorder, unspecified	Diagnosis	ICD-10-CM
F45.21	Hypochondriasis	Diagnosis	ICD-10-CM
F45.22	Body dysmorphic disorder	Diagnosis	ICD-10-CM
F45.29	Other hypochondriacal disorders	Diagnosis	ICD-10-CM
F45.41	Pain disorder exclusively related to psychological factors	Diagnosis	ICD-10-CM
F45.42	Pain disorder with related psychological factors	Diagnosis	ICD-10-CM
F45.9	Somatoform disorder, unspecified	Diagnosis	ICD-10-CM
F48.1	Depersonalization-derealization syndrome	Diagnosis	ICD-10-CM
F50.00	Anorexia nervosa, unspecified	Diagnosis	ICD-10-CM
F50.01	Anorexia nervosa, restricting type	Diagnosis	ICD-10-CM
F50.02	Anorexia nervosa, binge eating/purging type	Diagnosis	ICD-10-CM
F50.2	Bulimia nervosa	Diagnosis	ICD-10-CM
F50.8	Other eating disorders	Diagnosis	ICD-10-CM
F50.81	Binge eating disorder	Diagnosis	ICD-10-CM
F50.82	Avoidant/restrictive food intake disorder	Diagnosis	ICD-10-CM
F50.89	Other specified eating disorder	Diagnosis	ICD-10-CM
F50.9	Eating disorder, unspecified	Diagnosis	ICD-10-CM
F52.0	Hypoactive sexual desire disorder	Diagnosis	ICD-10-CM
F52.1	Sexual aversion disorder	Diagnosis	ICD-10-CM
F52.21	Male erectile disorder	Diagnosis	ICD-10-CM
F52.22	Female sexual arousal disorder	Diagnosis	ICD-10-CM
F52.31	Female orgasmic disorder	Diagnosis	ICD-10-CM
F52.32	Male orgasmic disorder	Diagnosis	ICD-10-CM
F52.4	Premature ejaculation	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F52.5	Vaginismus not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.6	Dyspareunia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.8	Other sexual dysfunction not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.9	Unspecified sexual dysfunction not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F53.0	Postpartum depression	Diagnosis	ICD-10-CM
F53.1	Puerperal psychosis	Diagnosis	ICD-10-CM
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	Diagnosis	ICD-10-CM
F59	Unspecified behavioral syndromes associated with physiological disturbances and physical factors	Diagnosis	ICD-10-CM
F60.1	Schizoid personality disorder	Diagnosis	ICD-10-CM
F60.7	Dependent personality disorder	Diagnosis	ICD-10-CM
F60.9	Personality disorder, unspecified	Diagnosis	ICD-10-CM
F63.0	Pathological gambling	Diagnosis	ICD-10-CM
F63.2	Kleptomania	Diagnosis	ICD-10-CM
F63.3	Trichotillomania	Diagnosis	ICD-10-CM
F63.9	Impulse disorder, unspecified	Diagnosis	ICD-10-CM
F64.0	Transsexualism	Diagnosis	ICD-10-CM
F64.1	Dual role transvestism	Diagnosis	ICD-10-CM
F64.8	Other gender identity disorders	Diagnosis	ICD-10-CM
F64.9	Gender identity disorder, unspecified	Diagnosis	ICD-10-CM
F65.0	Fetishism	Diagnosis	ICD-10-CM
F65.1	Transvestic fetishism	Diagnosis	ICD-10-CM
F65.2	Exhibitionism	Diagnosis	ICD-10-CM
F65.3	Voyeurism	Diagnosis	ICD-10-CM
F65.4	Pedophilia	Diagnosis	ICD-10-CM
F65.50	Sadomasochism, unspecified	Diagnosis	ICD-10-CM
F65.51	Sexual masochism	Diagnosis	ICD-10-CM
F65.52	Sexual sadism	Diagnosis	ICD-10-CM
F65.81	Frotteurism	Diagnosis	ICD-10-CM
F65.89	Other paraphilias	Diagnosis	ICD-10-CM
F65.9	Paraphilia, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F68.10	Factitious disorder imposed on self, unspecified	Diagnosis	ICD-10-CM
F68.11	Factitious disorder imposed on self, with predominantly psychological signs and symptoms	Diagnosis	ICD-10-CM
F68.12	Factitious disorder imposed on self, with predominantly physical signs and symptoms	Diagnosis	ICD-10-CM
F68.13	Factitious disorder imposed on self, with combined psychological and physical signs and symptoms	Diagnosis	ICD-10-CM
F68.8	Other specified disorders of adult personality and behavior	Diagnosis	ICD-10-CM
F68.A	Factitious disorder imposed on another	Diagnosis	ICD-10-CM
F69	Unspecified disorder of adult personality and behavior	Diagnosis	ICD-10-CM
F91.0	Conduct disorder confined to family context	Diagnosis	ICD-10-CM
F91.1	Conduct disorder, childhood-onset type	Diagnosis	ICD-10-CM
F91.2	Conduct disorder, adolescent-onset type	Diagnosis	ICD-10-CM
F91.3	Oppositional defiant disorder	Diagnosis	ICD-10-CM
F91.8	Other conduct disorders	Diagnosis	ICD-10-CM
F91.9	Conduct disorder, unspecified	Diagnosis	ICD-10-CM
O90.6	Postpartum mood disturbance	Diagnosis	ICD-10-CM
R37	Sexual dysfunction, unspecified	Diagnosis	ICD-10-CM
R45.3	Demoralization and apathy	Diagnosis	ICD-10-CM
R45.4	Irritability and anger	Diagnosis	ICD-10-CM
R45.81	Low self-esteem	Diagnosis	ICD-10-CM
R45.82	Worries	Diagnosis	ICD-10-CM
R45.83	Excessive crying of child, adolescent or adult	Diagnosis	ICD-10-CM
R45.84	Anhedonia	Diagnosis	ICD-10-CM
R45.850	Homicidal ideations	Diagnosis	ICD-10-CM
R45.851	Suicidal ideations	Diagnosis	ICD-10-CM
R45.86	Emotional lability	Diagnosis	ICD-10-CM
R45.89	Other symptoms and signs involving emotional state	Diagnosis	ICD-10-CM
R46.0	Very low level of personal hygiene	Diagnosis	ICD-10-CM
R46.1	Bizarre personal appearance	Diagnosis	ICD-10-CM
R46.2	Strange and inexplicable behavior	Diagnosis	ICD-10-CM
R46.3	Overactivity	Diagnosis	ICD-10-CM
R46.4	Slowness and poor responsiveness	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
R46.5	Suspiciousness and marked evasiveness	Diagnosis	ICD-10-CM
R46.6	Undue concern and preoccupation with stressful events	Diagnosis	ICD-10-CM
R46.7	Verbosity and circumstantial detail obscuring reason for contact	Diagnosis	ICD-10-CM
R46.81	Obsessive-compulsive behavior	Diagnosis	ICD-10-CM
R46.89	Other symptoms and signs involving appearance and behavior	Diagnosis	ICD-10-CM
T14.91	Suicide attempt	Diagnosis	ICD-10-CM
T14.91XA	Suicide attempt, initial encounter	Diagnosis	ICD-10-CM
T14.91XD	Suicide attempt, subsequent encounter	Diagnosis	ICD-10-CM
T14.91XS	Suicide attempt, sequela	Diagnosis	ICD-10-CM
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.6X2D	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.6X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.0X2A	Poisoning by oxytotoxic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.0X2D	Poisoning by oxytotoxic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.0X2S	Poisoning by oxytotoxic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.2X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.3X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.2X2D	encounter	Diagnosis	ICD-10-CM
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.772S	Other fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.3X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.4X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.5X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.6X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.812S	Toxic effect of latex, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Diagnosis	ICD-10-CM
V40.2	Other mental problems	Diagnosis	ICD-9-CM
V40.3	Other behavioral problems	Diagnosis	ICD-9-CM
V40.31	Wandering in diseases classified elsewhere	Diagnosis	ICD-9-CM
V40.39	Other specified behavioral problem	Diagnosis	ICD-9-CM
V40.9	Unspecified mental or behavioral problem	Diagnosis	ICD-9-CM
V62.84	Suicidal ideation	Diagnosis	ICD-9-CM
V67.3	Psychotherapy and other treatment for mental disorder follow-up examination	Diagnosis	ICD-9-CM
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Diagnosis	ICD-10-CM
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Diagnosis	ICD-10-CM
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Diagnosis	ICD-10-CM
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Diagnosis	ICD-10-CM
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Diagnosis	ICD-10-CM
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	Diagnosis	ICD-10-CM
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Diagnosis	ICD-10-CM
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Diagnosis	ICD-10-CM
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	Diagnosis	ICD-10-CM
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	Diagnosis	ICD-10-CM
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Diagnosis	ICD-10-CM
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Diagnosis	ICD-10-CM
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Diagnosis	ICD-10-CM
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	Diagnosis	ICD-10-CM
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X72.XXXS	Intentional self-harm by handgun discharge, sequela	Diagnosis	ICD-10-CM
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	Diagnosis	ICD-10-CM
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	Diagnosis	ICD-10-CM
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	Diagnosis	ICD-10-CM
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	Diagnosis	ICD-10-CM
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.01XA	Intentional self-harm by airgun, initial encounter	Diagnosis	ICD-10-CM
X74.01XD	Intentional self-harm by airgun, subsequent encounter	Diagnosis	ICD-10-CM
X74.01XS	Intentional self-harm by airgun, sequela	Diagnosis	ICD-10-CM
X74.02XA	Intentional self-harm by paintball gun, initial encounter	Diagnosis	ICD-10-CM
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.02XS	Intentional self-harm by paintball gun, sequela	Diagnosis	ICD-10-CM
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Diagnosis	ICD-10-CM
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	Diagnosis	ICD-10-CM
X75.XXXA	Intentional self-harm by explosive material, initial encounter	Diagnosis	ICD-10-CM
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	Diagnosis	ICD-10-CM
X75.XXXS	Intentional self-harm by explosive material, sequela	Diagnosis	ICD-10-CM
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	Diagnosis	ICD-10-CM
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	Diagnosis	ICD-10-CM
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	Diagnosis	ICD-10-CM
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	Diagnosis	ICD-10-CM
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	Diagnosis	ICD-10-CM
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	Diagnosis	ICD-10-CM
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	Diagnosis	ICD-10-CM
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	Diagnosis	ICD-10-CM
X77.1XXS	Intentional self-harm by hot tap water, sequela	Diagnosis	ICD-10-CM
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	Diagnosis	ICD-10-CM
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	Diagnosis	ICD-10-CM
X77.2XXS	Intentional self-harm by other hot fluids, sequela	Diagnosis	ICD-10-CM
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	Diagnosis	ICD-10-CM
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	Diagnosis	ICD-10-CM
X77.3XXS	Intentional self-harm by hot household appliances, sequela	Diagnosis	ICD-10-CM
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.8XXS	Intentional self-harm by other hot objects, sequela	Diagnosis	ICD-10-CM
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	Diagnosis	ICD-10-CM
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	Diagnosis	ICD-10-CM
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	Diagnosis	ICD-10-CM
X78.0XXS	Intentional self-harm by sharp glass, sequela	Diagnosis	ICD-10-CM
X78.1XXA	Intentional self-harm by knife, initial encounter	Diagnosis	ICD-10-CM
X78.1XXD	Intentional self-harm by knife, subsequent encounter	Diagnosis	ICD-10-CM
X78.1XXS	Intentional self-harm by knife, sequela	Diagnosis	ICD-10-CM
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	Diagnosis	ICD-10-CM
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	Diagnosis	ICD-10-CM
X78.2XXS	Intentional self-harm by sword or dagger, sequela	Diagnosis	ICD-10-CM
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.8XXS	Intentional self-harm by other sharp object, sequela	Diagnosis	ICD-10-CM
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	Diagnosis	ICD-10-CM
X79.XXXA	Intentional self-harm by blunt object, initial encounter	Diagnosis	ICD-10-CM
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	Diagnosis	ICD-10-CM
X79.XXXS	Intentional self-harm by blunt object, sequela	Diagnosis	ICD-10-CM
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	Diagnosis	ICD-10-CM
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	Diagnosis	ICD-10-CM
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	Diagnosis	ICD-10-CM
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Diagnosis	ICD-10-CM
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Diagnosis	ICD-10-CM
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	Diagnosis	ICD-10-CM
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Diagnosis	ICD-10-CM
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	Diagnosis	ICD-10-CM
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Diagnosis	ICD-10-CM
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.0XXS	Intentional collision of motor vehicle with other motor vehicle, sequela	Diagnosis	ICD-10-CM
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	Diagnosis	ICD-10-CM
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	Diagnosis	ICD-10-CM
X82.1XXS	Intentional collision of motor vehicle with train, sequela	Diagnosis	ICD-10-CM
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	Diagnosis	ICD-10-CM
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	Diagnosis	ICD-10-CM
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	Diagnosis	ICD-10-CM
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Diagnosis	ICD-10-CM
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	Diagnosis	ICD-10-CM
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	Diagnosis	ICD-10-CM
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	Diagnosis	ICD-10-CM
X83.1XXA	Intentional self-harm by electrocution, initial encounter	Diagnosis	ICD-10-CM
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	Diagnosis	ICD-10-CM
X83.1XXS	Intentional self-harm by electrocution, sequela	Diagnosis	ICD-10-CM
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	Diagnosis	ICD-10-CM
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Diagnosis	ICD-10-CM
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	Diagnosis	ICD-10-CM
X83.8XXA	Intentional self-harm by other specified means, initial encounter	Diagnosis	ICD-10-CM
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	Diagnosis	ICD-10-CM
X83.8XXS	Intentional self-harm by other specified means, sequela	Diagnosis	ICD-10-CM
Z87.890	Personal history of sex reassignment	Diagnosis	ICD-10-CM
Z91.5	Personal history of self-harm	Diagnosis	ICD-10-CM
Z91.83	Wandering in diseases classified elsewhere	Diagnosis	ICD-10-CM
Bipolar Disorder			

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.0	Bipolar I disorder, single manic episode	Diagnosis	ICD-9-CM
296.00	Bipolar I disorder, single manic episode, unspecified	Diagnosis	ICD-9-CM
296.01	Bipolar I disorder, single manic episode, mild	Diagnosis	ICD-9-CM
296.02	Bipolar I disorder, single manic episode, moderate	Diagnosis	ICD-9-CM
296.03	Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.04	Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.05	Bipolar I disorder, single manic episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.06	Bipolar I disorder, single manic episode, in full remission	Diagnosis	ICD-9-CM
296.1	Manic disorder, recurrent episode	Diagnosis	ICD-9-CM
296.10	Manic disorder, recurrent episode, unspecified	Diagnosis	ICD-9-CM
296.11	Manic disorder, recurrent episode, mild	Diagnosis	ICD-9-CM
296.12	Manic disorder, recurrent episode, moderate	Diagnosis	ICD-9-CM
296.13	Manic disorder, recurrent episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.14	Manic disorder, recurrent episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.15	Manic disorder, recurrent episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.16	Manic disorder, recurrent episode, in full remission	Diagnosis	ICD-9-CM
296.4	Bipolar I disorder, most recent episode (or current) manic	Diagnosis	ICD-9-CM
296.40	Bipolar I disorder, most recent episode (or current) manic, unspecified	Diagnosis	ICD-9-CM
296.41	Bipolar I disorder, most recent episode (or current) manic, mild	Diagnosis	ICD-9-CM
296.42	Bipolar I disorder, most recent episode (or current) manic, moderate	Diagnosis	ICD-9-CM
296.43	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.44	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.45	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.46	Bipolar I disorder, most recent episode (or current) manic, in full remission	Diagnosis	ICD-9-CM
296.5	Bipolar I disorder, most recent episode (or current), depressed	Diagnosis	ICD-9-CM
296.50	Bipolar I disorder, most recent episode (or current) depressed, unspecified	Diagnosis	ICD-9-CM
296.51	Bipolar I disorder, most recent episode (or current) depressed, mild	Diagnosis	ICD-9-CM
296.52	Bipolar I disorder, most recent episode (or current) depressed, moderate	Diagnosis	ICD-9-CM
296.53	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.54	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.55	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.56	Bipolar I disorder, most recent episode (or current) depressed, in full remission	Diagnosis	ICD-9-CM
296.6	Bipolar I disorder, most recent episode (or current), mixed	Diagnosis	ICD-9-CM
296.60	Bipolar I disorder, most recent episode (or current) mixed, unspecified	Diagnosis	ICD-9-CM
296.61	Bipolar I disorder, most recent episode (or current) mixed, mild	Diagnosis	ICD-9-CM
296.62	Bipolar I disorder, most recent episode (or current) mixed, moderate	Diagnosis	ICD-9-CM
296.63	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.64	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.65	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.66	Bipolar I disorder, most recent episode (or current) mixed, in full remission	Diagnosis	ICD-9-CM
296.7	Bipolar I disorder, most recent episode (or current) unspecified	Diagnosis	ICD-9-CM
296.8	Other and unspecified bipolar disorders	Diagnosis	ICD-9-CM
296.80	Bipolar disorder, unspecified	Diagnosis	ICD-9-CM
296.81	Atypical manic disorder	Diagnosis	ICD-9-CM
296.82	Atypical depressive disorder	Diagnosis	ICD-9-CM
296.89	Other and unspecified bipolar disorders	Diagnosis	ICD-9-CM
296.99	Other specified episodic mood disorder	Diagnosis	ICD-9-CM
F30.10	Manic episode without psychotic symptoms, unspecified	Diagnosis	ICD-10-CM
F30.11	Manic episode without psychotic symptoms, mild	Diagnosis	ICD-10-CM
F30.12	Manic episode without psychotic symptoms, moderate	Diagnosis	ICD-10-CM
F30.13	Manic episode, severe, without psychotic symptoms	Diagnosis	ICD-10-CM
F30.2	Manic episode, severe with psychotic symptoms	Diagnosis	ICD-10-CM
F30.3	Manic episode in partial remission	Diagnosis	ICD-10-CM
F30.4	Manic episode in full remission	Diagnosis	ICD-10-CM
F30.8	Other manic episodes	Diagnosis	ICD-10-CM
F30.9	Manic episode, unspecified	Diagnosis	ICD-10-CM
F31.0	Bipolar disorder, current episode hypomanic	Diagnosis	ICD-10-CM
F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified	Diagnosis	ICD-10-CM
F31.11	Bipolar disorder, current episode manic without psychotic features, mild	Diagnosis	ICD-10-CM
F31.12	Bipolar disorder, current episode manic without psychotic features, moderate	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F31.13	Bipolar disorder, current episode manic without psychotic features, severe	Diagnosis	ICD-10-CM
F31.2	Bipolar disorder, current episode manic severe with psychotic features	Diagnosis	ICD-10-CM
F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified	Diagnosis	ICD-10-CM
F31.31	Bipolar disorder, current episode depressed, mild	Diagnosis	ICD-10-CM
F31.32	Bipolar disorder, current episode depressed, moderate	Diagnosis	ICD-10-CM
F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features	Diagnosis	ICD-10-CM
F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features	Diagnosis	ICD-10-CM
F31.60	Bipolar disorder, current episode mixed, unspecified	Diagnosis	ICD-10-CM
F31.61	Bipolar disorder, current episode mixed, mild	Diagnosis	ICD-10-CM
F31.62	Bipolar disorder, current episode mixed, moderate	Diagnosis	ICD-10-CM
F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features	Diagnosis	ICD-10-CM
F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features	Diagnosis	ICD-10-CM
F31.70	Bipolar disorder, currently in remission, most recent episode unspecified	Diagnosis	ICD-10-CM
F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic	Diagnosis	ICD-10-CM
F31.72	Bipolar disorder, in full remission, most recent episode hypomanic	Diagnosis	ICD-10-CM
F31.73	Bipolar disorder, in partial remission, most recent episode manic	Diagnosis	ICD-10-CM
F31.74	Bipolar disorder, in full remission, most recent episode manic	Diagnosis	ICD-10-CM
F31.75	Bipolar disorder, in partial remission, most recent episode depressed	Diagnosis	ICD-10-CM
F31.76	Bipolar disorder, in full remission, most recent episode depressed	Diagnosis	ICD-10-CM
F31.77	Bipolar disorder, in partial remission, most recent episode mixed	Diagnosis	ICD-10-CM
F31.78	Bipolar disorder, in full remission, most recent episode mixed	Diagnosis	ICD-10-CM
F31.81	Bipolar II disorder	Diagnosis	ICD-10-CM
F31.89	Other bipolar disorder	Diagnosis	ICD-10-CM
F31.9	Bipolar disorder, unspecified	Diagnosis	ICD-10-CM
F32.89	Other specified depressive episodes	Diagnosis	ICD-10-CM
F33.8	Other recurrent depressive disorders	Diagnosis	ICD-10-CM
F34.81	Disruptive mood dysregulation disorder	Diagnosis	ICD-10-CM
F34.89	Other specified persistent mood disorders	Diagnosis	ICD-10-CM
F34.9	Persistent mood [affective] disorder, unspecified	Diagnosis	ICD-10-CM
Cerebral Degenerations usually manifested in childhood			

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
330	Cerebral degenerations usually manifest in childhood	Diagnosis	ICD-9-CM
330.0	Leukodystrophy	Diagnosis	ICD-9-CM
330.1	Cerebral lipidoses	Diagnosis	ICD-9-CM
330.2	Cerebral degeneration in generalized lipidoses	Diagnosis	ICD-9-CM
330.3	Cerebral degeneration of childhood in other diseases classified elsewhere	Diagnosis	ICD-9-CM
330.8	Other specified cerebral degenerations in childhood	Diagnosis	ICD-9-CM
330.9	Unspecified cerebral degeneration in childhood	Diagnosis	ICD-9-CM
E75.00	GM2 gangliosidosis, unspecified	Diagnosis	ICD-10-CM
E75.01	Sandhoff disease	Diagnosis	ICD-10-CM
E75.02	Tay-Sachs disease	Diagnosis	ICD-10-CM
E75.09	Other GM2 gangliosidosis	Diagnosis	ICD-10-CM
E75.10	Unspecified gangliosidosis	Diagnosis	ICD-10-CM
E75.11	Mucopolipidosis IV	Diagnosis	ICD-10-CM
E75.19	Other gangliosidosis	Diagnosis	ICD-10-CM
E75.23	Krabbe disease	Diagnosis	ICD-10-CM
E75.25	Metachromatic leukodystrophy	Diagnosis	ICD-10-CM
E75.29	Other sphingolipidosis	Diagnosis	ICD-10-CM
E75.4	Neuronal ceroid lipofuscinosis	Diagnosis	ICD-10-CM
F84.2	Rett's syndrome	Diagnosis	ICD-10-CM
G31.81	Alpers disease	Diagnosis	ICD-10-CM
G31.82	Leigh's disease	Diagnosis	ICD-10-CM
G31.9	Degenerative disease of nervous system, unspecified	Diagnosis	ICD-10-CM
G93.89	Other specified disorders of brain	Diagnosis	ICD-10-CM
G93.9	Disorder of brain, unspecified	Diagnosis	ICD-10-CM
Conduct Disorder			
312	Disturbance of conduct, not elsewhere classified	Diagnosis	ICD-9-CM
312.0	Undersocialized conduct disorder, aggressive type	Diagnosis	ICD-9-CM
312.00	Undersocialized conduct disorder, aggressive type, unspecified	Diagnosis	ICD-9-CM
312.01	Undersocialized conduct disorder, aggressive type, mild	Diagnosis	ICD-9-CM
312.02	Undersocialized conduct disorder, aggressive type, moderate	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
312.03	Undersocialized conduct disorder, aggressive type, severe	Diagnosis	ICD-9-CM
312.1	Undersocialized conduct disorder, unaggressive type	Diagnosis	ICD-9-CM
312.10	Undersocialized conduct disorder, unaggressive type, unspecified	Diagnosis	ICD-9-CM
312.11	Undersocialized conduct disorder, unaggressive type, mild	Diagnosis	ICD-9-CM
312.12	Undersocialized conduct disorder, unaggressive type, moderate	Diagnosis	ICD-9-CM
312.13	Undersocialized conduct disorder, unaggressive type, severe	Diagnosis	ICD-9-CM
312.2	Socialized conduct disorder	Diagnosis	ICD-9-CM
312.20	Socialized conduct disorder, unspecified	Diagnosis	ICD-9-CM
312.21	Socialized conduct disorder, mild	Diagnosis	ICD-9-CM
312.22	Socialized conduct disorder, moderate	Diagnosis	ICD-9-CM
312.23	Socialized conduct disorder, severe	Diagnosis	ICD-9-CM
312.3	Disorders of impulse control, not elsewhere classified	Diagnosis	ICD-9-CM
312.30	Impulse control disorder, unspecified	Diagnosis	ICD-9-CM
312.31	Pathological gambling	Diagnosis	ICD-9-CM
312.33	Pyromania	Diagnosis	ICD-9-CM
312.34	Intermittent explosive disorder	Diagnosis	ICD-9-CM
312.35	Isolated explosive disorder	Diagnosis	ICD-9-CM
312.39	Other disorder of impulse control	Diagnosis	ICD-9-CM
312.4	Mixed disturbance of conduct and emotions	Diagnosis	ICD-9-CM
312.8	Other specified disturbances of conduct, not elsewhere classified	Diagnosis	ICD-9-CM
312.89	Other specified disturbance of conduct, not elsewhere classified	Diagnosis	ICD-9-CM
312.9	Unspecified disturbance of conduct	Diagnosis	ICD-9-CM
F63.1	Pyromania	Diagnosis	ICD-10-CM
F63.81	Intermittent explosive disorder	Diagnosis	ICD-10-CM
F63.89	Other impulse disorders	Diagnosis	ICD-10-CM
Delirium			
292.81	Drug-induced delirium	Diagnosis	ICD-9-CM
293	Transient mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.0	Delirium due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.1	Subacute delirium	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
293.8	Other specified transient mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.81	Psychotic disorder with delusions in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.82	Psychotic disorder with hallucinations in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.83	Mood disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
293.89	Other transient mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
293.9	Unspecified transient mental disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
348.3	Encephalopathy, not elsewhere classified	Diagnosis	ICD-9-CM
348.30	Encephalopathy, unspecified	Diagnosis	ICD-9-CM
348.31	Metabolic encephalopathy	Diagnosis	ICD-9-CM
348.39	Other encephalopathy	Diagnosis	ICD-9-CM
F05	Delirium due to known physiological condition	Diagnosis	ICD-10-CM
F06.0	Psychotic disorder with hallucinations due to known physiological condition	Diagnosis	ICD-10-CM
F06.1	Catatonic disorder due to known physiological condition	Diagnosis	ICD-10-CM
F06.2	Psychotic disorder with delusions due to known physiological condition	Diagnosis	ICD-10-CM
F06.30	Mood disorder due to known physiological condition, unspecified	Diagnosis	ICD-10-CM
F06.31	Mood disorder due to known physiological condition with depressive features	Diagnosis	ICD-10-CM
F06.32	Mood disorder due to known physiological condition with major depressive-like episode	Diagnosis	ICD-10-CM
F06.33	Mood disorder due to known physiological condition with manic features	Diagnosis	ICD-10-CM
F06.34	Mood disorder due to known physiological condition with mixed features	Diagnosis	ICD-10-CM
F06.8	Other specified mental disorders due to known physiological condition	Diagnosis	ICD-10-CM
F10.121	Alcohol abuse with intoxication delirium	Diagnosis	ICD-10-CM
F53	Mental and behavioral disorders associated with the puerperium, not elsewhere classified	Diagnosis	ICD-10-CM
G93.40	Encephalopathy, unspecified	Diagnosis	ICD-10-CM
G93.41	Metabolic encephalopathy	Diagnosis	ICD-10-CM
G93.49	Other encephalopathy	Diagnosis	ICD-10-CM
I67.83	Posterior reversible encephalopathy syndrome	Diagnosis	ICD-10-CM
Depression			
296.2	Major depressive disorder, single episode	Diagnosis	ICD-9-CM
296.20	Major depressive disorder, single episode, unspecified	Diagnosis	ICD-9-CM
296.21	Major depressive disorder, single episode, mild	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
296.22	Major depressive disorder, single episode, moderate	Diagnosis	ICD-9-CM
296.23	Major depressive disorder, single episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.24	Major depressive disorder, single episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.25	Major depressive disorder, single episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.26	Major depressive disorder, single episode in full remission	Diagnosis	ICD-9-CM
296.3	Major depressive disorder, recurrent episode	Diagnosis	ICD-9-CM
296.30	Major depressive disorder, recurrent episode, unspecified	Diagnosis	ICD-9-CM
296.31	Major depressive disorder, recurrent episode, mild	Diagnosis	ICD-9-CM
296.32	Major depressive disorder, recurrent episode, moderate	Diagnosis	ICD-9-CM
296.33	Major depressive disorder, recurrent episode, severe, without mention of psychotic behavior	Diagnosis	ICD-9-CM
296.34	Major depressive disorder, recurrent episode, severe, specified as with psychotic behavior	Diagnosis	ICD-9-CM
296.35	Major depressive disorder, recurrent episode, in partial or unspecified remission	Diagnosis	ICD-9-CM
296.36	Major depressive disorder, recurrent episode, in full remission	Diagnosis	ICD-9-CM
296.90	Unspecified episodic mood disorder	Diagnosis	ICD-9-CM
300.4	Dysthymic disorder	Diagnosis	ICD-9-CM
309.0	Adjustment disorder with depressed mood	Diagnosis	ICD-9-CM
309.1	Prolonged depressive reaction as adjustment reaction	Diagnosis	ICD-9-CM
311	Depressive disorder, not elsewhere classified	Diagnosis	ICD-9-CM
F32.0	Major depressive disorder, single episode, mild	Diagnosis	ICD-10-CM
F32.1	Major depressive disorder, single episode, moderate	Diagnosis	ICD-10-CM
F32.2	Major depressive disorder, single episode, severe without psychotic features	Diagnosis	ICD-10-CM
F32.3	Major depressive disorder, single episode, severe with psychotic features	Diagnosis	ICD-10-CM
F32.4	Major depressive disorder, single episode, in partial remission	Diagnosis	ICD-10-CM
F32.5	Major depressive disorder, single episode, in full remission	Diagnosis	ICD-10-CM
F32.9	Major depressive disorder, single episode, unspecified	Diagnosis	ICD-10-CM
F33.0	Major depressive disorder, recurrent, mild	Diagnosis	ICD-10-CM
F33.1	Major depressive disorder, recurrent, moderate	Diagnosis	ICD-10-CM
F33.2	Major depressive disorder, recurrent severe without psychotic features	Diagnosis	ICD-10-CM
F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms	Diagnosis	ICD-10-CM
F33.40	Major depressive disorder, recurrent, in remission, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F33.41	Major depressive disorder, recurrent, in partial remission	Diagnosis	ICD-10-CM
F33.42	Major depressive disorder, recurrent, in full remission	Diagnosis	ICD-10-CM
F33.9	Major depressive disorder, recurrent, unspecified	Diagnosis	ICD-10-CM
F34.1	Dysthymic disorder	Diagnosis	ICD-10-CM
F39	Unspecified mood [affective] disorder	Diagnosis	ICD-10-CM
F43.21	Adjustment disorder with depressed mood	Diagnosis	ICD-10-CM
Electroconvulsive Therapy			
90870	Electroconvulsive therapy (includes necessary monitoring)	Procedure	CPT-4
90871	Electroconvulsive therapy (includes necessary monitoring); multiple seizures, per day	Procedure	CPT-4
Hallucination			
780.1	Hallucinations	Diagnosis	ICD-9-CM
R44.0	Auditory hallucinations	Diagnosis	ICD-10-CM
R44.2	Other hallucinations	Diagnosis	ICD-10-CM
R44.3	Hallucinations, unspecified	Diagnosis	ICD-10-CM
Obsessive-Compulsive Disorder			
300.3	Obsessive-compulsive disorders	Diagnosis	ICD-9-CM
F42.8	Other obsessive-compulsive disorder	Diagnosis	ICD-10-CM
F42.9	Obsessive-compulsive disorder, unspecified	Diagnosis	ICD-10-CM
Other Cerebral Degenerations			
331	Other cerebral degenerations	Diagnosis	ICD-9-CM
331.0	Alzheimer's disease	Diagnosis	ICD-9-CM
331.1	Frontotemporal dementia	Diagnosis	ICD-9-CM
331.11	Pick's disease	Diagnosis	ICD-9-CM
331.19	Other frontotemporal dementia	Diagnosis	ICD-9-CM
331.2	Senile degeneration of brain	Diagnosis	ICD-9-CM
331.3	Communicating hydrocephalus	Diagnosis	ICD-9-CM
331.4	Obstructive hydrocephalus	Diagnosis	ICD-9-CM
331.5	Idiopathic normal pressure hydrocephalus [INPH]	Diagnosis	ICD-9-CM
331.6	Corticobasal degeneration	Diagnosis	ICD-9-CM
331.7	Cerebral degeneration in diseases classified elsewhere	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
331.8	Other cerebral degeneration	Diagnosis	ICD-9-CM
331.81	Reye's syndrome	Diagnosis	ICD-9-CM
331.82	Dementia with Lewy bodies	Diagnosis	ICD-9-CM
331.83	Mild cognitive impairment, so stated	Diagnosis	ICD-9-CM
331.89	Other cerebral degeneration	Diagnosis	ICD-9-CM
331.9	Unspecified cerebral degeneration	Diagnosis	ICD-9-CM
G13.2	Systemic atrophy primarily affecting the central nervous system in myxedema	Diagnosis	ICD-10-CM
G13.8	Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere	Diagnosis	ICD-10-CM
G30.0	Alzheimer's disease with early onset	Diagnosis	ICD-10-CM
G30.1	Alzheimer's disease with late onset	Diagnosis	ICD-10-CM
G30.8	Other Alzheimer's disease	Diagnosis	ICD-10-CM
G30.9	Alzheimer's disease, unspecified	Diagnosis	ICD-10-CM
G31.01	Pick's disease	Diagnosis	ICD-10-CM
G31.09	Other frontotemporal dementia	Diagnosis	ICD-10-CM
G31.1	Senile degeneration of brain, not elsewhere classified	Diagnosis	ICD-10-CM
G31.2	Degeneration of nervous system due to alcohol	Diagnosis	ICD-10-CM
G31.83	Dementia with Lewy bodies	Diagnosis	ICD-10-CM
G31.84	Mild cognitive impairment, so stated	Diagnosis	ICD-10-CM
G31.85	Corticobasal degeneration	Diagnosis	ICD-10-CM
G31.89	Other specified degenerative diseases of nervous system	Diagnosis	ICD-10-CM
G91.0	Communicating hydrocephalus	Diagnosis	ICD-10-CM
G91.1	Obstructive hydrocephalus	Diagnosis	ICD-10-CM
G91.2	(Idiopathic) normal pressure hydrocephalus	Diagnosis	ICD-10-CM
G91.3	Post-traumatic hydrocephalus, unspecified	Diagnosis	ICD-10-CM
G91.4	Hydrocephalus in diseases classified elsewhere	Diagnosis	ICD-10-CM
G91.8	Other hydrocephalus	Diagnosis	ICD-10-CM
G91.9	Hydrocephalus, unspecified	Diagnosis	ICD-10-CM
G93.7	Reye's syndrome	Diagnosis	ICD-10-CM
G94	Other disorders of brain in diseases classified elsewhere	Diagnosis	ICD-10-CM
Other Mental Disorders			

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
300.1	Dissociative, conversion and factitious disorders	Diagnosis	ICD-9-CM
300.8	Somatoform disorders	Diagnosis	ICD-9-CM
302	Sexual and gender identity disorders	Diagnosis	ICD-9-CM
302.0	Ego-dystonic sexual orientation	Diagnosis	ICD-9-CM
302.5	Trans-sexualism	Diagnosis	ICD-9-CM
302.7	Psychosexual dysfunction	Diagnosis	ICD-9-CM
302.8	Other specified psychosexual disorders	Diagnosis	ICD-9-CM
306	Physiological malfunction arising from mental factors	Diagnosis	ICD-9-CM
306.5	Genitourinary malfunctions arising from mental factors	Diagnosis	ICD-9-CM
307	Special symptoms or syndromes, not elsewhere classified	Diagnosis	ICD-9-CM
307.2	Tics	Diagnosis	ICD-9-CM
307.20	Tic disorder, unspecified	Diagnosis	ICD-9-CM
307.21	Transient tic disorder	Diagnosis	ICD-9-CM
307.23	Tourette's disorder	Diagnosis	ICD-9-CM
307.3	Stereotypic movement disorder	Diagnosis	ICD-9-CM
307.5	Other and unspecified disorders of eating	Diagnosis	ICD-9-CM
307.6	Enuresis	Diagnosis	ICD-9-CM
307.7	Encopresis	Diagnosis	ICD-9-CM
307.8	Pain disorders related to psychological factors	Diagnosis	ICD-9-CM
308	Acute reaction to stress	Diagnosis	ICD-9-CM
309.2	Predominant disturbance of other emotions as adjustment reaction	Diagnosis	ICD-9-CM
309.21	Separation anxiety disorder	Diagnosis	ICD-9-CM
309.8	Other specified adjustment reactions	Diagnosis	ICD-9-CM
310	Specific nonpsychotic mental disorders due to brain damage	Diagnosis	ICD-9-CM
310.0	Frontal lobe syndrome	Diagnosis	ICD-9-CM
310.2	Postconcussion syndrome	Diagnosis	ICD-9-CM
310.8	Other specified nonpsychotic mental disorder following organic brain damage	Diagnosis	ICD-9-CM
310.81	Pseudobulbar affect	Diagnosis	ICD-9-CM
310.89	Other specified nonpsychotic mental disorders following organic brain damage	Diagnosis	ICD-9-CM
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
313	Disturbance of emotions specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	Diagnosis	ICD-9-CM
313.8	Other or mixed emotional disturbances of childhood or adolescence	Diagnosis	ICD-9-CM
313.89	Other emotional disturbance of childhood or adolescence	Diagnosis	ICD-9-CM
313.9	Unspecified emotional disturbance of childhood or adolescence	Diagnosis	ICD-9-CM
315	Specific delays in development	Diagnosis	ICD-9-CM
315.0	Specific developmental reading disorder	Diagnosis	ICD-9-CM
315.00	Developmental reading disorder, unspecified	Diagnosis	ICD-9-CM
315.01	Alexia	Diagnosis	ICD-9-CM
315.02	Developmental dyslexia	Diagnosis	ICD-9-CM
315.09	Other specific developmental reading disorder	Diagnosis	ICD-9-CM
315.1	Mathematics disorder	Diagnosis	ICD-9-CM
315.2	Other specific developmental learning difficulties	Diagnosis	ICD-9-CM
315.3	Developmental speech or language disorder	Diagnosis	ICD-9-CM
315.31	Expressive language disorder	Diagnosis	ICD-9-CM
315.32	Mixed receptive-expressive language disorder	Diagnosis	ICD-9-CM
315.39	Other developmental speech or language disorder	Diagnosis	ICD-9-CM
315.4	Developmental coordination disorder	Diagnosis	ICD-9-CM
315.5	Mixed development disorder	Diagnosis	ICD-9-CM
315.8	Other specified delay in development	Diagnosis	ICD-9-CM
315.9	Unspecified delay in development	Diagnosis	ICD-9-CM
F07.81	Postconcussional syndrome	Diagnosis	ICD-10-CM
F07.89	Other personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F09	Unspecified mental disorder due to known physiological condition	Diagnosis	ICD-10-CM
F66	Other sexual disorders	Diagnosis	ICD-10-CM
F80.89	Other developmental disorders of speech and language	Diagnosis	ICD-10-CM
F81.2	Mathematics disorder	Diagnosis	ICD-10-CM
F81.89	Other developmental disorders of scholastic skills	Diagnosis	ICD-10-CM
F88	Other disorders of psychological development	Diagnosis	ICD-10-CM
F89	Unspecified disorder of psychological development	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F94.8	Other childhood disorders of social functioning	Diagnosis	ICD-10-CM
F95.0	Transient tic disorder	Diagnosis	ICD-10-CM
F98.29	Other feeding disorders of infancy and early childhood	Diagnosis	ICD-10-CM
G44.209	Tension-type headache, unspecified, not intractable	Diagnosis	ICD-10-CM
H93.25	Central auditory processing disorder	Diagnosis	ICD-10-CM
R45.1	Restlessness and agitation	Diagnosis	ICD-10-CM
R48.0	Dyslexia and alexia	Diagnosis	ICD-10-CM
Other Psychological Disorders			
290.0	Senile dementia, uncomplicated	Diagnosis	ICD-9-CM
290.10	Presenile dementia, uncomplicated	Diagnosis	ICD-9-CM
290.11	Presenile dementia with delirium	Diagnosis	ICD-9-CM
290.12	Presenile dementia with delusional features	Diagnosis	ICD-9-CM
290.13	Presenile dementia with depressive features	Diagnosis	ICD-9-CM
290.20	Senile dementia with delusional features	Diagnosis	ICD-9-CM
290.21	Senile dementia with depressive features	Diagnosis	ICD-9-CM
290.3	Senile dementia with delirium	Diagnosis	ICD-9-CM
290.40	Vascular dementia, uncomplicated	Diagnosis	ICD-9-CM
290.41	Vascular dementia, with delirium	Diagnosis	ICD-9-CM
290.42	Vascular dementia, with delusions	Diagnosis	ICD-9-CM
290.43	Vascular dementia, with depressed mood	Diagnosis	ICD-9-CM
305.1	Nondependent tobacco use disorder	Diagnosis	ICD-9-CM
307.0	Adult onset fluency disorder	Diagnosis	ICD-9-CM
307.22	Chronic motor or vocal tic disorder	Diagnosis	ICD-9-CM
307.9	Other and unspecified special symptom or syndrome, not elsewhere classified	Diagnosis	ICD-9-CM
313.23	Selective mutism	Diagnosis	ICD-9-CM
315.34	Speech and language developmental delay due to hearing loss	Diagnosis	ICD-9-CM
315.35	Childhood onset fluency disorder	Diagnosis	ICD-9-CM
317	Mild intellectual disabilities	Diagnosis	ICD-9-CM
318.0	Moderate intellectual disabilities	Diagnosis	ICD-9-CM
318.1	Severe intellectual disabilities	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
318.2	Profound intellectual disabilities	Diagnosis	ICD-9-CM
319	Unspecified intellectual disabilities	Diagnosis	ICD-9-CM
625.4	Premenstrual tension syndromes	Diagnosis	ICD-9-CM
F01	Vascular dementia	Diagnosis	ICD-10-CM
F01.5	Vascular dementia	Diagnosis	ICD-10-CM
F01.50	Vascular dementia without behavioral disturbance	Diagnosis	ICD-10-CM
F01.51	Vascular dementia with behavioral disturbance	Diagnosis	ICD-10-CM
F02	Dementia in other diseases classified elsewhere	Diagnosis	ICD-10-CM
F02.8	Dementia in other diseases classified elsewhere	Diagnosis	ICD-10-CM
F03	Unspecified dementia	Diagnosis	ICD-10-CM
F03.9	Unspecified dementia	Diagnosis	ICD-10-CM
F06	Other mental disorders due to known physiological condition	Diagnosis	ICD-10-CM
F06.3	Mood disorder due to known physiological condition	Diagnosis	ICD-10-CM
F07	Personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F07.0	Personality change due to known physiological condition	Diagnosis	ICD-10-CM
F07.8	Other personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F07.9	Unspecified personality and behavioral disorder due to known physiological condition	Diagnosis	ICD-10-CM
F10	Alcohol related disorders	Diagnosis	ICD-10-CM
F10.1	Alcohol abuse	Diagnosis	ICD-10-CM
F10.12	Alcohol abuse with intoxication	Diagnosis	ICD-10-CM
F10.15	Alcohol abuse with alcohol-induced psychotic disorder	Diagnosis	ICD-10-CM
F10.18	Alcohol abuse with other alcohol-induced disorders	Diagnosis	ICD-10-CM
F10.2	Alcohol dependence	Diagnosis	ICD-10-CM
F10.22	Alcohol dependence with intoxication	Diagnosis	ICD-10-CM
F10.23	Alcohol dependence with withdrawal	Diagnosis	ICD-10-CM
F10.25	Alcohol dependence with alcohol-induced psychotic disorder	Diagnosis	ICD-10-CM
F10.28	Alcohol dependence with other alcohol-induced disorders	Diagnosis	ICD-10-CM
F10.9	Alcohol use, unspecified	Diagnosis	ICD-10-CM
F10.92	Alcohol use, unspecified with intoxication	Diagnosis	ICD-10-CM
F10.95	Alcohol use, unspecified with alcohol-induced psychotic disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F10.98	Alcohol use, unspecified with other alcohol-induced disorders	Diagnosis	ICD-10-CM
F11	Opioid related disorders	Diagnosis	ICD-10-CM
F11.1	Opioid abuse	Diagnosis	ICD-10-CM
F11.12	Opioid abuse with intoxication	Diagnosis	ICD-10-CM
F11.15	Opioid abuse with opioid-induced psychotic disorder	Diagnosis	ICD-10-CM
F11.18	Opioid abuse with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.2	Opioid dependence	Diagnosis	ICD-10-CM
F11.22	Opioid dependence with intoxication	Diagnosis	ICD-10-CM
F11.25	Opioid dependence with opioid-induced psychotic disorder	Diagnosis	ICD-10-CM
F11.28	Opioid dependence with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.9	Opioid use, unspecified	Diagnosis	ICD-10-CM
F11.92	Opioid use, unspecified with intoxication	Diagnosis	ICD-10-CM
F11.95	Opioid use, unspecified with opioid-induced psychotic disorder	Diagnosis	ICD-10-CM
F11.98	Opioid use, unspecified with other specified opioid-induced disorder	Diagnosis	ICD-10-CM
F12	Cannabis related disorders	Diagnosis	ICD-10-CM
F12.1	Cannabis abuse	Diagnosis	ICD-10-CM
F12.12	Cannabis abuse with intoxication	Diagnosis	ICD-10-CM
F12.15	Cannabis abuse with psychotic disorder	Diagnosis	ICD-10-CM
F12.18	Cannabis abuse with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.2	Cannabis dependence	Diagnosis	ICD-10-CM
F12.22	Cannabis dependence with intoxication	Diagnosis	ICD-10-CM
F12.25	Cannabis dependence with psychotic disorder	Diagnosis	ICD-10-CM
F12.28	Cannabis dependence with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.9	Cannabis use, unspecified	Diagnosis	ICD-10-CM
F12.92	Cannabis use, unspecified with intoxication	Diagnosis	ICD-10-CM
F12.95	Cannabis use, unspecified with psychotic disorder	Diagnosis	ICD-10-CM
F12.98	Cannabis use, unspecified with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F13	Sedative, hypnotic, or anxiolytic related disorders	Diagnosis	ICD-10-CM
F13.1	Sedative, hypnotic or anxiolytic-related abuse	Diagnosis	ICD-10-CM
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F13.12	Sedative, hypnotic or anxiolytic abuse with intoxication	Diagnosis	ICD-10-CM
F13.15	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder	Diagnosis	ICD-10-CM
F13.18	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorders	Diagnosis	ICD-10-CM
F13.2	Sedative, hypnotic or anxiolytic-related dependence	Diagnosis	ICD-10-CM
F13.22	Sedative, hypnotic or anxiolytic dependence with intoxication	Diagnosis	ICD-10-CM
F13.23	Sedative, hypnotic or anxiolytic dependence with withdrawal	Diagnosis	ICD-10-CM
F13.25	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder	Diagnosis	ICD-10-CM
F13.28	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorders	Diagnosis	ICD-10-CM
F13.9	Sedative, hypnotic or anxiolytic-related use, unspecified	Diagnosis	ICD-10-CM
F13.92	Sedative, hypnotic or anxiolytic use, unspecified with intoxication	Diagnosis	ICD-10-CM
F13.93	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F13.95	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder	Diagnosis	ICD-10-CM
F13.98	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorders	Diagnosis	ICD-10-CM
F14	Cocaine related disorders	Diagnosis	ICD-10-CM
F14.1	Cocaine abuse	Diagnosis	ICD-10-CM
F14.12	Cocaine abuse with intoxication	Diagnosis	ICD-10-CM
F14.122	Cocaine abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.15	Cocaine abuse with cocaine-induced psychotic disorder	Diagnosis	ICD-10-CM
F14.18	Cocaine abuse with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.2	Cocaine dependence	Diagnosis	ICD-10-CM
F14.22	Cocaine dependence with intoxication	Diagnosis	ICD-10-CM
F14.25	Cocaine dependence with cocaine-induced psychotic disorder	Diagnosis	ICD-10-CM
F14.28	Cocaine dependence with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.9	Cocaine use, unspecified	Diagnosis	ICD-10-CM
F14.92	Cocaine use, unspecified with intoxication	Diagnosis	ICD-10-CM
F14.95	Cocaine use, unspecified with cocaine-induced psychotic disorder	Diagnosis	ICD-10-CM
F14.98	Cocaine use, unspecified with other specified cocaine-induced disorder	Diagnosis	ICD-10-CM
F15	Other stimulant related disorders	Diagnosis	ICD-10-CM
F15.1	Other stimulant abuse	Diagnosis	ICD-10-CM
F15.12	Other stimulant abuse with intoxication	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F15.15	Other stimulant abuse with stimulant-induced psychotic disorder	Diagnosis	ICD-10-CM
F15.18	Other stimulant abuse with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.2	Other stimulant dependence	Diagnosis	ICD-10-CM
F15.22	Other stimulant dependence with intoxication	Diagnosis	ICD-10-CM
F15.25	Other stimulant dependence with stimulant-induced psychotic disorder	Diagnosis	ICD-10-CM
F15.28	Other stimulant dependence with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.9	Other stimulant use, unspecified	Diagnosis	ICD-10-CM
F15.92	Other stimulant use, unspecified with intoxication	Diagnosis	ICD-10-CM
F15.95	Other stimulant use, unspecified with stimulant-induced psychotic disorder	Diagnosis	ICD-10-CM
F15.98	Other stimulant use, unspecified with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F16	Hallucinogen related disorders	Diagnosis	ICD-10-CM
F16.1	Hallucinogen abuse	Diagnosis	ICD-10-CM
F16.12	Hallucinogen abuse with intoxication	Diagnosis	ICD-10-CM
F16.15	Hallucinogen abuse with hallucinogen-induced psychotic disorder	Diagnosis	ICD-10-CM
F16.18	Hallucinogen abuse with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.2	Hallucinogen dependence	Diagnosis	ICD-10-CM
F16.22	Hallucinogen dependence with intoxication	Diagnosis	ICD-10-CM
F16.25	Hallucinogen dependence with hallucinogen-induced psychotic disorder	Diagnosis	ICD-10-CM
F16.28	Hallucinogen dependence with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.9	Hallucinogen use, unspecified	Diagnosis	ICD-10-CM
F16.92	Hallucinogen use, unspecified with intoxication	Diagnosis	ICD-10-CM
F16.95	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder	Diagnosis	ICD-10-CM
F16.98	Hallucinogen use, unspecified with other specified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F17	Nicotine dependence	Diagnosis	ICD-10-CM
F17.2	Nicotine dependence	Diagnosis	ICD-10-CM
F17.20	Nicotine dependence, unspecified	Diagnosis	ICD-10-CM
F17.200	Nicotine dependence, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F17.201	Nicotine dependence, unspecified, in remission	Diagnosis	ICD-10-CM
F17.21	Nicotine dependence, cigarettes	Diagnosis	ICD-10-CM
F17.210	Nicotine dependence, cigarettes, uncomplicated	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F17.211	Nicotine dependence, cigarettes, in remission	Diagnosis	ICD-10-CM
F17.22	Nicotine dependence, chewing tobacco	Diagnosis	ICD-10-CM
F17.220	Nicotine dependence, chewing tobacco, uncomplicated	Diagnosis	ICD-10-CM
F17.221	Nicotine dependence, chewing tobacco, in remission	Diagnosis	ICD-10-CM
F17.29	Nicotine dependence, other tobacco product	Diagnosis	ICD-10-CM
F17.290	Nicotine dependence, other tobacco product, uncomplicated	Diagnosis	ICD-10-CM
F17.291	Nicotine dependence, other tobacco product, in remission	Diagnosis	ICD-10-CM
F18	Inhalant related disorders	Diagnosis	ICD-10-CM
F18.1	Inhalant abuse	Diagnosis	ICD-10-CM
F18.12	Inhalant abuse with intoxication	Diagnosis	ICD-10-CM
F18.15	Inhalant abuse with inhalant-induced psychotic disorder	Diagnosis	ICD-10-CM
F18.18	Inhalant abuse with other inhalant-induced disorders	Diagnosis	ICD-10-CM
F18.2	Inhalant dependence	Diagnosis	ICD-10-CM
F18.22	Inhalant dependence with intoxication	Diagnosis	ICD-10-CM
F18.25	Inhalant dependence with inhalant-induced psychotic disorder	Diagnosis	ICD-10-CM
F18.28	Inhalant dependence with other inhalant-induced disorders	Diagnosis	ICD-10-CM
F18.9	Inhalant use, unspecified	Diagnosis	ICD-10-CM
F18.92	Inhalant use, unspecified with intoxication	Diagnosis	ICD-10-CM
F18.95	Inhalant use, unspecified with inhalant-induced psychotic disorder	Diagnosis	ICD-10-CM
F18.98	Inhalant use, unspecified with other inhalant-induced disorders	Diagnosis	ICD-10-CM
F19	Other psychoactive substance related disorders	Diagnosis	ICD-10-CM
F19.1	Other psychoactive substance abuse	Diagnosis	ICD-10-CM
F19.12	Other psychoactive substance abuse with intoxication	Diagnosis	ICD-10-CM
F19.15	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder	Diagnosis	ICD-10-CM
F19.18	Other psychoactive substance abuse with other psychoactive substance-induced disorders	Diagnosis	ICD-10-CM
F19.2	Other psychoactive substance dependence	Diagnosis	ICD-10-CM
F19.22	Other psychoactive substance dependence with intoxication	Diagnosis	ICD-10-CM
F19.23	Other psychoactive substance dependence with withdrawal	Diagnosis	ICD-10-CM
F19.25	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder	Diagnosis	ICD-10-CM
F19.28	Other psychoactive substance dependence with other psychoactive substance-induced disorders	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F19.9	Other psychoactive substance use, unspecified	Diagnosis	ICD-10-CM
F19.92	Other psychoactive substance use, unspecified with intoxication	Diagnosis	ICD-10-CM
F19.93	Other psychoactive substance use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F19.95	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder	Diagnosis	ICD-10-CM
F19.98	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorders	Diagnosis	ICD-10-CM
F20	Schizophrenia	Diagnosis	ICD-10-CM
F20.8	Other schizophrenia	Diagnosis	ICD-10-CM
F25	Schizoaffective disorders	Diagnosis	ICD-10-CM
F30	Manic episode	Diagnosis	ICD-10-CM
F30.1	Manic episode without psychotic symptoms	Diagnosis	ICD-10-CM
F31	Bipolar disorder	Diagnosis	ICD-10-CM
F31.1	Bipolar disorder, current episode manic without psychotic features	Diagnosis	ICD-10-CM
F31.3	Bipolar disorder, current episode depressed, mild or moderate severity	Diagnosis	ICD-10-CM
F31.6	Bipolar disorder, current episode mixed	Diagnosis	ICD-10-CM
F31.7	Bipolar disorder, currently in remission	Diagnosis	ICD-10-CM
F31.8	Other bipolar disorders	Diagnosis	ICD-10-CM
F32	Depressive episode	Diagnosis	ICD-10-CM
F33	Major depressive disorder, recurrent	Diagnosis	ICD-10-CM
F33.4	Major depressive disorder, recurrent, in remission	Diagnosis	ICD-10-CM
F34	Persistent mood [affective] disorders	Diagnosis	ICD-10-CM
F40	Phobic anxiety disorders	Diagnosis	ICD-10-CM
F40.0	Agoraphobia	Diagnosis	ICD-10-CM
F40.1	Social phobias	Diagnosis	ICD-10-CM
F40.2	Specific (isolated) phobias	Diagnosis	ICD-10-CM
F40.21	Animal type phobia	Diagnosis	ICD-10-CM
F40.22	Natural environment type phobia	Diagnosis	ICD-10-CM
F40.23	Blood, injection, injury type phobia	Diagnosis	ICD-10-CM
F40.24	Situational type phobia	Diagnosis	ICD-10-CM
F40.29	Other specified phobia	Diagnosis	ICD-10-CM
F41	Other anxiety disorders	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F43	Reaction to severe stress, and adjustment disorders	Diagnosis	ICD-10-CM
F43.1	Post-traumatic stress disorder (PTSD)	Diagnosis	ICD-10-CM
F43.2	Adjustment disorders	Diagnosis	ICD-10-CM
F44	Dissociative and conversion disorders	Diagnosis	ICD-10-CM
F44.8	Other dissociative and conversion disorders	Diagnosis	ICD-10-CM
F45	Somatoform disorders	Diagnosis	ICD-10-CM
F45.2	Hypochondriacal disorders	Diagnosis	ICD-10-CM
F45.4	Pain disorders related to psychological factors	Diagnosis	ICD-10-CM
F48	Other nonpsychotic mental disorders	Diagnosis	ICD-10-CM
F48.2	Pseudobulbar affect	Diagnosis	ICD-10-CM
F50	Eating disorders	Diagnosis	ICD-10-CM
F50.0	Anorexia nervosa	Diagnosis	ICD-10-CM
F52	Sexual dysfunction not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F52.2	Sexual arousal disorders	Diagnosis	ICD-10-CM
F52.3	Orgasmic disorder	Diagnosis	ICD-10-CM
F60	Specific personality disorders	Diagnosis	ICD-10-CM
F60.8	Other specific personality disorders	Diagnosis	ICD-10-CM
F63	Impulse disorders	Diagnosis	ICD-10-CM
F63.8	Other impulse disorders	Diagnosis	ICD-10-CM
F64	Gender identity disorders	Diagnosis	ICD-10-CM
F64.2	Gender identity disorder of childhood	Diagnosis	ICD-10-CM
F65	Paraphilias	Diagnosis	ICD-10-CM
F65.5	Sadomasochism	Diagnosis	ICD-10-CM
F65.8	Other paraphilias	Diagnosis	ICD-10-CM
F68	Other disorders of adult personality and behavior	Diagnosis	ICD-10-CM
F68.1	Factitious disorder imposed on self	Diagnosis	ICD-10-CM
F70	Mild intellectual disabilities	Diagnosis	ICD-10-CM
F71	Moderate intellectual disabilities	Diagnosis	ICD-10-CM
F72	Severe intellectual disabilities	Diagnosis	ICD-10-CM
F73	Profound intellectual disabilities	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F78	Other intellectual disabilities	Diagnosis	ICD-10-CM
F79	Unspecified intellectual disabilities	Diagnosis	ICD-10-CM
F80	Specific developmental disorders of speech and language	Diagnosis	ICD-10-CM
F80.0	Phonological disorder	Diagnosis	ICD-10-CM
F80.1	Expressive language disorder	Diagnosis	ICD-10-CM
F80.2	Mixed receptive-expressive language disorder	Diagnosis	ICD-10-CM
F80.4	Speech and language development delay due to hearing loss	Diagnosis	ICD-10-CM
F80.8	Other developmental disorders of speech and language	Diagnosis	ICD-10-CM
F80.81	Childhood onset fluency disorder	Diagnosis	ICD-10-CM
F80.82	Social pragmatic communication disorder	Diagnosis	ICD-10-CM
F80.9	Developmental disorder of speech and language, unspecified	Diagnosis	ICD-10-CM
F81	Specific developmental disorders of scholastic skills	Diagnosis	ICD-10-CM
F81.0	Specific reading disorder	Diagnosis	ICD-10-CM
F81.8	Other developmental disorders of scholastic skills	Diagnosis	ICD-10-CM
F81.81	Disorder of written expression	Diagnosis	ICD-10-CM
F81.9	Developmental disorder of scholastic skills, unspecified	Diagnosis	ICD-10-CM
F82	Specific developmental disorder of motor function	Diagnosis	ICD-10-CM
F84	Pervasive developmental disorders	Diagnosis	ICD-10-CM
F90	Attention-deficit hyperactivity disorders	Diagnosis	ICD-10-CM
F91	Conduct disorders	Diagnosis	ICD-10-CM
F93	Emotional disorders with onset specific to childhood	Diagnosis	ICD-10-CM
F93.0	Separation anxiety disorder of childhood	Diagnosis	ICD-10-CM
F93.9	Childhood emotional disorder, unspecified	Diagnosis	ICD-10-CM
F94	Disorders of social functioning with onset specific to childhood and adolescence	Diagnosis	ICD-10-CM
F94.0	Selective mutism	Diagnosis	ICD-10-CM
F94.1	Reactive attachment disorder of childhood	Diagnosis	ICD-10-CM
F94.2	Disinhibited attachment disorder of childhood	Diagnosis	ICD-10-CM
F94.9	Childhood disorder of social functioning, unspecified	Diagnosis	ICD-10-CM
F95	Tic disorder	Diagnosis	ICD-10-CM
F95.1	Chronic motor or vocal tic disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F95.2	Tourette's disorder	Diagnosis	ICD-10-CM
F95.8	Other tic disorders	Diagnosis	ICD-10-CM
F95.9	Tic disorder, unspecified	Diagnosis	ICD-10-CM
F98	Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence	Diagnosis	ICD-10-CM
F98.0	Enuresis not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F98.1	Encopresis not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F98.2	Other feeding disorders of infancy and childhood	Diagnosis	ICD-10-CM
F98.21	Rumination disorder of infancy	Diagnosis	ICD-10-CM
F98.3	Pica of infancy and childhood	Diagnosis	ICD-10-CM
F98.4	Stereotyped movement disorders	Diagnosis	ICD-10-CM
F98.5	Adult onset fluency disorder	Diagnosis	ICD-10-CM
F98.8	Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence	Diagnosis	ICD-10-CM
F98.9	Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence	Diagnosis	ICD-10-CM
V40.0	Problems with learning	Diagnosis	ICD-9-CM
V41.7	Problems with sexual function	Diagnosis	ICD-9-CM
Persistent Mental Disorders due to conditions classified elsewhere			
294	Persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
294.0	Amnestic disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
294.1	Dementia in conditions classified elsewhere	Diagnosis	ICD-9-CM
294.10	Dementia in conditions classified elsewhere without behavioral disturbance	Diagnosis	ICD-9-CM
294.11	Dementia in conditions classified elsewhere with behavioral disturbance	Diagnosis	ICD-9-CM
294.2	Dementia, unspecified	Diagnosis	ICD-9-CM
294.20	Dementia, unspecified, without behavioral disturbance	Diagnosis	ICD-9-CM
294.21	Dementia, unspecified, with behavioral disturbance	Diagnosis	ICD-9-CM
294.8	Other persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
294.9	Unspecified persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
F02.80	Dementia in other diseases classified elsewhere without behavioral disturbance	Diagnosis	ICD-10-CM
F02.81	Dementia in other diseases classified elsewhere with behavioral disturbance	Diagnosis	ICD-10-CM
F03.90	Unspecified dementia without behavioral disturbance	Diagnosis	ICD-10-CM
F03.91	Unspecified dementia with behavioral disturbance	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F04	Amnestic disorder due to known physiological condition	Diagnosis	ICD-10-CM
Personality Disorders			
301	Personality disorders	Diagnosis	ICD-9-CM
301.0	Paranoid personality disorder	Diagnosis	ICD-9-CM
301.1	Affective personality disorder	Diagnosis	ICD-9-CM
301.11	Chronic hypomanic personality disorder	Diagnosis	ICD-9-CM
301.12	Chronic depressive personality disorder	Diagnosis	ICD-9-CM
301.13	Cyclothymic disorder	Diagnosis	ICD-9-CM
301.2	Schizoid personality disorder	Diagnosis	ICD-9-CM
301.20	Schizoid personality disorder, unspecified	Diagnosis	ICD-9-CM
301.21	Introverted personality	Diagnosis	ICD-9-CM
301.22	Schizotypal personality disorder	Diagnosis	ICD-9-CM
301.3	Explosive personality disorder	Diagnosis	ICD-9-CM
301.4	Obsessive-compulsive personality disorder	Diagnosis	ICD-9-CM
301.5	Histrionic personality disorder	Diagnosis	ICD-9-CM
301.50	Histrionic personality disorder, unspecified	Diagnosis	ICD-9-CM
301.51	Chronic factitious illness with physical symptoms	Diagnosis	ICD-9-CM
301.59	Other histrionic personality disorder	Diagnosis	ICD-9-CM
301.6	Dependent personality disorder	Diagnosis	ICD-9-CM
301.7	Antisocial personality disorder	Diagnosis	ICD-9-CM
301.8	Other personality disorders	Diagnosis	ICD-9-CM
301.81	Narcissistic personality disorder	Diagnosis	ICD-9-CM
301.82	Avoidant personality disorder	Diagnosis	ICD-9-CM
301.83	Borderline personality disorder	Diagnosis	ICD-9-CM
301.84	Passive-aggressive personality	Diagnosis	ICD-9-CM
301.89	Other personality disorder	Diagnosis	ICD-9-CM
301.9	Unspecified personality disorder	Diagnosis	ICD-9-CM
F21	Schizotypal disorder	Diagnosis	ICD-10-CM
F34.0	Cyclothymic disorder	Diagnosis	ICD-10-CM
F60.0	Paranoid personality disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F60.2	Antisocial personality disorder	Diagnosis	ICD-10-CM
F60.3	Borderline personality disorder	Diagnosis	ICD-10-CM
F60.4	Histrionic personality disorder	Diagnosis	ICD-10-CM
F60.5	Obsessive-compulsive personality disorder	Diagnosis	ICD-10-CM
F60.6	Avoidant personality disorder	Diagnosis	ICD-10-CM
F60.81	Narcissistic personality disorder	Diagnosis	ICD-10-CM
F60.89	Other specific personality disorders	Diagnosis	ICD-10-CM
Pervasive Developmental Disorders			
299	Pervasive developmental disorders	Diagnosis	ICD-9-CM
299.0	Autistic disorder	Diagnosis	ICD-9-CM
299.00	Autistic disorder, current or active state	Diagnosis	ICD-9-CM
299.01	Autistic disorder, residual state	Diagnosis	ICD-9-CM
299.1	Childhood disintegrative disorder	Diagnosis	ICD-9-CM
299.10	Childhood disintegrative disorder, current or active state	Diagnosis	ICD-9-CM
299.11	Childhood disintegrative disorder, residual state	Diagnosis	ICD-9-CM
299.8	Other specified pervasive developmental disorders	Diagnosis	ICD-9-CM
299.80	Other specified pervasive developmental disorders, current or active state	Diagnosis	ICD-9-CM
299.81	Other specified pervasive developmental disorders, residual state	Diagnosis	ICD-9-CM
299.9	Unspecified pervasive developmental disorder	Diagnosis	ICD-9-CM
299.90	Unspecified pervasive developmental disorder, current or active state	Diagnosis	ICD-9-CM
299.91	Unspecified pervasive developmental disorder, residual state	Diagnosis	ICD-9-CM
F84.0	Autistic disorder	Diagnosis	ICD-10-CM
F84.3	Other childhood disintegrative disorder	Diagnosis	ICD-10-CM
F84.5	Asperger's syndrome	Diagnosis	ICD-10-CM
F84.8	Other pervasive developmental disorders	Diagnosis	ICD-10-CM
F84.9	Pervasive developmental disorder, unspecified	Diagnosis	ICD-10-CM
Post-traumatic Stress Disorder			
309.81	Posttraumatic stress disorder	Diagnosis	ICD-9-CM
F43.10	Post-traumatic stress disorder, unspecified	Diagnosis	ICD-10-CM
F43.11	Post-traumatic stress disorder, acute	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F43.12	Post-traumatic stress disorder, chronic	Diagnosis	ICD-10-CM
Psychotherapy			
8EOZXY5	Meditation	Procedure	ICD-10-PCS
90810	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient;	Procedure	CPT-4
90811	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90812	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient;	Procedure	CPT-4
90813	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90814	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient;	Procedure	CPT-4
90815	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90823	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient;	Procedure	CPT-4
90824	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90826	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient;	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
90827	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90828	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient;	Procedure	CPT-4
90829	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90832	Psychotherapy, 30 minutes with patient	Procedure	CPT-4
90833	Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	Procedure	CPT-4
90834	Psychotherapy, 45 minutes with patient	Procedure	CPT-4
90836	Psychotherapy, 45 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	Procedure	CPT-4
90837	Psychotherapy, 60 minutes with patient	Procedure	CPT-4
90838	Psychotherapy, 60 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	Procedure	CPT-4
90839	Psychotherapy for crisis; first 60 minutes	Procedure	CPT-4
90840	Psychotherapy for crisis; each additional 30 minutes (List separately in addition to code for primary service)	Procedure	CPT-4
90845	Psychoanalysis	Procedure	CPT-4
90853	Group psychotherapy (other than of a multiple-family group)	Procedure	CPT-4
90857	Interactive group psychotherapy	Procedure	CPT-4
94.31	Psychoanalysis	Procedure	ICD-9-CM
94.32	Hypnotherapy	Procedure	ICD-9-CM
94.33	Behavior therapy	Procedure	ICD-9-CM
94.35	Crisis intervention	Procedure	ICD-9-CM
94.36	Play psychotherapy	Procedure	ICD-9-CM
94.37	Exploratory verbal psychotherapy	Procedure	ICD-9-CM
94.38	Supportive verbal psychotherapy	Procedure	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
94.39	Other individual psychotherapy	Procedure	ICD-9-CM
94.43	Psychodrama	Procedure	ICD-9-CM
94.44	Other group therapy	Procedure	ICD-9-CM
GZ2ZZZ	Crisis Intervention	Procedure	ICD-10-PCS
GZ50ZZ	Individual Psychotherapy, Interactive	Procedure	ICD-10-PCS
GZ51ZZ	Individual Psychotherapy, Behavioral	Procedure	ICD-10-PCS
GZ52ZZ	Individual Psychotherapy, Cognitive	Procedure	ICD-10-PCS
GZ53ZZ	Individual Psychotherapy, Interpersonal	Procedure	ICD-10-PCS
GZ54ZZ	Individual Psychotherapy, Psychoanalysis	Procedure	ICD-10-PCS
GZ55ZZ	Individual Psychotherapy, Psychodynamic	Procedure	ICD-10-PCS
GZ56ZZ	Individual Psychotherapy, Supportive	Procedure	ICD-10-PCS
GZ58ZZ	Individual Psychotherapy, Cognitive-Behavioral	Procedure	ICD-10-PCS
GZC9ZZ	Biofeedback	Procedure	ICD-10-PCS
GZFZZZ	Hypnosis	Procedure	ICD-10-PCS
GZHZZZ	Group Psychotherapy	Procedure	ICD-10-PCS
Psychotic Conditions			
290.8	Other specified senile psychotic conditions	Diagnosis	ICD-9-CM
290.9	Unspecified senile psychotic condition	Diagnosis	ICD-9-CM
297	Delusional disorders	Diagnosis	ICD-9-CM
297.0	Paranoid state, simple	Diagnosis	ICD-9-CM
297.1	Delusional disorder	Diagnosis	ICD-9-CM
297.2	Paraphrenia	Diagnosis	ICD-9-CM
297.3	Shared psychotic disorder	Diagnosis	ICD-9-CM
297.8	Other specified paranoid states	Diagnosis	ICD-9-CM
297.9	Unspecified paranoid state	Diagnosis	ICD-9-CM
298	Other nonorganic psychoses	Diagnosis	ICD-9-CM
298.0	Depressive type psychosis	Diagnosis	ICD-9-CM
298.1	Excitatory type psychosis	Diagnosis	ICD-9-CM
298.2	Reactive confusion	Diagnosis	ICD-9-CM
298.3	Acute paranoid reaction	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
298.4	Psychogenic paranoid psychosis	Diagnosis	ICD-9-CM
298.8	Other and unspecified reactive psychosis	Diagnosis	ICD-9-CM
298.9	Unspecified psychosis	Diagnosis	ICD-9-CM
F24	Shared psychotic disorder	Diagnosis	ICD-10-CM
F28	Other psychotic disorder not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F29	Unspecified psychosis not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F44.89	Other dissociative and conversion disorders	Diagnosis	ICD-10-CM
Schizophrenia			
295	Schizophrenic disorders	Diagnosis	ICD-9-CM
295.0	Simple type schizophrenia	Diagnosis	ICD-9-CM
295.00	Simple schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.01	Simple schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.02	Simple schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.03	Simple schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.04	Simple schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.05	Simple schizophrenia, in remission	Diagnosis	ICD-9-CM
295.1	Disorganized type schizophrenia	Diagnosis	ICD-9-CM
295.10	Disorganized schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.11	Disorganized schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.12	Disorganized schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.13	Disorganized schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.14	Disorganized schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.15	Disorganized schizophrenia, in remission	Diagnosis	ICD-9-CM
295.2	Catatonic type schizophrenia	Diagnosis	ICD-9-CM
295.20	Catatonic schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.21	Catatonic schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.22	Catatonic schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.23	Catatonic schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.24	Catatonic schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.25	Catatonic schizophrenia, in remission	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
295.3	Paranoid type schizophrenia	Diagnosis	ICD-9-CM
295.30	Paranoid schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.31	Paranoid schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.32	Paranoid schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.33	Paranoid schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.34	Paranoid schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.35	Paranoid schizophrenia, in remission	Diagnosis	ICD-9-CM
295.4	Schizophreniform disorder	Diagnosis	ICD-9-CM
295.40	Schizophreniform disorder, unspecified	Diagnosis	ICD-9-CM
295.41	Schizophreniform disorder, subchronic	Diagnosis	ICD-9-CM
295.42	Schizophreniform disorder, chronic	Diagnosis	ICD-9-CM
295.43	Schizophreniform disorder, subchronic with acute exacerbation	Diagnosis	ICD-9-CM
295.44	Schizophreniform disorder, chronic with acute exacerbation	Diagnosis	ICD-9-CM
295.45	Schizophreniform disorder, in remission	Diagnosis	ICD-9-CM
295.5	Latent schizophrenia	Diagnosis	ICD-9-CM
295.50	Latent schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.51	Latent schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.52	Latent schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.53	Latent schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.54	Latent schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.55	Latent schizophrenia, in remission	Diagnosis	ICD-9-CM
295.6	Schizophrenic disorders, residual type	Diagnosis	ICD-9-CM
295.60	Schizophrenic disorders, residual type, unspecified	Diagnosis	ICD-9-CM
295.61	Schizophrenic disorders, residual type, subchronic	Diagnosis	ICD-9-CM
295.62	Schizophrenic disorders, residual type, chronic	Diagnosis	ICD-9-CM
295.63	Schizophrenic disorders, residual type, subchronic with acute exacerbation	Diagnosis	ICD-9-CM
295.64	Schizophrenic disorders, residual type, chronic with acute exacerbation	Diagnosis	ICD-9-CM
295.65	Schizophrenic disorders, residual type, in remission	Diagnosis	ICD-9-CM
295.7	Schizoaffective disorder	Diagnosis	ICD-9-CM
295.70	Schizoaffective disorder, unspecified	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
295.71	Schizoaffective disorder, subchronic	Diagnosis	ICD-9-CM
295.72	Schizoaffective disorder, chronic	Diagnosis	ICD-9-CM
295.73	Schizoaffective disorder, subchronic with acute exacerbation	Diagnosis	ICD-9-CM
295.74	Schizoaffective disorder, chronic with acute exacerbation	Diagnosis	ICD-9-CM
295.75	Schizoaffective disorder, in remission	Diagnosis	ICD-9-CM
295.8	Other specified types of schizophrenia	Diagnosis	ICD-9-CM
295.80	Other specified types of schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.81	Other specified types of schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.82	Other specified types of schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.83	Other specified types of schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.84	Other specified types of schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.85	Other specified types of schizophrenia, in remission	Diagnosis	ICD-9-CM
295.9	Unspecified schizophrenia	Diagnosis	ICD-9-CM
295.90	Unspecified schizophrenia, unspecified condition	Diagnosis	ICD-9-CM
295.91	Unspecified schizophrenia, subchronic condition	Diagnosis	ICD-9-CM
295.92	Unspecified schizophrenia, chronic condition	Diagnosis	ICD-9-CM
295.93	Unspecified schizophrenia, subchronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.94	Unspecified schizophrenia, chronic condition with acute exacerbation	Diagnosis	ICD-9-CM
295.95	Unspecified schizophrenia, in remission	Diagnosis	ICD-9-CM
F20.0	Paranoid schizophrenia	Diagnosis	ICD-10-CM
F20.1	Disorganized schizophrenia	Diagnosis	ICD-10-CM
F20.2	Catatonic schizophrenia	Diagnosis	ICD-10-CM
F20.3	Undifferentiated schizophrenia	Diagnosis	ICD-10-CM
F20.5	Residual schizophrenia	Diagnosis	ICD-10-CM
F20.81	Schizophreniform disorder	Diagnosis	ICD-10-CM
F20.89	Other schizophrenia	Diagnosis	ICD-10-CM
F20.9	Schizophrenia, unspecified	Diagnosis	ICD-10-CM
F25.0	Schizoaffective disorder, bipolar type	Diagnosis	ICD-10-CM
F25.1	Schizoaffective disorder, depressive type	Diagnosis	ICD-10-CM
F25.8	Other schizoaffective disorders	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F25.9	Schizoaffective disorder, unspecified	Diagnosis	ICD-10-CM
Sleep Disorder			
307.4	Specific disorders of sleep of nonorganic origin	Diagnosis	ICD-9-CM
307.40	Nonorganic sleep disorder, unspecified	Diagnosis	ICD-9-CM
307.41	Transient disorder of initiating or maintaining sleep	Diagnosis	ICD-9-CM
307.42	Persistent disorder of initiating or maintaining sleep	Diagnosis	ICD-9-CM
307.43	Transient disorder of initiating or maintaining wakefulness	Diagnosis	ICD-9-CM
307.44	Persistent disorder of initiating or maintaining wakefulness	Diagnosis	ICD-9-CM
307.45	Circadian rhythm sleep disorder of nonorganic origin	Diagnosis	ICD-9-CM
307.46	Sleep arousal disorder	Diagnosis	ICD-9-CM
307.47	Other dysfunctions of sleep stages or arousal from sleep	Diagnosis	ICD-9-CM
307.48	Repetitive intrusions of sleep	Diagnosis	ICD-9-CM
307.49	Other specific disorder of sleep of nonorganic origin	Diagnosis	ICD-9-CM
327	Organic sleep disorders	Diagnosis	ICD-9-CM
327.0	Organic disorders of initiating and maintaining sleep [Organic insomnia]	Diagnosis	ICD-9-CM
327.00	Organic insomnia, unspecified	Diagnosis	ICD-9-CM
327.01	Insomnia due to medical condition classified elsewhere	Diagnosis	ICD-9-CM
327.02	Insomnia due to mental disorder	Diagnosis	ICD-9-CM
327.09	Other organic insomnia	Diagnosis	ICD-9-CM
327.1	Organic disorders of excessive somnolence [Organic hypersomnia]	Diagnosis	ICD-9-CM
327.10	Organic hypersomnia, unspecified	Diagnosis	ICD-9-CM
327.11	Idiopathic hypersomnia with long sleep time	Diagnosis	ICD-9-CM
327.12	Idiopathic hypersomnia without long sleep time	Diagnosis	ICD-9-CM
327.13	Recurrent hypersomnia	Diagnosis	ICD-9-CM
327.14	Hypersomnia due to medical condition classified elsewhere	Diagnosis	ICD-9-CM
327.15	Hypersomnia due to mental disorder	Diagnosis	ICD-9-CM
327.19	Other organic hypersomnia	Diagnosis	ICD-9-CM
327.2	Organic sleep apnea	Diagnosis	ICD-9-CM
327.20	Organic sleep apnea, unspecified	Diagnosis	ICD-9-CM
327.21	Primary central sleep apnea	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
327.23	Obstructive sleep apnea (adult) (pediatric)	Diagnosis	ICD-9-CM
327.24	Idiopathic sleep related nonobstructive alveolar hypoventilation	Diagnosis	ICD-9-CM
327.25	Congenital central alveolar hypoventilation syndrome	Diagnosis	ICD-9-CM
327.26	Sleep related hypoventilation/hypoxemia in conditions classifiable elsewhere	Diagnosis	ICD-9-CM
327.27	Central sleep apnea in conditions classified elsewhere	Diagnosis	ICD-9-CM
327.29	Other organic sleep apnea	Diagnosis	ICD-9-CM
327.3	Circadian rhythm sleep disorder	Diagnosis	ICD-9-CM
327.30	Circadian rhythm sleep disorder, unspecified	Diagnosis	ICD-9-CM
327.31	Circadian rhythm sleep disorder, delayed sleep phase type	Diagnosis	ICD-9-CM
327.32	Circadian rhythm sleep disorder, advanced sleep phase type	Diagnosis	ICD-9-CM
327.33	Circadian rhythm sleep disorder, irregular sleep-wake type	Diagnosis	ICD-9-CM
327.34	Circadian rhythm sleep disorder, free-running type	Diagnosis	ICD-9-CM
327.35	Circadian rhythm sleep disorder, jet lag type	Diagnosis	ICD-9-CM
327.36	Circadian rhythm sleep disorder, shift work type	Diagnosis	ICD-9-CM
327.37	Circadian rhythm sleep disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
327.39	Other circadian rhythm sleep disorder	Diagnosis	ICD-9-CM
327.4	Organic parasomnia	Diagnosis	ICD-9-CM
327.40	Organic parasomnia, unspecified	Diagnosis	ICD-9-CM
327.41	Confusional arousals	Diagnosis	ICD-9-CM
327.42	REM sleep behavior disorder	Diagnosis	ICD-9-CM
327.43	Recurrent isolated sleep paralysis	Diagnosis	ICD-9-CM
327.44	Parasomnia in conditions classified elsewhere	Diagnosis	ICD-9-CM
327.49	Other organic parasomnia	Diagnosis	ICD-9-CM
327.5	Organic sleep related movement disorders	Diagnosis	ICD-9-CM
327.51	Periodic limb movement disorder	Diagnosis	ICD-9-CM
327.52	Sleep related leg cramps	Diagnosis	ICD-9-CM
327.53	Sleep related bruxism	Diagnosis	ICD-9-CM
327.59	Other organic sleep related movement disorders	Diagnosis	ICD-9-CM
327.8	Other organic sleep disorders	Diagnosis	ICD-9-CM
347	Cataplexy and narcolepsy	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
347.0	Narcolepsy	Diagnosis	ICD-9-CM
347.00	Narcolepsy, without cataplexy	Diagnosis	ICD-9-CM
347.01	Narcolepsy, with cataplexy	Diagnosis	ICD-9-CM
347.1	Narcolepsy in conditions classified elsewhere	Diagnosis	ICD-9-CM
347.10	Narcolepsy in conditions classified elsewhere, without cataplexy	Diagnosis	ICD-9-CM
347.11	Narcolepsy in conditions classified elsewhere, with cataplexy	Diagnosis	ICD-9-CM
780.5	Sleep disturbances	Diagnosis	ICD-9-CM
780.50	Unspecified sleep disturbance	Diagnosis	ICD-9-CM
780.51	Insomnia with sleep apnea, unspecified	Diagnosis	ICD-9-CM
780.52	Insomnia, unspecified	Diagnosis	ICD-9-CM
780.53	Hypersomnia with sleep apnea, unspecified	Diagnosis	ICD-9-CM
780.54	Hypersomnia, unspecified	Diagnosis	ICD-9-CM
780.55	Disruption of 24 hour sleep wake cycle, unspecified	Diagnosis	ICD-9-CM
780.56	Dysfunctions associated with sleep stages or arousal from sleep	Diagnosis	ICD-9-CM
780.57	Unspecified sleep apnea	Diagnosis	ICD-9-CM
780.58	Sleep related movement disorder, unspecified	Diagnosis	ICD-9-CM
780.59	Other sleep disturbances	Diagnosis	ICD-9-CM
F51	Sleep disorders not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.0	Insomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.01	Primary insomnia	Diagnosis	ICD-10-CM
F51.02	Adjustment insomnia	Diagnosis	ICD-10-CM
F51.03	Paradoxical insomnia	Diagnosis	ICD-10-CM
F51.04	Psychophysiologic insomnia	Diagnosis	ICD-10-CM
F51.05	Insomnia due to other mental disorder	Diagnosis	ICD-10-CM
F51.09	Other insomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.1	Hypersomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.11	Primary hypersomnia	Diagnosis	ICD-10-CM
F51.12	Insufficient sleep syndrome	Diagnosis	ICD-10-CM
F51.13	Hypersomnia due to other mental disorder	Diagnosis	ICD-10-CM
F51.19	Other hypersomnia not due to a substance or known physiological condition	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F51.3	Sleepwalking [somnambulism]	Diagnosis	ICD-10-CM
F51.4	Sleep terrors [night terrors]	Diagnosis	ICD-10-CM
F51.5	Nightmare disorder	Diagnosis	ICD-10-CM
F51.8	Other sleep disorders not due to a substance or known physiological condition	Diagnosis	ICD-10-CM
F51.9	Sleep disorder not due to a substance or known physiological condition, unspecified	Diagnosis	ICD-10-CM
G47	Sleep disorders	Diagnosis	ICD-10-CM
G47.0	Insomnia	Diagnosis	ICD-10-CM
G47.00	Insomnia, unspecified	Diagnosis	ICD-10-CM
G47.01	Insomnia due to medical condition	Diagnosis	ICD-10-CM
G47.09	Other insomnia	Diagnosis	ICD-10-CM
G47.1	Hypersomnia	Diagnosis	ICD-10-CM
G47.10	Hypersomnia, unspecified	Diagnosis	ICD-10-CM
G47.11	Idiopathic hypersomnia with long sleep time	Diagnosis	ICD-10-CM
G47.12	Idiopathic hypersomnia without long sleep time	Diagnosis	ICD-10-CM
G47.13	Recurrent hypersomnia	Diagnosis	ICD-10-CM
G47.14	Hypersomnia due to medical condition	Diagnosis	ICD-10-CM
G47.19	Other hypersomnia	Diagnosis	ICD-10-CM
G47.2	Circadian rhythm sleep disorders	Diagnosis	ICD-10-CM
G47.20	Circadian rhythm sleep disorder, unspecified type	Diagnosis	ICD-10-CM
G47.21	Circadian rhythm sleep disorder, delayed sleep phase type	Diagnosis	ICD-10-CM
G47.22	Circadian rhythm sleep disorder, advanced sleep phase type	Diagnosis	ICD-10-CM
G47.23	Circadian rhythm sleep disorder, irregular sleep wake type	Diagnosis	ICD-10-CM
G47.24	Circadian rhythm sleep disorder, free running type	Diagnosis	ICD-10-CM
G47.25	Circadian rhythm sleep disorder, jet lag type	Diagnosis	ICD-10-CM
G47.26	Circadian rhythm sleep disorder, shift work type	Diagnosis	ICD-10-CM
G47.27	Circadian rhythm sleep disorder in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.29	Other circadian rhythm sleep disorder	Diagnosis	ICD-10-CM
G47.3	Sleep apnea	Diagnosis	ICD-10-CM
G47.30	Sleep apnea, unspecified	Diagnosis	ICD-10-CM
G47.31	Primary central sleep apnea	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G47.33	Obstructive sleep apnea (adult) (pediatric)	Diagnosis	ICD-10-CM
G47.34	Idiopathic sleep related nonobstructive alveolar hypoventilation	Diagnosis	ICD-10-CM
G47.35	Congenital central alveolar hypoventilation syndrome	Diagnosis	ICD-10-CM
G47.36	Sleep related hypoventilation in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.37	Central sleep apnea in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.39	Other sleep apnea	Diagnosis	ICD-10-CM
G47.4	Narcolepsy and cataplexy	Diagnosis	ICD-10-CM
G47.41	Narcolepsy	Diagnosis	ICD-10-CM
G47.411	Narcolepsy with cataplexy	Diagnosis	ICD-10-CM
G47.419	Narcolepsy without cataplexy	Diagnosis	ICD-10-CM
G47.42	Narcolepsy in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.421	Narcolepsy in conditions classified elsewhere with cataplexy	Diagnosis	ICD-10-CM
G47.429	Narcolepsy in conditions classified elsewhere without cataplexy	Diagnosis	ICD-10-CM
G47.5	Parasomnia	Diagnosis	ICD-10-CM
G47.50	Parasomnia, unspecified	Diagnosis	ICD-10-CM
G47.51	Confusional arousals	Diagnosis	ICD-10-CM
G47.52	REM sleep behavior disorder	Diagnosis	ICD-10-CM
G47.53	Recurrent isolated sleep paralysis	Diagnosis	ICD-10-CM
G47.54	Parasomnia in conditions classified elsewhere	Diagnosis	ICD-10-CM
G47.59	Other parasomnia	Diagnosis	ICD-10-CM
G47.6	Sleep related movement disorders	Diagnosis	ICD-10-CM
G47.61	Periodic limb movement disorder	Diagnosis	ICD-10-CM
G47.62	Sleep related leg cramps	Diagnosis	ICD-10-CM
G47.63	Sleep related bruxism	Diagnosis	ICD-10-CM
G47.69	Other sleep related movement disorders	Diagnosis	ICD-10-CM
G47.8	Other sleep disorders	Diagnosis	ICD-10-CM
G47.9	Sleep disorder, unspecified	Diagnosis	ICD-10-CM
Substance Abuse			
291	Alcohol-induced mental disorders	Diagnosis	ICD-9-CM
291.0	Alcohol withdrawal delirium	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
291.1	Alcohol-induced persisting amnestic disorder	Diagnosis	ICD-9-CM
291.2	Alcohol-induced persisting dementia	Diagnosis	ICD-9-CM
291.3	Alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-9-CM
291.4	Idiosyncratic alcohol intoxication	Diagnosis	ICD-9-CM
291.5	Alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-9-CM
291.8	Other specified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
291.81	Alcohol withdrawal	Diagnosis	ICD-9-CM
291.82	Alcohol induced sleep disorders	Diagnosis	ICD-9-CM
291.89	Other specified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
291.9	Unspecified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
292	Drug-induced mental disorders	Diagnosis	ICD-9-CM
292.0	Drug withdrawal	Diagnosis	ICD-9-CM
292.1	Drug-induced psychotic disorder	Diagnosis	ICD-9-CM
292.11	Drug-induced psychotic disorder with delusions	Diagnosis	ICD-9-CM
292.12	Drug-induced psychotic disorder with hallucinations	Diagnosis	ICD-9-CM
292.2	Pathological drug intoxication	Diagnosis	ICD-9-CM
292.8	Other specified drug-induced mental disorders	Diagnosis	ICD-9-CM
292.82	Drug-induced persisting dementia	Diagnosis	ICD-9-CM
292.83	Drug-induced persisting amnestic disorder	Diagnosis	ICD-9-CM
292.84	Drug-induced mood disorder	Diagnosis	ICD-9-CM
292.85	Drug induced sleep disorders	Diagnosis	ICD-9-CM
292.89	Other specified drug-induced mental disorder	Diagnosis	ICD-9-CM
292.9	Unspecified drug-induced mental disorder	Diagnosis	ICD-9-CM
303	Alcohol dependence syndrome	Diagnosis	ICD-9-CM
303.0	Acute alcoholic intoxication	Diagnosis	ICD-9-CM
303.00	Acute alcoholic intoxication, unspecified	Diagnosis	ICD-9-CM
303.01	Acute alcoholic intoxication, continuous	Diagnosis	ICD-9-CM
303.02	Acute alcoholic intoxication, episodic	Diagnosis	ICD-9-CM
303.03	Acute alcoholic intoxication, in remission	Diagnosis	ICD-9-CM
303.9	Other and unspecified alcohol dependence	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
303.90	Other and unspecified alcohol dependence, unspecified	Diagnosis	ICD-9-CM
303.91	Other and unspecified alcohol dependence, continuous	Diagnosis	ICD-9-CM
303.92	Other and unspecified alcohol dependence, episodic	Diagnosis	ICD-9-CM
303.93	Other and unspecified alcohol dependence, in remission	Diagnosis	ICD-9-CM
304	Drug dependence	Diagnosis	ICD-9-CM
304.0	Opioid type dependence	Diagnosis	ICD-9-CM
304.00	Opioid type dependence, unspecified	Diagnosis	ICD-9-CM
304.01	Opioid type dependence, continuous	Diagnosis	ICD-9-CM
304.02	Opioid type dependence, episodic	Diagnosis	ICD-9-CM
304.03	Opioid type dependence, in remission	Diagnosis	ICD-9-CM
304.1	Sedative, hypnotic or anxiolytic dependence	Diagnosis	ICD-9-CM
304.10	Sedative, hypnotic or anxiolytic dependence, unspecified	Diagnosis	ICD-9-CM
304.11	Sedative, hypnotic or anxiolytic dependence, continuous	Diagnosis	ICD-9-CM
304.12	Sedative, hypnotic or anxiolytic dependence, episodic	Diagnosis	ICD-9-CM
304.13	Sedative, hypnotic or anxiolytic dependence, in remission	Diagnosis	ICD-9-CM
304.2	Cocaine dependence	Diagnosis	ICD-9-CM
304.20	Cocaine dependence, unspecified	Diagnosis	ICD-9-CM
304.21	Cocaine dependence, continuous	Diagnosis	ICD-9-CM
304.22	Cocaine dependence, episodic	Diagnosis	ICD-9-CM
304.23	Cocaine dependence, in remission	Diagnosis	ICD-9-CM
304.3	Cannabis dependence	Diagnosis	ICD-9-CM
304.30	Cannabis dependence, unspecified	Diagnosis	ICD-9-CM
304.31	Cannabis dependence, continuous	Diagnosis	ICD-9-CM
304.32	Cannabis dependence, episodic	Diagnosis	ICD-9-CM
304.33	Cannabis dependence, in remission	Diagnosis	ICD-9-CM
304.4	Amphetamine and other psychostimulant dependence	Diagnosis	ICD-9-CM
304.40	Amphetamine and other psychostimulant dependence, unspecified	Diagnosis	ICD-9-CM
304.41	Amphetamine and other psychostimulant dependence, continuous	Diagnosis	ICD-9-CM
304.42	Amphetamine and other psychostimulant dependence, episodic	Diagnosis	ICD-9-CM
304.43	Amphetamine and other psychostimulant dependence, in remission	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
304.5	Hallucinogen dependence	Diagnosis	ICD-9-CM
304.50	Hallucinogen dependence, unspecified	Diagnosis	ICD-9-CM
304.51	Hallucinogen dependence, continuous	Diagnosis	ICD-9-CM
304.52	Hallucinogen dependence, episodic	Diagnosis	ICD-9-CM
304.53	Hallucinogen dependence, in remission	Diagnosis	ICD-9-CM
304.6	Other specified drug dependence	Diagnosis	ICD-9-CM
304.60	Other specified drug dependence, unspecified	Diagnosis	ICD-9-CM
304.61	Other specified drug dependence, continuous	Diagnosis	ICD-9-CM
304.62	Other specified drug dependence, episodic	Diagnosis	ICD-9-CM
304.63	Other specified drug dependence, in remission	Diagnosis	ICD-9-CM
304.7	Combinations of opioid type drug with any other drug dependence	Diagnosis	ICD-9-CM
304.70	Combinations of opioid type drug with any other drug dependence, unspecified	Diagnosis	ICD-9-CM
304.71	Combinations of opioid type drug with any other drug dependence, continuous	Diagnosis	ICD-9-CM
304.72	Combinations of opioid type drug with any other drug dependence, episodic	Diagnosis	ICD-9-CM
304.73	Combinations of opioid type drug with any other drug dependence, in remission	Diagnosis	ICD-9-CM
304.8	Combinations of drug dependence excluding opioid type drug	Diagnosis	ICD-9-CM
304.80	Combinations of drug dependence excluding opioid type drug, unspecified	Diagnosis	ICD-9-CM
304.81	Combinations of drug dependence excluding opioid type drug, continuous	Diagnosis	ICD-9-CM
304.82	Combinations of drug dependence excluding opioid type drug, episodic	Diagnosis	ICD-9-CM
304.83	Combinations of drug dependence excluding opioid type drug, in remission	Diagnosis	ICD-9-CM
304.9	Unspecified drug dependence	Diagnosis	ICD-9-CM
304.90	Unspecified drug dependence, unspecified	Diagnosis	ICD-9-CM
304.91	Unspecified drug dependence, continuous	Diagnosis	ICD-9-CM
304.92	Unspecified drug dependence, episodic	Diagnosis	ICD-9-CM
304.93	Unspecified drug dependence, in remission	Diagnosis	ICD-9-CM
305	Nondependent abuse of drugs	Diagnosis	ICD-9-CM
305.0	Nondependent alcohol abuse	Diagnosis	ICD-9-CM
305.00	Nondependent alcohol abuse, unspecified	Diagnosis	ICD-9-CM
305.01	Nondependent alcohol abuse, continuous	Diagnosis	ICD-9-CM
305.02	Nondependent alcohol abuse, episodic	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
305.03	Nondependent alcohol abuse, in remission	Diagnosis	ICD-9-CM
305.2	Nondependent cannabis abuse	Diagnosis	ICD-9-CM
305.20	Nondependent cannabis abuse, unspecified	Diagnosis	ICD-9-CM
305.21	Nondependent cannabis abuse, continuous	Diagnosis	ICD-9-CM
305.22	Nondependent cannabis abuse, episodic	Diagnosis	ICD-9-CM
305.23	Nondependent cannabis abuse, in remission	Diagnosis	ICD-9-CM
305.3	Nondependent hallucinogen abuse	Diagnosis	ICD-9-CM
305.30	Nondependent hallucinogen abuse, unspecified	Diagnosis	ICD-9-CM
305.31	Nondependent hallucinogen abuse, continuous	Diagnosis	ICD-9-CM
305.32	Nondependent hallucinogen abuse, episodic	Diagnosis	ICD-9-CM
305.33	Nondependent hallucinogen abuse, in remission	Diagnosis	ICD-9-CM
305.4	Nondependent sedative, hypnotic or anxiolytic abuse	Diagnosis	ICD-9-CM
305.40	Nondependent sedative, hypnotic or anxiolytic abuse, unspecified	Diagnosis	ICD-9-CM
305.41	Nondependent sedative hypnotic or anxiolytic abuse, continuous	Diagnosis	ICD-9-CM
305.42	Nondependent sedative, hypnotic or anxiolytic abuse, episodic	Diagnosis	ICD-9-CM
305.43	Nondependent sedative, hypnotic or anxiolytic abuse, in remission	Diagnosis	ICD-9-CM
305.5	Nondependent opioid abuse	Diagnosis	ICD-9-CM
305.50	Nondependent opioid abuse, unspecified	Diagnosis	ICD-9-CM
305.51	Nondependent opioid abuse, continuous	Diagnosis	ICD-9-CM
305.52	Nondependent opioid abuse, episodic	Diagnosis	ICD-9-CM
305.53	Nondependent opioid abuse, in remission	Diagnosis	ICD-9-CM
305.6	Nondependent cocaine abuse	Diagnosis	ICD-9-CM
305.60	Nondependent cocaine abuse, unspecified	Diagnosis	ICD-9-CM
305.61	Nondependent cocaine abuse, continuous	Diagnosis	ICD-9-CM
305.62	Nondependent cocaine abuse, episodic	Diagnosis	ICD-9-CM
305.63	Nondependent cocaine abuse, in remission	Diagnosis	ICD-9-CM
305.7	Nondependent amphetamine or related acting sympathomimetic abuse	Diagnosis	ICD-9-CM
305.70	Nondependent amphetamine or related acting sympathomimetic abuse, unspecified	Diagnosis	ICD-9-CM
305.71	Nondependent amphetamine or related acting sympathomimetic abuse, continuous	Diagnosis	ICD-9-CM
305.72	Nondependent amphetamine or related acting sympathomimetic abuse, episodic	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
305.73	Nondependent amphetamine or related acting sympathomimetic abuse, in remission	Diagnosis	ICD-9-CM
305.8	Nondependent antidepressant type abuse	Diagnosis	ICD-9-CM
305.80	Nondependent antidepressant type abuse, unspecified	Diagnosis	ICD-9-CM
305.81	Nondependent antidepressant type abuse, continuous	Diagnosis	ICD-9-CM
305.82	Nondependent antidepressant type abuse, episodic	Diagnosis	ICD-9-CM
305.83	Nondependent antidepressant type abuse, in remission	Diagnosis	ICD-9-CM
305.9	Other, mixed, or unspecified nondependent drug abuse	Diagnosis	ICD-9-CM
305.90	Other, mixed, or unspecified nondependent drug abuse, unspecified	Diagnosis	ICD-9-CM
305.91	Other, mixed, or unspecified nondependent drug abuse, continuous	Diagnosis	ICD-9-CM
305.92	Other, mixed, or unspecified nondependent drug abuse, episodic	Diagnosis	ICD-9-CM
305.93	Other, mixed, or unspecified nondependent drug abuse, in remission	Diagnosis	ICD-9-CM
357.5	Alcoholic polyneuropathy	Diagnosis	ICD-9-CM
425.5	Alcoholic cardiomyopathy	Diagnosis	ICD-9-CM
4320F	Patient counseled regarding psychosocial and pharmacologic treatment options for alcohol dependence (SUD)	Procedure	CPT-2
535.3	Alcoholic gastritis	Diagnosis	ICD-9-CM
535.30	Alcoholic gastritis without mention of hemorrhage	Diagnosis	ICD-9-CM
535.31	Alcoholic gastritis with hemorrhage	Diagnosis	ICD-9-CM
571.0	Alcoholic fatty liver	Diagnosis	ICD-9-CM
571.1	Acute alcoholic hepatitis	Diagnosis	ICD-9-CM
571.2	Alcoholic cirrhosis of liver	Diagnosis	ICD-9-CM
571.3	Unspecified alcoholic liver damage	Diagnosis	ICD-9-CM
94.46	Alcoholism counseling	Procedure	ICD-9-CM
94.53	Referral for alcoholism rehabilitation	Procedure	ICD-9-CM
94.6	Alcohol and drug rehabilitation and detoxification	Procedure	ICD-9-CM
94.61	Alcohol rehabilitation	Procedure	ICD-9-CM
94.62	Alcohol detoxification	Procedure	ICD-9-CM
94.63	Alcohol rehabilitation and detoxification	Procedure	ICD-9-CM
94.67	Combined alcohol and drug rehabilitation	Procedure	ICD-9-CM
94.68	Combined alcohol and drug detoxification	Procedure	ICD-9-CM
94.69	Combined alcohol and drug rehabilitation and detoxification	Procedure	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F10.10	Alcohol abuse, uncomplicated	Diagnosis	ICD-10-CM
F10.11	Alcohol abuse, in remission	Diagnosis	ICD-10-CM
F10.120	Alcohol abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.129	Alcohol abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.14	Alcohol abuse with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.180	Alcohol abuse with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.181	Alcohol abuse with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.182	Alcohol abuse with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.188	Alcohol abuse with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.19	Alcohol abuse with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.20	Alcohol dependence, uncomplicated	Diagnosis	ICD-10-CM
F10.21	Alcohol dependence, in remission	Diagnosis	ICD-10-CM
F10.220	Alcohol dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.221	Alcohol dependence with intoxication delirium	Diagnosis	ICD-10-CM
F10.229	Alcohol dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.230	Alcohol dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F10.231	Alcohol dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F10.232	Alcohol dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F10.239	Alcohol dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F10.24	Alcohol dependence with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.26	Alcohol dependence with alcohol-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F10.27	Alcohol dependence with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10.280	Alcohol dependence with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F10.282	Alcohol dependence with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.288	Alcohol dependence with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.29	Alcohol dependence with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.920	Alcohol use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.921	Alcohol use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F10.929	Alcohol use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.94	Alcohol use, unspecified with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10.980	Alcohol use, unspecified with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.982	Alcohol use, unspecified with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.988	Alcohol use, unspecified with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.99	Alcohol use, unspecified with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F11.10	Opioid abuse, uncomplicated	Diagnosis	ICD-10-CM
F11.11	Opioid abuse, in remission	Diagnosis	ICD-10-CM
F11.120	Opioid abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.121	Opioid abuse with intoxication delirium	Diagnosis	ICD-10-CM
F11.122	Opioid abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.129	Opioid abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.14	Opioid abuse with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.181	Opioid abuse with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.182	Opioid abuse with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.188	Opioid abuse with other opioid-induced disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F11.19	Opioid abuse with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.20	Opioid dependence, uncomplicated	Diagnosis	ICD-10-CM
F11.21	Opioid dependence, in remission	Diagnosis	ICD-10-CM
F11.220	Opioid dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.221	Opioid dependence with intoxication delirium	Diagnosis	ICD-10-CM
F11.222	Opioid dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.229	Opioid dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.23	Opioid dependence with withdrawal	Diagnosis	ICD-10-CM
F11.24	Opioid dependence with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.281	Opioid dependence with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.282	Opioid dependence with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.288	Opioid dependence with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.29	Opioid dependence with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.90	Opioid use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F11.920	Opioid use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.921	Opioid use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F11.922	Opioid use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.929	Opioid use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.93	Opioid use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F11.94	Opioid use, unspecified with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.950	Opioid use, unspecified with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.951	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.981	Opioid use, unspecified with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.982	Opioid use, unspecified with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.988	Opioid use, unspecified with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.99	Opioid use, unspecified with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F12.10	Cannabis abuse, uncomplicated	Diagnosis	ICD-10-CM
F12.11	Cannabis abuse, in remission	Diagnosis	ICD-10-CM
F12.120	Cannabis abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.121	Cannabis abuse with intoxication delirium	Diagnosis	ICD-10-CM
F12.122	Cannabis abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.129	Cannabis abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.150	Cannabis abuse with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.151	Cannabis abuse with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.159	Cannabis abuse with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.180	Cannabis abuse with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12.188	Cannabis abuse with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.19	Cannabis abuse with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.20	Cannabis dependence, uncomplicated	Diagnosis	ICD-10-CM
F12.21	Cannabis dependence, in remission	Diagnosis	ICD-10-CM
F12.220	Cannabis dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.221	Cannabis dependence with intoxication delirium	Diagnosis	ICD-10-CM
F12.222	Cannabis dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.229	Cannabis dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.23	Cannabis dependence with withdrawal	Diagnosis	ICD-10-CM
F12.250	Cannabis dependence with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.251	Cannabis dependence with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.259	Cannabis dependence with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.280	Cannabis dependence with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12.288	Cannabis dependence with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.29	Cannabis dependence with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.90	Cannabis use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F12.920	Cannabis use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.921	Cannabis use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F12.922	Cannabis use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.929	Cannabis use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F12.93	Cannabis use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F12.950	Cannabis use, unspecified with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.951	Cannabis use, unspecified with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.980	Cannabis use, unspecified with anxiety disorder	Diagnosis	ICD-10-CM
F12.988	Cannabis use, unspecified with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.99	Cannabis use, unspecified with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated	Diagnosis	ICD-10-CM
F13.120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	Diagnosis	ICD-10-CM
F13.129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.14	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.19	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated	Diagnosis	ICD-10-CM
F13.21	Sedative, hypnotic or anxiolytic dependence, in remission	Diagnosis	ICD-10-CM
F13.220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	Diagnosis	ICD-10-CM
F13.229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13.231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F13.232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F13.239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F13.24	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.26	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F13.27	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.29	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.90	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F13.920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.921	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F13.929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13.931	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F13.932	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances	Diagnosis	ICD-10-CM
F13.939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F13.94	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.950	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.951	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F13.96	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F13.97	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13.980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.981	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.982	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.988	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.99	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F14.10	Cocaine abuse, uncomplicated	Diagnosis	ICD-10-CM
F14.11	Cocaine abuse, in remission	Diagnosis	ICD-10-CM
F14.120	Cocaine abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.121	Cocaine abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F14.129	Cocaine abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.14	Cocaine abuse with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.150	Cocaine abuse with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.180	Cocaine abuse with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.181	Cocaine abuse with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.182	Cocaine abuse with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.188	Cocaine abuse with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.19	Cocaine abuse with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.20	Cocaine dependence, uncomplicated	Diagnosis	ICD-10-CM
F14.21	Cocaine dependence, in remission	Diagnosis	ICD-10-CM
F14.220	Cocaine dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.221	Cocaine dependence with intoxication delirium	Diagnosis	ICD-10-CM
F14.222	Cocaine dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.229	Cocaine dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.23	Cocaine dependence with withdrawal	Diagnosis	ICD-10-CM
F14.24	Cocaine dependence with cocaine-induced mood disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F14.250	Cocaine dependence with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.280	Cocaine dependence with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.281	Cocaine dependence with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.282	Cocaine dependence with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.288	Cocaine dependence with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.29	Cocaine dependence with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.90	Cocaine use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F14.920	Cocaine use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.921	Cocaine use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F14.922	Cocaine use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.929	Cocaine use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.94	Cocaine use, unspecified with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.950	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.951	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.980	Cocaine use, unspecified with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.981	Cocaine use, unspecified with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.982	Cocaine use, unspecified with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.988	Cocaine use, unspecified with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.99	Cocaine use, unspecified with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F15.10	Other stimulant abuse, uncomplicated	Diagnosis	ICD-10-CM
F15.11	Other stimulant abuse, in remission	Diagnosis	ICD-10-CM
F15.120	Other stimulant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.121	Other stimulant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F15.122	Other stimulant abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.129	Other stimulant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.14	Other stimulant abuse with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F15.151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.180	Other stimulant abuse with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.181	Other stimulant abuse with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.182	Other stimulant abuse with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.188	Other stimulant abuse with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.19	Other stimulant abuse with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.20	Other stimulant dependence, uncomplicated	Diagnosis	ICD-10-CM
F15.21	Other stimulant dependence, in remission	Diagnosis	ICD-10-CM
F15.220	Other stimulant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.221	Other stimulant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F15.222	Other stimulant dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.229	Other stimulant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.23	Other stimulant dependence with withdrawal	Diagnosis	ICD-10-CM
F15.24	Other stimulant dependence with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.280	Other stimulant dependence with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.281	Other stimulant dependence with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.282	Other stimulant dependence with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.288	Other stimulant dependence with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.29	Other stimulant dependence with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.90	Other stimulant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F15.920	Other stimulant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.921	Other stimulant use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F15.922	Other stimulant use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.929	Other stimulant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.93	Other stimulant use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F15.94	Other stimulant use, unspecified with stimulant-induced mood disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F15.950	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.951	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.980	Other stimulant use, unspecified with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.981	Other stimulant use, unspecified with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.982	Other stimulant use, unspecified with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.988	Other stimulant use, unspecified with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.99	Other stimulant use, unspecified with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F16.10	Hallucinogen abuse, uncomplicated	Diagnosis	ICD-10-CM
F16.11	Hallucinogen abuse, in remission	Diagnosis	ICD-10-CM
F16.120	Hallucinogen abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.121	Hallucinogen abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F16.122	Hallucinogen abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F16.129	Hallucinogen abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.14	Hallucinogen abuse with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.188	Hallucinogen abuse with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.19	Hallucinogen abuse with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.20	Hallucinogen dependence, uncomplicated	Diagnosis	ICD-10-CM
F16.21	Hallucinogen dependence, in remission	Diagnosis	ICD-10-CM
F16.220	Hallucinogen dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.221	Hallucinogen dependence with intoxication with delirium	Diagnosis	ICD-10-CM
F16.229	Hallucinogen dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.24	Hallucinogen dependence with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.288	Hallucinogen dependence with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.29	Hallucinogen dependence with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.90	Hallucinogen use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F16.920	Hallucinogen use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.921	Hallucinogen use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F16.929	Hallucinogen use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.94	Hallucinogen use, unspecified with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.950	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.951	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.983	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.988	Hallucinogen use, unspecified with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.99	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F17.203	Nicotine dependence unspecified, with withdrawal	Diagnosis	ICD-10-CM
F17.208	Nicotine dependence, unspecified, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.213	Nicotine dependence, cigarettes, with withdrawal	Diagnosis	ICD-10-CM
F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.223	Nicotine dependence, chewing tobacco, with withdrawal	Diagnosis	ICD-10-CM
F17.228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.293	Nicotine dependence, other tobacco product, with withdrawal	Diagnosis	ICD-10-CM
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F18.10	Inhalant abuse, uncomplicated	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F18.11	Inhalant abuse, in remission	Diagnosis	ICD-10-CM
F18.120	Inhalant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.121	Inhalant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F18.129	Inhalant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.14	Inhalant abuse with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.150	Inhalant abuse with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.17	Inhalant abuse with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18.180	Inhalant abuse with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.188	Inhalant abuse with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.19	Inhalant abuse with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.20	Inhalant dependence, uncomplicated	Diagnosis	ICD-10-CM
F18.21	Inhalant dependence, in remission	Diagnosis	ICD-10-CM
F18.220	Inhalant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.221	Inhalant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F18.229	Inhalant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.24	Inhalant dependence with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.250	Inhalant dependence with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.27	Inhalant dependence with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18.280	Inhalant dependence with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.288	Inhalant dependence with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.29	Inhalant dependence with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.90	Inhalant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F18.920	Inhalant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.921	Inhalant use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F18.929	Inhalant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.94	Inhalant use, unspecified with inhalant-induced mood disorder	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F18.950	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.951	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.97	Inhalant use, unspecified with inhalant-induced persisting dementia	Diagnosis	ICD-10-CM
F18.980	Inhalant use, unspecified with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.988	Inhalant use, unspecified with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.99	Inhalant use, unspecified with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F19.10	Other psychoactive substance abuse, uncomplicated	Diagnosis	ICD-10-CM
F19.11	Other psychoactive substance abuse, in remission	Diagnosis	ICD-10-CM
F19.120	Other psychoactive substance abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.121	Other psychoactive substance abuse with intoxication delirium	Diagnosis	ICD-10-CM
F19.122	Other psychoactive substance abuse with intoxication with perceptual disturbances	Diagnosis	ICD-10-CM
F19.129	Other psychoactive substance abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.14	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.16	Other psychoactive substance abuse with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.17	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.188	Other psychoactive substance abuse with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.19	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.20	Other psychoactive substance dependence, uncomplicated	Diagnosis	ICD-10-CM
F19.21	Other psychoactive substance dependence, in remission	Diagnosis	ICD-10-CM
F19.220	Other psychoactive substance dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.221	Other psychoactive substance dependence with intoxication delirium	Diagnosis	ICD-10-CM
F19.222	Other psychoactive substance dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19.229	Other psychoactive substance dependence with intoxication, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.231	Other psychoactive substance dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F19.232	Other psychoactive substance dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.239	Other psychoactive substance dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.24	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.26	Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.27	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.288	Other psychoactive substance dependence with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.29	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.90	Other psychoactive substance use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F19.920	Other psychoactive substance use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.921	Other psychoactive substance use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F19.922	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19.929	Other psychoactive substance use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.931	Other psychoactive substance use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F19.932	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.939	Other psychoactive substance use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.94	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.950	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.951	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F19.96	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F19.97	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.981	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.982	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.988	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F55.0	Abuse of antacids	Diagnosis	ICD-10-CM
F55.1	Abuse of herbal or folk remedies	Diagnosis	ICD-10-CM
F55.2	Abuse of laxatives	Diagnosis	ICD-10-CM
F55.3	Abuse of steroids or hormones	Diagnosis	ICD-10-CM
F55.4	Abuse of vitamins	Diagnosis	ICD-10-CM
F55.8	Abuse of other non-psychoactive substances	Diagnosis	ICD-10-CM
G62.1	Alcoholic polyneuropathy	Diagnosis	ICD-10-CM
H0005	Alcohol and/or drug services; group counseling by a clinician	Procedure	HCPCS
H0007	Alcohol and/or drug services; crisis intervention (outpatient)	Procedure	HCPCS
H0008	Alcohol and/or drug services; subacute detoxification (hospital inpatient)	Procedure	HCPCS
H0010	Alcohol and/or drug services; subacute detoxification (residential addiction program inpatient)	Procedure	HCPCS
H0011	Alcohol and/or drug services; acute detoxification (residential addiction program inpatient)	Procedure	HCPCS
H0012	Alcohol and/or drug services; subacute detoxification (residential addiction program outpatient)	Procedure	HCPCS
H0013	Alcohol and/or drug services; acute detoxification (residential addiction program outpatient)	Procedure	HCPCS
H0014	Alcohol and/or drug services; ambulatory detoxification	Procedure	HCPCS
	Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education	Procedure	HCPCS
H0015			
H0020	Alcohol and/or drug services; methadone administration and/or service (provision of the drug by a licensed program)	Procedure	HCPCS
H0022	Alcohol and/or drug intervention service (planned facilitation)	Procedure	HCPCS
H2035	Alcohol and/or other drug treatment program, per hour	Procedure	HCPCS
H2036	Alcohol and/or other drug treatment program, per diem	Procedure	HCPCS
HZZZZZ	Detoxification Services for Substance Abuse Treatment	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
HZ30ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ31ZZZ	Individual Counseling for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ32ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ33ZZZ	Individual Counseling for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ34ZZZ	Individual Counseling for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ35ZZZ	Individual Counseling for Substance Abuse Treatment, Vocational	Procedure	ICD-10-PCS
HZ36ZZZ	Individual Counseling for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ37ZZZ	Individual Counseling for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ38ZZZ	Individual Counseling for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ39ZZZ	Individual Counseling for Substance Abuse Treatment, Continuing Care	Procedure	ICD-10-PCS
HZ3BZZZ	Individual Counseling for Substance Abuse Treatment, Spiritual	Procedure	ICD-10-PCS
HZ40ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ41ZZZ	Group Counseling for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ42ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ43ZZZ	Group Counseling for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ44ZZZ	Group Counseling for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ45ZZZ	Group Counseling for Substance Abuse Treatment, Vocational	Procedure	ICD-10-PCS
HZ46ZZZ	Group Counseling for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ47ZZZ	Group Counseling for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ48ZZZ	Group Counseling for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ49ZZZ	Group Counseling for Substance Abuse Treatment, Continuing Care	Procedure	ICD-10-PCS
HZ4BZZZ	Group Counseling for Substance Abuse Treatment, Spiritual	Procedure	ICD-10-PCS
HZ50ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ51ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ52ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ53ZZZ	Individual Psychotherapy for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ54ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ55ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Interactive	Procedure	ICD-10-PCS
HZ56ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ57ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
HZ58ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ59ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Supportive	Procedure	ICD-10-PCS
HZ5BZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis	Procedure	ICD-10-PCS
HZ5CZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychodynamic	Procedure	ICD-10-PCS
HZ5DZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychophysiological	Procedure	ICD-10-PCS
HZ63ZZZ	Family Counseling for Substance Abuse Treatment	Procedure	ICD-10-PCS
HZ83ZZZ	Medication Management for Substance Abuse Treatment, Antabuse	Procedure	ICD-10-PCS
HZ86ZZZ	Medication Management for Substance Abuse Treatment, Clonidine	Procedure	ICD-10-PCS
HZ88ZZZ	Medication Management for Substance Abuse Treatment, Psychiatric Medication	Procedure	ICD-10-PCS
HZ89ZZZ	Medication Management for Substance Abuse Treatment, Other Replacement Medication	Procedure	ICD-10-PCS
HZ93ZZZ	Pharmacotherapy for Substance Abuse Treatment, Antabuse	Procedure	ICD-10-PCS
HZ96ZZZ	Pharmacotherapy for Substance Abuse Treatment, Clonidine	Procedure	ICD-10-PCS
HZ98ZZZ	Pharmacotherapy for Substance Abuse Treatment, Psychiatric Medication	Procedure	ICD-10-PCS
HZ99ZZZ	Pharmacotherapy for Substance Abuse Treatment, Other Replacement Medication	Procedure	ICD-10-PCS
I42.6	Alcoholic cardiomyopathy	Diagnosis	ICD-10-CM
J0570	Buprenorphine implant, 74.2 mg	Procedure	HCPCS
J0571	Buprenorphine, oral, 1 mg	Procedure	HCPCS
J0572	Buprenorphine/naloxone, oral, less than or equal to 3 mg buprenorphine	Procedure	HCPCS
J0573	Buprenorphine/naloxone, oral, greater than 3 mg, but less than or equal to 6 mg buprenorphine	Procedure	HCPCS
J0574	Buprenorphine/naloxone, oral, greater than 6 mg, but less than or equal to 10 mg buprenorphine	Procedure	HCPCS
J0575	Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine	Procedure	HCPCS
J0592	Injection, buprenorphine HCl, 0.1 mg	Procedure	HCPCS
J1230	Injection, methadone HCl, up to 10 mg	Procedure	HCPCS
J2212	Injection, methylnaltrexone, 0.1 mg	Procedure	HCPCS
J2315	Injection, naltrexone, depot form, 1 mg	Procedure	HCPCS
K29.2	Alcoholic gastritis	Diagnosis	ICD-10-CM
K29.20	Alcoholic gastritis without bleeding	Diagnosis	ICD-10-CM
K29.21	Alcoholic gastritis with bleeding	Diagnosis	ICD-10-CM
K70.0	Alcoholic fatty liver	Diagnosis	ICD-10-CM
K70.10	Alcoholic hepatitis without ascites	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
K70.11	Alcoholic hepatitis with ascites	Diagnosis	ICD-10-CM
K70.2	Alcoholic fibrosis and sclerosis of liver	Diagnosis	ICD-10-CM
K70.30	Alcoholic cirrhosis of liver without ascites	Diagnosis	ICD-10-CM
K70.31	Alcoholic cirrhosis of liver with ascites	Diagnosis	ICD-10-CM
K70.40	Alcoholic hepatic failure without coma	Diagnosis	ICD-10-CM
K70.41	Alcoholic hepatic failure with coma	Diagnosis	ICD-10-CM
K70.9	Alcoholic liver disease, unspecified	Diagnosis	ICD-10-CM
O35.5XX0	Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified	Diagnosis	ICD-10-CM
O35.5XX1	Maternal care for (suspected) damage to fetus by drugs, fetus 1	Diagnosis	ICD-10-CM
O35.5XX2	Maternal care for (suspected) damage to fetus by drugs, fetus 2	Diagnosis	ICD-10-CM
O35.5XX3	Maternal care for (suspected) damage to fetus by drugs, fetus 3	Diagnosis	ICD-10-CM
O35.5XX4	Maternal care for (suspected) damage to fetus by drugs, fetus 4	Diagnosis	ICD-10-CM
O35.5XX5	Maternal care for (suspected) damage to fetus by drugs, fetus 5	Diagnosis	ICD-10-CM
O35.5XX9	Maternal care for (suspected) damage to fetus by drugs, other fetus	Diagnosis	ICD-10-CM
O99.310	Alcohol use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.311	Alcohol use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.312	Alcohol use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.313	Alcohol use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.314	Alcohol use complicating childbirth	Diagnosis	ICD-10-CM
O99.315	Alcohol use complicating the puerperium	Diagnosis	ICD-10-CM
O99.320	Drug use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.321	Drug use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.322	Drug use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.323	Drug use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
O99.325	Drug use complicating the puerperium	Diagnosis	ICD-10-CM
Q9991	Injection, buprenorphine extended-release (Sublocade), less than or equal to 100 mg	Procedure	HCPCS
Q9992	Injection, buprenorphine extended-release (Sublocade), greater than 100 mg	Procedure	HCPCS
S0109	Methadone, oral, 5 mg	Procedure	HCPCS
T1006	Alcohol and/or substance abuse services, family/couple counseling	Procedure	HCPCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T1007	Alcohol and/or substance abuse services, treatment plan development and/or modification	Procedure	HCPCS
T1008	Day treatment for individual alcohol and/or substance abuse services	Procedure	HCPCS
T1010	Meals for individuals receiving alcohol and/or substance abuse services (when meals not included in the program)	Procedure	HCPCS
T1012	Alcohol and/or substance abuse services, skills development	Procedure	HCPCS
T40.0X1D	Poisoning by opium, accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.0X1S	Poisoning by opium, accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.0X3D	Poisoning by opium, assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X3S	Poisoning by opium, assault, sequela	Diagnosis	ICD-10-CM
T40.0X4D	Poisoning by opium, undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X4S	Poisoning by opium, undetermined, sequela	Diagnosis	ICD-10-CM
T40.0X5A	Adverse effect of opium, initial encounter	Diagnosis	ICD-10-CM
T40.0X5D	Adverse effect of opium, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X5S	Adverse effect of opium, sequela	Diagnosis	ICD-10-CM
T40.0X6A	Underdosing of opium, initial encounter	Diagnosis	ICD-10-CM
T40.0X6D	Underdosing of opium, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X6S	Underdosing of opium, sequela	Diagnosis	ICD-10-CM
T40.1X1D	Poisoning by heroin, accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.1X1S	Poisoning by heroin, accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.1X3D	Poisoning by heroin, assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X3S	Poisoning by heroin, assault, sequela	Diagnosis	ICD-10-CM
T40.1X4D	Poisoning by heroin, undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X4S	Poisoning by heroin, undetermined, sequela	Diagnosis	ICD-10-CM
T40.1X5A	Adverse effect of heroin, initial encounter	Diagnosis	ICD-10-CM
T40.1X5D	Adverse effect of heroin, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X5S	Adverse effect of heroin, sequela	Diagnosis	ICD-10-CM
T40.5X1A	Poisoning by cocaine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.5X1D	Poisoning by cocaine, accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.5X1S	Poisoning by cocaine, accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.5X3A	Poisoning by cocaine, assault, initial encounter	Diagnosis	ICD-10-CM
T40.5X3D	Poisoning by cocaine, assault, subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.5X3S	Poisoning by cocaine, assault, sequela	Diagnosis	ICD-10-CM
T40.5X4A	Poisoning by cocaine, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.5X4D	Poisoning by cocaine, undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X4S	Poisoning by cocaine, undetermined, sequela	Diagnosis	ICD-10-CM
T40.5X5A	Adverse effect of cocaine, initial encounter	Diagnosis	ICD-10-CM
T40.5X5D	Adverse effect of cocaine, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X5S	Adverse effect of cocaine, sequela	Diagnosis	ICD-10-CM
T40.5X6A	Underdosing of cocaine, initial encounter	Diagnosis	ICD-10-CM
T40.5X6D	Underdosing of cocaine, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X6S	Underdosing of cocaine, sequela	Diagnosis	ICD-10-CM
T40.7X1D	Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.7X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.7X3D	Poisoning by cannabis (derivatives), assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X3S	Poisoning by cannabis (derivatives), assault, sequela	Diagnosis	ICD-10-CM
T40.7X4D	Poisoning by cannabis (derivatives), undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X4S	Poisoning by cannabis (derivatives), undetermined, sequela	Diagnosis	ICD-10-CM
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter	Diagnosis	ICD-10-CM
T40.7X5D	Adverse effect of cannabis (derivatives), subsequent encounter	Diagnosis	ICD-10-CM
T40.7X5S	Adverse effect of cannabis (derivatives), sequela	Diagnosis	ICD-10-CM
T40.7X6A	Underdosing of cannabis (derivatives), initial encounter	Diagnosis	ICD-10-CM
T40.7X6D	Underdosing of cannabis (derivatives), subsequent encounter	Diagnosis	ICD-10-CM
T40.7X6S	Underdosing of cannabis (derivatives), sequela	Diagnosis	ICD-10-CM
T40.8X1D	Poisoning by lysergide [LSD], accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.8X1S	Poisoning by lysergide [LSD], accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.8X3D	Poisoning by lysergide [LSD], assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X3S	Poisoning by lysergide [LSD], assault, sequela	Diagnosis	ICD-10-CM
T40.8X4D	Poisoning by lysergide [LSD], undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X4S	Poisoning by lysergide [LSD], undetermined, sequela	Diagnosis	ICD-10-CM
T40.8X5A	Adverse effect of lysergide [LSD], initial encounter	Diagnosis	ICD-10-CM
T40.8X5D	Adverse effect of lysergide [LSD], subsequent encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.8X5S	Adverse effect of lysergide [LSD], sequela	Diagnosis	ICD-10-CM
T40.901D	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.901S	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.903D	Poisoning by unspecified psychodysleptics [hallucinogens], assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.903S	Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela	Diagnosis	ICD-10-CM
T40.904D	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.904S	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela	Diagnosis	ICD-10-CM
T40.905A	Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.905D	Adverse effect of unspecified psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.905S	Adverse effect of unspecified psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T40.906A	Underdosing of unspecified psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.906D	Underdosing of unspecified psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.906S	Underdosing of unspecified psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T40.991D	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter	Diagnosis	ICD-10-CM
T40.991S	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela	Diagnosis	ICD-10-CM
T40.993D	Poisoning by other psychodysleptics [hallucinogens], assault, subsequent encounter	Diagnosis	ICD-10-CM
T40.993S	Poisoning by other psychodysleptics [hallucinogens], assault, sequela	Diagnosis	ICD-10-CM
T40.994D	Poisoning by other psychodysleptics [hallucinogens], undetermined, subsequent encounter	Diagnosis	ICD-10-CM
T40.994S	Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela	Diagnosis	ICD-10-CM
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.995D	Adverse effect of other psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.995S	Adverse effect of other psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
T40.996A	Underdosing of other psychodysleptics [hallucinogens], initial encounter	Diagnosis	ICD-10-CM
T40.996D	Underdosing of other psychodysleptics [hallucinogens], subsequent encounter	Diagnosis	ICD-10-CM
T40.996S	Underdosing of other psychodysleptics [hallucinogens], sequela	Diagnosis	ICD-10-CM
V65.42	Counseling on substance use and abuse	Diagnosis	ICD-9-CM
Suicidal Behavior			
881	Open wound of elbow, forearm, and wrist	Diagnosis	ICD-9-CM
960	Poisoning by antibiotics	Diagnosis	ICD-9-CM
960.0	Poisoning by penicillins	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
960.1	Poisoning by antifungal antibiotics	Diagnosis	ICD-9-CM
960.2	Poisoning by chloramphenicol group	Diagnosis	ICD-9-CM
960.3	Poisoning by erythromycin and other macrolides	Diagnosis	ICD-9-CM
960.4	Poisoning by tetracycline group	Diagnosis	ICD-9-CM
960.5	Poisoning of cephalosporin group	Diagnosis	ICD-9-CM
960.6	Poisoning of antimycobacterial antibiotics	Diagnosis	ICD-9-CM
960.7	Poisoning by antineoplastic antibiotics	Diagnosis	ICD-9-CM
960.8	Poisoning by other specified antibiotics	Diagnosis	ICD-9-CM
960.9	Poisoning by unspecified antibiotic	Diagnosis	ICD-9-CM
961	Poisoning by other anti-infectives	Diagnosis	ICD-9-CM
961.0	Poisoning by sulfonamides	Diagnosis	ICD-9-CM
961.1	Poisoning by arsenical anti-infectives	Diagnosis	ICD-9-CM
961.2	Poisoning by heavy metal anti-infectives	Diagnosis	ICD-9-CM
961.3	Poisoning by quinoline and hydroxyquinoline derivatives	Diagnosis	ICD-9-CM
961.4	Poisoning by antimalarials and drugs acting on other blood protozoa	Diagnosis	ICD-9-CM
961.5	Poisoning by other antiprotozoal drugs	Diagnosis	ICD-9-CM
961.6	Poisoning by anthelmintics	Diagnosis	ICD-9-CM
961.7	Poisoning by antiviral drugs	Diagnosis	ICD-9-CM
961.8	Poisoning by other antimycobacterial drugs	Diagnosis	ICD-9-CM
961.9	Poisoning by other and unspecified anti-infectives	Diagnosis	ICD-9-CM
962	Poisoning by hormones and synthetic substitutes	Diagnosis	ICD-9-CM
962.0	Poisoning by adrenal cortical steroids	Diagnosis	ICD-9-CM
962.1	Poisoning by androgens and anabolic congeners	Diagnosis	ICD-9-CM
962.2	Poisoning by ovarian hormones and synthetic substitutes	Diagnosis	ICD-9-CM
962.3	Poisoning by insulins and antidiabetic agents	Diagnosis	ICD-9-CM
962.4	Poisoning by anterior pituitary hormones	Diagnosis	ICD-9-CM
962.5	Poisoning by posterior pituitary hormones	Diagnosis	ICD-9-CM
962.6	Poisoning by parathyroid and parathyroid derivatives	Diagnosis	ICD-9-CM
962.7	Poisoning by thyroid and thyroid derivatives	Diagnosis	ICD-9-CM
962.8	Poisoning by antithyroid agents	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
962.9	Poisoning by other and unspecified hormones and synthetic substitutes	Diagnosis	ICD-9-CM
963	Poisoning by primarily systemic agents	Diagnosis	ICD-9-CM
963.0	Poisoning by antiallergic and antiemetic drugs	Diagnosis	ICD-9-CM
963.1	Poisoning by antineoplastic and immunosuppressive drugs	Diagnosis	ICD-9-CM
963.2	Poisoning by acidifying agents	Diagnosis	ICD-9-CM
963.3	Poisoning by alkalizing agents	Diagnosis	ICD-9-CM
963.4	Poisoning by enzymes, not elsewhere classified	Diagnosis	ICD-9-CM
963.5	Poisoning by vitamins, not elsewhere classified	Diagnosis	ICD-9-CM
963.8	Poisoning by other specified systemic agents	Diagnosis	ICD-9-CM
963.9	Poisoning by unspecified systemic agent	Diagnosis	ICD-9-CM
964	Poisoning by agents primarily affecting blood constituents	Diagnosis	ICD-9-CM
964.0	Poisoning by iron and its compounds	Diagnosis	ICD-9-CM
964.1	Poisoning by liver preparations and other antianemic agents	Diagnosis	ICD-9-CM
964.2	Poisoning by anticoagulants	Diagnosis	ICD-9-CM
964.3	Poisoning by vitamin K (phytonadione)	Diagnosis	ICD-9-CM
964.4	Poisoning by fibrinolysis-affecting drugs	Diagnosis	ICD-9-CM
964.5	Poisoning by anticoagulant antagonists and other coagulants	Diagnosis	ICD-9-CM
964.6	Poisoning by gamma globulin	Diagnosis	ICD-9-CM
964.7	Poisoning by natural blood and blood products	Diagnosis	ICD-9-CM
964.8	Poisoning by other specified agents affecting blood constituents	Diagnosis	ICD-9-CM
964.9	Poisoning by unspecified agent affecting blood constituents	Diagnosis	ICD-9-CM
965	Poisoning by analgesics, antipyretics, and antirheumatics	Diagnosis	ICD-9-CM
965.0	Poisoning by opiates and related narcotics	Diagnosis	ICD-9-CM
965.00	Poisoning by opium (alkaloids), unspecified	Diagnosis	ICD-9-CM
965.01	Poisoning by heroin	Diagnosis	ICD-9-CM
965.02	Poisoning by methadone	Diagnosis	ICD-9-CM
965.09	Poisoning by opiates and related narcotics, other	Diagnosis	ICD-9-CM
965.1	Poisoning by salicylates	Diagnosis	ICD-9-CM
965.4	Poisoning by aromatic analgesics, not elsewhere classified	Diagnosis	ICD-9-CM
965.5	Poisoning by pyrazole derivatives	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
965.6	Poisoning by antirheumatics (antiphlogistics)	Diagnosis	ICD-9-CM
965.61	Poisoning by propionic acid derivatives	Diagnosis	ICD-9-CM
965.69	Poisoning by other antirheumatics	Diagnosis	ICD-9-CM
965.7	Poisoning by other non-narcotic analgesics	Diagnosis	ICD-9-CM
965.8	Poisoning by other specified analgesics and antipyretics	Diagnosis	ICD-9-CM
965.9	Poisoning by unspecified analgesic and antipyretic	Diagnosis	ICD-9-CM
966	Poisoning by anticonvulsants and anti-Parkinsonism drugs	Diagnosis	ICD-9-CM
966.0	Poisoning by oxazolidine derivatives	Diagnosis	ICD-9-CM
966.1	Poisoning by hydantoin derivatives	Diagnosis	ICD-9-CM
966.2	Poisoning by succinimides	Diagnosis	ICD-9-CM
966.3	Poisoning by other and unspecified anticonvulsants	Diagnosis	ICD-9-CM
966.4	Poisoning by anti-Parkinsonism drugs	Diagnosis	ICD-9-CM
967	Poisoning by sedatives and hypnotics	Diagnosis	ICD-9-CM
967.0	Poisoning by barbiturates	Diagnosis	ICD-9-CM
967.1	Poisoning by chloral hydrate group	Diagnosis	ICD-9-CM
967.2	Poisoning by paraldehyde	Diagnosis	ICD-9-CM
967.3	Poisoning by bromine compounds	Diagnosis	ICD-9-CM
967.4	Poisoning by methaqualone compounds	Diagnosis	ICD-9-CM
967.5	Poisoning by glutethimide group	Diagnosis	ICD-9-CM
967.6	Poisoning by mixed sedatives, not elsewhere classified	Diagnosis	ICD-9-CM
967.8	Poisoning by other sedatives and hypnotics	Diagnosis	ICD-9-CM
967.9	Poisoning by unspecified sedative or hypnotic	Diagnosis	ICD-9-CM
968	Poisoning by other central nervous system depressants and anesthetics	Diagnosis	ICD-9-CM
968.0	Poisoning by central nervous system muscle-tone depressants	Diagnosis	ICD-9-CM
968.1	Poisoning by halothane	Diagnosis	ICD-9-CM
968.2	Poisoning by other gaseous anesthetics	Diagnosis	ICD-9-CM
968.3	Poisoning by intravenous anesthetics	Diagnosis	ICD-9-CM
968.4	Poisoning by other and unspecified general anesthetics	Diagnosis	ICD-9-CM
968.5	Poisoning by other central nervous system depressants and anesthetics, Surface (topical) and infiltration anesthetics	Diagnosis	ICD-9-CM
968.6	Poisoning by peripheral nerve- and plexus-blocking anesthetics	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
968.7	Poisoning by spinal anesthetics	Diagnosis	ICD-9-CM
968.9	Poisoning by other and unspecified local anesthetics	Diagnosis	ICD-9-CM
969	Poisoning by psychotropic agents	Diagnosis	ICD-9-CM
969.0	Poisoning by antidepressants	Diagnosis	ICD-9-CM
969.00	Poisoning by antidepressant, unspecified	Diagnosis	ICD-9-CM
969.01	Poisoning by monoamine oxidase inhibitors	Diagnosis	ICD-9-CM
969.02	Poisoning by selective serotonin and norepinephrine reuptake inhibitors	Diagnosis	ICD-9-CM
969.03	Poisoning by selective serotonin reuptake inhibitors	Diagnosis	ICD-9-CM
969.04	Poisoning by tetracyclic antidepressants	Diagnosis	ICD-9-CM
969.05	Poisoning by tricyclic antidepressants	Diagnosis	ICD-9-CM
969.09	Poisoning by other antidepressants	Diagnosis	ICD-9-CM
969.1	Poisoning by phenothiazine-based tranquilizers	Diagnosis	ICD-9-CM
969.2	Poisoning by butyrophenone-based tranquilizers	Diagnosis	ICD-9-CM
969.3	Poisoning by other antipsychotics, neuroleptics, and major tranquilizers	Diagnosis	ICD-9-CM
969.4	Poisoning by benzodiazepine-based tranquilizers	Diagnosis	ICD-9-CM
969.5	Poisoning by other tranquilizers	Diagnosis	ICD-9-CM
969.6	Poisoning by psychodysleptics (hallucinogens)	Diagnosis	ICD-9-CM
969.7	Poisoning by psychostimulants	Diagnosis	ICD-9-CM
969.70	Poisoning by psychostimulant, unspecified	Diagnosis	ICD-9-CM
969.71	Poisoning by caffeine	Diagnosis	ICD-9-CM
969.72	Poisoning by amphetamines	Diagnosis	ICD-9-CM
969.73	Poisoning by methylphenidate	Diagnosis	ICD-9-CM
969.79	Poisoning by other psychostimulants	Diagnosis	ICD-9-CM
969.8	Poisoning by other specified psychotropic agents	Diagnosis	ICD-9-CM
969.9	Poisoning by unspecified psychotropic agent	Diagnosis	ICD-9-CM
980	Toxic effect of alcohol	Diagnosis	ICD-9-CM
980.0	Toxic effect of ethyl alcohol	Diagnosis	ICD-9-CM
980.1	Toxic effect of methyl alcohol	Diagnosis	ICD-9-CM
980.2	Toxic effect of isopropyl alcohol	Diagnosis	ICD-9-CM
980.3	Toxic effect of fusel oil	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
980.8	Toxic effect of other specified alcohols	Diagnosis	ICD-9-CM
980.9	Toxic effect of unspecified alcohol	Diagnosis	ICD-9-CM
981	Toxic effect of petroleum products	Diagnosis	ICD-9-CM
982	Toxic effect of solvents other than petroleum-based	Diagnosis	ICD-9-CM
982.0	Toxic effect of benzene and homologues	Diagnosis	ICD-9-CM
982.1	Toxic effect of carbon tetrachloride	Diagnosis	ICD-9-CM
982.2	Toxic effect of carbon disulfide	Diagnosis	ICD-9-CM
982.3	Toxic effect of other chlorinated hydrocarbon solvents	Diagnosis	ICD-9-CM
982.4	Toxic effect of nitroglycol	Diagnosis	ICD-9-CM
982.8	Toxic effect of other nonpetroleum-based solvents	Diagnosis	ICD-9-CM
983	Toxic effect of corrosive aromatics, acids, and caustic alkalis	Diagnosis	ICD-9-CM
983.0	Toxic effect of corrosive aromatics	Diagnosis	ICD-9-CM
983.1	Toxic effect of acids	Diagnosis	ICD-9-CM
983.2	Toxic effect of caustic alkalis	Diagnosis	ICD-9-CM
983.9	Toxic effect of caustic, unspecified	Diagnosis	ICD-9-CM
984	Toxic effect of lead and its compounds (including fumes)	Diagnosis	ICD-9-CM
984.0	Toxic effect of inorganic lead compounds	Diagnosis	ICD-9-CM
984.1	Toxic effect of organic lead compounds	Diagnosis	ICD-9-CM
984.8	Toxic effect of other lead compounds	Diagnosis	ICD-9-CM
984.9	Toxic effect of unspecified lead compound	Diagnosis	ICD-9-CM
985	Toxic effect of other metals	Diagnosis	ICD-9-CM
985.0	Toxic effect of mercury and its compounds	Diagnosis	ICD-9-CM
985.1	Toxic effect of arsenic and its compounds	Diagnosis	ICD-9-CM
985.2	Toxic effect of manganese and its compounds	Diagnosis	ICD-9-CM
985.3	Toxic effect of beryllium and its compounds	Diagnosis	ICD-9-CM
985.4	Toxic effect of antimony and its compounds	Diagnosis	ICD-9-CM
985.5	Toxic effect of cadmium and its compounds	Diagnosis	ICD-9-CM
985.6	Toxic effect of chromium	Diagnosis	ICD-9-CM
985.8	Toxic effect of other specified metals	Diagnosis	ICD-9-CM
985.9	Toxic effect of unspecified metal	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
986	Toxic effect of carbon monoxide	Diagnosis	ICD-9-CM
987	Toxic effect of other gases, fumes, or vapors	Diagnosis	ICD-9-CM
987.0	Toxic effect of liquefied petroleum gases	Diagnosis	ICD-9-CM
987.1	Toxic effect of other hydrocarbon gas	Diagnosis	ICD-9-CM
987.2	Toxic effect of nitrogen oxides	Diagnosis	ICD-9-CM
987.3	Toxic effect of sulfur dioxide	Diagnosis	ICD-9-CM
987.4	Toxic effect of freon	Diagnosis	ICD-9-CM
987.5	Toxic effect of lacrimogenic gas	Diagnosis	ICD-9-CM
987.6	Toxic effect of chlorine gas	Diagnosis	ICD-9-CM
987.7	Toxic effect of hydrocyanic acid gas	Diagnosis	ICD-9-CM
987.8	Toxic effect of other specified gases, fumes, or vapors	Diagnosis	ICD-9-CM
987.9	Toxic effect of unspecified gas, fume, or vapor	Diagnosis	ICD-9-CM
988	Toxic effect of noxious substances eaten as food	Diagnosis	ICD-9-CM
988.0	Toxic effect of fish and shellfish	Diagnosis	ICD-9-CM
988.1	Toxic effect of mushrooms	Diagnosis	ICD-9-CM
988.2	Toxic effect of berries and other plants	Diagnosis	ICD-9-CM
988.8	Toxic effect of other specified noxious substances	Diagnosis	ICD-9-CM
988.9	Toxic effect of unspecified noxious substance	Diagnosis	ICD-9-CM
989	Toxic effect of other substances, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
989.0	Toxic effect of hydrocyanic acid and cyanides	Diagnosis	ICD-9-CM
989.1	Toxic effect of strychnine and salts	Diagnosis	ICD-9-CM
989.2	Toxic effect of chlorinated hydrocarbons	Diagnosis	ICD-9-CM
989.3	Toxic effect of organophosphate and carbamate	Diagnosis	ICD-9-CM
989.4	Toxic effect of other pesticides, not elsewhere classified	Diagnosis	ICD-9-CM
989.5	Toxic effect of venom	Diagnosis	ICD-9-CM
989.6	Toxic effect of soaps and detergents	Diagnosis	ICD-9-CM
989.7	Toxic effect of aflatoxin and other mycotoxin (food contaminants)	Diagnosis	ICD-9-CM
989.8	Toxic effect of other substances, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
989.81	Toxic effect of asbestos	Diagnosis	ICD-9-CM
989.82	Toxic effect of latex	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
989.83	Toxic effect of silicone	Diagnosis	ICD-9-CM
989.84	Toxic effect of tobacco	Diagnosis	ICD-9-CM
989.89	Toxic effect of other substances	Diagnosis	ICD-9-CM
989.9	Toxic effect of unspecified substance, chiefly nonmedicinal as to source	Diagnosis	ICD-9-CM
994.7	Asphyxiation and strangulation	Diagnosis	ICD-9-CM
M1A.10X0	Lead-induced chronic gout, unspecified site, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.10X1	Lead-induced chronic gout, unspecified site, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1110	Lead-induced chronic gout, right shoulder, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1111	Lead-induced chronic gout, right shoulder, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1120	Lead-induced chronic gout, left shoulder, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1121	Lead-induced chronic gout, left shoulder, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1190	Lead-induced chronic gout, unspecified shoulder, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1191	Lead-induced chronic gout, unspecified shoulder, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1210	Lead-induced chronic gout, right elbow, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1211	Lead-induced chronic gout, right elbow, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1220	Lead-induced chronic gout, left elbow, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1221	Lead-induced chronic gout, left elbow, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1290	Lead-induced chronic gout, unspecified elbow, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1291	Lead-induced chronic gout, unspecified elbow, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1310	Lead-induced chronic gout, right wrist, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1311	Lead-induced chronic gout, right wrist, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1320	Lead-induced chronic gout, left wrist, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1321	Lead-induced chronic gout, left wrist, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1390	Lead-induced chronic gout, unspecified wrist, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1391	Lead-induced chronic gout, unspecified wrist, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1410	Lead-induced chronic gout, right hand, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1411	Lead-induced chronic gout, right hand, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1420	Lead-induced chronic gout, left hand, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1421	Lead-induced chronic gout, left hand, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1490	Lead-induced chronic gout, unspecified hand, without tophus (tophi)	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
M1A.1491	Lead-induced chronic gout, unspecified hand, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1510	Lead-induced chronic gout, right hip, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1511	Lead-induced chronic gout, right hip, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1520	Lead-induced chronic gout, left hip, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1521	Lead-induced chronic gout, left hip, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1590	Lead-induced chronic gout, unspecified hip, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1591	Lead-induced chronic gout, unspecified hip, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1610	Lead-induced chronic gout, right knee, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1611	Lead-induced chronic gout, right knee, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1620	Lead-induced chronic gout, left knee, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1621	Lead-induced chronic gout, left knee, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1690	Lead-induced chronic gout, unspecified knee, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1691	Lead-induced chronic gout, unspecified knee, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1710	Lead-induced chronic gout, right ankle and foot, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1711	Lead-induced chronic gout, right ankle and foot, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1720	Lead-induced chronic gout, left ankle and foot, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1721	Lead-induced chronic gout, left ankle and foot, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1790	Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.1791	Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.18X0	Lead-induced chronic gout, vertebrae, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.18X1	Lead-induced chronic gout, vertebrae, with tophus (tophi)	Diagnosis	ICD-10-CM
M1A.19X0	Lead-induced chronic gout, multiple sites, without tophus (tophi)	Diagnosis	ICD-10-CM
M1A.19X1	Lead-induced chronic gout, multiple sites, with tophus (tophi)	Diagnosis	ICD-10-CM
T36.0X1A	Poisoning by penicillins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.0X3A	Poisoning by penicillins, assault, initial encounter	Diagnosis	ICD-10-CM
T36.0X4A	Poisoning by penicillins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.1X1A	Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.1X3A	Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.1X4A	Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.2X1A	Poisoning by chloramphenicol group, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.2X3A	Poisoning by chloramphenicol group, assault, initial encounter	Diagnosis	ICD-10-CM
T36.2X4A	Poisoning by chloramphenicol group, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.3X1A	Poisoning by macrolides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.3X3A	Poisoning by macrolides, assault, initial encounter	Diagnosis	ICD-10-CM
T36.3X4A	Poisoning by macrolides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.4X1A	Poisoning by tetracyclines, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.4X3A	Poisoning by tetracyclines, assault, initial encounter	Diagnosis	ICD-10-CM
T36.4X4A	Poisoning by tetracyclines, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.5X1A	Poisoning by aminoglycosides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.5X3A	Poisoning by aminoglycosides, assault, initial encounter	Diagnosis	ICD-10-CM
T36.5X4A	Poisoning by aminoglycosides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.6X1A	Poisoning by rifampicins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.6X3A	Poisoning by rifampicins, assault, initial encounter	Diagnosis	ICD-10-CM
T36.6X4A	Poisoning by rifampicins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.7X1A	Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.7X3A	Poisoning by antifungal antibiotics, systemically used, assault, initial encounter	Diagnosis	ICD-10-CM
T36.7X4A	Poisoning by antifungal antibiotics, systemically used, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.8X1A	Poisoning by other systemic antibiotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.8X3A	Poisoning by other systemic antibiotics, assault, initial encounter	Diagnosis	ICD-10-CM
T36.8X4A	Poisoning by other systemic antibiotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T36.91XA	Poisoning by unspecified systemic antibiotic, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.93XA	Poisoning by unspecified systemic antibiotic, assault, initial encounter	Diagnosis	ICD-10-CM
T36.94XA	Poisoning by unspecified systemic antibiotic, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.0X1A	Poisoning by sulfonamides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.0X3A	Poisoning by sulfonamides, assault, initial encounter	Diagnosis	ICD-10-CM
T37.0X4A	Poisoning by sulfonamides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.1X1A	Poisoning by antimycobacterial drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.1X3A	Poisoning by antimycobacterial drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T37.1X4A	Poisoning by antimycobacterial drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.2X1A	Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.2X3A	Poisoning by antimalarials and drugs acting on other blood protozoa, assault, initial encounter	Diagnosis	ICD-10-CM
T37.2X4A	Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.3X1A	Poisoning by other antiprotozoal drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.3X3A	Poisoning by other antiprotozoal drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T37.3X4A	Poisoning by other antiprotozoal drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.4X1A	Poisoning by anthelmintics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.4X3A	Poisoning by anthelmintics, assault, initial encounter	Diagnosis	ICD-10-CM
T37.4X4A	Poisoning by anthelmintics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.5X1A	Poisoning by antiviral drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.5X3A	Poisoning by antiviral drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T37.5X4A	Poisoning by antiviral drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.8X1A	Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.8X3A	Poisoning by other specified systemic anti-infectives and antiparasitics, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T37.8X4A	Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T37.91XA	Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.93XA	Poisoning by unspecified systemic anti-infective and antiparasitics, assault, initial encounter	Diagnosis	ICD-10-CM
T37.94XA	Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.0X1A	Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.0X3A	Poisoning by glucocorticoids and synthetic analogues, assault, initial encounter	Diagnosis	ICD-10-CM
T38.0X4A	Poisoning by glucocorticoids and synthetic analogues, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.1X1A	Poisoning by thyroid hormones and substitutes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.1X3A	Poisoning by thyroid hormones and substitutes, assault, initial encounter	Diagnosis	ICD-10-CM
T38.1X4A	Poisoning by thyroid hormones and substitutes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.2X1A	Poisoning by antithyroid drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.2X3A	Poisoning by antithyroid drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T38.2X4A	Poisoning by antithyroid drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.3X1A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.3X3A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T38.3X4A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.4X1A	Poisoning by oral contraceptives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.4X3A	Poisoning by oral contraceptives, assault, initial encounter	Diagnosis	ICD-10-CM
T38.4X4A	Poisoning by oral contraceptives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.5X1A	Poisoning by other estrogens and progestogens, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.5X3A	Poisoning by other estrogens and progestogens, assault, initial encounter	Diagnosis	ICD-10-CM
T38.5X4A	Poisoning by other estrogens and progestogens, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.6X1A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.6X3A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T38.6X4A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.7X1A	Poisoning by androgens and anabolic congeners, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.7X3A	Poisoning by androgens and anabolic congeners, assault, initial encounter	Diagnosis	ICD-10-CM
T38.7X4A	Poisoning by androgens and anabolic congeners, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.801A	Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.803A	Poisoning by unspecified hormones and synthetic substitutes, assault, initial encounter	Diagnosis	ICD-10-CM
T38.804A	Poisoning by unspecified hormones and synthetic substitutes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.811A	Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.813A	Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, initial encounter	Diagnosis	ICD-10-CM
T38.814A	Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.891A	Poisoning by other hormones and synthetic substitutes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.893A	Poisoning by other hormones and synthetic substitutes, assault, initial encounter	Diagnosis	ICD-10-CM
T38.894A	Poisoning by other hormones and synthetic substitutes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.901A	Poisoning by unspecified hormone antagonists, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.903A	Poisoning by unspecified hormone antagonists, assault, initial encounter	Diagnosis	ICD-10-CM
T38.904A	Poisoning by unspecified hormone antagonists, undetermined, initial encounter	Diagnosis	ICD-10-CM
T38.991A	Poisoning by other hormone antagonists, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.993A	Poisoning by other hormone antagonists, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T38.994A	Poisoning by other hormone antagonists, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.011A	Poisoning by aspirin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.013A	Poisoning by aspirin, assault, initial encounter	Diagnosis	ICD-10-CM
T39.014A	Poisoning by aspirin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.091A	Poisoning by salicylates, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.093A	Poisoning by salicylates, assault, initial encounter	Diagnosis	ICD-10-CM
T39.094A	Poisoning by salicylates, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.1X1A	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.1X3A	Poisoning by 4-Aminophenol derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T39.1X4A	Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.2X1A	Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.2X3A	Poisoning by pyrazolone derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T39.2X4A	Poisoning by pyrazolone derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.311A	Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.313A	Poisoning by propionic acid derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T39.314A	Poisoning by propionic acid derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.391A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.393A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter	Diagnosis	ICD-10-CM
T39.394A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.4X1A	Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.4X3A	Poisoning by antirheumatics, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T39.4X4A	Poisoning by antirheumatics, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T39.8X1A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.8X3A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T39.8X4A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM
T39.91XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.93XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, initial encounter	Diagnosis	ICD-10-CM
T39.94XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X3A	Poisoning by opium, assault, initial encounter	Diagnosis	ICD-10-CM
T40.0X4A	Poisoning by opium, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.1X3A	Poisoning by heroin, assault, initial encounter	Diagnosis	ICD-10-CM
T40.1X4A	Poisoning by heroin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X3A	Poisoning by other opioids, assault, initial encounter	Diagnosis	ICD-10-CM
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X3A	Poisoning by methadone, assault, initial encounter	Diagnosis	ICD-10-CM
T40.3X4A	Poisoning by methadone, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.693A	Poisoning by other narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.694A	Poisoning by other narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter	Diagnosis	ICD-10-CM
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.8X3A	Poisoning by lysergide [LSD], assault, initial encounter	Diagnosis	ICD-10-CM
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter	Diagnosis	ICD-10-CM
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter	Diagnosis	ICD-10-CM
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.0X1A	Poisoning by inhaled anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.0X3A	Poisoning by inhaled anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.0X4A	Poisoning by inhaled anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.1X1A	Poisoning by intravenous anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.1X3A	Poisoning by intravenous anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.1X4A	Poisoning by intravenous anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.201A	Poisoning by unspecified general anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.203A	Poisoning by unspecified general anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.204A	Poisoning by unspecified general anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.291A	Poisoning by other general anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.293A	Poisoning by other general anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.294A	Poisoning by other general anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.3X1A	Poisoning by local anesthetics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.3X3A	Poisoning by local anesthetics, assault, initial encounter	Diagnosis	ICD-10-CM
T41.3X4A	Poisoning by local anesthetics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T41.41XA	Poisoning by unspecified anesthetic, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.43XA	Poisoning by unspecified anesthetic, assault, initial encounter	Diagnosis	ICD-10-CM
T41.44XA	Poisoning by unspecified anesthetic, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.0X1A	Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.0X3A	Poisoning by hydantoin derivatives, assault, initial encounter	Diagnosis	ICD-10-CM
T42.0X4A	Poisoning by hydantoin derivatives, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.1X1A	Poisoning by iminostilbenes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.1X3A	Poisoning by iminostilbenes, assault, initial encounter	Diagnosis	ICD-10-CM
T42.1X4A	Poisoning by iminostilbenes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.2X1A	Poisoning by succinimides and oxazolidinediones, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.2X3A	Poisoning by succinimides and oxazolidinediones, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T42.2X4A	Poisoning by succinimides and oxazolidinediones, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.3X1A	Poisoning by barbiturates, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.3X3A	Poisoning by barbiturates, assault, initial encounter	Diagnosis	ICD-10-CM
T42.3X4A	Poisoning by barbiturates, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.4X1A	Poisoning by benzodiazepines, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.4X3A	Poisoning by benzodiazepines, assault, initial encounter	Diagnosis	ICD-10-CM
T42.4X4A	Poisoning by benzodiazepines, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.5X1A	Poisoning by mixed antiepileptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.5X3A	Poisoning by mixed antiepileptics, assault, initial encounter	Diagnosis	ICD-10-CM
T42.5X4A	Poisoning by mixed antiepileptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.6X1A	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.6X3A	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T42.6X4A	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.71XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.73XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T42.74XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T42.8X1A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.8X3A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, initial encounter	Diagnosis	ICD-10-CM
T42.8X4A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.011A	Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.013A	Poisoning by tricyclic antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.014A	Poisoning by tricyclic antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.021A	Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.023A	Poisoning by tetracyclic antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.024A	Poisoning by tetracyclic antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.1X1A	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.1X3A	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.1X4A	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.201A	Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.203A	Poisoning by unspecified antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.204A	Poisoning by unspecified antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.211A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.213A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter	Diagnosis	ICD-10-CM
T43.214A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.221A	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.223A	Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter	Diagnosis	ICD-10-CM
T43.224A	Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.291A	Poisoning by other antidepressants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.293A	Poisoning by other antidepressants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.294A	Poisoning by other antidepressants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.3X1A	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.3X3A	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.3X4A	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.4X1A	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.4X3A	Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.4X4A	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.501A	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.503A	Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.504A	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.591A	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.593A	Poisoning by other antipsychotics and neuroleptics, assault, initial encounter	Diagnosis	ICD-10-CM
T43.594A	Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.601A	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.603A	Poisoning by unspecified psychostimulants, assault, initial encounter	Diagnosis	ICD-10-CM
T43.604A	Poisoning by unspecified psychostimulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.611A	Poisoning by caffeine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.613A	Poisoning by caffeine, assault, initial encounter	Diagnosis	ICD-10-CM
T43.614A	Poisoning by caffeine, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.621A	Poisoning by amphetamines, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.623A	Poisoning by amphetamines, assault, initial encounter	Diagnosis	ICD-10-CM
T43.624A	Poisoning by amphetamines, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.631A	Poisoning by methylphenidate, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.633A	Poisoning by methylphenidate, assault, initial encounter	Diagnosis	ICD-10-CM
T43.634A	Poisoning by methylphenidate, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.691A	Poisoning by other psychostimulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.693A	Poisoning by other psychostimulants, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T43.694A	Poisoning by other psychostimulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.8X1A	Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.8X3A	Poisoning by other psychotropic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T43.8X4A	Poisoning by other psychotropic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T43.91XA	Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.93XA	Poisoning by unspecified psychotropic drug, assault, initial encounter	Diagnosis	ICD-10-CM
T43.94XA	Poisoning by unspecified psychotropic drug, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.0X1A	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.0X3A	Poisoning by antiallergic and antiemetic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.0X4A	Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.1X1A	Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.1X3A	Poisoning by antineoplastic and immunosuppressive drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.1X4A	Poisoning by antineoplastic and immunosuppressive drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.2X1A	Poisoning by vitamins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.2X3A	Poisoning by vitamins, assault, initial encounter	Diagnosis	ICD-10-CM
T45.2X4A	Poisoning by vitamins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.3X1A	Poisoning by enzymes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.3X3A	Poisoning by enzymes, assault, initial encounter	Diagnosis	ICD-10-CM
T45.3X4A	Poisoning by enzymes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.4X1A	Poisoning by iron and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.4X3A	Poisoning by iron and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T45.4X4A	Poisoning by iron and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.511A	Poisoning by anticoagulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.513A	Poisoning by anticoagulants, assault, initial encounter	Diagnosis	ICD-10-CM
T45.514A	Poisoning by anticoagulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.521A	Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.523A	Poisoning by antithrombotic drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.524A	Poisoning by antithrombotic drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.601A	Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.603A	Poisoning by unspecified fibrinolysis-affecting drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.604A	Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.611A	Poisoning by thrombolytic drug, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.613A	Poisoning by thrombolytic drug, assault, initial encounter	Diagnosis	ICD-10-CM
T45.614A	Poisoning by thrombolytic drug, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.621A	Poisoning by hemostatic drug, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.623A	Poisoning by hemostatic drug, assault, initial encounter	Diagnosis	ICD-10-CM
T45.624A	Poisoning by hemostatic drug, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.691A	Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.693A	Poisoning by other fibrinolysis-affecting drugs, assault, initial encounter	Diagnosis	ICD-10-CM
T45.694A	Poisoning by other fibrinolysis-affecting drugs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.7X1A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.7X3A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter	Diagnosis	ICD-10-CM
T45.7X4A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.8X1A	Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.8X3A	Poisoning by other primarily systemic and hematological agents, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T45.8X4A	Poisoning by other primarily systemic and hematological agents, undetermined, initial encounter	Diagnosis	ICD-10-CM
T45.91XA	Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.93XA	Poisoning by unspecified primarily systemic and hematological agent, assault, initial encounter	Diagnosis	ICD-10-CM
T45.94XA	Poisoning by unspecified primarily systemic and hematological agent, undetermined, initial encounter	Diagnosis	ICD-10-CM
T50.0X1A	Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.0X3A	Poisoning by mineralocorticoids and their antagonists, assault, initial encounter	Diagnosis	ICD-10-CM
T50.0X4A	Poisoning by mineralocorticoids and their antagonists, undetermined, initial encounter	Diagnosis	ICD-10-CM
T50.Z11A	Poisoning by immunoglobulin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z13A	Poisoning by immunoglobulin, assault, initial encounter	Diagnosis	ICD-10-CM
T50.Z14A	Poisoning by immunoglobulin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.0X1A	Toxic effect of ethanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X3A	Toxic effect of ethanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.0X4A	Toxic effect of ethanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.1X1A	Toxic effect of methanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.1X3A	Toxic effect of methanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.1X4A	Toxic effect of methanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.2X1A	Toxic effect of 2-Propanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.2X3A	Toxic effect of 2-Propanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.2X4A	Toxic effect of 2-Propanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.3X1A	Toxic effect of fusel oil, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.3X3A	Toxic effect of fusel oil, assault, initial encounter	Diagnosis	ICD-10-CM
T51.3X4A	Toxic effect of fusel oil, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.8X1A	Toxic effect of other alcohols, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T51.8X3A	Toxic effect of other alcohols, assault, initial encounter	Diagnosis	ICD-10-CM
T51.8X4A	Toxic effect of other alcohols, undetermined, initial encounter	Diagnosis	ICD-10-CM
T51.91XA	Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.93XA	Toxic effect of unspecified alcohol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.94XA	Toxic effect of unspecified alcohol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.0X1A	Toxic effect of petroleum products, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.0X3A	Toxic effect of petroleum products, assault, initial encounter	Diagnosis	ICD-10-CM
T52.0X4A	Toxic effect of petroleum products, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.1X1A	Toxic effect of benzene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.1X3A	Toxic effect of benzene, assault, initial encounter	Diagnosis	ICD-10-CM
T52.1X4A	Toxic effect of benzene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.2X1A	Toxic effect of homologues of benzene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.2X3A	Toxic effect of homologues of benzene, assault, initial encounter	Diagnosis	ICD-10-CM
T52.2X4A	Toxic effect of homologues of benzene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.3X1A	Toxic effect of glycols, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.3X3A	Toxic effect of glycols, assault, initial encounter	Diagnosis	ICD-10-CM
T52.3X4A	Toxic effect of glycols, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.4X1A	Toxic effect of ketones, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.4X3A	Toxic effect of ketones, assault, initial encounter	Diagnosis	ICD-10-CM
T52.4X4A	Toxic effect of ketones, undetermined, initial encounter	Diagnosis	ICD-10-CM
T52.8X1A	Toxic effect of other organic solvents, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.8X3A	Toxic effect of other organic solvents, assault, initial encounter	Diagnosis	ICD-10-CM
T52.8X4A	Toxic effect of other organic solvents, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T52.91XA	Toxic effect of unspecified organic solvent, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.93XA	Toxic effect of unspecified organic solvent, assault, initial encounter	Diagnosis	ICD-10-CM
T52.94XA	Toxic effect of unspecified organic solvent, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.0X1A	Toxic effect of carbon tetrachloride, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.0X3A	Toxic effect of carbon tetrachloride, assault, initial encounter	Diagnosis	ICD-10-CM
T53.0X4A	Toxic effect of carbon tetrachloride, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.1X1A	Toxic effect of chloroform, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.1X3A	Toxic effect of chloroform, assault, initial encounter	Diagnosis	ICD-10-CM
T53.1X4A	Toxic effect of chloroform, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.2X1A	Toxic effect of trichloroethylene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.2X3A	Toxic effect of trichloroethylene, assault, initial encounter	Diagnosis	ICD-10-CM
T53.2X4A	Toxic effect of trichloroethylene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.3X1A	Toxic effect of tetrachloroethylene, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.3X3A	Toxic effect of tetrachloroethylene, assault, initial encounter	Diagnosis	ICD-10-CM
T53.3X4A	Toxic effect of tetrachloroethylene, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.4X1A	Toxic effect of dichloromethane, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.4X3A	Toxic effect of dichloromethane, assault, initial encounter	Diagnosis	ICD-10-CM
T53.4X4A	Toxic effect of dichloromethane, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.5X1A	Toxic effect of chlorofluorocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.5X3A	Toxic effect of chlorofluorocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.5X4A	Toxic effect of chlorofluorocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.6X1A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T53.6X3A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.6X4A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.7X1A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.7X3A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.7X4A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T53.91XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.93XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, initial encounter	Diagnosis	ICD-10-CM
T53.94XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.0X1A	Toxic effect of phenol and phenol homologues, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.0X3A	Toxic effect of phenol and phenol homologues, assault, initial encounter	Diagnosis	ICD-10-CM
T54.0X4A	Toxic effect of phenol and phenol homologues, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.1X1A	Toxic effect of other corrosive organic compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.1X3A	Toxic effect of other corrosive organic compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T54.1X4A	Toxic effect of other corrosive organic compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.2X1A	Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.2X3A	Toxic effect of corrosive acids and acid-like substances, assault, initial encounter	Diagnosis	ICD-10-CM
T54.2X4A	Toxic effect of corrosive acids and acid-like substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.3X1A	Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.3X3A	Toxic effect of corrosive alkalis and alkali-like substances, assault, initial encounter	Diagnosis	ICD-10-CM
T54.3X4A	Toxic effect of corrosive alkalis and alkali-like substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T54.91XA	Toxic effect of unspecified corrosive substance, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.93XA	Toxic effect of unspecified corrosive substance, assault, initial encounter	Diagnosis	ICD-10-CM
T54.94XA	Toxic effect of unspecified corrosive substance, undetermined, initial encounter	Diagnosis	ICD-10-CM
T55.0X1A	Toxic effect of soaps, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.0X3A	Toxic effect of soaps, assault, initial encounter	Diagnosis	ICD-10-CM
T55.0X4A	Toxic effect of soaps, undetermined, initial encounter	Diagnosis	ICD-10-CM
T55.1X1A	Toxic effect of detergents, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.1X3A	Toxic effect of detergents, assault, initial encounter	Diagnosis	ICD-10-CM
T55.1X4A	Toxic effect of detergents, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.0X1A	Toxic effect of lead and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.0X3A	Toxic effect of lead and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.0X4A	Toxic effect of lead and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.1X1A	Toxic effect of mercury and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.1X3A	Toxic effect of mercury and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.1X4A	Toxic effect of mercury and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.2X1A	Toxic effect of chromium and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.2X3A	Toxic effect of chromium and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.2X4A	Toxic effect of chromium and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.3X1A	Toxic effect of cadmium and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.3X3A	Toxic effect of cadmium and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.3X4A	Toxic effect of cadmium and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.4X1A	Toxic effect of copper and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.4X3A	Toxic effect of copper and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T56.4X4A	Toxic effect of copper and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.5X1A	Toxic effect of zinc and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.5X3A	Toxic effect of zinc and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.5X4A	Toxic effect of zinc and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.6X1A	Toxic effect of tin and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.6X3A	Toxic effect of tin and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.6X4A	Toxic effect of tin and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.7X1A	Toxic effect of beryllium and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.7X3A	Toxic effect of beryllium and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T56.7X4A	Toxic effect of beryllium and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.811A	Toxic effect of thallium, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.813A	Toxic effect of thallium, assault, initial encounter	Diagnosis	ICD-10-CM
T56.814A	Toxic effect of thallium, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.891A	Toxic effect of other metals, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.893A	Toxic effect of other metals, assault, initial encounter	Diagnosis	ICD-10-CM
T56.894A	Toxic effect of other metals, undetermined, initial encounter	Diagnosis	ICD-10-CM
T56.91XA	Toxic effect of unspecified metal, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.93XA	Toxic effect of unspecified metal, assault, initial encounter	Diagnosis	ICD-10-CM
T56.94XA	Toxic effect of unspecified metal, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.0X1A	Toxic effect of arsenic and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.0X3A	Toxic effect of arsenic and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T57.0X4A	Toxic effect of arsenic and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.1X1A	Toxic effect of phosphorus and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.1X3A	Toxic effect of phosphorus and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T57.1X4A	Toxic effect of phosphorus and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.2X1A	Toxic effect of manganese and its compounds, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.2X3A	Toxic effect of manganese and its compounds, assault, initial encounter	Diagnosis	ICD-10-CM
T57.2X4A	Toxic effect of manganese and its compounds, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.3X1A	Toxic effect of hydrogen cyanide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.3X3A	Toxic effect of hydrogen cyanide, assault, initial encounter	Diagnosis	ICD-10-CM
T57.3X4A	Toxic effect of hydrogen cyanide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.8X1A	Toxic effect of other specified inorganic substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.8X3A	Toxic effect of other specified inorganic substances, assault, initial encounter	Diagnosis	ICD-10-CM
T57.8X4A	Toxic effect of other specified inorganic substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T57.91XA	Toxic effect of unspecified inorganic substance, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.93XA	Toxic effect of unspecified inorganic substance, assault, initial encounter	Diagnosis	ICD-10-CM
T57.94XA	Toxic effect of unspecified inorganic substance, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.01XA	Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.03XA	Toxic effect of carbon monoxide from motor vehicle exhaust, assault, initial encounter	Diagnosis	ICD-10-CM
T58.04XA	Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.11XA	Toxic effect of carbon monoxide from utility gas, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.13XA	Toxic effect of carbon monoxide from utility gas, assault, initial encounter	Diagnosis	ICD-10-CM
T58.14XA	Toxic effect of carbon monoxide from utility gas, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.2X1A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.2X3A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, initial encounter	Diagnosis	ICD-10-CM
T58.2X4A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.8X1A	Toxic effect of carbon monoxide from other source, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.8X3A	Toxic effect of carbon monoxide from other source, assault, initial encounter	Diagnosis	ICD-10-CM
T58.8X4A	Toxic effect of carbon monoxide from other source, undetermined, initial encounter	Diagnosis	ICD-10-CM
T58.91XA	Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.93XA	Toxic effect of carbon monoxide from unspecified source, assault, initial encounter	Diagnosis	ICD-10-CM
T58.94XA	Toxic effect of carbon monoxide from unspecified source, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.0X1A	Toxic effect of nitrogen oxides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.0X3A	Toxic effect of nitrogen oxides, assault, initial encounter	Diagnosis	ICD-10-CM
T59.0X4A	Toxic effect of nitrogen oxides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.1X1A	Toxic effect of sulfur dioxide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.1X3A	Toxic effect of sulfur dioxide, assault, initial encounter	Diagnosis	ICD-10-CM
T59.1X4A	Toxic effect of sulfur dioxide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.2X1A	Toxic effect of formaldehyde, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.2X3A	Toxic effect of formaldehyde, assault, initial encounter	Diagnosis	ICD-10-CM
T59.2X4A	Toxic effect of formaldehyde, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.3X1A	Toxic effect of lacrimogenic gas, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.3X3A	Toxic effect of lacrimogenic gas, assault, initial encounter	Diagnosis	ICD-10-CM
T59.3X4A	Toxic effect of lacrimogenic gas, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.4X1A	Toxic effect of chlorine gas, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T59.4X3A	Toxic effect of chlorine gas, assault, initial encounter	Diagnosis	ICD-10-CM
T59.4X4A	Toxic effect of chlorine gas, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.5X1A	Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.5X3A	Toxic effect of fluorine gas and hydrogen fluoride, assault, initial encounter	Diagnosis	ICD-10-CM
T59.5X4A	Toxic effect of fluorine gas and hydrogen fluoride, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.6X1A	Toxic effect of hydrogen sulfide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.6X3A	Toxic effect of hydrogen sulfide, assault, initial encounter	Diagnosis	ICD-10-CM
T59.6X4A	Toxic effect of hydrogen sulfide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.7X1A	Toxic effect of carbon dioxide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.7X3A	Toxic effect of carbon dioxide, assault, initial encounter	Diagnosis	ICD-10-CM
T59.7X4A	Toxic effect of carbon dioxide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.811A	Toxic effect of smoke, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.813A	Toxic effect of smoke, assault, initial encounter	Diagnosis	ICD-10-CM
T59.814A	Toxic effect of smoke, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.891A	Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.893A	Toxic effect of other specified gases, fumes and vapors, assault, initial encounter	Diagnosis	ICD-10-CM
T59.894A	Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T59.91XA	Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.93XA	Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter	Diagnosis	ICD-10-CM
T59.94XA	Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.0X1A	Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.0X3A	Toxic effect of organophosphate and carbamate insecticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.0X4A	Toxic effect of organophosphate and carbamate insecticides, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T60.1X1A	Toxic effect of halogenated insecticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.1X3A	Toxic effect of halogenated insecticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.1X4A	Toxic effect of halogenated insecticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.2X1A	Toxic effect of other insecticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.2X3A	Toxic effect of other insecticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.2X4A	Toxic effect of other insecticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.3X1A	Toxic effect of herbicides and fungicides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.3X3A	Toxic effect of herbicides and fungicides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.3X4A	Toxic effect of herbicides and fungicides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.4X1A	Toxic effect of rodenticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.4X3A	Toxic effect of rodenticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.4X4A	Toxic effect of rodenticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.8X1A	Toxic effect of other pesticides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.8X3A	Toxic effect of other pesticides, assault, initial encounter	Diagnosis	ICD-10-CM
T60.8X4A	Toxic effect of other pesticides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T60.91XA	Toxic effect of unspecified pesticide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.93XA	Toxic effect of unspecified pesticide, assault, initial encounter	Diagnosis	ICD-10-CM
T60.94XA	Toxic effect of unspecified pesticide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.01XA	Ciguatera fish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.03XA	Ciguatera fish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.04XA	Ciguatera fish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.11XA	Scombroid fish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T61.13XA	Scombroid fish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.14XA	Scombroid fish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.771A	Other fish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.773A	Other fish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.774A	Other fish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.781A	Other shellfish poisoning, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.783A	Other shellfish poisoning, assault, initial encounter	Diagnosis	ICD-10-CM
T61.784A	Other shellfish poisoning, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.8X1A	Toxic effect of other seafood, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.8X3A	Toxic effect of other seafood, assault, initial encounter	Diagnosis	ICD-10-CM
T61.8X4A	Toxic effect of other seafood, undetermined, initial encounter	Diagnosis	ICD-10-CM
T61.91XA	Toxic effect of unspecified seafood, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.93XA	Toxic effect of unspecified seafood, assault, initial encounter	Diagnosis	ICD-10-CM
T61.94XA	Toxic effect of unspecified seafood, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.0X1A	Toxic effect of ingested mushrooms, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.0X3A	Toxic effect of ingested mushrooms, assault, initial encounter	Diagnosis	ICD-10-CM
T62.0X4A	Toxic effect of ingested mushrooms, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.1X1A	Toxic effect of ingested berries, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.1X3A	Toxic effect of ingested berries, assault, initial encounter	Diagnosis	ICD-10-CM
T62.1X4A	Toxic effect of ingested berries, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.2X1A	Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.2X3A	Toxic effect of other ingested (parts of) plant(s), assault, initial encounter	Diagnosis	ICD-10-CM
T62.2X4A	Toxic effect of other ingested (parts of) plant(s), undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T62.8X1A	Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.8X3A	Toxic effect of other specified noxious substances eaten as food, assault, initial encounter	Diagnosis	ICD-10-CM
T62.8X4A	Toxic effect of other specified noxious substances eaten as food, undetermined, initial encounter	Diagnosis	ICD-10-CM
T62.91XA	Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.93XA	Toxic effect of unspecified noxious substance eaten as food, assault, initial encounter	Diagnosis	ICD-10-CM
T62.94XA	Toxic effect of unspecified noxious substance eaten as food, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.001A	Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.003A	Toxic effect of unspecified snake venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.004A	Toxic effect of unspecified snake venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.011A	Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.013A	Toxic effect of rattlesnake venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.014A	Toxic effect of rattlesnake venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.021A	Toxic effect of coral snake venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.023A	Toxic effect of coral snake venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.024A	Toxic effect of coral snake venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.031A	Toxic effect of taipan venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.033A	Toxic effect of taipan venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.034A	Toxic effect of taipan venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.041A	Toxic effect of cobra venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.043A	Toxic effect of cobra venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.044A	Toxic effect of cobra venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.061A	Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.063A	Toxic effect of venom of other North and South American snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.064A	Toxic effect of venom of other North and South American snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.071A	Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.073A	Toxic effect of venom of other Australian snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.074A	Toxic effect of venom of other Australian snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.081A	Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.083A	Toxic effect of venom of other African and Asian snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.084A	Toxic effect of venom of other African and Asian snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.091A	Toxic effect of venom of other snake, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.093A	Toxic effect of venom of other snake, assault, initial encounter	Diagnosis	ICD-10-CM
T63.094A	Toxic effect of venom of other snake, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.111A	Toxic effect of venom of gila monster, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.113A	Toxic effect of venom of gila monster, assault, initial encounter	Diagnosis	ICD-10-CM
T63.114A	Toxic effect of venom of gila monster, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.121A	Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.123A	Toxic effect of venom of other venomous lizard, assault, initial encounter	Diagnosis	ICD-10-CM
T63.124A	Toxic effect of venom of other venomous lizard, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.191A	Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.193A	Toxic effect of venom of other reptiles, assault, initial encounter	Diagnosis	ICD-10-CM
T63.194A	Toxic effect of venom of other reptiles, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.2X1A	Toxic effect of venom of scorpion, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.2X3A	Toxic effect of venom of scorpion, assault, initial encounter	Diagnosis	ICD-10-CM
T63.2X4A	Toxic effect of venom of scorpion, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.301A	Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.303A	Toxic effect of unspecified spider venom, assault, initial encounter	Diagnosis	ICD-10-CM
T63.304A	Toxic effect of unspecified spider venom, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.311A	Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.313A	Toxic effect of venom of black widow spider, assault, initial encounter	Diagnosis	ICD-10-CM
T63.314A	Toxic effect of venom of black widow spider, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.321A	Toxic effect of venom of tarantula, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.323A	Toxic effect of venom of tarantula, assault, initial encounter	Diagnosis	ICD-10-CM
T63.324A	Toxic effect of venom of tarantula, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.331A	Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.333A	Toxic effect of venom of brown recluse spider, assault, initial encounter	Diagnosis	ICD-10-CM
T63.334A	Toxic effect of venom of brown recluse spider, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.391A	Toxic effect of venom of other spider, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.393A	Toxic effect of venom of other spider, assault, initial encounter	Diagnosis	ICD-10-CM
T63.394A	Toxic effect of venom of other spider, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.411A	Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.413A	Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter	Diagnosis	ICD-10-CM
T63.414A	Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.421A	Toxic effect of venom of ants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.423A	Toxic effect of venom of ants, assault, initial encounter	Diagnosis	ICD-10-CM
T63.424A	Toxic effect of venom of ants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.431A	Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.433A	Toxic effect of venom of caterpillars, assault, initial encounter	Diagnosis	ICD-10-CM
T63.434A	Toxic effect of venom of caterpillars, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.441A	Toxic effect of venom of bees, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.443A	Toxic effect of venom of bees, assault, initial encounter	Diagnosis	ICD-10-CM
T63.444A	Toxic effect of venom of bees, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.451A	Toxic effect of venom of hornets, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.453A	Toxic effect of venom of hornets, assault, initial encounter	Diagnosis	ICD-10-CM
T63.454A	Toxic effect of venom of hornets, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.461A	Toxic effect of venom of wasps, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.463A	Toxic effect of venom of wasps, assault, initial encounter	Diagnosis	ICD-10-CM
T63.464A	Toxic effect of venom of wasps, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.481A	Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.483A	Toxic effect of venom of other arthropod, assault, initial encounter	Diagnosis	ICD-10-CM
T63.484A	Toxic effect of venom of other arthropod, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.511A	Toxic effect of contact with stingray, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.513A	Toxic effect of contact with stingray, assault, initial encounter	Diagnosis	ICD-10-CM
T63.514A	Toxic effect of contact with stingray, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.591A	Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.593A	Toxic effect of contact with other venomous fish, assault, initial encounter	Diagnosis	ICD-10-CM
T63.594A	Toxic effect of contact with other venomous fish, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.611A	Toxic effect of contact with Portuguese Man-o-war, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.613A	Toxic effect of contact with Portuguese Man-o-war, assault, initial encounter	Diagnosis	ICD-10-CM
T63.614A	Toxic effect of contact with Portuguese Man-o-war, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.621A	Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.623A	Toxic effect of contact with other jellyfish, assault, initial encounter	Diagnosis	ICD-10-CM
T63.624A	Toxic effect of contact with other jellyfish, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.631A	Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.633A	Toxic effect of contact with sea anemone, assault, initial encounter	Diagnosis	ICD-10-CM
T63.634A	Toxic effect of contact with sea anemone, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.691A	Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.693A	Toxic effect of contact with other venomous marine animals, assault, initial encounter	Diagnosis	ICD-10-CM
T63.694A	Toxic effect of contact with other venomous marine animals, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.711A	Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.713A	Toxic effect of contact with venomous marine plant, assault, initial encounter	Diagnosis	ICD-10-CM
T63.714A	Toxic effect of contact with venomous marine plant, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.791A	Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.793A	Toxic effect of contact with other venomous plant, assault, initial encounter	Diagnosis	ICD-10-CM
T63.794A	Toxic effect of contact with other venomous plant, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.811A	Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.813A	Toxic effect of contact with venomous frog, assault, initial encounter	Diagnosis	ICD-10-CM
T63.814A	Toxic effect of contact with venomous frog, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.821A	Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.823A	Toxic effect of contact with venomous toad, assault, initial encounter	Diagnosis	ICD-10-CM
T63.824A	Toxic effect of contact with venomous toad, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.831A	Toxic effect of contact with other venomous amphibian, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T63.833A	Toxic effect of contact with other venomous amphibian, assault, initial encounter	Diagnosis	ICD-10-CM
T63.834A	Toxic effect of contact with other venomous amphibian, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.891A	Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.893A	Toxic effect of contact with other venomous animals, assault, initial encounter	Diagnosis	ICD-10-CM
T63.894A	Toxic effect of contact with other venomous animals, undetermined, initial encounter	Diagnosis	ICD-10-CM
T63.91XA	Toxic effect of contact with unspecified venomous animal, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.93XA	Toxic effect of contact with unspecified venomous animal, assault, initial encounter	Diagnosis	ICD-10-CM
T63.94XA	Toxic effect of contact with unspecified venomous animal, undetermined, initial encounter	Diagnosis	ICD-10-CM
T64.01XA	Toxic effect of aflatoxin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.03XA	Toxic effect of aflatoxin, assault, initial encounter	Diagnosis	ICD-10-CM
T64.04XA	Toxic effect of aflatoxin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T64.81XA	Toxic effect of other mycotoxin food contaminants, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.83XA	Toxic effect of other mycotoxin food contaminants, assault, initial encounter	Diagnosis	ICD-10-CM
T64.84XA	Toxic effect of other mycotoxin food contaminants, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.0X1A	Toxic effect of cyanides, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.0X3A	Toxic effect of cyanides, assault, initial encounter	Diagnosis	ICD-10-CM
T65.0X4A	Toxic effect of cyanides, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.1X1A	Toxic effect of strychnine and its salts, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.1X3A	Toxic effect of strychnine and its salts, assault, initial encounter	Diagnosis	ICD-10-CM
T65.1X4A	Toxic effect of strychnine and its salts, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.211A	Toxic effect of chewing tobacco, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.213A	Toxic effect of chewing tobacco, assault, initial encounter	Diagnosis	ICD-10-CM
T65.214A	Toxic effect of chewing tobacco, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.221A	Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.223A	Toxic effect of tobacco cigarettes, assault, initial encounter	Diagnosis	ICD-10-CM
T65.224A	Toxic effect of tobacco cigarettes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.291A	Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.293A	Toxic effect of other tobacco and nicotine, assault, initial encounter	Diagnosis	ICD-10-CM
T65.294A	Toxic effect of other tobacco and nicotine, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.3X1A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, initial encounter	Diagnosis	ICD-10-CM
T65.3X3A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.3X4A	Toxic effect of carbon disulfide, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.4X1A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.4X2A	Toxic effect of carbon disulfide, assault, initial encounter	Diagnosis	ICD-10-CM
T65.4X3A	Toxic effect of carbon disulfide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.4X4A	Toxic effect of carbon disulfide, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.5X1A	Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.5X3A	Toxic effect of nitroglycerin and other nitric acids and esters, assault, initial encounter	Diagnosis	ICD-10-CM
T65.5X4A	Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.6X1A	Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.6X3A	Toxic effect of paints and dyes, not elsewhere classified, assault, initial encounter	Diagnosis	ICD-10-CM
T65.6X4A	Toxic effect of paints and dyes, not elsewhere classified, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.811A	Toxic effect of latex, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.813A	Toxic effect of latex, assault, initial encounter	Diagnosis	ICD-10-CM
T65.814A	Toxic effect of latex, undetermined, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T65.821A	Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.823A	Toxic effect of harmful algae and algae toxins, assault, initial encounter	Diagnosis	ICD-10-CM
T65.824A	Toxic effect of harmful algae and algae toxins, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.831A	Toxic effect of fiberglass, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.833A	Toxic effect of fiberglass, assault, initial encounter	Diagnosis	ICD-10-CM
T65.834A	Toxic effect of fiberglass, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.891A	Toxic effect of other specified substances, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.893A	Toxic effect of other specified substances, assault, initial encounter	Diagnosis	ICD-10-CM
T65.894A	Toxic effect of other specified substances, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.91XA	Toxic effect of unspecified substance, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.93XA	Toxic effect of unspecified substance, assault, initial encounter	Diagnosis	ICD-10-CM
T65.94XA	Toxic effect of unspecified substance, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.111A	Asphyxiation due to smothering under pillow, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.113A	Asphyxiation due to smothering under pillow, assault, initial encounter	Diagnosis	ICD-10-CM
T71.114A	Asphyxiation due to smothering under pillow, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.121A	Asphyxiation due to plastic bag, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.123A	Asphyxiation due to plastic bag, assault, initial encounter	Diagnosis	ICD-10-CM
T71.124A	Asphyxiation due to plastic bag, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.131A	Asphyxiation due to being trapped in bed linens, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.133A	Asphyxiation due to being trapped in bed linens, assault, initial encounter	Diagnosis	ICD-10-CM
T71.134A	Asphyxiation due to being trapped in bed linens, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.141A	Asphyxiation due to smothering under another person's body (in bed), accidental, initial encounter	Diagnosis	ICD-10-CM
T71.143A	Asphyxiation due to smothering under another person's body (in bed), assault, initial encounter	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
T71.144A	Asphyxiation due to smothering under another person's body (in bed), undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.151A	Asphyxiation due to smothering in furniture, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.153A	Asphyxiation due to smothering in furniture, assault, initial encounter	Diagnosis	ICD-10-CM
T71.154A	Asphyxiation due to smothering in furniture, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.161A	Asphyxiation due to hanging, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.163A	Asphyxiation due to hanging, assault, initial encounter	Diagnosis	ICD-10-CM
T71.164A	Asphyxiation due to hanging, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.191A	Asphyxiation due to mechanical threat to breathing due to other causes, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.193A	Asphyxiation due to mechanical threat to breathing due to other causes, assault, initial encounter	Diagnosis	ICD-10-CM
T71.194A	Asphyxiation due to mechanical threat to breathing due to other causes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.20XA	Asphyxiation due to systemic oxygen deficiency due to low oxygen content in ambient air due to unspecified cause, initial encounter	Diagnosis	ICD-10-CM
T71.21XA	Asphyxiation due to cave-in or falling earth, initial encounter	Diagnosis	ICD-10-CM
T71.221A	Asphyxiation due to being trapped in a car trunk, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.223A	Asphyxiation due to being trapped in a car trunk, assault, initial encounter	Diagnosis	ICD-10-CM
T71.224A	Asphyxiation due to being trapped in a car trunk, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.231A	Asphyxiation due to being trapped in a (discarded) refrigerator, accidental, initial encounter	Diagnosis	ICD-10-CM
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.233A	Asphyxiation due to being trapped in a (discarded) refrigerator, assault, initial encounter	Diagnosis	ICD-10-CM
T71.234A	Asphyxiation due to being trapped in a (discarded) refrigerator, undetermined, initial encounter	Diagnosis	ICD-10-CM
T71.29XA	Asphyxiation due to being trapped in other low oxygen environment, initial encounter	Diagnosis	ICD-10-CM
T71.9XXA	Asphyxiation due to unspecified cause, initial encounter	Diagnosis	ICD-10-CM
T78.1XXA	Other adverse food reactions, not elsewhere classified, initial encounter	Diagnosis	ICD-10-CM
Transcranial Magnetic Stimulation			
90867	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; initial, including cortical mapping, motor threshold determination, delivery and management	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
90868	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent delivery and management, per session	Procedure	CPT-4
90869	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent motor threshold re-determination with delivery and management	Procedure	CPT-4
Vagus Nerve Stimulation			
61885	Insertion or replacement of cranial neurostimulator pulse generator or receiver, direct or inductive coupling; with connection to a single electrode array	Procedure	CPT-4
61886	Insertion or replacement of cranial neurostimulator pulse generator or receiver, direct or inductive coupling; with connection to 2 or more electrode arrays	Procedure	CPT-4
61888	Revision or removal of cranial neurostimulator pulse generator or receiver	Procedure	CPT-4
64553	Percutaneous implantation of neurostimulator electrode array; cranial nerve	Procedure	CPT-4
64568	Open implantation of cranial nerve (eg, vagus nerve) neurostimulator electrode array and pulse generator	Procedure	CPT-4
64569	Revision or replacement of cranial nerve (eg, vagus nerve) neurostimulator electrode array, including connection to existing pulse generator	Procedure	CPT-4
64570	Removal of cranial nerve (eg, vagus nerve) neurostimulator electrode array and pulse generator	Procedure	CPT-4
64585	Revision or removal of peripheral neurostimulator electrode array	Procedure	CPT-4
95970	Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with brain, cranial nerve, spinal cord, peripheral nerve, or sacral nerve, neurostimulator pulse generator/transmitter, without programming	Procedure	CPT-4
95971	Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with simple spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional	Procedure	CPT-4
95974	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, with or without nerve interface testing, first hour	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
95975	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, each additional 30 minutes after first hour (List separately in addition to code for primary procedure)	Procedure	CPT-4
L8679	Implantable neurostimulator, pulse generator, any type	Procedure	HCPCS
L8680	Implantable neurostimulator electrode, each	Procedure	HCPCS
L8681	Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	Procedure	HCPCS
L8682	Implantable neurostimulator radiofrequency receiver	Procedure	HCPCS
L8683	Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	Procedure	HCPCS
L8685	Implantable neurostimulator pulse generator, single array, rechargeable, includes extension	Procedure	HCPCS
L8686	Implantable neurostimulator pulse generator, single array, nonrechargeable, includes extension	Procedure	HCPCS
L8687	Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension	Procedure	HCPCS
L8688	Implantable neurostimulator pulse generator, dual array, nonrechargeable, includes extension	Procedure	HCPCS
L8689	External recharging system for battery (internal) for use with implantable neurostimulator, replacement only	Procedure	HCPCS
Type 2 Diabetes			
250.00	Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.02	Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.10	Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.12	Diabetes with ketoacidosis, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.20	Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.22	Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.30	Diabetes with other coma, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.32	Diabetes with other coma, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.40	Diabetes with renal manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.42	Diabetes with renal manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.50	Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.52	Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.60	Diabetes with neurological manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
250.62	Diabetes with neurological manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.70	Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.72	Diabetes with peripheral circulatory disorders, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.80	Diabetes with other specified manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.82	Diabetes with other specified manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
250.90	Diabetes with unspecified complication, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
250.92	Diabetes with unspecified complication, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
E11	Type 2 diabetes mellitus	Diagnosis	ICD-10-CM
E11.0	Type 2 diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM
E11.00	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E11.01	Type 2 diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E11.1	Type 2 diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E11.10	Type 2 diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E11.11	Type 2 diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E11.2	Type 2 diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E11.21	Type 2 diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E11.22	Type 2 diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E11.29	Type 2 diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E11.3	Type 2 diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E11.31	Type 2 diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E11.311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.32	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.321	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3211	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3212	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3213	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3219	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.329	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3291	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E11.3292	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3293	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3299	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.33	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.331	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3311	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3312	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3313	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3319	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.339	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3391	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E11.3392	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3393	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3399	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.34	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.341	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3411	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3412	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3413	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3419	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.349	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3491	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E11.3492	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3493	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3499	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.35	Type 2 diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.351	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11.3511	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E11.3512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E11.3513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E11.3519	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.352	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E11.3521	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E11.3522	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E11.3523	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E11.3529	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E11.353	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E11.3531	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E11.3532	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E11.3533	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E11.3539	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E11.354	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E11.3541	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E11.3542	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E11.3543	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E11.3549	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E11.355	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11.3551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E11.3552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E11.3553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E11.3559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E11.359	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E11.3591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E11.3592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E11.3593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E11.3599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11.36	Type 2 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E11.37	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E11.37X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E11.37X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E11.37X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E11.37X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E11.39	Type 2 diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E11.4	Type 2 diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E11.40	Type 2 diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E11.41	Type 2 diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E11.43	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E11.44	Type 2 diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E11.49	Type 2 diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E11.5	Type 2 diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E11.51	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E11.52	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E11.59	Type 2 diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E11.6	Type 2 diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E11.61	Type 2 diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
E11.610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E11.618	Type 2 diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E11.62	Type 2 diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E11.620	Type 2 diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E11.621	Type 2 diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E11.622	Type 2 diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E11.628	Type 2 diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E11.63	Type 2 diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E11.630	Type 2 diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E11.638	Type 2 diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E11.64	Type 2 diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E11.641	Type 2 diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E11.649	Type 2 diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E11.65	Type 2 diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E11.69	Type 2 diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E11.8	Type 2 diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E11.9	Type 2 diabetes mellitus without complications	Diagnosis	ICD-10-CM
Cardiovascular Disease			
00.40	Procedure on single vessel	Procedure	ICD-9-CM
00.41	Procedure on two vessels	Procedure	ICD-9-CM
00.42	Procedure on three vessels	Procedure	ICD-9-CM
00.43	Procedure on four or more vessels	Procedure	ICD-9-CM
00.44	Procedure on vessel bifurcation	Procedure	ICD-9-CM
00.45	Insertion of one vascular stent	Procedure	ICD-9-CM
00.46	Insertion of two vascular stents	Procedure	ICD-9-CM
00.47	Insertion of three vascular stents	Procedure	ICD-9-CM
00.48	Insertion of four or more vascular stents	Procedure	ICD-9-CM
00.66	Percutaneous transluminal coronary angioplasty [PTCA]	Procedure	ICD-9-CM
0210083	Bypass Coronary Artery, One Artery from Coronary Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0210088	Bypass Coronary Artery, One Artery from Right Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0210089	Bypass Coronary Artery, One Artery from Left Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021008C	Bypass Coronary Artery, One Artery from Thoracic Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021008F	Bypass Coronary Artery, One Artery from Abdominal Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021008W	Bypass Coronary Artery, One Artery from Aorta with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0210093	Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0210098	Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0210099	Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021009C	Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021009F	Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021009W	Bypass Coronary Artery, One Artery from Aorta with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
02100A3	Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02100A8	Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02100A9	Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02100AC	Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02100AF	Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02100AW	Bypass Coronary Artery, One Artery from Aorta with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02100J3	Bypass Coronary Artery, One Artery from Coronary Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02100J8	Bypass Coronary Artery, One Artery from Right Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02100J9	Bypass Coronary Artery, One Artery from Left Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02100JC	Bypass Coronary Artery, One Artery from Thoracic Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02100JF	Bypass Coronary Artery, One Artery from Abdominal Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02100JW	Bypass Coronary Artery, One Artery from Aorta with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02100K3	Bypass Coronary Artery, One Artery from Coronary Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02100K8	Bypass Coronary Artery, One Artery from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02100K9	Bypass Coronary Artery, One Artery from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02100KC	Bypass Coronary Artery, One Artery from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02100KF	Bypass Coronary Artery, One Artery from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02100KW	Bypass Coronary Artery, One Artery from Aorta with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02100Z3	Bypass Coronary Artery, One Artery from Coronary Artery, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02100Z8	Bypass Coronary Artery, One Artery from Right Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02100Z9	Bypass Coronary Artery, One Artery from Left Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02100ZC	Bypass Coronary Artery, One Artery from Thoracic Artery, Open Approach	Procedure	ICD-10-PCS
02100ZF	Bypass Coronary Artery, One Artery from Abdominal Artery, Open Approach	Procedure	ICD-10-PCS
0210483	Bypass Coronary Artery, One Artery from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0210488	Bypass Coronary Artery, One Artery from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0210489	Bypass Coronary Artery, One Artery from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021048C	Bypass Coronary Artery, One Artery from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021048F	Bypass Coronary Artery, One Artery from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021048W	Bypass Coronary Artery, One Artery from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0210493	Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0210498	Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0210499	Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021049C	Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021049F	Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021049W	Bypass Coronary Artery, One Artery from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104A3	Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104A8	Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104A9	Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02104AC	Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104AF	Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104AW	Bypass Coronary Artery, One Artery from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104J3	Bypass Coronary Artery, One Artery from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104J8	Bypass Coronary Artery, One Artery from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104J9	Bypass Coronary Artery, One Artery from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104JC	Bypass Coronary Artery, One Artery from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104JF	Bypass Coronary Artery, One Artery from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104JW	Bypass Coronary Artery, One Artery from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104K3	Bypass Coronary Artery, One Artery from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104K8	Bypass Coronary Artery, One Artery from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104K9	Bypass Coronary Artery, One Artery from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104KC	Bypass Coronary Artery, One Artery from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104KF	Bypass Coronary Artery, One Artery from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104KW	Bypass Coronary Artery, One Artery from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104Z3	Bypass Coronary Artery, One Artery from Coronary Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104Z8	Bypass Coronary Artery, One Artery from Right Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104Z9	Bypass Coronary Artery, One Artery from Left Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02104ZC	Bypass Coronary Artery, One Artery from Thoracic Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02104ZF	Bypass Coronary Artery, One Artery from Abdominal Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0211083	Bypass Coronary Artery, Two Arteries from Coronary Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0211088	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0211089	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021108C	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021108F	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021108W	Bypass Coronary Artery, Two Arteries from Aorta with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0211093	Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0211098	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0211099	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021109C	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021109F	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021109W	Bypass Coronary Artery, Two Arteries from Aorta with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
02110A3	Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02110A8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02110A9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02110AC	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02110AF	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02110AW	Bypass Coronary Artery, Two Arteries from Aorta with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02110J3	Bypass Coronary Artery, Two Arteries from Coronary Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02110J8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02110J9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02110JC	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02110JF	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02110JW	Bypass Coronary Artery, Two Arteries from Aorta with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02110K3	Bypass Coronary Artery, Two Arteries from Coronary Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02110K8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02110K9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02110KC	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02110KF	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02110KW	Bypass Coronary Artery, Two Arteries from Aorta with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02110Z3	Bypass Coronary Artery, Two Arteries from Coronary Artery, Open Approach	Procedure	ICD-10-PCS
02110Z8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02110Z9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02110ZC	Bypass Coronary Artery, Two Arteries from Thoracic Artery, Open Approach	Procedure	ICD-10-PCS
02110ZF	Bypass Coronary Artery, Two Arteries from Abdominal Artery, Open Approach	Procedure	ICD-10-PCS
0211483	Bypass Coronary Artery, Two Arteries from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0211488	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0211489	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021148C	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021148F	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021148W	Bypass Coronary Artery, Two Arteries from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0211493	Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0211498	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0211499	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021149C	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021149F	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021149W	Bypass Coronary Artery, Two Arteries from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114A3	Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02114A8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114A9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114AC	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114AF	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114AW	Bypass Coronary Artery, Two Arteries from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114J3	Bypass Coronary Artery, Two Arteries from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114J8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114J9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114JC	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114JF	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114JW	Bypass Coronary Artery, Two Arteries from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114K3	Bypass Coronary Artery, Two Arteries from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114K8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114K9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114KC	Bypass Coronary Artery, Two Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114KF	Bypass Coronary Artery, Two Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02114KW	Bypass Coronary Artery, Two Arteries from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114Z3	Bypass Coronary Artery, Two Arteries from Coronary Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114Z8	Bypass Coronary Artery, Two Arteries from Right Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114Z9	Bypass Coronary Artery, Two Arteries from Left Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114ZC	Bypass Coronary Artery, Two Arteries from Thoracic Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02114ZF	Bypass Coronary Artery, Two Arteries from Abdominal Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0212083	Bypass Coronary Artery, Three Arteries from Coronary Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0212088	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0212089	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021208C	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021208F	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021208W	Bypass Coronary Artery, Three Arteries from Aorta with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0212093	Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0212098	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0212099	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021209C	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021209F	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021209W	Bypass Coronary Artery, Three Arteries from Aorta with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
02120A3	Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02120A8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02120A9	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02120AC	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02120AF	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02120AW	Bypass Coronary Artery, Three Arteries from Aorta with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02120J3	Bypass Coronary Artery, Three Arteries from Coronary Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02120J8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02120J9	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02120JC	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02120JF	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02120JW	Bypass Coronary Artery, Three Arteries from Aorta with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02120K3	Bypass Coronary Artery, Three Arteries from Coronary Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02120K8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach		
02120K9	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02120KC	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02120KF	Bypass Coronary Artery, Three Arteries from Aorta with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02120KW	Bypass Coronary Artery, Three Arteries from Coronary Artery, Open Approach	Procedure	ICD-10-PCS
02120Z3	Bypass Coronary Artery, Three Arteries from Right Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02120Z8	Bypass Coronary Artery, Three Arteries from Left Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02120ZC	Bypass Coronary Artery, Three Arteries from Thoracic Artery, Open Approach	Procedure	ICD-10-PCS
02120ZF	Bypass Coronary Artery, Three Arteries from Abdominal Artery, Open Approach	Procedure	ICD-10-PCS
0212483	Bypass Coronary Artery, Three Arteries from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach		
0212488	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0212489	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021248C	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021248F	Bypass Coronary Artery, Three Arteries from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021248W	Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0212493	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0212498	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0212499	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
021249C	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021249F	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021249W	Bypass Coronary Artery, Three Arteries from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124A3	Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124A8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124A9	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124AC	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124AF	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124AW	Bypass Coronary Artery, Three Arteries from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124J3	Bypass Coronary Artery, Three Arteries from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124J8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124J9	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124JC	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124JF	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124JW	Bypass Coronary Artery, Three Arteries from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124K3	Bypass Coronary Artery, Three Arteries from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02124K8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124K9	Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124KC	Bypass Coronary Artery, Three Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124KF	Bypass Coronary Artery, Three Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124KW	Bypass Coronary Artery, Three Arteries from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124Z3	Bypass Coronary Artery, Three Arteries from Coronary Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124Z8	Bypass Coronary Artery, Three Arteries from Right Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124Z9	Bypass Coronary Artery, Three Arteries from Left Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124ZC	Bypass Coronary Artery, Three Arteries from Thoracic Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02124ZF	Bypass Coronary Artery, Three Arteries from Abdominal Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0213083	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0213088	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0213089	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021308C	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021308F	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021308W	Bypass Coronary Artery, Four or More Arteries from Aorta with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
0213093	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0213098	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
0213099	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021309C	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021309F	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021309W	Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
02130A3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02130A8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02130A9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02130AC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02130AF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02130AW	Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
02130J3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02130J8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02130J9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02130JC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02130JF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02130JW	Bypass Coronary Artery, Four or More Arteries from Aorta with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
02130K3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02130K8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02130K9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02130KC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02130KF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02130KW	Bypass Coronary Artery, Four or More Arteries from Aorta with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
02130Z3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery, Open Approach	Procedure	ICD-10-PCS
02130Z8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02130Z9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary, Open Approach	Procedure	ICD-10-PCS
02130ZC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery, Open Approach	Procedure	ICD-10-PCS
02130ZF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0213483	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0213488	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0213489	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021348C	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021348F	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021348W	Bypass Coronary Artery, Four or More Arteries from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0213493	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0213498	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0213499	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021349C	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021349F	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021349W	Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134A3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134A8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134A9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02134AC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134AF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134AW	Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134J3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134J8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134J9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134JC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134JF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134JW	Bypass Coronary Artery, Four or More Arteries from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134K3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134K8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134K9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134KC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134KF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134KW	Bypass Coronary Artery, Four or More Arteries from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134Z3	Bypass Coronary Artery, Four or More Arteries from Coronary Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02134Z8	Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134Z9	Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134ZC	Bypass Coronary Artery, Four or More Arteries from Thoracic Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02134ZF	Bypass Coronary Artery, Four or More Arteries from Abdominal Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021K0Z8	Bypass Right Ventricle to Right Internal Mammary, Open Approach	Procedure	ICD-10-PCS
021K0Z9	Bypass Right Ventricle to Left Internal Mammary, Open Approach	Procedure	ICD-10-PCS
021K0ZC	Bypass Right Ventricle to Thoracic Artery, Open Approach	Procedure	ICD-10-PCS
021K0ZF	Bypass Right Ventricle to Abdominal Artery, Open Approach	Procedure	ICD-10-PCS
021K0ZW	Bypass Right Ventricle to Aorta, Open Approach	Procedure	ICD-10-PCS
021K4Z8	Bypass Right Ventricle to Right Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021K4Z9	Bypass Right Ventricle to Left Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021K4ZC	Bypass Right Ventricle to Thoracic Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021K4ZF	Bypass Right Ventricle to Abdominal Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021K4ZW	Bypass Right Ventricle to Aorta, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L08P	Bypass Left Ventricle to Pulmonary Trunk with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021L08Q	Bypass Left Ventricle to Right Pulmonary Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021L08R	Bypass Left Ventricle to Left Pulmonary Artery with Zooplastic Tissue, Open Approach	Procedure	ICD-10-PCS
021L09P	Bypass Left Ventricle to Pulmonary Trunk with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021L09Q	Bypass Left Ventricle to Right Pulmonary Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021L09R	Bypass Left Ventricle to Left Pulmonary Artery with Autologous Venous Tissue, Open Approach	Procedure	ICD-10-PCS
021L0AP	Bypass Left Ventricle to Pulmonary Trunk with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
021L0AQ	Bypass Left Ventricle to Right Pulmonary Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
021L0AR	Bypass Left Ventricle to Left Pulmonary Artery with Autologous Arterial Tissue, Open Approach	Procedure	ICD-10-PCS
021L0JP	Bypass Left Ventricle to Pulmonary Trunk with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
021L0JQ	Bypass Left Ventricle to Right Pulmonary Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
021L0JR	Bypass Left Ventricle to Left Pulmonary Artery with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
021L0KP	Bypass Left Ventricle to Pulmonary Trunk with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
021L0KQ	Bypass Left Ventricle to Right Pulmonary Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
021L0KR	Bypass Left Ventricle to Left Pulmonary Artery with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
021L0Z8	Bypass Left Ventricle to Right Internal Mammary, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
021L0Z9	Bypass Left Ventricle to Left Internal Mammary, Open Approach	Procedure	ICD-10-PCS
021L0ZC	Bypass Left Ventricle to Thoracic Artery, Open Approach	Procedure	ICD-10-PCS
021L0ZF	Bypass Left Ventricle to Abdominal Artery, Open Approach	Procedure	ICD-10-PCS
021L0ZP	Bypass Left Ventricle to Pulmonary Trunk, Open Approach	Procedure	ICD-10-PCS
021L0ZQ	Bypass Left Ventricle to Right Pulmonary Artery, Open Approach	Procedure	ICD-10-PCS
021L0ZR	Bypass Left Ventricle to Left Pulmonary Artery, Open Approach	Procedure	ICD-10-PCS
021L48P	Bypass Left Ventricle to Pulmonary Trunk with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L48Q	Bypass Left Ventricle to Right Pulmonary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L48R	Bypass Left Ventricle to Left Pulmonary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L49P	Bypass Left Ventricle to Pulmonary Trunk with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L49Q	Bypass Left Ventricle to Right Pulmonary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L49R	Bypass Left Ventricle to Left Pulmonary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4AP	Bypass Left Ventricle to Pulmonary Trunk with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4AQ	Bypass Left Ventricle to Right Pulmonary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4AR	Bypass Left Ventricle to Left Pulmonary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4JP	Bypass Left Ventricle to Pulmonary Trunk with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4JQ	Bypass Left Ventricle to Right Pulmonary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4JR	Bypass Left Ventricle to Left Pulmonary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4KP	Bypass Left Ventricle to Pulmonary Trunk with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4KQ	Bypass Left Ventricle to Right Pulmonary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4KR	Bypass Left Ventricle to Left Pulmonary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4Z8	Bypass Left Ventricle to Right Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4Z9	Bypass Left Ventricle to Left Internal Mammary, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4ZC	Bypass Left Ventricle to Thoracic Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4ZF	Bypass Left Ventricle to Abdominal Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4ZP	Bypass Left Ventricle to Pulmonary Trunk, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4ZQ	Bypass Left Ventricle to Right Pulmonary Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
021L4ZR	Bypass Left Ventricle to Left Pulmonary Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0270046	Dilation of Coronary Artery, One Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
027004Z	Dilation of Coronary Artery, One Artery with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
0270056	Dilation of Coronary Artery, One Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027005Z	Dilation of Coronary Artery, One Artery with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0270066	Dilation of Coronary Artery, One Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027006Z	Dilation of Coronary Artery, One Artery with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0270076	Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027007Z	Dilation of Coronary Artery, One Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700D6	Dilation of Coronary Artery, One Artery, Bifurcation, with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02700DZ	Dilation of Coronary Artery, One Artery with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02700E6	Dilation of Coronary Artery, One Artery, Bifurcation, with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700EZ	Dilation of Coronary Artery, One Artery with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700F6	Dilation of Coronary Artery, One Artery, Bifurcation, with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700FZ	Dilation of Coronary Artery, One Artery with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700G6	Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700GZ	Dilation of Coronary Artery, One Artery with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02700T6	Dilation of Coronary Artery, One Artery, Bifurcation, with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02700TZ	Dilation of Coronary Artery, One Artery with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02700Z6	Dilation of Coronary Artery, One Artery, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02700ZZ	Dilation of Coronary Artery, One Artery, Open Approach	Procedure	ICD-10-PCS
0270346	Dilation of Coronary Artery, One Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
027034Z	Dilation of Coronary Artery, One Artery with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0270356	Dilation of Coronary Artery, One Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027035Z	Dilation of Coronary Artery, One Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0270366	Dilation of Coronary Artery, One Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027036Z	Dilation of Coronary Artery, One Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0270376	Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027037Z	Dilation of Coronary Artery, One Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703D6	Dilation of Coronary Artery, One Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02703DZ	Dilation of Coronary Artery, One Artery with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02703E6	Dilation of Coronary Artery, One Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703EZ	Dilation of Coronary Artery, One Artery with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703F6	Dilation of Coronary Artery, One Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703FZ	Dilation of Coronary Artery, One Artery with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703G6	Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703GZ	Dilation of Coronary Artery, One Artery with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02703T6	Dilation of Coronary Artery, One Artery, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02703TZ	Dilation of Coronary Artery, One Artery with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0270446	Dilation of Coronary Artery, One Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027044Z	Dilation of Coronary Artery, One Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0270456	Dilation of Coronary Artery, One Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027045Z	Dilation of Coronary Artery, One Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0270466	Dilation of Coronary Artery, One Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027046Z	Dilation of Coronary Artery, One Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0270476	Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027047Z	Dilation of Coronary Artery, One Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704D6	Dilation of Coronary Artery, One Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704DZ	Dilation of Coronary Artery, One Artery with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02704E6	Dilation of Coronary Artery, One Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704EZ	Dilation of Coronary Artery, One Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704F6	Dilation of Coronary Artery, One Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704FZ	Dilation of Coronary Artery, One Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704G6	Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704GZ	Dilation of Coronary Artery, One Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704T6	Dilation of Coronary Artery, One Artery, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02704TZ	Dilation of Coronary Artery, One Artery with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0271046	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
027104Z	Dilation of Coronary Artery, Two Arteries with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
0271056	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027105Z	Dilation of Coronary Artery, Two Arteries with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0271066	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027106Z	Dilation of Coronary Artery, Two Arteries with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0271076	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027107Z	Dilation of Coronary Artery, Two Arteries with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710D6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02710DZ	Dilation of Coronary Artery, Two Arteries with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02710E6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710EZ	Dilation of Coronary Artery, Two Arteries with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710F6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710FZ	Dilation of Coronary Artery, Two Arteries with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710G6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710GZ	Dilation of Coronary Artery, Two Arteries with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02710T6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02710TZ	Dilation of Coronary Artery, Two Arteries with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02710Z6	Dilation of Coronary Artery, Two Arteries, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02710ZZ	Dilation of Coronary Artery, Two Arteries, Open Approach	Procedure	ICD-10-PCS
0271346	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
027134Z	Dilation of Coronary Artery, Two Arteries with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0271356	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027135Z	Dilation of Coronary Artery, Two Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0271366	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027136Z	Dilation of Coronary Artery, Two Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0271376	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027137Z	Dilation of Coronary Artery, Two Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713D6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02713DZ	Dilation of Coronary Artery, Two Arteries with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02713E6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713EZ	Dilation of Coronary Artery, Two Arteries with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713F6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713FZ	Dilation of Coronary Artery, Two Arteries with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713G6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713GZ	Dilation of Coronary Artery, Two Arteries with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02713T6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02713TZ	Dilation of Coronary Artery, Two Arteries with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0271446	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027144Z	Dilation of Coronary Artery, Two Arteries with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0271456	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
027145Z	Dilation of Coronary Artery, Two Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0271466	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027146Z	Dilation of Coronary Artery, Two Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0271476	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027147Z	Dilation of Coronary Artery, Two Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714D6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714DZ	Dilation of Coronary Artery, Two Arteries with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714E6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714EZ	Dilation of Coronary Artery, Two Arteries with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714F6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714FZ	Dilation of Coronary Artery, Two Arteries with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714G6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714GZ	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714T6	Dilation of Coronary Artery, Two Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02714TZ	Dilation of Coronary Artery, Two Arteries with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0272046	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
027204Z	Dilation of Coronary Artery, Three Arteries with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
0272056	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027205Z	Dilation of Coronary Artery, Three Arteries with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0272066	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027206Z	Dilation of Coronary Artery, Three Arteries with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0272076	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027207Z	Dilation of Coronary Artery, Three Arteries with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720D6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02720DZ	Dilation of Coronary Artery, Three Arteries with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02720E6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720EZ	Dilation of Coronary Artery, Three Arteries with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720F6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720FZ	Dilation of Coronary Artery, Three Arteries with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720G6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720GZ	Dilation of Coronary Artery, Three Arteries with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02720T6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02720TZ	Dilation of Coronary Artery, Three Arteries with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02720Z6	Dilation of Coronary Artery, Three Arteries, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02720ZZ	Dilation of Coronary Artery, Three Arteries, Open Approach	Procedure	ICD-10-PCS
0272346	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
027234Z	Dilation of Coronary Artery, Three Arteries with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0272356	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027235Z	Dilation of Coronary Artery, Three Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0272366	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027236Z	Dilation of Coronary Artery, Three Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0272376	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027237Z	Dilation of Coronary Artery, Three Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02723D6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02723DZ	Dilation of Coronary Artery, Three Arteries with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02723E6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02723EZ	Dilation of Coronary Artery, Three Arteries with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02723F6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02723FZ	Dilation of Coronary Artery, Three Arteries with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02723G6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02723GZ	Dilation of Coronary Artery, Three Arteries with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02723T6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02723TZ	Dilation of Coronary Artery, Three Arteries with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0272446	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027244Z	Dilation of Coronary Artery, Three Arteries with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0272456	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027245Z	Dilation of Coronary Artery, Three Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0272466	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027246Z	Dilation of Coronary Artery, Three Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0272476	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027247Z	Dilation of Coronary Artery, Three Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724D6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724DZ	Dilation of Coronary Artery, Three Arteries with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724E6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724EZ	Dilation of Coronary Artery, Three Arteries with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724F6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
02724FZ	Dilation of Coronary Artery, Three Arteries with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724G6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724GZ	Dilation of Coronary Artery, Three Arteries with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724T6	Dilation of Coronary Artery, Three Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02724TZ	Dilation of Coronary Artery, Three Arteries with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0273046	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
027304Z	Dilation of Coronary Artery, Four or More Arteries with Drug-eluting Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
0273056	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027305Z	Dilation of Coronary Artery, Four or More Arteries with Two Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0273066	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027306Z	Dilation of Coronary Artery, Four or More Arteries with Three Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
0273076	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
027307Z	Dilation of Coronary Artery, Four or More Arteries with Four or More Drug-eluting Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730D6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02730DZ	Dilation of Coronary Artery, Four or More Arteries with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02730E6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730EZ	Dilation of Coronary Artery, Four or More Arteries with Two Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730F6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730FZ	Dilation of Coronary Artery, Four or More Arteries with Three Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730G6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730GZ	Dilation of Coronary Artery, Four or More Arteries with Four or More Intraluminal Devices, Open Approach	Procedure	ICD-10-PCS
02730T6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02730TZ	Dilation of Coronary Artery, Four or More Arteries with Radioactive Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
02730Z6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02730ZZ	Dilation of Coronary Artery, Four or More Arteries, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0273346	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
027334Z	Dilation of Coronary Artery, Four or More Arteries with Drug-eluting Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0273356	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027335Z	Dilation of Coronary Artery, Four or More Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0273366	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027336Z	Dilation of Coronary Artery, Four or More Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
0273376	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
027337Z	Dilation of Coronary Artery, Four or More Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733D6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02733DZ	Dilation of Coronary Artery, Four or More Arteries with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02733E6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733EZ	Dilation of Coronary Artery, Four or More Arteries with Two Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733F6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733FZ	Dilation of Coronary Artery, Four or More Arteries with Three Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733G6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733GZ	Dilation of Coronary Artery, Four or More Arteries with Four or More Intraluminal Devices, Percutaneous Approach	Procedure	ICD-10-PCS
02733T6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
02733TZ	Dilation of Coronary Artery, Four or More Arteries with Radioactive Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
0273446	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
027344Z	Dilation of Coronary Artery, Four or More Arteries with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0273456	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027345Z	Dilation of Coronary Artery, Four or More Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0273466	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027346Z	Dilation of Coronary Artery, Four or More Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0273476	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
027347Z	Dilation of Coronary Artery, Four or More Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734D6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734DZ	Dilation of Coronary Artery, Four or More Arteries with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734E6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734EZ	Dilation of Coronary Artery, Four or More Arteries with Two Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734F6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734FZ	Dilation of Coronary Artery, Four or More Arteries with Three Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734G6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734GZ	Dilation of Coronary Artery, Four or More Arteries with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734T6	Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
	Dilation of Coronary Artery, Four or More Arteries with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02734TZ	Approach	Procedure	ICD-10-PCS
02C00Z6	Extirpation of Matter from Coronary Artery, One Artery, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02C00ZZ	Extirpation of Matter from Coronary Artery, One Artery, Open Approach	Procedure	ICD-10-PCS
02C03Z6	Extirpation of Matter from Coronary Artery, One Artery, Bifurcation, Percutaneous Approach	Procedure	ICD-10-PCS
02C03ZZ	Extirpation of Matter from Coronary Artery, One Artery, Percutaneous Approach	Procedure	ICD-10-PCS
02C04Z6	Extirpation of Matter from Coronary Artery, One Artery, Bifurcation, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C04ZZ	Extirpation of Matter from Coronary Artery, One Artery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C10Z6	Extirpation of Matter from Coronary Artery, Two Arteries, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02C10ZZ	Extirpation of Matter from Coronary Artery, Two Arteries, Open Approach	Procedure	ICD-10-PCS
02C13Z6	Extirpation of Matter from Coronary Artery, Two Arteries, Bifurcation, Percutaneous Approach	Procedure	ICD-10-PCS
02C13ZZ	Extirpation of Matter from Coronary Artery, Two Arteries, Percutaneous Approach	Procedure	ICD-10-PCS
02C14Z6	Extirpation of Matter from Coronary Artery, Two Arteries, Bifurcation, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C14ZZ	Extirpation of Matter from Coronary Artery, Two Arteries, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C20Z6	Extirpation of Matter from Coronary Artery, Three Arteries, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02C20ZZ	Extirpation of Matter from Coronary Artery, Three Arteries, Open Approach	Procedure	ICD-10-PCS
02C23Z6	Extirpation of Matter from Coronary Artery, Three Arteries, Bifurcation, Percutaneous Approach	Procedure	ICD-10-PCS
02C23ZZ	Extirpation of Matter from Coronary Artery, Three Arteries, Percutaneous Approach	Procedure	ICD-10-PCS
02C24Z6	Extirpation of Matter from Coronary Artery, Three Arteries, Bifurcation, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C24ZZ	Extirpation of Matter from Coronary Artery, Three Arteries, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C30Z6	Extirpation of Matter from Coronary Artery, Four or More Arteries, Bifurcation, Open Approach	Procedure	ICD-10-PCS
02C30ZZ	Extirpation of Matter from Coronary Artery, Four or More Arteries, Open Approach	Procedure	ICD-10-PCS
02C33Z6	Extirpation of Matter from Coronary Artery, Four or More Arteries, Bifurcation, Percutaneous Approach	Procedure	ICD-10-PCS
02C33ZZ	Extirpation of Matter from Coronary Artery, Four or More Arteries, Percutaneous Approach	Procedure	ICD-10-PCS
02C34Z6	Extirpation of Matter from Coronary Artery, Four or More Arteries, Bifurcation, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02C34ZZ	Extirpation of Matter from Coronary Artery, Four or More Arteries, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
17.55	Transluminal coronary atherectomy	Procedure	ICD-9-CM
33510	Coronary artery bypass, vein only; single coronary venous graft	Procedure	CPT-4
33511	Coronary artery bypass, vein only; 2 coronary venous grafts	Procedure	CPT-4
33512	Coronary artery bypass, vein only; 3 coronary venous grafts	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
33513	Coronary artery bypass, vein only; 4 coronary venous grafts	Procedure	CPT-4
33514	Coronary artery bypass, vein only; 5 coronary venous grafts	Procedure	CPT-4
33516	Coronary artery bypass, vein only; 6 or more coronary venous grafts	Procedure	CPT-4
33517	Coronary artery bypass, using venous graft(s) and arterial graft(s); single vein graft (List separately in addition to code for primary procedure)	Procedure	CPT-4
33518	Coronary artery bypass, using venous graft(s) and arterial graft(s); 2 venous grafts (List separately in addition to code for primary procedure)	Procedure	CPT-4
33519	Coronary artery bypass, using venous graft(s) and arterial graft(s); 3 venous grafts (List separately in addition to code for primary procedure)	Procedure	CPT-4
33520	Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Single Graft	Procedure	CPT-4
33521	Coronary artery bypass, using venous graft(s) and arterial graft(s); 4 venous grafts (List separately in addition to code for primary procedure)	Procedure	CPT-4
33522	Coronary artery bypass, using venous graft(s) and arterial graft(s); 5 venous grafts (List separately in addition to code for primary procedure)	Procedure	CPT-4
33523	Coronary artery bypass, using venous graft(s) and arterial graft(s); 6 or more venous grafts (List separately in addition to code for primary procedure)	Procedure	CPT-4
33525	Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Two Coronary Grafts	Procedure	CPT-4
33528	Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Three Or More Coronary Grafts	Procedure	CPT-4
33530	Reoperation, coronary artery bypass procedure or valve procedure, more than 1 month after original operation (List separately in addition to code for primary procedure)	Procedure	CPT-4
33533	Coronary artery bypass, using arterial graft(s); single arterial graft	Procedure	CPT-4
33534	Coronary artery bypass, using arterial graft(s); 2 coronary arterial grafts	Procedure	CPT-4
33535	Coronary artery bypass, using arterial graft(s); 3 coronary arterial grafts	Procedure	CPT-4
33536	Coronary artery bypass, using arterial graft(s); 4 or more coronary arterial grafts	Procedure	CPT-4
33560	Myocardial Operation Combined With Coronary Bypass Procedure	Procedure	CPT-4
33570	CORONARY ANGIOPLASTY W/BYPASS	Procedure	CPT-4
33572	Coronary endarterectomy, open, any method, of left anterior descending, circumflex, or right coronary artery performed in conjunction with coronary artery bypass graft procedure, each vessel (List separately in addition to primary procedure)	Procedure	CPT-4
33575	CORON ANGIOPLSTY W/BYPASS; COMBO W/VASCULARIZAT	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
35454	Transluminal balloon angioplasty, open; iliac	Procedure	CPT-4
35456	Transluminal balloon angioplasty, open; femoral-popliteal	Procedure	CPT-4
35458	Transluminal balloon angioplasty, open; brachiocephalic trunk or branches, each vessel	Procedure	CPT-4
35459	Transluminal balloon angioplasty, open; tibioperoneal trunk and branches	Procedure	CPT-4
35470	Transluminal balloon angioplasty, percutaneous; tibioperoneal trunk or branches, each vessel	Procedure	CPT-4
35473	Transluminal balloon angioplasty, percutaneous; iliac	Procedure	CPT-4
35474	Transluminal balloon angioplasty, percutaneous; femoral-popliteal	Procedure	CPT-4
35475	Transluminal balloon angioplasty, percutaneous; brachiocephalic trunk or branches, each vessel	Procedure	CPT-4
35600	Harvest of upper extremity artery, 1 segment, for coronary artery bypass procedure (List separately in addition to code for primary procedure)	Procedure	CPT-4
35879	Revision, lower extremity arterial bypass, without thrombectomy, open; with vein patch angioplasty	Procedure	CPT-4
36.03	Open chest coronary artery angioplasty	Procedure	ICD-9-CM
36.04	Intracoronary artery thrombolytic infusion	Procedure	ICD-9-CM
36.06	Insertion of non-drug-eluting coronary artery stent(s)	Procedure	ICD-9-CM
36.07	Insertion of drug-eluting coronary artery stent(s)	Procedure	ICD-9-CM
36.09	Other removal of coronary artery obstruction	Procedure	ICD-9-CM
36.10	Aortocoronary bypass for heart revascularization, not otherwise specified	Procedure	ICD-9-CM
36.11	(Aorto)coronary bypass of one coronary artery	Procedure	ICD-9-CM
36.12	(Aorto)coronary bypass of two coronary arteries	Procedure	ICD-9-CM
36.13	(Aorto)coronary bypass of three coronary arteries	Procedure	ICD-9-CM
36.14	(Aorto)coronary bypass of four or more coronary arteries	Procedure	ICD-9-CM
36.15	Single internal mammary-coronary artery bypass	Procedure	ICD-9-CM
36.16	Double internal mammary-coronary artery bypass	Procedure	ICD-9-CM
36.17	Abdominal-coronary artery bypass	Procedure	ICD-9-CM
36.19	Other bypass anastomosis for heart revascularization	Procedure	ICD-9-CM
36.2	Heart revascularization by arterial implant	Procedure	ICD-9-CM
37215	Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision and interpretation; with distal embolic protection	Procedure	CPT-4
37216	Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision and interpretation; without distal embolic protection	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
37217	Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery by retrograde treatment, open ipsilateral cervical carotid artery exposure, including angioplasty, when performed, and radiological supervision and interpretation	Procedure	CPT-4
37218	Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery, open or percutaneous antegrade approach, including angioplasty, when performed, and radiological supervision and interpretation	Procedure	CPT-4
37220	Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal angioplasty	Procedure	CPT-4
37221	Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	Procedure	CPT-4
37222	Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	Procedure	CPT-4
37223	Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	Procedure	CPT-4
37224	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal angioplasty	Procedure	CPT-4
37225	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with atherectomy, includes angioplasty within the same vessel, when performed	Procedure	CPT-4
37226	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	Procedure	CPT-4
37227	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed	Procedure	CPT-4
37228	Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal angioplasty	Procedure	CPT-4
37229	Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with atherectomy, includes angioplasty within the same vessel, when performed	Procedure	CPT-4
37230	Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
37231	Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed	Procedure	CPT-4
37232	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	Procedure	CPT-4
37233	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	Procedure	CPT-4
37234	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	Procedure	CPT-4
37235	Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	Procedure	CPT-4
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	Procedure	CPT-4
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	Procedure	CPT-4
3E07017	Introduction of Other Thrombolytic into Coronary Artery, Open Approach	Procedure	ICD-10-PCS
3E070PZ	Introduction of Platelet Inhibitor into Coronary Artery, Open Approach	Procedure	ICD-10-PCS
3E07317	Introduction of Other Thrombolytic into Coronary Artery, Percutaneous Approach	Procedure	ICD-10-PCS
3E073PZ	Introduction of Platelet Inhibitor into Coronary Artery, Percutaneous Approach	Procedure	ICD-10-PCS
410.00	Acute myocardial infarction of anterolateral wall, episode of care unspecified	Diagnosis	ICD-9-CM
410.01	Acute myocardial infarction of anterolateral wall, initial episode of care	Diagnosis	ICD-9-CM
410.02	Acute myocardial infarction of anterolateral wall, subsequent episode of care	Diagnosis	ICD-9-CM
410.10	Acute myocardial infarction of other anterior wall, episode of care unspecified	Diagnosis	ICD-9-CM
410.11	Acute myocardial infarction of other anterior wall, initial episode of care	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
410.12	Acute myocardial infarction of other anterior wall, subsequent episode of care	Diagnosis	ICD-9-CM
410.20	Acute myocardial infarction of inferolateral wall, episode of care unspecified	Diagnosis	ICD-9-CM
410.21	Acute myocardial infarction of inferolateral wall, initial episode of care	Diagnosis	ICD-9-CM
410.22	Acute myocardial infarction of inferolateral wall, subsequent episode of care	Diagnosis	ICD-9-CM
410.30	Acute myocardial infarction of inferoposterior wall, episode of care unspecified	Diagnosis	ICD-9-CM
410.31	Acute myocardial infarction of inferoposterior wall, initial episode of care	Diagnosis	ICD-9-CM
410.32	Acute myocardial infarction of inferoposterior wall, subsequent episode of care	Diagnosis	ICD-9-CM
410.40	Acute myocardial infarction of other inferior wall, episode of care unspecified	Diagnosis	ICD-9-CM
410.41	Acute myocardial infarction of other inferior wall, initial episode of care	Diagnosis	ICD-9-CM
410.42	Acute myocardial infarction of other inferior wall, subsequent episode of care	Diagnosis	ICD-9-CM
410.50	Acute myocardial infarction of other lateral wall, episode of care unspecified	Diagnosis	ICD-9-CM
410.51	Acute myocardial infarction of other lateral wall, initial episode of care	Diagnosis	ICD-9-CM
410.52	Acute myocardial infarction of other lateral wall, subsequent episode of care	Diagnosis	ICD-9-CM
410.60	Acute myocardial infarction, true posterior wall infarction, episode of care unspecified	Diagnosis	ICD-9-CM
410.61	Acute myocardial infarction, true posterior wall infarction, initial episode of care	Diagnosis	ICD-9-CM
410.62	Acute myocardial infarction, true posterior wall infarction, subsequent episode of care	Diagnosis	ICD-9-CM
410.70	Acute myocardial infarction, subendocardial infarction, episode of care unspecified	Diagnosis	ICD-9-CM
410.71	Acute myocardial infarction, subendocardial infarction, initial episode of care	Diagnosis	ICD-9-CM
410.72	Acute myocardial infarction, subendocardial infarction, subsequent episode of care	Diagnosis	ICD-9-CM
410.80	Acute myocardial infarction of other specified sites, episode of care unspecified	Diagnosis	ICD-9-CM
410.81	Acute myocardial infarction of other specified sites, initial episode of care	Diagnosis	ICD-9-CM
410.82	Acute myocardial infarction of other specified sites, subsequent episode of care	Diagnosis	ICD-9-CM
410.90	Acute myocardial infarction, unspecified site, episode of care unspecified	Diagnosis	ICD-9-CM
410.91	Acute myocardial infarction, unspecified site, initial episode of care	Diagnosis	ICD-9-CM
410.92	Acute myocardial infarction, unspecified site, subsequent episode of care	Diagnosis	ICD-9-CM
411.1	Intermediate coronary syndrome	Diagnosis	ICD-9-CM
411.81	Acute coronary occlusion without myocardial infarction	Diagnosis	ICD-9-CM
411.89	Other acute and subacute form of ischemic heart disease	Diagnosis	ICD-9-CM
413.0	Angina decubitus	Diagnosis	ICD-9-CM
413.1	Prinzmetal angina	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
413.9	Other and unspecified angina pectoris	Diagnosis	ICD-9-CM
414.01	Coronary atherosclerosis of native coronary artery	Diagnosis	ICD-9-CM
414.02	Coronary atherosclerosis of autologous vein bypass graft	Diagnosis	ICD-9-CM
414.03	Coronary atherosclerosis of nonautologous biological bypass graft	Diagnosis	ICD-9-CM
414.04	Coronary atherosclerosis of artery bypass graft	Diagnosis	ICD-9-CM
414.05	Coronary atherosclerosis of unspecified type of bypass graft	Diagnosis	ICD-9-CM
414.06	Coronary atherosclerosis, of native coronary artery of transplanted heart	Diagnosis	ICD-9-CM
414.07	Coronary atherosclerosis, of bypass graft (artery) (vein) of transplanted heart	Diagnosis	ICD-9-CM
414.3	Coronary atherosclerosis due to lipid rich plaque	Diagnosis	ICD-9-CM
414.4	Coronary atherosclerosis due to calcified coronary lesion	Diagnosis	ICD-9-CM
414.8	Other specified forms of chronic ischemic heart disease	Diagnosis	ICD-9-CM
415.11	Iatrogenic pulmonary embolism and infarction	Diagnosis	ICD-9-CM
427.1	Paroxysmal ventricular tachycardia	Diagnosis	ICD-9-CM
427.5	Cardiac arrest	Diagnosis	ICD-9-CM
429.79	Other certain sequelae of myocardial infarction, not elsewhere classified	Diagnosis	ICD-9-CM
430	Subarachnoid hemorrhage	Diagnosis	ICD-9-CM
431	Intracerebral hemorrhage	Diagnosis	ICD-9-CM
432.0	Nontraumatic extradural hemorrhage	Diagnosis	ICD-9-CM
432.1	Subdural hemorrhage	Diagnosis	ICD-9-CM
432.9	Unspecified intracranial hemorrhage	Diagnosis	ICD-9-CM
433.00	Occlusion and stenosis of basilar artery without mention of cerebral infarction	Diagnosis	ICD-9-CM
433.01	Occlusion and stenosis of basilar artery with cerebral infarction	Diagnosis	ICD-9-CM
433.10	Occlusion and stenosis of carotid artery without mention of cerebral infarction	Diagnosis	ICD-9-CM
433.11	Occlusion and stenosis of carotid artery with cerebral infarction	Diagnosis	ICD-9-CM
433.20	Occlusion and stenosis of vertebral artery without mention of cerebral infarction	Diagnosis	ICD-9-CM
433.21	Occlusion and stenosis of vertebral artery with cerebral infarction	Diagnosis	ICD-9-CM
433.30	Occlusion and stenosis of multiple and bilateral precerebral arteries without mention of cerebral infarction	Diagnosis	ICD-9-CM
433.31	Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral infarction	Diagnosis	ICD-9-CM
433.80	Occlusion and stenosis of other specified precerebral artery without mention of cerebral infarction	Diagnosis	ICD-9-CM
433.81	Occlusion and stenosis of other specified precerebral artery with cerebral infarction	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
433.90	Occlusion and stenosis of unspecified precerebral artery without mention of cerebral infarction	Diagnosis	ICD-9-CM
433.91	Occlusion and stenosis of unspecified precerebral artery with cerebral infarction	Diagnosis	ICD-9-CM
434.00	Cerebral thrombosis without mention of cerebral infarction	Diagnosis	ICD-9-CM
434.01	Cerebral thrombosis with cerebral infarction	Diagnosis	ICD-9-CM
434.10	Cerebral embolism without mention of cerebral infarction	Diagnosis	ICD-9-CM
434.11	Cerebral embolism with cerebral infarction	Diagnosis	ICD-9-CM
434.90	Unspecified cerebral artery occlusion without mention of cerebral infarction	Diagnosis	ICD-9-CM
434.91	Unspecified cerebral artery occlusion with cerebral infarction	Diagnosis	ICD-9-CM
435.0	Basilar artery syndrome	Diagnosis	ICD-9-CM
435.1	Vertebral artery syndrome	Diagnosis	ICD-9-CM
435.2	Subclavian steal syndrome	Diagnosis	ICD-9-CM
435.3	Vertebrobasilar artery syndrome	Diagnosis	ICD-9-CM
435.8	Other specified transient cerebral ischemias	Diagnosis	ICD-9-CM
435.9	Unspecified transient cerebral ischemia	Diagnosis	ICD-9-CM
436	Acute, but ill-defined, cerebrovascular disease	Diagnosis	ICD-9-CM
437.0	Cerebral atherosclerosis	Diagnosis	ICD-9-CM
437.1	Other generalized ischemic cerebrovascular disease	Diagnosis	ICD-9-CM
437.2	Hypertensive encephalopathy	Diagnosis	ICD-9-CM
437.3	Cerebral aneurysm, nonruptured	Diagnosis	ICD-9-CM
437.4	Cerebral arteritis	Diagnosis	ICD-9-CM
437.5	Moyamoya disease	Diagnosis	ICD-9-CM
437.8	Other ill-defined cerebrovascular disease	Diagnosis	ICD-9-CM
437.9	Unspecified cerebrovascular disease	Diagnosis	ICD-9-CM
438.0	Cognitive deficits due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.10	Unspecified speech and language deficit due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.11	Aphasia due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.12	Dysphasia due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.13	Late effects of cerebrovascular disease, speech and language deficits, dysarthria	Diagnosis	ICD-9-CM
438.14	Late effects of cerebrovascular disease, speech and language deficits, fluency disorder	Diagnosis	ICD-9-CM
438.19	Other speech and language deficits due to cerebrovascular disease	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
438.20	Hemiplegia affecting unspecified side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.21	Hemiplegia affecting dominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.22	Hemiplegia affecting nondominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.30	Monoplegia of upper limb affecting unspecified side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.31	Monoplegia of upper limb affecting dominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.32	Monoplegia of upper limb affecting nondominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.40	Monoplegia of lower limb affecting unspecified side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.41	Monoplegia of lower limb affecting dominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.42	Monoplegia of lower limb affecting nondominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.50	Other paralytic syndrome affecting unspecified side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.51	Other paralytic syndrome affecting dominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.52	Other paralytic syndrome affecting nondominant side due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.6	Alteration of sensations as late effect of cerebrovascular disease	Diagnosis	ICD-9-CM
438.7	Disturbance of vision as late effect of cerebrovascular disease	Diagnosis	ICD-9-CM
438.81	Apraxia due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.82	Dysphagia due to cerebrovascular disease	Diagnosis	ICD-9-CM
438.83	Facial weakness as late effect of cerebrovascular disease	Diagnosis	ICD-9-CM
438.84	Ataxia as late effect of cerebrovascular disease	Diagnosis	ICD-9-CM
438.85	Vertigo as late effect of cerebrovascular disease	Diagnosis	ICD-9-CM
438.89	Other late effects of cerebrovascular disease	Diagnosis	ICD-9-CM
438.9	Unspecified late effects of cerebrovascular disease due to cerebrovascular disease	Diagnosis	ICD-9-CM
440.20	Atherosclerosis of native arteries of the extremities, unspecified	Diagnosis	ICD-9-CM
440.21	Atherosclerosis of native arteries of the extremities with intermittent claudication	Diagnosis	ICD-9-CM
440.22	Atherosclerosis of native arteries of the extremities with rest pain	Diagnosis	ICD-9-CM
440.23	Atherosclerosis of native arteries of the extremities with ulceration	Diagnosis	ICD-9-CM
440.29	Other atherosclerosis of native arteries of the extremities	Diagnosis	ICD-9-CM
440.30	Atherosclerosis of unspecified bypass graft of extremities	Diagnosis	ICD-9-CM
440.31	Atherosclerosis of autologous vein bypass graft of extremities	Diagnosis	ICD-9-CM
440.32	Atherosclerosis of nonautologous biological bypass graft of extremities	Diagnosis	ICD-9-CM
440.4	Chronic total occlusion of artery of the extremities	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
443.81	Peripheral angiopathy in diseases classified elsewhere	Diagnosis	ICD-9-CM
443.89	Other peripheral vascular disease	Diagnosis	ICD-9-CM
443.9	Unspecified peripheral vascular disease	Diagnosis	ICD-9-CM
444.01	Saddle embolus of abdominal aorta	Diagnosis	ICD-9-CM
444.09	Other arterial embolism and thrombosis of abdominal aorta	Diagnosis	ICD-9-CM
444.1	Embolism and thrombosis of thoracic aorta	Diagnosis	ICD-9-CM
444.21	Embolism and thrombosis of arteries of upper extremity	Diagnosis	ICD-9-CM
444.22	Embolism and thrombosis of arteries of lower extremity	Diagnosis	ICD-9-CM
444.81	Embolism and thrombosis of iliac artery	Diagnosis	ICD-9-CM
444.89	Embolism and thrombosis of other specified artery	Diagnosis	ICD-9-CM
444.9	Embolism and thrombosis of unspecified artery	Diagnosis	ICD-9-CM
445.01	Atheroembolism of upper extremity	Diagnosis	ICD-9-CM
445.02	Atheroembolism of lower extremity	Diagnosis	ICD-9-CM
445.81	Atheroembolism of kidney	Diagnosis	ICD-9-CM
445.89	Atheroembolism of other site	Diagnosis	ICD-9-CM
61630	Balloon angioplasty, intracranial (eg, atherosclerotic stenosis), percutaneous	Diagnosis	ICD-10-CM
61630	Balloon angioplasty, intracranial (eg, atherosclerotic stenosis), percutaneous	Procedure	CPT-4
61635	Transcatheter placement of intravascular stent(s), intracranial (eg, atherosclerotic stenosis), including balloon angioplasty, if performed	Diagnosis	ICD-10-CM
61635	Transcatheter placement of intravascular stent(s), intracranial (eg, atherosclerotic stenosis), including balloon angioplasty, if performed	Procedure	CPT-4
75962	Transluminal balloon angioplasty, peripheral artery other than renal, or other visceral artery, iliac or lower extremity, radiological supervision and interpretation	Procedure	CPT-4
75963	Percutaneous Transluminal Angioplasty, Any Method, Peripheral Artery; Complete Procedure	Procedure	CPT-4
75964	Transluminal balloon angioplasty, each additional peripheral artery other than renal or other visceral artery, iliac or lower extremity, radiological supervision and interpretation (List separately in addition to code for primary procedure)	Procedure	CPT-4
75965	Percutaneous Transluminal Angioplasty, Any Method, Each Additional Peripheral Artery; Complete Procedure	Procedure	CPT-4
92.27	Implantation or insertion of radioactive elements	Procedure	ICD-9-CM
92920	Percutaneous transluminal coronary angioplasty; single major coronary artery or branch	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
92921	Percutaneous transluminal coronary angioplasty; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	Procedure	CPT-4
92924	Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; single major coronary artery or branch	Procedure	CPT-4
92925	Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	Procedure	CPT-4
92928	Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch	Procedure	CPT-4
92929	Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	Procedure	CPT-4
92933	Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch	Procedure	CPT-4
92934	Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	Procedure	CPT-4
92937	Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel	Procedure	CPT-4
92938	Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (List separately in addition to code for primary procedure)	Procedure	CPT-4
92941	Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel	Procedure	CPT-4
92943	Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; single vessel	Procedure	CPT-4
92944	Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (List separately in addition to code for primary procedure)	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
92973	Percutaneous transluminal coronary thrombectomy mechanical (List separately in addition to code for primary procedure)	Procedure	CPT-4
92974	Transcatheter placement of radiation delivery device for subsequent coronary intravascular brachytherapy (List separately in addition to code for primary procedure)	Procedure	CPT-4
92977	Thrombolysis, coronary; by intravenous infusion	Procedure	CPT-4
92980	Transcatheter placement of an intracoronary stent(s), percutaneous, with or without other therapeutic intervention, any method; single vessel	Procedure	CPT-4
92981	Transcatheter placement of an intracoronary stent(s), percutaneous, with or without other therapeutic intervention, any method; each additional vessel (List separately in addition to code for primary procedure)	Procedure	CPT-4
92982	Percutaneous transluminal coronary balloon angioplasty; single vessel	Procedure	CPT-4
92984	Percutaneous transluminal coronary balloon angioplasty; each additional vessel (List separately in addition to code for primary procedure)	Procedure	CPT-4
92995	Percutaneous transluminal coronary atherectomy, by mechanical or other method, with or without balloon angioplasty; single vessel	Procedure	CPT-4
92996	Percutaneous transluminal coronary atherectomy, by mechanical or other method, with or without balloon angioplasty; each additional vessel (List separately in addition to code for primary procedure)	Procedure	CPT-4
93455	Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography	Procedure	CPT-4
93457	Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography and right heart catheterization	Procedure	CPT-4
93459	Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
	Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free		
93461	arterial, venous grafts) with bypass graft angiography	Procedure	CPT-4
996.71	Other complications due to heart valve prosthesis	Diagnosis	ICD-9-CM
996.72	Other complications due to other cardiac device, implant, and graft	Diagnosis	ICD-9-CM
997.2	Peripheral vascular complications	Diagnosis	ICD-9-CM
997.79	Vascular complications of other vessels	Diagnosis	ICD-9-CM
B2020ZZ	Plain Radiography of Single Coronary Artery Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B2021ZZ	Plain Radiography of Single Coronary Artery Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B202YZZ	Plain Radiography of Single Coronary Artery Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B2030ZZ	Plain Radiography of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast	Procedure	ICD-10-PCS
B2031ZZ	Plain Radiography of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast	Procedure	ICD-10-PCS
B203YZZ	Plain Radiography of Multiple Coronary Artery Bypass Grafts using Other Contrast	Procedure	ICD-10-PCS
B2070ZZ	Plain Radiography of Right Internal Mammary Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B2071ZZ	Plain Radiography of Right Internal Mammary Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B207YZZ	Plain Radiography of Right Internal Mammary Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B2080ZZ	Plain Radiography of Left Internal Mammary Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B2081ZZ	Plain Radiography of Left Internal Mammary Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B208YZZ	Plain Radiography of Left Internal Mammary Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B20F0ZZ	Plain Radiography of Other Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B20F1ZZ	Plain Radiography of Other Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B20FYZZ	Plain Radiography of Other Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B212010	Fluoroscopy of Single Coronary Artery Bypass Graft using High Osmolar Contrast, Laser Intraoperative	Procedure	ICD-10-PCS
B2120ZZ	Fluoroscopy of Single Coronary Artery Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B212110	Fluoroscopy of Single Coronary Artery Bypass Graft using Low Osmolar Contrast, Laser Intraoperative	Procedure	ICD-10-PCS
B2121ZZ	Fluoroscopy of Single Coronary Artery Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B212Y10	Fluoroscopy of Single Coronary Artery Bypass Graft using Other Contrast, Laser Intraoperative	Procedure	ICD-10-PCS
B212YZZ	Fluoroscopy of Single Coronary Artery Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B213010	Fluoroscopy of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast, Laser Intraoperative	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
B2130ZZ	Fluoroscopy of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast	Procedure	ICD-10-PCS
B213110	Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast, Laser Intraoperative	Procedure	ICD-10-PCS
B2131ZZ	Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast	Procedure	ICD-10-PCS
B213Y10	Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Other Contrast, Laser Intraoperative	Procedure	ICD-10-PCS
B213YZZ	Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Other Contrast	Procedure	ICD-10-PCS
B2170ZZ	Fluoroscopy of Right Internal Mammary Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B2171ZZ	Fluoroscopy of Right Internal Mammary Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B217YZZ	Fluoroscopy of Right Internal Mammary Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B2180ZZ	Fluoroscopy of Left Internal Mammary Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B2181ZZ	Fluoroscopy of Left Internal Mammary Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B218YZZ	Fluoroscopy of Left Internal Mammary Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
B21F0ZZ	Fluoroscopy of Other Bypass Graft using High Osmolar Contrast	Procedure	ICD-10-PCS
B21F1ZZ	Fluoroscopy of Other Bypass Graft using Low Osmolar Contrast	Procedure	ICD-10-PCS
B21FYZZ	Fluoroscopy of Other Bypass Graft using Other Contrast	Procedure	ICD-10-PCS
C1034	Catheter, coronary angioplasty, surpass superfusion catheter, long 30 surpass superfusion catheter	Procedure	HCPCS
C1100	Guide wire, percutaneous transluminal coronary angioplasty, medtronic ave gt1 guide wire, medtronic ave gt2 fusion guide wire, interventional technologies trackwire, interventional technologies trackwire support, interventional technologies trackwire extra support	Procedure	HCPCS
	Catheter, percutaneous transluminal coronary angioplasty guide, medtronic ave 5f, 6f, 7f, 8f, 9f zuma guide catheter, medtronic ave z2 5f, 6f, 7f, 8f, 9f zuma guide catheter, medtronic ave vector guide catheter, medtronic ave vector x guide catheter. note: only the medtronic ave z2 zuma guide catheters are effective october 1, 2000. the medtronic ave zuma guide catheters were effective august 1, 2000.		
C1101	Guide wire, percutaneous transluminal coronary angioplasty, hi-torque iron man, hi-torque balance middleweight, hi-torque all star, hi-torque balance heavyweight, hi-torque balance trek	Procedure	HCPCS
C1366	Guide wire, percutaneous transluminal coronary angioplasty, hi-torque cross it, hi-torque cross-it 100xt, hi-torque cross-it 200xt, hi-torque cross-it 300xt, hi-torque wiggle	Procedure	HCPCS
C1367	Atherectomy system, peripheral, rotablator rotational angioplasty system with rotalink exchangeable catheter, advancer, and guide wire	Procedure	HCPCS
C1500	Catheter, transluminal angioplasty, nonlaser (may include guidance, infusion/perfusion capability)	Procedure	HCPCS
C1725	Catheter, transluminal angioplasty, laser	Procedure	HCPCS
C1885			

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
C1930	Catheter, percutaneous transluminal coronary angioplasty, coyote dilatation catheter 20mm/30mm/40mm	Procedure	HCPCS
C1933	Catheter, opti-plast centurion 5.5f pta catheter (shaft length 50 cm to 120 cm), opti-plast xl 5.5f pta catheter (shaft length 75 cm to 120 cm), opti-plast pta catheter (5.5 fr), tru trac 5fr percutaneous transluminal angioplasty balloon dilatation catheter, optiplast xt 5 fr percutaneous transluminal angioplasty catheter (various sizes)	Procedure	HCPCS
C1948	Catheter, pursuit balloon angioplasty catheter, cook accent balloon angioplasty catheter	Procedure	HCPCS
C1981	Catheter, coronary angioplasty balloon, adante, bonnie, bonnie 15mm, bonnie monorail 30mm or 40mm, bonnie sliding rail, bypass speedy, chubby, chubby sliding rail, coyote 20mm, coyote 9/15/25mm, maxxum, nc ranger, nc ranger 9mm, ranger 20mm, long ranger 30mm or 40mm, nc ranger 16/18mm, nc ranger 22/25/30mm, nc big ranger, quantum ranger, quantum ranger 1/4 sizes, quantum ranger 9/16/18mm, quantum ranger 22/30mm, quantum ranger 25mm, ranger lp 20/30/40, viva/long viva, ace - 1cm, ace - 2cm, ace graft, long ace, pivot cobra (10, 14, 18, 30, 40mm in lengths)	Procedure	HCPCS
C2605	note: only the bonnie monorail 30mm or	Procedure	HCPCS
C2623	Catheter, spectranetics extreme laser catheter, spectranetics extreme 0.9mm coronary angioplasty catheter (model 110-001)	Procedure	HCPCS
C3551	Catheter, transluminal angioplasty, drug-coated, nonlaser	Procedure	HCPCS
C8526	Guide wire, percutaneous transluminal coronary angioplasty, choice, luge, patriot, pt graphix intermediate, trooper, mailman 182/300 cm, glidewire gold guidewire, platinum plus guidewire, platinum plus guidewire with glidex hydrophilic coating, jagwire single-use high performance guide wire, merit medical systems extender guidewire, merit medical systems tomcat ptca guidewire, platinum plus guidewire (0.014 and 0.018 in diameters)	Procedure	HCPCS
C9600	Optiplast xt 5f percutaneous transluminal angioplasty catheter (various sizes)	Procedure	HCPCS
C9601	Percutaneous transcatheter placement of drug eluting intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch	Procedure	HCPCS
C9602	Percutaneous transcatheter placement of drug-eluting intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (list separately in addition to code for primary procedure)	Procedure	HCPCS
C9603	Percutaneous transluminal coronary atherectomy, with drug eluting intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch	Procedure	HCPCS
	Percutaneous transluminal coronary atherectomy, with drug-eluting intracoronary stent, with coronary angioplasty when performed; each additional branch of a major coronary artery (list separately in addition to code for primary procedure)	Procedure	HCPCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
C9604	Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel	Procedure	HCPCS
C9605	Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (list separately in addition to code for primary procedure)	Procedure	HCPCS
C9606	Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel	Procedure	HCPCS
C9607	Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; single vessel	Procedure	HCPCS
C9608	Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (list separately in addition to code for primary procedure)	Procedure	HCPCS
D3450	root amputation - per root	Procedure	HCPCS
G0290	Transcatheter placement of a drug eluting intracoronary stent(s), percutaneous, with or without other therapeutic intervention, any method; single vessel	Procedure	HCPCS
G0291	Transcatheter placement of a drug eluting intracoronary stent(s), percutaneous, with or without other therapeutic intervention, any method; each additional vessel	Procedure	HCPCS
G45	Transient cerebral ischemic attacks and related syndromes	Diagnosis	ICD-10-CM
G45.0	Vertebro-basilar artery syndrome	Diagnosis	ICD-10-CM
G45.1	Carotid artery syndrome (hemispheric)	Diagnosis	ICD-10-CM
G45.2	Multiple and bilateral precerebral artery syndromes	Diagnosis	ICD-10-CM
G45.8	Other transient cerebral ischemic attacks and related syndromes	Diagnosis	ICD-10-CM
G45.9	Transient cerebral ischemic attack, unspecified	Diagnosis	ICD-10-CM
G46.0	Middle cerebral artery syndrome	Diagnosis	ICD-10-CM
G46.1	Anterior cerebral artery syndrome	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G46.2	Posterior cerebral artery syndrome	Diagnosis	ICD-10-CM
G9639	Major amputation or open surgical bypass not required within 48 hours of the index endovascular lower extremity revascularization procedure	Procedure	HCPCS
G9641	Major amputation or open surgical bypass required within 48 hours of the index endovascular lower extremity revascularization procedure	Procedure	HCPCS
I20	Angina pectoris	Diagnosis	ICD-10-CM
I20.0	Unstable angina	Diagnosis	ICD-10-CM
I20.1	Angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I20.8	Other forms of angina pectoris	Diagnosis	ICD-10-CM
I20.9	Angina pectoris, unspecified	Diagnosis	ICD-10-CM
I21	Acute myocardial infarction	Diagnosis	ICD-10-CM
I21.0	ST elevation (STEMI) myocardial infarction of anterior wall	Diagnosis	ICD-10-CM
I21.01	ST elevation (STEMI) myocardial infarction involving left main coronary artery	Diagnosis	ICD-10-CM
I21.02	ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery	Diagnosis	ICD-10-CM
I21.09	ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall	Diagnosis	ICD-10-CM
I21.1	ST elevation (STEMI) myocardial infarction of inferior wall	Diagnosis	ICD-10-CM
I21.11	ST elevation (STEMI) myocardial infarction involving right coronary artery	Diagnosis	ICD-10-CM
I21.19	ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall	Diagnosis	ICD-10-CM
I21.2	ST elevation (STEMI) myocardial infarction of other sites	Diagnosis	ICD-10-CM
I21.21	ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery	Diagnosis	ICD-10-CM
I21.29	ST elevation (STEMI) myocardial infarction involving other sites	Diagnosis	ICD-10-CM
I21.3	ST elevation (STEMI) myocardial infarction of unspecified site	Diagnosis	ICD-10-CM
I21.4	Non-ST elevation (NSTEMI) myocardial infarction	Diagnosis	ICD-10-CM
I21.9	Acute myocardial infarction, unspecified	Diagnosis	ICD-10-CM
I21.A	Other type of myocardial infarction	Diagnosis	ICD-10-CM
I21.A1	Myocardial infarction Type 2	Diagnosis	ICD-10-CM
I21.A9	Other myocardial infarction type	Diagnosis	ICD-10-CM
I22	Subsequent ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction	Diagnosis	ICD-10-CM
I22.0	Subsequent ST elevation (STEMI) myocardial infarction of anterior wall	Diagnosis	ICD-10-CM
I22.1	Subsequent ST elevation (STEMI) myocardial infarction of inferior wall	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I22.2	Subsequent non-ST elevation (NSTEMI) myocardial infarction	Diagnosis	ICD-10-CM
I22.8	Subsequent ST elevation (STEMI) myocardial infarction of other sites	Diagnosis	ICD-10-CM
I22.9	Subsequent ST elevation (STEMI) myocardial infarction of unspecified site	Diagnosis	ICD-10-CM
I23.7	Postinfarction angina	Diagnosis	ICD-10-CM
I24	Other acute ischemic heart diseases	Diagnosis	ICD-10-CM
I24.0	Acute coronary thrombosis not resulting in myocardial infarction	Diagnosis	ICD-10-CM
I24.8	Other forms of acute ischemic heart disease	Diagnosis	ICD-10-CM
I24.9	Acute ischemic heart disease, unspecified	Diagnosis	ICD-10-CM
I25.11	Atherosclerotic heart disease of native coronary artery with angina pectoris	Diagnosis	ICD-10-CM
I25.110	Atherosclerotic heart disease of native coronary artery with unstable angina pectoris	Diagnosis	ICD-10-CM
I25.111	Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.118	Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.119	Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.6	Silent myocardial ischemia	Diagnosis	ICD-10-CM
I25.7	Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris	Diagnosis	ICD-10-CM
I25.70	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris	Diagnosis	ICD-10-CM
I25.700	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris	Diagnosis	ICD-10-CM
I25.701	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.708	Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.709	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.71	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris	Diagnosis	ICD-10-CM
I25.710	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris	Diagnosis	ICD-10-CM
I25.711	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.718	Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.719	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.72	Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris	Diagnosis	ICD-10-CM
I25.720	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris	Diagnosis	ICD-10-CM
I25.721	Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.728	Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.729	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I25.73	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris	Diagnosis	ICD-10-CM
I25.730	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris	Diagnosis	ICD-10-CM
I25.731	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.738	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.739	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.75	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris	Diagnosis	ICD-10-CM
I25.750	Atherosclerosis of native coronary artery of transplanted heart with unstable angina	Diagnosis	ICD-10-CM
I25.751	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.758	Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.759	Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.76	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris	Diagnosis	ICD-10-CM
I25.760	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina	Diagnosis	ICD-10-CM
I25.761	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.768	Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.769	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.79	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris	Diagnosis	ICD-10-CM
I25.790	Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris	Diagnosis	ICD-10-CM
I25.791	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm	Diagnosis	ICD-10-CM
I25.798	Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris	Diagnosis	ICD-10-CM
I25.799	Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris	Diagnosis	ICD-10-CM
I25.83	Coronary atherosclerosis due to lipid rich plaque	Diagnosis	ICD-10-CM
I25.84	Coronary atherosclerosis due to calcified coronary lesion	Diagnosis	ICD-10-CM
I46.2	Cardiac arrest due to underlying cardiac condition	Diagnosis	ICD-10-CM
I46.8	Cardiac arrest due to other underlying condition	Diagnosis	ICD-10-CM
I46.9	Cardiac arrest, cause unspecified	Diagnosis	ICD-10-CM
I47.0	Re-entry ventricular arrhythmia	Diagnosis	ICD-10-CM
I47.2	Ventricular tachycardia	Diagnosis	ICD-10-CM
I60	Nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I60.0	Nontraumatic subarachnoid hemorrhage from carotid siphon and bifurcation	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I60.00	Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation	Diagnosis	ICD-10-CM
I60.01	Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation	Diagnosis	ICD-10-CM
I60.02	Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation	Diagnosis	ICD-10-CM
I60.1	Nontraumatic subarachnoid hemorrhage from middle cerebral artery	Diagnosis	ICD-10-CM
I60.10	Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery	Diagnosis	ICD-10-CM
I60.11	Nontraumatic subarachnoid hemorrhage from right middle cerebral artery	Diagnosis	ICD-10-CM
I60.12	Nontraumatic subarachnoid hemorrhage from left middle cerebral artery	Diagnosis	ICD-10-CM
I60.2	Nontraumatic subarachnoid hemorrhage from anterior communicating artery	Diagnosis	ICD-10-CM
I60.3	Nontraumatic subarachnoid hemorrhage from posterior communicating artery	Diagnosis	ICD-10-CM
I60.30	Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery	Diagnosis	ICD-10-CM
I60.31	Nontraumatic subarachnoid hemorrhage from right posterior communicating artery	Diagnosis	ICD-10-CM
I60.32	Nontraumatic subarachnoid hemorrhage from left posterior communicating artery	Diagnosis	ICD-10-CM
I60.4	Nontraumatic subarachnoid hemorrhage from basilar artery	Diagnosis	ICD-10-CM
I60.5	Nontraumatic subarachnoid hemorrhage from vertebral artery	Diagnosis	ICD-10-CM
I60.50	Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery	Diagnosis	ICD-10-CM
I60.51	Nontraumatic subarachnoid hemorrhage from right vertebral artery	Diagnosis	ICD-10-CM
I60.52	Nontraumatic subarachnoid hemorrhage from left vertebral artery	Diagnosis	ICD-10-CM
I60.6	Nontraumatic subarachnoid hemorrhage from other intracranial arteries	Diagnosis	ICD-10-CM
I60.7	Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery	Diagnosis	ICD-10-CM
I60.8	Other nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I60.9	Nontraumatic subarachnoid hemorrhage, unspecified	Diagnosis	ICD-10-CM
I61	Nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I61.0	Nontraumatic intracerebral hemorrhage in hemisphere, subcortical	Diagnosis	ICD-10-CM
I61.1	Nontraumatic intracerebral hemorrhage in hemisphere, cortical	Diagnosis	ICD-10-CM
I61.2	Nontraumatic intracerebral hemorrhage in hemisphere, unspecified	Diagnosis	ICD-10-CM
I61.3	Nontraumatic intracerebral hemorrhage in brain stem	Diagnosis	ICD-10-CM
I61.4	Nontraumatic intracerebral hemorrhage in cerebellum	Diagnosis	ICD-10-CM
I61.5	Nontraumatic intracerebral hemorrhage, intraventricular	Diagnosis	ICD-10-CM
I61.6	Nontraumatic intracerebral hemorrhage, multiple localized	Diagnosis	ICD-10-CM
I61.8	Other nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I61.9	Nontraumatic intracerebral hemorrhage, unspecified	Diagnosis	ICD-10-CM
I62	Other and unspecified nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I62.0	Nontraumatic subdural hemorrhage	Diagnosis	ICD-10-CM
I62.00	Nontraumatic subdural hemorrhage, unspecified	Diagnosis	ICD-10-CM
I62.01	Nontraumatic acute subdural hemorrhage	Diagnosis	ICD-10-CM
I62.02	Nontraumatic subacute subdural hemorrhage	Diagnosis	ICD-10-CM
I62.03	Nontraumatic chronic subdural hemorrhage	Diagnosis	ICD-10-CM
I62.1	Nontraumatic extradural hemorrhage	Diagnosis	ICD-10-CM
I62.9	Nontraumatic intracranial hemorrhage, unspecified	Diagnosis	ICD-10-CM
I63	Cerebral infarction	Diagnosis	ICD-10-CM
I63.0	Cerebral infarction due to thrombosis of precerebral arteries	Diagnosis	ICD-10-CM
I63.00	Cerebral infarction due to thrombosis of unspecified precerebral artery	Diagnosis	ICD-10-CM
I63.01	Cerebral infarction due to thrombosis of vertebral artery	Diagnosis	ICD-10-CM
I63.011	Cerebral infarction due to thrombosis of right vertebral artery	Diagnosis	ICD-10-CM
I63.012	Cerebral infarction due to thrombosis of left vertebral artery	Diagnosis	ICD-10-CM
I63.013	Cerebral infarction due to thrombosis of bilateral vertebral arteries	Diagnosis	ICD-10-CM
I63.019	Cerebral infarction due to thrombosis of unspecified vertebral artery	Diagnosis	ICD-10-CM
I63.02	Cerebral infarction due to thrombosis of basilar artery	Diagnosis	ICD-10-CM
I63.03	Cerebral infarction due to thrombosis of carotid artery	Diagnosis	ICD-10-CM
I63.031	Cerebral infarction due to thrombosis of right carotid artery	Diagnosis	ICD-10-CM
I63.032	Cerebral infarction due to thrombosis of left carotid artery	Diagnosis	ICD-10-CM
I63.033	Cerebral infarction due to thrombosis of bilateral carotid arteries	Diagnosis	ICD-10-CM
I63.039	Cerebral infarction due to thrombosis of unspecified carotid artery	Diagnosis	ICD-10-CM
I63.09	Cerebral infarction due to thrombosis of other precerebral artery	Diagnosis	ICD-10-CM
I63.1	Cerebral infarction due to embolism of precerebral arteries	Diagnosis	ICD-10-CM
I63.10	Cerebral infarction due to embolism of unspecified precerebral artery	Diagnosis	ICD-10-CM
I63.11	Cerebral infarction due to embolism of vertebral artery	Diagnosis	ICD-10-CM
I63.111	Cerebral infarction due to embolism of right vertebral artery	Diagnosis	ICD-10-CM
I63.112	Cerebral infarction due to embolism of left vertebral artery	Diagnosis	ICD-10-CM
I63.113	Cerebral infarction due to embolism of bilateral vertebral arteries	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I63.119	Cerebral infarction due to embolism of unspecified vertebral artery	Diagnosis	ICD-10-CM
I63.12	Cerebral infarction due to embolism of basilar artery	Diagnosis	ICD-10-CM
I63.13	Cerebral infarction due to embolism of carotid artery	Diagnosis	ICD-10-CM
I63.131	Cerebral infarction due to embolism of right carotid artery	Diagnosis	ICD-10-CM
I63.132	Cerebral infarction due to embolism of left carotid artery	Diagnosis	ICD-10-CM
I63.133	Cerebral infarction due to embolism of bilateral carotid arteries	Diagnosis	ICD-10-CM
I63.139	Cerebral infarction due to embolism of unspecified carotid artery	Diagnosis	ICD-10-CM
I63.19	Cerebral infarction due to embolism of other precerebral artery	Diagnosis	ICD-10-CM
I63.2	Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries	Diagnosis	ICD-10-CM
I63.20	Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries	Diagnosis	ICD-10-CM
I63.21	Cerebral infarction due to unspecified occlusion or stenosis of vertebral arteries	Diagnosis	ICD-10-CM
I63.211	Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery	Diagnosis	ICD-10-CM
I63.212	Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery	Diagnosis	ICD-10-CM
I63.213	Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries	Diagnosis	ICD-10-CM
I63.219	Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral artery	Diagnosis	ICD-10-CM
I63.22	Cerebral infarction due to unspecified occlusion or stenosis of basilar artery	Diagnosis	ICD-10-CM
I63.23	Cerebral infarction due to unspecified occlusion or stenosis of carotid arteries	Diagnosis	ICD-10-CM
I63.231	Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries	Diagnosis	ICD-10-CM
I63.232	Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries	Diagnosis	ICD-10-CM
I63.233	Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries	Diagnosis	ICD-10-CM
I63.239	Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery	Diagnosis	ICD-10-CM
I63.29	Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries	Diagnosis	ICD-10-CM
I63.3	Cerebral infarction due to thrombosis of cerebral arteries	Diagnosis	ICD-10-CM
I63.30	Cerebral infarction due to thrombosis of unspecified cerebral artery	Diagnosis	ICD-10-CM
I63.31	Cerebral infarction due to thrombosis of middle cerebral artery	Diagnosis	ICD-10-CM
I63.311	Cerebral infarction due to thrombosis of right middle cerebral artery	Diagnosis	ICD-10-CM
I63.312	Cerebral infarction due to thrombosis of left middle cerebral artery	Diagnosis	ICD-10-CM
I63.313	Cerebral infarction due to thrombosis of bilateral middle cerebral arteries	Diagnosis	ICD-10-CM
I63.319	Cerebral infarction due to thrombosis of unspecified middle cerebral artery	Diagnosis	ICD-10-CM
I63.32	Cerebral infarction due to thrombosis of anterior cerebral artery	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I63.321	Cerebral infarction due to thrombosis of right anterior cerebral artery	Diagnosis	ICD-10-CM
I63.322	Cerebral infarction due to thrombosis of left anterior cerebral artery	Diagnosis	ICD-10-CM
I63.323	Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries	Diagnosis	ICD-10-CM
I63.329	Cerebral infarction due to thrombosis of unspecified anterior cerebral artery	Diagnosis	ICD-10-CM
I63.33	Cerebral infarction due to thrombosis of posterior cerebral artery	Diagnosis	ICD-10-CM
I63.331	Cerebral infarction due to thrombosis of right posterior cerebral artery	Diagnosis	ICD-10-CM
I63.332	Cerebral infarction due to thrombosis of left posterior cerebral artery	Diagnosis	ICD-10-CM
I63.333	Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries	Diagnosis	ICD-10-CM
I63.339	Cerebral infarction due to thrombosis of unspecified posterior cerebral artery	Diagnosis	ICD-10-CM
I63.34	Cerebral infarction due to thrombosis of cerebellar artery	Diagnosis	ICD-10-CM
I63.341	Cerebral infarction due to thrombosis of right cerebellar artery	Diagnosis	ICD-10-CM
I63.342	Cerebral infarction due to thrombosis of left cerebellar artery	Diagnosis	ICD-10-CM
I63.343	Cerebral infarction due to thrombosis of bilateral cerebellar arteries	Diagnosis	ICD-10-CM
I63.349	Cerebral infarction due to thrombosis of unspecified cerebellar artery	Diagnosis	ICD-10-CM
I63.39	Cerebral infarction due to thrombosis of other cerebral artery	Diagnosis	ICD-10-CM
I63.4	Cerebral infarction due to embolism of cerebral arteries	Diagnosis	ICD-10-CM
I63.40	Cerebral infarction due to embolism of unspecified cerebral artery	Diagnosis	ICD-10-CM
I63.41	Cerebral infarction due to embolism of middle cerebral artery	Diagnosis	ICD-10-CM
I63.411	Cerebral infarction due to embolism of right middle cerebral artery	Diagnosis	ICD-10-CM
I63.412	Cerebral infarction due to embolism of left middle cerebral artery	Diagnosis	ICD-10-CM
I63.413	Cerebral infarction due to embolism of bilateral middle cerebral arteries	Diagnosis	ICD-10-CM
I63.419	Cerebral infarction due to embolism of unspecified middle cerebral artery	Diagnosis	ICD-10-CM
I63.42	Cerebral infarction due to embolism of anterior cerebral artery	Diagnosis	ICD-10-CM
I63.421	Cerebral infarction due to embolism of right anterior cerebral artery	Diagnosis	ICD-10-CM
I63.422	Cerebral infarction due to embolism of left anterior cerebral artery	Diagnosis	ICD-10-CM
I63.423	Cerebral infarction due to embolism of bilateral anterior cerebral arteries	Diagnosis	ICD-10-CM
I63.429	Cerebral infarction due to embolism of unspecified anterior cerebral artery	Diagnosis	ICD-10-CM
I63.43	Cerebral infarction due to embolism of posterior cerebral artery	Diagnosis	ICD-10-CM
I63.431	Cerebral infarction due to embolism of right posterior cerebral artery	Diagnosis	ICD-10-CM
I63.432	Cerebral infarction due to embolism of left posterior cerebral artery	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I63.433	Cerebral infarction due to embolism of bilateral posterior cerebral arteries	Diagnosis	ICD-10-CM
I63.439	Cerebral infarction due to embolism of unspecified posterior cerebral artery	Diagnosis	ICD-10-CM
I63.44	Cerebral infarction due to embolism of cerebellar artery	Diagnosis	ICD-10-CM
I63.441	Cerebral infarction due to embolism of right cerebellar artery	Diagnosis	ICD-10-CM
I63.442	Cerebral infarction due to embolism of left cerebellar artery	Diagnosis	ICD-10-CM
I63.443	Cerebral infarction due to embolism of bilateral cerebellar arteries	Diagnosis	ICD-10-CM
I63.449	Cerebral infarction due to embolism of unspecified cerebellar artery	Diagnosis	ICD-10-CM
I63.49	Cerebral infarction due to embolism of other cerebral artery	Diagnosis	ICD-10-CM
I63.5	Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries	Diagnosis	ICD-10-CM
I63.50	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery	Diagnosis	ICD-10-CM
I63.51	Cerebral infarction due to unspecified occlusion or stenosis of middle cerebral artery	Diagnosis	ICD-10-CM
I63.511	Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery	Diagnosis	ICD-10-CM
I63.512	Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery	Diagnosis	ICD-10-CM
I63.513	Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries	Diagnosis	ICD-10-CM
I63.519	Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery	Diagnosis	ICD-10-CM
I63.52	Cerebral infarction due to unspecified occlusion or stenosis of anterior cerebral artery	Diagnosis	ICD-10-CM
I63.521	Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery	Diagnosis	ICD-10-CM
I63.522	Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery	Diagnosis	ICD-10-CM
I63.523	Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries	Diagnosis	ICD-10-CM
I63.529	Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery	Diagnosis	ICD-10-CM
I63.53	Cerebral infarction due to unspecified occlusion or stenosis of posterior cerebral artery	Diagnosis	ICD-10-CM
I63.531	Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery	Diagnosis	ICD-10-CM
I63.532	Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery	Diagnosis	ICD-10-CM
I63.533	Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries	Diagnosis	ICD-10-CM
I63.539	Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery	Diagnosis	ICD-10-CM
I63.54	Cerebral infarction due to unspecified occlusion or stenosis of cerebellar artery	Diagnosis	ICD-10-CM
I63.541	Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery	Diagnosis	ICD-10-CM
I63.542	Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery	Diagnosis	ICD-10-CM
I63.543	Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries	Diagnosis	ICD-10-CM
I63.549	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I63.59	Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery	Diagnosis	ICD-10-CM
I63.6	Cerebral infarction due to cerebral venous thrombosis, nonpyogenic	Diagnosis	ICD-10-CM
I63.8	Other cerebral infarction	Diagnosis	ICD-10-CM
I63.81	Other cerebral infarction due to occlusion or stenosis of small artery	Diagnosis	ICD-10-CM
I63.89	Other cerebral infarction	Diagnosis	ICD-10-CM
I63.9	Cerebral infarction, unspecified	Diagnosis	ICD-10-CM
I65	Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction	Diagnosis	ICD-10-CM
I65.0	Occlusion and stenosis of vertebral artery	Diagnosis	ICD-10-CM
I65.01	Occlusion and stenosis of right vertebral artery	Diagnosis	ICD-10-CM
I65.02	Occlusion and stenosis of left vertebral artery	Diagnosis	ICD-10-CM
I65.03	Occlusion and stenosis of bilateral vertebral arteries	Diagnosis	ICD-10-CM
I65.09	Occlusion and stenosis of unspecified vertebral artery	Diagnosis	ICD-10-CM
I65.1	Occlusion and stenosis of basilar artery	Diagnosis	ICD-10-CM
I65.2	Occlusion and stenosis of carotid artery	Diagnosis	ICD-10-CM
I65.21	Occlusion and stenosis of right carotid artery	Diagnosis	ICD-10-CM
I65.22	Occlusion and stenosis of left carotid artery	Diagnosis	ICD-10-CM
I65.23	Occlusion and stenosis of bilateral carotid arteries	Diagnosis	ICD-10-CM
I65.29	Occlusion and stenosis of unspecified carotid artery	Diagnosis	ICD-10-CM
I65.8	Occlusion and stenosis of other precerebral arteries	Diagnosis	ICD-10-CM
I65.9	Occlusion and stenosis of unspecified precerebral artery	Diagnosis	ICD-10-CM
I66	Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction	Diagnosis	ICD-10-CM
I66.0	Occlusion and stenosis of middle cerebral artery	Diagnosis	ICD-10-CM
I66.01	Occlusion and stenosis of right middle cerebral artery	Diagnosis	ICD-10-CM
I66.02	Occlusion and stenosis of left middle cerebral artery	Diagnosis	ICD-10-CM
I66.03	Occlusion and stenosis of bilateral middle cerebral arteries	Diagnosis	ICD-10-CM
I66.09	Occlusion and stenosis of unspecified middle cerebral artery	Diagnosis	ICD-10-CM
I66.1	Occlusion and stenosis of anterior cerebral artery	Diagnosis	ICD-10-CM
I66.11	Occlusion and stenosis of right anterior cerebral artery	Diagnosis	ICD-10-CM
I66.12	Occlusion and stenosis of left anterior cerebral artery	Diagnosis	ICD-10-CM
I66.13	Occlusion and stenosis of bilateral anterior cerebral arteries	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I66.19	Occlusion and stenosis of unspecified anterior cerebral artery	Diagnosis	ICD-10-CM
I66.2	Occlusion and stenosis of posterior cerebral artery	Diagnosis	ICD-10-CM
I66.21	Occlusion and stenosis of right posterior cerebral artery	Diagnosis	ICD-10-CM
I66.22	Occlusion and stenosis of left posterior cerebral artery	Diagnosis	ICD-10-CM
I66.23	Occlusion and stenosis of bilateral posterior cerebral arteries	Diagnosis	ICD-10-CM
I66.29	Occlusion and stenosis of unspecified posterior cerebral artery	Diagnosis	ICD-10-CM
I66.3	Occlusion and stenosis of cerebellar arteries	Diagnosis	ICD-10-CM
I66.8	Occlusion and stenosis of other cerebral arteries	Diagnosis	ICD-10-CM
I66.9	Occlusion and stenosis of unspecified cerebral artery	Diagnosis	ICD-10-CM
I67	Other cerebrovascular diseases	Diagnosis	ICD-10-CM
I67.0	Dissection of cerebral arteries, nonruptured	Diagnosis	ICD-10-CM
I67.1	Cerebral aneurysm, nonruptured	Diagnosis	ICD-10-CM
I67.2	Cerebral atherosclerosis	Diagnosis	ICD-10-CM
I67.3	Progressive vascular leukoencephalopathy	Diagnosis	ICD-10-CM
I67.4	Hypertensive encephalopathy	Diagnosis	ICD-10-CM
I67.5	Moyamoya disease	Diagnosis	ICD-10-CM
I67.7	Cerebral arteritis, not elsewhere classified	Diagnosis	ICD-10-CM
I67.8	Other specified cerebrovascular diseases	Diagnosis	ICD-10-CM
I67.81	Acute cerebrovascular insufficiency	Diagnosis	ICD-10-CM
I67.82	Cerebral ischemia	Diagnosis	ICD-10-CM
I67.83	Posterior reversible encephalopathy syndrome	Diagnosis	ICD-10-CM
I67.84	Cerebral vasospasm and vasoconstriction	Diagnosis	ICD-10-CM
I67.841	Reversible cerebrovascular vasoconstriction syndrome	Diagnosis	ICD-10-CM
I67.848	Other cerebrovascular vasospasm and vasoconstriction	Diagnosis	ICD-10-CM
I67.85	Hereditary cerebrovascular diseases	Diagnosis	ICD-10-CM
I67.850	Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy	Diagnosis	ICD-10-CM
I67.858	Other hereditary cerebrovascular disease	Diagnosis	ICD-10-CM
I67.89	Other cerebrovascular disease	Diagnosis	ICD-10-CM
I67.9	Cerebrovascular disease, unspecified	Diagnosis	ICD-10-CM
I68	Cerebrovascular disorders in diseases classified elsewhere	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I68.0	Cerebral amyloid angiopathy	Diagnosis	ICD-10-CM
I68.2	Cerebral arteritis in other diseases classified elsewhere	Diagnosis	ICD-10-CM
I68.8	Other cerebrovascular disorders in diseases classified elsewhere	Diagnosis	ICD-10-CM
I69	Sequelae of cerebrovascular disease	Diagnosis	ICD-10-CM
I69.0	Sequelae of nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.00	Unspecified sequelae of nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.01	Cognitive deficits following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.010	Attention and concentration deficit following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.011	Memory deficit following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.012	Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.013	Psychomotor deficit following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.014	Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.015	Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.018	Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.019	Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.02	Speech and language deficits following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.020	Aphasia following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.021	Dysphasia following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.022	Dysarthria following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.023	Fluency disorder following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.028	Other speech and language deficits following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.03	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.031	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.032	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.033	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.034	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.039	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.04	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.041	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.042	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.043	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.044	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.049	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.05	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.051	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.052	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.053	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.054	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.059	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.06	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.061	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.062	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.063	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.064	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.065	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral	Diagnosis	ICD-10-CM
I69.069	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.09	Other sequelae of nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.090	Apraxia following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.091	Dysphagia following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.092	Facial weakness following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.093	Ataxia following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.098	Other sequelae following nontraumatic subarachnoid hemorrhage	Diagnosis	ICD-10-CM
I69.1	Sequelae of nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.10	Unspecified sequelae of nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.11	Cognitive deficits following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.110	Attention and concentration deficit following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.111	Memory deficit following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.112	Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.113	Psychomotor deficit following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.114	Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.115	Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.118	Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.119	Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.12	Speech and language deficits following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.120	Aphasia following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.121	Dysphasia following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.122	Dysarthria following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.123	Fluency disorder following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.128	Other speech and language deficits following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.13	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.131	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.132	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.133	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.134	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.139	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.14	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.141	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.142	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.143	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.144	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.149	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.15	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.151	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.152	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.153	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.154	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.159	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.16	Other paralytic syndrome following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.161	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.162	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.163	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.164	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.165	Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral	Diagnosis	ICD-10-CM
I69.169	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.19	Other sequelae of nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.190	Apraxia following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.191	Dysphagia following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.192	Facial weakness following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.193	Ataxia following nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.198	Other sequelae of nontraumatic intracerebral hemorrhage	Diagnosis	ICD-10-CM
I69.2	Sequelae of other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.20	Unspecified sequelae of other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.21	Cognitive deficits following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.210	Attention and concentration deficit following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.211	Memory deficit following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.212	Visuospatial deficit and spatial neglect following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.213	Psychomotor deficit following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.214	Frontal lobe and executive function deficit following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.215	Cognitive social or emotional deficit following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.218	Other symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.219	Unspecified symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.22	Speech and language deficits following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.220	Aphasia following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.221	Dysphasia following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.222	Dysarthria following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.223	Fluency disorder following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.228	Other speech and language deficits following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.23	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.231	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.232	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.233	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.234	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.239	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.24	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.241	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.242	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.243	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.244	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.249	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.25	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.251	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.252	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.253	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.254	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.259	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.26	Other paralytic syndrome following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.261	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side	Diagnosis	ICD-10-CM
I69.262	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side	Diagnosis	ICD-10-CM
I69.263	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.264	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.265	Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral	Diagnosis	ICD-10-CM
I69.269	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting unspecified side	Diagnosis	ICD-10-CM
I69.29	Other sequelae of other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.290	Apraxia following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.291	Dysphagia following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.292	Facial weakness following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.293	Ataxia following other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.298	Other sequelae of other nontraumatic intracranial hemorrhage	Diagnosis	ICD-10-CM
I69.8	Sequelae of other cerebrovascular diseases	Diagnosis	ICD-10-CM
I69.80	Unspecified sequelae of other cerebrovascular disease	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.81	Cognitive deficits following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.810	Attention and concentration deficit following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.811	Memory deficit following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.812	Visuospatial deficit and spatial neglect following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.813	Psychomotor deficit following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.814	Frontal lobe and executive function deficit following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.815	Cognitive social or emotional deficit following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.818	Other symptoms and signs involving cognitive functions following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.819	Unspecified symptoms and signs involving cognitive functions following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.82	Speech and language deficits following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.820	Aphasia following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.821	Dysphasia following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.822	Dysarthria following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.823	Fluency disorder following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.828	Other speech and language deficits following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.83	Monoplegia of upper limb following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.831	Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.832	Monoplegia of upper limb following other cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.833	Monoplegia of upper limb following other cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.834	Monoplegia of upper limb following other cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.839	Monoplegia of upper limb following other cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.84	Monoplegia of lower limb following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.841	Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.842	Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.843	Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.844	Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.849	Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.85	Hemiplegia and hemiparesis following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.851	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.852	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.853	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.854	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.859	Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.86	Other paralytic syndrome following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.861	Other paralytic syndrome following other cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.862	Other paralytic syndrome following other cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.863	Other paralytic syndrome following other cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.864	Other paralytic syndrome following other cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.865	Other paralytic syndrome following other cerebrovascular disease, bilateral	Diagnosis	ICD-10-CM
I69.869	Other paralytic syndrome following other cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.89	Other sequelae of other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.890	Apraxia following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.891	Dysphagia following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.892	Facial weakness following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.893	Ataxia following other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.898	Other sequelae of other cerebrovascular disease	Diagnosis	ICD-10-CM
I69.9	Sequelae of unspecified cerebrovascular diseases	Diagnosis	ICD-10-CM
I69.90	Unspecified sequelae of unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.91	Cognitive deficits following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.910	Attention and concentration deficit following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.911	Memory deficit following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.912	Visuospatial deficit and spatial neglect following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.913	Psychomotor deficit following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.914	Frontal lobe and executive function deficit following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.915	Cognitive social or emotional deficit following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.918	Other symptoms and signs involving cognitive functions following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.919	Unspecified symptoms and signs involving cognitive functions following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.92	Speech and language deficits following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.920	Aphasia following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.921	Dysphasia following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.922	Dysarthria following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.923	Fluency disorder following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.928	Other speech and language deficits following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.93	Monoplegia of upper limb following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.931	Monoplegia of upper limb following unspecified cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.932	Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.933	Monoplegia of upper limb following unspecified cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.934	Monoplegia of upper limb following unspecified cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.939	Monoplegia of upper limb following unspecified cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.94	Monoplegia of lower limb following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.941	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.942	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.943	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.944	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.949	Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.95	Hemiplegia and hemiparesis following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.951	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.952	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.953	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.954	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.959	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.96	Other paralytic syndrome following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.961	Other paralytic syndrome following unspecified cerebrovascular disease affecting right dominant side	Diagnosis	ICD-10-CM
I69.962	Other paralytic syndrome following unspecified cerebrovascular disease affecting left dominant side	Diagnosis	ICD-10-CM
I69.963	Other paralytic syndrome following unspecified cerebrovascular disease affecting right non-dominant side	Diagnosis	ICD-10-CM
I69.964	Other paralytic syndrome following unspecified cerebrovascular disease affecting left non-dominant side	Diagnosis	ICD-10-CM
I69.965	Other paralytic syndrome following unspecified cerebrovascular disease, bilateral	Diagnosis	ICD-10-CM
I69.969	Other paralytic syndrome following unspecified cerebrovascular disease affecting unspecified side	Diagnosis	ICD-10-CM
I69.99	Other sequelae of unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.990	Apraxia following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I69.991	Dysphagia following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.992	Facial weakness following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.993	Ataxia following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I69.998	Other sequelae following unspecified cerebrovascular disease	Diagnosis	ICD-10-CM
I70.2	Atherosclerosis of native arteries of the extremities	Diagnosis	ICD-10-CM
I70.20	Unspecified atherosclerosis of native arteries of extremities	Diagnosis	ICD-10-CM
I70.201	Unspecified atherosclerosis of native arteries of extremities, right leg	Diagnosis	ICD-10-CM
I70.202	Unspecified atherosclerosis of native arteries of extremities, left leg	Diagnosis	ICD-10-CM
I70.203	Unspecified atherosclerosis of native arteries of extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.208	Unspecified atherosclerosis of native arteries of extremities, other extremity	Diagnosis	ICD-10-CM
I70.209	Unspecified atherosclerosis of native arteries of extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.21	Atherosclerosis of native arteries of extremities with intermittent claudication	Diagnosis	ICD-10-CM
I70.211	Atherosclerosis of native arteries of extremities with intermittent claudication, right leg	Diagnosis	ICD-10-CM
I70.212	Atherosclerosis of native arteries of extremities with intermittent claudication, left leg	Diagnosis	ICD-10-CM
I70.213	Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs	Diagnosis	ICD-10-CM
I70.218	Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity	Diagnosis	ICD-10-CM
I70.219	Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity	Diagnosis	ICD-10-CM
I70.22	Atherosclerosis of native arteries of extremities with rest pain	Diagnosis	ICD-10-CM
I70.221	Atherosclerosis of native arteries of extremities with rest pain, right leg	Diagnosis	ICD-10-CM
I70.222	Atherosclerosis of native arteries of extremities with rest pain, left leg	Diagnosis	ICD-10-CM
I70.223	Atherosclerosis of native arteries of extremities with rest pain, bilateral legs	Diagnosis	ICD-10-CM
I70.228	Atherosclerosis of native arteries of extremities with rest pain, other extremity	Diagnosis	ICD-10-CM
I70.229	Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity	Diagnosis	ICD-10-CM
I70.23	Atherosclerosis of native arteries of right leg with ulceration	Diagnosis	ICD-10-CM
I70.231	Atherosclerosis of native arteries of right leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.232	Atherosclerosis of native arteries of right leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.233	Atherosclerosis of native arteries of right leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.234	Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.235	Atherosclerosis of native arteries of right leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.238	Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.239	Atherosclerosis of native arteries of right leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.24	Atherosclerosis of native arteries of left leg with ulceration	Diagnosis	ICD-10-CM
I70.241	Atherosclerosis of native arteries of left leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.242	Atherosclerosis of native arteries of left leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.243	Atherosclerosis of native arteries of left leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.244	Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.245	Atherosclerosis of native arteries of left leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.248	Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.249	Atherosclerosis of native arteries of left leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.25	Atherosclerosis of native arteries of other extremities with ulceration	Diagnosis	ICD-10-CM
I70.26	Atherosclerosis of native arteries of extremities with gangrene	Diagnosis	ICD-10-CM
I70.261	Atherosclerosis of native arteries of extremities with gangrene, right leg	Diagnosis	ICD-10-CM
I70.262	Atherosclerosis of native arteries of extremities with gangrene, left leg	Diagnosis	ICD-10-CM
I70.263	Atherosclerosis of native arteries of extremities with gangrene, bilateral legs	Diagnosis	ICD-10-CM
I70.268	Atherosclerosis of native arteries of extremities with gangrene, other extremity	Diagnosis	ICD-10-CM
I70.269	Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity	Diagnosis	ICD-10-CM
I70.29	Other atherosclerosis of native arteries of extremities	Diagnosis	ICD-10-CM
I70.291	Other atherosclerosis of native arteries of extremities, right leg	Diagnosis	ICD-10-CM
I70.292	Other atherosclerosis of native arteries of extremities, left leg	Diagnosis	ICD-10-CM
I70.293	Other atherosclerosis of native arteries of extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.298	Other atherosclerosis of native arteries of extremities, other extremity	Diagnosis	ICD-10-CM
I70.299	Other atherosclerosis of native arteries of extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.3	Atherosclerosis of unspecified type of bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.30	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.301	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.302	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.303	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.308	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.309	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.31	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.311	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, right leg	Diagnosis	ICD-10-CM
I70.312	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, left leg	Diagnosis	ICD-10-CM
I70.313	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs	Diagnosis	ICD-10-CM
I70.318	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, other extremity	Diagnosis	ICD-10-CM
I70.319	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity	Diagnosis	ICD-10-CM
I70.32	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain	Diagnosis	ICD-10-CM
I70.321	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg	Diagnosis	ICD-10-CM
I70.322	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg	Diagnosis	ICD-10-CM
I70.323	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs	Diagnosis	ICD-10-CM
I70.328	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity	Diagnosis	ICD-10-CM
I70.329	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity	Diagnosis	ICD-10-CM
I70.33	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration	Diagnosis	ICD-10-CM
I70.331	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.332	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.333	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.334	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.335	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.338	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.339	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.34	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration	Diagnosis	ICD-10-CM
I70.341	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.342	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.343	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.344	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.345	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.348	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.349	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.35	Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration	Diagnosis	ICD-10-CM
I70.36	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.361	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg	Diagnosis	ICD-10-CM
I70.362	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg	Diagnosis	ICD-10-CM
I70.363	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs	Diagnosis	ICD-10-CM
I70.368	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity	Diagnosis	ICD-10-CM
I70.369	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity	Diagnosis	ICD-10-CM
I70.39	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.391	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.392	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.393	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.398	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.399	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.4	Atherosclerosis of autologous vein bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.40	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.401	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.402	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.403	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.408	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.409	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.41	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication	Diagnosis	ICD-10-CM
I70.411	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, right leg	Diagnosis	ICD-10-CM
I70.412	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, left leg	Diagnosis	ICD-10-CM
I70.413	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, bilateral legs	Diagnosis	ICD-10-CM
I70.418	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, other extremity	Diagnosis	ICD-10-CM
I70.419	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, unspecified extremity	Diagnosis	ICD-10-CM
I70.42	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain	Diagnosis	ICD-10-CM
I70.421	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg	Diagnosis	ICD-10-CM
I70.422	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg	Diagnosis	ICD-10-CM
I70.423	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs	Diagnosis	ICD-10-CM
I70.428	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.429	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity	Diagnosis	ICD-10-CM
I70.43	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration	Diagnosis	ICD-10-CM
I70.431	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.432	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.433	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.434	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.435	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.438	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.439	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.44	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration	Diagnosis	ICD-10-CM
I70.441	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.442	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.443	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.444	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.445	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.448	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.449	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.45	Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration	Diagnosis	ICD-10-CM
I70.46	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene	Diagnosis	ICD-10-CM
I70.461	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg	Diagnosis	ICD-10-CM
I70.462	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg	Diagnosis	ICD-10-CM
I70.463	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs	Diagnosis	ICD-10-CM
I70.468	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity	Diagnosis	ICD-10-CM
I70.469	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity	Diagnosis	ICD-10-CM
I70.49	Other atherosclerosis of autologous vein bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.491	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.492	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.493	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.498	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.499	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.5	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.50	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.501	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.502	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.503	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.508	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.509	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.51	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities intermittent claudication	Diagnosis	ICD-10-CM
I70.511	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, right leg	Diagnosis	ICD-10-CM
I70.512	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, left leg	Diagnosis	ICD-10-CM
I70.513	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, bilateral legs	Diagnosis	ICD-10-CM
I70.518	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, other extremity	Diagnosis	ICD-10-CM
I70.519	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity	Diagnosis	ICD-10-CM
I70.52	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain	Diagnosis	ICD-10-CM
I70.521	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg	Diagnosis	ICD-10-CM
I70.522	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg	Diagnosis	ICD-10-CM
I70.523	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs	Diagnosis	ICD-10-CM
I70.528	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity	Diagnosis	ICD-10-CM
I70.529	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity	Diagnosis	ICD-10-CM
I70.53	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration	Diagnosis	ICD-10-CM
I70.531	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.532	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.533	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.534	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.535	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.538	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.539	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.54	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration	Diagnosis	ICD-10-CM
I70.541	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.542	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.543	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.544	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.545	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.548	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.549	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.55	Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration	Diagnosis	ICD-10-CM
I70.56	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene	Diagnosis	ICD-10-CM
I70.561	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg	Diagnosis	ICD-10-CM
I70.562	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg	Diagnosis	ICD-10-CM
I70.563	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs	Diagnosis	ICD-10-CM
I70.568	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity	Diagnosis	ICD-10-CM
I70.569	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity	Diagnosis	ICD-10-CM
I70.59	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.591	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.592	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.593	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.598	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.599	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.6	Atherosclerosis of nonbiological bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.60	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.601	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.602	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.603	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.608	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.609	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.61	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication	Diagnosis	ICD-10-CM
I70.611	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, right leg	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.612	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, left leg	Diagnosis	ICD-10-CM
I70.613	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, bilateral legs	Diagnosis	ICD-10-CM
I70.618	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, other extremity	Diagnosis	ICD-10-CM
I70.619	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity	Diagnosis	ICD-10-CM
I70.62	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain	Diagnosis	ICD-10-CM
I70.621	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg	Diagnosis	ICD-10-CM
I70.622	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg	Diagnosis	ICD-10-CM
I70.623	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs	Diagnosis	ICD-10-CM
I70.628	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity	Diagnosis	ICD-10-CM
I70.629	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity	Diagnosis	ICD-10-CM
I70.63	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration	Diagnosis	ICD-10-CM
I70.631	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.632	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.633	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.634	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.635	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.638	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.639	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.64	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration	Diagnosis	ICD-10-CM
I70.641	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.642	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.643	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.644	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.645	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.648	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.649	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.65	Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration	Diagnosis	ICD-10-CM
I70.66	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene	Diagnosis	ICD-10-CM
I70.661	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg	Diagnosis	ICD-10-CM
I70.662	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.663	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs	Diagnosis	ICD-10-CM
I70.668	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity	Diagnosis	ICD-10-CM
I70.669	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity	Diagnosis	ICD-10-CM
I70.69	Other atherosclerosis of nonbiological bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.691	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.692	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.693	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.698	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.699	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.7	Atherosclerosis of other type of bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.70	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.701	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.702	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.703	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.708	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.709	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.71	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication	Diagnosis	ICD-10-CM
I70.711	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, right leg	Diagnosis	ICD-10-CM
I70.712	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, left leg	Diagnosis	ICD-10-CM
I70.713	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs	Diagnosis	ICD-10-CM
I70.718	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, other extremity	Diagnosis	ICD-10-CM
I70.719	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity	Diagnosis	ICD-10-CM
I70.72	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain	Diagnosis	ICD-10-CM
I70.721	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg	Diagnosis	ICD-10-CM
I70.722	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg	Diagnosis	ICD-10-CM
I70.723	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs	Diagnosis	ICD-10-CM
I70.728	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity	Diagnosis	ICD-10-CM
I70.729	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity	Diagnosis	ICD-10-CM
I70.73	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration	Diagnosis	ICD-10-CM
I70.731	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I70.732	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.733	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.734	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.735	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.738	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.739	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.74	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration	Diagnosis	ICD-10-CM
I70.741	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh	Diagnosis	ICD-10-CM
I70.742	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf	Diagnosis	ICD-10-CM
I70.743	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle	Diagnosis	ICD-10-CM
I70.744	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot	Diagnosis	ICD-10-CM
I70.745	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot	Diagnosis	ICD-10-CM
I70.748	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg	Diagnosis	ICD-10-CM
I70.749	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site	Diagnosis	ICD-10-CM
I70.75	Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration	Diagnosis	ICD-10-CM
I70.76	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene	Diagnosis	ICD-10-CM
I70.761	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg	Diagnosis	ICD-10-CM
I70.762	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg	Diagnosis	ICD-10-CM
I70.763	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs	Diagnosis	ICD-10-CM
I70.768	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity	Diagnosis	ICD-10-CM
I70.769	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity	Diagnosis	ICD-10-CM
I70.79	Other atherosclerosis of other type of bypass graft(s) of the extremities	Diagnosis	ICD-10-CM
I70.791	Other atherosclerosis of other type of bypass graft(s) of the extremities, right leg	Diagnosis	ICD-10-CM
I70.792	Other atherosclerosis of other type of bypass graft(s) of the extremities, left leg	Diagnosis	ICD-10-CM
I70.793	Other atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs	Diagnosis	ICD-10-CM
I70.798	Other atherosclerosis of other type of bypass graft(s) of the extremities, other extremity	Diagnosis	ICD-10-CM
I70.799	Other atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity	Diagnosis	ICD-10-CM
I70.92	Chronic total occlusion of artery of the extremities	Diagnosis	ICD-10-CM
I73	Other peripheral vascular diseases	Diagnosis	ICD-10-CM
I73.8	Other specified peripheral vascular diseases	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I73.89	Other specified peripheral vascular diseases	Diagnosis	ICD-10-CM
I73.9	Peripheral vascular disease, unspecified	Diagnosis	ICD-10-CM
I74	Arterial embolism and thrombosis	Diagnosis	ICD-10-CM
I74.0	Embolism and thrombosis of abdominal aorta	Diagnosis	ICD-10-CM
I74.01	Saddle embolus of abdominal aorta	Diagnosis	ICD-10-CM
I74.09	Other arterial embolism and thrombosis of abdominal aorta	Diagnosis	ICD-10-CM
I74.1	Embolism and thrombosis of other and unspecified parts of aorta	Diagnosis	ICD-10-CM
I74.10	Embolism and thrombosis of unspecified parts of aorta	Diagnosis	ICD-10-CM
I74.11	Embolism and thrombosis of thoracic aorta	Diagnosis	ICD-10-CM
I74.19	Embolism and thrombosis of other parts of aorta	Diagnosis	ICD-10-CM
I74.2	Embolism and thrombosis of arteries of the upper extremities	Diagnosis	ICD-10-CM
I74.3	Embolism and thrombosis of arteries of the lower extremities	Diagnosis	ICD-10-CM
I74.4	Embolism and thrombosis of arteries of extremities, unspecified	Diagnosis	ICD-10-CM
I74.5	Embolism and thrombosis of iliac artery	Diagnosis	ICD-10-CM
I74.8	Embolism and thrombosis of other arteries	Diagnosis	ICD-10-CM
I74.9	Embolism and thrombosis of unspecified artery	Diagnosis	ICD-10-CM
I75	Atheroembolism	Diagnosis	ICD-10-CM
I75.0	Atheroembolism of extremities	Diagnosis	ICD-10-CM
I75.01	Atheroembolism of upper extremity	Diagnosis	ICD-10-CM
I75.011	Atheroembolism of right upper extremity	Diagnosis	ICD-10-CM
I75.012	Atheroembolism of left upper extremity	Diagnosis	ICD-10-CM
I75.013	Atheroembolism of bilateral upper extremities	Diagnosis	ICD-10-CM
I75.019	Atheroembolism of unspecified upper extremity	Diagnosis	ICD-10-CM
I75.02	Atheroembolism of lower extremity	Diagnosis	ICD-10-CM
I75.021	Atheroembolism of right lower extremity	Diagnosis	ICD-10-CM
I75.022	Atheroembolism of left lower extremity	Diagnosis	ICD-10-CM
I75.023	Atheroembolism of bilateral lower extremities	Diagnosis	ICD-10-CM
I75.029	Atheroembolism of unspecified lower extremity	Diagnosis	ICD-10-CM
I75.8	Atheroembolism of other sites	Diagnosis	ICD-10-CM
I75.81	Atheroembolism of kidney	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
I75.89	Atheroembolism of other site	Diagnosis	ICD-10-CM
M62.2	Nontraumatic ischemic infarction of muscle	Diagnosis	ICD-10-CM
M62.20	Nontraumatic ischemic infarction of muscle, unspecified site	Diagnosis	ICD-10-CM
M62.21	Nontraumatic ischemic infarction of muscle, shoulder	Diagnosis	ICD-10-CM
M62.211	Nontraumatic ischemic infarction of muscle, right shoulder	Diagnosis	ICD-10-CM
M62.212	Nontraumatic ischemic infarction of muscle, left shoulder	Diagnosis	ICD-10-CM
M62.219	Nontraumatic ischemic infarction of muscle, unspecified shoulder	Diagnosis	ICD-10-CM
M62.22	Nontraumatic ischemic infarction of muscle, upper arm	Diagnosis	ICD-10-CM
M62.221	Nontraumatic ischemic infarction of muscle, right upper arm	Diagnosis	ICD-10-CM
M62.222	Nontraumatic ischemic infarction of muscle, left upper arm	Diagnosis	ICD-10-CM
M62.229	Nontraumatic ischemic infarction of muscle, unspecified upper arm	Diagnosis	ICD-10-CM
M62.23	Nontraumatic ischemic infarction of muscle, forearm	Diagnosis	ICD-10-CM
M62.231	Nontraumatic ischemic infarction of muscle, right forearm	Diagnosis	ICD-10-CM
M62.232	Nontraumatic ischemic infarction of muscle, left forearm	Diagnosis	ICD-10-CM
M62.239	Nontraumatic ischemic infarction of muscle, unspecified forearm	Diagnosis	ICD-10-CM
M62.24	Nontraumatic ischemic infarction of muscle, hand	Diagnosis	ICD-10-CM
M62.241	Nontraumatic ischemic infarction of muscle, right hand	Diagnosis	ICD-10-CM
M62.242	Nontraumatic ischemic infarction of muscle, left hand	Diagnosis	ICD-10-CM
M62.249	Nontraumatic ischemic infarction of muscle, unspecified hand	Diagnosis	ICD-10-CM
M62.25	Nontraumatic ischemic infarction of muscle, thigh	Diagnosis	ICD-10-CM
M62.251	Nontraumatic ischemic infarction of muscle, right thigh	Diagnosis	ICD-10-CM
M62.252	Nontraumatic ischemic infarction of muscle, left thigh	Diagnosis	ICD-10-CM
M62.259	Nontraumatic ischemic infarction of muscle, unspecified thigh	Diagnosis	ICD-10-CM
M62.26	Nontraumatic ischemic infarction of muscle, lower leg	Diagnosis	ICD-10-CM
M62.261	Nontraumatic ischemic infarction of muscle, right lower leg	Diagnosis	ICD-10-CM
M62.262	Nontraumatic ischemic infarction of muscle, left lower leg	Diagnosis	ICD-10-CM
M62.269	Nontraumatic ischemic infarction of muscle, unspecified lower leg	Diagnosis	ICD-10-CM
M62.27	Nontraumatic ischemic infarction of muscle, ankle and foot	Diagnosis	ICD-10-CM
M62.271	Nontraumatic ischemic infarction of muscle, right ankle and foot	Diagnosis	ICD-10-CM
M62.272	Nontraumatic ischemic infarction of muscle, left ankle and foot	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
M62.279	Nontraumatic ischemic infarction of muscle, unspecified ankle and foot	Diagnosis	ICD-10-CM
M62.28	Nontraumatic ischemic infarction of muscle, other site	Diagnosis	ICD-10-CM
Q28.0	Arteriovenous malformation of precerebral vessels	Diagnosis	ICD-10-CM
Q28.2	Arteriovenous malformation of cerebral vessels	Diagnosis	ICD-10-CM
S2205	Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using arterial graft(s), single coronary arterial graft	Procedure	HCPCS
S2206	Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using arterial graft(s), 2 coronary arterial grafts	Procedure	HCPCS
S2207	Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using venous graft only, single coronary venous graft	Procedure	HCPCS
S2208	Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using single arterial and venous graft(s), single venous graft	Procedure	HCPCS
S2209	Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using 2 arterial grafts and single venous graft	Procedure	HCPCS
T81.718A	Complication of other artery following a procedure, not elsewhere classified, initial encounter	Diagnosis	ICD-10-CM
T82.817A	Embolism due to cardiac prosthetic devices, implants and grafts, initial encounter	Diagnosis	ICD-10-CM
V45.81	Postprocedural aortocoronary bypass status	Diagnosis	ICD-9-CM
V45.82	Postprocedural percutaneous transluminal coronary angioplasty status	Diagnosis	ICD-9-CM
X2C0361	Extirpation of Matter from Coronary Artery, One Artery using Orbital Atherectomy Technology, Percutaneous Approach, New Technology Group 1	Procedure	ICD-10-PCS
X2C1361	Extirpation of Matter from Coronary Artery, Two Arteries using Orbital Atherectomy Technology, Percutaneous Approach, New Technology Group 1	Procedure	ICD-10-PCS
X2C2361	Extirpation of Matter from Coronary Artery, Three Arteries using Orbital Atherectomy Technology, Percutaneous Approach, New Technology Group 1	Procedure	ICD-10-PCS
X2C3361	Extirpation of Matter from Coronary Artery, Four or More Arteries using Orbital Atherectomy Technology, Percutaneous Approach, New Technology Group 1	Procedure	ICD-10-PCS
Z95.1	Presence of aortocoronary bypass graft	Diagnosis	ICD-10-CM
Z95.5	Presence of coronary angioplasty implant and graft	Diagnosis	ICD-10-CM
Cognitive Impairment			
290.0	Senile dementia, uncomplicated	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
290.10	Presenile dementia, uncomplicated	Diagnosis	ICD-9-CM
290.11	Presenile dementia with delirium	Diagnosis	ICD-9-CM
290.12	Presenile dementia with delusional features	Diagnosis	ICD-9-CM
290.13	Presenile dementia with depressive features	Diagnosis	ICD-9-CM
290.20	Senile dementia with delusional features	Diagnosis	ICD-9-CM
290.21	Senile dementia with depressive features	Diagnosis	ICD-9-CM
290.3	Senile dementia with delirium	Diagnosis	ICD-9-CM
290.40	Vascular dementia, uncomplicated	Diagnosis	ICD-9-CM
290.41	Vascular dementia, with delirium	Diagnosis	ICD-9-CM
290.42	Vascular dementia, with delusions	Diagnosis	ICD-9-CM
290.43	Vascular dementia, with depressed mood	Diagnosis	ICD-9-CM
294.0	Amnestic disorder in conditions classified elsewhere	Diagnosis	ICD-9-CM
294.10	Dementia in conditions classified elsewhere without behavioral disturbance	Diagnosis	ICD-9-CM
294.11	Dementia in conditions classified elsewhere with behavioral disturbance	Diagnosis	ICD-9-CM
294.20	Dementia, unspecified, without behavioral disturbance	Diagnosis	ICD-9-CM
294.21	Dementia, unspecified, with behavioral disturbance	Diagnosis	ICD-9-CM
294.8	Other persistent mental disorders due to conditions classified elsewhere	Diagnosis	ICD-9-CM
331.0	Alzheimer's disease	Diagnosis	ICD-9-CM
331.11	Pick's disease	Diagnosis	ICD-9-CM
331.19	Other frontotemporal dementia	Diagnosis	ICD-9-CM
331.2	Senile degeneration of brain	Diagnosis	ICD-9-CM
331.7	Cerebral degeneration in diseases classified elsewhere	Diagnosis	ICD-9-CM
797	Senility without mention of psychosis	Diagnosis	ICD-9-CM
	Vascular dementia, unspecified severity, without behavioral disturbance, psychotic disturbance, mood disturbance, and		
F01.50	anxiety	Diagnosis	ICD-10-CM
F01.51	Vascular dementia, unspecified severity, with behavioral disturbance	Diagnosis	ICD-10-CM
	Dementia in other diseases classified elsewhere, unspecified severity, without behavioral disturbance, psychotic		
F02.80	disturbance, mood disturbance, and anxiety	Diagnosis	ICD-10-CM
F02.81	Dementia in other diseases classified elsewhere, unspecified severity, with behavioral disturbance	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F03.90	Unspecified dementia, unspecified severity, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	Diagnosis	ICD-10-CM
F03.91	Unspecified dementia, unspecified severity, with behavioral disturbance	Diagnosis	ICD-10-CM
F04	Amnesic disorder due to known physiological condition	Diagnosis	ICD-10-CM
F05	Delirium due to known physiological condition	Diagnosis	ICD-10-CM
F06.1	Catatonic disorder due to known physiological condition	Diagnosis	ICD-10-CM
F06.8	Other specified mental disorders due to known physiological condition	Diagnosis	ICD-10-CM
G13.8	Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere	Diagnosis	ICD-10-CM
G30.0	Alzheimer's disease with early onset	Diagnosis	ICD-10-CM
G30.1	Alzheimer's disease with late onset	Diagnosis	ICD-10-CM
G30.8	Other Alzheimer's disease	Diagnosis	ICD-10-CM
G30.9	Alzheimer's disease, unspecified	Diagnosis	ICD-10-CM
G31.01	Pick's disease	Diagnosis	ICD-10-CM
G31.09	Other frontotemporal neurocognitive disorder	Diagnosis	ICD-10-CM
G31.1	Senile degeneration of brain, not elsewhere classified	Diagnosis	ICD-10-CM
G31.2	Degeneration of nervous system due to alcohol	Diagnosis	ICD-10-CM
G94	Other disorders of brain in diseases classified elsewhere	Diagnosis	ICD-10-CM
R41.81	Age-related cognitive decline	Diagnosis	ICD-10-CM
R54	Age-related physical debility	Diagnosis	ICD-10-CM
Traumatic Brain Injury			
310	Specific nonpsychotic mental disorders due to brain damage	Diagnosis	ICD-9-CM
310.0	Frontal lobe syndrome	Diagnosis	ICD-9-CM
310.1	Personality change due to conditions classified elsewhere	Diagnosis	ICD-9-CM
310.2	Postconcussion syndrome	Diagnosis	ICD-9-CM
310.8	Other specified nonpsychotic mental disorder following organic brain damage	Diagnosis	ICD-9-CM
310.81	Pseudobulbar affect	Diagnosis	ICD-9-CM
310.89	Other specified nonpsychotic mental disorders following organic brain damage	Diagnosis	ICD-9-CM
907	Late effects of injuries to the nervous system	Diagnosis	ICD-9-CM
907.0	Late effect of intracranial injury without mention of skull fracture	Diagnosis	ICD-9-CM
907.1	Late effect of injury to cranial nerve	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
F07.0	Personality change due to known physiological condition	Diagnosis	ICD-10-CM
F07.81	Postconcussional syndrome	Diagnosis	ICD-10-CM
F07.89	Other personality and behavioral disorders due to known physiological condition	Diagnosis	ICD-10-CM
F48.2	Pseudobulbar affect	Diagnosis	ICD-10-CM
S04.011S	Injury of optic nerve, right eye, sequela	Diagnosis	ICD-10-CM
S04.012S	Injury of optic nerve, left eye, sequela	Diagnosis	ICD-10-CM
S04.019S	Injury of optic nerve, unspecified eye, sequela	Diagnosis	ICD-10-CM
S04.02XS	Injury of optic chiasm, sequela	Diagnosis	ICD-10-CM
S04.031S	Injury of optic tract and pathways, right side, sequela	Diagnosis	ICD-10-CM
S04.032S	Injury of optic tract and pathways, left side, sequela	Diagnosis	ICD-10-CM
S04.039S	Injury of optic tract and pathways, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.041S	Injury of visual cortex, right side, sequela	Diagnosis	ICD-10-CM
S04.042S	Injury of visual cortex, left side, sequela	Diagnosis	ICD-10-CM
S04.049S	Injury of visual cortex, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.10XS	Injury of oculomotor nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.11XS	Injury of oculomotor nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.12XS	Injury of oculomotor nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.20XS	Injury of trochlear nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.21XS	Injury of trochlear nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.22XS	Injury of trochlear nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.30XS	Injury of trigeminal nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.31XS	Injury of trigeminal nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.32XS	Injury of trigeminal nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.40XS	Injury of abducent nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.41XS	Injury of abducent nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.42XS	Injury of abducent nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.50XS	Injury of facial nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.51XS	Injury of facial nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.52XS	Injury of facial nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.60XS	Injury of acoustic nerve, unspecified side, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S04.61XS	Injury of acoustic nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.62XS	Injury of acoustic nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.70XS	Injury of accessory nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.71XS	Injury of accessory nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.72XS	Injury of accessory nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.811S	Injury of olfactory [1st] nerve, right side, sequela	Diagnosis	ICD-10-CM
S04.812S	Injury of olfactory [1st] nerve, left side, sequela	Diagnosis	ICD-10-CM
S04.819S	Injury of olfactory [1st] nerve, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.891S	Injury of other cranial nerves, right side, sequela	Diagnosis	ICD-10-CM
S04.892S	Injury of other cranial nerves, left side, sequela	Diagnosis	ICD-10-CM
S04.899S	Injury of other cranial nerves, unspecified side, sequela	Diagnosis	ICD-10-CM
S04.9XXS	Injury of unspecified cranial nerve, sequela	Diagnosis	ICD-10-CM
S06.0X0S	Concussion without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.0X1S	Concussion with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.0X2S	Concussion with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.0X3S	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.0X4S	Concussion with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.0X5S	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.0X6S	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.0X7S	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.0X8S	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.0X9S	Concussion with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.0XAS	Concussion with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.1X0S	Traumatic cerebral edema without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.1X1S	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.1X2S	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.1X3S	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.1X4S	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.1X5S	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.1X6S	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.1X7S	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.1X8S	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.1X9S	Traumatic cerebral edema with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.1XAS	Traumatic cerebral edema with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.2X0S	Diffuse traumatic brain injury without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.2X1S	Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.2X2S	Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.2X3S	Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.2X4S	Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.2X5S	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, sequela	Diagnosis	ICD-10-CM
S06.2X6S	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.2X7S	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.2X8S	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.2X9S	Diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.2XAS	Diffuse traumatic brain injury with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.300S	Unspecified focal traumatic brain injury without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.301S	Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.302S	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.303S	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.304S	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.305S	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.306S	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.307S	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.308S	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.309S	Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.30AS	Unspecified focal traumatic brain injury with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.310S	Contusion and laceration of right cerebrum without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.311S	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.312S	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.313S	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.314S	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.315S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.316S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.317S	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.318S	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.319S	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.31AS	Contusion and laceration of right cerebrum with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.320S	Contusion and laceration of left cerebrum without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.321S	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.322S	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.323S	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.324S	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.325S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.326S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.327S	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.328S	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.329S	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.32AS	Contusion and laceration of left cerebrum with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.330S	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.331S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.332S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.333S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.334S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.335S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.336S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.337S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.338S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.339S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.33AS	Contusion and laceration of cerebrum, unspecified, with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.340S	Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.341S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.342S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.343S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.344S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.345S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.346S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.347S	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.348S	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.349S	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.34AS	Traumatic hemorrhage of right cerebrum with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.350S	Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.351S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.352S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.353S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.354S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.355S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.356S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.357S	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.358S	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.359S	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.35AS	Traumatic hemorrhage of left cerebrum with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.360S	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.361S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.362S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.363S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.364S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.365S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.366S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.367S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.368S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.369S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.36AS	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.370S	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.371S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.372S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.373S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.374S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.375S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.376S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.377S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.378S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.379S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.37AS	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.380S	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.381S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.382S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.383S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.384S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.385S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.386S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.387S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.388S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.389S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.38AS	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.4X0S	Epidural hemorrhage without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.4X1S	Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.4X2S	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.4X3S	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.4X4S	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.4X5S	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.4X6S	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.4X7S	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.4X8S	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.4X9S	Epidural hemorrhage with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.4XAS	Epidural hemorrhage with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.5X0S	Traumatic subdural hemorrhage without loss of consciousness, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.5X1S	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.5X2S	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.5X3S	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.5X4S	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.5X5S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.5X6S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.5X7S	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.5X8S	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.5X9S	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.5XAS	Traumatic subdural hemorrhage with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.6X0S	Traumatic subarachnoid hemorrhage without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.6X1S	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.6X2S	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.6X3S	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.6X4S	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.6X5S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.6X6S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.6X7S	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.6X8S	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.6X9S	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.6XAS	Traumatic subarachnoid hemorrhage with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.810S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.811S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.812S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.813S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.814S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.815S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.816S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.817S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.818S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.819S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.81AS	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.820S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.821S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.822S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.823S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.824S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.825S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.826S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.827S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.828S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.829S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.82AS	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.890S	Other specified intracranial injury without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.891S	Other specified intracranial injury with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.892S	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.893S	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.894S	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.895S	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.896S	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.897S	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.898S	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.899S	Other specified intracranial injury with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.89AS	Other specified intracranial injury with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.8A0S	Primary blast injury of brain, not elsewhere classified without loss of consciousness, sequela	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
S06.8A1S	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.8A2S	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.8A3S	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.8A4S	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.8A5S	Primary blast injury of brain, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.8A6S	Primary blast injury of brain, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.8A9S	Primary blast injury of brain, not elsewhere classified with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.8AAS	Primary blast injury of brain, not elsewhere classified with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.9X0S	Unspecified intracranial injury without loss of consciousness, sequela	Diagnosis	ICD-10-CM
S06.9X1S	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, sequela	Diagnosis	ICD-10-CM
S06.9X2S	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.9X3S	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Diagnosis	ICD-10-CM
S06.9X4S	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela	Diagnosis	ICD-10-CM
S06.9X5S	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Diagnosis	ICD-10-CM
S06.9X6S	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Diagnosis	ICD-10-CM
S06.9X7S	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.9X8S	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	Diagnosis	ICD-10-CM
S06.9X9S	Unspecified intracranial injury with loss of consciousness of unspecified duration, sequela	Diagnosis	ICD-10-CM
S06.9XAS	Unspecified intracranial injury with loss of consciousness status unknown, sequela	Diagnosis	ICD-10-CM
S06.A0XS	Traumatic brain compression without herniation, sequela	Diagnosis	ICD-10-CM
S06.A1XS	Traumatic brain compression with herniation, sequela	Diagnosis	ICD-10-CM
Migraine			
339	Other headache syndromes	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
339.0	Cluster headaches and other trigeminal autonomic cephalgias	Diagnosis	ICD-9-CM
339.00	Cluster headache syndrome, unspecified	Diagnosis	ICD-9-CM
339.01	Episodic cluster headache	Diagnosis	ICD-9-CM
339.02	Chronic cluster headache	Diagnosis	ICD-9-CM
339.03	Episodic paroxysmal hemicrania	Diagnosis	ICD-9-CM
339.04	Chronic paroxysmal hemicrania	Diagnosis	ICD-9-CM
339.05	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing	Diagnosis	ICD-9-CM
339.09	Other trigeminal autonomic cephalgias	Diagnosis	ICD-9-CM
339.1	Tension type headache	Diagnosis	ICD-9-CM
339.10	Tension type headache, unspecified	Diagnosis	ICD-9-CM
339.11	Episodic tension type headache	Diagnosis	ICD-9-CM
339.12	Chronic tension type headache	Diagnosis	ICD-9-CM
339.2	Post-traumatic headache	Diagnosis	ICD-9-CM
339.20	Post-traumatic headache, unspecified	Diagnosis	ICD-9-CM
339.21	Acute post-traumatic headache	Diagnosis	ICD-9-CM
339.22	Chronic post-traumatic headache	Diagnosis	ICD-9-CM
339.3	Drug induced headache, not elsewhere classified	Diagnosis	ICD-9-CM
339.4	Complicated headache syndromes	Diagnosis	ICD-9-CM
339.41	Hemicrania continua	Diagnosis	ICD-9-CM
339.42	New daily persistent headache	Diagnosis	ICD-9-CM
339.43	Primary thunderclap headache	Diagnosis	ICD-9-CM
339.44	Other complicated headache syndrome	Diagnosis	ICD-9-CM
339.8	Other specified headache syndromes	Diagnosis	ICD-9-CM
339.81	Hypnic headache	Diagnosis	ICD-9-CM
339.82	Headache associated with sexual activity	Diagnosis	ICD-9-CM
339.83	Primary cough headache	Diagnosis	ICD-9-CM
339.84	Primary exertional headache	Diagnosis	ICD-9-CM
339.85	Primary stabbing headache	Diagnosis	ICD-9-CM
339.89	Other specified headache syndromes	Diagnosis	ICD-9-CM
346	Migraine	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
346.0	Migraine with aura	Diagnosis	ICD-9-CM
346.00	Migraine with aura, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.01	Migraine with aura, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.02	Migraine with aura, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.03	Migraine with aura, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.1	Migraine without aura	Diagnosis	ICD-9-CM
346.10	Migraine without aura, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.11	Migraine without aura, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.12	Migraine without aura, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.13	Migraine without aura, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.2	Variants of migraine, not elsewhere classified	Diagnosis	ICD-9-CM
	Variants of migraine, not elsewhere classified, without mention of intractable migraine without mention of status		
346.20	migrainosus	Diagnosis	ICD-9-CM
	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, without mention of status		
346.21	migrainosus	Diagnosis	ICD-9-CM
346.22	Variants of migraine, not elsewhere classified, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.23	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.3	Hemiplegic migraine	Diagnosis	ICD-9-CM
346.30	Hemiplegic migraine, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.31	Hemiplegic migraine, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.32	Hemiplegic migraine, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.33	Hemiplegic migraine, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.4	Menstrual migraine	Diagnosis	ICD-9-CM
346.40	Menstrual migraine, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.41	Menstrual migraine, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.42	Menstrual migraine, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.43	Menstrual migraine, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.5	Persistent migraine aura without cerebral infarction	Diagnosis	ICD-9-CM
	Persistent migraine aura without cerebral infarction, without mention of intractable migraine without mention of status		
346.50	migrainosus	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
346.51	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.52	Persistent migraine aura without cerebral infarction, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.53	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.6	Persistent migraine aura with cerebral infarction	Diagnosis	ICD-9-CM
346.60	Persistent migraine aura with cerebral infarction, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.61	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.62	Persistent migraine aura with cerebral infarction, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.63	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.7	Chronic migraine without aura	Diagnosis	ICD-9-CM
346.70	Chronic migraine without aura, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.71	Chronic migraine without aura, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.72	Chronic migraine without aura, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.73	Chronic migraine without aura, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.8	Other forms of migraine	Diagnosis	ICD-9-CM
346.80	Other forms of migraine, without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.81	Other forms of migraine, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.82	Other forms of migraine, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.83	Other forms of migraine, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
346.9	Migraine, unspecified	Diagnosis	ICD-9-CM
346.90	Migraine, unspecified without mention of intractable migraine without mention of status migrainosus	Diagnosis	ICD-9-CM
346.91	Migraine, unspecified, with intractable migraine, so stated, without mention of status migrainosus	Diagnosis	ICD-9-CM
346.92	Migraine, unspecified, without mention of intractable migraine with status migrainosus	Diagnosis	ICD-9-CM
346.93	Migraine, unspecified, with intractable migraine, so stated, with status migrainosus	Diagnosis	ICD-9-CM
G43.001	Migraine without aura, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.009	Migraine without aura, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.011	Migraine without aura, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.019	Migraine without aura, intractable, without status migrainosus	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G43.101	Migraine with aura, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.109	Migraine with aura, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.111	Migraine with aura, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.119	Migraine with aura, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.401	Hemiplegic migraine, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.409	Hemiplegic migraine, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.411	Hemiplegic migraine, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.419	Hemiplegic migraine, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.501	Persistent migraine aura without cerebral infarction, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.509	Persistent migraine aura without cerebral infarction, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.511	Persistent migraine aura without cerebral infarction, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.519	Persistent migraine aura without cerebral infarction, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.601	Persistent migraine aura with cerebral infarction, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.609	Persistent migraine aura with cerebral infarction, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.611	Persistent migraine aura with cerebral infarction, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.619	Persistent migraine aura with cerebral infarction, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.701	Chronic migraine without aura, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.709	Chronic migraine without aura, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.711	Chronic migraine without aura, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.719	Chronic migraine without aura, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.801	Other migraine, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.809	Other migraine, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.811	Other migraine, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.819	Other migraine, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.821	Menstrual migraine, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.829	Menstrual migraine, not intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.831	Menstrual migraine, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.839	Menstrual migraine, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.901	Migraine, unspecified, not intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.909	Migraine, unspecified, not intractable, without status migrainosus	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G43.911	Migraine, unspecified, intractable, with status migrainosus	Diagnosis	ICD-10-CM
G43.919	Migraine, unspecified, intractable, without status migrainosus	Diagnosis	ICD-10-CM
G43.A0	Cyclical vomiting, in migraine, not intractable	Diagnosis	ICD-10-CM
G43.A1	Cyclical vomiting, in migraine, intractable	Diagnosis	ICD-10-CM
G43.B0	Ophthalmoplegic migraine, not intractable	Diagnosis	ICD-10-CM
G43.B1	Ophthalmoplegic migraine, intractable	Diagnosis	ICD-10-CM
G43.C0	Periodic headache syndromes in child or adult, not intractable	Diagnosis	ICD-10-CM
G43.C1	Periodic headache syndromes in child or adult, intractable	Diagnosis	ICD-10-CM
G43.D0	Abdominal migraine, not intractable	Diagnosis	ICD-10-CM
G43.D1	Abdominal migraine, intractable	Diagnosis	ICD-10-CM
G44.001	Cluster headache syndrome, unspecified, intractable	Diagnosis	ICD-10-CM
G44.009	Cluster headache syndrome, unspecified, not intractable	Diagnosis	ICD-10-CM
G44.011	Episodic cluster headache, intractable	Diagnosis	ICD-10-CM
G44.019	Episodic cluster headache, not intractable	Diagnosis	ICD-10-CM
G44.021	Chronic cluster headache, intractable	Diagnosis	ICD-10-CM
G44.029	Chronic cluster headache, not intractable	Diagnosis	ICD-10-CM
G44.031	Episodic paroxysmal hemicrania, intractable	Diagnosis	ICD-10-CM
G44.039	Episodic paroxysmal hemicrania, not intractable	Diagnosis	ICD-10-CM
G44.041	Chronic paroxysmal hemicrania, intractable	Diagnosis	ICD-10-CM
G44.049	Chronic paroxysmal hemicrania, not intractable	Diagnosis	ICD-10-CM
G44.051	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing (SUNCT), intractable	Diagnosis	ICD-10-CM
G44.059	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing (SUNCT), not intractable	Diagnosis	ICD-10-CM
G44.091	Other trigeminal autonomic cephalgias (TAC), intractable	Diagnosis	ICD-10-CM
G44.099	Other trigeminal autonomic cephalgias (TAC), not intractable	Diagnosis	ICD-10-CM
G44.1	Vascular headache, not elsewhere classified	Diagnosis	ICD-10-CM
G44.201	Tension-type headache, unspecified, intractable	Diagnosis	ICD-10-CM
G44.209	Tension-type headache, unspecified, not intractable	Diagnosis	ICD-10-CM
G44.211	Episodic tension-type headache, intractable	Diagnosis	ICD-10-CM
G44.219	Episodic tension-type headache, not intractable	Diagnosis	ICD-10-CM
G44.221	Chronic tension-type headache, intractable	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G44.229	Chronic tension-type headache, not intractable	Diagnosis	ICD-10-CM
G44.301	Post-traumatic headache, unspecified, intractable	Diagnosis	ICD-10-CM
G44.309	Post-traumatic headache, unspecified, not intractable	Diagnosis	ICD-10-CM
G44.311	Acute post-traumatic headache, intractable	Diagnosis	ICD-10-CM
G44.319	Acute post-traumatic headache, not intractable	Diagnosis	ICD-10-CM
G44.321	Chronic post-traumatic headache, intractable	Diagnosis	ICD-10-CM
G44.329	Chronic post-traumatic headache, not intractable	Diagnosis	ICD-10-CM
G44.40	Drug-induced headache, not elsewhere classified, not intractable	Diagnosis	ICD-10-CM
G44.41	Drug-induced headache, not elsewhere classified, intractable	Diagnosis	ICD-10-CM
G44.51	Hemicrania continua	Diagnosis	ICD-10-CM
G44.52	New daily persistent headache (NDPH)	Diagnosis	ICD-10-CM
G44.53	Primary thunderclap headache	Diagnosis	ICD-10-CM
G44.59	Other complicated headache syndrome	Diagnosis	ICD-10-CM
G44.81	Hypnic headache	Diagnosis	ICD-10-CM
G44.82	Headache associated with sexual activity	Diagnosis	ICD-10-CM
G44.83	Primary cough headache	Diagnosis	ICD-10-CM
G44.84	Primary exertional headache	Diagnosis	ICD-10-CM
G44.85	Primary stabbing headache	Diagnosis	ICD-10-CM
G44.86	Cervicogenic headache	Diagnosis	ICD-10-CM
G44.89	Other headache syndrome	Diagnosis	ICD-10-CM
Epilepsy			
345	Epilepsy and recurrent seizures	Diagnosis	ICD-9-CM
345.0	Generalized nonconvulsive epilepsy	Diagnosis	ICD-9-CM
345.00	Generalized nonconvulsive epilepsy without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.01	Generalized nonconvulsive epilepsy with intractable epilepsy	Diagnosis	ICD-9-CM
345.1	Generalized convulsive epilepsy	Diagnosis	ICD-9-CM
345.10	Generalized convulsive epilepsy without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.11	Generalized convulsive epilepsy with intractable epilepsy	Diagnosis	ICD-9-CM
345.2	Epileptic petit mal status	Diagnosis	ICD-9-CM
345.3	Epileptic grand mal status	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
345.4	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures	Diagnosis	ICD-9-CM
345.40	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.41	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy	Diagnosis	ICD-9-CM
345.5	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures	Diagnosis	ICD-9-CM
345.50	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.51	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy	Diagnosis	ICD-9-CM
345.6	Infantile spasms	Diagnosis	ICD-9-CM
345.60	Infantile spasms without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.61	Infantile spasms with intractable epilepsy	Diagnosis	ICD-9-CM
345.7	Epilepsia partialis continua	Diagnosis	ICD-9-CM
345.70	Epilepsia partialis continua without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.71	Epilepsia partialis continua with intractable epilepsy	Diagnosis	ICD-9-CM
345.8	Other forms of epilepsy and recurrent seizures	Diagnosis	ICD-9-CM
345.80	Other forms of epilepsy and recurrent seizures, without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.81	Other forms of epilepsy and recurrent seizures, with intractable epilepsy	Diagnosis	ICD-9-CM
345.9	Unspecified epilepsy	Diagnosis	ICD-9-CM
345.90	Unspecified epilepsy without mention of intractable epilepsy	Diagnosis	ICD-9-CM
345.91	Unspecified epilepsy with intractable epilepsy	Diagnosis	ICD-9-CM
G40.001	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.009	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.011	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.019	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G40.101	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.109	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.111	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.119	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.201	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.209	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.211	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.219	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.401	Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.411	Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.42	Cyclin-Dependent Kinase-Like 5 Deficiency Disorder	Diagnosis	ICD-10-CM
G40.501	Epileptic seizures related to external causes, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.509	Epileptic seizures related to external causes, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.801	Other epilepsy, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.802	Other epilepsy, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.803	Other epilepsy, intractable, with status epilepticus	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G40.804	Other epilepsy, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.813	Lennox-Gastaut syndrome, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.814	Lennox-Gastaut syndrome, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.821	Epileptic spasms, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.822	Epileptic spasms, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.823	Epileptic spasms, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.824	Epileptic spasms, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.833	Dravet syndrome, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.834	Dravet syndrome, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.89	Other seizures	Diagnosis	ICD-10-CM
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.911	Epilepsy, unspecified, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.919	Epilepsy, unspecified, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.A01	Absence epileptic syndrome, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.A09	Absence epileptic syndrome, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.A11	Absence epileptic syndrome, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.A19	Absence epileptic syndrome, intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.B01	Juvenile myoclonic epilepsy, not intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.B09	Juvenile myoclonic epilepsy, not intractable, without status epilepticus	Diagnosis	ICD-10-CM
G40.B11	Juvenile myoclonic epilepsy, intractable, with status epilepticus	Diagnosis	ICD-10-CM
G40.B19	Juvenile myoclonic epilepsy, intractable, without status epilepticus	Diagnosis	ICD-10-CM
Chronic Pain			
338.2	Chronic pain	Diagnosis	ICD-9-CM
338.21	Chronic pain due to trauma	Diagnosis	ICD-9-CM
338.22	Chronic post-thoracotomy pain	Diagnosis	ICD-9-CM
338.28	Other chronic postoperative pain	Diagnosis	ICD-9-CM
338.29	Other chronic pain	Diagnosis	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
338.3	Neoplasm related pain (acute) (chronic)	Diagnosis	ICD-9-CM
338.4	Chronic pain syndrome	Diagnosis	ICD-9-CM
729.1	Unspecified myalgia and myositis	Diagnosis	ICD-9-CM
729.2	Unspecified neuralgia, neuritis, and radiculitis	Diagnosis	ICD-9-CM
780.7	Malaise and fatigue	Diagnosis	ICD-9-CM
780.71	Chronic fatigue syndrome	Diagnosis	ICD-9-CM
G89.21	Chronic pain due to trauma	Diagnosis	ICD-10-CM
G89.22	Chronic post-thoracotomy pain	Diagnosis	ICD-10-CM
G89.28	Other chronic postprocedural pain	Diagnosis	ICD-10-CM
G89.29	Other chronic pain	Diagnosis	ICD-10-CM
G89.3	Neoplasm related pain (acute) (chronic)	Diagnosis	ICD-10-CM
G89.4	Chronic pain syndrome	Diagnosis	ICD-10-CM
M54.10	Radiculopathy, site unspecified	Diagnosis	ICD-10-CM
M54.11	Radiculopathy, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M54.12	Radiculopathy, cervical region	Diagnosis	ICD-10-CM
M54.13	Radiculopathy, cervicothoracic region	Diagnosis	ICD-10-CM
M54.14	Radiculopathy, thoracic region	Diagnosis	ICD-10-CM
M54.15	Radiculopathy, thoracolumbar region	Diagnosis	ICD-10-CM
M54.16	Radiculopathy, lumbar region	Diagnosis	ICD-10-CM
M54.17	Radiculopathy, lumbosacral region	Diagnosis	ICD-10-CM
M54.18	Radiculopathy, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M60.80	Other myositis, unspecified site	Diagnosis	ICD-10-CM
M60.811	Other myositis, right shoulder	Diagnosis	ICD-10-CM
M60.812	Other myositis, left shoulder	Diagnosis	ICD-10-CM
M60.819	Other myositis, unspecified shoulder	Diagnosis	ICD-10-CM
M60.821	Other myositis, right upper arm	Diagnosis	ICD-10-CM
M60.822	Other myositis, left upper arm	Diagnosis	ICD-10-CM
M60.829	Other myositis, unspecified upper arm	Diagnosis	ICD-10-CM
M60.831	Other myositis, right forearm	Diagnosis	ICD-10-CM
M60.832	Other myositis, left forearm	Diagnosis	ICD-10-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
M60.839	Other myositis, unspecified forearm	Diagnosis	ICD-10-CM
M60.841	Other myositis, right hand	Diagnosis	ICD-10-CM
M60.842	Other myositis, left hand	Diagnosis	ICD-10-CM
M60.849	Other myositis, unspecified hand	Diagnosis	ICD-10-CM
M60.851	Other myositis, right thigh	Diagnosis	ICD-10-CM
M60.852	Other myositis, left thigh	Diagnosis	ICD-10-CM
M60.859	Other myositis, unspecified thigh	Diagnosis	ICD-10-CM
M60.861	Other myositis, right lower leg	Diagnosis	ICD-10-CM
M60.862	Other myositis, left lower leg	Diagnosis	ICD-10-CM
M60.869	Other myositis, unspecified lower leg	Diagnosis	ICD-10-CM
M60.871	Other myositis, right ankle and foot	Diagnosis	ICD-10-CM
M60.872	Other myositis, left ankle and foot	Diagnosis	ICD-10-CM
M60.879	Other myositis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M60.88	Other myositis, other site	Diagnosis	ICD-10-CM
M60.89	Other myositis, multiple sites	Diagnosis	ICD-10-CM
M60.9	Myositis, unspecified	Diagnosis	ICD-10-CM
M79.1	Myalgia	Diagnosis	ICD-10-CM
M79.10	Myalgia, unspecified site	Diagnosis	ICD-10-CM
M79.11	Myalgia of mastication muscle	Diagnosis	ICD-10-CM
M79.12	Myalgia of auxiliary muscles, head and neck	Diagnosis	ICD-10-CM
M79.18	Myalgia, other site	Diagnosis	ICD-10-CM
M79.2	Neuralgia and neuritis, unspecified	Diagnosis	ICD-10-CM
M79.7	Fibromyalgia	Diagnosis	ICD-10-CM
R53.82	Chronic fatigue, unspecified	Diagnosis	ICD-10-CM
Weight Reduction Surgeries			
0D16079	Bypass Stomach to Duodenum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1607A	Bypass Stomach to Jejunum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1607B	Bypass Stomach to Ileum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160J9	Bypass Stomach to Duodenum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D160JA	Bypass Stomach to Jejunum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0D160JB	Bypass Stomach to Ileum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D160K9	Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160KA	Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160KB	Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160Z9	Bypass Stomach to Duodenum, Open Approach	Procedure	ICD-10-PCS
0D160ZA	Bypass Stomach to Jejunum, Open Approach	Procedure	ICD-10-PCS
0D160ZB	Bypass Stomach to Ileum, Open Approach	Procedure	ICD-10-PCS
0D16479	Bypass Stomach to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1647A	Bypass Stomach to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1647B	Bypass Stomach to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164J9	Bypass Stomach to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164JA	Bypass Stomach to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164JB	Bypass Stomach to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164K9	Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164KA	Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164KB	Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164Z9	Bypass Stomach to Duodenum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164ZA	Bypass Stomach to Jejunum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164ZB	Bypass Stomach to Ileum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D16879	Bypass Stomach to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1687A	Bypass Stomach to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1687B	Bypass Stomach to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168J9	Bypass Stomach to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168JA	Bypass Stomach to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168JB	Bypass Stomach to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168K9	Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168KA	Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168KB	Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168Z9	Bypass Stomach to Duodenum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168ZA	Bypass Stomach to Jejunum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0D168ZB	Bypass Stomach to Ileum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0DB60Z3	Excision of Stomach, Open Approach, Vertical	Procedure	ICD-10-PCS
0DB60ZZ	Excision of Stomach, Open Approach	Procedure	ICD-10-PCS
0DB63Z3	Excision of Stomach, Percutaneous Approach, Vertical	Procedure	ICD-10-PCS
0DB63ZZ	Excision of Stomach, Percutaneous Approach	Procedure	ICD-10-PCS
0DB64Z3	Excision of Stomach, Percutaneous Endoscopic Approach, Vertical	Procedure	ICD-10-PCS
0DB64ZZ	Excision of Stomach, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0DB67Z3	Excision of Stomach, Via Natural or Artificial Opening, Vertical	Procedure	ICD-10-PCS
0DB67ZZ	Excision of Stomach, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
0DB68Z3	Excision of Stomach, Via Natural or Artificial Opening Endoscopic, Vertical	Procedure	ICD-10-PCS
0DB68ZZ	Excision of Stomach, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
43.41	Endoscopic excision or destruction of lesion or tissue of stomach	Procedure	ICD-9-CM
43.42	Local excision of other lesion or tissue of stomach	Procedure	ICD-9-CM
43.6	Partial gastrectomy with anastomosis to duodenum	Procedure	ICD-9-CM
43.7	Partial gastrectomy with anastomosis to jejunum	Procedure	ICD-9-CM
43.81	Partial gastrectomy with jejunal transposition	Procedure	ICD-9-CM
43.82	Laparoscopic vertical (sleeve) gastrectomy	Procedure	ICD-9-CM
43.89	Open and other partial gastrectomy	Procedure	ICD-9-CM
43631	Gastrectomy, partial, distal; with gastroduodenostomy	Procedure	CPT-4
43632	Gastrectomy, partial, distal; with gastrojejunostomy	Procedure	CPT-4
43633	Gastrectomy, partial, distal; with Roux-en-Y reconstruction	Procedure	CPT-4
43634	Gastrectomy, partial, distal; with formation of intestinal pouch	Procedure	CPT-4
43644	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and Roux-en-Y gastroenterostomy (roux limb 150 cm or less)	Procedure	CPT-4
43645	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine reconstruction to limit absorption	Procedure	CPT-4
43775	Laparoscopy, surgical, gastric restrictive procedure; longitudinal gastrectomy (ie, sleeve gastrectomy)	Procedure	CPT-4
43842	Gastric restrictive procedure, without gastric bypass, for morbid obesity; vertical-banded gastroplasty	Procedure	CPT-4
43843	Gastric restrictive procedure, without gastric bypass, for morbid obesity; other than vertical-banded gastroplasty	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
43845	Gastric restrictive procedure with partial gastrectomy, pylorus-preserving duodenoileostomy and ileoileostomy (50 to 100 cm common channel) to limit absorption (biliopancreatic diversion with duodenal switch)	Procedure	CPT-4
43846	Gastric restrictive procedure, with gastric bypass for morbid obesity; with short limb (150 cm or less) Roux-en-Y gastroenterostomy	Procedure	CPT-4
43847	Gastric restrictive procedure, with gastric bypass for morbid obesity; with small intestine reconstruction to limit absorption	Procedure	CPT-4
44.31	High gastric bypass	Procedure	ICD-9-CM
44.38	Laparoscopic gastroenterostomy	Procedure	ICD-9-CM
44.39	Other gastroenterostomy without gastrectomy	Procedure	ICD-9-CM
45.51	Isolation of segment of small intestine	Procedure	ICD-9-CM
52.7	Radical pancreaticoduodenectomy	Procedure	ICD-9-CM
Weight Reduction Procedures			
00HE0MZ	Insertion of Neurostimulator Lead into Cranial Nerve, Open Approach	Procedure	ICD-10-PCS
00HE3MZ	Insertion of Neurostimulator Lead into Cranial Nerve, Percutaneous Approach	Procedure	ICD-10-PCS
00HE4MZ	Insertion of Neurostimulator Lead into Cranial Nerve, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
02.93	Implantation or replacement of intracranial neurostimulator lead(s)	Procedure	ICD-9-CM
	Vagus nerve blocking therapy (morbid obesity); laparoscopic implantation of neurostimulator electrode array, anterior and posterior vagal trunks adjacent to esophagogastric junction (EGJ), with implantation of pulse generator, includes programming	Procedure	CPT-3
0312T	Implantation or replacement of peripheral neurostimulator lead(s)	Procedure	ICD-9-CM
04.92	Implantation or replacement of peripheral neurostimulator lead(s)	Procedure	ICD-9-CM
0DH60MZ	Insertion of Stimulator Lead into Stomach, Open Approach	Procedure	ICD-10-PCS
0DH63DZ	Insertion of Intraluminal Device into Stomach, Percutaneous Approach	Procedure	ICD-10-PCS
0DH63MZ	Insertion of Stimulator Lead into Stomach, Percutaneous Approach	Procedure	ICD-10-PCS
0DH64MZ	Insertion of Stimulator Lead into Stomach, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0DH64YZ	Insertion of Other Device into Stomach, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0DH67DZ	Insertion of Intraluminal Device into Stomach, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
0DH68DZ	Insertion of Intraluminal Device into Stomach, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0DL60CZ	Occlusion of Stomach with Extraluminal Device, Open Approach	Procedure	ICD-10-PCS
0DL60DZ	Occlusion of Stomach with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
0DL60ZZ	Occlusion of Stomach, Open Approach	Procedure	ICD-10-PCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
ODL63CZ	Occlusion of Stomach with Extraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
ODL63DZ	Occlusion of Stomach with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
ODL63ZZ	Occlusion of Stomach, Percutaneous Approach	Procedure	ICD-10-PCS
ODL64CZ	Occlusion of Stomach with Extraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
ODL64DZ	Occlusion of Stomach with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
ODL64ZZ	Occlusion of Stomach, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
ODL67DZ	Occlusion of Stomach with Intraluminal Device, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
ODL68DZ	Occlusion of Stomach with Intraluminal Device, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
ODV60CZ	Restriction of Stomach with Extraluminal Device, Open Approach	Procedure	ICD-10-PCS
ODV60DZ	Restriction of Stomach with Intraluminal Device, Open Approach	Procedure	ICD-10-PCS
ODV60ZZ	Restriction of Stomach, Open Approach	Procedure	ICD-10-PCS
ODV63CZ	Restriction of Stomach with Extraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
ODV63DZ	Restriction of Stomach with Intraluminal Device, Percutaneous Approach	Procedure	ICD-10-PCS
ODV63ZZ	Restriction of Stomach, Percutaneous Approach	Procedure	ICD-10-PCS
ODV64CZ	Restriction of Stomach with Extraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
ODV64DZ	Restriction of Stomach with Intraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
ODV64ZZ	Restriction of Stomach, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
ODV67DZ	Restriction of Stomach with Intraluminal Device, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
ODV67ZZ	Restriction of Stomach, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
ODV68DZ	Restriction of Stomach with Intraluminal Device, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
ODV68ZZ	Restriction of Stomach, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
43.0	Gastrotomy	Procedure	ICD-9-CM
43246	Esophagogastroduodenoscopy, flexible, transoral; with directed placement of percutaneous gastrostomy tube	Procedure	CPT-4
43647	Laparoscopy, surgical; implantation or replacement of gastric neurostimulator electrodes, antrum	Procedure	CPT-4
43770	Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric restrictive device (eg, gastric band and subcutaneous port components)	Procedure	CPT-4
43881	Implantation or replacement of gastric neurostimulator electrodes, antrum, open	Procedure	CPT-4
44.68	Laparoscopic gastropasty	Procedure	ICD-9-CM
44.69	Other repair of stomach	Procedure	ICD-9-CM
44.93	Insertion of gastric bubble (balloon)	Procedure	ICD-9-CM

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
44.95	Laparoscopic gastric restrictive procedure	Procedure	ICD-9-CM
44.99	Other operations on stomach	Procedure	ICD-9-CM
Lifestyle Intervention			
0359T	Behavior identification assessment, by the physician or other qualified health care professional, face-to-face with patient and caregiver(s), includes administration of standardized and non-standardized tests, detailed behavioral history, patient observation and caregiver interview, interpretation of test results, discussion of findings and recommendations with the primary guardian(s)/caregiver(s), and preparation of report	Procedure	CPT-3
0360T	Observational behavioral follow-up assessment, includes physician or other qualified health care professional direction with interpretation and report, administered by one technician; first 30 minutes of technician time, face-to-face with the patient	Procedure	CPT-3
0361T	Observational behavioral follow-up assessment, includes physician or other qualified health care professional direction with interpretation and report, administered by one technician; each additional 30 minutes of technician time, face-to-face with the patient (List separately in addition to code for primary service)	Procedure	CPT-3
0362T	Behavior identification supporting assessment, each 15 minutes of technicians' time face-to-face with a patient, requiring the following components: administration by the physician or other qualified health care professional who is on site; with the assistance of two or more technicians; for a patient who exhibits destructive behavior; completion in an environment that is customized to the patient's behavior.	Procedure	CPT-3
0363T	Exposure behavioral follow-up assessment, includes physician or other qualified health care professional direction with interpretation and report, administered by physician or other qualified health care professional with the assistance of one or more technicians; each additional 30 minutes of technician(s) time, face-to-face with the patient (List separately in addition to code for primary procedure)	Procedure	CPT-3
0364T	Adaptive behavior treatment by protocol, administered by technician, face-to-face with one patient; first 30 minutes of technician time	Procedure	CPT-3
0365T	Adaptive behavior treatment by protocol, administered by technician, face-to-face with one patient; each additional 30 minutes of technician time (List separately in addition to code for primary procedure)	Procedure	CPT-3
0366T	Group adaptive behavior treatment by protocol, administered by technician, face-to-face with two or more patients; first 30 minutes of technician time	Procedure	CPT-3
0367T	Group adaptive behavior treatment by protocol, administered by technician, face-to-face with two or more patients; each additional 30 minutes of technician time (List separately in addition to code for primary procedure)	Procedure	CPT-3

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
0368T	Adaptive behavior treatment with protocol modification administered by physician or other qualified health care professional with one patient; first 30 minutes of patient face-to-face time	Procedure	CPT-3
0369T	Adaptive behavior treatment with protocol modification administered by physician or other qualified health care professional with one patient; each additional 30 minutes of patient face-to-face time (List separately in addition to code for primary procedure)	Procedure	CPT-3
0370T	Family adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present)	Procedure	CPT-3
0371T	Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present)	Procedure	CPT-3
0372T	Adaptive behavior treatment social skills group, administered by physician or other qualified health care professional face-to-face with multiple patients	Procedure	CPT-3
0373T	Adaptive behavior treatment with protocol modification, each 15 minutes of technicians' time face-to-face with a patient, requiring the following components: administration by the physician or other qualified health care professional who is on site; with the assistance of two or more technicians; for a patient who exhibits destructive behavior; completion in an environment that is customized to the patient's behavior.	Procedure	CPT-3
0374T	Exposure adaptive behavior treatment with protocol modification requiring two or more technicians for severe maladaptive behavior(s); each additional 30 minutes of technicians' time face-to-face with patient (List separately in addition to code for primary procedure)	Procedure	CPT-3
0403T	Preventive behavior change, intensive program of prevention of diabetes using a standardized diabetes prevention program curriculum, provided to individuals in a group setting, minimum 60 minutes, per day	Procedure	CPT-3
0488T	Preventive behavior change, online/electronic structured intensive program for prevention of diabetes using a standardized diabetes prevention program curriculum, provided to an individual, per 30 days	Procedure	CPT-3
90804	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient;	Procedure	CPT-4
90805	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90806	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient;	Procedure	CPT-4
90807	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
90808	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient;	Procedure	CPT-4
90809	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90816	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient;	Procedure	CPT-4
90817	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90818	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient;	Procedure	CPT-4
90819	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90821	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient;	Procedure	CPT-4
90822	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services	Procedure	CPT-4
90875	Individual psychophysiological therapy incorporating biofeedback training by any modality (face-to-face with the patient), with psychotherapy (eg, insight oriented, behavior modifying or supportive psychotherapy); 30 minutes	Procedure	CPT-4
90876	Individual psychophysiological therapy incorporating biofeedback training by any modality (face-to-face with the patient), with psychotherapy (eg, insight oriented, behavior modifying or supportive psychotherapy); 45 minutes	Procedure	CPT-4
92524	Behavioral and qualitative analysis of voice and resonance	Procedure	CPT-4
96115	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, memory, visual spatial abilities, language functions, planning) with interpretation and report, per hour	Procedure	CPT-4
96116	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; first hour	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
96121	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; each additional hour (List separately in addition to code for primary procedure)	Procedure	CPT-4
96127	Brief emotional/behavioral assessment (eg, depression inventory, attention-deficit/hyperactivity disorder [ADHD] scale), with scoring and documentation, per standardized instrument	Procedure	CPT-4
96150	Health and behavior assessment (eg, health-focused clinical interview, behavioral observations, psychophysiological monitoring, health-oriented questionnaires), each 15 minutes face-to-face with the patient; initial assessment	Procedure	CPT-4
96151	Health and behavior assessment (eg, health-focused clinical interview, behavioral observations, psychophysiological monitoring, health-oriented questionnaires), each 15 minutes face-to-face with the patient; re-assessment	Procedure	CPT-4
96152	Health and behavior intervention, each 15 minutes, face-to-face; individual	Procedure	CPT-4
96153	Health and behavior intervention, each 15 minutes, face-to-face; group (2 or more patients)	Procedure	CPT-4
96154	Health and behavior intervention, each 15 minutes, face-to-face; family (with the patient present)	Procedure	CPT-4
96155	Health and behavior intervention, each 15 minutes, face-to-face; family (without the patient present)	Procedure	CPT-4
96156	Health behavior assessment, or re-assessment (ie, health-focused clinical interview, behavioral observations, clinical decision making)	Procedure	CPT-4
96158	Health behavior intervention, individual, face-to-face; initial 30 minutes	Procedure	CPT-4
96159	Health behavior intervention, individual, face-to-face; each additional 15 minutes (List separately in addition to code for primary service)	Procedure	CPT-4
96161	Administration of caregiver-focused health risk assessment instrument (eg, depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument	Procedure	CPT-4
96164	Health behavior intervention, group (2 or more patients), face-to-face; initial 30 minutes	Procedure	CPT-4
96165	Health behavior intervention, group (2 or more patients), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)	Procedure	CPT-4
96167	Health behavior intervention, family (with the patient present), face-to-face; initial 30 minutes	Procedure	CPT-4
96168	Health behavior intervention, family (with the patient present), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)	Procedure	CPT-4
96170	Health behavior intervention, family (without the patient present), face-to-face; initial 30 minutes	Procedure	CPT-4
96171	Health behavior intervention, family (without the patient present), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
97151	Behavior identification assessment, administered by a physician or other qualified health care professional, each 15 minutes of the physician's or other qualified health care professional's time face-to-face with patient and/or guardian(s)/caregiver(s) administering assessments and discussing findings and recommendations, and non-face-to-face analyzing past data, scoring/interpreting the assessment, and preparing the report/treatment plan	Procedure	CPT-4
97152	Behavior identification-supporting assessment, administered by one technician under the direction of a physician or other qualified health care professional, face-to-face with the patient, each 15 minutes	Procedure	CPT-4
97153	Adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with one patient, each 15 minutes	Procedure	CPT-4
97154	Group adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with two or more patients, each 15 minutes	Procedure	CPT-4
97155	Adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, which may include simultaneous direction of technician, face-to-face with one patient, each 15 minutes	Procedure	CPT-4
97156	Family adaptive behavior treatment guidance, administered by physician or other qualified health care professional (with or without the patient present), face-to-face with guardian(s)/caregiver(s), each 15 minutes	Procedure	CPT-4
97157	Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present), face-to-face with multiple sets of guardians/caregivers, each 15 minutes	Procedure	CPT-4
97158	Group adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, face-to-face with multiple patients, each 15 minutes	Procedure	CPT-4
97802	Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	Procedure	CPT-4
97803	Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	Procedure	CPT-4
97804	Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes	Procedure	CPT-4
99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)	Procedure	CPT-4
99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)	Procedure	CPT-4
99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)	Procedure	CPT-4
99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years	Procedure	CPT-4
99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years	Procedure	CPT-4
99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older	Procedure	CPT-4
99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)	Procedure	CPT-4
99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)	Procedure	CPT-4
99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)	Procedure	CPT-4
99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)	Procedure	CPT-4
99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years	Procedure	CPT-4
99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older	Procedure	CPT-4
99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes	Procedure	CPT-4
99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes	Procedure	CPT-4
99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes	Procedure	CPT-4
99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes	Procedure	CPT-4
99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes	Procedure	CPT-4
99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes	Procedure	CPT-4
99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination, Medical decision making of moderate or high complexity, Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity, Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [	Procedure	CPT-4
99484	Care management services for behavioral health conditions, at least 20 minutes of clinical staff time, directed by a physician or other qualified health care professional, per calendar month, with the following required elements: initial assessment or follow-up monitoring, including the use of applicable validated rating scales, behavioral health care planning in relation to behavioral/psychiatric health problems, including revision for patients who are not progressing or whose status changes, facilitating and coordinating treatment such as psychotherapy, pharmacotherapy, counseling and/or psy	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
99492	Initial psychiatric collaborative care management, first 70 minutes in the first calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: outreach to and engagement in treatment of a patient directed by the treating physician or other qualified health care professional, initial assessment of the patient, including administration of validated rating scales, with the development of an individualized treatment plan, review by	Procedure	CPT-4
99493	Subsequent psychiatric collaborative care management, first 60 minutes in a subsequent month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: tracking patient follow-up and progress using the registry, with appropriate documentation, participation in weekly caseload consultation with the psychiatric consultant, ongoing collaboration with and coordination of the patient's mental health care with the treating physician or other qual	Procedure	CPT-4
99494	Initial or subsequent psychiatric collaborative care management, each additional 30 minutes in a calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional (List separately in addition to code for primary procedure)	Procedure	CPT-4
G0270	Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition or treatment regimen (including additional hours needed for renal disease), individual, face-to-face with the patient, each 15 minutes	Procedure	HCPCS
G0271	Medical nutrition therapy, reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), group (two or more individuals), each 30 minutes	Procedure	HCPCS
G0444	Annual depression screening, 5 to 15 minutes	Procedure	HCPCS
G0446	Annual, face-to-face intensive behavioral therapy for cardiovascular disease, individual, 15 minutes	Procedure	HCPCS
G0447	Face-to-face behavioral counseling for obesity, 15 minutes	Procedure	HCPCS
G0473	Face-to-face behavioral counseling for obesity, group (2-10), 30 minutes	Procedure	HCPCS

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
G0502	Initial psychiatric collaborative care management, first 70 minutes in the first calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: outreach to and engagement in treatment of a patient directed by the treating physician or other qualified health care professional; initial assessment of the patient, including administration of validated rating scales, with the development of an individualized treatment plan; review by Subsequent psychiatric collaborative care management, first 60 minutes in a subsequent month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: tracking patient follow-up and progress using the registry, with appropriate documentation; participation in weekly caseload consultation with the psychiatric consultant; ongoing collaboration with and coordination of the patient's mental health care with the treating physician or other qual	Procedure	HCPCS
G0503	Initial or subsequent psychiatric collaborative care management, each additional 30 minutes in a calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional (list separately in addition to code for primary procedure); (use G0504 in conjunction with G0502, G0503)	Procedure	HCPCS
G0504	Care management services for behavioral health conditions, at least 20 minutes of clinical staff time, directed by a physician or other qualified health care professional, per calendar month, with the following required elements: initial assessment or follow-up monitoring, including the use of applicable validated rating scales; behavioral health care planning in relation to behavioral/psychiatric health problems, including revision for patients who are not progressing or whose status changes; facilitating and coordinating treatment such as psychotherapy, pharmacotherapy, counseling and/or psy	Procedure	HCPCS
G0507	Rural health clinic or federally qualified health center (RHC or FQHC) only, general care management, 20 minutes or more of clinical staff time for chronic care management services or behavioral health integration services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM), per calendar month	Procedure	HCPCS
G0511	Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or more of clinical staff time for psychiatric COCM services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM) and including services furnished by a behavioral health care manager and consultation with a psychiatric consultant, per calendar month	Procedure	HCPCS
G0512	Behavioral health screening to determine eligibility for admission to treatment program	Procedure	HCPCS
H0002			

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
H0004	Behavioral health counseling and therapy, per 15 minutes	Procedure	HCPCS
H0017	Behavioral health; residential (hospital residential treatment program), without room and board, per diem	Procedure	HCPCS
H0018	Behavioral health; short-term residential (nonhospital residential treatment program), without room and board, per diem	Procedure	HCPCS
H0019	Behavioral health; long-term residential (nonmedical, nonacute care in a residential treatment program where stay is typically longer than 30 days), without room and board, per diem	Procedure	HCPCS
H0023	Behavioral health outreach service (planned approach to reach a targeted population)	Procedure	HCPCS
H0024	Behavioral health prevention information dissemination service (one-way direct or nondirect contact with service audiences to affect knowledge and attitude)	Procedure	HCPCS
H0025	Behavioral health prevention education service (delivery of services with target population to affect knowledge, attitude and/or behavior)	Procedure	HCPCS
H0030	Behavioral health hotline service	Procedure	HCPCS
H1011	Family assessment by licensed behavioral health professional for state defined purposes	Procedure	HCPCS
H2012	Behavioral health day treatment, per hour	Procedure	HCPCS
H2019	Therapeutic behavioral services, per 15 minutes	Procedure	HCPCS
H2020	Therapeutic behavioral services, per diem	Procedure	HCPCS
S3005	Performance measurement, evaluation of patient self assessment, depression	Procedure	HCPCS
S9449	Weight management classes, nonphysician provider, per session	Procedure	HCPCS
S9452	Nutrition classes, nonphysician provider, per session	Procedure	HCPCS
S9470	Nutritional counseling, dietitian visit	Procedure	HCPCS
T1040	Medicaid certified community behavioral health clinic services, per diem	Procedure	HCPCS
T1041	Medicaid certified community behavioral health clinic services, per month	Procedure	HCPCS
T2048	Behavioral health; long-term care residential (nonacute care in a residential treatment program where stay is typically longer than 30 days), with room and board, per diem	Procedure	HCPCS
Antidepressants			
4064F	Antidepressant pharmacotherapy prescribed (MDD, MDD ADOL)	Procedure	CPT-2
80332	Antidepressants, serotonergic class; 1 or 2	Procedure	CPT-4
80333	Antidepressants, serotonergic class; 3-5	Procedure	CPT-4
80334	Antidepressants, serotonergic class; 6 or more	Procedure	CPT-4

Appendix H. List of Current Procedural Terminology, Fourth Edition (CPT-4), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Third Edition (CPT-3), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Covariates in this Request

Code	Description	Code Category	Code Type
Previous Intentional Self-Harm Events			
80335	Antidepressants, tricyclic and other cyclicals; 1 or 2	Procedure	CPT-4
80336	Antidepressants, tricyclic and other cyclicals; 3-5	Procedure	CPT-4
80337	Antidepressants, tricyclic and other cyclicals; 6 or more	Procedure	CPT-4
80338	Antidepressants, not otherwise specified	Procedure	CPT-4
G8126	Patient with a diagnosis of major depression documented as being treated with antidepressant medication during the entire 84 day (12 week) acute treatment phase	Procedure	HCPCS
G9194	Patient with a diagnosis of major depression documented as being treated with antidepressant medication during the entire 180 day (6 month) continuation treatment phase	Procedure	HCPCS

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
Psychiatric drug dispensings	
5-hydroxy-L-tryptophan (oxitriptan)	5hydroxytryptophan(oxitriptan)
5-hydroxytryptophan (5-HTP)	5-HTP
5-hydroxytryptophan (5-HTP)	5-hydroxytryptophan (5-HTP)
5-hydroxytryptophan (5-HTP)	Natrol 5-HTP
5-hydroxytryptophan (5-HTP)/vit B6/ascorbic acid	5-hydroxytryptophan(5HTP)-B6-C
5-hydroxytryptophan/tyrosine/glutamin/phenylal/B6/C/chromium	Appe-Curb
AMITRIPTYLINE HCL	EnovaRx-Amitriptyline
alprazolam	Alprazolam Intensol
alprazolam	Xanax
alprazolam	Xanax XR
alprazolam	alprazolam
amitriptyline HCL	amitriptyline
amitriptyline HCL/chlordiazepoxide	amitriptyline-chlordiazepoxide
amobarbital sodium	Amytal
amoxapine	amoxapine
aripiprazole	Abilify
aripiprazole	Abilify Asimtufii
aripiprazole	Abilify Discmelt
aripiprazole	Abilify Maintena
aripiprazole	Abilify MyCite
aripiprazole	Abilify MyCite Maintenance Kit
aripiprazole	Abilify MyCite Starter Kit
aripiprazole	aripiprazole
aripiprazole lauroxil	Aristada
aripiprazole lauroxil, submicronized	Aristada Initio
asenapine	Secuado
asenapine maleate	Saphris
asenapine maleate	Saphris (black cherry)
asenapine maleate	asenapine maleate
atomoxetine HCL	Strattera
atomoxetine HCL	atomoxetine
brexanolone	Zulresso
brexpiprazole	Rexulti
bromelains/melatonin/herbal complex no.233	MidNite PM
bupropion HBr	Aplenzin

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
bupropion HCl	Buproban
Psychiatric drug dispensings	
bupropion HCl	Forfivo XL
bupropion HCl	Wellbutrin
bupropion HCl	Wellbutrin SR
bupropion HCl	Wellbutrin XL
bupropion HCl	Zyban
bupropion HCl	bupropion HCl
bupropion HCl	bupropion HCl (smoking deter)
buspirone HCl	buspirone
butabarbital sodium	Butisol
calcium carb,hydroxide/soy isoflavone/black cohosh/melatonin	Estroven Nighttime (cal-meltn)
calcium phosphate, tribasic/melatonin	Alka-Seltzer PM (melatonin)
calcium phosphate/melatonin	calcium-melatonin
carbamazepine	Carbatrol
carbamazepine	Epitol
carbamazepine	Equetro
carbamazepine	Tegretol
carbamazepine	Tegretol XR
carbamazepine	carbamazepine
cariprazine HCl	Vraylar
chlordiazepoxide HCl	chlordiazepoxide HCl
chlordiazepoxide/clidinium bromide	Librax (with clidinium)
chlordiazepoxide/clidinium bromide	chlordiazepoxide-clidinium
chlorpromazine HCl	chlorpromazine
citalopram hydrobromide	Celexa
citalopram hydrobromide	citalopram
clomipramine HCl	Anafranil
clomipramine HCl	clomipramine
clonazepam	Klonopin
clonazepam	clonazepam
clorazepate dipotassium	Tranxene T-Tab
clorazepate dipotassium	clorazepate dipotassium
clozapine	Clozaril
clozapine	FazaClo
clozapine	Versacloz

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
clozapine	clozapine
daridorexant HCl	Quviviq
Psychiatric drug dispensings	
desipramine HCl	Norpramin
desipramine HCl	desipramine
desvenlafaxine	Khedezla
desvenlafaxine	desvenlafaxine
desvenlafaxine fumarate	desvenlafaxine fumarate
desvenlafaxine succinate	Pristiq
desvenlafaxine succinate	desvenlafaxine succinate
dexmedetomidine HCl	Igalmi
dexmedetomidine HCl	Precedex
dexmedetomidine HCl	dexmedetomidine
dexmedetomidine HCl in 0.9 % sodium chloride	Precedex in 0.9 % sodium chlor
dexmedetomidine HCl in 0.9 % sodium chloride	dexmedetomidine in 0.9 % NaCl
dexmedetomidine in 5 % dextrose in water	dexmedetomidine in dextrose 5%
dexmethylphenidate HCl	Focalin
dexmethylphenidate HCl	Focalin XR
dexmethylphenidate HCl	dexmethylphenidate
dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate	Adderall
dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate	Adderall XR
dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate	Mydayis
dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate	dextroamphetamine-amphetamine
dextroamphetamine sulfate	Dexedrine
dextroamphetamine sulfate	Dexedrine Spansule
dextroamphetamine sulfate	ProCentra
dextroamphetamine sulfate	Zenzedi
dextroamphetamine sulfate	dextroamphetamine sulfate
dextromethorphan HBr/bupropion HCl	Auvelity
diazepam	Diastat
diazepam	Diastat AcuDial
diazepam	Diazepam Intensol
diazepam	Valium
diazepam	Valtoco
diazepam	diazepam
divalproex sodium	Depakote

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
divalproex sodium	Depakote ER
divalproex sodium	Depakote Sprinkles
divalproex sodium	divalproex
Psychiatric drug dispensings	
doxepin HCl	Prudoxin
doxepin HCl	Silenor
doxepin HCl	Zonalon
doxepin HCl	doxepin
droperidol	droperidol
duloxetine HCl	Cymbalta
duloxetine HCl	Drizalma Sprinkle
duloxetine HCl	Irenka
duloxetine HCl	duloxetine
escitalopram oxalate	Lexapro
escitalopram oxalate	escitalopram oxalate
esketamine HCl	Spravato
estazolam	estazolam
eszopiclone	Lunesta
eszopiclone	eszopiclone
ethyl alcohol/herbal drugs	Lydia Pinkham Herbal
fluoxetine HCl	Prozac
fluoxetine HCl	Prozac Weekly
fluoxetine HCl	Sarafem
fluoxetine HCl	fluoxetine
fluphenazine HCl	fluphenazine HCl
fluphenazine decanoate	fluphenazine decanoate
flurazepam HCl	flurazepam
fluvoxamine maleate	Luvox CR
fluvoxamine maleate	fluvoxamine
guanfacine HCl	Intuniv ER
guanfacine HCl	Tenex
guanfacine HCl	guanfacine
haloperidol	haloperidol
haloperidol decanoate	Haldol Decanoate
haloperidol decanoate	haloperidol decanoate
haloperidol lactate	Haldol

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
haloperidol lactate	haloperidol lactate
hydroxyzine HCl	hydroxyzine HCl
hydroxyzine pamoate	Vistaril
hydroxyzine pamoate	hydroxyzine pamoate
Psychiatric drug dispensings	
iloperidone	Fanapt
imipramine HCl	Tofranil
imipramine HCl	imipramine HCl
imipramine pamoate	Tofranil-PM
imipramine pamoate	imipramine pamoate
isocarboxazid	Marplan
lamotrigine	Lamictal
lamotrigine	Lamictal ODT
lamotrigine	Lamictal ODT Starter (Blue)
lamotrigine	Lamictal ODT Starter (Green)
lamotrigine	Lamictal ODT Starter (Orange)
lamotrigine	Lamictal Starter (Blue) Kit
lamotrigine	Lamictal Starter (Green) Kit
lamotrigine	Lamictal Starter (Orange) Kit
lamotrigine	Lamictal XR
lamotrigine	Lamictal XR Starter (Blue)
lamotrigine	Lamictal XR Starter (Green)
lamotrigine	Lamictal XR Starter (Orange)
lamotrigine	Subvenite
lamotrigine	Subvenite Starter (Blue) Kit
lamotrigine	Subvenite Starter (Green) Kit
lamotrigine	Subvenite Starter (Orange) Kit
lamotrigine	lamotrigine
lemborexant	Dayvigo
levomilnacipran HCl	Fetzima
lisdexamfetamine dimesylate	Vyvanse
lisdexamfetamine dimesylate	lisdexamfetamine
lithium carbonate	Lithobid
lithium carbonate	lithium carbonate
lithium citrate	lithium citrate
lorazepam	Ativan

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
lorazepam	Lorazepam Intensol
lorazepam	Loreev XR
lorazepam	lorazepam
lorazepam in 0.9 % sodium chloride	lorazepam in 0.9% sod chloride
lorazepam in 5 % dextrose and water	lorazepam in dextrose 5 %
Psychiatric drug dispensings	
loxapine	Adasuve
loxapine succinate	loxapine succinate
lumateperone tosylate	Caplyta
lurasidone HCl	Latuda
lurasidone HCl	lurasidone
maprotiline HCl	maprotiline
melatonin	Children's Sleep (melatonin)
melatonin	Kids Melatonin
melatonin	Meladox
melatonin	Melatin
melatonin	MelatoninMax
melatonin	VitaJoy Melatonin
melatonin	melatonin
melatonin/5-HTP/valerian/folic acid/dietary combination 28	Hypnosom
melatonin/5-Hydroxytryptophan/tryptophan/B6/magnesium oxide	Somnicin
melatonin/5-hydroxytryptophan/theanine/lemon balm leaf xt	Relax Night Calm
melatonin/GABA/5-HTP/theanine/magnesium citrate,oxide/herbs	Sopordren
melatonin/GABA/tryptophan/valerian root/hops/lemon balm	Sleep Optimizer
melatonin/ascorbic acid/vitamin D3/zinc citrate/elderberry	Kids Sleep Immune Health
melatonin/ascorbic acid/vitamin D3/zinc citrate/elderberry	Sleep Immune Health
melatonin/chamomile flower	melatonin-chamomile flower
melatonin/gamma-aminobutyric acid/herbal complex no.183	Sintralyne-PM
melatonin/gamma-aminobutyric acid/valerian	Medi-Doze
melatonin/genistein/herbal complex no.233	Midnite for Menopause
melatonin/herbal complex no.184	Sleep Caps
melatonin/herbal complex no.184	melatonin-herbal complex #184
melatonin/herbal complex no.233	MidNite
melatonin/lemon balm leaf extract	melatonin-lemon balm leaf extr
melatonin/mag carbonate,glycinate/pot bic/GABA/glycine/lemon	Soothing Night
melatonin/magnesium citrate	SlowMag Mg Calm-Sleep

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
melatonin/passion flower/lemon balm melatonin/pyridoxal phosphate melatonin/pyridoxal phosphate melatonin/pyridoxine melatonin/pyridoxine melatonin/pyridoxine HCl (vit B6)	Unisom Simple Slumbers Melatonin-B6 (pyridoxal phos) melatonin-pyridoxal phos (B6) Melatonin (with B6) melatonin-pyridoxine (vit B6) Melatonex
Psychiatric drug dispensings	
melatonin/pyridoxine HCl (vit B6) melatonin/theanine melatonin/theanine/lemon balm/chamomile flower/lavender melatonin/theanine/lemon balm/chamomile flower/lavender melatonin/tryptophan melatonin/tryptophan melatonin/tryptophan/valerian/chamomile/niacin/inositol/B6 meprobamate methamphetamine HCl methamphetamine HCl methylphenidate methylphenidate methylphenidate methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl methylphenidate HCl midazolam HCl midazolam HCl in 0.9 % sodium chloride	melatonin-pyridoxine HCl (B6) melatonin-theanine Kids Sleep Calm Sleep Calm Restone Wrestone Toprophan meprobamate Desoxyn methamphetamine Cotempla XR-ODT Daytrana methylphenidate Adhansia XR Aptensio XR Concerta Jornay PM Metadate CD Metadate ER Methylin QuilliChew ER Quillivant XR Relexxii Ritalin Ritalin LA Ritalin SR methylphenidate HCl midazolam midazolam in 0.9 % sod chlorid

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
midazolam HCl in 0.9 % sodium chloride/PF	midazolam (PF) in 0.9 % NaCl
midazolam HCl in 5 % dextrose and water/PF	midazolam in dextrose 5 % (PF)
midazolam HCl in dextrose 5% in water	midazolam in dextrose 5 %
midazolam HCl/PF	midazolam (PF)
milnacipran HCl	Savella
mirtazapine	Remeron
mirtazapine	Remeron SolTab
Psychiatric drug dispensings	
mirtazapine	mirtazapine
molindone HCl	molindone
naltrexone HCl/bupropion HCl	Contrave
nefazodone HCl	nefazodone
nortriptyline HCl	Pamelor
nortriptyline HCl	nortriptyline
olanzapine	Zyprexa
olanzapine	Zyprexa Zydis
olanzapine	olanzapine
olanzapine pamoate	Zyprexa Relprevv
olanzapine/fluoxetine HCl	Symbyax
olanzapine/fluoxetine HCl	olanzapine-fluoxetine
olanzapine/samidorphan malate	Lybalvi
oxazepam	oxazepam
oxcarbazepine	Oxtellar XR
oxcarbazepine	Trileptal
oxcarbazepine	oxcarbazepine
paliperidone	Invega
paliperidone	paliperidone
paliperidone palmitate	Invega Hafyera
paliperidone palmitate	Invega Sustenna
paliperidone palmitate	Invega Trinza
paroxetine HCl	Paxil
paroxetine HCl	Paxil CR
paroxetine HCl	paroxetine HCl
paroxetine mesylate	Brisdelle
paroxetine mesylate	Pexeva
paroxetine mesylate	paroxetine mesylate(menop.sym)

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
pentobarbital sodium pentobarbital sodium perphenazine perphenazine/amitriptyline HCl phenelzine sulfate phenelzine sulfate phenobarbital phenobarbital sodium	Nembutal Sodium pentobarbital sodium perphenazine perphenazine-amitriptyline Nardil phenelzine phenobarbital Sezaby
Psychiatric drug dispensings	
phenobarbital sodium phenobarbital sodium in 0.9 % sodium chloride phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb pimavanserin tartrate pimozide pimozide prochlorperazine maleate prochlorperazine maleate protriptyline HCl protriptyline HCl quazepam quazepam quetiapine fumarate quetiapine fumarate quetiapine fumarate ramelteon ramelteon risperidone risperidone risperidone risperidone risperidone	phenobarbital sodium phenobarbital in 0.9 % sod chl B-Donna Belladonna-Phenobarbital Donnatal Me-PB-Hyos Phenohydro phenobarb-hyoscy-atropine-scop Nuplazid Orap pimozide Compazine prochlorperazine maleate Vivactil protriptyline Doral quazepam Seroquel Seroquel XR quetiapine Rozerem ramelteon Perseris Risperdal Risperdal M-TAB Uzedly risperidone

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
risperidone microspheres	Risperdal Consta
risperidone microspheres	Rykindo
secobarbital sodium	Seconal Sodium
selegiline	Emsam
selegiline HCl	Eldepryl
selegiline HCl	Zelapar
selegiline HCl	selegiline HCl
serdexmethylphenidate chloride/dexmethylphenidate HCl	Azstarys
sertraline HCl	Zoloft
Psychiatric drug dispensings	
sertraline HCl	sertraline
suvorexant	Belsomra
tasimelteon	Hetlioz
tasimelteon	Hetlioz LQ
tasimelteon	tasimelteon
temazepam	Restoril
temazepam	temazepam
theanine/5-hydroxytryptophan (5-HTP)/lemon balm leaf extract	Relaxia Day Calm
thioridazine HCl	thioridazine
thiothixene	thiothixene
tranlycypromine sulfate	Parnate
tranlycypromine sulfate	tranlycypromine
trazodone HCl	Oleptro ER
trazodone HCl	trazodone
triazolam	Halcion
triazolam	triazolam
trifluoperazine HCl	trifluoperazine
trimipramine maleate	Surmontil
trimipramine maleate	trimipramine
tryptophan	tryptophan
valerian root extract	valerian root extract
valerian root extract/hops	valerian root extract-hops
valerian root/valerian root extract	valerian root-valerian root xt
valerian rt/passion flower/hops/cherry/magnesium comb/potass	SynovX Calm
valerian/passion flower/hops/lemon balm	valerian-flower-hops-lemon
valproic acid	Depakene

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
valproic acid	Stavzor
valproic acid	valproic acid
valproic acid (as sodium salt) (valproate sodium)	Depacon
valproic acid (as sodium salt) (valproate sodium)	Depakene
valproic acid (as sodium salt) (valproate sodium)	valproate sodium
valproic acid (as sodium salt) (valproate sodium)	valproic acid (as sodium salt)
venlafaxine HCl	Effexor XR
venlafaxine HCl	venlafaxine
venlafaxine besylate	venlafaxine besylate
vilazodone HCl	Viibryd
Psychiatric drug dispensings	
vilazodone HCl	vilazodone
vit B/folic acid/calcium/soy xt/black cohosh xt/melatonin	Complete Balance Menopause Rlf
vortioxetine hydrobromide	Brintellix
vortioxetine hydrobromide	Trintellix
zaleplon	Sonata
zaleplon	zaleplon
ziprasidone HCl	Geodon
ziprasidone HCl	ziprasidone HCl
ziprasidone mesylate	Geodon
ziprasidone mesylate	ziprasidone mesylate
zolpidem tartrate	Ambien
zolpidem tartrate	Ambien CR
zolpidem tartrate	Edluar
zolpidem tartrate	Intermezzo
zolpidem tartrate	Zolpimist
zolpidem tartrate	zolpidem
Albiglutide	
albiglutide	Tanzeum
Dulaglutide	
dulaglutide	Trulicity
Exenatide	
exenatide	Byetta
exenatide microspheres	Bydureon
exenatide microspheres	Bydureon BCise
Liraglutide	

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
insulin degludec/liraglutide	Xultophy 100/3.6
liraglutide	Saxenda
liraglutide	Victoza 2-Pak
liraglutide	Victoza 3-Pak
Lixisenatide	
insulin glargine,human recombinant analog/lixisenatide	Soliqua 100/33
lixisenatide	Adlyxin
Semaglutide	
semaglutide	Ozempic
semaglutide	Rybelsus
semaglutide	Wegovy
Tirzepatide	
tirzepatide	Mounjaro
Analgesic Opiates	
TRAMADOL HCL/GLUCOSAMINE SULFATE	Synapryn
acetaminophen with codeine phosphate	Capital with Codeine
acetaminophen with codeine phosphate	Tylenol-Codeine #3
acetaminophen with codeine phosphate	Tylenol-Codeine #4
acetaminophen with codeine phosphate	acetaminophen-codeine
acetaminophen/caffeine/dihydrocodeine bitartrate	Dvorah
acetaminophen/caffeine/dihydrocodeine bitartrate	Panlor(acetam-caff-dihydrocod)
acetaminophen/caffeine/dihydrocodeine bitartrate	Trezix
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod
alfentanil HCl	alfentanil
aspirin/caffeine/dihydrocodeine bitartrate	Synalgos-DC
aspirin/caffeine/dihydrocodeine bitartrate	aspirin-caffeine-dihydrocodein
benzhydrocodone HCl/acetaminophen	Apadaz
benzhydrocodone HCl/acetaminophen	benzhydrocodone-acetaminophen
buprenorphine	Butrans
buprenorphine	buprenorphine
buprenorphine HCl	Belbuca
buprenorphine HCl	Buprenex
buprenorphine HCl	buprenorphine HCl
butalbital/acetaminophen/caffeine/codeine phosphate	Fioricet with Codeine
butalbital/acetaminophen/caffeine/codeine phosphate	butalbital-acetaminop-caf-cod
butorphanol tartrate	butorphanol

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
carisoprodol/aspirin/codeine phosphate	carisoprodol-aspirin-codeine
codeine phosphate/butalbital/aspirin/caffeine	Ascomp with Codeine
codeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound W/Codeine
codeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound-Codeine
codeine phosphate/butalbital/aspirin/caffeine	Fiorinal-Codeine #3
codeine phosphate/butalbital/aspirin/caffeine	codeine-butalbital-ASA-caff
codeine sulfate	codeine sulfate
difelikefalin acetate	Korsuva
fentanyl	Duragesic
fentanyl	Subsys
fentanyl	fentanyl
fentanyl HCl	lonsys
Analgesic Opiates	
fentanyl citrate	Abstral
fentanyl citrate	Actiq
fentanyl citrate	Fentora
fentanyl citrate	Lazanda
fentanyl citrate	fentanyl citrate
fentanyl citrate in 0.9 % sodium chloride/PF	fentanyl citrate (PF)-0.9%NaCl
fentanyl citrate in dextrose 5% in water/PF	fentanyl citrate in D5W (PF)
fentanyl citrate/PF	fentanyl citrate (PF)
fentanyl citrate/bupivacaine HCl in 0.9 % sodium chloride/PF	fentanyl (PF)-bupivacaine-NaCl
fentanyl citrate/ropivacaine HCl/sodium chloride 0.9%/PF	fentanyl-ropivacaine-NaCl (PF)
hydrocodone bitartrate	Hysingla ER
hydrocodone bitartrate	Zohydro ER
hydrocodone bitartrate	hydrocodone bitartrate
hydrocodone bitartrate/acetaminophen	Hycet
hydrocodone bitartrate/acetaminophen	Lorcet (hydrocodone)
hydrocodone bitartrate/acetaminophen	Lorcet HD
hydrocodone bitartrate/acetaminophen	Lorcet Plus
hydrocodone bitartrate/acetaminophen	Lortab 10-325
hydrocodone bitartrate/acetaminophen	Lortab 5-325
hydrocodone bitartrate/acetaminophen	Lortab 7.5-325
hydrocodone bitartrate/acetaminophen	Lortab Elixir
hydrocodone bitartrate/acetaminophen	Norco
hydrocodone bitartrate/acetaminophen	Verdrocet

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
hydrocodone bitartrate/acetaminophen	Vicodin
hydrocodone bitartrate/acetaminophen	Vicodin ES
hydrocodone bitartrate/acetaminophen	Vicodin HP
hydrocodone bitartrate/acetaminophen	Xodol 10/300
hydrocodone bitartrate/acetaminophen	Xodol 5/300
hydrocodone bitartrate/acetaminophen	Xodol 7.5/300
hydrocodone bitartrate/acetaminophen	Zamcet
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen
hydrocodone/ibuprofen	Ibudone
hydrocodone/ibuprofen	Reprexain
hydrocodone/ibuprofen	Vicoprofen
hydrocodone/ibuprofen	Xylon 10
hydrocodone/ibuprofen	hydrocodone-ibuprofen
Analgesic Opiates	
hydromorphone HCl	Dilaudid
hydromorphone HCl	Exalgo ER
hydromorphone HCl	hydromorphone
hydromorphone HCl in 0.9 % sodium chloride	hydromorphone in 0.9 % NaCl
hydromorphone HCl in 0.9 % sodium chloride/PF	hydromorphone (PF)-0.9 % NaCl
hydromorphone HCl in dextrose 5 %-water/PF	hydromorphone in D5W (PF)
hydromorphone HCl in sodium chloride, iso-osmotic/PF	hydromorphone(PF)-NaCl,iso-osm
hydromorphone HCl in sterile water/PF	hydromorphone (PF) in water
hydromorphone HCl/PF	Dilaudid (PF)
hydromorphone HCl/PF	Dilaudid-HP (PF)
hydromorphone HCl/PF	hydromorphone (PF)
hydromorphone HCl/bupivacaine HCl in 0.9% sodium chloride/PF	hydromorphone-bupiv (PF)-NaCl
hydromorphone HCl/ropivacaine in 0.9 % sodium chloride/PF	hydromorph(PF)-ropiv-0.9% NaCl
ibuprofen/oxycodone HCl	ibuprofen-oxycodone
levorphanol tartrate	levorphanol tartrate
meperidine HCl	Demerol
meperidine HCl	meperidine
meperidine HCl in 0.9 % sodium chloride	meperidine in 0.9 % NaCl
meperidine HCl in 0.9 % sodium chloride/PF	meperidine (PF) in 0.9 % NaCl
meperidine HCl/PF	Demerol (PF)
meperidine HCl/PF	meperidine (PF)
methadone HCl	Diskets

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
methadone HCl	Dolophine
methadone HCl	Methadone Intensol
methadone HCl	Methadose
methadone HCl	methadone
methadone hydrochloride in 0.9 % sodium chloride	methadone in 0.9 % sod.chlorid
morphine sulfate	Arymo ER
morphine sulfate	Avinza
morphine sulfate	Kadian
morphine sulfate	MS Contin
morphine sulfate	MorphaBond ER
morphine sulfate	morphine
morphine sulfate	morphine concentrate
morphine sulfate in 0.9 % sodium chloride	morphine in 0.9 % sodium chlor
morphine sulfate in 0.9 % sodium chloride/PF	morphine (PF) in 0.9 % sod chl
Analgesic Opiates	
morphine sulfate in sodium chloride, iso-osmotic/PF	morphine(PF)in iso sod chlorid
morphine sulfate liposomal/PF	DepoDur (PF)
morphine sulfate/PF	Duramorph (PF)
morphine sulfate/PF	Infumorph P/F
morphine sulfate/PF	Mitigo (PF)
morphine sulfate/PF	morphine (PF)
morphine sulfate/dextrose 5 % in water	morphine in dextrose 5 %
morphine sulfate/dextrose 5%-water/PF	morphine (PF) in dextrose 5 %
morphine sulfate/naltrexone HCl	Embeda
nalbuphine HCl	nalbuphine
naltrexone HCl	Lotrexone
naltrexone HCl	Naltrex
olliceridine fumarate	Olinvyk
oxycodone HCl	Oxaydo
oxycodone HCl	Oxecta
oxycodone HCl	OxyContin
oxycodone HCl	Roxicodone
oxycodone HCl	RoxyBond
oxycodone HCl	oxycodone
oxycodone HCl/acetaminophen	Endocet
oxycodone HCl/acetaminophen	Nalocet

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
oxycodone HCl/acetaminophen	Percocet
oxycodone HCl/acetaminophen	Primlev
oxycodone HCl/acetaminophen	Prolate
oxycodone HCl/acetaminophen	Roxicet
oxycodone HCl/acetaminophen	Xartemis XR
oxycodone HCl/acetaminophen	oxycodone-acetaminophen
oxycodone HCl/aspirin	Endodan
oxycodone HCl/aspirin	Percodan
oxycodone HCl/aspirin	oxycodone-aspirin
oxycodone myristate	Xtampza ER
oxymorphone HCl	Opana
oxymorphone HCl	Opana ER
oxymorphone HCl	oxymorphone
pentazocine HCl/naloxone HCl	pentazocine-naloxone
pentazocine lactate	Talwin
Analgesic Opiates	
sufentanil citrate	Dsuvia
sufentanil citrate/bupivacaine HCl/0.9 % sodium chloride/PF	sufentanil-bupivacain-NaCl(PF)
tapentadol HCl	Nucynta
tapentadol HCl	Nucynta ER
tramadol HCl	ConZip
tramadol HCl	Qdolo
tramadol HCl	Ultram
tramadol HCl	Ultram ER
tramadol HCl	tramadol
tramadol HCl/acetaminophen	Ultracet
tramadol HCl/acetaminophen	tramadol-acetaminophen
tramadol HCl/celecoxib	Seglentis
Antipsychotics	
acepromazine maleate	acepromazine maleate (bulk)
aripiprazole	Abilify
aripiprazole	Abilify Asimtufii
aripiprazole	Abilify Discmelt
aripiprazole	Abilify Maintena
aripiprazole	Abilify MyCite
aripiprazole	Abilify MyCite Maintenance Kit

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
aripiprazole aripiprazole aripiprazole lauroxil aripiprazole lauroxil, submicronized asenapine asenapine maleate asenapine maleate asenapine maleate brexpiprazole cariprazine HCl chlorpromazine HCl chlorpromazine HCl clozapine clozapine clozapine clozapine	Abilify MyCite Starter Kit aripiprazole Aristada Aristada Initio Secuado Saphris Saphris (black cherry) asenapine maleate Rexulti Vraylar chlorpromazine chlorpromazine (bulk) Clozaril FazaClo Versacloz clozapine
Antipsychotics	
fluphenazine HCl fluphenazine decanoate fluphenazine decanoate haloperidol haloperidol haloperidol decanoate haloperidol decanoate haloperidol decanoate haloperidol lactate haloperidol lactate iloperidone loxapine loxapine succinate lumateperone tosylate lurasidone HCl lurasidone HCl molindone HCl olanzapine olanzapine	fluphenazine HCl fluphenazine decanoate fluphenazine decanoate (bulk) haloperidol haloperidol (bulk) Haldol Decanoate haloperidol decanoate haloperidol decanoate (bulk) Haldol haloperidol lactate Fanapt Adasuve loxapine succinate Caplyta Latuda lurasidone molindone Zyprexa Zyprexa Zydis

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
olanzapine	olanzapine
olanzapine pamoate	Zyprexa Relprevv
olanzapine/fluoxetine HCl	Symbyax
olanzapine/fluoxetine HCl	olanzapine-fluoxetine
olanzapine/samidorphan malate	Lybalvi
paliperidone	Invega
paliperidone	paliperidone
paliperidone palmitate	Invega Hafyera
paliperidone palmitate	Invega Sustenna
paliperidone palmitate	Invega Trinza
perphenazine	perphenazine
perphenazine	perphenazine (bulk)
perphenazine/amitriptyline HCl	perphenazine-amitriptyline
pimavanserin tartrate	Nuplazid
pimozide	Orap
pimozide	pimozide
prochlorperazine maleate	Compazine
Antipsychotics	
prochlorperazine maleate	prochlorperazine maleate
quetiapine fumarate	Seroquel
quetiapine fumarate	Seroquel XR
quetiapine fumarate	quetiapine
risperidone	Perseris
risperidone	Risperdal
risperidone	Risperdal M-TAB
risperidone	Uzedly
risperidone	risperidone
risperidone microspheres	Risperdal Consta
risperidone microspheres	Rykindo
thioridazine HCl	thioridazine
thioridazine HCl	thioridazine (bulk)
thiothixene	thiothixene
trifluoperazine HCl	trifluoperazine
ziprasidone HCl	Geodon
ziprasidone HCl	ziprasidone HCl
ziprasidone mesylate	Geodon

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
ziprasidone mesylate	ziprasidone mesylate
Anxiolytics/Hypnotics	
alprazolam	Alprazolam Intensol
alprazolam	Xanax
alprazolam	Xanax XR
alprazolam	alprazolam
amobarbital sodium	Amytal
bromelains/melatonin/herbal complex no.233	MidNite PM
buspirone HCl	buspirone
butabarbital sodium	Butisol
calcium carb,hydroxide/soy isoflavone/black cohosh/melatonin	Estroven Nighttime (cal-meltn)
calcium phosphate/melatonin	calcium-melatonin
chlordiazepoxide HCl	chlordiazepoxide HCl
clonazepam	Klonopin
clonazepam	clonazepam
clorazepate dipotassium	Tranxene T-Tab
clorazepate dipotassium	clorazepate dipotassium
daridorexant HCl	Quviviq
Anxiolytics/Hypnotics	
dexmedetomidine HCl	Igalmi
dexmedetomidine HCl	Precedex
dexmedetomidine HCl	dexmedetomidine
dexmedetomidine HCl in 0.9 % sodium chloride	Precedex in 0.9 % sodium chlor
dexmedetomidine HCl in 0.9 % sodium chloride	dexmedetomidine in 0.9 % NaCl
dexmedetomidine in 5 % dextrose in water	dexmedetomidine in dextrose 5%
diazepam	Diazepam Intensol
diazepam	Valium
diazepam	diazepam
doxepin HCl	Silenor
doxepin HCl	doxepin
estazolam	estazolam
eszopiclone	Lunesta
eszopiclone	eszopiclone
ethyl alcohol/herbal drugs	Lydia Pinkham Herbal
flurazepam HCl	flurazepam
hydroxyzine HCl	hydroxyzine HCl

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
hydroxyzine pamoate	Vistaril
hydroxyzine pamoate	hydroxyzine pamoate
lemborexant	Dayvigo
lorazepam	Ativan
lorazepam	Lorazepam Intensol
lorazepam	Loreev XR
lorazepam	lorazepam
lorazepam in 0.9 % sodium chloride	lorazepam in 0.9% sod chloride
lorazepam in 5 % dextrose and water	lorazepam in dextrose 5 %
melatonin	Kids Melatonin
melatonin	Meladox
melatonin	Melatin
melatonin	MelatoninMax
melatonin	VitaJoy Melatonin
melatonin	melatonin
melatonin/5-HTP/valerian/folic acid/dietary combination 28	Hypnosom
melatonin/5-Hydroxytryptophan/tryptophan/B6/magnesium oxide	Somnicin
melatonin/5-hydroxytryptophan/theanine/lemon balm leaf xt	Relax Night Calm
melatonin/GABA/5-HTP/theanine/magnesium citrate,oxide/herbs	Sopordren
Anxiolytics/Hypnotics	
melatonin/GABA/tryptophan/valerian root/hops/lemon balm	Sleep Optimizer
melatonin/ascorbic acid/vitamin D3/zinc citrate/elderberry	Kids Sleep Immune Health
melatonin/ascorbic acid/vitamin D3/zinc citrate/elderberry	Sleep Immune Health
melatonin/chamomile flower	melatonin-chamomile flower
melatonin/gamma-aminobutyric acid/herbal complex no.183	Sintralyne-PM
melatonin/gamma-aminobutyric acid/valerian	Medi-Doze
melatonin/genistein/herbal complex no.233	Midnite for Menopause
melatonin/herbal complex no.184	Sleep Caps
melatonin/herbal complex no.184	melatonin-herbal complex #184
melatonin/herbal complex no.233	MidNite
melatonin/lemon balm leaf extract	melatonin-lemon balm leaf extr
melatonin/mag carbonate,glycinate/pot bic/GABA/glycine/lemon	Soothing Night
melatonin/magnesium citrate	SlowMag Mg Calm-Sleep
melatonin/passion flower/lemon balm	Unisom Simple Slumbers
melatonin/pyridoxal phosphate	Melatonin-B6 (pyridoxal phos)
melatonin/pyridoxal phosphate	melatonin-pyridoxal phos (B6)

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
melatonin/pyridoxine melatonin/pyridoxine melatonin/pyridoxine HCl (vit B6) melatonin/pyridoxine HCl (vit B6) melatonin/theanine melatonin/theanine/lemon balm/chamomile flower/lavender melatonin/theanine/lemon balm/chamomile flower/lavender melatonin/tryptophan melatonin/tryptophan melatonin/tryptophan/valerian/chamomile/niacin/inositol/B6 meprobamate midazolam HCl oxazepam pentobarbital sodium pentobarbital sodium phenobarbital phenobarbital sodium phenobarbital sodium in 0.9 % sodium chloride quazepam quazepam	Melatonin (with B6) melatonin-pyridoxine (vit B6) Melatonex melatonin-pyridoxine HCl (B6) melatonin-theanine Kids Sleep Calm Sleep Calm Restone Wrestone Toprophan meprobamate midazolam oxazepam Nembutal Sodium pentobarbital sodium phenobarbital phenobarbital sodium phenobarbital in 0.9 % sod chl Doral quazepam
Anxiolytics/Hypnotics	
ramelteon ramelteon secobarbital sodium suvorexant tasimelteon tasimelteon tasimelteon temazepam temazepam triazolam triazolam tryptophan valerian root extract valerian root extract/hops valerian root/valerian root extract	Rozerem ramelteon Seconal Sodium Belsomra Hetlioz Hetlioz LQ tasimelteon Restoril temazepam Halcion triazolam tryptophan valerian root extract valerian root extract-hops valerian root-valerian root xt

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
valerian rt/passion flower/hops/cherry/magnesium comb/potass	SynovX Calm
valerian/passion flower/hops/lemon balm	valerian-flower-hops-lemon
vit B/folic acid/calcium/soy xt/black cohosh xt/melatonin	Complete Balance Menopause Rlf
zaleplon	Sonata
zaleplon	zaleplon
zolpidem tartrate	Ambien
zolpidem tartrate	Ambien CR
zolpidem tartrate	Edluar
zolpidem tartrate	Intermezzo
zolpidem tartrate	Zolpimist
zolpidem tartrate	zolpidem
Lithium and Other Mood Stabilizers	
carbamazepine	Carbatrol
carbamazepine	Epitol
carbamazepine	Equetro
carbamazepine	Tegretol
carbamazepine	Tegretol XR
carbamazepine	carbamazepine
clonazepam	Klonopin
clonazepam	clonazepam
divalproex sodium	Depakote
Lithium and Other Mood Stabilizers	
divalproex sodium	Depakote ER
divalproex sodium	Depakote Sprinkles
divalproex sodium	divalproex
lamotrigine	Lamictal
lamotrigine	Lamictal ODT
lamotrigine	Lamictal ODT Starter (Blue)
lamotrigine	Lamictal ODT Starter (Green)
lamotrigine	Lamictal ODT Starter (Orange)
lamotrigine	Lamictal Starter (Blue) Kit
lamotrigine	Lamictal Starter (Green) Kit
lamotrigine	Lamictal Starter (Orange) Kit
lamotrigine	Lamictal XR
lamotrigine	Lamictal XR Starter (Blue)
lamotrigine	Lamictal XR Starter (Green)

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
lamotrigine	Lamictal XR Starter (Orange)
lamotrigine	Subvenite
lamotrigine	Subvenite Starter (Blue) Kit
lamotrigine	Subvenite Starter (Green) Kit
lamotrigine	Subvenite Starter (Orange) Kit
lamotrigine	lamotrigine
lithium carbonate	Lithobid
lithium carbonate	lithium carbonate
lithium citrate	lithium citrate
oxcarbazepine	Oxtellar XR
oxcarbazepine	Trileptal
oxcarbazepine	oxcarbazepine
valproic acid	Depakene
valproic acid	Stavzor
valproic acid	valproic acid
valproic acid (as sodium salt) (valproate sodium)	Depacon
valproic acid (as sodium salt) (valproate sodium)	Depakene
valproic acid (as sodium salt) (valproate sodium)	valproate sodium
valproic acid (as sodium salt) (valproate sodium)	valproic acid (as sodium salt)
Antidepressants	
amitriptyline HCl	amitriptyline
amitriptyline HCl/chlordiazepoxide	amitriptyline-chlordiazepoxide
Antidepressants	
amoxapine	amoxapine
brexanolone	Zulresso
bupropion HBr	Aplenzin
bupropion HCl	Forfivo XL
bupropion HCl	Wellbutrin
bupropion HCl	Wellbutrin SR
bupropion HCl	Wellbutrin XL
bupropion HCl	bupropion HCl
citalopram hydrobromide	Celexa
citalopram hydrobromide	citalopram
clomipramine HCl	Anafranil
clomipramine HCl	clomipramine
desipramine HCl	Norpramin

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
desipramine HCl	desipramine
desvenlafaxine	Khedezla
desvenlafaxine	desvenlafaxine
desvenlafaxine fumarate	desvenlafaxine fumarate
desvenlafaxine succinate	Pristiq
desvenlafaxine succinate	desvenlafaxine succinate
dextromethorphan HBr/bupropion HCl	Auvelity
doxepin HCl	Silenor
doxepin HCl	doxepin
duloxetine HCl	Cymbalta
duloxetine HCl	Drizalma Sprinkle
duloxetine HCl	Irenka
duloxetine HCl	duloxetine
escitalopram oxalate	Lexapro
escitalopram oxalate	escitalopram oxalate
esketamine HCl	Spravato
fluoxetine HCl	Prozac
fluoxetine HCl	Prozac Weekly
fluoxetine HCl	Sarafem
fluoxetine HCl	fluoxetine
fluvoxamine maleate	Luvox CR
fluvoxamine maleate	fluvoxamine
imipramine HCl	Tofranil
Antidepressants	
imipramine HCl	imipramine HCl
imipramine pamoate	Tofranil-PM
imipramine pamoate	imipramine pamoate
isocarboxazid	Marplan
levomilnacipran HCl	Fetzima
maprotiline HCl	maprotiline
milnacipran HCl	Savella
mirtazapine	Remeron
mirtazapine	Remeron SolTab
mirtazapine	mirtazapine
nefazodone HCl	nefazodone
nortriptyline HCl	Pamelor

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
nortriptyline HCl	nortriptyline
olanzapine/fluoxetine HCl	Symbyax
olanzapine/fluoxetine HCl	olanzapine-fluoxetine
paroxetine HCl	Paxil
paroxetine HCl	Paxil CR
paroxetine HCl	paroxetine HCl
paroxetine mesylate	Pexeva
perphenazine/amitriptyline HCl	perphenazine-amitriptyline
phenelzine sulfate	Nardil
phenelzine sulfate	phenelzine
protriptyline HCl	Vivactil
protriptyline HCl	protriptyline
selegiline	Emsam
sertraline HCl	Zoloft
sertraline HCl	sertraline
tranylcypromine sulfate	Parnate
tranylcypromine sulfate	tranylcypromine
trazodone HCl	Oleptro ER
trazodone HCl	trazodone
trimipramine maleate	Surmontil
trimipramine maleate	trimipramine
venlafaxine HCl	Effexor XR
venlafaxine HCl	venlafaxine
venlafaxine besylate	venlafaxine besylate
Antidepressants	
vilazodone HCl	Viibryd
vilazodone HCl	vilazodone
vortioxetine hydrobromide	Brintellix
vortioxetine hydrobromide	Trintellix
Any anti-diabetic agent	
acarbose	Precose
acarbose	acarbose
alogliptin benzoate/metformin HCl	Kazano
alogliptin benzoate/metformin HCl	alogliptin-metformin
canagliflozin/metformin HCl	Invokamet
canagliflozin/metformin HCl	Invokamet XR

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
chlorpropamide	chlorpropamide
colesevelam HCl	WelChol
colesevelam HCl	colesevelam
dapagliflozin propanediol/metformin HCl	Xigduo XR
empagliflozin/linagliptin/metformin HCl	Trijardy XR
empagliflozin/metformin HCl	Synjardy
empagliflozin/metformin HCl	Synjardy XR
ertugliflozin pidolate/metformin HCl	Segluromet
glimepiride	Amaryl
glimepiride	glimepiride
glipizide	Glucotrol
glipizide	Glucotrol XL
glipizide	glipizide
glipizide/metformin HCl	glipizide-metformin
glyburide	Diabeta
glyburide	glyburide
glyburide,micronized	Glynase
glyburide,micronized	glyburide micronized
glyburide/metformin HCl	Glucovance
glyburide/metformin HCl	glyburide-metformin
insulin NPH human isophane	Humulin N NPH Insulin KwikPen
insulin NPH human isophane	Humulin N NPH U-100 Insulin
insulin NPH human isophane	Novolin N FlexPen
insulin NPH human isophane	Novolin N NPH U-100 Insulin
insulin NPH human isophane/insulin regular, human	Humulin 70/30 U-100 Insulin
Any anti-diabetic agent	
insulin NPH human isophane/insulin regular, human	Humulin 70/30 U-100 KwikPen
insulin NPH human isophane/insulin regular, human	Novolin 70-30 FlexPen U-100
insulin NPH human isophane/insulin regular, human	Novolin 70/30 U-100 Insulin
insulin aspart	Novolog FlexPen U-100 Insulin
insulin aspart	Novolog PenFill U-100 Insulin
insulin aspart	Novolog U-100 Insulin aspart
insulin aspart	insulin aspart U-100
insulin aspart (niacinamide)	Fiasp FlexTouch U-100 Insulin
insulin aspart (niacinamide)	Fiasp Penfill U-100 Insulin
insulin aspart (niacinamide)	Fiasp U-100 Insulin

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
insulin aspart (niacinamide)/pump cartridge insulin aspart protamine human/insulin aspart insulin aspart protamine human/insulin aspart insulin aspart protamine human/insulin aspart insulin degludec insulin degludec insulin degludec insulin degludec insulin degludec/liraglutide insulin detemir insulin detemir insulin detemir insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog insulin glargine,human recombinant analog/lixisenatide insulin glargine-aglr insulin glargine-yfgn insulin glulisine insulin glulisine insulin lispro	Fiasp Pumpcart Novolog Mix 70-30 U-100 Insuln Novolog Mix 70-30FlexPen U-100 insulin asp prt-insulin aspart Tresiba FlexTouch U-100 Tresiba FlexTouch U-200 Tresiba U-100 Insulin insulin degludec Xultophy 100/3.6 Levemir FlexPen Levemir FlexTouch U100 Insulin Levemir U-100 Insulin Basaglar KwikPen U-100 Insulin Basaglar Tempo Pen(U-100)Insln Lantus Solostar U-100 Insulin Lantus U-100 Insulin Semglee U-100 Insulin Toujeo Max U-300 SoloStar Toujeo SoloStar U-300 Insulin insulin glargine Soliqua 100/33 Rezvoglar KwikPen insulin glargine-yfgn Apidra SoloStar U-100 Insulin Apidra U-100 Insulin Admelog SoloStar U-100 Insulin
Any anti-diabetic agent	
insulin lispro insulin lispro insulin lispro insulin lispro insulin lispro insulin lispro insulin lispro protamine and insulin lispro insulin lispro protamine and insulin lispro insulin lispro protamine and insulin lispro	Admelog U-100 Insulin lispro Humalog Junior KwikPen U-100 Humalog KwikPen Insulin Humalog Tempo Pen(U-100)Insuln Humalog U-100 Insulin insulin lispro Humalog Mix 50-50 Insuln U-100 Humalog Mix 50-50 KwikPen Humalog Mix 75-25 KwikPen

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
insulin lispro protamine and insulin lispro	Humalog Mix 75-25(U-100)Insuln
insulin lispro protamine and insulin lispro	insulin lispro protamin-lispro
insulin lispro-aabc	Lyumjev KwikPen U-100 Insulin
insulin lispro-aabc	Lyumjev KwikPen U-200 Insulin
insulin lispro-aabc	Lyumjev Tempo Pen(U-100)Insuln
insulin lispro-aabc	Lyumjev U-100 Insulin
insulin regular, human	Afrezza
insulin regular, human	Humulin R Regular U-100 Insuln
insulin regular, human	Humulin R U-500 (Conc) Insulin
insulin regular, human	Humulin R U-500 (Conc) Kwikpen
insulin regular, human	Novolin R FlexPen
insulin regular, human	Novolin R Regular U100 Insulin
insulin regular, human in 0.9 % sodium chloride	Myxredlin
linagliptin/metformin HCl	Jentaduetto
linagliptin/metformin HCl	Jentaduetto XR
metformin HCl	Fortamet
metformin HCl	Glucophage
metformin HCl	Glucophage XR
metformin HCl	Glumetza
metformin HCl	Riomet
metformin HCl	Riomet ER
metformin HCl	metformin
metformin HCl/blood sugar diagnostic	DM2
miglitol	Glyset
miglitol	miglitol
nateglinide	Starlix
nateglinide	nateglinide
Any anti-diabetic agent	
pioglitazone HCl	Actos
pioglitazone HCl	pioglitazone
pioglitazone HCl/glimepiride	DUETACT
pioglitazone HCl/glimepiride	pioglitazone-glimepiride
pioglitazone HCl/metformin HCl	Actoplus MET
pioglitazone HCl/metformin HCl	Actoplus Met XR
pioglitazone HCl/metformin HCl	pioglitazone-metformin
pramlintide acetate	SymlinPen 120

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
pramlintide acetate	SymlinPen 60
repaglinide	Prandin
repaglinide	repaglinide
repaglinide/metformin HCl	Prandimet
repaglinide/metformin HCl	repaglinide-metformin
rosiglitazone maleate	Avandia
rosiglitazone maleate/glimepiride	Avandaryl
rosiglitazone maleate/metformin HCl	Avandamet
saxagliptin HCl/metformin HCl	Kombiglyze XR
saxagliptin HCl/metformin HCl	saxagliptin-metformin
sitagliptin phosphate/metformin HCl	Janumet
sitagliptin phosphate/metformin HCl	Janumet XR
tolazamide	tolazamide
tolbutamide	tolbutamide
Alpha-glucosidase Inhibitors	
acarbose	Precose
acarbose	acarbose
miglitol	Glyset
miglitol	miglitol
Insulin	
insulin NPH human isophane	Humulin N NPH Insulin KwikPen
insulin NPH human isophane	Humulin N NPH U-100 Insulin
insulin NPH human isophane	Novolin N FlexPen
insulin NPH human isophane	Novolin N NPH U-100 Insulin
insulin NPH human isophane/insulin regular, human	Humulin 70/30 U-100 Insulin
insulin NPH human isophane/insulin regular, human	Humulin 70/30 U-100 KwikPen
insulin NPH human isophane/insulin regular, human	Novolin 70-30 FlexPen U-100
insulin NPH human isophane/insulin regular, human	Novolin 70/30 U-100 Insulin
Insulin	
insulin aspart	Novolog FlexPen U-100 Insulin
insulin aspart	Novolog PenFill U-100 Insulin
insulin aspart	Novolog U-100 Insulin aspart
insulin aspart	insulin aspart U-100
insulin aspart (niacinamide)	Fiasp FlexTouch U-100 Insulin
insulin aspart (niacinamide)	Fiasp Penfill U-100 Insulin
insulin aspart (niacinamide)	Fiasp U-100 Insulin

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
insulin aspart (niacinamide)/pump cartridge	Fiasp Pumpcart
insulin aspart protamine human/insulin aspart	Novolog Mix 70-30 U-100 Insuln
insulin aspart protamine human/insulin aspart	Novolog Mix 70-30FlexPen U-100
insulin aspart protamine human/insulin aspart	insulin asp prt-insulin aspart
insulin degludec	Tresiba FlexTouch U-100
insulin degludec	Tresiba FlexTouch U-200
insulin degludec	Tresiba U-100 Insulin
insulin degludec	insulin degludec
insulin degludec/liraglutide	Xultophy 100/3.6
insulin detemir	Levemir FlexPen
insulin detemir	Levemir FlexTouch U100 Insulin
insulin detemir	Levemir U-100 Insulin
insulin glargine,human recombinant analog	Basaglar KwikPen U-100 Insulin
insulin glargine,human recombinant analog	Basaglar Tempo Pen(U-100)Insuln
insulin glargine,human recombinant analog	Lantus Solostar U-100 Insulin
insulin glargine,human recombinant analog	Lantus U-100 Insulin
insulin glargine,human recombinant analog	Semglee U-100 Insulin
insulin glargine,human recombinant analog	Toujeo Max U-300 SoloStar
insulin glargine,human recombinant analog	Toujeo SoloStar U-300 Insulin
insulin glargine,human recombinant analog	insulin glargine
insulin glargine,human recombinant analog/lixisenatide	Soliqua 100/33
insulin glargine-aglr	Rezvoglar KwikPen
insulin glargine-yfgn	insulin glargine-yfgn
insulin glulisine	Apidra SoloStar U-100 Insulin
insulin glulisine	Apidra U-100 Insulin
insulin lispro	Admelog SoloStar U-100 Insulin
insulin lispro	Admelog U-100 Insulin lispro
insulin lispro	Humalog Junior KwikPen U-100
insulin lispro	Humalog KwikPen Insulin
Insulin	
insulin lispro	Humalog Tempo Pen(U-100)Insuln
insulin lispro	Humalog U-100 Insulin
insulin lispro	insulin lispro
insulin lispro protamine and insulin lispro	Humalog Mix 50-50 Insuln U-100
insulin lispro protamine and insulin lispro	Humalog Mix 50-50 KwikPen
insulin lispro protamine and insulin lispro	Humalog Mix 75-25 KwikPen

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
insulin lispro protamine and insulin lispro	Humalog Mix 75-25(U-100)Insuln
insulin lispro protamine and insulin lispro	insulin lispro protamin-lispro
insulin lispro-aabc	Lyumjev KwikPen U-100 Insulin
insulin lispro-aabc	Lyumjev KwikPen U-200 Insulin
insulin lispro-aabc	Lyumjev Tempo Pen(U-100)Insuln
insulin lispro-aabc	Lyumjev U-100 Insulin
insulin regular, human	Afrezza
insulin regular, human	Humulin R Regular U-100 Insuln
insulin regular, human	Humulin R U-500 (Conc) Insulin
insulin regular, human	Humulin R U-500 (Conc) Kwikpen
insulin regular, human	Novolin R FlexPen
insulin regular, human	Novolin R Regular U100 Insulin
insulin regular, human in 0.9 % sodium chloride	Myxredlin
Metformin	
alogliptin benzoate/metformin HCl	Kazano
alogliptin benzoate/metformin HCl	alogliptin-metformin
canagliflozin/metformin HCl	Invokamet
canagliflozin/metformin HCl	Invokamet XR
dapagliflozin propanediol/metformin HCl	Xigduo XR
empagliflozin/linagliptin/metformin HCl	Trijardy XR
empagliflozin/metformin HCl	Synjardy
empagliflozin/metformin HCl	Synjardy XR
ertugliflozin pidolate/metformin HCl	Segluromet
glipizide/metformin HCl	glipizide-metformin
glyburide/metformin HCl	Glucovance
glyburide/metformin HCl	glyburide-metformin
linagliptin/metformin HCl	Jentadueto
linagliptin/metformin HCl	Jentadueto XR
metformin HCl	Fortamet
metformin HCl	Glucophage
Metformin	
metformin HCl	Glucophage XR
metformin HCl	Glumetza
metformin HCl	Riomet
metformin HCl	Riomet ER
metformin HCl	metformin

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
metformin HCl/blood sugar diagnostic	DM2
pioglitazone HCl/metformin HCl	Actoplus MET
pioglitazone HCl/metformin HCl	Actoplus Met XR
pioglitazone HCl/metformin HCl	pioglitazone-metformin
repaglinide/metformin HCl	Prandimet
repaglinide/metformin HCl	repaglinide-metformin
rosiglitazone maleate/metformin HCl	Avandamet
saxagliptin HCl/metformin HCl	Kombiglyze XR
saxagliptin HCl/metformin HCl	saxagliptin-metformin
sitagliptin phosphate/metformin HCl	Janumet
sitagliptin phosphate/metformin HCl	Janumet XR
Thiazolidinediones	
pioglitazone HCl	Actos
pioglitazone HCl	pioglitazone
rosiglitazone maleate	Avandia
Meglitinides	
nateglinide	Starlix
nateglinide	nateglinide
repaglinide	Prandin
repaglinide	repaglinide
repaglinide/metformin HCl	Prandimet
repaglinide/metformin HCl	repaglinide-metformin
Amylin Analogues	
pramlintide acetate	SymlinPen 120
pramlintide acetate	SymlinPen 60
Sulfonylureas	
chlorpropamide	chlorpropamide
glimepiride	Amaryl
glimepiride	glimepiride
glipizide	Glucotrol
glipizide	Glucotrol XL
Sulfonylureas	
glipizide	glipizide
glipizide/metformin HCl	glipizide-metformin
glyburide	Diabeta
glyburide	glyburide

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
glyburide, micronized	Glynase
glyburide, micronized	glyburide micronized
glyburide/metformin HCl	Glucovance
glyburide/metformin HCl	glyburide-metformin
pioglitazone HCl/glimepiride	DUETACT
pioglitazone HCl/glimepiride	pioglitazone-glimepiride
rosiglitazone maleate/glimepiride	Avandaryl
tolazamide	tolazamide
tolbutamide	tolbutamide
Bile Acid Sequestrants	
colesevelam HCl	WelChol
colesevelam HCl	colesevelam
Weight loss agents	
benzphetamine HCl	Didrex
benzphetamine HCl	Regimex
benzphetamine HCl	benzphetamine
diethylpropion HCl	diethylpropion
lorcaserin HCl	Belviq
lorcaserin HCl	Belviq XR
naltrexone HCl/bupropion HCl	Contrave
orlistat	Alli
orlistat	Xenical
orlistat	orlistat
phendimetrazine tartrate	Bontril PDM
phendimetrazine tartrate	phendimetrazine tartrate
phentermine HCl	Adipex-P
phentermine HCl	Lomaira
phentermine HCl	Suprenza
phentermine HCl	phentermine
phentermine HCl/topiramate	Qsymia
setmelanotide acetate	Imcivree
Benzphetamine	
Benzphetamine	
benzphetamine HCl	Didrex
benzphetamine HCl	Regimex
benzphetamine HCl	benzphetamine

Appendix I. List of Generic/Nonproprietary and Brand/Proprietary Medical Products Used to Define Covariates in this Request

Generic/Nonproprietary	Brand/Proprietary
Combination Naltrexone and Bupropion	
naltrexone HCl/bupropion HCl	Contrave
Diethylpropion	
diethylpropion HCl	diethylpropion
Lorcaserin	
lorcaserin HCl	Belviq
lorcaserin HCl	Belviq XR
Phentermine	
phentermine HCl	Adipex-P
phentermine HCl	Lomaira
phentermine HCl	Suprenza
phentermine HCl	phentermine
Phentermine-topiramate	
phentermine HCl/topiramate	Qsymia
Phendimetrazine	
phendimetrazine tartrate	Bontril PDM
phendimetrazine tartrate	phendimetrazine tartrate
Orlistat	
orlistat	Alli
orlistat	Xenical
orlistat	orlistat
Setmelanotide	
setmelanotide acetate	Imcivree

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Query period: 10/1/2015 -09/30/2023
Coverage requirement: Medical & Drug Coverage
Pre-index enrollment requirement: 183 days
Enrollment gap: 45 days
Age groups: 18-24, 25-44, 45-64, 65-79, 80+
Stratifications: None - overall only
Censor output categorization: None
Censor output: Observable time; At-risk time: include Time to End, Reasons for End
Restrictions: None
Envelope macro: Reclassify encounters during inpatient stay as inpatient
Distribution of index-defining codes: Yes
Freeze data: Yes

Exposure

Scenario	Index Exposure	Cohort definition	Incident exposure washout period	Exclude evidence of days supply if exposure washout includes dispensings	Build Episodes on Point Exposure?	Treatment episode gap	Exposure episode extension	Minimum exposure episode duration	Minimum days supplied	Maximum exposure episode duration	Care setting	Principal diagnosis position	Create Baseline Table?	Censor treatment episode at evidence of:
1	GLP1-RA	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days *Initiation of other weight-loss product

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

2	GLP1-RA	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days
3	Wegovy Saxenda	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days *Initiation of other weight-loss product
4	Wegovy Saxenda	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

5	Obesity	First valid exposure episode during query period	None. This is a prevalent cohort.	N/A	Yes	N/A	N/A	N/A	N/A	N/A	None. Follow for all time	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Initiation of GLP1-RA
6	Benzphetamine	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product	
7	Combination naltrexone & bupropion	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product	

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

8	Diethylpropion	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product
9	Lorcaserin	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product
														*Death *DP end date

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

10	Orlistat	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product
11	Phendimetrazine	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product
12	Phentermine	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

13	Phentermine-topiramate	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	N/A	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product
14	Setmelanotide	First valid exposure episode during query period	183 days	Washout lookback period should search for only evidence of a dispensing date	No	30 days	30 days	1 day	1 day	N/A	Any care setting	Any	Yes	*Death *DP end date *Query end date *Disenrollment *Hospitalization *Treatment end + 30 days * Initiation of GLP1-RA * Initiation of other weight-loss product

ICD-9, ICD-10, HCPCS, and CPT codes are provided by Optum360.

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Inclusion/Exclusion Criteria									
Scenario	Index Exposure	Inclusion/ Exclusion group	Criteria	Care setting	Principal diagnosis position	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period
1	GLP1-RA	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
2	GLP1-RA	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
3	Wegovy Saxenda	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
4	Wegovy Saxenda	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Inclusion/Exclusion Criteria									
Scenario	Index Exposure	Inclusion/ Exclusion group	Criteria	Care setting	Principal diagnosis position	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period
5	Obesity	Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1
		Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
6	Benzphetamine	Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1
		Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Inclusion/Exclusion Criteria									
Scenario	Index Exposure	Inclusion/ Exclusion group	Criteria	Care setting	Principal diagnosis position	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period
7	Combination naltrexone & bupropion	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1
8	Diethylpropion	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Inclusion/Exclusion Criteria									
Scenario	Index Exposure	Inclusion/ Exclusion group	Criteria	Care setting	Principal diagnosis position	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period
9	Lorcaserin	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1
10	Orlistat	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Inclusion/Exclusion Criteria									
Scenario	Index Exposure	Inclusion/ Exclusion group	Criteria	Care setting	Principal diagnosis position	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period
11	Phendimetrazine	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1
12	Phentermine	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Inclusion/Exclusion Criteria									
Scenario	Index Exposure	Inclusion/ Exclusion group	Criteria	Care setting	Principal diagnosis position	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period
13	Phentermine-topiramate	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1
14	Setmelanotide	Obesity diagnosis	Inclusion	Any care setting	Any	-183	0	N/A	1
		Any diabetes diagnosis (T1, T2, Secondary)	Exclusion	Any care setting	Any	-183	0	N/A	1
		Pregnancy	Exclusion	Any care setting	Any	-183	0	N/A	1
		GLP1-RA	Exclusion	Any care setting	Any	-183	0	Evaluation period should search for evidence of days supply	1

ICD-9, ICD-10, HCPCS, and CPT codes are provided by Optum360.

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Event Outcome									
Scenario	Index Exposure	Event	Incident event washout period	Care setting	Principal diagnosis position	Exclude evidence of days supply if event washout includes dispensings	Event de-duplication	Forced supply to attach to dispensings	Blackout period
1	GLP1-RA	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
2	GLP1-RA	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
3	Wegovy Saxenda	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
4	Wegovy Saxenda	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Event Outcome									
Scenario	Index Exposure	Event	Incident event washout period	Care setting	Principal diagnosis position	Exclude evidence of days supply if event washout includes dispensings	Event de-duplication	Forced supply to attach to dispensings	Blackout period
5	Obesity	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
6	Benzphetamine	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
7	Combination naltrexone & bupropion	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Event Outcome									
Scenario	Index Exposure	Event	Incident event washout period	Care setting	Principal diagnosis position	Exclude evidence of days supply if event washout includes dispensings	Event de-duplication	Forced supply to attach to dispensings	Blackout period
8	Diethylpropion	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
9	Lorcaserin	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
10	Orlistat	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
11	Phendimetrazine	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)

Appendix J. Specifications of Parameters Used in this Request

The Center for Drug Evaluation and Research (CDER) has requested execution of the Cohort Identification and Descriptive Analysis (CIDA) tool (version 13.1.0) to estimate rates of intentional self-harm among users of GLP1 receptor agonists and other weight-loss agents with obesity in the Sentinel Distributed Database (SDD).

Event Outcome									
Scenario	Index Exposure	Event	Incident event washout period	Care setting	Principal diagnosis position	Exclude evidence of days supply if event washout includes dispensings	Event de-duplication	Forced supply to attach to dispensings	Blackout period
12	Phentermine	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
13	Phentermine-topiramate	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)
14	Setmelanotide	Intentional Self-Harm	None	Any care setting	Any	N/A	De-duplicate occurrences of the same event group on the same day	N/A	1 (exclude 'same-day' HOI)

ICD-9, ICD-10, HCPCS, and CPT codes are provided by Optum360.

Appendix K. Design Diagram for Cohort Defining Criteria

