

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelsystem.org.



Overview for Request: cder_mpl1p_wp083_nsdp_v01

Request ID: cder_mpl1p_wp083

Request Description: In this report, we identified pregnancies ending in live birth delivery in the Sentinel Distributed Database (SDD), and described medical products of interest (MOIs) utilization during pregnancy for select MOIs with pregnancy-related postmarketing requirements, requirement(s) and/or commitment(s), those involved in pregnancy registries, or those investigated in clinical trials with respect to their use during pregnancy.

<u>Sentinel Routine Querying Module:</u> Cohort Identification and Descriptive Analysis (CIDA) module, version 12.1.0, with custom programming.

<u>Data Source:</u> We distributed this query to six Sentinel Data Partners on August 4, 2023. This report contains data from Medicare and Medicaid within the Center for Medicare and Medicaid Services (CMS). The query period included data from January 1, 2008 through January 31, 2023. Please see Appendix A for dates of available data.

<u>Study Design</u>: We identified patients with female sex in the Sentinel Common Data Model demographics table between the ages of 10 and 54 years of age at evidence of a live birth delivery, and assessed use of selected medical products during pregnancy overall and by number of years each medical product had been on the market. This is a Type 4 analysis in the Query Request Package (QRP) documentation.

<u>Cohort Eligibility Criteria</u>: We required members to be enrolled in health plans with medical and drug coverage from the estimated pregnancy start date through the delivery date in order to be included in the cohort; a gap in coverage of up to 45 days was allowed and treated as continuous enrollment. The following age groups were included in the live birth delivery pregnancy cohort: 10-17, 18-24, 25-34, 35-44, and 45-54 years of age.

<u>Pregnancy Episode Creation</u>: We identified pregnancies ending in a live birth using a claims-based algorithm. This algorithm used International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes indicative of weeks of gestation, and International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and ICD-10-CM diagnosis codes for pre-term and post-term deliveries, to calculate the length of the pregnancy episode.

Qualifying codes had to occur within seven days of a delivery date in the inpatient setting. In absence of pre-/post-term codes, pregnancy duration was set to 273 days. Pregnancies were excluded from the cohort if there was evidence of a pregnancy outcome in the 180 days before the delivery date of interest. Please see Appendix B for a list of ICD-9- and ICD-10-CM diagnosis codes and Current Procedural Terminology, Fourth Edition (CPT-4) procedure codes used to define a live birth delivery, and Appendix B.1 for a list of ICD-9- and ICD-10-CM diagnosis codes used in the gestational age algorithm.

cder_mp1p_wp083 Page 1 of 145



Overview for Request: cder_mpl1p_wp083_nsdp_v01

Medical Products of Interest: We defined the Medical Products of Interest (MOIs) using pharmacy dispensing data (identified with National Drug Codes [NDCs]) and medical procedure data (identified with International Classification of Diseases, Tenth Revision, Procedure Coding System [ICD-10-PCS], Current Procedural Terminology, Fourth Edition [CPT-4], and Healthcare Common Procedure Coding System [HCPCS] codes). We considered a pregnancy exposed to a given MOI if that MP's episode overlapped the period from estimated pregnancy start through the day before delivery.

We also stratified MOI-exposed pregnancies by number of years (defined as the number of 365-day periods) the relevant MOI had been on the market at the time of exposure. For a list of generic/brand names, NDCs, and procedure codes used to define MOIs, please see Appendices C nd D.

<u>Baseline Characteristics</u>: We assessed the following demographic characteristics of the mother on the day of delivery: age, sex, race, Hispanic ethnicity, and year of delivery.

We also summarized gestational age based on codes present in the data and classified the pregnancy into terms where preterm pregnancies delivered at a gestational age less than 259 days, term pregnancies delivered at a gestational age between greater than or equal to 259 days and less than or equal to 280 days, post-term pregnancies delivered at a gestational age more than 280 days, and pregnancies without gestational age codes within 7 days of delivery were classified as having an unknown term.

Finally, we evaluated health service and medication utilization from the estimated pregnancy start date through 90 days of pregnancy.

Please see Appendix E for specfications of the parameters used in this request and Appendix F for a summary of MOIs and classification into drug concepts. Please see Appendix G for a diagram detailing the design of this request.

<u>Limitations</u>: Algorithms and codes to define pregnancy episodes and MOIs re imperfect and may be misclassified. Therefore, data should be interpreted with this limitation in mind.

<u>Notes</u>: Please contact the Sentinel Operations Center (info@sentinelsystem.org) for questions and to provide comments/suggestions for future enhancements to this document. For more information on Sentinel's routine querying modules, please refer to the documentation (https://dev.sentinelsystem.org/projects/SENTINEL/repos/sentinel-routine-querying-tool-documentation/browse).

cder_mp1p_wp083 Page 2 of 145

¹1 Li, Q., et al., Validation of an algorithm to estimate gestational age in electronic health plan databases. Pharmacoepidemiol Drug Saf, 2013. 22(5): p. 524-32.



- Glossary Glossary of Terms for Analysis Using Cohort Identification and Descriptive Analysis (CIDA) Module
- <u>Table 1</u> Aggregated Characteristics of Live Birth Deliveries in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023
- <u>Table 2</u> Pregnancy Episodes with Exposures of Interest in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023
- <u>Table 3</u> Summary of Episode Level Cohort Attrition in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023
- <u>Figure 1a</u> Pregnancies Exposed to Ethinyl Estradiol and Drospirenone (Beyaz and equivalents only) by Number of Years After September 24, 2010 Approval Date
- <u>Figure 1b</u> Pregnancies Exposed to Ethinyl Estradiol and Drospirenone-Containing Products (except Yasmin and equivalents) by Number of Years After March 16, 2006 Approval Date
- <u>Figure 1c</u> Pregnancies Exposed to Ethinyl Estradiol and Drospirenone (Yasmin equivalents only) by Number of Years After March 18, 2010 Approval Date
- <u>Figure 1d</u> Pregnancies Exposed to Ethinyl Estradiol and Drospirenone (Yaz and equivalents only) by Number of Years After March 16, 2006 Approval Date
- <u>Figure 1e</u> Pregnancies Exposed to Ethinyl Estradiol and Drospirenone (Yasmin only) by Number of Years After May 11, 2001 Approval Date
- <u>Figure 2a</u> Pregnancies Exposed to Etonogestrel and Ethinyl Estradiol (Nuvaring equivalents only) by Number of Years After December 11, 2019 Approval Date
- <u>Figure 2b</u> Pregnancies Exposed to Etonogestrel and Ethinyl Estradiol (Nuvaring only) by Number of Years After October 3, 2001 Approval Date
- Figure 3 Pregnancies Exposed to Adalimumab (Humira only)* by Number of Years After December 31, 2002 Approval Date
- Figure 4 Pregnancies Exposed to Amitriptyline-Containing Products by Number of Years After June 2, 1961
 Approval Date
- **Figure 5** Pregnancies Exposed to Amphetamine-Containing Products by Number of Years After February 13, 1996 Approval Date
- <u>Figure 6</u> Pregnancies Exposed to Apremilast (Otezla only)* by Number of Years After March 21, 2014 Approval Date
- <u>Figure 7a</u> Pregnancies Exposed to Aripiprazole (Abilify Maintena and equivalents only) by Number of Years After September 20, 2006 Approval Date
- <u>Figure 7b</u> Pregnancies Exposed to Aripiprazole (Abilify and equivalents only) by Number of Years After November 15, 2002 Approval Date
- <u>Figure 7c</u> Pregnancies Exposed to Aripiprazole Lauroxil (Aristada Initio and equivalents only) by Number of Years After June 29, 2018 Approval Date
- <u>Figure 7d</u> Pregnancies Exposed to Aripiprazole Lauroxil (Aristada and equivalents only) by Number of Years After October 5, 2015 Approval Date
- <u>Figure 7e</u> Pregnancies Exposed to Aripiprazole-Containing Products by Number of Years After November 15, 2002 Approval Date
- <u>Figure 8a</u> Pregnancies Exposed to Armodafinil (Nuvigil equivalents only) by Number of Years After June 1, 2012 Approval Date
- <u>Figure 8b</u> Pregnancies Exposed to Armodafinil (Nuvigil only) by Number of Years After June 15, 2007 Approval Date

cder_mp1p_wp083 Page 3 of 145



- Figure 9 Pregnancies Exposed to Bupropion-Containing Products by Number of Years After December 30, 1985 Approval Date
- <u>Figure 10</u> Pregnancies Exposed to Certolizumab Pegol (Cimzia only)* by Number of Years After April 22, 2008 Approval Date
- Figure 11 Pregnancies Exposed to Citalopram-Containing Products by Number of Years After July 17, 1998 Approval
 Date
- <u>Figure 12a</u> Pregnancies Exposed to Cyclosporine-Containing Products (except Neoral and equivalents) by Number of Years After September 30, 1990 Approval Date
- <u>Figure 12b</u> Pregnancies Exposed to Cyclosporine (Neoral equivalents only) by Number of Years After January 13, 2000 Approval Date
- <u>Figure 12c</u> Pregnancies Exposed to Cyclosporine (Neoral only) by Number of Years After July 13, 1995 Approval Date
- <u>Figure 13a</u> Pregnancies Exposed to Desvenlafaxine-Containing Products by Number of Years After February 29, 2008 Approval Date
- <u>Figure 13b</u> Pregnancies Exposed to Desvenlafaxine Fumarate (Khedezla and equivalents only) by Number of Years
 After
 July 10, 2013 Approval Date
- <u>Figure 13c</u> Pregnancies Exposed to Desvenlafaxine Succinate (Pristiq and equivalents only) by Number of Years After February 29, 2008 Approval Date
- <u>Figure 14</u> Pregnancies Exposed to Dextroamphetamine-Containing Products by Number of Years After September 30, 1990 Approval Date
- <u>Figure 15a</u> Pregnancies Exposed to Doxylamine and Pyridoxine (Diclegis equivalents only) by Number of Years After August 19, 2016 Approval Date
- <u>Figure 15b</u> Pregnancies Exposed to Doxylamine and Pyridoxine-Containing Products (Bonjesta only) by Number of Years After November 7, 2016 Approval Date
- Figure 15c Pregnancies Exposed to Doxylamine and Pyridoxine (Diclegis only) by Number of Years After April 8, 2013

 Approval Date
- <u>Figure 16a</u> Pregnancies Exposed to Duloxetine (Cymbalta equivalents only) by Number of Years After December 11, 2013 Approval Date
- Figure 16b Pregnancies Exposed to Duloxetine (Cymbalta only) by Number of Years After August 3, 2004 Approval Date
- <u>Figure 16c</u> Pregnancies Exposed to Duloxetine (except Cymbalta and equivalents) by Number of Years After July 19, 2019 Approval Date
- <u>Figure 17</u> Pregnancies Exposed to Dupilumab (Dupixent only)* by Number of Years After March 28, 2017 Approval Date
- <u>Figure 18a</u> Pregnancies Exposed to Emtricitabine and Tenofovir Disoproxil Fumarate-Containing Products (except Truvada and equivalents) by Number of Years After July 12, 2006 Approval Date
- <u>Figure 18b</u> Pregnancies Exposed to Emtricitabine and Tenofovir Disoproxil Fumarate (Truvada equivalents only) by Number of Years After June 8, 2017 Approval Date
- <u>Figure 18c</u> Pregnancies Exposed to Emtricitabine and Tenofovir Disoproxil Fumarate (Truvada only) by Number of Years After August 2, 2004 Approval Date
- <u>Figure 19</u> Pregnancies Exposed to Erenumab-Aooe (Aimovig only)* by Number of Years After May 17, 2018
 Approval Date

cder mp1p wp083 Page 4 of 145



- <u>Figure 20</u> Pregnancies Exposed to Escitalopram-Containing Products by Number of Years After August 16, 2002 Approval Date
- <u>Figure 21</u> Pregnancies Exposed to Fluoxetine-Containing Products by Number of Years After December 29, 1987 Approval Date
- <u>Figure 22a</u> Pregnancies Exposed to Hydroxyprogesterone Caproate (Makena equivalents only) by Number of Years After August 24, 2015 Approval Date
- <u>Figure 22b</u> Pregnancies Exposed to Hydroxyprogesterone Caproate (Makena only) by Number of Years After February 3, 2011 Approval Date
- Figure 23 Pregnancies Exposed to Insulin NPH-Containing Products by Number of Years After September 30, 1990 Approval Date
- <u>Figure 24</u> Pregnancies Exposed to Insulin Aspart-Containing Products by Number of Years After June 7, 2000 Approval Date
- <u>Figure 25</u> Pregnancies Exposed to Insulin Detemir-Containing Products by Number of Years After June 16, 2005 Approval Date
- <u>Figure 26</u> Pregnancies Exposed to Lamotrigine-Containing Products by Number of Years After December 27, 1994 Approval Date
- <u>Figure 27</u> Pregnancies Exposed to Levetiracetam-Containing Products by Number of Years After November 30, 1999 Approval Date
- <u>Figure 28a</u> Pregnancies Exposed to Levonorgestrel-Containing Intrauterine Device Products (except Liletta and Mirena) by Number of Years After January 9, 2013 Approval Date
- <u>Figure 28b</u> Pregnancies Exposed to Levonorgestrel Intrauterine Device (Liletta only) by Number of Years After February 26, 2015 Approval Date
- <u>Figure 28c</u> Pregnancies Exposed to Levonorgestrel Intrauterine Device (Mirena only) by Number of Years After December 2, 2000 Approval Date
- <u>Figure 29</u> Pregnancies Exposed to Lisdexamfetamine-Containing Products by Number of Years After February 23, 2007 Approval Date
- <u>Figure 30</u> Pregnancies Exposed to Lurasidone-Containing Products by Number of Years After October 28, 2010 Approval Date
- <u>Figure 31</u> Pregnancies Exposed to Methylphenidate-Containing Products by Number of Years After December 5, 1955 Approval Date
- Figure 32 Pregnancies Exposed to Milnacipran (Savella only)* by Number of Years After January 14, 2009 Approval Date
- **Figure 33** Pregnancies Exposed to Mirtazapine-Containing Products by Number of Years After June 14, 1996 Approval Date
- **Figure 34a** Pregnancies Exposed to Modafinil (Provigil equivalents only) by Number of Years After September 27, 2012 Approval Date
- Figure 34b Pregnancies Exposed to Modafinil (Provigil only) by Number of Years After December 24, 1998 Approval
- <u>Figure 35a</u> Pregnancies Exposed to Nicotine Nasal Spray Device (Nicotrol NS only)* by Number of Years After June 30, 1995 Approval Date
- <u>Figure 35b</u> Pregnancies Exposed to Nicotine Transdermal Device (Nicoderm CQ only) by Number of Years After September 3, 1996 Approval Date
- <u>Figure 35c</u> Pregnancies Exposed to Nicotine Transdermal Device (except Nicoderm CQ) by Number of Years After October 20, 1997 Approval Date

cder_mp1p_wp083 Page 5 of 145



- <u>Figure 36</u> Pregnancies Exposed to Non-Transdermal Nicotine Products by Number of Years After August 24, 1999 Approval Date
- <u>Figure 37</u> Pregnancies Exposed to Nortriptyline-Containing Products by Number of Years After August 1, 1977 Approval Date
- Figure 38 Pregnancies Exposed to Olanzapine-Containing Products by Number of Years After December 24, 2003

 Approval Date
- Figure 39 Pregnancies Exposed to Omalizumab (Xolair only)* by Number of Years After June 20, 2003 Approval
- <u>Figure 40</u> Pregnancies Exposed to Paroxetine-Containing Products by Number of Years After December 29, 1992 Approval Date
- <u>Figure 41</u> Pregnancies Exposed to Peginterferon beta 1a (Plegridy only)* by Number of Years After August 15, 2014 Approval Date
- <u>Figure 42</u> Pregnancies Exposed to Pregabalin-Containing Products by Number of Years After December 30, 2004 Approval Date
- **Figure 43** Pregnancies Exposed to Quetiapine-Containing Products by Number of Years After September 29, 1997 Approval Date
- <u>Figure 44</u> Pregnancies Exposed to Remdesivir (Veklury only)* by Number of Years After October 22, 2020 Approval Date
- <u>Figure 45</u> Pregnancies Exposed to Risperidone-Containing Products by Number of Years After December 29, 1993 Approval Date
- <u>Figure 46a</u> Pregnancies Exposed to Semaglutide (Wegovy only) by Number of Years After June 4, 2021 Approval Date
- <u>Figure 46b</u> Pregnancies Exposed to Semaglutide (Ozempic only) by Number of Years After December 5, 2017 Approval Date
- <u>Figure 46c</u> Pregnancies Exposed to Semaglutide (except Wegovy and Ozempic) by Number of Years After September 20, 2019 Approval Date
- <u>Figure 47</u> Pregnancies Exposed to Sertraline-Containing Products by Number of Years After December 30, 1991 Approval Date
- **Figure 48** Pregnancies Exposed to Sitagliptin-Containing Products by Number of Years After October 16, 2006 Approval Date
- <u>Figure 49</u> Pregnancies Exposed to Sumatriptan-Containing Products by Number of Years After December 28, 1992 Approval Date
- <u>Figure 50</u> Pregnancies Exposed to Trazodone-Containing Products by Number of Years After September 30, 1990 Approval Date
- Figure 51 Pregnancies Exposed to Ulipristal (Ella only)* by Number of Years After August 13, 2010 Approval Date
- <u>Figure 52</u> Pregnancies Exposed to Ustekinumab (Stelara only)* by Number of Years After September 25, 2009 Approval Date
- <u>Figure 53a</u> Pregnancies Exposed to Varenicline (Chantix equivalents only) by Number of Years After August 11, 2021 Approval Date
- <u>Figure 53b</u> Pregnancies Exposed to Varenicline-Containing Products (except Chantix and equivalents) by Number of Years After October 15, 2021 Approval Date
- Figure 53c Pregnancies Exposed to Varenicline (Chantix only) by Number of Years After May 10, 2006 Approval Date

cder_mp1p_wp083 Page 6 of 145



- <u>Figure 54</u> Pregnancies Exposed to Venlafaxine-Containing Products by Number of Years After December 28, 1993 Approval Date
- <u>Figure 55</u> Pregnancies Exposed to Zolpidem-Containing Products by Number of Years After December 16, 1992 Approval Date
- Appendix A Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (August 4, 2023)
- Appendix B
 List of Current Procedural Terminology, Fourth Edition (CPT-4), International Classification of Diseases,
 Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision,
 Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural
 Coding System (ICD-10-PCS) Codes Used to Define Exposures in this Request
- <u>Appendix B.1</u> List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM),
 International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes used to
 Define Gestational Age
 - Appendix C List of Generic and Brand Names of Medical Products Used to Define Exposures in this Request
 - <u>Appendix D</u> List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC)

 Codes Used to Define Exposures in this Request
 - Appendix E Specifications for Request cder_mpl1p_wp083_nsdp_v01
 - Appendix F Drug Concepts and Medical Product of Interest for Request cder_mpl1p_wp083_nsdp_v01
- Appendix G Design Diagrams for Request cder_mpl1p_wp083_nsdp_v01

cder_mp1p_wp083 Page 7 of 145

^{*}The medical product of interest in this figure has a pregnancy-related PMR or PMC and is the only product in its drug concept available on the market. A drug concept is defined as the ingredients contained in the medical product of interest as identified by FDA. A single drug concept may include one or more medical products of interest.



Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Module*

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing. **Blackout Period** - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

cder_mp1p_wp083 Page 8 of 145



Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*all terms may not be used in this report

cder_mp1p_wp083 Page 9 of 145



Table 1. Aggregated Characteristics of Live Birth Deliveries in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023¹

	Live Birth Deliv	Live Birth Deliveries Pregnancy Cohort		
		Percent/		
Mother Characteristics ²		Standard Deviation ³		
Unique patients	6,165,744	N/A		
Episodes	7,299,350	100.0%		
Demographic Characteristics				
Age (years)	29.4	5.7		
Age				
10-17 years	145,976	2.0%		
18-24 years	1,679,861	23.0%		
25-34 years	4,126,201	56.5%		
35-44 years	1,309,303	17.9%		
45-54 years	38,009	0.5%		
Sex				
Female	6,165,744	100.0%		
Race⁴				
American Indian or Alaska Native	63,493	1.0%		
Asian	117,272	1.9%		
Black or African American	663,793	10.8%		
Multi-racial	29,971	0.5%		
Native Hawaiian or Other Pacific Islander	19,245	0.3%		
Unknown	4,016,180	65.1%		
White	1,255,790	20.4%		
Hispanic origin				
Yes	643,992	10.4%		
No	1,932,422	31.3%		
Unknown	3,589,330	58.2%		
Year				
2008	163,461	2.2%		
2009	296,508	4.1%		
2010	276,022	3.8%		
2011	270,102	3.7%		
2012	261,529	3.6%		
2013	269,522	3.7%		
2014	330,700	4.5%		
2015	489,817	6.7%		
2016	693,571	9.5%		
2017	947,142	13.0%		
2018	944,648	12.9%		
2019	935,360	12.8%		
2020	936,735	12.8%		
2021	277,739	3.8%		
2022	206,142	2.8%		
2023	352	0.0%		

cder_mp1p_wp083 Page 10 of 145



Table 1. Aggregated Characteristics of Live Birth Deliveries in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023¹

	Live Birth Deliveries Pregnancy Cohort		
		Percent/	
Mother Characteristics ²		Standard Deviation ³	
Pregnancy Characteristics			
Pre-Term (0-258 days)	677,823	9.3%	
erm (259-280 days)	2,849,640	39.0%	
Post-Term (281-301 days)	1,291,681	17.7%	
Jnknown Term	2,480,206	34.0%	
Gestational age⁵ at delivery	39.5	2.2	
Health Service Utilization Intensity Metrics			
Nean number of ambulatory encounters	3.9	4.1	
Mean number of emergency room encounters	0.3	0.8	
Nean number of inpatient hospital encounters	0.0	0.1	
Mean number of non-acute institutional encounters	0.0	0.0	
Nean number of other ambulatory encounters	1.4	3.0	
Mean number of filled prescriptions	2.2	3.3	
Mean number of generics dispensed	1.6	2.1	
Mean number of unique drug classes dispensed	1.6	2.0	

¹Pregnancy is defined as a pregnancy that resulted in a live birth delivery identified using the method specified in the overview section of this report.

cder_mp1p_wp083 Page 11 of 145

²All metrics are based on total number of episodes per group, except for sex, race, and Hispanic origin which are based on total number of unique patients.

³Value represents standard deviation where no % follows the value.

⁴Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁵Gestational age estimated using a claims-based algorithm, previously validated in the Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP), to identify pregnancies ending in a live birth. ICD-10-CM diagnosis codes indicative of weeks of gestation, and ICD-9-CM and ICD-10-CM diagnosis codes for pre-term and post-term deliveries, were used to calculate the length of the pregnancy episode. Codes had to occur within 7 days of a delivery date in the inpatient setting. In absence of pre-/post-term codes, pregnancy duration was set to 273 days.



Table 2. Pregnancy Episodes with Exposures of Interest in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023¹

		iring Any nester
Exposures of Interest ²		Percent
Live Birth Delivery Episodes (N = 7,299,350)		
Approved Prior to 2008		
aripiprazole (Abilify Maintena and equivalents only)	1,387	0.0%
aripiprazole (Abilify and equivalents only)	26,323	0.4%
amitriptyline-containing products	24,439	0.3%
amphetamine-containing products	79,035	1.1%
bupropion-containing products	97,236	1.3%
citalopram-containing products	50,394	0.7%
cyclosporine-containing products (except Neoral and equivalents)	4,111	0.1%
cyclosporine (Neoral equivalents only)	228	0.0%
dextroamphetamine-containing products	80,052	1.1%
emtricitabine and tenofovir disoproxil fumarate-containing products (except Truvada and equivalents)	1,649	0.0%
escitalopram-containing products	106,611	1.5%
ethinyl estradiol and drospirenone-containing products (except Yasmin and equivalents)	18,183	0.2%
fluoxetine-containing products	105,112	1.4%
adalimumab (Humira only)*	4,987	0.1%
insulin aspart-containing products	36,591	0.5%
insulin detemir-containing products	27,181	0.4%
insulin NPH-containing products	105,424	1.4%
lamotrigine-containing products	45,943	0.6%
levetiracetam-containing products	22,292	0.3%
lisdexamfetamine-containing products	21,529	0.3%
methylphenidate-containing products	12,728	0.2%
levonorgestrel intrauterine device (Mirena only)	8,382	0.1%
mirtazapine-containing products	14,486	0.2%
non-transdermal nicotine products	10,238	0.1%
nortriptyline-containing products	7,203	0.1%
olanzapine-containing products	9,519	0.1%
aripiprazole-containing products	27,390	0.4%
pregabalin-containing products	6,791	0.1%
quetiapine-containing products	38,899	0.5%
risperidone-containing products	9,873	0.1%
sertraline-containing products	294,049	4.0%
sumatriptan-containing products	46,761	0.6%
trazodone-containing products	56,283	0.8%
venlafaxine-containing products	39,597	0.5%
ethinyl estradiol and drospirenone (Yaz and equivalents only)	12,766	0.2%
zolpidem-containing products	84,850	1.2%
paroxetine-containing products	19,935	0.3%
cyclosporine (Neoral only)	32	0.0%

cder_mp1p_wp083 Page 12 of 145



Table 2. Pregnancy Episodes with Exposures of Interest in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023¹

		ring Any nester
Exposures of Interest ²		Percent
Live Birth Delivery Episodes (N = 7,299,350)		
duloxetine (Cymbalta only)	7,295	0.1%
emtricitabine and tenofovir disoproxil fumarate (Truvada only)	4,784	0.1%
ethinyl estradiol and drospirenone (Yasmin only)	3,201	0.0%
etonogestrel and ethinyl estradiol (Nuvaring only)	34,832	0.5%
nicotine nasal spray device (Nicotrol NS only)*	69	0.0%
nicotine transdermal device (Nicoderm CQ only)	572	0.0%
nicotine transdermal device (except Nicoderm CQ)	29,578	0.4%
varenicline (Chantix only)	6,326	0.1%
sitagliptin-containing products	2,809	0.0%
armodafinil (Nuvigil equivalents only)	308	0.0%
armodafinil (Nuvigil only)	534	0.0%
modafinil (Provigil equivalents only)	880	0.0%
modafinil (Provigil only)	489	0.0%
omalizumab (Xolair only)*	556	0.0%
Aproved in 2008		
desvenlafaxine-containing products	6,318	0.1%
desvenlafaxine succinate (Pristiq and equivalents only)	6,318	0.1%
certolizumab pegol (Cimzia only)*	1,720	0.0%
Aproved in 2009		
milnacipran (Savella only)*	560	0.0%
ustekinumab (Stelara only)*	818	0.0%
Aproved in 2010		
ethinyl estradiol and drospirenone (Beyaz and equivalents only)	1,493	0.0%
lurasidone-containing products	15,754	0.2%
ethinyl estradiol and drospirenone (Yasmin equivalents only)	10,452	0.1%
ulipristal (Ella only)*	1,008	0.0%
Aproved in 2011		
hydroxyprogesterone caproate (Makena only)	53,458	0.7%
Aproved in 2013		
doxylamine and pyridoxine (Diclegis equivalents only)	27,155	0.4%
duloxetine (Cymbalta equivalents only)	23,047	0.3%
desvenlafaxine fumarate (Khedezla and equivalents only)	0	0.0%
levonorgestrel-containing intrauterine device products (except Liletta and Mirena)	777	0.0%
doxylamine and pyridoxine (Diclegis only)	170,705	2.3%
Aproved in 2014		
apremilast (Otezla only)*	247	0.0%
peginterferon beta 1a (Plegridy only)*	38	0.0%
Aproved in 2015		
aripiprazole lauroxil (Aristada and equivalents only)	339	0.0%
levonorgestrel intrauterine device (Liletta only)	1,353	0.0%
- "	•	

cder_mp1p_wp083 Page 13 of 145



Table 2. Pregnancy Episodes with Exposures of Interest in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023¹

		Use During Any Trimester	
Exposures of Interest ²		Percent	
Live Birth Delivery Episodes (N = 7,299,350)			
hydroxyprogesterone caproate (Makena equivalents only)	48,313	0.7%	
Aproved in 2016			
doxylamine and pyridoxine-containing products (Bonjesta only)	12,725	0.2%	
Aproved in 2017			
emtricitabine and tenofovir disoproxil fumarate (Truvada equivalents only)	162	0.0%	
semaglutide (Ozempic only)	678	0.0%	
dupilumab (Dupixent only)*	457	0.0%	
Aproved in 2018			
aripiprazole lauroxil (Aristada Initio and equivalents only)	18	0.0%	
erenumab-aooe (Aimovig only)*	623	0.0%	
Aproved in 2019			
etonogestrel and ethinyl estradiol (Nuvaring equivalents only)	6,865	0.1%	
semaglutide (except Wegovy and Ozempic)	67	0.0%	
duloxetine (except Cymbalta and equivalents)	0	0.0%	
Aproved in 2020			
remdesivir (Veklury only)*	0	0.0%	
Aproved in 2021			
varenicline (Chantix equivalents only)	21	0.0%	
varenicline-containing products (except Chantix and equivalents)	****	****	
semaglutide (Wegovy only)	37	0.0%	

¹Pregnancy is defined as a pregnancy that resulted in a live birth delivery identified using the method specified in the overview section of this report.

cder_mp1p_wp083 Page 14 of 145

²Displayed percentages represent the number of pregnancy episodes with evidence of the exposure of interest as a proportion of all pregnancy episodes.

^{*} The medical product of interest in this figure has a pregnancy-related PMR or PMC and is the only product in its drug concept available on the market. A drug concept is defined as the ingredients contained in the medical product of interest as identified by FDA. A single drug concept may include one or more medical products of interest.

^{*****}Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.



Table 3. Summary of Episode-Level¹ Cohort Attrition in the Sentinel Distributed Database from January 1, 2008 to January 31, 2023²

to January 51, 2025	Live Birth	Live Birth Deliveries	
		Excluded	
Members meeting enrollment and demographic requirements			
Enrolled at any point during the query period	463,851,545	N/A	
Had required coverage type (medical and/or drug coverage)	339,036,994	124,814,551	
Enrolled during specified age range	248,672,438	90,364,556	
Had requestable medical charts	248,672,438	0	
Met demographic requirements (sex, race, and Hispanic origin)	128,042,946	120,629,492	
Members with a valid index event			
Had a live birth delivery claim during the query period	11,643,682	116,399,264	
Live birth deliveries with a valid index date			
Total number of live birth deliveries during the query period	22,315,880	N/A	
Live birth delivery recorded during specified age range	21,489,513	826,367	
Pregnancy episode recorded during the query period	13,454,888	8,034,625	
Had sufficient pre-delivery continuous enrollment	7,299,350	6,155,538	
Met inclusion and exclusion criteria	7,299,350	0	
Pregnancy episodes with required post-index follow-up			
Had sufficient post-index continuous enrollment	7,299,350	0	
Final cohort			
Number of members	6,165,744	N/A	
Number of pregnancy episodes	7,299,350	N/A	
Number of non-pregnant matched comparator episodes	0	N/A	

¹Cohorts are formed by first evaluating enrollment and demographic requirements as well as index events among members, then evaluating index dates, pre-index history, and post-index follow-up among pregnancy episodes. Because of this, the number remaining often increases from the member- to episode-level steps.

cder_mp1p_wp083 Page 15 of 145


²Pregnancy is defined as a pregnancy that resulted in a live birth delivery identified using the method specified in the overview section of this report.



Figure 1a. Pregnancies Exposed to Ethinyl Estradiol and Drospirenone (Beyaz and Equivalents only) by Number of Years After September 24, 2010 Approval Date

Figure 1a not generated due to CMS small cell suppression policies.

Figure 1b. Pregnancies Exposed to Ethinyl Estradiol and Drospirenone-Containing Products (except Yasmin and Equivalents) by Number of Years After March 16, 2006 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 16 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 1c. Pregnancies Exposed to ethinyl estradiol and drospirenone (Yasmin equivalents only) by Number of Years after March 18, 2010 Approval Date



[†] Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 17 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 1d. Pregnancies Exposed to ethinyl estradiol and drospirenone (Yaz and equivalents only) by Number of Years after March 16, 2006 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

Figure 1e. Pregnancies Exposed to ethinyl estradiol and drospirenone (Yasmin only) by Number of Years after May 11, 2001 App Figure 1e not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 18 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.


³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 2a. Pregnancies Exposed to Etonogestrel and Ethinyl Estradiol (Nuvaring equivalents only) by Number of Years After December 11, 2019 Approval Date

Figure 2a not generated due to CMS small cell suppression policies.

Figure 2b. Pregnancies Exposed to Etonogestrel and Ethinyl Estradiol (Nuvaring only) by Number of Years After October 3, 2001 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 19 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 3. Pregnancies Exposed to Adalimumab (Humira only)* by Number of Years After December 31, 2002 Approval Date



[†] Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 20 of 145


² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.

^{*}This medical product of interest has a pregnancy-related PMR or PMC and is the only product in its drug concept available on the market. A drug concept is defined as the ingredients contained in the medical product of interest identified by FDA. A single drug concept may include one or more medical products of interest.



Figure 4. Pregnancies Exposed to Amitriptyline-Containing Products by Number of Years After June 2, 1961 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 21 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 5. Pregnancies Exposed to Amphetamine-Containing Products by Number of Years After February 13, 1996 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period

Page 22 of 145 cder_mp1p_wp083

in which they occur when calculating cumulative exposed pregnancies.

a Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 6. Pregnancies Exposed to Apremilast (Otezla only)* by Number of Years After March 21, 2014 Approval Date

Figure 6 not generated due to CMS small cell suppression policies.


cder_mp1p_wp083 Page 23 of 145



Figure 7a. Pregnancies Exposed to Aripiprazole (Abilify Maintena and equivalents only) by Number of Years After September 20, 2006 Approval Date

Figure 7a not generated due to CMS small cell suppression policies.

Figure 7b. Pregnancies Exposed to Aripiprazole (Abilify and equivalents only) by Number of Years After November 15, 2002 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

Figure 7c. Pregnancies Exposed to aripiprazole lauroxil (Aristada Initio and equivalents only) by Number of Years After June 29, 2018 Approval Date

Figure 7c not generated due to CMS small cell suppression policies.


cder_mp1p_wp083 Page 24 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 7d. Pregnancies Exposed to Aripiprazole Lauroxil (Aristada and equivalents only) by Number of Years After October 5, 2015 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 25 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 7e. Pregnancies Exposed to aripiprazole-containing products by Number of Years After November 15, 2002 Approval Date



[†] Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 26 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

in which they occur when calculating cumulative exposed pregnancies.

Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 8a. Pregnancies Exposed to Armodafinil (Nuvigil equivalents only) by Number of Years After June 1, 2012 Approval Date Figure 8a not generated due to CMS small cell suppression policies.

Figure 8b. Pregnancies Exposed to Armodafinil (Nuvigil only) by Number of Years After June 15, 2007 Approval Date Figure 8b not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 27 of 145



Figure 9. Pregnancies Exposed to Bupropion-Containing Products by Number of Years After December 30, 1985 Approval DateFigure 9 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 28 of 145




Figure 10. Pregnancies Exposed to Certolizumab Pegol (Cimzia only)* by Number of Years After April 22, 2008 Approval Date Figure 10 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 29 of 145



Figure 11. Pregnancies Exposed to Citalopram-Containing Products by Number of Years After July 17, 1998 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 30 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 12a. Pregnancies Exposed to Cyclosporine-Containing Products (except Neoral and equivalents) by Number of Years After September 30, 1990 Approval Date

Figure 12a not generated due to CMS small cell suppression policies.

Figure 12b. Pregnancies Exposed to Cyclosporine (Neoral equivalents only) by Number of Years After January 13, 2000 Approval Date

Figure 12b not generated due to CMS small cell suppression policies.


Figure 12c. Pregnancies Exposed to Cyclosporine (Neoral only) by Number of Years After July 13, 1995 Approval Date

Figure 12c not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 31 of 145



Figure 13a. Pregnancies Exposed to Desvenlafaxine-Containing products by Number of Years After February 29, 2008 Approval Date



[†] Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 32 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when religibility or unjustive exposed pregnancies.

in which they occur when calculating cumulative exposed pregnancies.


Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 13b. Pregnancies Exposed to Desvenlafaxine Fumarate (Khedezla and equivalents only) by Number of Years After July 10, 2013 Approval Date

Figure 13b not generated because no exposed pregnancies were identified.

Figure 13c. Pregnancies Exposed to Desvenlafaxine Succinate (Pristiq and equivalents only) by Number of Years After February 29, 2008 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 33 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 14. Pregnancies Exposed to Dextroamphetamine-Containing Products by Number of Years After September 30, 1990 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 34 of 145


² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies

in which they occur when calculating cumulative exposed pregnancies.

Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 15a. Pregnancies Exposed to Doxylamine and Pyridoxine (Diclegis equivalents only) by Number of Years After August 19, 2016 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 35 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 15b. Pregnancies Exposed to Doxylamine and Pyridoxine-Containing Products (Bonjesta only) by Number of Years After November 7, 2016 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 36 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 15c. Pregnancies Exposed to Doxylamine and Pyridoxine (Diclegis only) by Number of Years After April 8, 2013 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 37 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 16a. Pregnancies Exposed to Duloxetine (Cymbalta equivalents only) by Number of Years After December 11, 2013 Approval Date

Figure 16a not generated due to CMS small cell suppression policies.

Figure 16b. Pregnancies Exposed to Duloxetine (Cymbalta only) by Number of Years After August 3, 2004 Approval Date Figure 16b not generated due to CMS small cell suppression policies.


Figure 16c. Pregnancies Exposed to Duloxetine (except Cymbalta and equivalents) by Number of Years After July 19, 2019 Approval Date

Figure 16c not generated because no exposed pregnancies were identified.

cder_mp1p_wp083 Page 38 of 145



Figure 17. Pregnancies Exposed to Dupilumab (Dupixent only)* by Number of Years After March 28, 2017 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

Page 39 of 145 cder_mp1p_wp083

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period


^{*} This medical product of interest has a pregnancy-related PMR or PMC and is the only product in its drug concept available on the medical product of interest in the distinct as the ingredients contained in the medical product of interest in the distinct as the ingredients contained in the medical product of interest in the distinct as the ingredients contained in the medical product of interest identified by FDA. A single drug concept may include one or more medical products of interest.



Figure 18a. Pregnancies Exposed to Emtricitabine and Tenofovir Disoproxil Fumarate-Containing Products (except Truvada and equivalents) by Number of Years After July 12, 2006 Approval Date

Figure 18a not generated due to CMS small cell suppression policies.

Figure 18b. Pregnancies Exposed to Emtricitabine and Tenofovir Disoproxil Fumarate (Truvada equivalents only) by Number of Years After June 8, 2017 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

Figure 18c. Pregnancies Exposed to Emtricitabine and Tenofovir Disoproxil Fumarate (Truvada only) by Number of Years After August 2, 2004 Approval Date

Figure 18c not generated due to CMS small cell suppression policies.


cder_mp1p_wp083 Page 40 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 19. Pregnancies Exposed to Erenumab-Aooe (Aimovig only)* by Number of Years After May 17, 2018 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 41 of 145


² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.

^{*}This medical product of interest has a pregnancy-related PMR or PMC and is the only product in its drug concept available on the market. A drug concept is defined as the ingredients contained in the medical product of interest identified by FDA. A single drug concept may include one or more medical products of interest.



Figure 20. Pregnancies Exposed to Escitalopram-Containing products by Number of Years After August 16, 2002 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 42 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 21. Pregnancies Exposed to Fluoxetine-Containing Products by Number of Years After December 29, 1987 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 43 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

a Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 22a. Pregnancies Exposed to Hydroxyprogesterone Caproate (Makena equivalents only) by Number of Years After August 24, 2015 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 44 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

a Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 22b. Pregnancies Exposed to Hydroxyprogesterone Caproate (Makena only) by Number of Years After February 3, 2011 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 45 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

a Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 23. Pregnancies Exposed to Insulin NPH-Containing Products by Number of Years After September 30, 1990 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 46 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 24. Pregnancies Exposed to Insulin Aspart-Containing Products by Number of Years After June 7, 2000 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 47 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.




Figure 25. Pregnancies Exposed to Insulin Detemir-Containing Products by Number of Years After June 16, 2005 Approval Date Figure 25 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 48 of 145



Figure 26. Pregnancies Exposed to Lamotrigine-Containing Products by Number of Years After December 27, 1994 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 49 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 27. Pregnancies Exposed to Levetiracetam-Containing Products by Number of Years After November 30, 1999 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 50 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 28a. Pregnancies Exposed to Levonorgestrel-Containing Intrauterine Device Products (except Liletta and Mirena) by Number of Years After January 9, 2013 Approval Date

Figure 28a not generated due to CMS small cell suppression policies.

Figure 28b. Pregnancies Exposed to Levonorgestrel Intrauterine Device (Liletta only) by Number of Years After February 26, 2015 Approval Date

Figure 28b not generated due to CMS small cell suppression policies.


Figure 28c. Pregnancies Exposed to Levonorgestrel Intrauterine Device (Mirena only) by Number of Years After December 2, 2000 Approval Date

Figure 28c not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 51 of 145



Figure 29. Pregnancies Exposed to Lisdexamfetamine-Containing Products by Number of Years After February 23, 2007 **Approval Date**



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1

Page 52 of 145 cder_mp1p_wp083


years after product approval until the day before x years.

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 30. Pregnancies Exposed to Lurasidone-Containing Products by Number of Years After October 28, 2010 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

2 Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period

Page 53 of 145 cder_mp1p_wp083

in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 31. Pregnancies Exposed to Methylphenidate-Containing Products by Number of Years After December 5, 1955 Approval Date

Figure 31 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 54 of 145



Figure 32. Pregnancies Exposed to Milnacipran (Savella only)* by Number of Years After January 14, 2009 Approval Date

Figure 32 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 55 of 145



Figure 33. Pregnancies Exposed to Mirtazapine-Containing Products by Number of Years After June **14, 1996** Approval Date Figure 33 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 56 of 145



Figure 34a. Pregnancies Exposed to Modafinil (Provigil equivalents only) by Number of Years After September 27, 2012 Approval Date

Figure 34a not generated due to CMS small cell suppression policies.

Figure 34b. Pregnancies Exposed to Modafinil (Provigil only) by Number of Years After December 24, 1998 Approval Date

Figure 34b not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 57 of 145



Figure 35a. Pregnancies Exposed to Nicotine Nasal Spray Device (Nicotrol NS only)* by Number of Years After June 30, 1995 Approval Date

Figure 35a not generated due to CMS small cell suppression policies.

Figure 35b. Pregnancies Exposed to Nicotine Transdermal Device (Nicoderm CQ only) by Number of Years After September 3, 1996 Approval Date

Figure 35b not generated due to CMS small cell suppression policies.

Figure 35c. Pregnancies Exposed to Nicotine Transdermal Device (except Nicoderm CQ) by Number of Years After October 20, 1997 Approval Date

Figure 35c not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 58 of 145




Figure 36. Pregnancies Exposed to Non-Transdermal Nicotine Products by Number of Years After August 24, 1999 Approval Date

Figure 36 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 59 of 145



Figure 37. Pregnancies Exposed to Nortriptyline-Containing Products by Number of Years After August 1, 1977 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

Page 60 of 145 cder_mp1p_wp083

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period

in which they occur when calculating cumulative exposed pregnancies.

Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 38. Pregnancies Exposed to Olanzapine-Containing Products by Number of Years After December 24, 2003 Approval Date

Figure 38 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 61 of 145




Figure 39. Pregnancies Exposed to Omalizumab (Xolair only)* by Number of Years After June 20, 2003 Approval Date

Figure 39 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 62 of 145



Figure 40. Pregnancies Exposed to Paroxetine-Containing Products by Number of Years After December 29, 1992 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 63 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.




Figure 41. Pregnancies Exposed to Peginterferon Beta 1a (Plegridy only)* by Number of Years After August 15, 2014 Approval Date

Figure 41 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 64 of 145



Figure 42. Pregnancies Exposed to Pregabalin-Containing Products by Number of Years After December 30, 2004 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.


cder_mp1p_wp083 Page 65 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 43. Pregnancies Exposed to Quetiapine-Containing Products by Number of Years After September 29, 1997 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 66 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

a Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.




Figure 44. Pregnancies Exposed to Remdesivir (Veklury only)* by Number of Years After October 22, 2020 Approval Date

Figure 44 not generated because no exposed pregnancies were identified.

cder_mp1p_wp083 Page 67 of 145



Figure 45. Pregnancies Exposed to Risperidone-Containing Products by Number of Years After December 29, 1993 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 68 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 46a. Pregnancies Exposed to Semaglutide (Wegovy only) by Number of Years After June 4, 2021 Approval Date Figure 46a not generated due to CMS small cell suppression policies.

Figure 46b. Pregnancies Exposed to Semaglutide (Ozempic only) by Number of Years After December 5, 2017 Approval Date

Figure 46b not generated due to CMS small cell suppression policies.


Figure 46c. Pregnancies Exposed to Semaglutide (except Wegovy and Ozempic) by Number of Years After September 20, 2019 Approval Date

Figure 46c not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 69 of 145



Figure 47. Pregnancies Exposed to Sertraline-Containing Products by Number of Years After December 30, 1991 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 70 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

a Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 48. Pregnancies Exposed to Sitagliptin-Containing Products by Number of Years After October 16, 2006 Approval Date

Figure 48 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 71 of 145




Figure 49. Pregnancies Exposed to Sumatriptan-Containing Products by Number of Years After December 28, 1992 Approval Date

Figure 49 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 72 of 145



Figure 50. Pregnancies Exposed to Trazodone-Containing Products by Number of Years After September 30, 1990 Approval Date



¹ Each value represents a time period equivalent to the number of years since product approval date, such that the bar over time x represents pregnancies exposed from x-1 years after product approval until the day before x years.

cder_mp1p_wp083 Page 73 of 145

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies.

Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 51. Pregnancies Exposed to Ulipristal (Ella only)* by Number of Years After August 13, 2010 Approval Date

Figure 51 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 74 of 145




Figure 52. Pregnancies Exposed to Ustekinumab (Stelara only)* by Number of Years After September 25, 2009 Approval Date

Figure 52 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 75 of 145



Figure 53a. Pregnancies Exposed to Varenicline (Chantix equivalents only) by Number of Years After August 11, 2021 **Approval Date**



years after product approval until the day before x years.

Figure 53b. Pregnancies Exposed to Varenicline-Containing Products (except Chantix and equivalents) by Number of Years After October 15, 2021 Approval Date

Figure 53b not generated due to CMS small cell suppression policies.

Figure 53c. Pregnancies Exposed to Varenicline (Chantix only) by Number of Years After May 10, 2006 Approval Date Figure 53c not generated due to CMS small cell suppression policies.

Page 76 of 145 cder_mp1p_wp083

² Exposed pregnancies are counted in each period in which an exposure occurs. Pregnancies and exposures overlapping multiple years are only counted toward the first period in which they occur when calculating cumulative exposed pregnancies

³ Annualized Prevalence is defined as the proportion of all pregnancies in the given time period that have evidence of exposure to the product of interest in that time period.



Figure 54. Pregnancies Exposed to Venlafaxine-Containing Products by Number of Years After December 28, 1993 Approval Date

Figure 54 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 77 of 145



Figure 55. Pregnancies Exposed to Zolpidem-Containing Products by Number of Years After December 16, 1992 Approval Date

Figure 55 not generated due to CMS small cell suppression policies.

cder_mp1p_wp083 Page 78 of 145



Appendix A. Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (August 4, 2023)

Masked DP ID ¹	DP Start Date	DP End Date ¹
DP01	01/01/2008	08/31/2022
DP02	01/01/2010	12/31/2022
DP03	01/01/2014	12/31/2020
DP04	01/01/2007	01/31/2023
DP05	01/01/2008	12/31/2022
DP06	01/01/2006	10/31/2022

¹End Date represents the earliest of: (1) query end date, or (2) last day of the most recent month for which all of a Data Partner's data tables (enrollment, dispensing, etc.) have at least 80% of the record count relative to the prior month.

cder_mp1p_wp083 Page 79 of 145



Code	Description	Code	Code Type
		Category	
Live birth delivery			
0W8NXZZ	Division of Female Perineum, External Approach	Procedure	ICD-10-PCS
10900ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Open Approach	Procedure	ICD-10-PCS
10903ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Approach	Procedure	ICD-10-PCS
10904ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
10907ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10908ZC	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
10D00Z0	Extraction of Products of Conception, Classical, Open Approach	Procedure	ICD-10-PCS
10D00Z1	Extraction of Products of Conception, Low Cervical, Open Approach	Procedure	ICD-10-PCS
10D00Z2	Extraction of Products of Conception, Extraperitoneal, Open Approach	Procedure	ICD-10-PCS
10D07Z3	Extraction of Products of Conception, Low Forceps, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z4	Extraction of Products of Conception, Mid Forceps, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z5	Extraction of Products of Conception, High Forceps, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z6	Extraction of Products of Conception, Vacuum, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z7	Extraction of Products of Conception, Internal Version, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10D07Z8	Extraction of Products of Conception, Other, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
10E0XZZ	Delivery of Products of Conception, External Approach	Procedure	ICD-10-PCS
10S07ZZ	Reposition Products of Conception, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
59400	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care	Procedure	CPT-4
59409	Vaginal delivery only (with or without episiotomy and/or forceps);	Procedure	CPT-4
59410	Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care	Procedure	CPT-4
59510	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care	Procedure	CPT-4
59514	Cesarean delivery only;	Procedure	CPT-4
59515	Cesarean delivery only; including postpartum care	Procedure	CPT-4

cder_mp1p_wp083 Page 80 of 145



Code	Description	Code	Code Type
	·	Category	,,
59610	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery	Procedure	CPT-4
59612	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps);	Procedure	CPT-4
59614	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care	Procedure	CPT-4
59618	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery	Procedure	CPT-4
59620	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery;	Procedure	CPT-4
59622	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; including postpartum care	Procedure	CPT-4
64101	Placenta previa without hemorrhage, with delivery	Diagnosis	ICD-9-CM
64111	Hemorrhage from placenta previa, with delivery	Diagnosis	ICD-9-CM
64121	Premature separation of placenta, with delivery	Diagnosis	ICD-9-CM
64131	Antepartum hemorrhage associated with coagulation defects, with delivery	Diagnosis	ICD-9-CM
64181	Other antepartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
64191	Unspecified antepartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
64201	Benign essential hypertension with delivery	Diagnosis	ICD-9-CM
64202	Benign essential hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64211	Hypertension secondary to renal disease, with delivery	Diagnosis	ICD-9-CM
64212	Hypertension secondary to renal disease, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64221	Other pre-existing hypertension, with delivery	Diagnosis	ICD-9-CM
64222	Other pre-existing hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64231	Transient hypertension of pregnancy, with delivery	Diagnosis	ICD-9-CM
64232	Transient hypertension of pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64241	Mild or unspecified pre-eclampsia, with delivery	Diagnosis	ICD-9-CM
64242	Mild or unspecified pre-eclampsia, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64251	Severe pre-eclampsia, with delivery	Diagnosis	ICD-9-CM
64252	Severe pre-eclampsia, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64261	Eclampsia, with delivery	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 81 of 145



Code	Description	Code	Code Type
	·	Category	
64262	Eclampsia, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64271	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery	Diagnosis	ICD-9-CM
64272	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64291	Unspecified hypertension, with delivery	Diagnosis	ICD-9-CM
64292	Unspecified hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64301	Mild hyperemesis gravidarum, delivered	Diagnosis	ICD-9-CM
64311	Hyperemesis gravidarum with metabolic disturbance, delivered	Diagnosis	ICD-9-CM
64321	Late vomiting of pregnancy, delivered	Diagnosis	ICD-9-CM
64381	Other vomiting complicating pregnancy, delivered	Diagnosis	ICD-9-CM
64391	Unspecified vomiting of pregnancy, delivered	Diagnosis	ICD-9-CM
64421	Early onset of delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64501	Prolonged pregnancy, with delivery	Diagnosis	ICD-9-CM
64511	Post term pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64521	Prolonged pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64522		Diagnosis	ICD-9-CM
64601	Papyraceous fetus, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64611	Edema or excessive weight gain in pregnancy, with delivery, with or without mention of antepartum complication	Diagnosis	ICD-9-CM
64612	Edema or excessive weight gain in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64621	Unspecified renal disease in pregnancy, with delivery	Diagnosis	ICD-9-CM
64622	Unspecified renal disease in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64631	Pregnancy complication, recurrent pregnancy loss, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64641	Peripheral neuritis in pregnancy, with delivery	Diagnosis	ICD-9-CM
64642	Peripheral neuritis in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64651	Asymptomatic bacteriuria in pregnancy, with delivery	Diagnosis	ICD-9-CM
64652	Asymptomatic bacteriuria in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64661	Infections of genitourinary tract in pregnancy, with delivery	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 82 of 145



Code	Description	Code Category	Code Type
64662	Infections of genitourinary tract in pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64671	Liver and biliary tract disorders in pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64681	Other specified complication of pregnancy, with delivery	Diagnosis	ICD-9-CM
64682	Other specified complications of pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64691	Unspecified complication of pregnancy, with delivery	Diagnosis	ICD-9-CM
64701	Maternal syphilis, complicating pregnancy, with delivery	Diagnosis	ICD-9-CM
64702	Maternal syphilis, complicating pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64711	Maternal gonorrhea with delivery	Diagnosis	ICD-9-CM
64712	Maternal gonorrhea, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64721	Other maternal venereal diseases with delivery	Diagnosis	ICD-9-CM
64722	Other maternal venereal diseases with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64731	Maternal tuberculosis with delivery	Diagnosis	ICD-9-CM
64732	Maternal tuberculosis with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64741	Maternal malaria with delivery	Diagnosis	ICD-9-CM
64742	Maternal malaria with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64751	Maternal rubella with delivery	Diagnosis	ICD-9-CM
64752	Maternal rubella with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64761	Other maternal viral disease with delivery	Diagnosis	ICD-9-CM
64762	Other maternal viral disease with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64781	Other specified maternal infectious and parasitic disease with delivery	Diagnosis	ICD-9-CM
64782	Other specified maternal infectious and parasitic disease with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64791	Unspecified maternal infection or infestation with delivery	Diagnosis	ICD-9-CM
64792	Unspecified maternal infection or infestation with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64801	Maternal diabetes mellitus with delivery	Diagnosis	ICD-9-CM
64802	Maternal diabetes mellitus with delivery, with current postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 83 of 145



	<u> </u>		
Code	Description	Code Category	Code Type
64811	Maternal thyroid dysfunction with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64812	Maternal thyroid dysfunction with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64821	Maternal anemia, with delivery	Diagnosis	ICD-9-CM
64822	Maternal anemia with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64831	Maternal drug dependence, with delivery	Diagnosis	ICD-9-CM
64832	Maternal drug dependence, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64841	Maternal mental disorders, with delivery	Diagnosis	ICD-9-CM
64842	Maternal mental disorders, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64851	Maternal congenital cardiovascular disorders, with delivery	Diagnosis	ICD-9-CM
64852	Maternal congenital cardiovascular disorders, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64861	Other maternal cardiovascular diseases, with delivery	Diagnosis	ICD-9-CM
64862	Other maternal cardiovascular diseases, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64871	Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery	Diagnosis	ICD-9-CM
64872	Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64881	Abnormal maternal glucose tolerance, with delivery	Diagnosis	ICD-9-CM
64882	Abnormal maternal glucose tolerance, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64891	Other current maternal conditions classifiable elsewhere, with delivery	Diagnosis	ICD-9-CM
64892	Other current maternal conditions classifiable elsewhere, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64901	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64902	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64911	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64912	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 84 of 145



Code	Description	Code Category	Code Type
64921	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64922	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64931	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64932	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64941	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64942	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64951	Spotting complicating pregnancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64961	Uterine size date discrepancy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64962	Uterine size date discrepancy, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64971	Cervical shortening, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64981	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64982	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
650	Normal delivery	Diagnosis	ICD-9-CM
65101	Twin pregnancy, delivered	Diagnosis	ICD-9-CM
65111	Triplet pregnancy, delivered	Diagnosis	ICD-9-CM
65121	Quadruplet pregnancy, delivered	Diagnosis	ICD-9-CM
65131	Twin pregnancy with fetal loss and retention of one fetus, delivered	Diagnosis	ICD-9-CM
65141	Triplet pregnancy with fetal loss and retention of one or more, delivered	Diagnosis	ICD-9-CM
65151	Quadruplet pregnancy with fetal loss and retention of one or more, delivered	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 85 of 145



Code	Description	Code Category	Code Type
65161	Other multiple pregnancy with fetal loss and retention of one or more fetus(es), delivered	Diagnosis	ICD-9-CM
65171	Multiple gestation following (elective) fetal reduction, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65181	Other specified multiple gestation, delivered	Diagnosis	ICD-9-CM
65191	Unspecified multiple gestation, delivered	Diagnosis	ICD-9-CM
65201	Unstable lie of fetus, delivered	Diagnosis	ICD-9-CM
65211	Breech or other malpresentation successfully converted to cephalic presentation, delivered	Diagnosis	ICD-9-CM
65221	Breech presentation without mention of version, delivered	Diagnosis	ICD-9-CM
65231	Transverse or oblique fetal presentation, delivered	Diagnosis	ICD-9-CM
65241	Fetal face or brow presentation, delivered	Diagnosis	ICD-9-CM
65251	High fetal head at term, delivered	Diagnosis	ICD-9-CM
65261	Multiple gestation with malpresentation of one fetus or more, delivered	Diagnosis	ICD-9-CM
65271	Prolapsed arm of fetus, delivered	Diagnosis	ICD-9-CM
65281	Other specified malposition or malpresentation of fetus, delivered	Diagnosis	ICD-9-CM
65291	Unspecified malposition or malpresentation of fetus, delivered	Diagnosis	ICD-9-CM
65301	Major abnormality of bony pelvis, not further specified, delivered	Diagnosis	ICD-9-CM
65311	Generally contracted pelvis in pregnancy, delivered	Diagnosis	ICD-9-CM
65321	Inlet contraction of pelvis in pregnancy, delivered	Diagnosis	ICD-9-CM
65331	Outlet contraction of pelvis in pregnancy, delivered	Diagnosis	ICD-9-CM
65341	Fetopelvic disproportion, delivered	Diagnosis	ICD-9-CM
65351	Unusually large fetus causing disproportion, delivered	Diagnosis	ICD-9-CM
65361	Hydrocephalic fetus causing disproportion, delivered	Diagnosis	ICD-9-CM
65371	Other fetal abnormality causing disproportion, delivered	Diagnosis	ICD-9-CM
65381	Fetal disproportion of other origin, delivered	Diagnosis	ICD-9-CM
65391	Unspecified fetal disproportion, delivered	Diagnosis	ICD-9-CM
65401	Congenital abnormalities of pregnant uterus, delivered	Diagnosis	ICD-9-CM
65402	Congenital abnormalities of pregnant uterus, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65411	Tumors of body of uterus, delivered	Diagnosis	ICD-9-CM
65412	Tumors of body of uterus, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65421	Previous cesarean delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65431	Retroverted and incarcerated gravid uterus, delivered	Diagnosis	ICD-9-CM
65432	Retroverted and incarcerated gravid uterus, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 86 of 145



Code	Description	Code Category	Code Type
65441	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered	Diagnosis	ICD-9-CM
65442	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65451	Cervical incompetence, delivered	Diagnosis	ICD-9-CM
65452	Cervical incompetence, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65461	Other congenital or acquired abnormality of cervix, with delivery	Diagnosis	ICD-9-CM
65462	Other congenital or acquired abnormality of cervix, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65471	Congenital or acquired abnormality of vagina, with delivery	Diagnosis	ICD-9-CM
65472	Congenital or acquired abnormality of vagina, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65481	Congenital or acquired abnormality of vulva, with delivery	Diagnosis	ICD-9-CM
65482	Congenital or acquired abnormality of vulva, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65491	Other and unspecified abnormality of organs and soft tissues of pelvis, with delivery	Diagnosis	ICD-9-CM
65492	Other and unspecified abnormality of organs and soft tissues of pelvis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
65501	Central nervous system malformation in fetus, with delivery	Diagnosis	ICD-9-CM
65511	Chromosomal abnormality in fetus, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65521	Hereditary disease in family possibly affecting fetus, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65531	Suspected damage to fetus from viral disease in mother, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65541	Suspected damage to fetus from other disease in mother, affecting management of mother, with delivery	Diagnosis	ICD-9-CM
65551	Suspected damage to fetus from drugs, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65561	Suspected damage to fetus from radiation, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65571	Decreased fetal movements, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65581	Other known or suspected fetal abnormality, not elsewhere classified, affecting management of mother, delivery	Diagnosis	ICD-9-CM
65591	Unspecified fetal abnormality affecting management of mother, delivery	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 87 of 145



Code	Description	Code	Code Type
		Category	
65601	Fetal-maternal hemorrhage, with delivery	Diagnosis	ICD-9-CM
65611	Rhesus isoimmunization affecting management of mother, delivered	Diagnosis	ICD-9-CM
65621	leging require tion from other and unexpected blood group	Diagnasis	ICD O CM
03021	Isoimmunization from other and unspecified blood-group incompatibility, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65631	Fetal distress affecting management of mother, delivered	Diagnosis	ICD-9-CM
65641	Intrauterine death affecting management of mother, delivered	Diagnosis	ICD-9-CM
65651	Poor fetal growth, affecting management of mother, delivered	Diagnosis	ICD-9-CM
65661	Excessive fetal growth affecting management of mother, delivered	Diagnosis	ICD-9-CM
65671	Other placental conditions affecting management of mother, delivered	Diagnosis	ICD-9-CM
65681	Other specified fetal and placental problems affecting management of mother, delivered	Diagnosis	ICD-9-CM
65691	Unspecified fetal and placental problem affecting management of mother, delivered	Diagnosis	ICD-9-CM
65701	Polyhydramnios, with delivery	Diagnosis	ICD-9-CM
65801	Oligohydramnios, delivered	Diagnosis	ICD-9-CM
65811	Premature rupture of membranes in pregnancy, delivered	Diagnosis	ICD-9-CM
65821	Delayed delivery after spontaneous or unspecified rupture of membranes, delivered	Diagnosis	ICD-9-CM
65831	Delayed delivery after artificial rupture of membranes, delivered	Diagnosis	ICD-9-CM
65841	Infection of amniotic cavity, delivered	Diagnosis	ICD-9-CM
65881	Other problem associated with amniotic cavity and membranes, delivered	Diagnosis	ICD-9-CM
65891	Unspecified problem associated with amniotic cavity and membranes, delivered	Diagnosis	ICD-9-CM
65901	Failed mechanical induction of labor, delivered	Diagnosis	ICD-9-CM
65911	Failed medical or unspecified induction of labor, delivered	Diagnosis	ICD-9-CM
65921	Unspecified maternal pyrexia during labor, delivered	Diagnosis	ICD-9-CM
65931	Generalized infection during labor, delivered	Diagnosis	ICD-9-CM
65941	Grand multiparity, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65951	Elderly primigravida, delivered	Diagnosis	ICD-9-CM
65961	Elderly multigravida, delivered, with mention of antepartum condition	Diagnosis	ICD-9-CM
65971	Abnormality in fetal heart rate or rhythm, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
65981	Other specified indication for care or intervention related to labor and delivery, delivered	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 88 of 145



Code	Description	Code	Code Type
		Category	
65991	Unspecified indication for care or intervention related to labor and delivery, delivered	Diagnosis	ICD-9-CM
66001	Obstruction caused by malposition of fetus at onset of labor, delivered	Diagnosis	ICD-9-CM
66011	Obstruction by bony pelvis during labor and delivery, delivered	Diagnosis	ICD-9-CM
66021	Obstruction by abnormal pelvic soft tissues during labor and delivery, delivered	Diagnosis	ICD-9-CM
66031	Deep transverse arrest and persistent occipitoposterior position during labor and deliver, delivered	Diagnosis	ICD-9-CM
66041	Shoulder (girdle) dystocia during labor and deliver, delivered	Diagnosis	ICD-9-CM
66051	Locked twins, delivered	Diagnosis	ICD-9-CM
66061	Unspecified failed trial of labor, delivered	Diagnosis	ICD-9-CM
66071	Unspecified failed forceps or vacuum extractor, delivered	Diagnosis	ICD-9-CM
66081	Other causes of obstructed labor, delivered	Diagnosis	ICD-9-CM
66091	Unspecified obstructed labor, with delivery	Diagnosis	ICD-9-CM
66101	Primary uterine inertia, with delivery	Diagnosis	ICD-9-CM
66111	Secondary uterine inertia, with delivery	Diagnosis	ICD-9-CM
66121	Other and unspecified uterine inertia, with delivery	Diagnosis	ICD-9-CM
66131	Precipitate labor, with delivery	Diagnosis	ICD-9-CM
66141	Hypertonic, incoordinate, or prolonged uterine contractions, with delivery	Diagnosis	ICD-9-CM
66191	Unspecified abnormality of labor, with delivery	Diagnosis	ICD-9-CM
66201	Prolonged first stage of labor, delivered	Diagnosis	ICD-9-CM
66211	Unspecified prolonged labor, delivered	Diagnosis	ICD-9-CM
66221	Prolonged second stage of labor, delivered	Diagnosis	ICD-9-CM
66231	Delayed delivery of second twin, triplet, etc., delivered	Diagnosis	ICD-9-CM
66301	Prolapse of cord, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66311	Cord around neck, with compression, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66321	Other and unspecified cord entanglement, with compression, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66331	Other and unspecified cord entanglement, without mention of compression, complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66341	Short cord complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66351	Vasa previa complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66361	Vascular lesions of cord complicating labor and delivery, delivered	Diagnosis	ICD-9-CM
66381	Other umbilical cord complications during labor and delivery, delivered	Diagnosis	ICD-9-CM
66391	Unspecified umbilical cord complication during labor and delivery, delivered	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 89 of 145



Code	Description	Code	Code Type
	·	Category	
66401	First-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66411	Second-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66421	Third-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66431	Fourth-degree perineal laceration, with delivery	Diagnosis	ICD-9-CM
66441	Unspecified perineal laceration, with delivery	Diagnosis	ICD-9-CM
66451	Vulvar and perineal hematoma, with delivery	Diagnosis	ICD-9-CM
66461	Anal sphincter tear complicating delivery, not associated with third-	Diagnosis	ICD-9-CM
	degree perineal laceration, delivered, with or without mention of antepartum condition		
66481	Other specified trauma to perineum and vulva, with delivery	Diagnosis	ICD-9-CM
66491	Unspecified trauma to perineum and vulva, with delivery	Diagnosis	ICD-9-CM
66501	Rupture of uterus before onset of labor, with delivery	Diagnosis	ICD-9-CM
66511	Rupture of uterus during labor, with delivery	Diagnosis	ICD-9-CM
66522	Inversion of uterus, delivered with postpartum complication	Diagnosis	ICD-9-CM
66531	Laceration of cervix, with delivery	Diagnosis	ICD-9-CM
66541	High vaginal laceration, with delivery	Diagnosis	ICD-9-CM
66551	Other injury to pelvic organs, with delivery	Diagnosis	ICD-9-CM
66561	Damage to pelvic joints and ligaments, with delivery	Diagnosis	ICD-9-CM
66571	Pelvic hematoma, with delivery	Diagnosis	ICD-9-CM
66572	Pelvic hematoma, delivered with postpartum complication	Diagnosis	ICD-9-CM
66581	Other specified obstetrical trauma, with delivery	Diagnosis	ICD-9-CM
66582	Other specified obstetrical trauma, delivered, with postpartum	Diagnosis	ICD-9-CM
66591	Unspecified obstetrical trauma, with delivery	Diagnosis	ICD-9-CM
66592	Unspecified obstetrical trauma, delivered, with postpartum complication	Diagnosis	ICD-9-CM
66602	Third-stage postpartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
66612	Other immediate postpartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
66622	Delayed and secondary postpartum hemorrhage, with delivery	Diagnosis	ICD-9-CM
66632	Postpartum coagulation defects, with delivery	Diagnosis	ICD-9-CM
66702	Retained placenta without hemorrhage, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66712	Retained portions of placenta or membranes, without hemorrhage, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66801	Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66802	Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66811	Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 90 of 145



Code	Description	Code Category	Code Type
66812	Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66821	Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66822	Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66881	Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66882	Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66891	Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered	Diagnosis	ICD-9-CM
66892	Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66901	Maternal distress, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66902	Maternal distress, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66911	Shock during or following labor and delivery, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66912	Shock during or following labor and delivery, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66921	Maternal hypotension syndrome, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66922	Maternal hypotension syndrome, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66932	Acute kidney failure following labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66941	Other complications of obstetrical surgery and procedures, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66942	Other complications of obstetrical surgery and procedures, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
66951	Forceps or vacuum extractor delivery without mention of indication, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 91 of 145



Code	Description	Code Category	Code Type
66961	Breech extraction, without mention of indication, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66971	Cesarean delivery, without mention of indication, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66981	Other complication of labor and delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66982	Other complication of labor and delivery, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
66991	Unspecified complication of labor and delivery, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
66992	Unspecified complication of labor and delivery, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67002	Major puerperal infection, unspecified, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67012	Puerperal endometritis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67022	Puerperal sepsis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67032	Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67082	Other major puerperal infection, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67101	Varicose veins of legs, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67102	Varicose veins of legs, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67111	Varicose veins of vulva and perineum, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67112	Varicose veins of vulva and perineum, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67121	Superficial thrombophlebitis with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67122	Superficial thrombophlebitis with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67131	Deep phlebothrombosis, antepartum, with delivery	Diagnosis	ICD-9-CM
67142	Deep phlebothrombosis, postpartum, with delivery	Diagnosis	ICD-9-CM
67151	Other phlebitis and thrombosis with delivery, with or without mention of antepartum condition	_	ICD-9-CM
67152	Other phlebitis and thrombosis with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 92 of 145



Code	Description	Code Category	Code Type
67181	Other venous complication, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67182	Other venous complication, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67191	Unspecified venous complication, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67192	Unspecified venous complication, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67202	Puerperal pyrexia of unknown origin, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67301	Obstetrical air embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67302	Obstetrical air embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67311	Amniotic fluid embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67312	Amniotic fluid embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67321	Obstetrical blood-clot embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67322	Obstetrical blood-clot embolism, with mention of postpartum complication	Diagnosis	ICD-9-CM
67331	Obstetrical pyemic and septic embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67332	Obstetrical pyemic and septic embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67381	Other obstetrical pulmonary embolism, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67382	Other obstetrical pulmonary embolism, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67401	Cerebrovascular disorder, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67402	Cerebrovascular disorder, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67412	Disruption of cesarean wound, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67422	Disruption of perineal wound, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67432	Other complication of obstetrical surgical wounds, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 93 of 145



Code	Description	Code	Code Type
		Category	
67442	Placental polyp, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67451	Peripartum cardiomyopathy, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67452	Peripartum cardiomyopathy, delivered, with mention of postpartum condition	Diagnosis	ICD-9-CM
67482	Other complication of puerperium, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67492	Unspecified complications of puerperium, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67501	Infection of nipple associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67502	Infection of nipple associated with childbirth, delivered with mention of postpartum complication	Diagnosis	ICD-9-CM
67511	Abscess of breast associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67512	Abscess of breast associated with childbirth, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67521	Nonpurulent mastitis, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67522	Nonpurulent mastitis, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67581	Other specified infection of the breast and nipple associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67582	Other specified infection of the breast and nipple associated with childbirth, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67591	Unspecified infection of the breast and nipple, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67592	Unspecified infection of the breast and nipple, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67601	Retracted nipple, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67602	Retracted nipple, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67611	Cracked nipple, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67612	Cracked nipple, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 94 of 145



Code	Description	Code Category	Code Type
67621	Engorgement of breasts, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67622	Engorgement of breasts, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67631	Other and unspecified disorder of breast associated with childbirth, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67632	Other and unspecified disorder of breast associated with childbirth, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67641	Failure of lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67642	Failure of lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67651	Suppressed lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67652	Suppressed lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67661	Galactorrhea, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67662	Galactorrhea, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67681	Other disorder of lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67682	Other disorder of lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67691	Unspecified disorder of lactation, with delivery, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67692	Unspecified disorder of lactation, with delivery, with mention of postpartum complication	Diagnosis	ICD-9-CM
67801	Fetal hematologic conditions, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67811	Fetal conjoined twins, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67901	Maternal complications from in utero procedure, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67902	Maternal complications from in utero procedure, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
67911	Fetal complications from in utero procedure, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
67912	Fetal complications from in utero procedure, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 95 of 145



Code	Description	Code	Code Type
		Category	
72	Forceps, vacuum, and breech delivery	Procedure	ICD-9-CM
720	Low forceps operation	Procedure	ICD-9-CM
721	Low forceps operation with episiotomy	Procedure	ICD-9-CM
722	Mid forceps operation	Procedure	ICD-9-CM
7221	Mid forceps operation with episiotomy	Procedure	ICD-9-CM
7229	Other mid forceps operation	Procedure	ICD-9-CM
723	High forceps operation	Procedure	ICD-9-CM
7231	High forceps operation with episiotomy	Procedure	ICD-9-CM
7239	Other high forceps operation	Procedure	ICD-9-CM
724	Forceps rotation of fetal head	Procedure	ICD-9-CM
725	Breech extraction	Procedure	ICD-9-CM
7251	Partial breech extraction with forceps to aftercoming head	Procedure	ICD-9-CM
7252	Other partial breech extraction	Procedure	ICD-9-CM
7253	Total breech extraction with forceps to aftercoming head	Procedure	ICD-9-CM
7254	Other total breech extraction	Procedure	ICD-9-CM
726	Forceps application to aftercoming head	Procedure	ICD-9-CM
727	Vacuum extraction	Procedure	ICD-9-CM
7271	Vacuum extraction with episiotomy	Procedure	ICD-9-CM
7279	Other vacuum extraction	Procedure	ICD-9-CM
728	Other specified instrumental delivery	Procedure	ICD-9-CM
729	Unspecified instrumental delivery	Procedure	ICD-9-CM
73	Other procedures inducing or assisting delivery	Procedure	ICD-9-CM
730	Artificial rupture of membranes	Procedure	ICD-9-CM
7301	Induction of labor by artificial rupture of membranes	Procedure	ICD-9-CM
7309	Other artificial rupture of membranes	Procedure	ICD-9-CM
731	Other surgical induction of labor	Procedure	ICD-9-CM
732	Internal and combined version and extraction	Procedure	ICD-9-CM
7321	Internal and combined version without extraction	Procedure	ICD-9-CM
7322	Internal and combined version with extraction	Procedure	ICD-9-CM
733	Failed forceps	Procedure	ICD-9-CM
734	Medical induction of labor	Procedure	ICD-9-CM
735	Manually assisted delivery	Procedure	ICD-9-CM
7351	Manual rotation of fetal head	Procedure	ICD-9-CM
7359	Other manually assisted delivery	Procedure	ICD-9-CM
736	Episiotomy	Procedure	ICD-9-CM
738	Operations on fetus to facilitate delivery	Procedure	ICD-9-CM
739	Other operations assisting delivery	Procedure	ICD-9-CM
7391	External version to assist delivery	Procedure	ICD-9-CM
7392	Replacement of prolapsed umbilical cord	Procedure	ICD-9-CM
7393	Incision of cervix to assist delivery	Procedure	ICD-9-CM

cder_mp1p_wp083 Page 96 of 145



Code	Description	Code	Code Type
		Category	
7394	Pubiotomy to assist delivery	Procedure	ICD-9-CM
7399	Other operations to assist delivery	Procedure	ICD-9-CM
740	Classical cesarean section	Procedure	ICD-9-CM
741	Low cervical cesarean section	Procedure	ICD-9-CM
742	Extraperitoneal cesarean section	Procedure	ICD-9-CM
744	Cesarean section of other specified type	Procedure	ICD-9-CM
749	Cesarean section of unspecified type	Procedure	ICD-9-CM
7499	Other cesarean section of unspecified type	Procedure	ICD-9-CM
7630	Fetus or newborn affected by breech delivery and extraction	Diagnosis	ICD-9-CM
7632	Fetus or newborn affected by forceps delivery	Diagnosis	ICD-9-CM
7633	Fetus or newborn affected by delivery by vacuum extractor	Diagnosis	ICD-9-CM
7634	Fetus or newborn affected by cesarean delivery	Diagnosis	ICD-9-CM
7636	Fetus or newborn affected by precipitate delivery	Diagnosis	ICD-9-CM
7680	Fetal death from asphyxia or anoxia before onset of labor or at unspecified time	Diagnosis	ICD-9-CM
7681	Fetal death from asphyxia or anoxia during labor	Diagnosis	ICD-9-CM
O1002	Pre-existing essential hypertension complicating childbirth	Diagnosis	ICD-10-CM
01012	Pre-existing hypertensive heart disease complicating childbirth	Diagnosis	ICD-10-CM
O1022	Pre-existing hypertensive chronic kidney disease complicating childbirth	Diagnosis	ICD-10-CM
O1032	Pre-existing hypertensive heart and chronic kidney disease complicating childbirth	Diagnosis	ICD-10-CM
01042	Pre-existing secondary hypertension complicating childbirth	Diagnosis	ICD-10-CM
O1092	Unspecified pre-existing hypertension complicating childbirth	Diagnosis	ICD-10-CM
0114	Pre-existing hypertension with pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O1204	Gestational edema, complicating childbirth	Diagnosis	ICD-10-CM
01214	Gestational proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
01224	Gestational edema with proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
O134	Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
O1404	Mild to moderate pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O1414	Severe pre-eclampsia complicating childbirth	Diagnosis	ICD-10-CM
O1424	HELLP syndrome, complicating childbirth	Diagnosis	ICD-10-CM
O1494	Unspecified pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
0164	Unspecified maternal hypertension, complicating childbirth	Diagnosis	ICD-10-CM
O2402	Pre-existing type 1 diabetes mellitus, in childbirth	Diagnosis	ICD-10-CM
O2412	Pre-existing type 2 diabetes mellitus, in childbirth	Diagnosis	ICD-10-CM
O2432	Unspecified pre-existing diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O24420	Gestational diabetes mellitus in childbirth, diet controlled	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 97 of 145



Code	Description	Code	Code Type
		Category	
O24424	Gestational diabetes mellitus in childbirth, insulin controlled	Diagnosis	ICD-10-CM
O24425	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24429	Gestational diabetes mellitus in childbirth, unspecified control	Diagnosis	ICD-10-CM
O2482	Other pre-existing diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O2492	Unspecified diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
0252	Malnutrition in childbirth	Diagnosis	ICD-10-CM
O2662	Liver and biliary tract disorders in childbirth	Diagnosis	ICD-10-CM
02672	Subluxation of symphysis (pubis) in childbirth	Diagnosis	ICD-10-CM
O6012X0	Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6012X1	Preterm labor second trimester with preterm delivery second trimester, fetus 1	Diagnosis	ICD-10-CM
O6012X2	Preterm labor second trimester with preterm delivery second trimester, fetus 2	Diagnosis	ICD-10-CM
O6012X3	Preterm labor second trimester with preterm delivery second trimester, fetus 3	Diagnosis	ICD-10-CM
O6012X4	Preterm labor second trimester with preterm delivery second trimester, fetus 4	Diagnosis	ICD-10-CM
O6012X5	Preterm labor second trimester with preterm delivery second trimester, fetus 5	Diagnosis	ICD-10-CM
O6012X9	Preterm labor second trimester with preterm delivery second trimester, other fetus	Diagnosis	ICD-10-CM
O6013X0	Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6013X1	Preterm labor second trimester with preterm delivery third trimester, fetus 1	Diagnosis	ICD-10-CM
O6013X2	Preterm labor second trimester with preterm delivery third trimester, fetus 2	Diagnosis	ICD-10-CM
O6013X3	Preterm labor second trimester with preterm delivery third trimester, fetus 3	Diagnosis	ICD-10-CM
O6013X4	Preterm labor second trimester with preterm delivery third trimester, fetus 4	Diagnosis	ICD-10-CM
O6013X5	Preterm labor second trimester with preterm delivery third trimester, fetus 5	Diagnosis	ICD-10-CM
O6013X9	Preterm labor second trimester with preterm delivery third trimester, other fetus	Diagnosis	ICD-10-CM
O6014X0	Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 98 of 145



Code	Description	Code	Code Type
Jour	- Description	Category	Couc Type
O6014X1	Preterm labor third trimester with preterm delivery third trimester, fetus	Diagnosis	ICD-10-CM
0.001.4\(\frac{1}{2}\)		Diamania	100 40 604
O6014X2	Preterm labor third trimester with preterm delivery third trimester, fetus 2	Diagnosis	ICD-10-CM
O6014X3	Preterm labor third trimester with preterm delivery third trimester, fetus	Diagnosis	ICD-10-CM
00014/13	3	Diagnosis	100 10 011
O6014X4	Preterm labor third trimester with preterm delivery third trimester, fetus 4	Diagnosis	ICD-10-CM
O6014X5	Preterm labor third trimester with preterm delivery third trimester, fetus	Diagnosis	ICD-10-CM
0001473	5	Diagnosis	ICD-10-CIVI
O6014X9	Preterm labor third trimester with preterm delivery third trimester, other fetus	Diagnosis	ICD-10-CM
O6022X0	Term delivery with preterm labor, second trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6022X1	Term delivery with preterm labor, second trimester, fetus 1	Diagnosis	ICD-10-CM
O6022X2	Term delivery with preterm labor, second trimester, fetus 2	Diagnosis	ICD-10-CM
O6022X3	Term delivery with preterm labor, second trimester, fetus 3	Diagnosis	ICD-10-CM
O6022X4	Term delivery with preterm labor, second trimester, fetus 4	Diagnosis	ICD-10-CM
O6022X5	Term delivery with preterm labor, second trimester, fetus 5	Diagnosis	ICD-10-CM
O6022X9	Term delivery with preterm labor, second trimester, other fetus	Diagnosis	ICD-10-CM
O6023X0	Term delivery with preterm labor, third trimester, not applicable or unspecified	Diagnosis	ICD-10-CM
O6023X1	Term delivery with preterm labor, third trimester, fetus 1	Diagnosis	ICD-10-CM
O6023X2	Term delivery with preterm labor, third trimester, fetus 2	Diagnosis	ICD-10-CM
O6023X3	Term delivery with preterm labor, third trimester, fetus 3	Diagnosis	ICD-10-CM
O6023X4	Term delivery with preterm labor, third trimester, fetus 4	Diagnosis	ICD-10-CM
O6023X5	Term delivery with preterm labor, third trimester, fetus 5	Diagnosis	ICD-10-CM
O6023X9	Term delivery with preterm labor, third trimester, other fetus	Diagnosis	ICD-10-CM
O632	Delayed delivery of second twin, triplet, etc	Diagnosis	ICD-10-CM
O670	Intrapartum hemorrhage with coagulation defect	Diagnosis	ICD-10-CM
O678	Other intrapartum hemorrhage	Diagnosis	ICD-10-CM
0679	Intrapartum hemorrhage, unspecified	Diagnosis	ICD-10-CM
O68	Labor and delivery complicated by abnormality of fetal acid-base balance	Diagnosis	ICD-10-CM
O690XX0	Labor and delivery complicated by prolapse of cord, not applicable or unspecified	Diagnosis	ICD-10-CM
O690XX1	Labor and delivery complicated by prolapse of cord, fetus 1	Diagnosis	ICD-10-CM
O690XX2	Labor and delivery complicated by prolapse of cord, fetus 2	Diagnosis	ICD-10-CM
O690XX3	Labor and delivery complicated by prolapse of cord, fetus 3	Diagnosis	ICD-10-CM
O690XX4	Labor and delivery complicated by prolapse of cord, fetus 4	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 99 of 145



Code	Description	Code	Code Type
		Category	
O690XX5	Labor and delivery complicated by prolapse of cord, fetus 5	Diagnosis	ICD-10-CM
O690XX9	Labor and delivery complicated by prolapse of cord, other fetus	Diagnosis	ICD-10-CM
O691XX0	Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O691XX1	Labor and delivery complicated by cord around neck, with compression, fetus 1	Diagnosis	ICD-10-CM
O691XX2	Labor and delivery complicated by cord around neck, with compression, fetus 2	Diagnosis	ICD-10-CM
O691XX3	Labor and delivery complicated by cord around neck, with compression, fetus 3	Diagnosis	ICD-10-CM
O691XX4	Labor and delivery complicated by cord around neck, with compression, fetus 4	Diagnosis	ICD-10-CM
O691XX5	Labor and delivery complicated by cord around neck, with compression, fetus 5	Diagnosis	ICD-10-CM
O691XX9	Labor and delivery complicated by cord around neck, with compression, other fetus	Diagnosis	ICD-10-CM
O692XX0	Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O692XX1	Labor and delivery complicated by other cord entanglement, with compression, fetus 1	Diagnosis	ICD-10-CM
O692XX2	Labor and delivery complicated by other cord entanglement, with compression, fetus 2	Diagnosis	ICD-10-CM
O692XX3	Labor and delivery complicated by other cord entanglement, with compression, fetus 3	Diagnosis	ICD-10-CM
O692XX4	Labor and delivery complicated by other cord entanglement, with compression, fetus 4	Diagnosis	ICD-10-CM
O692XX5	Labor and delivery complicated by other cord entanglement, with compression, fetus 5	Diagnosis	ICD-10-CM
O692XX9	Labor and delivery complicated by other cord entanglement, with compression, other fetus	Diagnosis	ICD-10-CM
O693XX0	Labor and delivery complicated by short cord, not applicable or unspecified	Diagnosis	ICD-10-CM
O693XX1	Labor and delivery complicated by short cord, fetus 1	Diagnosis	ICD-10-CM
O693XX2	Labor and delivery complicated by short cord, fetus 2	Diagnosis	ICD-10-CM
O693XX3	Labor and delivery complicated by short cord, fetus 3	Diagnosis	ICD-10-CM
O693XX4	Labor and delivery complicated by short cord, fetus 4	Diagnosis	ICD-10-CM
O693XX5	Labor and delivery complicated by short cord, fetus 5	Diagnosis	ICD-10-CM
O693XX9	Labor and delivery complicated by short cord, other fetus	Diagnosis	ICD-10-CM
O694XX0	Labor and delivery complicated by vasa previa, not applicable or unspecified	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 100 of 145



Code	Description	Code	Code Type
		Category	
O694XX1	Labor and delivery complicated by vasa previa, fetus 1	Diagnosis	ICD-10-CM
O694XX2	Labor and delivery complicated by vasa previa, fetus 2	Diagnosis	ICD-10-CM
O694XX3	Labor and delivery complicated by vasa previa, fetus 3	Diagnosis	ICD-10-CM
O694XX4	Labor and delivery complicated by vasa previa, fetus 4	Diagnosis	ICD-10-CM
O694XX5	Labor and delivery complicated by vasa previa, fetus 5	Diagnosis	ICD-10-CM
O694XX9	Labor and delivery complicated by vasa previa, other fetus	Diagnosis	ICD-10-CM
O695XX0	Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified	Diagnosis	ICD-10-CM
O695XX1	Labor and delivery complicated by vascular lesion of cord, fetus 1	Diagnosis	ICD-10-CM
O695XX2	Labor and delivery complicated by vascular lesion of cord, fetus 2	Diagnosis	ICD-10-CM
O695XX3	Labor and delivery complicated by vascular lesion of cord, fetus 3	Diagnosis	ICD-10-CM
O695XX4	Labor and delivery complicated by vascular lesion of cord, fetus 4	Diagnosis	ICD-10-CM
O695XX5	Labor and delivery complicated by vascular lesion of cord, fetus 5	Diagnosis	ICD-10-CM
O695XX9	Labor and delivery complicated by vascular lesion of cord, other fetus	Diagnosis	ICD-10-CM
O6981X0	Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O6981X1	Labor and delivery complicated by cord around neck, without compression, fetus 1	Diagnosis	ICD-10-CM
O6981X2	Labor and delivery complicated by cord around neck, without compression, fetus 2	Diagnosis	ICD-10-CM
O6981X3	Labor and delivery complicated by cord around neck, without compression, fetus 3	Diagnosis	ICD-10-CM
O6981X4	Labor and delivery complicated by cord around neck, without compression, fetus 4	Diagnosis	ICD-10-CM
O6981X5	Labor and delivery complicated by cord around neck, without compression, fetus 5	Diagnosis	ICD-10-CM
O6981X9	Labor and delivery complicated by cord around neck, without compression, other fetus	Diagnosis	ICD-10-CM
O6982X0	Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified	Diagnosis	ICD-10-CM
O6982X1	Labor and delivery complicated by other cord entanglement, without compression, fetus 1	Diagnosis	ICD-10-CM
O6982X2	Labor and delivery complicated by other cord entanglement, without compression, fetus 2	Diagnosis	ICD-10-CM
O6982X3	Labor and delivery complicated by other cord entanglement, without compression, fetus 3	Diagnosis	ICD-10-CM
O6982X4	Labor and delivery complicated by other cord entanglement, without compression, fetus 4	Diagnosis	ICD-10-CM
O6982X5	Labor and delivery complicated by other cord entanglement, without compression, fetus 5	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 101 of 145



Code	Description	Code Category	Code Type
O6982X9	Labor and delivery complicated by other cord entanglement, without compression, other fetus	Diagnosis	ICD-10-CM
O6989X0	Labor and delivery complicated by other cord complications, not applicable or unspecified	Diagnosis	ICD-10-CM
O6989X1	Labor and delivery complicated by other cord complications, fetus 1	Diagnosis	ICD-10-CM
O6989X2	Labor and delivery complicated by other cord complications, fetus 2	Diagnosis	ICD-10-CM
O6989X3	Labor and delivery complicated by other cord complications, fetus 3	Diagnosis	ICD-10-CM
O6989X4	Labor and delivery complicated by other cord complications, fetus 4	Diagnosis	ICD-10-CM
O6989X5	Labor and delivery complicated by other cord complications, fetus 5	Diagnosis	ICD-10-CM
O6989X9	Labor and delivery complicated by other cord complications, other fetus	Diagnosis	ICD-10-CM
O699XX0	Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified	Diagnosis	ICD-10-CM
O699XX1	Labor and delivery complicated by cord complication, unspecified, fetus 1	Diagnosis	ICD-10-CM
O699XX2	Labor and delivery complicated by cord complication, unspecified, fetus 2	Diagnosis	ICD-10-CM
O699XX3	Labor and delivery complicated by cord complication, unspecified, fetus 3	Diagnosis	ICD-10-CM
O699XX4	Labor and delivery complicated by cord complication, unspecified, fetus 4	Diagnosis	ICD-10-CM
O699XX5	Labor and delivery complicated by cord complication, unspecified, fetus 5	Diagnosis	ICD-10-CM
O699XX9	Labor and delivery complicated by cord complication, unspecified, other fetus	Diagnosis	ICD-10-CM
0700	First degree perineal laceration during delivery	Diagnosis	ICD-10-CM
0701	Second degree perineal laceration during delivery	Diagnosis	ICD-10-CM
07020	Third degree perineal laceration during delivery, unspecified	Diagnosis	ICD-10-CM
07021	Third degree perineal laceration during delivery, IIIa	Diagnosis	ICD-10-CM
07022	Third degree perineal laceration during delivery, IIIb	Diagnosis	ICD-10-CM
07023	Third degree perineal laceration during delivery, IIIc	Diagnosis	ICD-10-CM
O703	Fourth degree perineal laceration during delivery	Diagnosis	ICD-10-CM
O704	Anal sphincter tear complicating delivery, not associated with third degree laceration	Diagnosis	ICD-10-CM
O709	Perineal laceration during delivery, unspecified	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 102 of 145



O740 Aspiration pneumonitis due to anesthesia during labor and delivery Diagnosis (ICD-10-CM O741 Other pulmonary complications of anesthesia during labor and delivery Diagnosis (ICD-10-CM O742 Cardiac complications of anesthesia during labor and delivery Diagnosis (ICD-10-CM O743 Central nervous system complications of anesthesia during labor and Diagnosis (ICD-10-CM D744 Toxic reaction to local anesthesia during labor and delivery Diagnosis (ICD-10-CM D745 Spinal and epidural anesthesia during labor and delivery Diagnosis (ICD-10-CM D745 Spinal and epidural anesthesia-induced headache during labor and Diagnosis (ICD-10-CM D746 Other complications of spinal and epidural anesthesia during labor and delivery Diagnosis (ICD-10-CM D746 Other complications of spinal and epidural anesthesia during labor and Diagnosis (ICD-10-CM D747 Failed or difficult intubation for anesthesia during labor and delivery Diagnosis (ICD-10-CM D747 Diagnosis (ICD-10-CM D748 Other complications of anesthesia during labor and delivery Diagnosis (ICD-10-CM D749 Complication of anesthesia during labor and delivery Diagnosis (ICD-10-CM D750 Maternal distress during labor and delivery Diagnosis (ICD-10-CM D751 Shock during or following labor and delivery Diagnosis (ICD-10-CM D755 Delayed delivery after artificial rupture of membranes Diagnosis (ICD-10-CM D7581 Maternal exhaustion complicating labor and delivery Diagnosis (ICD-10-CM D7582 Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section Or589 Other specified complications of labor and delivery Diagnosis (ICD-10-CM D759 Complication of labor and delivery, unspecified Diagnosis (ICD-10-CM D759 Complication of labor and delivery, unspecified Diagnosis (ICD-10-CM D759 Complication of labor and delivery by of the states Diagnosis (ICD-10-CM D759 Complication of labor and delivery of the states Diagnosis (ICD-10-CM D759 Complication of labor and delivery of the states Diagnosis (ICD-10-CM D759 Com	Code	Description	Code	Code Type
0741 Other pulmonary complications of anesthesia during labor and delivery Diagnosis ICD-10-CM 0742 Cardiac complications of anesthesia during labor and delivery Diagnosis ICD-10-CM 0743 Central nervous system complications of anesthesia during labor and delivery Diagnosis ICD-10-CM 0744 Toxic reaction to local anesthesia during labor and delivery Diagnosis ICD-10-CM 0745 Spinal and epidural anesthesia-induced headache during labor and delivery Diagnosis ICD-10-CM 0746 Other complications of spinal and epidural anesthesia during labor and delivery Diagnosis ICD-10-CM 0747 Failed or difficult intubation for anesthesia during labor and delivery Diagnosis ICD-10-CM 0748 Other complications of anesthesia during labor and delivery Diagnosis ICD-10-CM 0749 Complication of anesthesia during labor and delivery, unspecified Diagnosis ICD-10-CM 0750 Maternal distress during labor and delivery Diagnosis ICD-10-CM 0751 Shock during or following labor and delivery Diagnosis ICD-10-CM 07581 Maternal exhaustion complicating labor and delivery	0740	Assistation analysistic due to anotheric during labor and delivery		ICD 10 CM
Cardiac complications of anesthesia during labor and delivery O743 Central nervous system complications of anesthesia during labor and delivery O744 Toxic reaction to local anesthesia during labor and delivery O745 Spinal and epidural anesthesia-induced headache during labor and delivery O746 Other complications of spinal and epidural anesthesia during labor and delivery O747 Failed or difficult intubation for anesthesia during labor and delivery O748 Other complications of anesthesia during labor and delivery O749 Failed or difficult intubation for anesthesia during labor and delivery O749 Complications of anesthesia during labor and delivery O749 Complication of anesthesia during labor and delivery O750 Maternal distress during labor and delivery O751 Shock during or following labor and delivery Diagnosis ICD-10-CM O752 Delayed delivery after artificial rupture of membranes Diagnosis ICD-10-CM O7581 Maternal exhaustion complicating labor and delivery Diagnosis ICD-10-CM O7582 Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section O759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM D759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM D759 Complication of labor and delivery by (planned) cesarean section O760 Abnormality in fetal heart rate and rhythm complicating labor and Diagnosis ICD-10-CM D770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM D770 Labor and delivery complicated by reteil stress, unspecified Diagnosis ICD-10-CM D770 Labor and delivery complicated by reteil stress, unspecified Diagnosis ICD-10-CM D770 Labor and delivery complicated by reteil stress, unspecified Diagnosis ICD-10-CM D770 Labor and delivery complicated by reteil stress, unspecified Diagnosis ICD-10-CM D770 Labor and delivery complicated by reteil stress, unspecified Diagnosis ICD-10-CM D770 Labor and delivery complicated by reteil stress, unspecified Diagnosis IC				
Central nervous system complications of anesthesia during labor and delivery 744 Toxic reaction to local anesthesia during labor and delivery Polagnosis ICD-10-CM Spinal and epidural anesthesia-induced headache during labor and delivery 754 Spinal and epidural anesthesia-induced headache during labor and delivery 755 Other complications of spinal and epidural anesthesia during labor and delivery 756 Other complications of anesthesia during labor and delivery 757 Failed or difficult intubation for anesthesia during labor and delivery 757 Diagnosis ICD-10-CM 758 Other complications of anesthesia during labor and delivery 755 Omplication of anesthesia during labor and delivery 756 Maternal distress during labor and delivery, unspecified Diagnosis ICD-10-CM 757 Diagnosis ICD-10-CM 757 Delayed delivery after artificial rupture of membranes 758 Delayed delivery after artificial rupture of membranes 758 Diagnosis ICD-10-CM 7582 Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) creaseran section 7589 Other specified complications of labor and delivery 759 Complication of labor and delivery, unspecified 750 Abnormality in fetal heart rate and rhythm complicating labor and Diagnosis ICD-10-CM 759 Complication of labor and delivery, unspecified 750 Diagnosis ICD-10-CM 750 Labor and delivery complicated by other evidence of fetal stress 750 Diagnosis ICD-10-CM 750 Labor and delivery complicated by other evidence of fetal stress 750 Diagnosis ICD-10-CM 750 Labor and delivery complicated by other evidence of plans of the	0/41	Other pulmonary complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CIVI
Central nervous system complications of anesthesia during labor and delivery Diagnosis ICD-10-CM delivery Diagnosis ICD-10-CM Spinal and epidural anesthesia during labor and delivery Other complications of spinal and epidural anesthesia during labor and delivery Other complications of spinal and epidural anesthesia during labor and delivery Diagnosis ICD-10-CM delivery Other complications of spinal and epidural anesthesia during labor and delivery Diagnosis ICD-10-CM delivery Other complications of anesthesia during labor and delivery Diagnosis ICD-10-CM Other complication of anesthesia during labor and delivery Diagnosis ICD-10-CM Other complication of anesthesia during labor and delivery Diagnosis ICD-10-CM Other Complication of anesthesia during labor and delivery Diagnosis ICD-10-CM Other Complication of anesthesia during labor and delivery Diagnosis ICD-10-CM Other Othe	0742	Cardiac complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CM
0744 Toxic reaction to local anesthesia during labor and delivery Diagnosis ICD-10-CM 0745 Spinal and epidural anesthesia-induced headache during labor and delivery Diagnosis ICD-10-CM 0746 Other complications of spinal and epidural anesthesia during labor and delivery Diagnosis ICD-10-CM 0747 Failed or difficult intubation for anesthesia during labor and delivery Diagnosis ICD-10-CM 0748 Other complications of anesthesia during labor and delivery Diagnosis ICD-10-CM 0749 Complication of anesthesia during labor and delivery Diagnosis ICD-10-CM 0750 Maternal distress during labor and delivery Diagnosis ICD-10-CM 0751 Shock during or following labor and delivery Diagnosis ICD-10-CM 0755 Delayed delivery after artificial rupture of membranes Diagnosis ICD-10-CM 07581 Maternal exhaustion complicating labor and delivery Diagnosis ICD-10-CM 07582 Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section Diagnosis ICD-10-CM 07589 Other specified co	0743		_	ICD-10-CM
Spinal and epidural anesthesia-induced headache during labor and delivery		delivery		
delivery O746 Other complications of spinal and epidural anesthesia during labor and delivery O747 Failed or difficult intubation for anesthesia during labor and delivery Diagnosis ICD-10-CM O748 Other complications of anesthesia during labor and delivery Diagnosis ICD-10-CM O749 Complication of anesthesia during labor and delivery, unspecified Diagnosis ICD-10-CM O750 Maternal distress during labor and delivery Diagnosis ICD-10-CM O751 Shock during or following labor and delivery Diagnosis ICD-10-CM O755 Delayed delivery after artificial rupture of membranes Diagnosis ICD-10-CM O7581 Maternal exhaustion complicating labor and delivery Diagnosis ICD-10-CM O7582 Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section O7589 Other specified complications of labor and delivery Diagnosis ICD-10-CM O759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM O760 Abnormality in fetal heart rate and rhythm complicating labor and Diagnosis ICD-10-CM D770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM D778 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D800 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM D820 Air embolism in childbirth Diagnosis ICD-10-CM D8812 Amniotic fluid embolism in childbirth Diagnosis ICD-10-CM D8821 Thromboembolism in childbirth Diagnosis ICD-10-CM D8822 Other embolism in childbirth Diagnosis ICD-10-CM	0744	Toxic reaction to local anesthesia during labor and delivery	Diagnosis	ICD-10-CM
delivery Pailed or difficult intubation for anesthesia during labor and delivery Diagnosis ICD-10-CM O748 Other complications of anesthesia during labor and delivery Diagnosis ICD-10-CM O749 Complication of anesthesia during labor and delivery Diagnosis ICD-10-CM O750 Maternal distress during labor and delivery Diagnosis ICD-10-CM O751 Shock during or following labor and delivery Diagnosis ICD-10-CM O755 Delayed delivery after artificial rupture of membranes Diagnosis ICD-10-CM O7581 Maternal exhaustion complicating labor and delivery Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section O7589 Other specified complications of labor and delivery O759 Complication of labor and delivery, unspecified O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery O770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM O778 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM O779 Labor and delivery complicated by etal stress, unspecified Diagnosis ICD-10-CM O80 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM O82 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM O8802 Air embolism in childbirth Diagnosis ICD-10-CM O8812 Amniotic fluid embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM	O745		Diagnosis	ICD-10-CM
O748 Other complications of anesthesia during labor and delivery Diagnosis ICD-10-CM O749 Complications of anesthesia during labor and delivery Diagnosis ICD-10-CM O749 Complication of anesthesia during labor and delivery, unspecified Diagnosis ICD-10-CM O750 Maternal distress during labor and delivery Diagnosis ICD-10-CM O751 Shock during or following labor and delivery Diagnosis ICD-10-CM O755 Delayed delivery after artificial rupture of membranes Diagnosis ICD-10-CM O7581 Maternal exhaustion complicating labor and delivery Diagnosis ICD-10-CM O7582 Onset (spontaneous) of labor after 37 completed weeks of gestation but Defore 39 completed weeks gestation, with delivery by (planned) cesarean section O759 Other specified complications of labor and delivery Diagnosis ICD-10-CM D759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM D759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM D760 Abnormality in fetal heart rate and rhythm complicating labor and Diagnosis ICD-10-CM D770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM D778 Labor and delivery complicated by fetal stress Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM D779 Labor and delivery complicated D779 D779 D779 D779 D779 D779 D779 D77	0746		Diagnosis	ICD-10-CM
Other complications of anesthesia during labor and delivery Orally Complication of anesthesia during labor and delivery, unspecified Orally Or	0747	·	Diamonia	160 40 604
0749Complication of anesthesia during labor and delivery, unspecifiedDiagnosisICD-10-CM0750Maternal distress during labor and deliveryDiagnosisICD-10-CM0751Shock during or following labor and deliveryDiagnosisICD-10-CM0755Delayed delivery after artificial rupture of membranesDiagnosisICD-10-CM07581Maternal exhaustion complicating labor and deliveryDiagnosisICD-10-CM07582Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean sectionDiagnosisICD-10-CM07589Other specified complications of labor and deliveryDiagnosisICD-10-CM0759Complication of labor and delivery, unspecifiedDiagnosisICD-10-CM076Abnormality in fetal heart rate and rhythm complicating labor and delivery deliveryDiagnosisICD-10-CM0770Labor and delivery complicated by meconium in amniotic fluidDiagnosisICD-10-CM0779Labor and delivery complicated by other evidence of fetal stressDiagnosisICD-10-CM080Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CM082Encounter for cesarean delivery without indicationDiagnosisICD-10-CM08802Air embolism in childbirthDiagnosisICD-10-CM08812Amniotic fluid embolism in childbirthDiagnosisICD-10-CM08832Other embolism in childbirthDiagnosisICD-10-CM08882Other embolism in childbirthDiag	0/4/	Failed or difficult intubation for anestnesia during labor and delivery	Diagnosis	ICD-10-CIVI
0749Complication of anesthesia during labor and delivery, unspecifiedDiagnosisICD-10-CM0750Maternal distress during labor and deliveryDiagnosisICD-10-CM0751Shock during or following labor and deliveryDiagnosisICD-10-CM0755Delayed delivery after artificial rupture of membranesDiagnosisICD-10-CM07581Maternal exhaustion complicating labor and deliveryDiagnosisICD-10-CM07582Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean sectionDiagnosisICD-10-CM07589Other specified complications of labor and deliveryDiagnosisICD-10-CM0759Complication of labor and delivery, unspecifiedDiagnosisICD-10-CM076Abnormality in fetal heart rate and rhythm complicating labor and delivery deliveryDiagnosisICD-10-CM0770Labor and delivery complicated by meconium in amniotic fluidDiagnosisICD-10-CM0779Labor and delivery complicated by other evidence of fetal stressDiagnosisICD-10-CM080Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CM082Encounter for cesarean delivery without indicationDiagnosisICD-10-CM08802Air embolism in childbirthDiagnosisICD-10-CM08812Amniotic fluid embolism in childbirthDiagnosisICD-10-CM08832Other embolism in childbirthDiagnosisICD-10-CM08882Other embolism in childbirthDiag	0748	Other complications of anesthesia during labor and delivery	Diagnosis	ICD-10-CM
0750Maternal distress during labor and deliveryDiagnosisICD-10-CM0751Shock during or following labor and deliveryDiagnosisICD-10-CM0755Delayed delivery after artificial rupture of membranesDiagnosisICD-10-CM07581Maternal exhaustion complicating labor and deliveryDiagnosisICD-10-CM07582Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean sectionDiagnosisICD-10-CM07589Other specified complications of labor and deliveryDiagnosisICD-10-CM076Abnormality in fetal heart rate and rhythm complicating labor and deliveryDiagnosisICD-10-CM0770Labor and delivery complicated by meconium in amniotic fluidDiagnosisICD-10-CM0778Labor and delivery complicated by other evidence of fetal stressDiagnosisICD-10-CM0779Labor and delivery complicated by fetal stress, unspecifiedDiagnosisICD-10-CM080Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CM082Encounter for cesarean delivery without indicationDiagnosisICD-10-CM08802Air embolism in childbirthDiagnosisICD-10-CM08812Amniotic fluid embolism in childbirthDiagnosisICD-10-CM08832Pyemic and septic embolism in childbirthDiagnosisICD-10-CM08882Other embolism in childbirthDiagnosisICD-10-CM08802Tuberculosis complicating childbirthDiagnosis <td< td=""><td>0749</td><td></td><td></td><td></td></td<>	0749			
O751 Shock during or following labor and delivery Diagnosis ICD-10-CM O755 Delayed delivery after artificial rupture of membranes Diagnosis ICD-10-CM O7581 Maternal exhaustion complicating labor and delivery Diagnosis ICD-10-CM O7582 Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section Diagnosis ICD-10-CM O7589 Other specified complications of labor and delivery Diagnosis ICD-10-CM O759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery Diagnosis ICD-10-CM O770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM O779 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM O80 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM O82 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM O8802 Air embolism in childbirth Diagnosis ICD-10-CM O8812 Thromboembolism			_	
07581Maternal exhaustion complicating labor and deliveryDiagnosisICD-10-CM07582Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean sectionDiagnosisICD-10-CM07589Other specified complications of labor and deliveryDiagnosisICD-10-CM0759Complication of labor and delivery, unspecifiedDiagnosisICD-10-CM076Abnormality in fetal heart rate and rhythm complicating labor and deliveryDiagnosisICD-10-CM0770Labor and delivery complicated by meconium in amniotic fluidDiagnosisICD-10-CM0779Labor and delivery complicated by fetal stress, unspecifiedDiagnosisICD-10-CM080Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CM082Encounter for cesarean delivery without indicationDiagnosisICD-10-CM08802Air embolism in childbirthDiagnosisICD-10-CM08812Amniotic fluid embolism in childbirthDiagnosisICD-10-CM08822Thromboembolism in childbirthDiagnosisICD-10-CM08832Pyemic and septic embolism in childbirthDiagnosisICD-10-CM08882Other embolism in childbirthDiagnosisICD-10-CM08882Other embolism in childbirthDiagnosisICD-10-CM09802Tuberculosis complicating childbirthDiagnosisICD-10-CM09802Tuberculosis complicating childbirthDiagnosisICD-10-CM	0751		_	ICD-10-CM
Orset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section Or589 Other specified complications of labor and delivery Diagnosis ICD-10-CM Or59 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM Abnormality in fetal heart rate and rhythm complicating labor and delivery Or70 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM Or78 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM Or79 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM Or79 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM Or79 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM Or79 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM Or70 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM Or70 Diagnosis ICD-10-CM Or70 Diagnosis ICD-10-CM Diagnos	0755	Delayed delivery after artificial rupture of membranes	_	ICD-10-CM
before 39 completed weeks gestation, with delivery by (planned) cesarean section O7589 Other specified complications of labor and delivery Diagnosis ICD-10-CM O759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery O770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM O778 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM O779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM O80 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM O82 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM O8802 Air embolism in childbirth Diagnosis ICD-10-CM O8812 Amniotic fluid embolism in childbirth Diagnosis ICD-10-CM O882 Thromboembolism in childbirth Diagnosis ICD-10-CM O8832 Pyemic and septic embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9802 Syphilis complicating childbirth Diagnosis ICD-10-CM	07581	Maternal exhaustion complicating labor and delivery	Diagnosis	ICD-10-CM
Cesarean section O7589 Other specified complications of labor and delivery O759 Complication of labor and delivery, unspecified O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery O770 Labor and delivery complicated by meconium in amniotic fluid O778 Labor and delivery complicated by other evidence of fetal stress O779 Labor and delivery complicated by fetal stress, unspecified O779 Labor and delivery complicated by fetal stress, unspecified O80 Encounter for full-term uncomplicated delivery O82 Encounter for cesarean delivery without indication O8802 Air embolism in childbirth O8802 Amniotic fluid embolism in childbirth O8802 Thromboembolism in childbirth O8802 Pyemic and septic embolism in childbirth O8802 Thromboembolism in childbirth O8803 Pyemic and septic embolism in childbirth O8804 Other embolism in childbirth O8805 Other embolism in childbirth O8806 Diagnosis ICD-10-CM O8807 Other embolism in childbirth O8808 Other embolism in childbirth O8809 Other embolism in childbirth O8809 Other embolism in childbirth O8809 Other embolism in childbirth O8802 Other embolism in childbirth O8803 Other embolism in childbirth O8804 Other embolism in childbirth O8805 Other embolism in childbirth O8806 Other embolism in childbirth O8807 Other embolism in childbirth O8808 Other embolism in childbirth O8809 Other embolism in childbirth O8800 Other embolism in childbirth	07582	Onset (spontaneous) of labor after 37 completed weeks of gestation but	Diagnosis	ICD-10-CM
O759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery O770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM O778 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM O779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM O80 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM O82 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM O8802 Air embolism in childbirth Diagnosis ICD-10-CM O8812 Amniotic fluid embolism in childbirth Diagnosis ICD-10-CM O8822 Thromboembolism in childbirth Diagnosis ICD-10-CM O8832 Pyemic and septic embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9812 Syphilis complicating childbirth Diagnosis ICD-10-CM				
O759 Complication of labor and delivery, unspecified Diagnosis ICD-10-CM O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery O770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM O778 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM O779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM O80 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM O82 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM O8802 Air embolism in childbirth Diagnosis ICD-10-CM O8812 Amniotic fluid embolism in childbirth Diagnosis ICD-10-CM O8822 Thromboembolism in childbirth Diagnosis ICD-10-CM O8832 Pyemic and septic embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9812 Syphilis complicating childbirth Diagnosis ICD-10-CM	07589	Other specified complications of labor and delivery	Diagnosis	ICD-10-CM
Abnormality in fetal heart rate and rhythm complicating labor and delivery O770 Labor and delivery complicated by meconium in amniotic fluid Diagnosis ICD-10-CM O778 Labor and delivery complicated by other evidence of fetal stress Diagnosis ICD-10-CM O779 Labor and delivery complicated by fetal stress, unspecified Diagnosis ICD-10-CM O80 Encounter for full-term uncomplicated delivery Diagnosis ICD-10-CM O82 Encounter for cesarean delivery without indication Diagnosis ICD-10-CM O8802 Air embolism in childbirth Diagnosis ICD-10-CM O8812 Amniotic fluid embolism in childbirth Diagnosis ICD-10-CM O8822 Thromboembolism in childbirth Diagnosis ICD-10-CM O8832 Pyemic and septic embolism in childbirth Diagnosis ICD-10-CM O8882 Other embolism in childbirth Diagnosis ICD-10-CM O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9812 Syphilis complicating childbirth Diagnosis ICD-10-CM	0759		_	ICD-10-CM
O770Labor and delivery complicated by meconium in amniotic fluidDiagnosisICD-10-CMO778Labor and delivery complicated by other evidence of fetal stressDiagnosisICD-10-CMO779Labor and delivery complicated by fetal stress, unspecifiedDiagnosisICD-10-CMO80Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CMO82Encounter for cesarean delivery without indicationDiagnosisICD-10-CMO8802Air embolism in childbirthDiagnosisICD-10-CMO8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	076		_	ICD-10-CM
O778Labor and delivery complicated by other evidence of fetal stressDiagnosisICD-10-CMO779Labor and delivery complicated by fetal stress, unspecifiedDiagnosisICD-10-CMO80Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CMO82Encounter for cesarean delivery without indicationDiagnosisICD-10-CMO8802Air embolism in childbirthDiagnosisICD-10-CMO8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM		delivery		
O779Labor and delivery complicated by fetal stress, unspecifiedDiagnosisICD-10-CMO80Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CMO82Encounter for cesarean delivery without indicationDiagnosisICD-10-CMO8802Air embolism in childbirthDiagnosisICD-10-CMO8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	0770	Labor and delivery complicated by meconium in amniotic fluid	Diagnosis	ICD-10-CM
O80Encounter for full-term uncomplicated deliveryDiagnosisICD-10-CMO82Encounter for cesarean delivery without indicationDiagnosisICD-10-CMO8802Air embolism in childbirthDiagnosisICD-10-CMO8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	0778	Labor and delivery complicated by other evidence of fetal stress	Diagnosis	ICD-10-CM
O82Encounter for cesarean delivery without indicationDiagnosisICD-10-CMO8802Air embolism in childbirthDiagnosisICD-10-CMO8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	0779	Labor and delivery complicated by fetal stress, unspecified	Diagnosis	ICD-10-CM
O8802Air embolism in childbirthDiagnosisICD-10-CMO8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	080	Encounter for full-term uncomplicated delivery	Diagnosis	ICD-10-CM
O8812Amniotic fluid embolism in childbirthDiagnosisICD-10-CMO8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	082	Encounter for cesarean delivery without indication	Diagnosis	ICD-10-CM
O8822Thromboembolism in childbirthDiagnosisICD-10-CMO8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	O8802	Air embolism in childbirth	Diagnosis	ICD-10-CM
O8832Pyemic and septic embolism in childbirthDiagnosisICD-10-CMO8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	O8812	Amniotic fluid embolism in childbirth	Diagnosis	ICD-10-CM
O8882Other embolism in childbirthDiagnosisICD-10-CMO9802Tuberculosis complicating childbirthDiagnosisICD-10-CMO9812Syphilis complicating childbirthDiagnosisICD-10-CM	O8822	Thromboembolism in childbirth	Diagnosis	ICD-10-CM
O9802 Tuberculosis complicating childbirth Diagnosis ICD-10-CM O9812 Syphilis complicating childbirth Diagnosis ICD-10-CM	O8832	Pyemic and septic embolism in childbirth	Diagnosis	ICD-10-CM
O9812 Syphilis complicating childbirth Diagnosis ICD-10-CM	O8882	Other embolism in childbirth	Diagnosis	ICD-10-CM
·······································	O9802	Tuberculosis complicating childbirth	Diagnosis	ICD-10-CM
O9822 Gonorrhea complicating childbirth Diagnosis ICD-10-CM	O9812	Syphilis complicating childbirth	Diagnosis	ICD-10-CM
	O9822	Gonorrhea complicating childbirth	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 103 of 145



Code	Description	Code	Code Type
		Category	.,,,,,
O9832	Other infections with a predominantly sexual mode of transmission complicating childbirth	Diagnosis	ICD-10-CM
O9842	Viral hepatitis complicating childbirth	Diagnosis	ICD 10 CM
O9852	Other viral diseases complicating childbirth	Diagnosis	ICD-10-CM ICD-10-CM
O9862	Protozoal diseases complicating childbirth	Diagnosis	ICD-10-CWI
09872	Human immunodeficiency virus [HIV] disease complicating childbirth	Diagnosis	ICD-10-CWI
09872	numan inimunouenciency virus [niv] disease complicating ciliubii tii	Diagnosis	ICD-10-CIVI
O9882	Other maternal infectious and parasitic diseases complicating childbirth	Diagnosis	ICD-10-CM
O9892	Unspecified maternal infectious and parasitic disease complicating childbirth	Diagnosis	ICD-10-CM
O9902	Anemia complicating childbirth	Diagnosis	ICD-10-CM
09912	Other diseases of the blood and blood-forming organs and certain	Diagnosis	ICD-10-CM
	disorders involving the immune mechanism complicating childbirth		
099214	Obesity complicating childbirth	Diagnosis	ICD-10-CM
099284	Endocrine, nutritional and metabolic diseases complicating childbirth	Diagnosis	ICD-10-CM
099314	Alcohol use complicating childbirth	Diagnosis	ICD-10-CM
099324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
099334	Smoking (tobacco) complicating childbirth	Diagnosis	ICD-10-CM
O99344	Other mental disorders complicating childbirth	Diagnosis	ICD-10-CM
099354	Diseases of the nervous system complicating childbirth	Diagnosis	ICD-10-CM
O9942	Diseases of the circulatory system complicating childbirth	Diagnosis	ICD-10-CM
O9952	Diseases of the respiratory system complicating childbirth	Diagnosis	ICD-10-CM
O9962	Diseases of the digestive system complicating childbirth	Diagnosis	ICD-10-CM
O9972	Diseases of the skin and subcutaneous tissue complicating childbirth	Diagnosis	ICD-10-CM
O99814	Abnormal glucose complicating childbirth	Diagnosis	ICD-10-CM
099824	Streptococcus B carrier state complicating childbirth	Diagnosis	ICD-10-CM
099834	Other infection carrier state complicating childbirth	Diagnosis	ICD-10-CM
O99844	Bariatric surgery status complicating childbirth	Diagnosis	ICD-10-CM
O9A12	Malignant neoplasm complicating childbirth	Diagnosis	ICD-10-CM
O9A22	Injury, poisoning and certain other consequences of external causes	Diagnosis	ICD-10-CM
	complicating childbirth		
O9A32	Physical abuse complicating childbirth	Diagnosis	ICD-10-CM
O9A42	Sexual abuse complicating childbirth	Diagnosis	ICD-10-CM
O9A52	Psychological abuse complicating childbirth	Diagnosis	ICD-10-CM
P030	Newborn affected by breech delivery and extraction	Diagnosis	ICD-10-CM
P032	Newborn affected by forceps delivery	Diagnosis	ICD-10-CM
P033	Newborn affected by delivery by vacuum extractor [ventouse]	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 104 of 145



Code	Description	Code	Code Type
Code	Description	Category	code Type
P034	Newborn affected by Cesarean delivery	Diagnosis	ICD-10-CM
P035	Newborn affected by precipitate delivery	Diagnosis	ICD-10-CM
P0700	Extremely low birth weight newborn, unspecified weight	Diagnosis	ICD-10-CM
P0701	Extremely low birth weight newborn, less than 500 grams	Diagnosis	ICD-10-CM
P0702	Extremely low birth weight newborn, 500-749 grams	Diagnosis	ICD-10-CM
P0703	Extremely low birth weight newborn, 750-999 grams	Diagnosis	ICD-10-CM
P0710	Other low birth weight newborn, unspecified weight	Diagnosis	ICD-10-CM
P0714	Other low birth weight newborn, 1000-1249 grams	Diagnosis	ICD-10-CM
P0715	Other low birth weight newborn, 1250-1499 grams	Diagnosis	ICD-10-CM
P0716	Other low birth weight newborn, 1500-1749 grams	Diagnosis	ICD-10-CM
P0717	Other low birth weight newborn, 1750-1999 grams	Diagnosis	ICD-10-CM
P0718	Other low birth weight newborn, 2000-2499 grams	Diagnosis	ICD-10-CM
P0720	Extreme immaturity of newborn, unspecified weeks of gestation	Diagnosis	ICD-10-CM
P0721	Extreme immaturity of newborn, gestational age less than 23 completed weeks	Diagnosis	ICD-10-CM
P0722	Extreme immaturity of newborn, gestational age 23 completed weeks	Diagnosis	ICD-10-CM
P0723	Extreme immaturity of newborn, gestational age 24 completed weeks	Diagnosis	ICD-10-CM
P0724	Extreme immaturity of newborn, gestational age 25 completed weeks	Diagnosis	ICD-10-CM
P0725	Extreme immaturity of newborn, gestational age 26 completed weeks	Diagnosis	ICD-10-CM
P0726	Extreme immaturity of newborn, gestational age 27 completed weeks	Diagnosis	ICD-10-CM
P0730	Preterm newborn, unspecified weeks of gestation	Diagnosis	ICD-10-CM
P0731	Preterm newborn, gestational age 28 completed weeks	Diagnosis	ICD-10-CM
P0732	Preterm newborn, gestational age 29 completed weeks	Diagnosis	ICD-10-CM
P0733	Preterm newborn, gestational age 30 completed weeks	Diagnosis	ICD-10-CM
P0734	Preterm newborn, gestational age 31 completed weeks	Diagnosis	ICD-10-CM
P0735	Preterm newborn, gestational age 32 completed weeks	Diagnosis	ICD-10-CM
P0736	Preterm newborn, gestational age 33 completed weeks	Diagnosis	ICD-10-CM
P0737	Preterm newborn, gestational age 34 completed weeks	Diagnosis	ICD-10-CM
P0738	Preterm newborn, gestational age 35 completed weeks	Diagnosis	ICD-10-CM
P0739	Preterm newborn, gestational age 36 completed weeks	Diagnosis	ICD-10-CM
P0821	Post-term newborn	Diagnosis	ICD-10-CM
P0822	Prolonged gestation of newborn	Diagnosis	ICD-10-CM
V27	Outcome of delivery	Diagnosis	ICD-9-CM
V270	Outcome of delivery, single liveborn	Diagnosis	ICD-9-CM
V272	Outcome of delivery, twins, both liveborn	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 105 of 145



Code	Description	Code	Code Type
		Category	
V273	Outcome of delivery, twins, one liveborn and one stillborn	Diagnosis	ICD-9-CM
V275	Outcome of delivery, other multiple birth, all liveborn	Diagnosis	ICD-9-CM
V276	Outcome of delivery, other multiple birth, some liveborn	Diagnosis	ICD-9-CM
V279	Outcome of delivery, unspecified	Diagnosis	ICD-9-CM
V30	Single liveborn	Diagnosis	ICD-9-CM
V300	Single liveborn, born in hospital	Diagnosis	ICD-9-CM
V3000	Single liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3001	Single liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V301	Single liveborn, born before admission to hospital	Diagnosis	ICD-9-CM
V302	Single liveborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V31	Twin birth, mate liveborn	Diagnosis	ICD-9-CM
V310	Twin, mate liveborn, born in hospital	Diagnosis	ICD-9-CM
V3100	Twin, mate liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3101	Twin, mate liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V311	Twin birth, mate liveborn, born before admission to hospital	Diagnosis	ICD-9-CM
V312	Twin birth, mate liveborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V32	Twin birth, mate stillborn	Diagnosis	ICD-9-CM
V320	Twin, mate stillborn, born in hospital	Diagnosis	ICD-9-CM
V3200	Twin, mate stillborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3201	Twin, mate stillborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V321	Twin birth, mate stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V322	Twin birth, mate stillborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V33	Twin birth, unspecified whether mate liveborn or stillborn	Diagnosis	ICD-9-CM
V330	Twin, unspecified, born in hospital	Diagnosis	ICD-9-CM
V3300	Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3301	Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V331	Twin birth, unspecified whether mate liveborn or stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V332	Twin birth, unspecified whether mate liveborn or stillborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V34	Other multiple birth (three or more), mates all liveborn	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 106 of 145



Code	Description	Code Category	Code Type
V340	Other multiple, mates all liveborn, born in hospital	Diagnosis	ICD-9-CM
V3400	Other multiple, mates all liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3401	Other multiple, mates all liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V341	Other multiple birth (three or more), mates all liveborn, born before admission to hospital	Diagnosis	ICD-9-CM
V342	Other multiple birth (three or more), mates all liveborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V36	Other multiple birth (three or more), mates liveborn and stillborn	Diagnosis	ICD-9-CM
V360	Other multiple, mates liveborn and stillborn, born in hospital	Diagnosis	ICD-9-CM
V3600	Other multiple, mates liveborn and stillborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3601	Other multiple, mates liveborn and stillborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V361	Other multiple birth (three or more), mates liveborn and stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V362	Other multiple birth (three or more), mates liveborn and stillborn, born outside hospital and not hospitalized	Diagnosis	ICD-9-CM
V37	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn	Diagnosis	ICD-9-CM
V370	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital	Diagnosis	ICD-9-CM
V3700	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3701	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered by cesarean delivery	Diagnosis	ICD-9-CM
V371	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born before admission to hospital	Diagnosis	ICD-9-CM
V372	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born outside of hospital	Diagnosis	ICD-9-CM
V39	Liveborn, unspecified whether single, twin, or multiple	Diagnosis	ICD-9-CM
V390	Other liveborn, unspecified whether single, twin, or multiple, born in hospital	Diagnosis	ICD-9-CM
V3900	Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered without mention of cesarean delivery	Diagnosis	ICD-9-CM
V3901	Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered by cesarean	Diagnosis	ICD-9-CM
V391	Liveborn, unspecified whether single, twin or multiple, born before admission to hospital	Diagnosis	ICD-9-CM

cder_mp1p_wp083 Page 107 of 145



Appendix B. List of Current Procedural Terminology, Fourth Edition (CPT-4), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Live Birth Delivery in this Request

Code	Description	Code Category	Code Type
V392	Liveborn, unspecified whether single, twin or multiple, born outside	Diagnosis	ICD-9-CM
	hospital and not hospitalized		
Z370	Single live birth	Diagnosis	ICD-10-CM
Z372	Twins, both liveborn	Diagnosis	ICD-10-CM
Z373	Twins, one liveborn and one stillborn	Diagnosis	ICD-10-CM
Z3750	Multiple births, unspecified, all liveborn	Diagnosis	ICD-10-CM
Z3751	Triplets, all liveborn	Diagnosis	ICD-10-CM
Z3752	Quadruplets, all liveborn	Diagnosis	ICD-10-CM
Z3753	Quintuplets, all liveborn	Diagnosis	ICD-10-CM
Z3754	Sextuplets, all liveborn	Diagnosis	ICD-10-CM
Z3759	Other multiple births, all liveborn	Diagnosis	ICD-10-CM
Z3760	Multiple births, unspecified, some liveborn	Diagnosis	ICD-10-CM
Z3761	Triplets, some liveborn	Diagnosis	ICD-10-CM
Z3762	Quadruplets, some liveborn	Diagnosis	ICD-10-CM
Z3763	Quintuplets, some liveborn	Diagnosis	ICD-10-CM
Z3764	Sextuplets, some liveborn	Diagnosis	ICD-10-CM
Z3769	Other multiple births, some liveborn	Diagnosis	ICD-10-CM
Z379	Outcome of delivery, unspecified	Diagnosis	ICD-10-CM
Z3800	Single liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3801	Single liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z381	Single liveborn infant, born outside hospital	Diagnosis	ICD-10-CM
Z382	Single liveborn infant, unspecified as to place of birth	Diagnosis	ICD-10-CM
Z3830	Twin liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3831	Twin liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z384	Twin liveborn infant, born outside hospital	Diagnosis	ICD-10-CM
Z385	Twin liveborn infant, unspecified as to place of birth	Diagnosis	ICD-10-CM
Z3861	Triplet liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3862	Triplet liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z3863	Quadruplet liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3864	Quadruplet liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z3865	Quintuplet liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3866	Quintuplet liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z3868	Other multiple liveborn infant, delivered vaginally	Diagnosis	ICD-10-CM
Z3869	Other multiple liveborn infant, delivered by cesarean	Diagnosis	ICD-10-CM
Z387	Other multiple liveborn infant, born outside hospital	Diagnosis	ICD-10-CM
Z388	Other multiple liveborn infant, unspecified as to place of birth	Diagnosis	ICD-10-CM

cder_mp1p_wp083 Page 108 of 145



Appendix B.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes used to Define Gestational Age

		Code	Code		Duiovitus	Duiovitus	
Code	Description			Duration	Priority Group 1	Priority Group 2	Priority ¹
	Gestational age I	Category	Туре		Group I	Group 2	
O481	Prolonged pregnancy	Diagnosis	ICD-10-CM	29/1	0	1	1
P0822	Prolonged gestation of newborn	Diagnosis	ICD-10-CM		0	1	1
Z3A49	Greater than 42 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	1
O480	Post-term pregnancy	Diagnosis	ICD-10-CM		0	1	2
P0821	Post-term newborn	Diagnosis	ICD-10-CM		0	1	2
Z3A42	42 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	2
Z3A41	41 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	3
Z3A40	40 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	4
Z3A39	39 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	5
Z3A38	38 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	6
Z3A37	37 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	7
P0739	Preterm newborn, gestational age 36 completed weeks	Diagnosis	ICD-10-CM		1	0	8
Z3A36	36 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	8
P0738	Preterm newborn, gestational age 35 completed weeks	Diagnosis	ICD-10-CM		1	0	9
Z3A35	35 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	9
P0737	Preterm newborn, gestational age 34 completed weeks	Diagnosis	ICD-10-CM		1	0	10
Z3A34	34 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	10
P0736	Preterm newborn, gestational age 33 completed weeks	Diagnosis	ICD-10-CM		1	0	11
Z3A33	33 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	11
P0735	Preterm newborn, gestational age 32 completed weeks	Diagnosis	ICD-10-CM		1	0	12
Z3A32	32 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	12
P0734	Preterm newborn, gestational age 31 completed weeks	Diagnosis	ICD-10-CM		1	0	13
Z3A31	31 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	13
P0733	Preterm newborn, gestational age 30 completed weeks	Diagnosis	ICD-10-CM		1	0	14
Z3A30	30 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	14
P0732	Preterm newborn, gestational age 29 completed weeks	Diagnosis	ICD-10-CM		1	0	15
Z3A29	29 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	15
P0731	Preterm newborn, gestational age 28 completed weeks	Diagnosis	ICD-10-CM		1	0	16
Z3A28	28 weeks gestation of pregnancy	Diagnosis	ICD-10-CM		1	0	16
P0726	Extreme immaturity of newborn, gestational age 27	Diagnosis	ICD-10-CM		1	0	17
	completed weeks	- 100.10010					
Z3A27	27 weeks gestation of pregnancy	Diagnosis	ICD-10-CM	193	1	0	17
P0725	Extreme immaturity of newborn, gestational age 26	Diagnosis	ICD-10-CM		1	0	18
	completed weeks	- 100.10010					
Z3A26	26 weeks gestation of pregnancy	Diagnosis	ICD-10-CM	186	1	0	18
P0724	Extreme immaturity of newborn, gestational age 25	Diagnosis	ICD-10-CM		1	0	19
	completed weeks	- 100.10010					
Z3A25	25 weeks gestation of pregnancy	Diagnosis	ICD-10-CM	179	1	0	19
P0723	Extreme immaturity of newborn, gestational age 24	Diagnosis	ICD-10-CM		1	0	20
	completed weeks	- 100.10010			_		
Z3A24	24 weeks gestation of pregnancy	Diagnosis	ICD-10-CM	172	1	0	20
P0722	Extreme immaturity of newborn, gestational age 23	Diagnosis	ICD-10-CM		1	0	21
-	completed weeks	0					
Z3A23	23 weeks gestation of pregnancy	Diagnosis	ICD-10-CM	165	1	0	21
P0721	Extreme immaturity of newborn, gestational age less than 23	_	ICD-10-CM		1	0	22
	completed weeks		••••			-	
Z3A22	22 weeks gestation of pregnancy	Diagnosis	ICD-10-CM	158	1	0	22
	0	. 0					

cder_mp1p_wp083 Page 109 of 145



Appendix B.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes used to Define Gestational Age

Code	Description	Code	Code	Duration	Priority	Priority Group 2	Priority ¹
Z3A21	21 weeks gestation of pregnancy	Category Diagnosis	Type ICD-10-CM	151	1	0	23
Z3A21 Z3A20	20 weeks gestation of pregnancy	Diagnosis	ICD-10-CW		1	0	24
P0720	Extreme immaturity of newborn, unspecified weeks of gestation	Diagnosis	ICD-10-CM		1	0	25
O6013X0	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6013X1	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6013X2	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6013X3	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6013X4	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6013X5	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6013X9	Preterm labor second trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X0	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X1	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X2	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X3	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X4	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X5	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
O6014X9	Preterm labor third trimester with preterm delivery third trimester	Diagnosis	ICD-10-CM	245	1	0	26
P0730	Preterm newborn, unspecified weeks of gestation	Diagnosis	ICD-10-CM	245	1	0	26
O6012X0	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
O6012X1	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
O6012X2	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
O6012X3	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
O6012X4	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
O6012X5	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
O6012X9	Preterm labor second trimester with preterm delivery second trimester	Diagnosis	ICD-10-CM	168	1	0	27
64520	Prolonged pregnancy	Diagnosis	ICD-9-CM	294	0	1	28

cder_mp1p_wp083 Page 110 of 145



Appendix B.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes used to Define Gestational Age

Code	Description	Code Category	Code Type	Duration		Priority Group 2	Priority ¹
64521	Prolonged pregnancy	Diagnosis	ICD-9-CM	294	0	1	28
64523	Prolonged pregnancy	Diagnosis	ICD-9-CM	294	0	1	28
76528	35-36 completed weeks of gestation	Diagnosis	ICD-9-CM	252	1	0	28
76622	Prolonged gestation of infant	Diagnosis	ICD-9-CM	294	0	1	28
64510	Post term pregnancy	Diagnosis	ICD-9-CM	287	0	1	29
64511	Post term pregnancy	Diagnosis	ICD-9-CM	287	0	1	29
64513	Post term pregnancy	Diagnosis	ICD-9-CM	287	0	1	29
76527	33-34 completed weeks of gestation	Diagnosis	ICD-9-CM	238	1	0	29
76621	Post-term infant	Diagnosis	ICD-9-CM	287	0	1	29
76526	31-32 completed weeks of gestation	Diagnosis	ICD-9-CM	224	1	0	30
76525	29-30 completed weeks of gestation	Diagnosis	ICD-9-CM	210	1	0	31
76524	27-28 completed weeks of gestation	Diagnosis	ICD-9-CM	196	1	0	32
76523	25-26 completed weeks of gestation	Diagnosis	ICD-9-CM	182	1	0	33
76521	Less than 24 completed weeks of gestation	Diagnosis	ICD-9-CM	168	1	0	34
76522	24 completed weeks of gestation	Diagnosis	ICD-9-CM	168	1	0	34
76500	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76501	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76502	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76503	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76504	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76505	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76506	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76507	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76508	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
76509	Extreme immaturity, by weight	Diagnosis	ICD-9-CM	196	1	0	35
64421	Early onset of delivery, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM	245	1	0	36
76510	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76511	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76512	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76513	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76514	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76515	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76516	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76517	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76518	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76519	Other preterm infants, by weight	Diagnosis	ICD-9-CM	245	1	0	36
76520	Unspecified weeks of gestation	Diagnosis	ICD-9-CM	245	1	0	36

¹If multiple codes for specific weeks of gestation (Z codes), preterm delivery, and/or postterm delivery are available, the ICD-10 algorithm for

cder_mp1p_wp083 Page 111 of 145

⁽¹⁾ Codes that specify weeks of gestation, including all Z codes ranging from 20 weeks through >=42 weeks of gestation in one week increments,

⁽²⁾ Codes that indicate preterm delivery without specifying weeks of gestation. If multiple codes are observed, codes with more specificity

⁽³⁾ Codes that indicate postterm delivery without specifying weeks of gestation. If multiple codes are observed, codes indicating longer If no codes for preterm or postterm delivery are observed, then the default assumption for gestational age is 273 days.



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

Generic Name	Brand Name	
Aripip	razole (Abilify Maintena And Equivalents Only)	
aripiprazole	ABILIFY	
aripiprazole	ABILIFY MAINTENA	
A	ripiprazole (Abilify And Equivalents Only)	
aripiprazole	ABILIFY	
aripiprazole	ABILIFY DISCMELT	
aripiprazole	ABILIFY MYCITE	
aripiprazole	ARIPIPRAZOLE	
aripiprazole	ARIPIPRAZOLE ODT	
	Amitriptyline-Containing Products	
amitriptyline HCl	AMITRIPTYLINE HCL	
amitriptyline/chlordiazepoxide	AMITRIPTYLINE-CHLORDIAZEPOXIDE	
amitriptyline/chlordiazepoxide	CHLORDIAZEPOXIDE-AMITRIPTYLINE	
amitriptyline/chlordiazepoxide	LIMBITROL	
amitriptyline/chlordiazepoxide	LIMBITROL DS	
perphenazine/amitriptyline HCl	AMITRIPTYLINE-PERPHENAZINE	
perphenazine/amitriptyline HCl	PERPHENAZINE-AMITRIPTYLINE	
	Amphetamine-Containing Products	
amphetamine	ADZENYS ER	
amphetamine	ADZENYS XR-ODT	
amphetamine	AMPHETAMINE	
amphetamine	DYANAVEL XR	
amphetamine sulfate	AMPHETAMINE SULFATE	
amphetamine sulfate	EVEKEO	
amphetamine sulfate	EVEKEO ODT	
dextroamphetamine/amphetamine	ADDERALL	
dextroamphetamine/amphetamine	ADDERALL XR	
dextroamphetamine/amphetamine	AMPHETAMINE SALT COMBO	
dextroamphetamine/amphetamine	DEXTROAMPHETAMINE-AMPHET ER	
dextroamphetamine/amphetamine	DEXTROAMPHETAMINE-AMPHETAMINE	
dextroamphetamine/amphetamine	MYDAYIS	
Aripiprazole Lauroxil (Aristada And Equivalents Only)		
aripiprazole lauroxil	ARISTADA	

cder_mp1p_wp083 Page 112 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Appendix C. List of Generic and Brand Names of Medical Products Osed to Define Medical Products of Interest in this Request		
	diol And Drospirenone (Beyaz And Equivalents Only)		
drospir/eth estra/levomefol Ca	BEYAZ		
drospir/eth estra/levomefol Ca	DROSPIRENONE-ETH ESTRA-LEVOMEF		
drospir/eth estra/levomefol Ca	RAJANI		
drospir/eth estra/levomefol Ca	SAFYRAL		
drospir/eth estra/levomefol Ca	TYDEMY		
	Bupropion-Containing Products		
bupropion HBr	APLENZIN		
bupropion HCl	BUDEPRION SR		
bupropion HCl	BUDEPRION XL		
bupropion HCl	BUPROBAN		
bupropion HCl	BUPROPION HCL		
bupropion HCl	BUPROPION HCL ER		
bupropion HCl	BUPROPION HCL SR		
bupropion HCl	BUPROPION XL		
bupropion HCl	FORFIVO XL		
bupropion HCl	WELLBUTRIN		
bupropion HCl	WELLBUTRIN SR		
bupropion HCl	WELLBUTRIN XL		
bupropion HCl	ZYBAN		
bupropion/dietary supp. no.15	APPBUTAMONE-D		
bupropion/dietary supp. no.16	APPBUTAMONE		
naltrexone HCI/bupropion HCI	CONTRAVE		
	Citalopram-Containing Products		
citalopram hydrobromide	CELEXA		
citalopram hydrobromide	CITALOPRAM HBR		
Cyclosporine-	Containing Products (Except Neoral And Equivalents)		
cyclosporine	CEQUA		
cyclosporine	CYCLOSPORINE		
cyclosporine	RESTASIS		
cyclosporine	RESTASIS MULTIDOSE		
cyclosporine	SANDIMMUNE		
cyclosporine	VERKAZIA		
cyclosporine/chondroitin	CYCLOSPORINE IN KLARITY		
	Cyclosporine (Neoral Equivalents Only)		
cyclosporine, modified	CYCLOSPORINE		
cyclosporine, modified	CYCLOSPORINE MODIFIED		
cyclosporine, modified	GENGRAF		

cder_mp1p_wp083 Page 113 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Desvenlafaxine-Containing Products
desvenlafaxine	DESVENLAFAXINE ER
desvenlafaxine	KHEDEZLA
desvenlafaxine fumarate	DESVENLAFAXINE FUMARATE ER
desvenlafaxine succinate	DESVENLAFAXINE SUCCINATE ER
desvenlafaxine succinate	PRISTIQ
C	extroamphetamine-Containing Products
dextroamphetamine sulfate	DEXEDRINE
dextroamphetamine sulfate	DEXTROAMPHETAMINE SULFATE
dextroamphetamine sulfate	DEXTROAMPHETAMINE SULFATE ER
dextroamphetamine sulfate	DEXTROSTAT
dextroamphetamine sulfate	LIQUADD
dextroamphetamine sulfate	PROCENTRA
dextroamphetamine sulfate	ZENZEDI
dextroamphetamine/amphetamine	ADDERALL
dextroamphetamine/amphetamine	ADDERALL XR
dextroamphetamine/amphetamine	AMPHETAMINE SALT COMBO
dextroamphetamine/amphetamine	DEXTROAMPHETAMINE-AMPHET ER
dextroamphetamine/amphetamine	DEXTROAMPHETAMINE-AMPHETAMINE
dextroamphetamine/amphetamine	MYDAYIS
	Duloxetine (Cymbalta Equivalents Only)
duloxetine HCl	DULOXETINE HCL
duloxetine HCl	IRENKA
Emtricitabine And Tenofovir Disc	pproxil Fumarate-Containing Products (Except Truvada And Equivalents)
efavirenz/emtricit/tenofovr df	ATRIPLA
efavirenz/emtricit/tenofovr df	EFAVIRENZ-EMTRIC-TENOFOV DISOP
elviteg/cob/emtri/tenofo disop	STRIBILD
emtricita/rilpivirine/tenof DF	COMPLERA
	Escitalopram-Containing Products
escitalopram oxalate	ESCITALOPRAM OXALATE
escitalopram oxalate	LEXAPRO

cder_mp1p_wp083 Page 114 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request			
	nd Drospirenone-Containing Products (Except Yasmin And Equivalents)		
drospir/eth estra/levomefol Ca	BEYAZ		
drospir/eth estra/levomefol Ca	DROSPIRENONE-ETH ESTRA-LEVOMEF		
drospir/eth estra/levomefol Ca	RAJANI		
drospir/eth estra/levomefol Ca	SAFYRAL		
drospir/eth estra/levomefol Ca	TYDEMY		
ethinyl estradiol/drospirenone	DROSPIRENONE-ETHINYL ESTRADIOL		
ethinyl estradiol/drospirenone	GIANVI		
ethinyl estradiol/drospirenone	JASMIEL		
ethinyl estradiol/drospirenone	LO-ZUMANDIMINE		
ethinyl estradiol/drospirenone	LORYNA		
ethinyl estradiol/drospirenone	NIKKI		
ethinyl estradiol/drospirenone	VESTURA		
ethinyl estradiol/drospirenone	YAZ		
	Fluoxetine-Containing Products		
fluoxetine HCl	FLUOXETINE DR		
fluoxetine HCl	FLUOXETINE HCL		
fluoxetine HCl	PROZAC		
fluoxetine HCl	PROZAC WEEKLY		
fluoxetine HCl	RAPIFLUX		
fluoxetine HCl	SARAFEM		
fluoxetine HCl	SELFEMRA		
fluoxetine/dietary supp no.17	GABOXETINE		
fluoxetine/dietary supp. no.8	SENTROXATINE		
olanzapine/fluoxetine HCl	OLANZAPINE-FLUOXETINE HCL		
olanzapine/fluoxetine HCl	SYMBYAX		
	Adalimumab (Humira Only)		
adalimumab	HUMIRA		
adalimumab	HUMIRA PEDIATRIC CROHN'S		
adalimumab	HUMIRA PEN		
adalimumab	HUMIRA PEN CROHN'S-UC-HS		
adalimumab	HUMIRA PEN PSOR-UVEITS-ADOL HS		
adalimumab	HUMIRA(CF)		
adalimumab	HUMIRA(CF) PEDIATRIC CROHN'S		
adalimumab	HUMIRA(CF) PEN		
adalimumab	HUMIRA(CF) PEN CROHN'S-UC-HS		
adalimumab	HUMIRA(CF) PEN PEDIATRIC UC		
adalimumab	HUMIRA(CF) PEN PSOR-UV-ADOL HS		

cder_mp1p_wp083 Page 115 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Insulin Aspart-Containing Products	
insulin aspart	INSULIN ASPART	
insulin aspart	INSULIN ASPART FLEXPEN	
insulin aspart	INSULIN ASPART PENFILL	
insulin aspart	NOVOLOG	
insulin aspart	NOVOLOG FLEXPEN	
insulin aspart	NOVOLOG PENFILL	
insulin aspart (niacinamide)	FIASP	
insulin aspart (niacinamide)	FIASP FLEXTOUCH	
insulin aspart (niacinamide)	FIASP PENFILL	
insulin aspart prot/insuln asp	INSULIN ASPART PROT MIX 70-30	
insulin aspart prot/insuln asp	NOVOLOG MIX 70-30	
insulin aspart prot/insuln asp	NOVOLOG MIX 70-30 FLEXPEN	
	Insulin Detemir-Containing Products	
insulin detemir	LEVEMIR	
insulin detemir	LEVEMIR FLEXPEN	
insulin detemir	LEVEMIR FLEXTOUCH	
	Insulin Nph-Containing Products	
insulin NPH hum/reg insulin hm	HUMULIN 50-50	
insulin NPH hum/reg insulin hm	HUMULIN 70-30	
insulin NPH hum/reg insulin hm	HUMULIN 70/30 KWIKPEN	
insulin NPH hum/reg insulin hm	NOVOLIN 70-30	
insulin NPH hum/reg insulin hm	NOVOLIN 70-30 FLEXPEN	
insulin NPH hum/reg insulin hm	NOVOLIN 70-30 INNOLET	
insulin NPH human isophane	HUMULIN N	
insulin NPH human isophane	HUMULIN N KWIKPEN	
insulin NPH human isophane	NOVOLIN N	
insulin NPH human isophane	NOVOLIN N FLEXPEN	
insulin NPH human isophane	NOVOLIN N INNOLET	
Desvenlafaxine Fumarate (Khedezla And Equivalents Only)		
desvenlafaxine	KHEDEZLA	
desvenlafaxine fumarate	DESVENLAFAXINE FUMARATE ER	

cder_mp1p_wp083 Page 116 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Lamotrigine-Containing Products		
lamotrigine	LAMICTAL		
lamotrigine	LAMICTAL (BLUE)		
lamotrigine	LAMICTAL (GREEN)		
lamotrigine	LAMICTAL (ORANGE)		
lamotrigine	LAMICTAL ODT		
lamotrigine	LAMICTAL ODT (BLUE)		
lamotrigine	LAMICTAL ODT (GREEN)		
lamotrigine	LAMICTAL ODT (ORANGE)		
lamotrigine	LAMICTAL XR		
lamotrigine	LAMICTAL XR (BLUE)		
lamotrigine	LAMICTAL XR (GREEN)		
lamotrigine	LAMICTAL XR (ORANGE)		
lamotrigine	LAMOTRIGINE		
lamotrigine	LAMOTRIGINE (BLUE)		
lamotrigine	LAMOTRIGINE (GREEN)		
lamotrigine	LAMOTRIGINE (ORANGE)		
lamotrigine	LAMOTRIGINE ER		
lamotrigine	LAMOTRIGINE ODT		
lamotrigine	LAMOTRIGINE ODT (BLUE)		
lamotrigine	LAMOTRIGINE ODT (GREEN)		
lamotrigine	LAMOTRIGINE ODT (ORANGE)		
lamotrigine	SUBVENITE		
lamotrigine	SUBVENITE (BLUE)		
lamotrigine	SUBVENITE (GREEN)		
lamotrigine	SUBVENITE (ORANGE)		
	Levetiracetam-Containing Products		
levetiracetam	ELEPSIA XR		
levetiracetam	KEPPRA		
levetiracetam	KEPPRA XR		
levetiracetam	LEVETIRACETAM		
levetiracetam	LEVETIRACETAM ER		
levetiracetam	ROWEEPRA		
levetiracetam	ROWEEPRA XR		
levetiracetam	SPRITAM		
levetiracetam in NaCl (iso-os)	LEVETIRACETAM-NACL		
	Levonorgestrel Intrauterine Device (Liletta Only)		
levonorgestrel	LILETTA		

cder_mp1p_wp083 Page 117 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

Lisdexamfetamine-Containing Products			
lisdexamfetamine dimesylate	VYVANSE		
	Lurasidone-Containing Products		
lurasidone HCl	LATUDA		
Hydi	roxyprogesterone Caproate (Makena Equivalents Only)		
hydroxyprogesterone caproat/PF	HYDROXYPROGESTERONE CAPROATE		
hydroxyprogesterone caproate	HYDROXYPROGESTERONE CAPROATE		
	Methylphenidate-Containing Products		
methylphenidate	COTEMPLA XR-ODT		
methylphenidate	DAYTRANA		
methylphenidate	METHYLPHENIDATE		
methylphenidate HCl	ADHANSIA XR		
methylphenidate HCl	APTENSIO XR		
methylphenidate HCl	CONCERTA		
methylphenidate HCl	JORNAY PM		
methylphenidate HCl	METADATE CD		
methylphenidate HCl	METADATE ER		
methylphenidate HCl	METHYLIN		
methylphenidate HCl	METHYLIN ER		
methylphenidate HCl	METHYLPHENIDATE ER		
methylphenidate HCl	METHYLPHENIDATE ER (LA)		
methylphenidate HCl	METHYLPHENIDATE HCL		
methylphenidate HCl	METHYLPHENIDATE HCL CD		
methylphenidate HCl	METHYLPHENIDATE HCL ER (CD)		
methylphenidate HCl	METHYLPHENIDATE LA		
methylphenidate HCl	METHYLPHENIDATE SR		
methylphenidate HCl	QUILLICHEW ER		
methylphenidate HCl	QUILLIVANT XR		
methylphenidate HCl	RELEXXII		
methylphenidate HCl	RITALIN		
methylphenidate HCl	RITALIN LA		
methylphenidate HCl	RITALIN-SR		
	Levonorgestrel Intrauterine Device (Mirena Only)		
levonorgestrel	MIRENA		
	Mirtazapine-Containing Products		
mirtazapine	MIRTAZAPINE		
mirtazapine	REMERON		

cder_mp1p_wp083 Page 118 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Non-Transdermal Nicotine Products
nicotine	NICOTROL
nicotine	NICOTROL NS
nicotine polacrilex	COMMIT
nicotine polacrilex	NICORELIEF
nicotine polacrilex	NICORETTE
nicotine polacrilex	NICOTINE GUM
nicotine polacrilex	NICOTINE LOZENGE
nicotine polacrilex	QUIT 2
nicotine polacrilex	QUIT 4
nicotine polacrilex	STOP SMOKING AID
nicotine polacrilex	THRIVE NICOTINE
	Nortriptyline-Containing Products
nortriptyline HCl	NORTRIPTYLINE HCL
nortriptyline HCl	PAMELOR
	Olanzapine-Containing Products
olanzapine	OLANZAPINE
olanzapine	OLANZAPINE ODT
olanzapine	ZYPREXA
olanzapine	ZYPREXA ZYDIS
olanzapine pamoate	ZYPREXA RELPREVV
olanzapine/fluoxetine HCl	OLANZAPINE-FLUOXETINE HCL
olanzapine/fluoxetine HCl	SYMBYAX
olanzapine/samidorphan malate	LYBALVI
	Aripiprazole-Containing Products
aripiprazole	ABILIFY
aripiprazole	ABILIFY DISCMELT
aripiprazole	ABILIFY MAINTENA
aripiprazole	ABILIFY MYCITE
aripiprazole	ARIPIPRAZOLE
aripiprazole	ARIPIPRAZOLE ODT
aripiprazole lauroxil	ARISTADA
aripiprazole lauroxil,submicr.	ARISTADA INITIO
	Pregabalin-Containing Products
pregabalin	LYRICA
pregabalin	LYRICA CR
pregabalin	PREGABALIN
pregabalin	PREGABALIN ER

cder_mp1p_wp083 Page 119 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

Des	venlafaxine Succinate (Pristiq And Equivalents Only)		
desvenlafaxine	DESVENLAFAXINE ER		
desvenlafaxine succinate	DESVENLAFAXINE SUCCINATE ER		
desvenlafaxine succinate	PRISTIQ		
	Quetiapine-Containing Products		
quetiapine fumarate	QUETIAPINE FUMARATE		
quetiapine fumarate	QUETIAPINE FUMARATE ER		
quetiapine fumarate	SEROQUEL		
quetiapine fumarate	SEROQUEL XR		
	Risperidone-Containing Products		
risperidone	PERSERIS		
risperidone	RISPERDAL		
risperidone	RISPERDAL M-TAB		
risperidone	RISPERIDONE		
risperidone	RISPERIDONE ODT		
risperidone microspheres	RISPERDAL CONSTA		
	Sertraline-Containing Products		
sertraline HCl	SERTRALINE HCL		
sertraline HCl	ZOLOFT		
	Sumatriptan-Containing Products		
sumatriptan	IMITREX		
sumatriptan	SUMATRIPTAN		
sumatriptan	TOSYMRA		
sumatriptan succ/naproxen sod	SUMATRIPTAN SUCC-NAPROXEN SOD		
sumatriptan succ/naproxen sod	TREXIMET		
sumatriptan succinate	ALSUMA		
sumatriptan succinate	IMITREX		
sumatriptan succinate	ONZETRA XSAIL		
sumatriptan succinate	SUMATRIPTAN SUCCINATE		
sumatriptan succinate	SUMAVEL DOSEPRO		
sumatriptan succinate	ZECUITY		
sumatriptan succinate	ZEMBRACE SYMTOUCH		
Trazodone-Containing Products			
trazodone HCl	DESYREL		
trazodone HCl	OLEPTRO ER		
trazodone HCl	TRAZODONE HCL		
trazodone/dietary supp. no.8	TRAZAMINE		

cder_mp1p_wp083 Page 120 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

Emtricitabine A	Emtricitabine And Tenofovir Disoproxil Fumarate (Truvada Equivalents Only)				
emtricitabine/tenofovir (TDF)	EMTRICITABINE-TENOFOVIR DISOP				
	Venlafaxine-Containing Products				
venlafaxine HCl	EFFEXOR				
venlafaxine HCl	EFFEXOR XR				
venlafaxine HCl	VENLAFAXINE HCL				
venlafaxine HCl	VENLAFAXINE HCL ER				
venlafaxine besylate	VENLAFAXINE BESYLATE ER				
Ethinyl E	Estradiol And Drospirenone (Yasmin Equivalents Only)				
ethinyl estradiol/drospirenone	DROSPIRENONE-ETHINYL ESTRADIOL				
ethinyl estradiol/drospirenone	OCELLA				
ethinyl estradiol/drospirenone	SYEDA				
ethinyl estradiol/drospirenone	ZARAH				
ethinyl estradiol/drospirenone	ZUMANDIMINE				
Ethinyl E	stradiol And Drospirenone (Yaz And Equivalents Only)				
ethinyl estradiol/drospirenone	DROSPIRENONE-ETHINYL ESTRADIOL				
ethinyl estradiol/drospirenone	LO-ZUMANDIMINE				
ethinyl estradiol/drospirenone	LORYNA				
ethinyl estradiol/drospirenone	NIKKI				
ethinyl estradiol/drospirenone	VESTURA				
ethinyl estradiol/drospirenone	YAZ				
	Zolpidem-Containing Products				
zolpidem tartrate	AMBIEN				
zolpidem tartrate	AMBIEN CR				
zolpidem tartrate	EDLUAR				
zolpidem tartrate	INTERMEZZO				
zolpidem tartrate	ZOLPIDEM TARTRATE				
zolpidem tartrate	ZOLPIDEM TARTRATE ER				
zolpidem tartrate	ZOLPIMIST				
	Paroxetine-Containing Products				
paroxetine HCl	PAROXETINE CR				
paroxetine HCl	PAROXETINE ER				
paroxetine HCl	PAROXETINE HCL				
paroxetine HCl	PAXIL				
paroxetine HCl	PAXIL CR				
paroxetine mesylate	BRISDELLE				
paroxetine mesylate paroxetine mesylate	PAROXETINE MESYLATE PEXEVA				

cder_mp1p_wp083 Page 121 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Duloxetine (Cymbalta Only)			
duloxetine HCl	CYMBALTA			
Emtricitabine And Tenofovir Disoproxil Fumarate (Truvada Only)				
emtricitabine/tenofovir (TDF)	TRUVADA			
Ethin	ıyl Estradiol And Drospirenone (Yasmin Only)			
ethinyl estradiol/drospirenone	YASMIN 28			
Etono	ogestrel And Ethinyl Estradiol (Nuvaring Only)			
etonogestrel/ethinyl estradiol	NUVARING			
Hyd	Iroxyprogesterone Caproate (Makena Only)			
hydroxyprogesterone caproat/PF	MAKENA			
hydroxyprogesterone caproate	MAKENA			
Nic	otine Nasal Spray Device (Nicotrol Ns Only)			
nicotine	Nicotrol NS			
Nico	tine Transdermal Device (Nicoderm Cq Only)			
nicotine	Nicoderm CQ			
Nicoti	ine Transdermal Device (Except Nicoderm Cq)			
Nicotine patches, legend	NICOTINE PATCH			
Nicotine patches, nonlegend	NICOTINE PATCH			
nicotine	NICOTINE PATCH			
nicotine	nicotine			
	Varenicline (Chantix Only)			
varenicline tartrate	CHANTIX			
	Remdesivir (Veklury Only)			
remdesivir	Veklury			
	Semaglutide (Wegovy Only)			
semaglutide	Wegovy			
	Semaglutide (Ozempic Only)			
semaglutide	Ozempic			
Se	emaglutide (Except Wegovy And Ozempic)			
semaglutide	Rybelsus			
	Sitagliptin-Containing Products			
ertugliflozin pidolate/sitagliptin phosphate	Steglujan			
sitagliptin phosphate	Januvia			
sitagliptin phosphate/metformin HCl	Janumet			
sitagliptin phosphate/metformin HCl	Janumet XR			
sitagliptin phosphate/simvastatin	Juvisync			

cder_mp1p_wp083 Page 122 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

	Erenumab-Aooe (Aimovig Only)
erenumab-aooe	Aimovig Autoinjector
erenumab-aooe	Aimovig Autoinjector (2 Pack)
	Dupilumab (Dupixent Only)
dupilumab	Dupixent Pen
dupilumab	Dupixent Syringe
	Apremilast (Otezla Only)
apremilast	Otezla
apremilast	Otezla Starter
	Peginterferon Beta 1A (Plegridy Only)
peginterferon beta-1a	Plegridy
	Certolizumab Pegol (Cimzia Only)
certolizumab pegol	Cimzia
certolizumab pegol	Cimzia Powder for Reconst
certolizumab pegol	Cimzia Starter Kit
	Ulipristal (Ella Only)
ulipristal acetate	Ella
	Milnacipran (Savella Only)
milnacipran HCl	Savella
	Ustekinumab (Stelara Only)
ustekinumab	Stelara
	Armodafinil (Nuvigil Equivalents Only)
armodafinil	armodafinil
	Armodafinil (Nuvigil Only)
armodafinil	Nuvigil
	Modafinil (Provigil Equivalents Only)
modafinil	modafinil
	Modafinil (Provigil Only)
modafinil	Provigil
	Omalizumab (Xolair Only)
omalizumab	Xolair
	Doxylamine And Pyridoxine (Diclegis Equivalents Only)
doxylamine succinate/vit B6	DOXYLAMINE SUCC-PYRIDOXINE HCL
doxylamine succinate/vit B6	Doxylamine And Pyridoxine-Containing Products (Bonjesta Only) BONJESTA
doxylumine succinate/ vit bo	Varenicline-Containing Products (Except Chantix And Equivalents)
varenicline tartrate	TYRVAYA
	Doxylamine And Pyridoxine (Diclegis Only)
doxylamine succinate/vit B6	DICLEGIS

cder_mp1p_wp083 Page 123 of 145



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Medical Products of Interest in this Request

Duloxetine (Except Cymbalta And Equivalents)			
duloxetine HCl	DRIZALMA SPRINKLE		
	Varenicline (Chantix Equivalents Only)		
varenicline tartrate	VARENICLINE		
varenicline tartrate	VARENICLINE TARTRATE		
Cyclosporine (Neoral Only)			
cyclosporine, modified	NEORAL		

cder_mp1p_wp083 Page 124 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

	Code Description	Code Category	Code Type
	aripiprazole (Abilify Maintena and equivalents only)		
59148001665	aripiprazole	Procedure	NDC
59148001870	aripiprazole	Procedure	NDC
59148001871	aripiprazole	Procedure	NDC
59148001970	aripiprazole	Procedure	NDC
59148001971	aripiprazole	Procedure	NDC
59148001991	aripiprazole	Procedure	NDC
59148004580	aripiprazole	Procedure	NDC
59148007280	aripiprazole	Procedure	NDC
59148007292	aripiprazole	Procedure	NDC
J0400	Injectionaripiprazoleintramusc	Procedure	HCPCS
J0401	Injectionaripiprazoleextendedr	Procedure	HCPCS
	amitriptyline-containing products		
J1320	InjectionamitriptylineHClupto2	Procedure	HCPCS
	aripiprazole lauroxil (Aristada Initio and equivalents only)		
65757050003	aripiprazolelauroxilsubmicroni	Procedure	NDC
C9035	InjectionaripiprazolelauroxilA	Procedure	HCPCS
J1943	InjectionaripiprazolelauroxilA	Procedure	HCPCS
	aripiprazole lauroxil (Aristada and equivalents only)		
65757040101	aripiprazolelauroxil	Procedure	NDC
65757040103	aripiprazolelauroxil	Procedure	NDC
65757040201	aripiprazolelauroxil	Procedure	NDC
65757040203	aripiprazolelauroxil	Procedure	NDC
65757040301	aripiprazolelauroxil	Procedure	NDC
65757040303	aripiprazolelauroxil	Procedure	NDC
65757040401	aripiprazolelauroxil	Procedure	NDC
65757040403	aripiprazolelauroxil	Procedure	NDC
C9470	Injectionaripiprazolelauroxil1	Procedure	HCPCS
J1942	Injectionaripiprazolelauroxil1	Procedure	HCPCS
J1944	InjectionaripiprazolelauroxilA	Procedure	HCPCS
	bupropion-containing products		
S0106	Bupropion HCl sustained releaseta	Procedure	HCPCS
	cyclosporine-containing products (except Neoral and equivale	· ·	
00078010901	cyclosporine	Procedure	NDC
00078010961	cyclosporine	Procedure	NDC
00517086601	cyclosporine	Procedure	NDC
00517086610	cyclosporine	Procedure	NDC
00574086601	cyclosporine	Procedure	NDC
00574086610	cyclosporine	Procedure	NDC
55390012210	cyclosporine	Procedure	NDC
C9438	Cyclosporineoral100mgbrandname	Procedure	HCPCS
J7502	Cyclosporineoral100mg	Procedure	HCPCS
J7515	Cyclosporineoral25mg	Procedure	HCPCS

cder_mp1p_wp083 Page 125 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
J7516	Cyclosporineparenteral250mg	Procedure	HCPCS
K0122	Cyclosporineparenteral250mg	Procedure	HCPCS
	dextroamphetamine-containing products		
S0160	Dextroamphetaminesulfate5mg	Procedure	HCPCS
	adalimumab (Humira only)		
00074006702	adalimumab	Procedure	NDC
00074012402	adalimumab	Procedure	NDC
00074012403	adalimumab	Procedure	NDC
00074012404	adalimumab	Procedure	NDC
00074012474	adalimumab	Procedure	NDC
00074024302	adalimumab	Procedure	NDC
00074055402	adalimumab	Procedure	NDC
00074055471	adalimumab	Procedure	NDC
00074061602	adalimumab	Procedure	NDC
00074081702	adalimumab	Procedure	NDC
00074153903	adalimumab	Procedure	NDC
00074254003	adalimumab	Procedure	NDC
00074379902	adalimumab	Procedure	NDC
00074379903	adalimumab	Procedure	NDC
00074379906	adalimumab	Procedure	NDC
00074433901	adalimumab	Procedure	NDC
00074433902	adalimumab	Procedure	NDC
00074433906	adalimumab	Procedure	NDC
00074433907	adalimumab	Procedure	NDC
00074433971	adalimumab	Procedure	NDC
00074433974	adalimumab	Procedure	NDC
00074634702	adalimumab	Procedure	NDC
00074937402	adalimumab	Procedure	NDC
54868482200	adalimumab	Procedure	NDC
J0135	Injectionadalimumab20mg	Procedure	HCPCS
	insulin aspart-containing products		
00169210011	insulinaspart	Procedure	NDC
00169210112	insulinaspart	Procedure	NDC
00169210125	insulinaspart	Procedure	NDC
00169220011	insulinaspartprotaminehumanins	Procedure	NDC
00169220125	insulinaspartprotaminehumanins	Procedure	NDC
00169320111	insulinaspartniacinamide	Procedure	NDC
00169320415	insulinaspartniacinamide	Procedure	NDC
00169320511	insulinaspartniacinamide	Procedure	NDC
00169320515	insulinaspartniacinamide	Procedure	NDC
00169330312	insulinaspart	Procedure	NDC
00169368213	insulinaspartprotaminehumanins	Procedure	NDC
00169368512	insulinaspartprotaminehumanins	Procedure	NDC

cder_mp1p_wp083 Page 126 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
00169369619	insulinas part protamine humanins	Procedure	NDC
00169633910	insulinaspart	Procedure	NDC
00169750111	insulinaspart	Procedure	NDC
50090166400	insulinaspart	Procedure	NDC
54868277700	insulinaspart	Procedure	NDC
54868520100	insulinaspartprotaminehumanins	Procedure	NDC
54868532700	insulinaspartprotaminehumanins	Procedure	NDC
54868532701	insulinaspartprotaminehumanins	Procedure	NDC
54868605400	insulinaspart	Procedure	NDC
68258889903	insulinaspart	Procedure	NDC
73070010011	insulinaspart	Procedure	NDC
73070010210	insulinaspart	Procedure	NDC
73070010215	insulinaspart	Procedure	NDC
73070010310	insulinaspart	Procedure	NDC
73070010315	insulinaspart	Procedure	NDC
73070020011	insulinaspartprotaminehumanins	Procedure	NDC
73070020310	insulinaspartprotaminehumanins	Procedure	NDC
73070020315	insulinaspartprotaminehumanins	Procedure	NDC
S5551	In sulinmost rapidon set Lisproor A	Procedure	HCPCS
	insulin detemir-containing products		
00169368712	insulindetemir	Procedure	NDC
00169643810	insulindetemir	Procedure	NDC
00169643890	insulindetemir	Procedure	NDC
00169643897	insulindetemir	Procedure	NDC
00169643910	insulindetemir	Procedure	NDC
54569630000	insulindetemir	Procedure	NDC
54569630100	insulindetemir	Procedure	NDC
54868011200	insulindetemir	Procedure	NDC
54868588300	insulindetemir	Procedure	NDC
	insulin NPH-containing products		
00002831501	insulinNPHhumanisophane	Procedure	NDC
00002831517	insulinNPHhumanisophane	Procedure	NDC
00002831591	insulin NPH human is op hane	Procedure	NDC
00002871501	insulin NPH human is op han ein sulin	Procedure	NDC
00002871517	insulin NPH human is op han ein sulin	Procedure	NDC
00002871591	insulinNPHhumanisophaneinsulin	Procedure	NDC
00002873001	insulin NPH human is op hane	Procedure	NDC
00002873059	insulinNPHhumanisophane	Procedure	NDC
00002877001	insulin NPH human is op han ein sulin	Procedure	NDC
00002877059	insulin NPH human is op han ein sulin	Procedure	NDC
00002880301	insulin NPH human is op han ein sulin	Procedure	NDC
00002880359	insulin NPH human is op han ein sulin	Procedure	NDC
00002880501	insulinNPHhumanisophane	Procedure	NDC

cder_mp1p_wp083 Page 127 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
00002880559	insulinNPHhumanisophane	Procedure	NDC
00002951501	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169183402	insulinNPHhumanisophane	Procedure	NDC
00169183411	insulinNPHhumanisophane	Procedure	NDC
00169183702	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169183711	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169231421	insulinNPHhumanisophane	Procedure	NDC
00169231721	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169300415	insulinNPHhumanisophane	Procedure	NDC
00169300425	insulinNPHhumanisophane	Procedure	NDC
00169300701	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169300712	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169300715	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169300725	insulinNPHhumanisophaneinsulin	Procedure	NDC
00169347418	insulinNPHhumanisophane	Procedure	NDC
00169347718	insulinNPHhumanisophaneinsulin	Procedure	NDC
49999099310	insulinNPHhumanisophaneinsulin	Procedure	NDC
54569231800	insulinNPHhumanisophane	Procedure	NDC
54569291800	insulinNPHhumanisophaneinsulin	Procedure	NDC
54569346700	insulinNPHhumanisophaneinsulin	Procedure	NDC
54569383500	insulinNPHhumanisophane	Procedure	NDC
54868142901	insulinNPHhumanisophane	Procedure	NDC
54868238001	insulinNPHhumanisophane	Procedure	NDC
54868274600	insulinNPHhumanisophaneinsulin	Procedure	NDC
54868347400	insulinNPHhumanisophaneinsulin	Procedure	NDC
54868582400	insulinNPHhumanisophaneinsulin	Procedure	NDC
55045350801	insulinNPHhumanisophaneinsulin	Procedure	NDC
58016478801	insulinNPHhumanisophane	Procedure	NDC
59060183402	insulinNPHhumanisophane	Procedure	NDC
59060183702	insulinNPHhumanisophaneinsulin	Procedure	NDC
68115072905	insulinNPHhumanisophane	Procedure	NDC
S5552	InsulinintermediateactingNPHor	Procedure	HCPCS
le	vetiracetam-containing products		
00143957401	levetiracetam	Procedure	NDC
00143957410	levetiracetam	Procedure	NDC
00143957425	levetiracetam	Procedure	NDC
00143967301	levetiracetam	Procedure	NDC
00143967310	levetiracetam	Procedure	NDC
00143967325	levetiracetam	Procedure	NDC
00409188602	levetiracetam	Procedure	NDC
00409188605	levetiracetam	Procedure	NDC
00409188615	levetiracetam	Procedure	NDC
00409188622	levetiracetam	Procedure	NDC

cder_mp1p_wp083 Page 128 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
00409201105	levetiracetam	Procedure	NDC
00409201125	levetiracetam	Procedure	NDC
00517360501	levetiracetam	Procedure	NDC
00517360525	levetiracetam	Procedure	NDC
14789011005	levetiracetaminsodiumchloridei	Procedure	NDC
14789011008	levetiracetaminsodiumchloridei	Procedure	NDC
14789022008	levetiracetaminsodiumchloridei	Procedure	NDC
14789022010	levetiracetaminsodiumchloridei	Procedure	NDC
14789033008	levetiracetaminsodiumchloridei	Procedure	NDC
14789033015	levetiracetaminsodiumchloridei	Procedure	NDC
14789040005	levetiracetam	Procedure	NDC
25021078005	levetiracetam	Procedure	NDC
39822400001	levetiracetam	Procedure	NDC
43547045410	levetiracetam	Procedure	NDC
43547045441	levetiracetam	Procedure	NDC
43598063510	levetiracetaminsodiumchloridei	Procedure	NDC
43598063552	levetiracetaminsodiumchloridei	Procedure	NDC
43598063610	levetiracetaminsodiumchloridei	Procedure	NDC
43598063652	levetiracetaminsodiumchloridei	Procedure	NDC
43598063710	levetiracetaminsodiumchloridei	Procedure	NDC
43598063752	levetiracetaminsodiumchloridei	Procedure	NDC
43598075510	levetiracetaminsodiumchloridei	Procedure	NDC
43598075552	levetiracetaminsodiumchloridei	Procedure	NDC
43598075710	levetiracetaminsodiumchloridei	Procedure	NDC
43598075752	levetiracetaminsodiumchloridei	Procedure	NDC
43598075910	levetiracetaminsodiumchloridei	Procedure	NDC
43598075952	levetiracetaminsodiumchloridei	Procedure	NDC
44567050001	levetiracetaminsodiumchloridei	Procedure	NDC
44567050010	levetiracetaminsodiumchloridei	Procedure	NDC
44567050101	levetiracetaminsodiumchloridei	Procedure	NDC
44567050110	levetiracetaminsodiumchloridei	Procedure	NDC
44567050201	levetiracetaminsodiumchloridei	Procedure	NDC
44567050210	levetiracetaminsodiumchloridei	Procedure	NDC
44567050301	levetiracetaminsodiumchloridei	Procedure	NDC
44567050310	levetiracetaminsodiumchloridei	Procedure	NDC
50474000263	levetiracetam	Procedure	NDC
51224001301	levetiracetam	Procedure	NDC
51224001310	levetiracetam	Procedure	NDC
51224001325	levetiracetam	Procedure	NDC
55150017705	levetiracetam	Procedure	NDC
55150024647	levetiracetaminsodiumchloridei	Procedure	NDC
55150024747	levetiracetaminsodiumchloridei	Procedure	NDC
55150024847	levetiracetaminsodiumchloridei	Procedure	NDC

cder_mp1p_wp083 Page 129 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

	Code	Description	Code Category	Code Type
62756051340		levetiracetam	Procedure	NDC
62756051344		levetiracetam	Procedure	NDC
63323040005		levetiracetam	Procedure	NDC
63323040009		levetiracetam	Procedure	NDC
63323040041		levetiracetam	Procedure	NDC
63323040044		levetiracetam	Procedure	NDC
67457025500		levetiracetaminsodiumchloridei	Procedure	NDC
67457025510		levetiracetaminsodiumchloridei	Procedure	NDC
67457026500		levetiracetaminsodiumchloridei	Procedure	NDC
67457026510		levetiracetaminsodiumchloridei	Procedure	NDC
67457026600		levetiracetaminsodiumchloridei	Procedure	NDC
67457026610		levetiracetaminsodiumchloridei	Procedure	NDC
67457079000		levetiracetam	Procedure	NDC
67457079005		levetiracetam	Procedure	NDC
70860060241		levetiracetaminsodiumchloridei	Procedure	NDC
70860060282		levetiracetaminsodiumchloridei	Procedure	NDC
70860060341		levetiracetaminsodiumchloridei	Procedure	NDC
70860060382		levetiracetaminsodiumchloridei	Procedure	NDC
70860060441		levetiracetaminsodiumchloridei	Procedure	NDC
70860060482		levetiracetaminsodiumchloridei	Procedure	NDC
72485010601		levetiracetam	Procedure	NDC
72485010610		levetiracetam	Procedure	NDC
C9238		Injectionlevetiracetam10mg	Procedure	HCPCS
J1953		Injectionlevetiracetam10mg	Procedure	HCPCS
	levonorgestrel-containing i	ntrauterine device products (except Lile	·	
50419042201		levonorgestrel	Procedure	NDC
50419042401		levonorgestrel	Procedure	NDC
50419042408		levonorgestrel	Procedure	NDC
A4260		Levonorgestrelcontraceptiveimp	Procedure	HCPCS
J7296		Levonorgestrelreleasingintraut	Procedure	HCPCS
J7301		Levonorgestrelreleasingintraut	Procedure	HCPCS
J7306		Levonorgestrelcontraceptiveimp	Procedure	HCPCS
Q0090		Levonorgestrelreleasingintraut	Procedure	HCPCS
Q9984		Levonorgestrelreleasingintraut	Procedure	HCPCS
S4980		Levonorgestrelreleasingintraut	Procedure	HCPCS
S4981		Insertionoflevonorgestrelrelea	Procedure	HCPCS
0000050555	levonorge	estrel intrauterine device (Liletta only)		ND 0
00023585801		levonorgestrel	Procedure	NDC
52544003554		levonorgestrel	Procedure	NDC
J7297		Levonorgestrelreleasingintraut	Procedure	HCPCS
00517176701	hydroxyproges	terone caproate (Makena equivalents or	• •	NDC
00517176701		hydroxyprogesteronecaproatePF	Procedure	NDC
00517179101		hydroxyprogesteronecaproatePF	Procedure	NDC

cder_mp1p_wp083 Page 130 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

	Code Description	Code Category	Code Type	
55150030901	hydroxyprogesteronecaproatePF	Procedure	NDC	
55150031001	hydroxyprogesteronecaproate	Procedure	NDC	
62559054015	hydroxyprogesteronecaproate	Procedure	NDC	
66993003883	hydroxyprogesteronecaproatePF	Procedure	NDC	
66993003901	hydroxyprogesteronecaproate	Procedure	NDC	
67457088605	hydroxyprogesteronecaproate	Procedure	NDC	
67457096701	hydroxyprogesteronecaproatePF	Procedure	NDC	
69238179701	hydroxyprogesteronecaproatePF	Procedure	NDC	
71225010401	hydroxyprogesteronecaproate	Procedure	NDC	
71225010501	hydroxyprogesteronecaproatePF	Procedure	NDC	
J1725	Injectionhydroxyprogesteroneca	Procedure	HCPCS	
J1726	Injectionhydroxyprogesteroneca	Procedure	HCPCS	
J1729	Injectionhydroxyprogesteroneca	Procedure	HCPCS	
J1739	Injectionhydroxyprogesteroneca	Procedure	HCPCS	
Q9985	Injectionhydroxyprogesteroneca	Procedure	HCPCS	
Q9986	Injectionhydroxyprogesteroneca	Procedure	HCPCS	
	levonorgestrel intrauterine device (Mirena only)			
50419042101	levonorgestrel	Procedure	NDC	
50419042301	levonorgestrel	Procedure	NDC	
50419042308	levonorgestrel	Procedure	NDC	
J7298	Levonorgestrelreleasingintraut	Procedure	HCPCS	
J7302	Levonorgestrelreleasingintraut	Procedure	HCPCS	
	etonogestrel and ethinyl estradiol (Nuvaring equivalents or	nly)		
J7295	Ethinylestradiolandetonogestre	Procedure	HCPCS	
J7307	Etonogestrelcontraceptiveimpla	Procedure	HCPCS	
S0180	Etonogestrelcontraceptiveimpla	Procedure	HCPCS	
	olanzapine-containing products			
00002759701	olanzapine	Procedure	NDC	
00002763511	olanzapinepamoate	Procedure	NDC	
00002763611	olanzapinepamoate	Procedure	NDC	
00002763711	olanzapinepamoate	Procedure	NDC	
00002765801	olanzapinepamoate	Procedure	NDC	
00002765901	olanzapinepamoate	Procedure	NDC	
00002766001	olanzapinepamoate	Procedure	NDC	
00517095501	olanzapine	Procedure	NDC	
00781315972	olanzapine	Procedure	NDC	
00781910572	olanzapine	Procedure	NDC	
55150030801	olanzapine	Procedure	NDC	
J2358	Injectionolanzapinelongacting1	Procedure	HCPCS	
S0166	Injectionolanzapine25mg	Procedure	HCPCS	
aripiprazole-containing products				
59148001665	aripiprazole	Procedure	NDC	
59148001870	aripiprazole	Procedure	NDC	

cder_mp1p_wp083 Page 131 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
59148001871	aripiprazole	Procedure	NDC
59148001970	aripiprazole	Procedure	NDC
59148001971	aripiprazole	Procedure	NDC
59148001991	aripiprazole	Procedure	NDC
59148004580	aripiprazole	Procedure	NDC
59148007280	aripiprazole	Procedure	NDC
59148007292	aripiprazole	Procedure	NDC
65757040101	aripiprazolelauroxil	Procedure	NDC
65757040103	aripiprazolelauroxil	Procedure	NDC
65757040201	aripiprazolelauroxil	Procedure	NDC
65757040203	aripiprazolelauroxil	Procedure	NDC
65757040301	aripiprazolelauroxil	Procedure	NDC
65757040303	aripiprazolelauroxil	Procedure	NDC
65757040401	aripiprazolelauroxil	Procedure	NDC
65757040403	aripiprazolelauroxil	Procedure	NDC
65757050003	aripiprazolelauroxilsubmicroni	Procedure	NDC
C9035	InjectionaripiprazolelauroxilA	Procedure	HCPCS
C9470	Injectionaripiprazolelauroxil1	Procedure	HCPCS
J0400	Injectionaripiprazoleintramusc	Procedure	HCPCS
J0401	Injectionaripiprazoleextendedr	Procedure	HCPCS
J1942	Injectionaripiprazolelauroxil1	Procedure	HCPCS
J1943	InjectionaripiprazolelauroxilA	Procedure	HCPCS
J1944	InjectionaripiprazolelauroxilA	Procedure	HCPCS
	risperidone-containing products		
12496009001	risperidone	Procedure	NDC
12496009002	risperidone	Procedure	NDC
12496012001	risperidone	Procedure	NDC
50458030601	risperidonemicrospheres	Procedure	NDC
50458030611	risperidonemicrospheres	Procedure	NDC
50458030701	risperidonemicrospheres	Procedure	NDC
50458030711	risperidonemicrospheres	Procedure	NDC
50458030801	risperidonemicrospheres	Procedure	NDC
50458030811	risperidonemicrospheres	Procedure	NDC
50458030901	risperidonemicrospheres	Procedure	NDC
50458030911	risperidonemicrospheres	Procedure	NDC
C9037	InjectionrisperidonePerseris05	Procedure	HCPCS
C9125	Injectionrisperidoneper125mg	Procedure	HCPCS
J2794	InjectionrisperidoneRISPERDALC	Procedure	HCPCS
J2798	InjectionrisperidonePerseris05	Procedure	HCPCS
S0163	Injectionrisperidonelongacting	Procedure	HCPCS
	sumatriptan-containing products		
00093201312	sumatriptansuccinate	Procedure	NDC
00093201334	sumatriptansuccinate	Procedure	NDC

cder_mp1p_wp083 Page 132 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
00093201412	sumatriptansuccinate	Procedure	NDC
00093201434	sumatriptansuccinate	Procedure	NDC
00143963801	sumatriptansuccinate	Procedure	NDC
00143963805	sumatriptansuccinate	Procedure	NDC
00173044902	sumatriptansuccinate	Procedure	NDC
00173047800	sumatriptansuccinate	Procedure	NDC
00173047900	sumatriptansuccinate	Procedure	NDC
00173052300	sumatriptan	Procedure	NDC
00173052400	sumatriptan	Procedure	NDC
00173073900	sumatriptansuccinate	Procedure	NDC
00173073902	sumatriptansuccinate	Procedure	NDC
00245080938	sumatriptansuccinate	Procedure	NDC
00245080989	sumatriptansuccinate	Procedure	NDC
00245081261	sumatriptan	Procedure	NDC
00245081289	sumatriptan	Procedure	NDC
00527181843	sumatriptan	Procedure	NDC
00527185943	sumatriptan	Procedure	NDC
00703735101	sumatriptansuccinate	Procedure	NDC
00703735102	sumatriptansuccinate	Procedure	NDC
00781316907	sumatriptansuccinate	Procedure	NDC
00781317007	sumatriptansuccinate	Procedure	NDC
00781317207	sumatriptansuccinate	Procedure	NDC
00781317307	sumatriptansuccinate	Procedure	NDC
00781317414	sumatriptansuccinate	Procedure	NDC
00781317471	sumatriptansuccinate	Procedure	NDC
00781323147	sumatriptansuccinate	Procedure	NDC
00781652306	sumatriptan	Procedure	NDC
00781652386	sumatriptan	Procedure	NDC
00781652406	sumatriptan	Procedure	NDC
00781652486	sumatriptan	Procedure	NDC
16714004001	sumatriptansuccinate	Procedure	NDC
16714004002	sumatriptansuccinate	Procedure	NDC
25021070360	sumatriptansuccinate	Procedure	NDC
25021070370	sumatriptansuccinate	Procedure	NDC
27505000200	sumatriptansuccinate	Procedure	NDC
42023012105	sumatriptansuccinate	Procedure	NDC
42254029701	sumatriptansuccinate	Procedure	NDC
42847031108	sumatriptansuccinate	Procedure	NDC
43376010401	sumatriptansuccinate	Procedure	NDC
43376010406	sumatriptansuccinate	Procedure	NDC
43376010601	sumatriptansuccinate	Procedure	NDC
43376010606	sumatriptansuccinate	Procedure	NDC
45802059800	sumatriptan	Procedure	NDC

cder_mp1p_wp083 Page 133 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

Code	Description	Code Category	Code Type
45802059806	sumatriptan	Procedure	NDC
45802061900	sumatriptan	Procedure	NDC
45802061906	sumatriptan	Procedure	NDC
47335027640	sumatriptansuccinate	Procedure	NDC
47335027641	sumatriptansuccinate	Procedure	NDC
49884048252	sumatriptansuccinate	Procedure	NDC
49884048299	sumatriptansuccinate	Procedure	NDC
49884048352	sumatriptansuccinate	Procedure	NDC
49884048399	sumatriptansuccinate	Procedure	NDC
49884051678	sumatriptansuccinate	Procedure	NDC
49999082206	sumatriptan	Procedure	NDC
54569370400	sumatriptansuccinate	Procedure	NDC
54868265200	sumatriptansuccinate	Procedure	NDC
54868265201	sumatriptansuccinate	Procedure	NDC
54868318000	sumatriptansuccinate	Procedure	NDC
54868318100	sumatriptansuccinate	Procedure	NDC
54868460600	sumatriptan	Procedure	NDC
54868476400	sumatriptan	Procedure	NDC
54868605200	sumatriptan	Procedure	NDC
55045327101	sumatriptansuccinate	Procedure	NDC
55045350201	sumatriptan	Procedure	NDC
55045351201	sumatriptansuccinate	Procedure	NDC
55045373206	sumatriptan	Procedure	NDC
55111069305	sumatriptansuccinate	Procedure	NDC
55111069312	sumatriptansuccinate	Procedure	NDC
55150017301	sumatriptansuccinate	Procedure	NDC
55150017305	sumatriptansuccinate	Procedure	NDC
55390031510	sumatriptansuccinate	Procedure	NDC
55390032502	sumatriptansuccinate	Procedure	NDC
58016123101	sumatriptan	Procedure	NDC
60429099401	sumatriptansuccinate	Procedure	NDC
60429099402	sumatriptansuccinate	Procedure	NDC
60429099501	sumatriptansuccinate	Procedure	NDC
60429099505	sumatriptansuccinate	Procedure	NDC
63323027301	sumatriptansuccinate	Procedure	NDC
63323027385	sumatriptansuccinate	Procedure	NDC
63323027485	sumatriptansuccinate	Procedure	NDC
63481022901	sumatriptansuccinate	Procedure	NDC
63481022906	sumatriptansuccinate	Procedure	NDC
63481036706	sumatriptansuccinate	Procedure	NDC
64597031108	sumatriptansuccinate	Procedure	NDC
64679072801	sumatriptansuccinate	Procedure	NDC
64679072808	sumatriptansuccinate	Procedure	NDC

cder_mp1p_wp083 Page 134 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

66993008169 sumatriptan Procedure NDC 66993008269 sumatriptan Procedure NDC 66993008379 sumatriptansuccinate Procedure NDC 66993008398 sumatriptansuccinate Procedure NDC 66993008498 sumatriptansuccinate Procedure NDC 67457087900 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67857080031 sumatriptansuccinate Procedure NDC 678570810261 sumatriptansuccinate Procedure NDC 67857081262 sumatriptansuccinate Procedure NDC 67857081263 sumatriptansuccinate Procedure NDC 70069080405 sumatriptansuccinate Procedure NDC 7006908080401 <td< th=""><th>Code</th><th>Description</th><th>Code Category</th><th>Code Type</th></td<>	Code	Description	Code Category	Code Type
66993008269 sumatriptan Procedure NDC 66993008379 sumatriptansuccinate Procedure NDC 66993008398 sumatriptansuccinate Procedure NDC 66993008479 sumatriptansuccinate Procedure NDC 66993008498 sumatriptansuccinate Procedure NDC 67457087900 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857081261 sumatriptansuccinate Procedure NDC 67857081262 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 700699080405 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatripta	66860002206	sumatriptansuccinate	Procedure	NDC
66993008379 sumatriptansuccinate Procedure NDC 66993008398 sumatriptansuccinate Procedure NDC 66993008479 sumatriptansuccinate Procedure NDC 66993008498 sumatriptansuccinate Procedure NDC 67457087900 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857081261 sumatriptansuccinate Procedure NDC 67857081262 sumatriptan Procedure NDC 67857081263 sumatriptan Procedure NDC 67857081264 sumatriptansuccinate Procedure NDC 67857081265 sumatriptansuccinate Procedure NDC 67857081266 sumatriptansuccinate Procedure NDC 67857081266 sumatriptansuccinate Procedure NDC 681150777002 s	66993008169	sumatriptan	Procedure	NDC
66993008398 sumatriptansuccinate Procedure NDC 66993008479 sumatriptansuccinate Procedure NDC 66993008498 sumatriptansuccinate Procedure NDC 67457087900 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 67857080931 sumatriptansuccinate Procedure NDC 67857080938 sumatriptan Procedure NDC 67857081261 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptan	66993008269	sumatriptan	Procedure	NDC
66993008479 sumatriptansuccinate Procedure NDC 66993008498 sumatriptansuccinate Procedure NDC 67457087900 sumatriptansuccinate Procedure NDC 67457087905 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857080254 sumatriptansuccinate Procedure NDC 67857081261 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 6815077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 8401102401	66993008379	sumatriptansuccinate	Procedure	NDC
66993008498 sumatriptansuccinate Procedure NDC 67457087900 sumatriptansuccinate Procedure NDC 67457087905 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857080938 sumatriptan Procedure NDC 67857081261 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 700590080405 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 80011024301 hydroxypro	66993008398	sumatriptansuccinate	Procedure	NDC
67457087900 sumatriptansuccinate Procedure NDC 67457087905 sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857081261 sumatriptansuccinate Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 64011024301 hydroxyprogesterone caproate (Makena only) HCCS 64011024301 hydroxyprogesteronecaproate RX ND 64011024702 <t< td=""><td>66993008479</td><td>sumatriptansuccinate</td><td>Procedure</td><td>NDC</td></t<>	66993008479	sumatriptansuccinate	Procedure	NDC
sumatriptansuccinate Procedure NDC 67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 678570880937 sumatriptansuccinate Procedure NDC 67857080938 sumatriptansuccinate Procedure NDC 67857081261 sumatriptansuccinate Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptan Procedure NDC 69097064448 sumatriptan Procedure NDC 70059080401 sumatriptansuccinate Procedure NDC 70059080401 sumatriptansuccinate Procedure NDC 70059080401 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006801 hydroxyprogesteronecaproate Procedure NDC 70594006802 hydroxyprogesteronecaproate (Makena only) 64011024301 hydroxyprogesteronecaproate RX ND 64011024301 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproate RX ND 64011030103 hydroxyprogester	66993008498	sumatriptansuccinate	Procedure	NDC
67457088000 sumatriptansuccinate Procedure NDC 67457088005 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857080238 sumatriptansuccinate Procedure NDC 67857081261 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 700594006801 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 30300 Injectionsumatriptansuccinate Procedure NDC 40410124301 hydroxyprogesterone caproate (Makena only) 64011024301 hydroxyprogesteronecaproate Procedure NDC 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF Procedure NDC <td>67457087900</td> <td>sumatriptansuccinate</td> <td>Procedure</td> <td>NDC</td>	67457087900	sumatriptansuccinate	Procedure	NDC
67457088005 sumatriptansuccinate Procedure NDC 67857080937 sumatriptansuccinate Procedure NDC 67857080938 sumatriptansuccinate Procedure NDC 67857081261 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 6907064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 3030 Injectionsumatriptansuccinate Procedure NDC 4011024301 hydroxyprogesterone caproate (Makena only) 64011024301 hydroxyprogesteronecaproate Procedure NDC 64011024702 hydroxyprogesteronecaproate Procedure NDC 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF RX ND	67457087905	sumatriptansuccinate	Procedure	NDC
67857080937 sumatriptansuccinate Procedure NDC 67857080938 sumatriptansuccinate Procedure NDC 67857081261 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70069080405 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 13030 Injectionsumatriptansuccinate Procedure NDC 64011024301 hydroxyprogesterone caproate (Makena only) NDC 64011024301 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011030103	67457088000	sumatriptansuccinate	Procedure	NDC
67857080938 sumatriptansuccinate Procedure NDC 67857081261 sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptan Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 700594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 1902107061 sumatriptansuccinate Procedure NDC 30300 Injectionsumatriptansuccinate6 Procedure NDC 64011024301 hydroxyprogesteronecaproate Procedure NDC 64011024301 hydroxyprogesteronecaproateP Procedure NDC 64011024702 hydroxyprogesteronecaproatePF RX ND 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011030103	67457088005	sumatriptansuccinate	Procedure	NDC
sumatriptan Procedure NDC 67857081262 sumatriptan Procedure NDC 68115077002 sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptansuccinate Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70069080405 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 71921017061 hydroxyprogesteronecaproate Procedure NDC 71921017061 hydroxyprogesteronecaproate Procedure NDC 64011024301 hydroxyprogesteronecaproate RX ND 64011024301 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF RX ND 640150501 semaglutide Procedure NDC 00169450114 semaglutide Procedure NDC 00169450101 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC	67857080937	sumatriptansuccinate	Procedure	NDC
sumatriptan Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 68115077002 sumatriptansuccinate Procedure NDC 69097064448 sumatriptan Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70069080405 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 71921017061 sumatriptan Procedure NDC 71921017061 hydroxyprogesterone caproate Procedure NDC 71921017061 hydroxyprogesterone caproate Procedure NDC 71921017061 hydroxyprogesterone caproate Procedure NDC 64011024301 hydroxyprogesteronecaproate Procedure NDC 64011024301 hydroxyprogesteronecaproate Procedure NDC 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011024702 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF Procedure NDC 64011030101 semaglutide Procedure NDC 00169450101 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC	67857080938	sumatriptansuccinate	Procedure	NDC
sumatriptansuccinate Procedure NDC 69097064448 sumatriptan Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70069080405 sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 71921017061 sumatriptansuccinate Procedure NDC 71921017061 sumatriptan Procedure NDC 71921017061 sumatriptan Procedure NDC 71921017061 hydroxyprogesterone caproate Procedure NDC 71921017061 hydroxyprogesterone ROP 71921017061 hydroxyprogesterone ROP 71921017061 hydroxyprogesterone ROP 71921017061 hydroxyprogesteronecaproate Procedure NDC 71921017061 hydroxyprogesteronecaproate Procedure NDC 71921017061 hydroxyprogesteronecaproate Procedure NDC 71921017061 hydroxyprogesteronecaproate RX ND 719210170401 hydroxyprogesteronecaproate RX ND 71921017041 semaglutide Procedure NDC 719210169452141 semaglutide Procedure NDC	67857081261	sumatriptan	Procedure	NDC
sumatriptan Procedure NDC 70069080401 sumatriptansuccinate Procedure NDC 70069080405 sumatriptansuccinate Procedure NDC 700594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptan Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 64011024301 hydroxyprogesteronecaproate RX ND 64011024301 hydroxyprogesteronecaproatePF Procedure NDC 64011024702 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030	67857081262	sumatriptan	Procedure	NDC
70069080401sumatriptansuccinateProcedureNDC70069080405sumatriptansuccinateProcedureNDC70594006801sumatriptansuccinateProcedureNDC70594006802sumatriptansuccinateProcedureNDC71921017061sumatriptanProcedureNDC13030Injectionsumatriptansuccinate6ProcedureHCPCShydroxyprogesterone caproate (Makena only)64011024301hydroxyprogesteronecaproateRXND64011024301hydroxyprogesteronecaproateRXND64011024702hydroxyprogesteronecaproatePFProcedureNDC64011024702hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFRXND00169450101semaglutide (Wegovy only)00169450514semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452501semaglutideProcedureNDC	68115077002	sumatriptansuccinate	Procedure	NDC
sumatriptansuccinate Procedure NDC 70594006801 sumatriptansuccinate Procedure NDC 70594006802 sumatriptansuccinate Procedure NDC 71921017061 sumatriptan Procedure NDC 71921017061 sumatriptan Procedure NDC 71921017061 sumatriptan Procedure NDC 71921017061 hydroxyprogesterone caproate (Makena only) 64011024301 hydroxyprogesterone caproate Procedure NDC 64011024301 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproate Procedure NDC 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF RX ND 8emaglutide (Wegovy only) 00169450101 semaglutide Procedure NDC 00169450114 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC	69097064448	sumatriptan	Procedure	NDC
70594006801sumatriptansuccinateProcedureNDC70594006802sumatriptansuccinateProcedureNDC71921017061sumatriptanProcedureNDCJ3030Injectionsumatriptansuccinate6ProcedureHCPCSHydroxyprogesterone caproate (Makena only)64011024301hydroxyprogesteronecaproateProcedureNDC64011024702hydroxyprogesteronecaproatePFProcedureNDC64011024702hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFProcedureNDC64011030103hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFRXNDSemaglutide (Wegovy only)00169450101semaglutide (Wegovy only)00169450501semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC	70069080401	sumatriptansuccinate	Procedure	NDC
sumatriptansuccinate Procedure NDC 71921017061 sumatriptan Procedure NDC J3030 Injectionsumatriptansuccinate6 Procedure HCPCS hydroxyprogesterone caproate (Makena only)	70069080405	sumatriptansuccinate	Procedure	NDC
71921017061sumatriptanProcedureNDCJ3030Injectionsumatriptansuccinate6ProcedureHCPCShydroxyprogesterone caproate (Makena only)64011024301hydroxyprogesteronecaproateProcedureNDC64011024702hydroxyprogesteronecaproatePFProcedureNDC64011024702hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFRXND64011030103hydroxyprogesteronecaproatePFRXNDsemaglutide (Wegovy only)semaglutide (Wegovy only)00169450101semaglutideProcedureNDC00169450114semaglutideProcedureNDC00169450501semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC00169452514semaglutideProcedureNDC	70594006801	sumatriptansuccinate	Procedure	NDC
Injectionsumatriptansuccinate6	70594006802	sumatriptansuccinate	Procedure	NDC
hydroxyprogesterone caproate (Makena only) 64011024301 hydroxyprogesteronecaproate Procedure NDC 64011024301 hydroxyprogesteronecaproate RX ND 64011024702 hydroxyprogesteronecaproatePF Procedure NDC 64011024702 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF Procedure NDC 64011030103 hydroxyprogesteronecaproatePF RX ND 64011030103 hydroxyprogesteronecaproatePF RX ND 8emaglutide (Wegovy only) 00169450101 semaglutide Procedure NDC 00169450114 semaglutide Procedure NDC 00169450501 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169450101 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC	71921017061	sumatriptan	Procedure	NDC
hydroxyprogesteronecaproate Procedure NDC hydroxyprogesteronecaproate RX ND hydroxyprogesteronecaproate RX ND hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND semaglutide (Wegovy only) semaglutide (Wegovy only) semaglutide Procedure NDC 00169450114 semaglutide Procedure NDC 00169450501 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 001694501701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC	J3030	Injectionsumatriptansuccinate6	Procedure	HCPCS
hydroxyprogesteronecaproate RX ND hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF RX ND semaglutide (Wegovy only) semaglutide (Wegovy only) onl69450101 semaglutide Procedure NDC onl69450114 semaglutide Procedure NDC onl69450501 semaglutide Procedure NDC onl69450514 semaglutide Procedure NDC onl69450514 semaglutide Procedure NDC onl69451701 semaglutide Procedure NDC onl69451714 semaglutide Procedure NDC onl69452401 semaglutide Procedure NDC onl69452401 semaglutide Procedure NDC onl69452414 semaglutide Procedure NDC onl69452501 semaglutide Procedure NDC onl69452501 semaglutide Procedure NDC onl69452501 semaglutide Procedure NDC onl69452514 semaglutide Procedure NDC	hyd	droxyprogesterone caproate (Makena only)		
hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND semaglutide (Wegovy only) semaglutide (Wegovy only) 00169450101 semaglutide Procedure NDC 00169450114 semaglutide Procedure NDC 00169450501 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC	64011024301	hydroxyprogesteronecaproate	Procedure	NDC
hydroxyprogesteronecaproatePF RX ND hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND semaglutide (Wegovy only) 00169450101 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169450701 semaglutide Procedure NDC 00169450714 semaglutide Procedure NDC 00169450714 semaglutide Procedure NDC 00169450714 semaglutide Procedure NDC 00169450714 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC	64011024301	hydroxyprogesteronecaproate		ND
hydroxyprogesteronecaproatePF Procedure NDC hydroxyprogesteronecaproatePF RX ND semaglutide (Wegovy only) 00169450101 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC	64011024702	hydroxyprogesteronecaproatePF	Procedure	NDC
hydroxyprogesteronecaproatePF RX ND semaglutide (Wegovy only) 00169450101 semaglutide Procedure NDC 00169450114 semaglutide Procedure NDC 00169450501 semaglutide Procedure NDC 00169450514 semaglutide Procedure NDC 00169451701 semaglutide Procedure NDC 00169451714 semaglutide Procedure NDC 00169452401 semaglutide Procedure NDC 00169452414 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452501 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC		hydroxyprogesteronecaproatePF	RX	ND
semaglutide (Wegovy only)00169450101semaglutideProcedureNDC00169450114semaglutideProcedureNDC00169450501semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC	64011030103	hydroxyprogesteronecaproatePF	Procedure	NDC
00169450101semaglutideProcedureNDC00169450114semaglutideProcedureNDC00169450501semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC	64011030103	hydroxyprogesteronecaproatePF	RX	ND
00169450114semaglutideProcedureNDC00169450501semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC		0 1 0 1		
00169450501semaglutideProcedureNDC00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC		_		
00169450514semaglutideProcedureNDC00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC		_		
00169451701semaglutideProcedureNDC00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC		_		
00169451714semaglutideProcedureNDC00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC		_		
00169452401semaglutideProcedureNDC00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC		_		
00169452414semaglutideProcedureNDC00169452501semaglutideProcedureNDC00169452514semaglutideProcedureNDC	00169451714	_		
00169452501 semaglutide Procedure NDC 00169452514 semaglutide Procedure NDC	00169452401	_		
00169452514 semaglutide Procedure NDC	00169452414	_		
<u> </u>	00169452501	_		
00160452500 Compagnitide Procedure NDC	00169452514	_		
<u> </u>	00169452590	semaglutide	Procedure	NDC
00169452594 semaglutide Procedure NDC	00169452594	semaglutide	Procedure	NDC

cder_mp1p_wp083 Page 135 of 145



Appendix D. List of Healthcare Common Procedure Coding System, Level II (HCPCS) and National Drug Code (NDC) Codes Used to Define Exposures in this Request

	Code	Description	Code Category	Code Type
50090582400	se	maglutide	Procedure	NDC
	se	maglutide (Ozempic only)		
00169413001	se	maglutide	Procedure	NDC
00169413013	se	maglutide	Procedure	NDC
00169413211	se	maglutide	Procedure	NDC
00169413212	se	maglutide	Procedure	NDC
00169413602	se	maglutide	Procedure	NDC
00169413611	se	maglutide	Procedure	NDC
00169477211	se	maglutide	Procedure	NDC
00169477212	se	maglutide	Procedure	NDC
50090594900	se	maglutide	Procedure	NDC
	ere	numab-aooe (Aimovig only)		
55513084101	er	enumab-aooe	Procedure	NDC
55513084102	er	enumab-aooe	Procedure	NDC
55513084301	er	enumab-aooe	Procedure	NDC

cder_mp1p_wp083 Page 136 of 145

Appendix E. Specifications for Type 4 Request: cder_mpl1p_wp083

Query period (bound by the delivery date): 01/01/2008 - most recent available

Coverage requirement: *Medical & Drug Coverage

Pre- estimated pregnancy start enrollment 0 Post-delivery enrollment 0

Enrollment gap: 45

Age groups (calculated at delivery date): 10-17 18-24 25-34 35-44 45-54

Sex: Female only

Stratifications: MOI Name; trimester; years on the market; pre/term/post; eligibility

Output by gestational week: N

Restrictions: ASO; Demographic restrictions

Envelope macro: *Reclassify encounters during inpatient stay as inpatient

Freeze data: N

Pregnancy Episode Creation

Scenario	Group	Delivery Definition	Pregnancy Cohort Definition	Delivery Care Setting	Delivery Washout Period	Pregnancy Duration Definition (Pre/PostTer m Codes)	Pre/Post-Term Code Evaluation Window Relative to Delivery Date	Pregnancy Duration in Absence of Pre/Post-Term Codes	моі	Exposure Definition
1	Preg	Use Pregnancy Algorithm Codes	Cohort includes all valid pregnancy episodes during the query period	Inpatient hospital stay, any diagnosis position	180 for all pregnancy outcomes	Use Pregnancy Algorithm Codes*	7 days (recommended by MEPREP algorithm)	273 days (recommended by MEPREP algorithm)	See MOI list*	All valid MOI exposure episodes during pregnancy episode

ICD-9, ICD-10, HCPCS, and CPT codes are provided by Optum360.

NDC codes are checked against First Data Bank's "National Drug Data File (NDDF®) Plus."

cder_mp1p_wp083 Page 137 of 145

Appendix E. Specifications for Type 4 Request: cder_mpl1p_wp083

Query period (bound by the delivery date): 01/01/2008 - most recent available

Coverage requirement: *Medical & Drug Coverage

Pre- estimated pregnancy start enrollment 0 Post-delivery enrollment 0

Enrollment gap: 45

Age groups (calculated at delivery date): 10-17 18-24 25-34 35-44 45-54

Sex: Female only

Stratifications: MOI Name; trimester; years on the market; pre/term/post; eligibility

Output by gestational week: N

Restrictions: ASO; Demographic restrictions

Envelope macro: *Reclassify encounters during inpatient stay as inpatient

Freeze data: N

Medical Product of Interest (MOI) Exposure Episode Creation

Incident MOI washout period	MOI episode gap	Blackout period (relative to pregnancy start)	Remove MOI on delivery date	Care setting	Principal diagnosis position	Inclusion/ Exclusion group	Criteria
0	0 days	0	Do not exclude MOIs with Adate equivalent to pregnancy delivery date	Any	N/A	N/A	N/A

Page 138 of 145 cder_mp1p_wp083



Appendix F. Drug Concepts and Medical Products of Interest for Request cder_mpl1p_wp083_nsdp_v01

Drug Concept ¹	Medical Product of Interest (MOI)	Drug Type	Drug Concept	MOI has	Pregnancy-Related Source List	MOI earliest approval date
	adalimumab (Humira only)*	Biological	Yes	Yes	PMR PMC as of May 31	12/31/2002
amitriptyline	amitriptyline-containing products	Small molecule	No	No	OWH Registries	6/2/1961
amphetamine	amphetamine-containing products	Small molecule	No	No	OWH Registries	2/13/1996
aripiprazole	aripiprazole (Abilify and equivalents only)	Small molecule	No	No	OWH Registries	11/15/2002
aripiprazole	aripiprazole (Abilify Maintena and equivalents only)	Small molecule	No	No	OWH Registries	9/20/2006
aripiprazole	aripiprazole lauroxil (Aristada and equivalents only)	Small molecule	No	No	OWH Registries	10/5/2015
aripiprazole	aripiprazole lauroxil (Aristada Initio and equivalents only)	Small molecule	No	No	OWH Registries	6/29/2018
aripiprazole	aripiprazole-containing products	Small molecule	No	No	OWH Registries	11/15/2002
bupropion	bupropion-containing products	Small molecule	No	No	OWH Registries, ClinicalTrials	12/30/1985
citalopram	citalopram-containing products	Small molecule	No	No	OWH Registries	7/17/1998
cyclosporine	cyclosporine (Neoral equivalents only)	Small molecule	Yes	No	PMR PMC as of May 31	1/13/2000
cyclosporine	cyclosporine (Neoral only)	Small molecule	Yes	Yes	PMR PMC as of May 31	7/13/1995
cyclosporine	cyclosporine-containing products (except Neoral and	Small molecule	Yes	No	PMR PMC as of May 31	9/30/1990
desvenlafaxine	desvenlafaxine fumarate (Khedezla and equivalents	Small molecule	No	No	OWH Registries	7/10/2013
desvenlafaxine	desvenlafaxine succinate (Pristig and equivalents only)	Small molecule	No	No	OWH Registries	2/29/2008
desvenlafaxine	desvenlafaxine-containing products	Small molecule	No	No	OWH Registries	2/29/2008



Appendix F. Drug Concepts and Medical Products of Interest for Request cder_mpl1p_wp083_nsdp_v01

Drug Concept ¹	Medical Product of Interest (MOI)	Drug Type	Drug Concept	MOI has	Pregnancy-Related Source List	MOI earliest approval date
dextroamphetamine	dextroamphetamine- containing products	Small molecule	No	No	OWH Registries	9/30/1990
doxylamine and pyridoxine	doxylamine and pyridoxine (Diclegis equivalents only)	Small molecule	Yes	No	PMR PMC as of May 31	8/19/2016
doxylamine and pyridoxine	doxylamine and pyridoxine (Diclegis only)	Small molecule	Yes	Yes	PMR PMC as of May 31	4/8/2013
doxylamine and pyridoxine	doxylamine and pyridoxine- containing products	Small molecule	Yes	Yes	PMR PMC as of May 31	11/7/2016
duloxetine	duloxetine (Cymbalta equivalents only)	Small molecule	Yes	No	PMR PMC as of May 31, ClinicalTrials	12/11/2013
duloxetine	duloxetine (Cymbalta only)	Small molecule	Yes	Yes	PMR PMC as of May 31, ClinicalTrials	8/3/2004
duloxetine	duloxetine (except Cymbalta and equivalents)	Small molecule	Yes	No	PMR PMC as of May 31, ClinicalTrials	7/19/2019
emtricitabine and tenofovir disoproxil fumarate	emtricitabine and tenofovir disoproxil fumarate (Truvada	Small molecule	Yes	No	PMR PMC as of May 31	6/8/2017
emtricitabine and tenofovir disoproxil fumarate	emtricitabine and tenofovir disoproxil fumarate (Truvada	Small molecule	Yes	Yes	PMR PMC as of May 31	8/2/2004
emtricitabine and tenofovir disoproxil fumarate	emtricitabine and tenofovir disoproxil fumarate-	Small molecule	Yes	No	PMR PMC as of May 31	7/12/2006
erenumab	erenumab-aooe (Aimovig only)*	Biological	Yes	Yes	PMR PMC as of May 31, OWH Registries	5/17/2018
escitalopram	escitalopram-containing products	Small molecule	No	No	OWH Registries	8/16/2002
ethinyl estradiol and drospirenone	ethinyl estradiol and drospirenone (Beyaz and	Small molecule	No	No	PMR PMC as of May 31	9/24/2010
ethinyl estradiol and drospirenone	ethinyl estradiol and drospirenone (Yasmin	Small molecule	Yes	No	PMR PMC as of May 31	3/18/2010
ethinyl estradiol and drospirenone	ethinyl estradiol and drospirenone (Yasmin only)	Small molecule	Yes	Yes	PMR PMC as of May 31	5/11/2001
ethinyl estradiol and drospirenone	ethinyl estradiol and drospirenone (Yaz and	Small molecule	No	No	PMR PMC as of May 31	3/16/2006



Appendix F. Drug Concepts and Medical Products of Interest for Request cder_mpl1p_wp083_nsdp_v01

Drug Concept ¹	Medical Product of Interest (MOI)	Drug Type	Drug Concept	MOI has	Pregnancy-Related Source List	MOI earliest approval date
ethinyl estradiol and drospirenone	ethinyl estradiol and drospirenone-containing	Small molecule	No	No	PMR PMC as of May 31	3/16/2006
etonogestrel and ethinyl estradiol	etonogestrel and ethinyl estradiol (Nuvaring	Small molecule	Yes	No	PMR PMC as of May 31	12/11/2019
etonogestrel and ethinyl estradiol	etonogestrel and ethinyl estradiol (Nuvaring only)	Small molecule	Yes	Yes	PMR PMC as of May 31	10/3/2001
fluoxetine	fluoxetine-containing products	Small molecule	No	No	OWH Registries	12/29/1987
hydroxyprogesterone caproate	hydroxyprogesterone caproate (Makena	Small molecule	Yes	No	PMR PMC as of May 31	8/24/2015
hydroxyprogesterone caproate	hydroxyprogesterone caproate (Makena only)	Small molecule	Yes	Yes	PMR PMC as of May 31	2/3/2011
insulin aspart	insulin aspart-containing products	Small molecule	No	No	ClinicalTrials	6/7/2000
insulin detemir	insulin detemir-containing products	Small molecule	No	No	ClinicalTrials	6/16/2005
insulin NPH	insulin NPH-containing products	Small molecule	No	No	ClinicalTrials	9/30/1990
lamotrigine	lamotrigine-containing products	Small molecule	No	No	ClinicalTrials	12/27/1994
levetiracetam	levetiracetam-containing products	Small molecule	No	No	Ad Hoc	11/30/1999
levonorgestrel intrauterine device	levonorgestrel intrauterine device (Liletta only)	Small molecule	Yes	Yes	PMR PMC as of May 31, ClinicalTrials	2/26/2015
levonorgestrel intrauterine device	levonorgestrel intrauterine device (Mirena only)	Small molecule	Yes	Yes	PMR PMC as of May 31, ClinicalTrials	12/2/2000
levonorgestrel intrauterine device	levonorgestrel-containing intrauterine device products	Small molecule	Yes	No	PMR PMC as of May 31, ClinicalTrials	1/9/2013
lisdexamfetamine	lisdexamfetamine-containing products	Small molecule	No	No	OWH Registries	2/23/2007
lurasidone	lurasidone-containing products	Small molecule	No	No	OWH Registries	10/28/2010



Appendix F. Drug Concepts and Medical Products of Interest for Request cder_mpl1p_wp083_nsdp_v01

		Concept	has	Pregnancy-Related Source List	MOI earliest approval date
methylphenidate-containing products	Small molecule	No	No	OWH Registries	12/5/1955
mirtazapine-containing products	Small molecule	No	No	OWH Registries	6/14/1996
nicotine nasal spray device (Nicotrol NS only)*	Small molecule	Yes	Yes	PMR PMC as of May 31	6/30/1995
nicotine transdermal device (except Nicoderm CQ)	Small molecule	Yes	Yes	PMR PMC as of May 31	10/20/1997
(Habitrol only)		V	.,	2142 2142	0/0/4006
(Nicoderm CQ only)				31	9/3/1996
nicotine-containing non- transdermal products	Small molecule	Yes	No	PMR PMC as of May 31	8/24/1999
nortriptyline-containing products	Small molecule	No	No	OWH Registries	8/1/1977
olanzapine-containing products	Small molecule	No	No	OWH Registries	12/24/2003
paroxetine-containing products	Small molecule	No	No	OWH Registries	12/29/1992
pregabalin-containing products	Small molecule	No	No	OWH Registries	12/30/2004
quetiapine-containing products	Small molecule	No	No	OWH Registries	9/29/1997
remdesivir (Veklury only)*	Small molecule	Yes	Yes	PMR PMC as of May 31	10/22/2020
risperidone-containing products	Small molecule	No	No	OWH Registries	12/29/1993
semaglutide (except Wegovy and Ozempic)	Small molecule	Yes	No	PMR PMC as of May 31	9/20/2019
semaglutide (Ozempic only)	Small molecule	Yes	No	PMR PMC as of May 31	12/5/2017
	products mirtazapine-containing products nicotine nasal spray device (Nicotrol NS only)* nicotine transdermal device (except Nicoderm CQ) nicotine transdermal device (Habitrol only) nicotine transdermal device (Nicoderm CQ only) nicotine-containing non- transdermal products nortriptyline-containing products paroxetine-containing products pregabalin-containing products quetiapine-containing products remdesivir (Veklury only)* risperidone-containing products semaglutide (except Wegovy and Ozempic)	mirtazapine-containing products nicotine nasal spray device (Nicotrol NS only)* nicotine transdermal device (except Nicoderm CQ) nicotine transdermal device (Habitrol only) nicotine transdermal device (Nicoderm CQ only) nicotine-containing non-transdermal products nortriptyline-containing Small molecule products paroxetine-containing Small molecule products pregabalin-containing Small molecule products pregabalin-containing Small molecule products pregabalin-containing Small molecule products preducts pregabalin-containing Small molecule products preducts quetiapine-containing Small molecule products remdesivir (Veklury only)* Small molecule products semaglutide (except Wegovy Small molecule and Ozempic)	mirtazapine-containing Small molecule No products nicotine nasal spray device (Nicotrol NS only)* nicotine transdermal device (except Nicoderm CQ) nicotine transdermal device (Habitrol only) nicotine transdermal device (Nicoderm CQ only) nicotine-containing non- transdermal products nortriptyline-containing Small molecule No products olanzapine-containing Small molecule No products paroxetine-containing Small molecule No products pregabalin-containing Small molecule No products quetiapine-containing Small molecule No products remdesivir (Veklury only)* Small molecule Yes risperidone-containing Small molecule No products semaglutide (except Wegovy Small molecule No products semaglutide (except Wegovy Small molecule Yes and Ozempic)	mirtazapine-containing Small molecule No No products nicotine nasal spray device (Nicotrol NS only)* nicotine transdermal device (except Nicoderm CQ) nicotine transdermal device (Habitrol only) nicotine transdermal device (Nicoderm CQ only) nicotine-containing non- transdermal products nortriptyline-containing Small molecule No No products paroxetine-containing Small molecule No No products pregabalin-containing Small molecule No No products quetiapine-containing Small molecule No No products remdesivir (Veklury only)* Small molecule No No No products remdesivir (Veklury only)* Small molecule No No No products remdesivir (Veklury only)* Small molecule No No No products remdesivir (Veklury only)* Small molecule No No No products remdesivir (Veklury only)* Small molecule No No No products remdesivir (Veklury only)* Small molecule No No No products remal molecule No No No products	mirtazapine-containing Small molecule No No OWH Registries products nicotine nasal spray device (Nicotrol NS only)*



Appendix F. Drug Concepts and Medical Products of Interest for Request cder_mpl1p_wp083_nsdp_v01

Drug Concept ¹	Medical Product of Interest (MOI)	Drug Type	Drug Concept	MOI has	Pregnancy-Related Source List	MOI earliest approval date
semaglutide	semaglutide (Wegovy only)	Small molecule	Yes	Yes	PMR PMC as of May 31	6/4/2021
sertraline	sertraline-containing products	Small molecule	No	No	OWH Registries	12/30/1991
sitagliptin	sitagliptin-containing products	Small molecule	No	No	OWH Registries	10/16/2006
sumatriptan	sumatriptan-containing products	Small molecule	No	No	ClinicalTrials	12/28/1992
trazodone	trazodone-containing products	Small molecule	No	No	OWH Registries	9/30/1990
varenicline	varenicline (Chantix equivalents only)	Small molecule	Yes	No	PMR PMC as of May 31, ClinicalTrials	8/11/2021
varenicline	varenicline (Chantix only)	Small molecule	Yes	Yes	PMR PMC as of May 31, ClinicalTrials	5/10/2006
varenicline	varenicline-containing products (except Chantix and	Small molecule	Yes	No	PMR PMC as of May 31, ClinicalTrials	10/15/2021
venlafaxine	venlafaxine-containing products	Small molecule	No	No	OWH Registries	12/28/1993
zolpidem	zolpidem-containing products	Small molecule	No	No	OWH Registries	12/16/1992
dupilumab	dupilumab (Dupixent only)*	Biological		Yes	PMR PMC as of May 31, OWH Registries	3/28/2017
apremilast	apremilast (Otezla only)*	Small molecule		Yes	PMR PMC as of May 31, OWH Registries,	3/21/2014
pegylated interferon beta-1a	peginterferon beta 1a (Plegridy only)*	Biological		Yes	PMR PMC as of May 31, OWH Registries,	8/15/2014
certolizumab pegol	certolizumab pegol (Cimzia only)*	Biological		Yes	PMR PMC as of May 31, OWH Registries	4/22/2008
ulipristal acetate	ulipristal (Ella only)*	Small molecule		Yes	PMR PMC as of May 31	8/13/2010
milnacipran hydrochloride	milnacipran (Savella only)*	Small molecule		Yes	PMR PMC as of May 31, OWH Registries,	1/14/2009



Appendix F. Drug Concepts and Medical Products of Interest for Request cder_mpl1p_wp083_nsdp_v01

Drug Concept ¹	Medical Product of	Drug Type	Drug	MOI	Pregnancy-Related	MOI earliest
	Interest (MOI)		Concept	has	Source List	approval date
ustekinumab	ustekinumab (Stelara only)*	Biological		Yes	PMR PMC as of May	9/25/2009
					31, OWH Registries,	
armodafinil	armodafinil (Nuvigil	Small molecule			PMR PMC as of May	6/1/2012
	equivalents only)				31, OWH Registries,	
armodafinil	armodafinil (Nuvigil only)	Small molecule		Yes	PMR PMC as of May	6/15/2007
					31, OWH Registries,	
modafinil	modafinil (Provigil	Small molecule			PMR PMC as of May	9/27/2012
	equivalents only)				31, OWH Registries,	
modafinil	modafinil (Provigil only)	Small molecule		Yes	PMR PMC as of May	12/24/1998
					31, OWH Registries,	
omalizumab	omalizumab (Xolair only)*	Biological		Yes	PMR PMC as of May	6/20/2003
					31, ClinicalTrials	

^{*} This medical product of interest has a pregnancy-related PMR or PMC and is the only product in its drug concept available on the market.

cder_mp1p_wp083 Page 144 of 145

¹ A drug concept in this query is defined as the ingredients contained in the medical product of interest identified by FDA. Some drug concepts consist of multiple medical products of interest, whereas others consist of only one medical product of interest. Rows highlighted in blue belong to a drug concept that has at least one medical product of interest with a pregnancy-related PMR or PMC. Rows in italics were chosen from the original query (cder mpl1p wp071) with less than 2,500 exposures.



Appendix G. Design Diagrams for Request cder_mpl1p_wp083_nsdp_v01

Design Diagram for Live-Birth Delivery Pregnancy Cohort





Diagram Depicting Medical Product of Interest Identification and Exposure Status for Pregnancy



cder_mp1p_wp083 Page 145 of 145