

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelsystem.org.



Overview for Request: cder_mpl1r_wp213

Request ID: cder_mpl1r_wp213

<u>Request Description</u>: This request evaluated the uptake and length of follow-up time of New Molecular Entities (NMEs) approved in 2018 in the Sentinel Distributed Database (SDD).

Sentinel Routine Querying Module: Cohort Identification and Descriptive Analysis (CIDA) module, version 10.4.0 Data Source: We distributed this query to six Sentinel Data Partners on September 30, 2021. The study period included data from January 1, 2018 through March 31, 2021. Please see Appendix A for a list of dates of available data for each Data Partner.

Study Design: We identified individuals of any age with new use of NMEs approved in 2018. This is a Type 1 analysis in the Query Request Package (QRP) documentation.

Exposures of Interest: The exposures of interest were all NMEs approved in 2018; this report contains data on 29 of the 58 NMEs approved in that year. A second report contains data on the remaining NMEs. We defined the exposures of interest using dispensing and procedure data with National Drug Codes (NDCs) and Healthcare Common Procedure Coding System (HCPCS) procedure codes. The first qualifying dispensing or procedure was identified for all eligible patients; cohort re-entry was not allowed. Please see Appendix B for a list of generic and brand names of medical products and Appendix C for a list of procedure codes used to define exposures in this request.

<u>Cohort Eligibility Criteria</u>: We required members to be enrolled in health plans with medical and drug coverages in the 365 days prior to their index date in order to be included in the cohort; gaps in coverage of up to 45 days were allowed and treated as continuous enrollment. We defined the following age groups: 0-18, 19-64, and 65+ years. New use of each NME was defined by the absence of any days supplied of that NME in the 183 days prior to the index date.

Baseline Characteristics: We assessed the following characteristics on the index date of NME dispensing: age, year, and sex. We also assessed the following characteristics in the 365 days prior to the index NME dispensing: acute myocardial infarction, Alzheimer's disease and related conditions, heart failure, depression, ischemic heart disease, rheumatoid arthritis/osteoarthritis, anemia, glaucoma, atrial fibrillation, diabetes, hyperlipidemia, hypertension, stroke/transient ischemic attack (TIA), breast cancer, colorectal cancer, prostate cancer, lung cancer, endometrial cancer, acquired hypothyroidism, asthma, benign prostatic hyperplasia, chronic kidney disease, chronic obstructive pulmonary disease (COPD) and bronchiectasis, osteoporosis, obesity, overweight, smoking, alcohol abuse or dependence, drug abuse or dependence, history of cardiac arrest, and history of coronary angioplasty or bypass. We identified diabetes, hyperlipidemia, hypertension, stroke/TIA, breast cancer, colorectal cancer, prostate cancer, lung cancer, endometrial cancer, acquired hypothyroidism, asthma, benign prostatic hyperplasia, chronic kidney disease, COPD and bronchiectasis, and osteoporosis by presence of one diagnosis or procedure code in the inpatient or non-acute institutional stay care setting (in any position) or two codes in the ambulatory visit, emergency department encounter, or other ambulatory visit (in any position). We identified atrial fibrillation by presence of one diagnosis or procedure code in the inpatient or non-acute institutional stay care setting (in the principal or secondary position) or two codes in the ambulatory visit, emergency department encounter, or other ambulatory visit (in any position). We identified acute myocardial infarction by presence of one diagnosis or procedure code in the inpatient care setting (in the principal or secondary position). All other conditions were assessed by the presence of one diagnosis, procedure, or dispensing code in any care setting (in any position). We used International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS), Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Fourth Edition (CPT-4), and Healthcare Common Procedure Coding System, Level II (HCPCS), and NDCs to define these conditions. Please see Appendix D for a list of generic and brand names of medical products and Appendix E for a list of diagnosis and procedure codes used to define baseline characteristics in this request.

Please see Appendices F, G, and H for the specifications of parameters used in this request, baseline characteristics used in this request, and a design diagram.



Overview for Request: cder_mpl1r_wp213

Limitations: Algorithms to define exposures and covariates are imperfect and may be misclassified. Therefore, data should be interpreted with this limitation in mind.

<u>Notes:</u> Please contact the Sentinel Operations Center (info@sentinelsystem.org) for questions and to provide comments/suggestions for future enhancements to this document. For more information on Sentinel's routine querying modules, please refer to the documentation (https://dev.sentinelsystem.org/projects/SENTINEL/repos/sentinel-routine-querying-tool-documentation/browse).



| Table of Contents | | |
|-------------------|---|--|
| Glossary | List of Terms Found in this Report and their Definitions | |
| Table 1a | Aggregated Baseline Table for New Users of Lutathera in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1b | Aggregated Baseline Table for New Users of Biktarvy in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1c | Aggregated Baseline Table for New Users of Symdeko in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1d | Aggregated Baseline Table for New Users of Erleada in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1e | Aggregated Baseline Table for New Users of Trogarzo in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1f | Aggregated Baseline Table for New Users of Ilumya in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1g | Aggregated Baseline Table for New Users of Tavalisse in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1h | Aggregated Baseline Table for New Users of Crysvita in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1i | Aggregated Baseline Table for New Users of Akynzeo in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1j | Aggregated Baseline Table for New Users of Lucemyra in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1k | Aggregated Baseline Table for New Users of Aimovig in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1 | Aggregated Baseline Table for New Users of Lokelma in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1m | Aggregated Baseline Table for New Users of Doptelet in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1n | Aggregated Baseline Table for New Users of Palynziq in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1o | Aggregated Baseline Table for New Users of Olumiant in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1p | Aggregated Baseline Table for New Users of Epidioloex in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1q | Aggregated Baseline Table for New Users of Zemdri in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1r | Aggregated Baseline Table for New Users of Mektovi in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1s | Aggregated Baseline Table for New Users of Braftovi in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1t | Aggregated Baseline Table for New Users of Tpoxx in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1u | Aggregated Baseline Table for New Users of Tibsovo in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1v | Aggregated Baseline Table for New Users of Krintafel in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |
| Table 1w | Aggregated Baseline Table for New Users of Orilissa in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021 | |



| Table of Contents | | |
|----------------------|--|--|
| Table 1x | Aggregated Baseline Table for New Users of Omegaven in the Sentinel Distributed Database between January 1, | |
| | 2018 and March 31, 2021 | |
| Table 1y | Aggregated Baseline Table for New Users of Mulpleta in the Sentinel Distributed Database between January 1, 2018 | |
| | and March 31, 2021 | |
| Table 1z | Aggregated Baseline Table for New Users of Poteligeo in the Sentinel Distributed Database between January 1, | |
| | 2018 and March 31, 2021 | |
| Table 1aa | Aggregated Baseline Table for New Users of Onpattro in the Sentinel Distributed Database between January 1, | |
| Table 1ab | 2018 and March 31, 2021 Aggregated Baseline Table for New Users of Annovera in the Sentinel Distributed Database between January 1, | |
| | 2018 and March 31, 2021 | |
| Table 1ac | Aggregated Baseline Table for New Users of Galafold in the Sentinel Distributed Database between January 1, 2018 | |
| | and March 31, 2021 | |
| Table 2a | Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| | January 1, 2018 and March 31, 2021 | |
| Table 2b | Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| | January 1, 2018 and March 31, 2021 | |
| Table 3a | Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| | January 1, 2018 and March 31, 2021, by Sex | |
| Table 3b | Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| Table 1a | January 1, 2018 and March 31, 2021, by Sex | |
| Table 4a | Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021, by Age Group | |
| Table 4b | Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| | January 1, 2018 and March 31, 2021, by Age Group | |
| Table 5a | Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| | January 1, 2018 and March 31, 2021, by Year | |
| Table 5b | Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between | |
| | January 1, 2018 and March 31, 2021, by Year | |
| Figure 1 | Counts of New Lutathera Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 2 | Counts of New Biktarvy Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 3 | Counts of New Symdeko Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 4 | Counts of New Erleada Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 5 | Counts of New Trogarzo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 Counts of New Ilumya Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 6 Figure 7 | Counts of New Tavalisse Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 Counts of New Tavalisse Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 8 | Counts of New Crysvita Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 9 | Counts of New Akynzeo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 10 | Counts of New Lucemyra Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 11 | Counts of New Aimovig Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 12 | Counts of New Lokelma Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 13 | Counts of New Doptelet Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 14 | Counts of New Palynziq Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 15 | Counts of New Olumniant Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in | |
| Figure 16 | Counts of New Epidiolex Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 17 | Counts of New Zemdri Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 18 | Counts of New Mektovi Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| Figure 19 | Counts of New Braftovi Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 | |
| | | |



| | Table of Contents |
|------------|--|
| Figure 20 | Counts of New Tpoxx Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 21 | Counts of New Tibsovo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 22 | Counts of New Krintafel Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 23 | Counts of New Orilissa Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 24 | Counts of New Omegaven Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in |
| Figure 25 | Counts of New Mulpleta Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 26 | Counts of New Poteligeo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 27 | Counts of New Onpattro Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 28 | Counts of New Annovera Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Figure 29 | Counts of New Galafold Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018 |
| Appendix A | Start and End Dates for Each Data Partner (DP) up to Request End Date (09/30/2021) |
| Appendix B | List of Generic and Brand Names of Medical Products Used to Define Exposures in this Request |
| Appendix C | List of Healthcare Common Procedure Coding System, Level II (HCPCS) Codes Used to Define Exposures in this |
| Appendix D | List of Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request |
| Appendix E | List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International |
| | Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS), Current Procedural Terminology, |
| | Second Edition (CPT-2), Current Procedural Terminology, Fourth Edition (CPT-4), and Healthcare Common |
| | Procedure Coding System, Level II (HCPCS) Codes Used to Define Baseline Characteristics in this Request |
| Appendix F | Specifications Defining Parameters for this Request |
| Appendix G | Specifications Defining Parameters for Baseline Characteristics in this Request |
| Appendix H | Diagram Detailing the Design of the Request |



Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Module*

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period; 03:

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.



Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event

(procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*all terms may not be used in this report



Table 1a. Aggregated Baseline Table for New Users of Lutathera in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 2,118 | |
| Number of unique patients | 2,118 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 69.3 | 9.1 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 494 | 23.3% |
| 65+ | 1,624 | 76.7% |
| Sex | | |
| Female | 1,064 | 50.2% |
| Male | 1,054 | 49.8% |
| Year | | |
| 2018 | 438 | 20.7% |
| 2019 | 867 | 40.9% |
| 2020 | 787 | 37.2% |
| 2021 | 26 | 1.2% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 20 | 0.9% |
| Alzheimer's Disease and Related Conditions | 53 | 2.5% |
| Heart Failure | 230 | 10.9% |
| Depression | 470 | 22.2% |
| Ischemic Heart Disease | 558 | 26.3% |
| Rheumatoid Arthritis/Osteoarthritis | 774 | 36.5% |
| Anemia | 918 | 43.3% |
| Glaucoma | 247 | 11.7% |
| Atrial Fibrillation | 187 | 8.8% |
| Diabetes | 730 | 34.5% |
| Hyperlipidemia | 1,027 | 48.5% |
| Hypertension | 1,445 | 68.2% |
| Stroke/Transient Ischemic Attack (TIA) | 55 | 2.6% |
| Breast Cancer | 93 | 4.4% |
| Colorectal Cancer | 174 | 8.2% |
| Prostate Cancer | 125 | 5.9% |
| Lung Cancer | 109 | 5.1% |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 424 | 20.0% |
| Asthma | 126 | 5.9% |
| Benign Prostatic Hyperplasia | 209 | 9.9% |
| Chronic Kidney Disease | 704 | 33.2% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 202 | 9.5% |
| Osteoporosis | 164 | 7.7% |



Table 1a. Aggregated Baseline Table for New Users of Lutathera in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 432 | 20.4% |
| Overweight | 342 | 16.1% |
| Smoking | 813 | 38.4% |
| Alcohol Abuse or Dependence | 33 | 1.6% |
| Drug Abuse or Dependence | 59 | 2.8% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 165 | 7.8% |

¹CCW: Chronic Conditions Warehouse



Table 1b. Aggregated Baseline Table for New Users of Biktarvy in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 44,924 | |
| Number of unique patients | 44,924 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 53 | 12 |
| Age (years) | Number | Percent |
| 0-18 | 116 | 0.3% |
| 19-64 | 36,487 | 81.2% |
| 65+ | 8,321 | 18.5% |
| Sex | | |
| Female | 9,844 | 21.9% |
| Male | 35,080 | 78.1% |
| Year | | |
| 2018 | 15,245 | 33.9% |
| 2019 | 19,465 | 43.3% |
| 2020 | 9,638 | 21.5% |
| 2021 | 576 | 1.3% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 421 | 0.9% |
| Alzheimer's Disease and Related Conditions | 1,190 | 2.6% |
| Heart Failure | 2,532 | 5.6% |
| Depression | 13,564 | 30.2% |
| lschemic Heart Disease | 5,787 | 12.9% |
| Rheumatoid Arthritis/Osteoarthritis | 9,366 | 20.8% |
| Anemia | 8,167 | 18.2% |
| Glaucoma | 2,830 | 6.3% |
| Atrial Fibrillation | 1,172 | 2.6% |
| Diabetes | 7,309 | 16.3% |
| Hyperlipidemia | 16,864 | 37.5% |
| Hypertension | 18,119 | 40.3% |
| Stroke/Transient Ischemic Attack (TIA) | 1,260 | 2.8% |
| Breast Cancer | 240 | 0.5% |
| Colorectal Cancer | 562 | 1.3% |
| Prostate Cancer | 720 | 1.6% |
| Lung Cancer | 229 | 0.5% |
| Endometrial Cancer | 29 | 0.1% |
| Acquired Hypothyroidism | 2,448 | 5.4% |
| Asthma | 3,622 | 8.1% |
| Benign Prostatic Hyperplasia | 2,728 | 6.1% |
| Chronic Kidney Disease | 7,584 | 16.9% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 4,762 | 10.6% |
| Osteoporosis | 1,116 | 2.5% |



Table 1b. Aggregated Baseline Table for New Users of Biktarvy in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 8,090 | 18.0% |
| Overweight | 5,109 | 11.4% |
| Smoking | 15,728 | 35.0% |
| Alcohol Abuse or Dependence | 3,160 | 7.0% |
| Drug Abuse or Dependence | 5,199 | 11.6% |
| History of Cardiac Arrest | 70 | 0.2% |
| History of Coronary Angioplasty or Bypass | 1,753 | 3.9% |

¹CCW: Chronic Conditions Warehouse



Table 1c. Aggregated Baseline Table for New Users of Symdeko in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 1,465 | |
| Number of unique patients | 1,465 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 31.2 | 13 |
| Age (years) | Number | Percent |
| 0-18 | 286 | 19.5% |
| 19-64 | 1,141 | 77.9% |
| 65+ | 38 | 2.6% |
| Sex | | |
| Female | 751 | 51.3% |
| Male | 714 | 48.7% |
| Year | | |
| 2018 | 1,060 | 72.4% |
| 2019 | 353 | 24.1% |
| 2020 | 52 | 3.5% |
| 2021 | 0 | 0.0% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 12 | 0.8% |
| Heart Failure | 86 | 5.9% |
| Depression | 462 | 31.5% |
| Ischemic Heart Disease | 38 | 2.6% |
| Rheumatoid Arthritis/Osteoarthritis | 126 | 8.6% |
| Anemia | 234 | 16.0% |
| Glaucoma | 33 | 2.3% |
| Atrial Fibrillation | 13 | 0.9% |
| Diabetes | 576 | 39.3% |
| Hyperlipidemia | 59 | 4.0% |
| Hypertension | 172 | 11.7% |
| Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer | **** | **** |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | 0 | 0.0% |
| Lung Cancer | 0 | 0.0% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 70 | 4.8% |
| Asthma | 459 | 31.3% |
| Benign Prostatic Hyperplasia | 14 | 1.0% |
| Chronic Kidney Disease | 310 | 21.2% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 684 | 46.7% |
| | | |



Table 1c. Aggregated Baseline Table for New Users of Symdeko in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 58 | 4.0% |
| Overweight | 69 | 4.7% |
| Smoking | 110 | 7.5% |
| Alcohol Abuse or Dependence | 41 | 2.8% |
| Drug Abuse or Dependence | 71 | 4.8% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse



Table 1d. Aggregated Baseline Table for New Users of Erleada in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 4,911 | |
| Number of unique patients | 4,911 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 76.7 | 8 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 348 | 7.1% |
| 65+ | 4,563 | 92.9% |
| Sex | | |
| Female | 0 | 0.0% |
| Male | 4,911 | 100.0% |
| Year | | |
| 2018 | 1,203 | 24.5% |
| 2019 | 1,437 | 29.3% |
| 2020 | 2,139 | 43.6% |
| 2021 | 132 | 2.7% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 64 | 1.3% |
| Alzheimer's Disease and Related Conditions | 312 | 6.4% |
| Heart Failure | 732 | 14.9% |
| Depression | 682 | 13.9% |
| lschemic Heart Disease | 1,755 | 35.7% |
| Rheumatoid Arthritis/Osteoarthritis | 2,001 | 40.7% |
| Anemia | 1,849 | 37.7% |
| Glaucoma | 727 | 14.8% |
| Atrial Fibrillation | 801 | 16.3% |
| Diabetes | 1,483 | 30.2% |
| Hyperlipidemia | 2,929 | 59.6% |
| Hypertension | 3,568 | 72.7% |
| Stroke/Transient Ischemic Attack (TIA) | 204 | 4.2% |
| Breast Cancer | 12 | 0.2% |
| Colorectal Cancer | 145 | 3.0% |
| Prostate Cancer | 4,895 | 99.7% |
| Lung Cancer | 69 | 1.4% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 487 | 9.9% |
| Asthma | 199 | 4.1% |
| Benign Prostatic Hyperplasia | 1,211 | 24.7% |
| Chronic Kidney Disease | 1,570 | 32.0% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 639 | 13.0% |
| | | |



Table 1d. Aggregated Baseline Table for New Users of Erleada in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 1,169 | 23.8% |
| Overweight | 823 | 16.8% |
| Smoking | 1,706 | 34.7% |
| Alcohol Abuse or Dependence | 124 | 2.5% |
| Drug Abuse or Dependence | 77 | 1.6% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 667 | 13.6% |

¹CCW: Chronic Conditions Warehouse



Table 1e. Aggregated Baseline Table for New Users of Trogarzo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 150 | |
| Number of unique patients | 150 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 53.3 | 11.5 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 134 | 89.3% |
| 65+ | 16 | 10.7% |
| Sex | | |
| Female | 36 | 24.0% |
| Male | 114 | 76.0% |
| Year | | |
| 2018 | 63 | 42.0% |
| 2019 | 56 | 37.3% |
| 2020 | **** | **** |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | **** | **** |
| Heart Failure | 14 | 9.3% |
| Depression | 61 | 40.7% |
| Ischemic Heart Disease | 26 | 17.3% |
| Rheumatoid Arthritis/Osteoarthritis | 38 | 25.3% |
| Anemia | 67 | 44.7% |
| Glaucoma | 10 | 6.7% |
| Atrial Fibrillation | **** | **** |
| Diabetes | 35 | 23.3% |
| Hyperlipidemia | 62 | 41.3% |
| Hypertension | 80 | 53.3% |
| Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer | 0 | 0.0% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | **** | **** |
| Lung Cancer | **** | **** |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 15 | 10.0% |
| Asthma | 18 | 12.0% |
| Benign Prostatic Hyperplasia | 11 | 7.3% |
| Chronic Kidney Disease | 53 | 35.3% |
| , Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 22 | 14.7% |
| Osteoporosis | **** | **** |



Table 1e. Aggregated Baseline Table for New Users of Trogarzo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 24 | 16.0% |
| Overweight | 14 | 9.3% |
| Smoking | 63 | 42.0% |
| Alcohol Abuse or Dependence | **** | **** |
| Drug Abuse or Dependence | 20 | 13.3% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse



Table 1f. Aggregated Baseline Table for New Users of Ilumya in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 1,985 | |
| Number of unique patients | 1,985 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 66.9 | 10.3 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | 1,479 | 74.5% |
| Sex | | |
| Female | 1,032 | 52.0% |
| Male | 953 | 48.0% |
| Year | | |
| 2018 | 30 | 1.5% |
| 2019 | 729 | 36.7% |
| 2020 | 1,185 | 59.7% |
| 2021 | 41 | 2.1% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 17 | 0.9% |
| Alzheimer's Disease and Related Conditions | 50 | 2.5% |
| Heart Failure | 178 | 9.0% |
| Depression | 457 | 23.0% |
| schemic Heart Disease | 480 | 24.2% |
| Rheumatoid Arthritis/Osteoarthritis | 737 | 37.1% |
| Anemia | 404 | 20.4% |
| Glaucoma | 233 | 11.7% |
| Atrial Fibrillation | 191 | 9.6% |
| Diabetes | 583 | 29.4% |
| Hyperlipidemia | 1,089 | 54.9% |
| Hypertension | 1,191 | 60.0% |
| Stroke/Transient Ischemic Attack (TIA) | 51 | 2.6% |
| Breast Cancer | 50 | 2.5% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | 49 | 2.5% |
| Lung Cancer | 11 | 0.6% |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 334 | 16.8% |
| Asthma | 129 | 6.5% |
| Benign Prostatic Hyperplasia | 160 | 8.1% |
| Chronic Kidney Disease | 390 | 19.6% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 249 | 12.5% |
| | | |



Table 1f. Aggregated Baseline Table for New Users of Ilumya in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 623 | 31.4% |
| Overweight | 242 | 12.2% |
| Smoking | 592 | 29.8% |
| Alcohol Abuse or Dependence | 69 | 3.5% |
| Drug Abuse or Dependence | 41 | 2.1% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 153 | 7.7% |

¹CCW: Chronic Conditions Warehouse



Table 1g. Aggregated Baseline Table for New Users of Tavalisse in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 513 | |
| Number of unique patients | 513 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 67.6 | 14.2 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 175 | 34.1% |
| 65+ | 338 | 65.9% |
| Sex | | |
| Female | 291 | 56.7% |
| Male | 222 | 43.3% |
| Year | | |
| 2018 | 146 | 28.5% |
| 2019 | 214 | 41.7% |
| 2020 | **** | **** |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 13 | 2.5% |
| Alzheimer's Disease and Related Conditions | 36 | 7.0% |
| Heart Failure | 111 | 21.6% |
| Depression | 135 | 26.3% |
| Ischemic Heart Disease | 151 | 29.4% |
| Rheumatoid Arthritis/Osteoarthritis | 230 | 44.8% |
| Anemia | 354 | 69.0% |
| Glaucoma | 68 | 13.3% |
| Atrial Fibrillation | 82 | 16.0% |
| Diabetes | 188 | 36.6% |
| Hyperlipidemia | 269 | 52.4% |
| Hypertension | 381 | 74.3% |
| Stroke/Transient Ischemic Attack (TIA) | 44 | 8.6% |
| Breast Cancer | 26 | 5.1% |
| Colorectal Cancer | 12 | 2.3% |
| Prostate Cancer | 16 | 3.1% |
| Lung Cancer | 15 | 2.9% |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 131 | 25.5% |
| Asthma | 48 | 9.4% |
| Benign Prostatic Hyperplasia | 53 | 10.3% |
| Chronic Kidney Disease | 190 | 37.0% |
| | | |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 84 | 16.4% |



Table 1g. Aggregated Baseline Table for New Users of Tavalisse in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 170 | 33.1% |
| Overweight | 83 | 16.2% |
| Smoking | 204 | 39.8% |
| Alcohol Abuse or Dependence | 19 | 3.7% |
| Drug Abuse or Dependence | 15 | 2.9% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 58 | 11.3% |

¹CCW: Chronic Conditions Warehouse



Table 1h. Aggregated Baseline Table for New Users of Crysvita in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 248 | |
| Number of unique patients | 248 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 36.3 | 17 |
| Age (years) | Number | Percent |
| 0-18 | 89 | 35.9% |
| 19-64 | 116 | 46.8% |
| 65+ | 43 | 17.3% |
| Sex | | |
| Female | 169 | 68.1% |
| Male | 79 | 31.9% |
| Year | | |
| 2018 | **** | **** |
| 2019 | 140 | 56.5% |
| 2020 | 62 | 25.0% |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | **** | **** |
| Heart Failure | **** | **** |
| Depression | 48 | 19.4% |
| Ischemic Heart Disease | 14 | 5.6% |
| Rheumatoid Arthritis/Osteoarthritis | 83 | 33.5% |
| Anemia | 24 | 9.7% |
| Glaucoma | **** | **** |
| Atrial Fibrillation | **** | **** |
| Diabetes | 15 | 6.0% |
| Hyperlipidemia | 40 | 16.1% |
| Hypertension | 68 | 27.4% |
| Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer | **** | **** |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | **** | **** |
| Lung Cancer | **** | **** |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 31 | 12.5% |
| Asthma | **** | **** |
| Benign Prostatic Hyperplasia | **** | **** |
| Chronic Kidney Disease | 27 | 10.9% |
| | | |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | **** | **** |



Table 1h. Aggregated Baseline Table for New Users of Crysvita in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 53 | 21.4% |
| Overweight | 26 | 10.5% |
| Smoking | 34 | 13.7% |
| Alcohol Abuse or Dependence | **** | **** |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse



Table 1i. Aggregated Baseline Table for New Users of Akynzeo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 10,861 | |
| Number of unique patients | 10,861 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 68.7 | 9.4 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | 8,016 | 73.8% |
| Sex | | |
| Female | 6,300 | 58.0% |
| Male | 4,561 | 42.0% |
| Year | | |
| 2018 | 478 | 4.4% |
| 2019 | 4,423 | 40.7% |
| 2020 | 5,728 | 52.7% |
| 2021 | 232 | 2.1% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 123 | 1.1% |
| Alzheimer's Disease and Related Conditions | 383 | 3.5% |
| Heart Failure | 1,349 | 12.4% |
| Depression | 2,547 | 23.5% |
| Ischemic Heart Disease | 3,251 | 29.9% |
| Rheumatoid Arthritis/Osteoarthritis | 4,317 | 39.7% |
| Anemia | 5,097 | 46.9% |
| Glaucoma | 1,166 | 10.7% |
| Atrial Fibrillation | 1,262 | 11.6% |
| Diabetes | 2,858 | 26.3% |
| Hyperlipidemia | 6,238 | 57.4% |
| Hypertension | 7,425 | 68.4% |
| Stroke/Transient Ischemic Attack (TIA) | 478 | 4.4% |
| Breast Cancer | 2,248 | 20.7% |
| Colorectal Cancer | 1,574 | 14.5% |
| Prostate Cancer | 619 | 5.7% |
| Lung Cancer | 2,637 | 24.3% |
| Endometrial Cancer | 530 | 4.9% |
| Acquired Hypothyroidism | 2,041 | 18.8% |
| Asthma | 863 | 7.9% |
| Benign Prostatic Hyperplasia | 1,180 | 10.9% |
| Chronic Kidney Disease | 3,128 | 28.8% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 2,655 | 24.4% |
| Osteoporosis | 741 | 6.8% |



Table 1i. Aggregated Baseline Table for New Users of Akynzeo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 3,405 | 31.4% |
| Overweight | 2,268 | 20.9% |
| Smoking | 5,704 | 52.5% |
| Alcohol Abuse or Dependence | 402 | 3.7% |
| Drug Abuse or Dependence | 371 | 3.4% |
| History of Cardiac Arrest | 22 | 0.2% |
| History of Coronary Angioplasty or Bypass | 1,157 | 10.7% |

¹CCW: Chronic Conditions Warehouse



Table 1j. Aggregated Baseline Table for New Users of Lucemyra in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 2,236 | |
| Number of unique patients | 2,236 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 52.2 | 12.5 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | 1,811 | 81.0% |
| 65+ | **** | **** |
| Sex | | |
| Female | 1,246 | 55.7% |
| Male | 990 | 44.3% |
| Year | | |
| 2018 | 347 | 15.5% |
| 2019 | 1,340 | 59.9% |
| 2020 | 510 | 22.8% |
| 2021 | 39 | 1.7% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 18 | 0.8% |
| Alzheimer's Disease and Related Conditions | 65 | 2.9% |
| Heart Failure | 163 | 7.3% |
| Depression | 1,164 | 52.1% |
| Ischemic Heart Disease | 348 | 15.6% |
| Rheumatoid Arthritis/Osteoarthritis | 1,390 | 62.2% |
| Anemia | 552 | 24.7% |
| Glaucoma | 97 | 4.3% |
| Atrial Fibrillation | 81 | 3.6% |
| Diabetes | 426 | 19.1% |
| Hyperlipidemia | 730 | 32.6% |
| Hypertension | 1,088 | 48.7% |
| Stroke/Transient Ischemic Attack (TIA) | 62 | 2.8% |
| Breast Cancer | 45 | 2.0% |
| Colorectal Cancer | 18 | 0.8% |
| Prostate Cancer | **** | **** |
| Lung Cancer | 20 | 0.9% |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 314 | 14.0% |
| Asthma | 242 | 10.8% |
| Benign Prostatic Hyperplasia | 85 | 3.8% |
| Chronic Kidney Disease | 341 | 15.3% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 399 | 17.8% |
| Osteoporosis | 96 | 4.3% |



Table 1j. Aggregated Baseline Table for New Users of Lucemyra in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 695 | 31.1% |
| Overweight | 305 | 13.6% |
| Smoking | 1,094 | 48.9% |
| Alcohol Abuse or Dependence | 277 | 12.4% |
| Drug Abuse or Dependence | 851 | 38.1% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 98 | 4.4% |

¹CCW: Chronic Conditions Warehouse



Table 1k. Aggregated Baseline Table for New Users of Aimovig in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 69,013 | |
| Number of unique patients | 69,013 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 50.7 | 13.2 |
| Age (years) | Number | Percent |
| 0-18 | 776 | 1.1% |
| 19-64 | 54,667 | 79.2% |
| 65+ | 13,570 | 19.7% |
| Sex | | |
| Female | 58,340 | 84.5% |
| Male | 10,673 | 15.5% |
| Year | | |
| 2018 | 14,447 | 20.9% |
| 2019 | 29,265 | 42.4% |
| 2020 | 23,591 | 34.2% |
| 2021 | 1,710 | 2.5% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 161 | 0.2% |
| Alzheimer's Disease and Related Conditions | 1,596 | 2.3% |
| Heart Failure | 2,656 | 3.8% |
| Depression | 31,108 | 45.1% |
| Ischemic Heart Disease | 6,849 | 9.9% |
| Rheumatoid Arthritis/Osteoarthritis | 27,755 | 40.2% |
| Anemia | 13,516 | 19.6% |
| Glaucoma | 4,802 | 7.0% |
| Atrial Fibrillation | 1,837 | 2.7% |
| Diabetes | 9,788 | 14.2% |
| Hyperlipidemia | 21,897 | 31.7% |
| Hypertension | 24,250 | 35.1% |
| Stroke/Transient Ischemic Attack (TIA) | 2,772 | 4.0% |
| Breast Cancer | 1,467 | 2.1% |
| Colorectal Cancer | 200 | 0.3% |
| Prostate Cancer | 324 | 0.5% |
| Lung Cancer | 203 | 0.3% |
| Endometrial Cancer | 147 | 0.2% |
| Acquired Hypothyroidism | 12,641 | 18.3% |
| Asthma | 9,038 | 13.1% |
| Benign Prostatic Hyperplasia | 1,288 | 1.9% |
| Chronic Kidney Disease | 7,661 | 11.1% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 5,993 | 8.7% |
| Osteoporosis | 3,677 | 5.3% |



Table 1k. Aggregated Baseline Table for New Users of Aimovig in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 20,783 | 30.1% |
| Overweight | 8,765 | 12.7% |
| Smoking | 16,310 | 23.6% |
| Alcohol Abuse or Dependence | 1,488 | 2.2% |
| Drug Abuse or Dependence | 3,425 | 5.0% |
| History of Cardiac Arrest | 86 | 0.1% |
| History of Coronary Angioplasty or Bypass | 1,494 | 2.2% |

¹CCW: Chronic Conditions Warehouse



Table 11. Aggregated Baseline Table for New Users of Lokelma in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 18,111 | |
| Number of unique patients | 18,111 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 67.8 | 13.9 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | 11,541 | 63.7% |
| Sex | | |
| Female | 7,708 | 42.6% |
| Male | 10,403 | 57.4% |
| Year | | |
| 2018 | **** | **** |
| 2019 | 3,438 | 19.0% |
| 2020 | 14,175 | 78.3% |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 1,026 | 5.7% |
| Alzheimer's Disease and Related Conditions | 1,910 | 10.5% |
| Heart Failure | 8,024 | 44.3% |
| Depression | 5,269 | 29.1% |
| Ischemic Heart Disease | 9,387 | 51.8% |
| Rheumatoid Arthritis/Osteoarthritis | 7,616 | 42.1% |
| Anemia | 15,154 | 83.7% |
| Glaucoma | 2,793 | 15.4% |
| Atrial Fibrillation | 3,552 | 19.6% |
| Diabetes | 12,722 | 70.2% |
| Hyperlipidemia | 13,537 | 74.7% |
| Hypertension | 17,311 | 95.6% |
| Stroke/Transient Ischemic Attack (TIA) | 1,807 | 10.0% |
| Breast Cancer | 381 | 2.1% |
| Colorectal Cancer | 384 | 2.1% |
| Prostate Cancer | 687 | 3.8% |
| Lung Cancer | 240 | 1.3% |
| Endometrial Cancer | 101 | 0.6% |
| Acquired Hypothyroidism | 4,059 | 22.4% |
| Asthma | 1,459 | 8.1% |
| Benign Prostatic Hyperplasia | 2,475 | 13.7% |
| Chronic Kidney Disease | 17,487 | 96.6% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 4,165 | 23.0% |
| en en e obstatetive i antonary Discuse (cor D) and Dionemeetasis | 1,182 | 23.070 |



Table 11. Aggregated Baseline Table for New Users of Lokelma in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 6,750 | 37.3% |
| Overweight | 2,920 | 16.1% |
| Smoking | 7,638 | 42.2% |
| Alcohol Abuse or Dependence | 729 | 4.0% |
| Drug Abuse or Dependence | 917 | 5.1% |
| History of Cardiac Arrest | 256 | 1.4% |
| History of Coronary Angioplasty or Bypass | 3,692 | 20.4% |

¹CCW: Chronic Conditions Warehouse



Table 1m. Aggregated Baseline Table for New Users of Doptelet in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 885 | |
| Number of unique patients | 885 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 63.8 | 12.2 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | 459 | 51.9% |
| Sex | | |
| Female | 439 | 49.6% |
| Male | 446 | 50.4% |
| Year | | |
| 2018 | 177 | 20.0% |
| 2019 | 330 | 37.3% |
| 2020 | 360 | 40.7% |
| 2021 | 18 | 2.0% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 22 | 2.5% |
| Alzheimer's Disease and Related Conditions | 61 | 6.9% |
| Heart Failure | 187 | 21.1% |
| Depression | 285 | 32.2% |
| lschemic Heart Disease | 267 | 30.2% |
| Rheumatoid Arthritis/Osteoarthritis | 397 | 44.9% |
| Anemia | 639 | 72.2% |
| Glaucoma | 97 | 11.0% |
| Atrial Fibrillation | 95 | 10.7% |
| Diabetes | 427 | 48.2% |
| Hyperlipidemia | 404 | 45.6% |
| Hypertension | 623 | 70.4% |
| Stroke/Transient Ischemic Attack (TIA) | 54 | 6.1% |
| Breast Cancer | 27 | 3.1% |
| Colorectal Cancer | 21 | 2.4% |
| Prostate Cancer | 20 | 2.3% |
| Lung Cancer | **** | **** |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 179 | 20.2% |
| Asthma | 86 | 9.7% |
| Benign Prostatic Hyperplasia | 71 | 8.0% |
| Chronic Kidney Disease | 369 | 41.7% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 165 | 18.6% |
| Osteoporosis | 67 | 7.6% |



Table 1m. Aggregated Baseline Table for New Users of Doptelet in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 348 | 39.3% |
| Overweight | 145 | 16.4% |
| Smoking | 360 | 40.7% |
| Alcohol Abuse or Dependence | 256 | 28.9% |
| Drug Abuse or Dependence | 62 | 7.0% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 67 | 7.6% |

¹CCW: Chronic Conditions Warehouse



Table 1n. Aggregated Baseline Table for New Users of Palynziq in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|-----------|--------------------|
| Number of episodes | 151 | |
| Number of unique patients | 151 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 34.9 | 10.5 |
| Age (years) | Number | Percent |
| 0-18 | 16 | 10.6% |
| 19-64 | 135 | 89.4% |
| 65+ | 0 | 0.0% |
| Sex | | |
| Female | 65 | 43.0% |
| Male | 86 | 57.0% |
| Year | | |
| 2018 | 46 | 30.5% |
| 2019 | 67 | 44.4% |
| 2020 | **** | **** |
| 2021 | **** | * * * * |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 0 | 0.0% |
| Alzheimer's Disease and Related Conditions | 0 | 0.0% |
| Heart Failure | **** | **** |
| Depression | 33 | 21.9% |
| Ischemic Heart Disease | **** | **** |
| Rheumatoid Arthritis/Osteoarthritis | 14 | 9.3% |
| Anemia | 11 | 7.3% |
| Glaucoma | **** | **** |
| Atrial Fibrillation | 0 | 0.0% |
| Diabetes | **** | **** |
| Hyperlipidemia | **** | **** |
| Hypertension | 15 | 9.9% |
| Stroke/Transient Ischemic Attack (TIA) | 0 | 0.0% |
| Breast Cancer | 0 | 0.0% |
| Colorectal Cancer | 0 | 0.0% |
| Prostate Cancer | 0 | 0.0% |
| Lung Cancer | 0 | 0.0% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | **** | **** |
| Asthma | **** | **** |
| Benign Prostatic Hyperplasia | 0 | 0.0% |
| Chronic Kidney Disease | **** | **** |
| | **** | **** |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | * * * * * | ጥ ጥ ጥ ጥ |



Table 1n. Aggregated Baseline Table for New Users of Palynziq in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 33 | 21.9% |
| Overweight | **** | **** |
| Smoking | 12 | 7.9% |
| Alcohol Abuse or Dependence | 0 | 0.0% |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse


Table 10. Aggregated Baseline Table for New Users of Olumiant in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|----------|--------------------|
| Number of episodes | 1,611 | |
| Number of unique patients | 1,611 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 59.9 | 12.1 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | 1,018 | 63.2% |
| 65+ | **** | **** |
| Sex | | |
| Female | 1,357 | 84.2% |
| Male | 254 | 15.8% |
| /ear | | |
| 2018 | 317 | 19.7% |
| 2019 | 829 | 51.5% |
| 2020 | 439 | 27.3% |
| 2021 | 26 | 1.6% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 40 | 2.5% |
| leart Failure | 153 | 9.5% |
| Depression | 541 | 33.6% |
| schemic Heart Disease | 295 | 18.3% |
| Rheumatoid Arthritis/Osteoarthritis | 1,587 | 98.5% |
| Anemia | 455 | 28.2% |
| Glaucoma | 173 | 10.7% |
| Atrial Fibrillation | 83 | 5.2% |
| Diabetes | 378 | 23.5% |
| łyperlipidemia | 654 | 40.6% |
| lypertension | 840 | 52.1% |
| itroke/Transient Ischemic Attack (TIA) | 28 | 1.7% |
| Breast Cancer | 27 | 1.7% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | **** | **** |
| ung Cancer | **** | **** |
| indometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 360 | 22.3% |
| Asthma | 193 | 12.0% |
| Benign Prostatic Hyperplasia | 40 | 2.5% |
| Chronic Kidney Disease | 271 | 16.8% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 222 | 13.8% |
| | <u> </u> | 10.0/0 |



Table 10. Aggregated Baseline Table for New Users of Olumiant in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 572 | 35.5% |
| Overweight | 223 | 13.8% |
| Smoking | 443 | 27.5% |
| Alcohol Abuse or Dependence | 21 | 1.3% |
| Drug Abuse or Dependence | 76 | 4.7% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 79 | 4.9% |

¹CCW: Chronic Conditions Warehouse



Table 1p. Aggregated Baseline Table for New Users of Epidioloex in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 4,520 | |
| Number of unique patients | 4,520 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 29.9 | 11.6 |
| Age (years) | Number | Percent |
| 0-18 | 1,327 | 29.4% |
| 19-64 | 3,122 | 69.1% |
| 65+ | 71 | 1.6% |
| Sex | | |
| Female | 2,049 | 45.3% |
| Male | 2,471 | 54.7% |
| Year | | |
| 2018 | 263 | 5.8% |
| 2019 | 3,129 | 69.2% |
| 2020 | 1,079 | 23.9% |
| 2021 | 49 | 1.1% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 181 | 4.0% |
| Heart Failure | 90 | 2.0% |
| Depression | 643 | 14.2% |
| Ischemic Heart Disease | 100 | 2.2% |
| Rheumatoid Arthritis/Osteoarthritis | 355 | 7.9% |
| Anemia | 708 | 15.7% |
| Glaucoma | 110 | 2.4% |
| Atrial Fibrillation | 24 | 0.5% |
| Diabetes | 184 | 4.1% |
| Hyperlipidemia | 532 | 11.8% |
| Hypertension | 495 | 11.0% |
| Stroke/Transient Ischemic Attack (TIA) | 106 | 2.3% |
| Breast Cancer | 14 | 0.3% |
| Colorectal Cancer | 13 | 0.3% |
| Prostate Cancer | **** | **** |
| Lung Cancer | **** | **** |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 521 | 11.5% |
| Asthma | 313 | 6.9% |
| Benign Prostatic Hyperplasia | 70 | 1.5% |
| Chronic Kidney Disease | 323 | 7.1% |
| | 146 | 3.2% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | | |



Table 1p. Aggregated Baseline Table for New Users of Epidioloex in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 581 | 12.9% |
| Overweight | 305 | 6.7% |
| Smoking | 263 | 5.8% |
| Alcohol Abuse or Dependence | 71 | 1.6% |
| Drug Abuse or Dependence | 81 | 1.8% |
| History of Cardiac Arrest | 17 | 0.4% |
| History of Coronary Angioplasty or Bypass | 21 | 0.5% |

¹CCW: Chronic Conditions Warehouse



Table 1q. Aggregated Baseline Table for New Users of Zemdri in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 113 | |
| Number of unique patients | 113 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 73.2 | 11.7 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 25 | 22.1% |
| 65+ | 88 | 77.9% |
| Sex | | |
| Female | 79 | 69.9% |
| Male | 34 | 30.1% |
| Year | | |
| 2018 | **** | **** |
| 2019 | 37 | 32.7% |
| 2020 | 64 | 56.6% |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 12 | 10.6% |
| Heart Failure | 36 | 31.9% |
| Depression | 46 | 40.7% |
| Ischemic Heart Disease | 39 | 34.5% |
| Rheumatoid Arthritis/Osteoarthritis | 73 | 64.6% |
| Anemia | 62 | 54.9% |
| Glaucoma | 17 | 15.0% |
| Atrial Fibrillation | 35 | 31.0% |
| Diabetes | 49 | 43.4% |
| Hyperlipidemia | 71 | 62.8% |
| Hypertension | 91 | 80.5% |
| Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer | 12 | 10.6% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | **** | **** |
| Lung Cancer | 0 | 0.0% |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 30 | 26.5% |
| Asthma | 17 | 15.0% |
| Benign Prostatic Hyperplasia | 19 | 16.8% |
| Chronic Kidney Disease | 59 | 52.2% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 21 | 18.6% |
| | | |



Table 1q. Aggregated Baseline Table for New Users of Zemdri in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 47 | 41.6% |
| Overweight | 18 | 15.9% |
| Smoking | 38 | 33.6% |
| Alcohol Abuse or Dependence | **** | **** |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 17 | 15.0% |

¹CCW: Chronic Conditions Warehouse



Table 1r. Aggregated Baseline Table for New Users of Mektovi in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Number of unique patients1,228DemographicsMeanStandard DeviationMean Age (years)611.7Age (years)NumberPercent0-18************19-64************65+80665.6%SexFemale55345.0%Male55355.0%Year201823919.5%201823934.1%2020202054844.6%2021222021221.82020Sex Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexMumberPercentAcute Myocardial Infarction110.9%34.5%Atzent Failore15112.3%255Depression27822.6%5%Breumatoid Arthritis/Osteoarthritis47338.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia52642.8%34.5%Atemia526 <th>Characteristic</th> <th>Number</th> <th></th> | Characteristic | Number | |
|---|--|--------|--------------------|
| DemographicsMeanStandard DeviationMean Age (years)6611.7Age (years)0.18******19-64************65+80665.6%Sex67555.0%Pemale55345.0%Male67555.0%Year201823919.5%201941934.1%202054844.6%2021221.8%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberNumberPercentAcute Myocardial Infarction110.9%Alzheimer's Disease and Related Conditions554.5%Heart Failure15112.3%Depression27822.6%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Giaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hypertension78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Stroke/Transient Ischemic Attack (TIA)15612.7% </th <th>Number of episodes</th> <th>1,228</th> <th></th> | Number of episodes | 1,228 | |
| Mean Age (years) 66 11.7 Age (years) Number Percent 0-18 ****** ****** 19-64 ****** ****** 65+ 806 65.6% Sex ****** Female 553 45.0% Male 675 55.0% Year 2018 239 19.5% 2019 419 34.1% 2020 2014 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acter Myocardial Infarction 11 0.9% 419 34.1% D201 22 1.8% 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acter Myocardial Infarction 11 0.9% 419 34.1% D2015 Depression 55 4.5% 45.5% Recorded History of CCW ¹ Conditions 151 12.3% 26.6% | Number of unique patients | 1,228 | |
| Mean Age (years) 66 11.7 Age (years) Number Percent 0-18 ****** ****** 19-64 ****** ****** 65+ 806 65.6% Sex ****** Female 553 45.0% Male 675 55.0% Year 2018 239 19.5% 2019 419 34.1% 2020 2014 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acter Myocardial Infarction 11 0.9% 419 34.1% D201 22 1.8% 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acter Myocardial Infarction 11 0.9% 419 34.1% D2015 Depression 55 4.5% 45.5% Recorded History of CCW ¹ Conditions 151 12.3% 26.6% | Demographics | Mean | Standard Deviation |
| 0-18 ***** ***** 19-64 ***** ***** 65+ 806 65.6% Sex 675 55.0% Year 2018 239 19.5% 2019 419 34.1% 2020 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ⁴ Conditions in the 365 Days prior to Index Number Acute Myocardial Infarction 11 0.9% Alzheimer's Disease and Related Conditions 55 4.5% Becorded History of CCW ⁴ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% 419 Alzheimer's Disease and Related Conditions 55 4.5% Beard Failure 151 12.3% 206 Depression 278 22.6% 26 Ischemic Heart Disease 325 26.5% 38.5% Anemia 134 10.9% 4trial Enviloam 134 10.9% | Mean Age (years) | 66 | 11.7 |
| Number Number 19-64 ****** ****** 65+ 806 65.6% Sex ****** ****** Female 553 45.0% Male 675 55.0% Year 2018 239 19.5% 2019 419 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% 4.5% Heart Failure 151 12.3% 55 Depression 278 2.65% 5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% 38 Anemia 526 42.8% 513 13.9% Oiabetes 308 25.1% 51 13.9% Oiabetes 308 25.1% 54.5% Rheuratoid Arthritis/Osteoarthritis 776 64.1% 50.0% Strok | Age (years) | Number | Percent |
| Add Add 65+ 806 65.% Sex Female 53 45.0% Male 675 55.0% Year 2018 239 19.5% 2019 419 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ³ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% Alkheimer's Disease and Related Conditions 55 4.5% Heart Failure 151 12.3% Depression 278 22.6% Stochemic Heart Disease 325 2.65% Sk Sk 38.5% Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% 4.1% Stroke/Transient Ischemic Attack (TIA) 56 12.7% Stroke/Transient Ischemic Attack (TIA) 526 4.2% | 0-18 | **** | **** |
| Sex Female 553 45.0% Male 675 550 Year 2018 239 19.5% 2019 219 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCM ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% 34.1% Acute Myocardial Infarction 11 0.9% 34.1% Depression 278 2.6% 34.5% Ischemic Heart Disease and Related Conditions 55 4.5% Ischemic Heart Disease 325 2.6% Ischemic Heart Disease 325 2.6% Glaucoma 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hyperlipidemia 614 50.7% Itang Cancer 130 10.6% Endometrial Cancer 71 5.8% Itang Cancer 130 10.6% | 19-64 | **** | **** |
| Female 553 45.0% Male 675 55.0% Year 7018 239 19.5% 2019 219 3419 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% 34.1% Acute Myocardial Infarction 12.3% 38.5% 34.5% Acute Myocardial Infarction 11 12.3% 38.5% Anemia 325 2.6% 36.5% Glaucoma 134 10.9% 34.1% Atrial Fibrillation 171 13.3% | 65+ | 806 | 65.6% |
| Male 675 55.0% Year 7239 19.5% 2018 239 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% Alzheimer's Disease and Related Conditions 55 4.5% Heart Failure 151 12.3% Depression 278 22.6% Ischemic Heart Disease 325 26.5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hypertipidemia 614 50.0% Hypertension 787 64.1% Stroke/Transient Ischemic Attack (TIA) 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 130 | Sex | | |
| Ver 2018 239 19.5% 2019 419 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acture Myocardial Infarction 11 0.9% Alzheimer's Disease and Related Conditions 55 4.5% Heart Failure 151 12.3% Depression 278 22.6% Stochemic Heart Disease 325 26.5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% Anemia 526 42.8% Glaucoma 134 0.0% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hyperlipidemia 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 71 5.8% Lung Cancer 130 10.6% Endometrial Cancer 349 <td>Female</td> <td>553</td> <td>45.0%</td> | Female | 553 | 45.0% |
| 201823919.5%201941934.1%202054844.6%2021221.8%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberAcute Mycoardial Infarction110.9%Alzheimer's Disease and Related Conditions554.5%Heart Failure15112.3%Depression27822.6%Ischemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hyperlipidemia15612.7%Breast Cancer524.2%Colorectal Cancer715.8%Lung Cancer13010.6%Endometrial Cancer715.8%Lung Cancer13010.6%Endometrial Cancer7212.4%Colorectal Cancer715.8%Lung Cancer13010.6%Endometrial Cancer7212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | Male | 675 | 55.0% |
| 2019 419 34.1% 2020 548 44.6% 2021 22 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% Atherimer's Disease and Related Conditions 55 4.5% Heart Failure 151 12.3% Depression 278 22.6% Ischemic Heart Disease 325 26.5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hyperlipidemia 52 4.2% Colorectal Cancer 177 14.4% Prostate Cancer 52 4.2% Colorectal Cancer 177 14.4% Prostate Cancer 130 10.6% Endometrial Cancer ****** <td>Year</td> <td></td> <td></td> | Year | | |
| 2020 548 44.6% 2021 1.8% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction 11 0.9% Alzheimer's Disease and Related Conditions 55 4.5% Heart Failure 151 12.3% Depression 278 22.6% Schemic Heart Disease 325 26.5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hyperlipidemia 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 130 10.6% Endometrial Cancer 130 10.6% Endometrial Cancer 349 28.4% Asthma 88 7.2% Benign Prostatic Hyperplasia 152 | 2018 | 239 | 19.5% |
| 2021221.8%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction110.9%Akheimer's Disease and Related Conditions554.5%Heart Failure15112.3%Depression27822.6%Schemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hyperlipidemia15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer34928.4%Asthma887.2%Bengan Prostatic Hyperplasia15212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | 2019 | 419 | 34.1% |
| 20212221.8%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction110.9%Alzheimer's Disease and Related Conditions554.5%Heart Failure15112.3%Depression27822.6%Ischemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hyperlipidemia15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer34928.4%Asthma887.2%Bengan Prostatic Hyperplasia15212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | 2020 | 548 | 44.6% |
| Recorded History of CCW1 Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction110.9%Alzheimer's Disease and Related Conditions554.5%Heart Failure15112.3%Depression27822.6%Ischemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hyperlipidemia52642.8%Colorectal Cancer78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer13010.6%Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | 2021 | 22 | |
| Acute Myocardial Infarction 11 0.9% Alzheimer's Disease and Related Conditions 55 4.5% Heart Failure 151 12.3% Depression 278 22.6% Ischemic Heart Disease 325 26.5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hypertension 787 64.1% Stroke/Transient Ischemic Attack (TIA) 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 130 10.6% Lung Cancer 130 10.6% Endometrial Cancer ***** ****** Acquired Hypothyroidism 349 28.4% Asthma 88 7.2% Benign Prostatic Hyperplasia 152 12.4% <tr td=""> Chronic Kidney Disease</tr> | | Number | |
| | | | |
| Heart Failure15112.3%Depression27822.6%Ischemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hyperlipidemia61450.0%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer715.8%Lung Cancer13010.6%Endometrial Cancer***********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease6COPD) and Bronchiectasis14411.7% | Acute Myocardial Infarction | | |
| Heart Failure15112.3%Depression27822.6%Ischemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%HyperIpidemia61450.0%Hypertension78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer715.8%Lung Cancer13010.6%Endometrial Cancer************Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | Alzheimer's Disease and Related Conditions | 55 | 4.5% |
| Depression27822.6%Ischemic Heart Disease32526.5%Rheumatoid Arthritis/Osteoarthritis47338.5%Anemia52642.8%Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hyperlipidemia61450.0%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer715.8%Lung Cancer13010.6%Endometrial Cancer34928.4%Asthma34928.4%Asthma5212.4%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | Heart Failure | 151 | |
| Aremia 325 26.5% Rheumatoid Arthritis/Osteoarthritis 473 38.5% Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hyperlension 787 64.1% Stroke/Transient Ischemic Attack (TIA) 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 71 5.8% Lung Cancer 130 10.6% Endometrial Cancer 349 28.4% Asthma 88 7.2% Benign Prostatic Hyperplasia 152 12.4% Chronic Kidney Disease (COPD) and Bronchiectasis 144 11.7% | Depression | 278 | |
| Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hypertension 787 64.1% Stroke/Transient Ischemic Attack (TIA) 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 71 5.8% Lung Cancer 71 5.8% Endometrial Cancer 130 10.6% Endometrial Cancer 349 28.4% Asthma 88 7.2% Benign Prostatic Hyperplasia 152 12.4% Chronic Kidney Disease 370 30.1% Chronic Cobstructive Pulmonary Disease (COPD) and Bronchiectasis 144 11.7% | Ischemic Heart Disease | 325 | 26.5% |
| Anemia 526 42.8% Glaucoma 134 10.9% Atrial Fibrillation 171 13.9% Diabetes 308 25.1% Hyperlipidemia 614 50.0% Hypertension 787 64.1% Stroke/Transient Ischemic Attack (TIA) 156 12.7% Breast Cancer 52 4.2% Colorectal Cancer 71 5.8% Lung Cancer 71 5.8% Endometrial Cancer 130 10.6% Endometrial Cancer 349 28.4% Asthma 88 7.2% Benign Prostatic Hyperplasia 152 12.4% Chronic Kidney Disease 370 30.1% Chronic Cobstructive Pulmonary Disease (COPD) and Bronchiectasis 144 11.7% | Rheumatoid Arthritis/Osteoarthritis | 473 | 38.5% |
| Glaucoma13410.9%Atrial Fibrillation17113.9%Diabetes30825.1%Hyperlipidemia61450.0%Hypertension78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer715.8%Lung Cancer13010.6%Endometrial Cancer13010.6%Endometrial Cancer34928.4%Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | Anemia | | |
| Atrial Fibrillation17113.9%Diabetes30825.1%Diabetes30825.1%Hyperlipidemia61450.0%Hypertension78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer************Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | Glaucoma | | |
| Diabetes30825.1%Hyperlipidemia61450.0%Hypertension78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | Atrial Fibrillation | | |
| Hyperlipidemia61450.0%Hypertension78764.1%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease (COPD) and Bronchiectasis14411.7% | Diabetes | | |
| Hypertension78764.1%Hypertension5612.7%Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer************Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | Hyperlipidemia | | |
| Stroke/Transient Ischemic Attack (TIA)15612.7%Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Breast Cancer524.2%Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Colorectal Cancer17714.4%Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Prostate Cancer715.8%Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Lung Cancer13010.6%Endometrial Cancer**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Acquired Hypothyroidism**********Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Acquired Hypothyroidism34928.4%Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Asthma887.2%Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | 349 | 28.4% |
| Benign Prostatic Hyperplasia15212.4%Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Chronic Kidney Disease37030.1%Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis14411.7% | | | |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis 144 11.7% | | | |
| | - | | |
| | Osteoporosis | 57 | 4.6% |



Table 1r. Aggregated Baseline Table for New Users of Mektovi in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 344 | 28.0% |
| Overweight | 191 | 15.6% |
| Smoking | 535 | 43.6% |
| Alcohol Abuse or Dependence | 35 | 2.9% |
| Drug Abuse or Dependence | 52 | 4.2% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 119 | 9.7% |

¹CCW: Chronic Conditions Warehouse



Table 1s. Aggregated Baseline Table for New Users of Braftovi in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 1,300 | |
| Number of unique patients | 1,300 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 66.5 | 11.3 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | 858 | 66.0% |
| Sex | | |
| Female | 610 | 46.9% |
| Male | 690 | 53.1% |
| Year | | |
| 2018 | 235 | 18.1% |
| 2019 | 405 | 31.2% |
| 2020 | 627 | 48.2% |
| 2021 | 33 | 2.5% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 12 | 0.9% |
| Alzheimer's Disease and Related Conditions | 56 | 4.3% |
| Heart Failure | 173 | 13.3% |
| Depression | 299 | 23.0% |
| lschemic Heart Disease | 352 | 27.1% |
| Rheumatoid Arthritis/Osteoarthritis | 501 | 38.5% |
| Anemia | 600 | 46.2% |
| Glaucoma | 138 | 10.6% |
| Atrial Fibrillation | 189 | 14.5% |
| Diabetes | 323 | 24.8% |
| Hyperlipidemia | 642 | 49.4% |
| Hypertension | 834 | 64.2% |
| Stroke/Transient Ischemic Attack (TIA) | 155 | 11.9% |
| Breast Cancer | 53 | 4.1% |
| Colorectal Cancer | 314 | 24.2% |
| Prostate Cancer | 75 | 5.8% |
| Lung Cancer | 136 | 10.5% |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 350 | 26.9% |
| Asthma | 97 | 7.5% |
| Benign Prostatic Hyperplasia | 149 | 11.5% |
| Chronic Kidney Disease | 404 | 31.1% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 154 | 11.8% |
| | | |



Table 1s. Aggregated Baseline Table for New Users of Braftovi in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 374 | 28.8% |
| Overweight | 199 | 15.3% |
| Smoking | 570 | 43.8% |
| Alcohol Abuse or Dependence | 32 | 2.5% |
| Drug Abuse or Dependence | 56 | 4.3% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 120 | 9.2% |

¹CCW: Chronic Conditions Warehouse



Table 1t. Aggregated Baseline Table for New Users of Tpoxx in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 0 | |
| Number of unique patients | 0 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 0 | 0 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 0 | 0.0% |
| 65+ | 0 | 0.0% |
| Sex | | |
| Female | 0 | 0.0% |
| Male | 0 | 0.0% |
| Year | | |
| 2018 | 0 | 0.0% |
| 2019 | 0 | 0.0% |
| 2020 | 0 | 0.0% |
| 2021 | 0 | 0.0% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 0 | 0.0% |
| Alzheimer's Disease and Related Conditions | 0 | 0.0% |
| Heart Failure | 0 | 0.0% |
| Depression | 0 | 0.0% |
| lschemic Heart Disease | 0 | 0.0% |
| Rheumatoid Arthritis/Osteoarthritis | 0 | 0.0% |
| Anemia | 0 | 0.0% |
| Glaucoma | 0 | 0.0% |
| Atrial Fibrillation | 0 | 0.0% |
| Diabetes | 0 | 0.0% |
| Hyperlipidemia | 0 | 0.0% |
| Hypertension | 0 | 0.0% |
| Stroke/Transient Ischemic Attack (TIA) | 0 | 0.0% |
| Breast Cancer | 0 | 0.0% |
| Colorectal Cancer | 0 | 0.0% |
| Prostate Cancer | 0 | 0.0% |
| Lung Cancer | 0 | 0.0% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 0 | 0.0% |
| Asthma | 0 | 0.0% |
| Benign Prostatic Hyperplasia | 0 | 0.0% |
| Chronic Kidney Disease | 0 | 0.0% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 0 | 0.0% |
| Osteoporosis | 0 | 0.0% |



Table 1t. Aggregated Baseline Table for New Users of Tpoxx in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 0 | 0.0% |
| Overweight | 0 | 0.0% |
| Smoking | 0 | 0.0% |
| Alcohol Abuse or Dependence | 0 | 0.0% |
| Drug Abuse or Dependence | 0 | 0.0% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 0 | 0.0% |

¹CCW: Chronic Conditions Warehouse



Table 1u. Aggregated Baseline Table for New Users of Tibsovo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 496 | |
| Number of unique patients | 496 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 71 | 10.4 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 101 | 20.4% |
| 65+ | 395 | 79.6% |
| Sex | | |
| Female | 259 | 52.2% |
| Male | 237 | 47.8% |
| Year | | |
| 2018 | 87 | 17.5% |
| 2019 | 137 | 27.6% |
| 2020 | 259 | 52.2% |
| 2021 | 13 | 2.6% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 38 | 7.7% |
| Heart Failure | 106 | 21.4% |
| Depression | 136 | 27.4% |
| Ischemic Heart Disease | 166 | 33.5% |
| Rheumatoid Arthritis/Osteoarthritis | 222 | 44.8% |
| Anemia | 424 | 85.5% |
| Glaucoma | 68 | 13.7% |
| Atrial Fibrillation | 85 | 17.1% |
| Diabetes | 122 | 24.6% |
| Hyperlipidemia | 293 | 59.1% |
| Hypertension | 358 | 72.2% |
| Stroke/Transient Ischemic Attack (TIA) | 33 | 6.7% |
| Breast Cancer | 37 | 7.5% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | 28 | 5.6% |
| Lung Cancer | **** | **** |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 117 | 23.6% |
| Asthma | 40 | 8.1% |
| Benign Prostatic Hyperplasia | 64 | 12.9% |
| Chronic Kidney Disease | 213 | 42.9% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 84 | 16.9% |
| | 0. | -0.5/0 |



Table 1u. Aggregated Baseline Table for New Users of Tibsovo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 122 | 24.6% |
| Overweight | 93 | 18.8% |
| Smoking | 236 | 47.6% |
| Alcohol Abuse or Dependence | 20 | 4.0% |
| Drug Abuse or Dependence | 13 | 2.6% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 56 | 11.3% |

¹CCW: Chronic Conditions Warehouse



 Table 1v. Aggregated Baseline Table for New Users of Krintafel in the Sentinel Distributed Database between January 1, 2018

 and March 31, 2021

| Characteristic | Number | |
|--|-----------|--------------------|
| Number of episodes | 58 | |
| Number of unique patients | 58 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 44.2 | 12.7 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | * * * * * | **** |
| 65+ | **** | **** |
| Sex | | |
| Female | 37 | 63.8% |
| Male | 21 | 36.2% |
| Year | | |
| 2018 | 0 | 0.0% |
| 2019 | 39 | 67.2% |
| 2020 | 19 | 32.8% |
| 2021 | 0 | 0.0% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 0 | 0.0% |
| Alzheimer's Disease and Related Conditions | 0 | 0.0% |
| Heart Failure | 0 | 0.0% |
| Depression | **** | **** |
| schemic Heart Disease | 0 | 0.0% |
| Rheumatoid Arthritis/Osteoarthritis | 11 | 19.0% |
| Anemia | **** | **** |
| Glaucoma | 0 | 0.0% |
| Atrial Fibrillation | 0 | 0.0% |
| Diabetes | **** | **** |
| Hyperlipidemia | **** | **** |
| Hypertension | **** | **** |
| Stroke/Transient Ischemic Attack (TIA) | 0 | 0.0% |
| Breast Cancer | 0 | 0.0% |
| Colorectal Cancer | 0 | 0.0% |
| Prostate Cancer | 0 | 0.0% |
| ung Cancer | 0 | 0.0% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 13 | 22.4% |
| Asthma | **** | **** |
| Benign Prostatic Hyperplasia | **** | **** |
| Chronic Kidney Disease | **** | **** |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 0 | 0.0% |
| Osteoporosis | **** | **** |



Table 1v. Aggregated Baseline Table for New Users of Krintafel in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | **** | **** |
| Overweight | **** | **** |
| Smoking | **** | **** |
| Alcohol Abuse or Dependence | **** | **** |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 0 | 0.0% |

¹CCW: Chronic Conditions Warehouse



Table 1w. Aggregated Baseline Table for New Users of Orilissa in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 7,736 | |
| Number of unique patients | 7,736 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 33.9 | 8.5 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | 7,531 | 97.4% |
| 65+ | **** | **** |
| Sex | | |
| Female | **** | **** |
| Male | **** | **** |
| Year | | |
| 2018 | 489 | 6.3% |
| 2019 | 3,702 | 47.9% |
| 2020 | 3,186 | 41.2% |
| 2021 | 359 | 4.6% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 18 | 0.2% |
| Heart Failure | 40 | 0.5% |
| Depression | 2,271 | 29.4% |
| schemic Heart Disease | 110 | 1.4% |
| Rheumatoid Arthritis/Osteoarthritis | 818 | 10.6% |
| Anemia | 1,145 | 14.8% |
| Glaucoma | 107 | 1.4% |
| Atrial Fibrillation | 13 | 0.2% |
| Diabetes | 315 | 4.1% |
| Hyperlipidemia | 527 | 6.8% |
| Hypertension | 833 | 10.8% |
| Stroke/Transient Ischemic Attack (TIA) | 29 | 0.4% |
| Breast Cancer | 25 | 0.3% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | 0 | 0.0% |
| Lung Cancer | **** | **** |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 588 | 7.6% |
| Asthma | 743 | 9.6% |
| Benign Prostatic Hyperplasia | 0 | 0.0% |
| Chronic Kidney Disease | 247 | 3.2% |
| | | |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 88 | 1.1% |



Table 1w. Aggregated Baseline Table for New Users of Orilissa in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 1,883 | 24.3% |
| Overweight | 827 | 10.7% |
| Smoking | 1,150 | 14.9% |
| Alcohol Abuse or Dependence | 95 | 1.2% |
| Drug Abuse or Dependence | 202 | 2.6% |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse



Table 1x. Aggregated Baseline Table for New Users of Omegaven in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 12 | |
| Number of unique patients | 12 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 20.6 | 19.4 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | **** | **** |
| Sex | | |
| Female | **** | **** |
| Male | **** | **** |
| /ear | | |
| 2018 | 0 | 0.0% |
| 2019 | **** | **** |
| 2020 | **** | **** |
| 2021 | 0 | 0.0% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 0 | 0.0% |
| Alzheimer's Disease and Related Conditions | 0 | 0.0% |
| leart Failure | **** | **** |
| Depression | 0 | 0.0% |
| schemic Heart Disease | **** | **** |
| Rheumatoid Arthritis/Osteoarthritis | **** | **** |
| Anemia | **** | **** |
| Glaucoma | **** | **** |
| Atrial Fibrillation | 0 | 0.0% |
| Diabetes | 0 | 0.0% |
| Hyperlipidemia | **** | **** |
| Typertension | **** | **** |
| Stroke/Transient Ischemic Attack (TIA) | 0 | 0.0% |
| Breast Cancer | 0 | 0.0% |
| Colorectal Cancer | 0 | 0.0% |
| Prostate Cancer | 0 | 0.0% |
| ung Cancer | 0 | 0.0% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | **** | **** |
| Asthma | **** | **** |
| Benign Prostatic Hyperplasia | 0 | 0.0% |
| Chronic Kidney Disease | **** | **** |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | **** | **** |
| Disteoporosis | 0 | 0.0% |



Table 1x. Aggregated Baseline Table for New Users of Omegaven in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | **** | **** |
| Overweight | **** | **** |
| Smoking | **** | **** |
| Alcohol Abuse or Dependence | 0 | 0.0% |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse



Table 1y. Aggregated Baseline Table for New Users of Mulpleta in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 169 | |
| Number of unique patients | 169 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 60.5 | 9.4 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 114 | 67.5% |
| 65+ | 55 | 32.5% |
| Sex | | |
| Female | 82 | 48.5% |
| Male | 87 | 51.5% |
| Year | | |
| 2018 | **** | **** |
| 2019 | 106 | 62.7% |
| 2020 | **** | **** |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 0 | 0.0% |
| Alzheimer's Disease and Related Conditions | 11 | 6.5% |
| Heart Failure | 27 | 16.0% |
| Depression | 52 | 30.8% |
| Ischemic Heart Disease | 42 | 24.9% |
| Rheumatoid Arthritis/Osteoarthritis | 73 | 43.2% |
| Anemia | 117 | 69.2% |
| Glaucoma | **** | **** |
| Atrial Fibrillation | 12 | 7.1% |
| Diabetes | 73 | 43.2% |
| Hyperlipidemia | 62 | 36.7% |
| Hypertension | 109 | 64.5% |
| Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer | **** | **** |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | **** | **** |
| Lung Cancer | **** | **** |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 37 | 21.9% |
| Asthma | 16 | 9.5% |
| Benign Prostatic Hyperplasia | 11 | 6.5% |
| Chronic Kidney Disease | 66 | 39.1% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 27 | 16.0% |
| Osteoporosis | **** | **** |



Table 1y. Aggregated Baseline Table for New Users of Mulpleta in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 79 | 46.7% |
| Overweight | 31 | 18.3% |
| Smoking | 83 | 49.1% |
| Alcohol Abuse or Dependence | 75 | 44.4% |
| Drug Abuse or Dependence | 21 | 12.4% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 15 | 8.9% |

¹CCW: Chronic Conditions Warehouse



Table 1z. Aggregated Baseline Table for New Users of Poteligeo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 356 | |
| Number of unique patients | 356 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 71.9 | 9.7 |
| Age (years) | Number | Percent |
| 0-18 | **** | **** |
| 19-64 | **** | **** |
| 65+ | 295 | 82.9% |
| Sex | | |
| Female | 150 | 42.1% |
| Male | 206 | 57.9% |
| Year | | |
| 2018 | **** | **** |
| 2019 | 218 | 61.2% |
| 2020 | **** | **** |
| 2021 | **** | **** |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | **** | **** |
| Alzheimer's Disease and Related Conditions | 23 | 6.5% |
| Heart Failure | 70 | 19.7% |
| Depression | 95 | 26.7% |
| schemic Heart Disease | 120 | 33.7% |
| Rheumatoid Arthritis/Osteoarthritis | 134 | 37.6% |
| Anemia | 179 | 50.3% |
| Glaucoma | 55 | 15.4% |
| Atrial Fibrillation | 52 | 14.6% |
| Diabetes | 99 | 27.8% |
| Hyperlipidemia | 242 | 68.0% |
| Hypertension | 256 | 71.9% |
| Stroke/Transient Ischemic Attack (TIA) | 12 | 3.4% |
| Breast Cancer | 18 | 5.1% |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | 27 | 7.6% |
| Lung Cancer | **** | **** |
| Endometrial Cancer | **** | **** |
| Acquired Hypothyroidism | 120 | 33.7% |
| Asthma | 32 | 9.0% |
| Benign Prostatic Hyperplasia | 53 | 14.9% |
| Chronic Kidney Disease | 109 | 30.6% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 50 | 14.0% |
| | 33 | 9.3% |



Table 1z. Aggregated Baseline Table for New Users of Poteligeo in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 77 | 21.6% |
| Overweight | 67 | 18.8% |
| Smoking | 141 | 39.6% |
| Alcohol Abuse or Dependence | 15 | 4.2% |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | **** | **** |
| History of Coronary Angioplasty or Bypass | 39 | 11.0% |

¹CCW: Chronic Conditions Warehouse



Table 1aa. Aggregated Baseline Table for New Users of Onpattro in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 228 | |
| Number of unique patients | 228 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 70.5 | 8.4 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 36 | 15.8% |
| 65+ | 192 | 84.2% |
| Sex | | |
| Female | 80 | 35.1% |
| Male | 148 | 64.9% |
| Year | | |
| 2018 | **** | **** |
| 2019 | 144 | 63.2% |
| 2020 | **** | **** |
| 2021 | **** | * * * * * |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 13 | 5.7% |
| Alzheimer's Disease and Related Conditions | **** | **** |
| Heart Failure | 142 | 62.3% |
| Depression | 54 | 23.7% |
| lschemic Heart Disease | 108 | 47.4% |
| Rheumatoid Arthritis/Osteoarthritis | 108 | 47.4% |
| Anemia | 94 | 41.2% |
| Glaucoma | 49 | 21.5% |
| Atrial Fibrillation | 74 | 32.5% |
| Diabetes | 49 | 21.5% |
| Hyperlipidemia | 131 | 57.5% |
| Hypertension | 152 | 66.7% |
| Stroke/Transient Ischemic Attack (TIA) | 18 | 7.9% |
| Breast Cancer | **** | **** |
| Colorectal Cancer | **** | **** |
| Prostate Cancer | 25 | 11.0% |
| Lung Cancer | **** | **** |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 40 | 17.5% |
| Asthma | 18 | 7.9% |
| Benign Prostatic Hyperplasia | 42 | 18.4% |
| Chronic Kidney Disease | 82 | 36.0% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | 29 | 12.7% |
| | - | |



Table 1aa. Aggregated Baseline Table for New Users of Onpattro in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|--------|--------------------|
| Number of episodes | 228 | |
| Number of unique patients | 228 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 70.5 | 8.4 |
| Age (years) | Number | Percent |
| 0-18 | 0 | 0.0% |
| 19-64 | 36 | 15.8% |
| 65+ | 192 | 84.2% |
| Sex | | |
| Female | 80 | 35.1% |
| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
| Obesity | 31 | 13.6% |
| Overweight | 30 | 13.2% |
| Smoking | 83 | 36.4% |
| Alcohol Abuse or Dependence | **** | **** |
| Drug Abuse or Dependence | 0 | 0.0% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 21 | 9.2% |

¹CCW: Chronic Conditions Warehouse



Table 1ab. Aggregated Baseline Table for New Users of Annovera in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Characteristic | Number | |
|--|-----------|--------------------|
| Number of episodes | 2,413 | |
| Number of unique patients | 2,413 | |
| Demographics | Mean | Standard Deviation |
| Mean Age (years) | 29.2 | 7.9 |
| Age (years) | Number | Percent |
| 0-18 | 172 | 7.1% |
| 19-64 | 2,241 | 92.9% |
| 65+ | 0 | 0.0% |
| Sex | | |
| Female | **** | **** |
| Male | **** | **** |
| Year | | |
| 2018 | 0 | 0.0% |
| 2019 | 133 | 5.5% |
| 2020 | 1,949 | 80.8% |
| 2021 | 331 | 13.7% |
| Recorded History of CCW ¹ Conditions in the 365 Days prior to Index | Number | Percent |
| Acute Myocardial Infarction | 0 | 0.0% |
| Alzheimer's Disease and Related Conditions | 0 | 0.0% |
| Heart Failure | 0 | 0.0% |
| Depression | 478 | 19.8% |
| schemic Heart Disease | **** | **** |
| Rheumatoid Arthritis/Osteoarthritis | 70 | 2.9% |
| Anemia | 159 | 6.6% |
| Glaucoma | 20 | 0.8% |
| Atrial Fibrillation | 0 | 0.0% |
| Diabetes | 21 | 0.9% |
| Hyperlipidemia | 60 | 2.5% |
| Hypertension | 36 | 1.5% |
| Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer | 0 | 0.0% |
| Colorectal Cancer | 0 | 0.0% |
| Prostate Cancer | 0 | 0.0% |
| Lung Cancer | 0 | 0.0% |
| Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism | 72 | 3.0% |
| Asthma | 77 | 3.2% |
| Benign Prostatic Hyperplasia | 0 | 0.0% |
| Chronic Kidney Disease | 21 | 0.9% |
| | == | |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | * * * * * | * * * * * |



Table 1ab. Aggregated Baseline Table for New Users of Annovera in the Sentinel Distributed Database between January 1,2018 and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 233 | 9.7% |
| Overweight | 141 | 5.8% |
| Smoking | 105 | 4.4% |
| Alcohol Abuse or Dependence | 25 | 1.0% |
| Drug Abuse or Dependence | 39 | 1.6% |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | 0 | 0.0% |

¹CCW: Chronic Conditions Warehouse



Table 1ac. Aggregated Baseline Table for New Users of Galafold in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Number of episodes 74 Number of unique patients 74 Demographics Mean Standard Deviation Mean Age (years) 49.3 13.9 Age (years) 0 0.0% 0-13 0 0.0% 19-64 58 78.4% 65+ 16 21.6% Sex 32 43.2% Male 42 56.3% Year 2018 23 31.1% 2019 31 41.9% 2020 20 27.0% 2021 0 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Aute Myocardial Infarction ***** ***** ***** Alzbeimer's Disease and Related Conditions 11 14.9% 14 Depression 17 23.0% Skohmit Heart Disease 14 18.9% Rheumatoid Arthritis/Osteoarthritis 14 18.9% 31 4.9% 33 Glaucoma < | Characteristic | Number | |
|---|---|--------|--------------------|
| Number of unique patients 74 Demographics Mean Standard Deviation Mean Age (years) 49.3 13.9 Age (years) 49.3 13.9 O-18 0 0.0% 0-18 0 0.0% 19-64 58 78.4% 65+ 16 21.6% Sex | | | |
| Demographics Mean Standard Deviation Mean Age (years) 49.3 13.9 Age (years) Number Percent 0-18 0 0.0% 19-64 58 78.4% 65+ 16 21.6% Sex 7 49.3 11.6% Female 32 43.2% Male Vear 2018 23 31.1% 2019 31 41.9% 2020 20 20.70% 2021 0 0.0% 0.0% 0.0% 0.0% 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent 42.1.9% 2020 20.0% <td></td> <td></td> <td></td> | | | |
| Mean Age (years) 49.3 13.9 Age (years) Number Percent 0-18 0 0.0% 19-64 58 78.4% 65+ 16 21.6% Sex - - - Female 32 43.2% - Male 42 56.8% - 2018 23 31.1% - 2019 31 41.9% - 2020 20 27.0% - 2021 0 0.0% - Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction ****** ****** ****** Alzheimer's Disease and Related Conditions ****** ****** ****** Alzheimer's Disease and Related Conditions 17 23.0% - Ischemic Heart Disease 11 14.9% - Depression 17 23.0% - - Ischemic Heart Disease | | | Standard Deviation |
| Number Percent 0-18 0 0.0% 19-64 58 78.4% 65+ 16 21.6% Sex - - Female 32 43.2% Male 42 56.8% Year - - 2018 23 31.1% 2020 20 27.0% 2021 0 0.0% Recorded History of CCW ³ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction ****** ****** ****** Acute Myocardial Infarction 11 14.9% Depression Ischemic Heart Disease and Related Conditions ****** ****** ****** Heart Failure 11 14.9% Sew Depression 17 23.0% Ischemic Heart Disease 14 18.9% Rheumatoid Arthritis/Osteoarthritis 14 18.9% Anemia 11 14.9% Glaucoma ****** Atrial Fibrillation | | | |
| 0-18 0 0.0% 19-64 58 78.4% 65+ 16 21.6% Sex | | | |
| 19-64 58 78.4% 65+ 16 21.6% Sex 16 21.6% Male 32 43.2% Male 42 56.8% Year 2018 23 31.1% 2019 23 31.1% 41.9% 2020 20 20.0% 20.0% 2021 0 0.0% 20.0% Acute Myocardial Infarction ****** ****** Acute Myocardial Infarction ****** | | | |
| 65+ 16 21.6% Sex 32 43.2% Male 42 56.8% Year 2018 23 31.1% 2019 31 41.9% 200 27.0% 2020 20 27.0% 0 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction ****** ****** Atzheimer's Disease and Related Conditions 11 14.9% Depression 17 23.0% Ischemic Heart Disease 14 18.9% Anemia 11 14.9% Glaucoma ****** ****** Atrial Fibrillation ****** ****** Virail Fibrillation ****** ****** Hyperlipidemia 20 27.0% Hyperlipidemia 20 27.0% Hyperlipidemia ****** ****** | | - | |
| Sex 32 43.2% Male 42 56.8% Year 2018 23 31.1% 2019 31 41.9% 2020 20 27.0% 2021 0 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction ****** ****** ****** Alzheimer's Disease and Related Conditions ****** ****** ****** Lober Solic Arthritis/Osteoarthritis 11 14.9% 23.0% Ischemic Heart Disease 14 18.9% 36.0% Anemia 11 14.9% 36.0% 36.0% Glaucoma ****** ****** ****** ****** Atrial Fibrillation ****** ****** ****** Diabetes ****** ****** ****** Hyperlipidemia 20 27.0% 35.1% | | | |
| Female 32 43.2% Male 42 56.8% Year 23 31.1% 2018 23 31.4% 2019 31 41.9% 2020 20 27.0% 2021 0 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction ***** ***** Acute Myocardial Infarction ****** ****** Acute Myocardial Infarction ****** ****** Bepression 17 23.0% Ischemic Heart Disease 14 18.9% Anemia 11 14.9% Glaucoma ****** ****** Atrial Fibrillation ****** ****** Diabetes *****< | Sex | | |
| Male 42 56.8% Year 23 31.1% 2018 23 31.1% 2019 31 41.9% 2020 20 27.0% 2021 0 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Percent Acute Myocardial Infarction ***** ****** Acute Myocardial Infarction ***** ****** Alzheimer's Disease and Related Conditions ****** ****** Heart Failure 11 14.9% Depression 17 23.0% Ischemic Heart Disease 14 18.9% Anemia 11 14.9% Glaucoma ****** ****** Atrial Fibrillation ****** ****** Diabetes ****** ****** Hyperlipidemia 20 27.0% Hyperlipidemia 20 27.0% Hypertension 26 35.1% | | 32 | 43.2% |
| Year 23 31.1% 2018 23 31.1% 2019 31 41.9% 2020 20 27.0% 2021 0 0.0% Recorded History of CCW ¹ Conditions in the 365 Days prior to Index Number Acute Myocardial Infarction ****** ****** Acute Myocardial Infarction ****** ****** Heart Failure 11 14.9% Depression 17 23.0% Ischemic Heart Disease 14 18.9% Anemia 11 14.9% Glaucoma ****** ****** Atrial Fibrillation ****** ****** Diabetes ****** ****** Hyperlipidemia 20 27.0% Hyperlipidemia 26 35.1% | | | |
| 20182331.1%20193141.9%20202027.0%202100.0%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberAcute Myocardial Infarction**********Acute Myocardial Infarction**********Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Anemia1114.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | | | |
| 20193141.9%20202027.0%202100.0%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction************Alzheimer's Disease and Related Conditions************Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Anemia1114.9%Glaucoma***********Atrial Fibrillation************Diabetes***********Hyperlipidemia2027.0%Hypertension2635.1% | | 23 | 31.1% |
| 2020 20212027.0%202100.0%Recorded History of CCW ¹ Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction***********Alzheimer's Disease and Related Conditions**********Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Rheumatoid Arthritis/Osteoarthritis1418.9%Anemia1114.9%Glaucoma***********Atrial Fibrillation***********Diabetes***********Hyperlipidemia2027.0%Hypertension2635.1% | | | |
| 202100.0%Recorded History of CCW1 Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction***********Alzheimer's Disease and Related Conditions**********Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Rheumatoid Arthritis/Osteoarthritis1418.9%Anemia1114.9%Glaucoma************Atrial Fibrillation************Diabetes************Hyperlipidemia2027.0%Hypertension2635.1% | | | |
| Recorded History of CCW1 Conditions in the 365 Days prior to IndexNumberPercentAcute Myocardial Infarction**********Alzheimer's Disease and Related Conditions**********Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Rheumatoid Arthritis/Osteoarthritis1418.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | | | |
| Acute Myocardial Infarction**********Alzheimer's Disease and Related Conditions**********Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Rheumatoid Arthritis/Osteoarthritis1418.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | | | |
| Alzheimer's Disease and Related Conditions**********Heart Failure1114.9%Depression1723.0%Ischemic Heart Disease1418.9%Rheumatoid Arthritis/Osteoarthritis1418.9%Anemia1114.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | | | |
| Depression1723.0%Ischemic Heart Disease1418.9%Rheumatoid Arthritis/Osteoarthritis1418.9%Anemia1114.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | Alzheimer's Disease and Related Conditions | **** | **** |
| Ischemic Heart Disease 14 18.9% Rheumatoid Arthritis/Osteoarthritis 14 18.9% Anemia 14 14.9% Glaucoma ***** **** Atrial Fibrillation ***** **** Diabetes ***** **** Hyperlipidemia 20 27.0% | Heart Failure | 11 | 14.9% |
| Rheumatoid Arthritis/Osteoarthritis1418.9%Anemia1114.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | Depression | 17 | 23.0% |
| Anemia1114.9%Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | Ischemic Heart Disease | 14 | 18.9% |
| Glaucoma**********Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | Rheumatoid Arthritis/Osteoarthritis | 14 | 18.9% |
| Atrial Fibrillation**********Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | Anemia | 11 | 14.9% |
| Diabetes**********Hyperlipidemia2027.0%Hypertension2635.1% | Glaucoma | **** | **** |
| Hyperlipidemia2027.0%Hypertension2635.1% | Atrial Fibrillation | **** | **** |
| Hypertension 26 35.1% | Diabetes | **** | **** |
| <i></i> | Hyperlipidemia | 20 | 27.0% |
| Stroke/Transient Ischemic Attack (TIA) ***** **** | Hypertension | 26 | 35.1% |
| | Stroke/Transient Ischemic Attack (TIA) | **** | **** |
| Breast Cancer ***** **** | Breast Cancer | **** | **** |
| Colorectal Cancer 0 0.0% | Colorectal Cancer | 0 | 0.0% |
| Prostate Cancer 0 0.0% | Prostate Cancer | 0 | 0.0% |
| Lung Cancer ***** ***** | Lung Cancer | **** | **** |
| Endometrial Cancer 0 0.0% | Endometrial Cancer | 0 | 0.0% |
| Acquired Hypothyroidism ***** ***** | Acquired Hypothyroidism | **** | **** |
| Asthma ***** **** | Asthma | **** | **** |
| Benign Prostatic Hyperplasia ***** **** | Benign Prostatic Hyperplasia | **** | **** |
| Chronic Kidney Disease 20 27.0% | Chronic Kidney Disease | 20 | 27.0% |
| Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis ***** **** | Chronic Obstructive Pulmonary Disease (COPD) and Bronchiectasis | **** | **** |
| Osteoporosis ***** **** | Osteoporosis | **** | **** |



Table 1ac. Aggregated Baseline Table for New Users of Galafold in the Sentinel Distributed Database between January 1, 2018and March 31, 2021

| Recorded History of Characteristics in the 365 Days prior to Index | Number | Percent |
|--|--------|---------|
| Obesity | 22 | 29.7% |
| Overweight | 11 | 14.9% |
| Smoking | 11 | 14.9% |
| Alcohol Abuse or Dependence | **** | **** |
| Drug Abuse or Dependence | **** | **** |
| History of Cardiac Arrest | 0 | 0.0% |
| History of Coronary Angioplasty or Bypass | **** | **** |

¹CCW: Chronic Conditions Warehouse



Table 2a. Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database betweenJanuary 1, 2018 and March 31, 2021

| | Number of | Number of | | Eligible Member | New Users per 100,000 |
|------------|-----------|-----------|-------------------------------|--------------------|-------------------------|
| Drug | New Users | Episodes | Eligible Members ¹ | Years ¹ | Eligible Members |
| Lutathera | 2,118 | 2,118 | 80,408,554 | 148,787,276.8 | 2.6 |
| Biktarvy | 44,924 | 44,924 | 80,394,367 | 148,719,085.9 | 55.9 |
| Symdeko | 1,465 | 1,465 | 80,408,454 | 148,786,558.5 | 1.8 |
| Erleada | 4,911 | 4,911 | 80,408,192 | 148,784,033.8 | 6.1 |
| Trogarzo | 150 | 150 | 80,408,626 | 148,789,459.1 | 0.2 |
| Ilumya | 1,985 | 1,985 | 80,408,417 | 148,787,953.6 | 2.5 |
| Tavalisse | 513 | 513 | 80,408,612 | 148,789,060.0 | 0.6 |
| Crysvita | 248 | 248 | 80,408,585 | 148,789,315.8 | 0.3 |
| Akynzeo | 10,861 | 10,861 | 80,408,108 | 148,781,053.0 | 13.5 |
| Lucemyra | 2,236 | 2,236 | 80,408,583 | 148,787,035.3 | 2.8 |
| Aimovig | 69,013 | 69,013 | 80,396,855 | 148,701,310.7 | 85.8 |
| Lokelma | 18,111 | 18,111 | 80,407,642 | 148,779,135.3 | 22.5 |
| Doptelet | 885 | 885 | 80,408,610 | 148,788,797.1 | 1.1 |
| Palynziq | 151 | 151 | 80,408,590 | 148,789,449.0 | 0.2 |
| Olumiant | 1,611 | 1,611 | 80,408,480 | 148,787,550.6 | 2.0 |
| Epidioloex | 4,520 | 4,520 | 80,407,939 | 148,783,704.0 | 5.6 |
| Zemdri | 113 | 113 | 80,408,649 | 148,789,594.4 | 0.1 |
| Mektovi | 1,228 | 1,228 | 80,408,499 | 148,788,611.3 | 1.5 |
| Braftovi | 1,300 | 1,300 | 80,408,488 | 148,788,599.5 | 1.6 |
| Трохх | 0 | 0 | 80,408,651 | 148,789,687.4 | 0.0 |
| Tibsovo | 496 | 496 | 80,408,617 | 148,789,364.7 | 0.6 |
| Krintafel | 58 | 58 | 80,408,646 | 148,789,625.3 | 0.1 |
| Orilissa | 7,736 | 7,736 | 80,407,450 | 148,781,642.6 | 9.6 |
| Omegaven | 12 | 12 | 80,408,650 | 148,789,677.4 | 0.0 |
| Mulpleta | 169 | 169 | 80,408,648 | 148,789,518.4 | 0.2 |
| Poteligeo | 356 | 356 | 80,408,625 | 148,789,306.0 | 0.4 |
| Onpattro | 228 | 228 | 80,408,609 | 148,789,406.9 | 0.3 |
| Annovera | 2,413 | 2,413 | 80,408,244 | 148,788,493.3 | 3.0 |
| Galafold | 74 | 74 | 80,408,630 | 148,789,575.2 | 0.1 |

¹Eligible Members and Member-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.



| | | | New Users b | | | | | _ | | | |
|------------|--------------------------|--------|--------------|--------|--------------|------|-----------------|------------|------------------|-------------|-----------------------|
| | - | Follow | /-Up Time in | Years | | Sumn | nary Statistics | for Length | n of Follow-Up T | Time in Day | S |
| Drug | ا Number of New Users | < 1 | 1-2 | 3+ | ı Minimum | Q1 | Median | Q3 | Maximum | Mean | Standard Deviation |
| Lutathera | 2,118 | 1,070 | 779 | 269 | 2 | 160 | 360 | 606 | 1,079 | 395.1 | 259.7 |
| Biktarvy | 44,924 | 16,852 | 17,132 | 10,940 | 1 | 240 | 486 | 722 | 1,142 | 488.8 | 290.9 |
| Symdeko | 1,465 | 321 | 411 | 733 | 1 | 417 | 730 | 975 | 1,129 | 672.5 | 322.0 |
| Erleada | 4,911 | 2,680 | 1,406 | 825 | 1 | 161 | 344 | 590 | 1,121 | 398.5 | 286.3 |
| Trogarzo | 150 | 51 | 59 | 40 | 10 | 241 | 528 | 754 | 973 | 512.2 | 301.2 |
| Ilumya | 1,985 | 1,285 | 661 | 39 | 1 | 122 | 276 | 441 | 889 | 297.1 | 204.4 |
| Tavalisse | 513 | 245 | 176 | 92 | 2 | 152 | 381 | 666 | 1,031 | 416.3 | 287.2 |
| Crysvita | 248 | 93 | 114 | 41 | 14 | 262 | 494 | 708 | 1,044 | 477.7 | 260.5 |
| Akynzeo | 10,861 | 7,665 | 2,957 | 239 | 1 | 104 | 238 | 400 | 1,184 | 272.2 | 203.3 |
| Lucemyra | 2,236 | 933 | 1,052 | 251 | 1 | 214 | 430 | 626 | 953 | 422.6 | 242.6 |
| Aimovig | 69,013 | 31,883 | 25,662 | 11,468 | 1 | 196 | 402 | 641 | 1,045 | 422.6 | 263.6 |
| Lokelma | 18,111 | 15,193 | 2,906 | 12 | 1 | 80 | 175 | 305 | 774 | 205.2 | 151.1 |
| Doptelet | 885 | 497 | 291 | 97 | 1 | 131 | 308 | 535 | 967 | 354.4 | 251.5 |
| Palynziq | 151 | 57 | 58 | 36 | 9 | 214 | 496 | 702 | 988 | 472.4 | 280.3 |
| Olumiant | 1,611 | 615 | 733 | 263 | 1 | 246 | 465 | 657 | 986 | 453.3 | 251.5 |
| Epidioloex | 4,520 | 1,744 | 2,445 | 331 | 1 | 261 | 477 | 650 | 877 | 443.7 | 228.9 |
| Zemdri | 113 | 78 | **** | **** | 3 | 108 | 225 | 442 | 897 | 293.6 | 230.3 |
| Mektovi | 1,228 | 863 | 259 | 106 | 1 | 99 | 216 | 423 | 997 | 290.5 | 240.3 |
| Braftovi | 1,300 | 937 | 257 | 106 | 1 | 91 | 203 | 401 | 997 | 278.1 | 237.7 |
| Трохх | 0 | 0 | 0 | 0 | | | | | | | |
| Tibsovo | 496 | 403 | 70 | 23 | 1 | 57 | 143 | 312 | 975 | 217.4 | 210.6 |
| Krintafel | 58 | 26 | 32 | 0 | 2 | 220 | 387 | 479 | 692 | 361.0 | 168.0 |
| Orilissa | 7,736 | 4,452 | 2,818 | 466 | 1 | 140 | 310 | 520 | 958 | 341.0 | 230.9 |
| Omegaven | 12 | **** | **** | **** | 18 | 85 | 234 | 381 | 736 | 280.2 | 237.7 |
| Mulpleta | 169 | 83 | **** | **** | 1 | 193 | 365 | 506 | 829 | 355.5 | 204.4 |

Table 2b. Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021¹



| | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | Summary Statistics for Length of Follow-Up Time in Days | | | | | 5 | | |
|-----------|--|-------|------|---|--------------|-----|--------|-----|---------|-------|-----------------------|
| Drug | l Number of New Users | < 1 | 1-2 | 3+ | l Minimum | Q1 | Median | Q3 | Maximum | Mean | Standard Deviation |
| Poteligeo | 356 | 190 | **** | **** | 4 | 140 | 347 | 574 | 815 | 365.2 | 236.0 |
| Onpattro | 228 | 97 | 118 | 13 | 2 | 198 | 429 | 602 | 884 | 403.8 | 230.9 |
| Annovera | 2,413 | 2,222 | 191 | 0 | 1 | 65 | 147 | 238 | 528 | 166.2 | 120.7 |
| Galafold | 74 | 29 | 31 | 14 | 30 | 233 | 473 | 668 | 918 | 463.2 | 260.5 |

Table 2b. Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021¹

¹Time to censor is for characterization purposes only. It does not represent at-risk time and does not take into account episode end date, outcome occurrence, or blackout period when calculating time to censor.



Table 3a. Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database betweenJanuary 1, 2018 and March 31, 2021, by Sex

| | | | | Eligible Member- | New Users per 100,000 | |
|--------------------|-----------|--------------|-------------------------------|--------------------|-----------------------|--|
| Sex | New Users | New Episodes | Eligible Members ¹ | Years ¹ | Eligible Members | |
| Lutathera | | | | | | |
| Female | 1,064 | 1,064 | 42,443,577 | 79,841,908.8 | 2.5 | |
| Male | 1,054 | 1,054 | 37,964,977 | 68,945,368.0 | 2.8 | |
| Biktarvy | | | | | | |
| Female | 9,844 | 9,844 | 42,440,868 | 79,827,758.5 | 23.2 | |
| Male | 35,080 | 35,080 | 37,953,499 | 68,891,327.4 | 92.4 | |
| Symdeko | | | | | | |
| Female | 751 | 751 | 42,443,539 | 79,841,528.7 | 1.8 | |
| Male | 714 | 714 | 37,964,915 | 68,945,029.8 | 1.9 | |
| Erleada | | | | | | |
| Female | 0 | 0 | 42,443,627 | 79,843,125.1 | 0.0 | |
| Male | 4,911 | 4,911 | 37,964,565 | 68,940,908.7 | 12.9 | |
| Trogarzo | | | | | | |
| Female | 36 | 36 | 42,443,624 | 79,843,086.5 | 0.1 | |
| Male | 114 | 114 | 37,965,002 | 68,946,372.6 | 0.3 | |
| Ilumya | | | | | | |
| Female | 1,032 | 1,032 | 42,443,515 | 79,842,228.0 | 2.4 | |
| Male | 953 | 953 | 37,964,902 | 68,945,725.6 | 2.5 | |
| Tavalisse | | | | | | |
| Female | 291 | 291 | 42,443,601 | 79,842,761.8 | 0.7 | |
| Male | 222 | 222 | 37,965,011 | 68,946,298.1 | 0.6 | |
| Crysvita | | | - / /- | ,, | | |
| Female | 169 | 169 | 42,443,588 | 79,842,866.2 | 0.4 | |
| Male | 79 | 79 | 37,964,997 | 68,946,449.6 | 0.2 | |
| Akynzeo | | | | | 0.1 | |
| Female | 6,300 | 6,300 | 42,443,331 | 79,837,876.1 | 14.8 | |
| Male | 4,561 | 4,561 | 37,964,777 | 68,943,176.9 | 12.0 | |
| | 4,501 | 4,501 | 57,504,777 | 00,540,170.5 | 12.0 | |
| Lucemyra Female | 1,246 | 1,246 | 42,443,604 | 79,841,639.2 | 2.9 | |
| Male | 990 | 990 | 37,964,979 | 68,945,396.1 | 2.6 | |
| | 550 | 550 | 57,504,575 | 00,545,550.1 | 2.0 | |
| Aimovig Female | 58,340 | 58,340 | 42,433,435 | 79,768,427.0 | 137.5 | |
| Male | 10,673 | 10,673 | 37,963,420 | 68,932,883.7 | 28.1 | |
| | 10,075 | 10,075 | 57,905,420 | 00,932,003.7 | 20.1 | |
| Lokelma | 7,708 | 7,708 | 42,443,210 | 79,838,711.1 | 18.2 | |
| Female Male | | | 37,964,432 | | 27.4 | |
| | 10,403 | 10,403 | 57,904,452 | 68,940,424.2 | 27.4 | |
| Doptelet | 420 | 420 | 42 442 601 | 70 942 694 0 | 1.0 | |
| Female | 439 | 439 | 42,443,601 | 79,842,684.9 | 1.0 | |
| Male | 446 | 446 | 37,965,009 | 68,946,112.2 | 1.2 | |
| Palynziq | 65 | 65 | 42 442 507 | 70 042 027 4 | 0.2 | |
| Female | 65 | 65 | 42,443,597 | 79,843,027.1 | 0.2 | |
| Male | 86 | 86 | 37,964,993 | 68,946,421.8 | 0.2 | |
| Olumiant | 4 955 | 4 955 | 42,442,422 | 70.044.004.0 | ~ ~ | |
| Female | 1,357 | 1,357 | 42,443,483 | 79,841,324.2 | 3.2 | |
| Male | 254 | 254 | 37,964,997 | 68,946,226.4 | 0.7 | |
| Epidioloex | | | | | | |
| Female | 2,049 | 2,049 | 42,443,294 | 79,840,416.9 | 4.8 | |
| Male | 2,471 | 2,471 | 37,964,645 | 68,943,287.0 | 6.5 | |
| Zemdri | | | | | | |
| Female | 79 | 79 | 42,443,625 | 79,843,063.3 | 0.2 | |
| Male | 34 | 34 | 37,965,024 | 68,946,531.1 | 0.1 | |



| | | | | Eligible Member- | New Users per 100,000 |
|-----------|-----------|--------------|-------------------------------|--------------------|-----------------------|
| Sex | New Users | New Episodes | Eligible Members ¹ | Years ¹ | Eligible Members |
| Mektovi | | | | | |
| Female | 553 | 553 | 42,443,559 | 79,842,620 | 1.3 |
| Male | 675 | 675 | 37,964,940 | 68,945,992 | 1.8 |
| Braftovi | | | | | |
| Female | 610 | 610 | 42,443,553 | 79,842,605.5 | 1.4 |
| Male | 690 | 690 | 37,964,935 | 68,945,994.0 | 1.8 |
| Трохх | | | | | |
| Female | 0 | 0 | 42,443,627 | 79,843,125.1 | 0.0 |
| Male | 0 | 0 | 37,965,024 | 68,946,562.3 | 0.0 |
| Tibsovo | | | | | |
| Female | 259 | 259 | 42,443,610 | 79,842,954.8 | 0.6 |
| Male | 237 | 237 | 37,965,007 | 68,946,409.8 | 0.6 |
| Krintafel | | | | | |
| Female | 37 | 37 | 42,443,623 | 79,843,084.2 | 0.1 |
| Male | 21 | 21 | 37,965,023 | 68,946,541.1 | 0.1 |
| Orilissa | | | , , | , , | |
| Female | **** | **** | **** | 79,835,090.6 | 18.2 |
| Male | * * * * * | * * * * * | * * * * * | 68,946,552.0 | 0.0 |
| Omegaven | | | | , , | |
| Female | **** | **** | **** | 79,843,120.8 | 0.0 |
| Male | * * * * * | * * * * * | * * * * * | 68,946,556.6 | 0.0 |
| Mulpleta | | | | | |
| Female | 82 | 82 | 42,443,627 | 79,843,044.3 | 0.2 |
| Male | 87 | 87 | 37,965,021 | 68,946,474.0 | 0.2 |
| Poteligeo | | | | ,, | |
| Female | 150 | 150 | 42,443,614 | 79,842,965.4 | 0.4 |
| Male | 206 | 206 | 37,965,011 | 68,946,340.6 | 0.5 |
| Onpattro | | | 0,,000,011 | | 0.0 |
| Female | 80 | 80 | 42,443,609 | 79,843,035.2 | 0.2 |
| Male | 148 | 148 | 37,965,000 | 68,946,371.7 | 0.4 |
| Annovera | 110 | 110 | 37,303,000 | 00,0 10,07 117 | 0.1 |
| Female | **** | **** | **** | 79,841,933.4 | 5.7 |
| Male | * * * * * | * * * * * | * * * * * | 68,946,559.9 | 0.0 |
| Galafold | | | | 00,5+0,555.5 | 0.0 |
| Female | 32 | 32 | 42,443,615 | 79,843,075.4 | 0.1 |
| Male | 42 | 42 | 37,965,015 | 68,946,499.8 | 0.1 |
| iviale | 42 | 42 | 37,303,013 | 00,340,433.0 | 0.1 |

Table 3a. Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021, by Sex

¹Eligible Members and Member-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.



| | | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | | |
|------------------|---------------------|---|---------|-----------|--|--|
| Sex | Number of New Users | < 1 | 1-2 | 3+ | | |
| Lutathera | | | | | | |
| Female | 1,064 | 530 | 399 | 135 | | |
| Male | 1,054 | 540 | 380 | 134 | | |
| Biktarvy | | | | | | |
| Female | 9,844 | 3,616 | 3,817 | 2,411 | | |
| Male | 35,080 | 13,236 | 13,315 | 8,529 | | |
| Symdeko | | | | | | |
| Female | 751 | 156 | 212 | 383 | | |
| Male | 714 | 165 | 199 | 350 | | |
| rleada | | | | | | |
| Female | 0 | 0 | 0 | 0 | | |
| Male | 4,911 | 2,680 | 1,406 | 825 | | |
| rogarzo | - | · | | | | |
| Female | 36 | 19 | * * * * | **** | | |
| Male | 114 | 32 | * * * * | **** | | |
| lumya | | - | | | | |
| Female | 1,032 | 656 | 356 | 20 | | |
| Male | 953 | 629 | 305 | 19 | | |
| avalisse | | | 200 | | | |
| Female | 291 | 140 | 95 | 56 | | |
| Male | 222 | 105 | 81 | 36 | | |
| Crysvita | | 105 | 01 | 50 | | |
| Female | 169 | * * * * * | 75 | **** | | |
| Male | 79 | **** | 39 | **** | | |
| | 75 | | 35 | | | |
| kynzeo Female | 6,300 | 4,295 | 1,836 | 169 | | |
| Male | 4,561 | 3,370 | 1,121 | 70 | | |
| | 4,501 | 5,570 | 1,121 | 70 | | |
| ucemyra | 1 746 | F 3 0 | F71 | 1 4 7 | | |
| Female | 1,246 | 528 | 571 | 147 | | |
| Male | 990 | 405 | 481 | 104 | | |
| limovig | | | | | | |
| Female | 58,340 | 27,048 | 21,668 | 9,624 | | |
| Male | 10,673 | 4,835 | 3,994 | 1,844 | | |
| okelma | | | | | | |
| Female | 7,708 | 6,517 | **** | **** | | |
| Male | 10,403 | 8,676 | **** | * * * * * | | |
| Ooptelet | | | | | | |
| Female | 439 | 254 | 133 | 52 | | |
| Male | 446 | 243 | 158 | 45 | | |
| Palynziq | | | | | | |
| Female | 65 | 29 | 23 | 13 | | |
| Male | 86 | 28 | 35 | 23 | | |
| lumiant | | | | | | |
| Female | 1,357 | 518 | 617 | 222 | | |
| Male | 254 | 97 | 116 | 41 | | |
| pidioloex | - | | - | | | |
| Female | 2,049 | 806 | 1,093 | 150 | | |
| Male | 2,471 | 938 | 1,352 | 181 | | |
| | -, +, ± | | 1,002 | 101 | | |
| | | | | | | |

Table 3b. Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database betweenJanuary 1, 2018 and March 31, 2021, by Sex¹


| Sex | | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | | |
|--------------------|---------------------|---|-----------|-----------|--|--|
| | Number of New Users | < 1 | 1-2 | 3+ | | |
| Zemdri | | | | | | |
| Female | 79 | 57 | * * * * | **** | | |
| Male | 34 | 21 | * * * * | * * * * * | | |
| Mektovi | | | | | | |
| Female | 553 | 377 | 126 | 50 | | |
| Male | 675 | 486 | 133 | 56 | | |
| Braftovi | | | | | | |
| Female | 610 | 436 | 124 | 50 | | |
| Male | 690 | 501 | 133 | 56 | | |
| Трохх | | | | | | |
| Female | 0 | 0 | 0 | 0 | | |
| Male | 0 | 0 | 0 | 0 | | |
| Tibsovo | | | | | | |
| Female | 259 | 210 | * * * * * | **** | | |
| Male | 237 | 193 | * * * * | **** | | |
| Krintafel | - | | | | | |
| Female | 37 | **** | **** | 0 | | |
| Male | 21 | **** | * * * * * | 0 | | |
| Orilissa | | | | - | | |
| Female | * * * * | * * * * * | * * * * | * * * * * | | |
| Male | **** | * * * * * | * * * * | **** | | |
| Omegaven | | | | | | |
| Female | * * * * | * * * * * | * * * * * | 0 | | |
| Male | **** | **** | **** | **** | | |
| Mulpleta | | | | | | |
| Female | 82 | **** | * * * * * | **** | | |
| Male | 87 | **** | * * * * * | **** | | |
| Poteligeo | 67 | | | | | |
| Female | 150 | 80 | * * * * * | **** | | |
| Male | 206 | 110 | * * * * * | **** | | |
| | 200 | 110 | | | | |
| Onpattro Female | 80 | * * * * * | 41 | * * * * * | | |
| Male | 148 | **** | 77 | **** | | |
| | 140 | | // | | | |
| Annovera Female | * * * * | * * * * * | 191 | 0 | | |
| Male | **** | **** | 0 | 0 | | |
| | | | U | U | | |
| Galafold | 22 | * * * * | 1 4 | **** | | |
| Female | 32 42 | **** | 14 17 | ***** | | |
| Male | 42 | ne ne në 18 | 1/ | ··· | | |

Table 3b. Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021, by Sex¹

¹Time to censor is for characterization purposes only. It does not represent at-risk time and does not take into account episode end date, outcome occurrence, or blackout period when calculating time to censor.



| | Number of | Number of | Eligible | Eligible | New Users per 100,000 |
|-------------------|-----------|-----------|----------------------|------------------------------|-----------------------|
| Age Group (Years) | New Users | Episodes | Members ¹ | Member Years ¹ | Eligible Members |
| Lutathera | | | | | |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 494 | 494 | 40,325,500 | 65,132,326.5 | 1.2 |
| 65+ Years | 1,624 | 1,624 | 31,262,145 | 66,390,684.1 | 5.2 |
| Biktarvy | , | , | | | |
| 0-18 Years | 116 | 116 | 11,218,471 | 17,264,177.2 | 1.0 |
| 19-64 Years | 36,487 | 36,487 | 40,314,019 | 65,077,524.2 | 90.5 |
| 65+ Years | 8,321 | 8,321 | 31,258,058 | 66,377,384.6 | 26.6 |
| Symdeko | -,- | - , - | - ,, | | |
| 0-18 Years | 286 | 286 | 11,218,444 | 17,263,803.6 | 2.5 |
| 19-64 Years | 1,141 | 1,141 | 40,325,328 | 65,130,279.8 | 2.8 |
| 65+ Years | 38 | 38 | 31,262,232 | 66,392,475.1 | 0.1 |
| Erleada | 50 | 50 | 01,202,202 | 00,002,17012 | 0.1 |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 348 | 348 | 40,325,477 | 65,132,525.5 | 0.9 |
| 65+ Years | 4,563 | 4,563 | 31,261,798 | 66,387,242.2 | 14.6 |
| | 4,505 | 4,505 | 51,201,798 | 00,387,242.2 | 14.0 |
| Trogarzo | 0 | 0 | 11 219 406 | 17 364 366 1 | 0.0 |
| 0-18 Years | | | 11,218,496 | 17,264,266.1 65,132,661.1 | |
| 19-64 Years | 134 | 134 | 40,325,515 | | 0.3 |
| 65+ Years | 16 | 16 | 31,262,234 | 66,392,531.9 | 0.1 |
| Ilumya | * * * * * | **** | **** | 47 264 262 7 | 0.0 |
| 0-18 Years | | | | 17,264,263.7 | 0.0 |
| 19-64 Years | **** | **** | **** | 65,132,349.7 | 1.2 |
| 65+ Years | 1,479 | 1,479 | 31,262,061 | 66,391,340.3 | 4.7 |
| Tavalisse | | | | | |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 175 | 175 | 40,325,509 | 65,132,643.2 | 0.4 |
| 65+ Years | 338 | 338 | 31,262,225 | 66,392,150.7 | 1.1 |
| Crysvita | | | | | |
| 0-18 Years | 89 | 89 | 11,218,469 | 17,264,114.2 | 0.8 |
| 19-64 Years | 116 | 116 | 40,325,499 | 65,132,698.9 | 0.3 |
| 65+ Years | 43 | 43 | 31,262,234 | 66,392,502.7 | 0.1 |
| Akynzeo | | | | | |
| 0-18 Years | * * * * * | * * * * | * * * * | 17,264,263.4 | 0.0 |
| 19-64 Years | **** | **** | * * * * | 65,130,260.4 | 7.0 |
| 65+ Years | 8,016 | 8,016 | 31,261,791 | 66,386,529.1 | 25.6 |
| Lucemyra | | | | | |
| 0-18 Years | * * * * * | **** | **** | 17,264,262.6 | 0.0 |
| 19-64 Years | 1,811 | 1,811 | 40,325,474 | 65,130,776.5 | 4.5 |
| 65+ Years | **** | * * * * | * * * * * | 66,391,996.2 | 1.3 |
| Aimovig | | | | | |
| 0-18 Years | 776 | 776 | 11,218,417 | 17,263,717.3 | 6.9 |
| 19-64 Years | 54,667 | 54,667 | 40,315,118 | 65,064,215.3 | 135.6 |
| 65+ Years | 13,570 | 13,570 | 31,259,480 | 66,373,378.1 | 43.4 |
| | ,0,0 | _0,0,0 | 01,200,100 | | |

Table 4a. Summary of New Users of New Molecular Entities Approved in 2018 in the Sentinel Distributed Database betweenJanuary 1, 2018 and March 31, 2021, by Age Group



| | Number of | Number of | Eligible | Eligible | New Users per 100,00 |
|---------------------|-----------|------------------|----------------------|---------------------------|----------------------|
| Age Group (Years) | New Users | Episodes | Members ¹ | Member Years ¹ | Eligible Members |
| Lokelma | | | | | |
| 0-18 Years | * * * * * | * * * * * | * * * * * | 17,264,263.9 | 0.0 |
| 19-64 Years | * * * * * | * * * * | **** | 65,129,099.0 | 16.3 |
| 65+ Years | 11,541 | 11,541 | 31,261,435 | 66,385,772.4 | 36.9 |
| Doptelet | | | | | |
| 0-18 Years | **** | **** | **** | 17,264,265.1 | 0.0 |
| 19-64 Years | **** | **** | **** | 65,132,433.3 | 1.0 |
| 65+ Years | 459 | 459 | 31,262,209 | 66,392,098.6 | 1.5 |
| Palynziq | | | | | |
| 0-18 Years | 16 | 16 | 11,218,491 | 17,264,250.3 | 0.1 |
| 19-64 Years | 135 | 135 | 40,325,475 | 65,132,638.6 | 0.3 |
| 65+ Years | 0 | 0 | 31,262,241 | 66,392,560.1 | 0.0 |
| Olumiant | | | | | |
| 0-18 Years | * * * * * | * * * * * | * * * * * | 17,264,261.7 | 0.0 |
| 19-64 Years | 1,018 | 1,018 | 40,325,418 | 65,131,586.3 | 2.5 |
| 65+ Years | * * * * * | * * * * * | * * * * * | 66,391,702.6 | 1.9 |
| Epidioloex | | | | | |
| 0-18 Years | 1,327 | 1,327 | 11,218,216 | 17,262,711.5 | 11.8 |
| 19-64 Years | 3,122 | 3,122 | 40,325,020 | 65,128,519.5 | 7.7 |
| 65+ Years | 71 | 71 | 31,262,223 | 66,392,472.9 | 0.2 |
| Zemdri | | | - , - , - | | - |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 25 | 25 | 40,325,536 | 65,132,838.6 | 0.1 |
| 65+ Years | 88 | 88 | 31,262,239 | 66,392,489.7 | 0.3 |
| Mektovi | | | 0_,_0_,_00 | 00,00 _, 10011 | 0.0 |
| 0-18 Years | * * * * * | * * * * * | **** | 17,264,261.3 | 0.0 |
| 19-64 Years | **** | **** | **** | 65,132,461.9 | 1.0 |
| 65+ Years | 806 | 806 | 31,262,157 | 66,391,888.2 | 2.6 |
| Braftovi | 000 | 000 | 51,202,137 | 00,331,000.2 | 2.0 |
| 0-18 Years | **** | **** | * * * * * | 17,264,264.9 | 0.0 |
| 19-64 Years | * * * * * | **** | **** | 65,132,456.1 | 1.1 |
| 65+ Years | 858 | 858 | 31,262,151 | 66,391,878.5 | 2.7 |
| | 050 | 050 | 51,202,151 | 00,331,070.3 | 2.7 |
| Tpoxx 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 0 | 0 | 40,325,537 | 65,132,860.7 | 0.0 |
| | | 0 | 31,262,242 | | 0.0 |
| 65+ Years | 0 | U | 51,202,242 | 66,392,560.6 | 0.0 |
| Tibsovo | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 0-18 Years | 101 | 101 | 40,325,527 | 65,132,800.8 | 0.0 |
| 19-64 Years | | 395 | | | |
| 65+ Years | 395 | כבכ | 31,262,214 | 66,392,297.8 | 1.3 |
| Krintafel | * * * * * | * * * * * | **** | 17 364 363 7 | 0.0 |
| 0-18 Years | **** | **** | **** | 17,264,262.7 | 0.0 |
| 19-64 Years | **** | **** | **** | 65,132,809.1 | 0.1 |
| 65+ Years | ጥ ጥ ጥ ጥ ጥ | <u>ጥ ጥ ጥ ጥ ጥ</u> | ጥ ጥ ጥ ጥ ጥ | 66,392,553.4 | 0.0 |



| | Number of | Number of | Eligible | Eligible | New Users per 100,000 |
|-------------------|-----------|-----------|----------------------|---------------------------|-----------------------|
| Age Group (Years) | New Users | Episodes | Members ¹ | Member Years ¹ | Eligible Members |
| Orilissa | | | | | |
| 0-18 Years | **** | **** | **** | 17,264,124.9 | 1.8 |
| 19-64 Years | 7,531 | 7,531 | 40,324,253 | 65,124,959.5 | 18.7 |
| 65+ Years | **** | **** | * * * * * | 66,392,558.2 | 0.0 |
| Omegaven | | | | | |
| 0-18 Years | **** | **** | **** | 17,264,259.9 | 0.1 |
| 19-64 Years | **** | **** | **** | 65,132,858.2 | 0.0 |
| 65+ Years | **** | **** | **** | 66,392,559.3 | 0.0 |
| Mulpleta | | | | | |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 114 | 114 | 40,325,536 | 65,132,751.4 | 0.3 |
| 65+ Years | 55 | 55 | 31,262,236 | 66,392,500.9 | 0.2 |
| Poteligeo | | | | | |
| 0-18 Years | **** | **** | **** | 17,264,265.9 | 0.0 |
| 19-64 Years | **** | **** | **** | 65,132,793.5 | 0.1 |
| 65+ Years | 295 | 295 | 31,262,220 | 66,392,246.7 | 0.9 |
| Onpattro | | | | | |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 36 | 36 | 40,325,524 | 65,132,817.6 | 0.1 |
| 65+ Years | 192 | 192 | 31,262,211 | 66,392,323.2 | 0.6 |
| Annovera | | | | | |
| 0-18 Years | 172 | 172 | 11,218,477 | 17,264,190.2 | 1.5 |
| 19-64 Years | 2,241 | 2,241 | 40,325,120 | 65,131,742.8 | 5.6 |
| 65+ Years | 0 | 0 | 31,262,241 | 66,392,560.3 | 0.0 |
| Galafold | | | | | |
| 0-18 Years | 0 | 0 | 11,218,496 | 17,264,266.1 | 0.0 |
| 19-64 Years | 58 | 58 | 40,325,521 | 65,132,771.9 | 0.1 |
| 65+ Years | 16 | 16 | 31,262,237 | 66,392,537.1 | 0.1 |

¹Eligible Members and Member-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.



| | | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | |
|-------------------|---------------------|---|---------|-----------|--|
| Age Group (Years) | Number of New Users | < 1 | 1-2 | 3+ | |
| Lutathera | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 494 | 259 | 172 | 63 | |
| 65+ Years | 1,624 | 811 | 607 | 206 | |
| Biktarvy | | | | | |
| 0-18 Years | 116 | 71 | **** | **** | |
| 19-64 Years | 36,487 | 14,089 | 13,780 | 8,618 | |
| 65+ Years | 8,321 | 2,692 | **** | **** | |
| Symdeko | | | | | |
| 0-18 Years | 286 | * * * * | **** | 98 | |
| 19-64 Years | 1,141 | 233 | 298 | 610 | |
| 65+ Years | 38 | **** | * * * * | 25 | |
| Erleada | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 348 | 222 | 86 | 40 | |
| 65+ Years | 4,563 | 2,458 | 1,320 | 785 | |
| Trogarzo | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 134 | * * * * | **** | **** | |
| 65+ Years | 16 | **** | **** | **** | |
| llumya | | | | | |
| 0-18 Years | **** | * * * * | **** | 0 | |
| 19-64 Years | **** | 282 | **** | **** | |
| 65+ Years | 1,479 | 1,001 | **** | * * * * * | |
| Tavalisse | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 175 | 87 | 56 | 32 | |
| 65+ Years | 338 | 158 | 120 | 60 | |
| Crysvita | | | | | |
| 0-18 Years | 89 | 28 | 31 | 30 | |
| 19-64 Years | 116 | 51 | 54 | 11 | |
| 65+ Years | 43 | 14 | 29 | 0 | |
| Akynzeo | | | | | |
| 0-18 Years | **** | **** | 0 | **** | |
| 19-64 Years | **** | **** | 803 | **** | |
| 65+ Years | 8,016 | 5,795 | 2,154 | 67 | |
| Lucemyra | -,0 | -, | _, | ••• | |
| 0-18 Years | **** | **** | 0 | **** | |
| 19-64 Years | 1,811 | 780 | 828 | 203 | |
| 65+ Years | **** | **** | 224 | **** | |



| | | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | |
|-------------------|---------------------|---|--------|-------|--|
| Age Group (Years) | Number of New Users | < 1 | 1-2 | 3+ | |
| Aimovig | | | | | |
| 0-18 Years | 776 | 418 | 271 | 87 | |
| 19-64 Years | 54,667 | 26,173 | 19,858 | 8,636 | |
| 65+ Years | 13,570 | 5,292 | 5,533 | 2,745 | |
| Lokelma | | | | | |
| 0-18 Years | **** | **** | **** | 0 | |
| 19-64 Years | **** | **** | **** | **** | |
| 65+ Years | 11,541 | 9,606 | **** | **** | |
| Doptelet | | | | | |
| 0-18 Years | **** | **** | 0 | 0 | |
| 19-64 Years | **** | **** | **** | **** | |
| 65+ Years | 459 | 260 | **** | **** | |
| Palynziq | | | | | |
| 0-18 Years | 16 | * * * * * | **** | **** | |
| 19-64 Years | 135 | **** | **** | **** | |
| 65+ Years | 0 | 0 | 0 | 0 | |
| Olumiant | | | | | |
| 0-18 Years | **** | **** | **** | **** | |
| 19-64 Years | 1,018 | 416 | 443 | 159 | |
| 65+ Years | **** | **** | **** | **** | |
| Epidioloex | | | | | |
| 0-18 Years | 1,327 | 673 | **** | **** | |
| 19-64 Years | 3,122 | 1,034 | 1,889 | 199 | |
| 65+ Years | 71 | 37 | **** | **** | |
| Zemdri | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 25 | **** | **** | **** | |
| 65+ Years | 88 | **** | **** | **** | |
| Mektovi | | | | | |
| 0-18 Years | **** | **** | **** | **** | |
| 19-64 Years | **** | **** | **** | **** | |
| 65+ Years | 806 | 585 | 151 | 70 | |
| Braftovi | | | | | |
| 0-18 Years | **** | 0 | 0 | **** | |
| 19-64 Years | **** | 299 | **** | **** | |
| 65+ Years | 858 | 638 | **** | **** | |
| Трохх | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 0 | 0 | 0 | 0 | |
| 65+ Years | 0 | 0 | 0 | 0 | |



| | | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | |
|-------------------|---------------------|---|-------|------|--|
| Age Group (Years) | Number of New Users | < 1 | 1-2 | 3+ | |
| Tibsovo | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 101 | 85 | **** | **** | |
| 65+ Years | 395 | 318 | **** | **** | |
| Krintafel | | | | | |
| 0-18 Years | **** | **** | **** | 0 | |
| 19-64 Years | **** | **** | **** | 0 | |
| 65+ Years | **** | **** | **** | 0 | |
| Orilissa | | | | | |
| 0-18 Years | **** | * * * * | **** | 16 | |
| 19-64 Years | 7,531 | 4,340 | 2,741 | 450 | |
| 65+ Years | **** | * * * * | **** | 0 | |
| Omegaven | | | | | |
| 0-18 Years | **** | **** | **** | **** | |
| 19-64 Years | **** | 0 | **** | 0 | |
| 65+ Years | **** | **** | **** | 0 | |
| Mulpleta | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 114 | 59 | 52 | **** | |
| 65+ Years | 55 | 24 | 29 | **** | |
| Poteligeo | | | | | |
| 0-18 Years | **** | **** | 0 | 0 | |
| 19-64 Years | **** | * * * * | 25 | **** | |
| 65+ Years | 295 | * * * * | 134 | **** | |
| Onpattro | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 36 | 22 | **** | **** | |
| 65+ Years | 192 | 75 | **** | **** | |
| Annovera | | | | | |
| 0-18 Years | 172 | 158 | 14 | 0 | |
| 19-64 Years | 2,241 | 2,064 | 177 | 0 | |
| 65+ Years | 0 | 0 | 0 | 0 | |
| Galafold | | | | | |
| 0-18 Years | 0 | 0 | 0 | 0 | |
| 19-64 Years | 58 | * * * * | **** | **** | |
| 65+ Years | 16 | **** | **** | **** | |

Table 4b. Summary of Follow-Up for New Molecular Entities Approved in 2018 in the Sentinel Distributed Database between January 1, 2018 and March 31, 2021, by Age Group¹

¹Time to censor is for characterization purposes only. It does not represent at-risk time and does not take into account episode end date, outcome occurrence, or blackout period when calculating time to censor.



| | | | | Eligible Member- | New Users per 100,000 |
|-----------------|------------|--------------|-------------------------------|--------------------|-----------------------|
| Year | New Users | New Episodes | Eligible Members ¹ | Years ¹ | Eligible Members |
| Lutathera | 420 | 420 | FF 030 C17 | 40,000,442,4 | 0.0 |
| 2018 | 438 | 438 | 55,930,617 | 48,980,413.1 | 0.8 |
| 2019 | 867 | 867 | 55,406,606 | 48,667,925.0 | 1.6 |
| 2020 | 787 | 787 | 58,972,387 | 47,733,009.3 | 1.3 |
| 2021 | 26 | 26 | 15,462,559 | 3,405,929.4 | 0.2 |
| Biktarvy | 45 245 | 45 245 | FF 030 04C | 40.074.702.0 | 27.2 |
| 2018 | 15,245 | 15,245 | 55,929,946 | 48,974,703.6 | 27.3 |
| 2019 | 19,465 | 19,465 | 55,388,628 | 48,643,624.8 | 35.1 |
| 2020 | 9,638 | 9,638 | 58,932,166 | 47,696,881.4 | 16.4 |
| 2021 | 576 | 576 | 15,453,185 | 3,403,876.1 | 3.7 |
| Symdeko | | | | | |
| 2018 | 1,060 | 1,060 | 55,930,544 | 48,979,935.7 | 1.9 |
| 2019 | 353 | 353 | 55,405,844 | 48,667,517.2 | 0.6 |
| 2020 | 52 | 52 | 58,972,364 | 47,733,186.1 | 0.1 |
| 2021 | 0 | 0 | 15,462,533 | 3,405,919.5 | 0.0 |
| Erleada | | | | | |
| 2018 | 1,203 | 1,203 | 55,930,601 | 48,979,989.4 | 2.2 |
| 2019 | 1,437 | 1,437 | 55,405,867 | 48,667,073.1 | 2.6 |
| 2020 | 2,139 | 2,139 | 58,970,902 | 47,731,134.4 | 3.6 |
| 2021 | 132 | 132 | 15,462,108 | 3,405,836.9 | 0.9 |
| Trogarzo | | | | | |
| 2018 | 63 | 63 | 55,930,623 | 48,980,509.5 | 0.1 |
| 2019 | 56 | 56 | 55,406,975 | 48,668,676.3 | 0.1 |
| 2020 | **** | **** | **** | 47,734,286.4 | 0.0 |
| 2021 | **** | * * * * * | * * * * * | 3,405,986.9 | 0.0 |
| Ilumya | | | | | |
| 2018 | 30 | 30 | 55,930,626 | 48,980,530.9 | 0.1 |
| 2019 | 729 | 729 | 55,406,978 | 48,668,426.7 | 1.3 |
| 2020 | 1,185 | 1,185 | 58,972,612 | 47,733,066.0 | 2.0 |
| 2021 | 41 | 41 | 15,462,589 | 3,405,930.1 | 0.3 |
| Tavalisse | | | , , | , , | |
| 2018 | 146 | 146 | 55,930,621 | 48,980,489.4 | 0.3 |
| 2019 | 214 | 214 | 55,406,900 | 48,668,535.5 | 0.4 |
| 2020 | **** | **** | **** | 47,734,060.9 | 0.2 |
| 2021 | **** | * * * * * | * * * * * | 3,405,974.2 | 0.0 |
| Crysvita | | | | 5,405,574.2 | 0.0 |
| 2018 | **** | * * * * * | * * * * | 48,980,521.6 | 0.1 |
| 2019 | 140 | 140 | 55,406,978 | 48,668,631.3 | 0.3 |
| 2020 | 62 | 62 | 58,973,328 | 47,734,191.4 | 0.1 |
| 2020 | UZ **** | **** | ***** | 3,405,971.5 | 0.0 |
| | | | | 5,705,571.5 | 0.0 |
| Akynzeo 2018 | 478 | 478 | 55,930,542 | 48,980,172.0 | 0.9 |
| 2018 | | | 55,406,557 | | |
| | 4,423 | 4,423 | | 48,666,834.9 | 8.0 |
| 2020 | 5,728 | 5,728 | 58,969,252 | 47,728,373.4 | 9.7 |
| 2021 | 232 | 232 | 15,461,418 | 3,405,672.8 | 1.5 |



| | | | | Eligible Member- | New Users per 100,000 |
|--------------------|------------|--------------|-------------------------------|--------------------|-----------------------|
| Year | New Users | New Episodes | Eligible Members ¹ | Years ¹ | Eligible Members |
| Lucemyra | 0.47 | 0.47 | FF 000 000 | | 0.5 |
| 2018 | 347 | 347 | 55,930,623 | 48,980,477.9 | 0.6 |
| 2019 | 1,340 | 1,340 | 55,406,689 | 48,667,755.9 | 2.4 |
| 2020 | 510 | 510 | 58,972,175 | 47,732,908.9 | 0.9 |
| 2021 | 39 | 39 | 15,462,413 | 3,405,892.6 | 0.3 |
| Aimovig | | | | | |
| 2018 | 14,447 | 14,447 | 55,930,262 | 48,977,402.0 | 25.8 |
| 2019 | 29,265 | 29,265 | 55,390,312 | 48,639,382.8 | 52.8 |
| 2020 | 23,591 | 23,591 | 58,926,460 | 47,683,109.7 | 40.0 |
| 2021 | 1,710 | 1,710 | 15,443,434 | 3,401,416.1 | 11.1 |
| Lokelma | | | | | |
| 2018 | * * * * * | * * * * * | * * * * * | 48,980,534.3 | 0.0 |
| 2019 | 3,438 | 3,438 | 55,406,988 | 48,667,831.3 | 6.2 |
| 2020 | 14,175 | 14,175 | 58,969,288 | 47,725,233.1 | 24.0 |
| 2021 | **** | * * * * * | **** | 3,405,536.6 | 3.2 |
| Doptelet | | | | | |
| 2018 | 177 | 177 | 55,930,623 | 48,980,497.9 | 0.3 |
| 2019 | 330 | 330 | 55,406,876 | 48,668,469.4 | 0.6 |
| 2020 | 360 | 360 | 58,973,103 | 47,733,870.4 | 0.6 |
| 2021 | 18 | 18 | 15,462,701 | 3,405,959.4 | 0.1 |
| Palynziq | _ | - | -, -, - | -, -, | - |
| 2018 | 46 | 46 | 55,930,624 | 48,980,524.3 | 0.1 |
| 2019 | 67 | 67 | 55,406,980 | 48,668,687.7 | 0.1 |
| 2020 | **** | **** | **** | 47,734,265.1 | 0.1 |
| 2021 | * * * * * | * * * * * | * * * * | 3,405,971.8 | 0.0 |
| Olumiant | | | | 3,403,371.0 | 0.0 |
| 2018 | 317 | 317 | 55,930,619 | 48,980,466.6 | 0.6 |
| 2019 | 829 | 829 | 55,406,693 | 48,668,044.4 | 1.5 |
| 2020 | 439 | 439 | 58,972,381 | 47,733,130.8 | 0.7 |
| 2021 | 26 | 26 | 15,462,479 | 3,405,908.8 | 0.2 |
| | 20 | 20 | 13,402,473 | 5,405,908.8 | 0.2 |
| Epidioloex 2018 | 263 | 263 | 55,930,626 | 48,980,520.2 | 0.5 |
| 2018 | 3,129 | 3,129 | 55,406,577 | 48,666,589.0 | 5.6 |
| 2019 | | | 58,970,088 | | 1.8 |
| 2020 | 1,079 | 1,079 | | 47,730,796.6 | |
| | 49 | 49 | 15,462,034 | 3,405,798.2 | 0.3 |
| Zemdri | * * * * * | * * * * * | **** | 40,000,522,4 | 0.0 |
| 2018 | ***** | **** | **** | 48,980,533.1 | 0.0 |
| 2019 | | | | 48,668,742.9 | 0.1 |
| 2020 | 64 **** | 64 **** | 58,973,505 **** | 47,734,332.0 | 0.1 |
| 2021 | * * * * * | * * * * * | * * * * * | 3,405,986.5 | 0.0 |
| Mektovi | | a | FF 07 | | |
| 2018 | 239 | 239 | 55,930,622 | 48,980,480.3 | 0.4 |
| 2019 | 419 | 419 | 55,406,796 | 48,668,401.6 | 0.8 |
| 2020 | 548 | 548 | 58,973,010 | 47,733,777.3 | 0.9 |
| 2021 | 22 | 22 | 15,462,662 | 3,405,952.1 | 0.1 |



| | | | | Eligible Member- | New Users per 100,000 |
|-----------|-----------|--------------|-------------------------------|--------------------|-----------------------|
| Year | New Users | New Episodes | Eligible Members ¹ | Years ¹ | Eligible Members |
| Braftovi | 225 | 225 | FF 000 000 | 10 000 100 0 | |
| 2018 | 235 | 235 | 55,930,622 | 48,980,482.2 | 0.4 |
| 2019 | 405 | 405 | 55,406,798 | 48,668,409.9 | 0.7 |
| 2020 | 627 | 627 | 58,973,004 | 47,733,759.3 | 1.1 |
| 2021 | 33 | 33 | 15,462,646 | 3,405,948.1 | 0.2 |
| Трохх | | | | | |
| 2018 | 0 | 0 | 55,930,626 | 48,980,534.4 | 0.0 |
| 2019 | 0 | 0 | 55,407,042 | 48,668,768.1 | 0.0 |
| 2020 | 0 | 0 | 58,973,543 | 47,734,395.4 | 0.0 |
| 2021 | 0 | 0 | 15,462,831 | 3,405,989.5 | 0.0 |
| Tibsovo | | | | | |
| 2018 | 87 | 87 | 55,930,626 | 48,980,516.6 | 0.2 |
| 2019 | 137 | 137 | 55,406,974 | 48,668,671.9 | 0.2 |
| 2020 | 259 | 259 | 58,973,394 | 47,734,195.8 | 0.4 |
| 2021 | 13 | 13 | 15,462,792 | 3,405,980.4 | 0.1 |
| Krintafel | | | , , | | |
| 2018 | 0 | 0 | 55,930,626 | 48,980,534.4 | 0.0 |
| 2019 | 39 | 39 | 55,407,039 | 48,668,755.4 | 0.1 |
| 2020 | 19 | 19 | 58,973,503 | 47,734,349.3 | 0.0 |
| 2021 | 0 | 0 | 15,462,817 | 3,405,986.1 | 0.0 |
| Orilissa | Ū | 0 | 13,402,017 | 3,403,300.1 | 0.0 |
| 2018 | 489 | 489 | 55,930,610 | 48,980,455.5 | 0.9 |
| 2018 | 3,702 | 3,702 | 55,406,244 | 48,666,492.6 | 6.7 |
| 2019 | | | | | 5.4 |
| | 3,186 | 3,186 | 58,969,156 | 47,729,422.0 | |
| 2021 | 359 | 359 | 15,460,051 | 3,405,272.5 | 2.3 |
| Omegaven | 0 | 0 | FF 030 C3C | 40,000,524,4 | 0.0 |
| 2018 | 0 | 0 **** | 55,930,626 | 48,980,534.4 | 0.0 |
| 2019 | **** | | **** | 48,668,765.4 | 0.0 |
| 2020 | **** | **** | **** | 47,734,389.0 | 0.0 |
| 2021 | 0 | 0 | 15,462,827 | 3,405,988.5 | 0.0 |
| Mulpleta | | | | | |
| 2018 | * * * * * | **** | **** | 48,980,533.7 | 0.0 |
| 2019 | 106 | 106 | 55,407,033 | 48,668,720.6 | 0.2 |
| 2020 | **** | * * * * * | **** | 47,734,282.1 | 0.1 |
| 2021 | **** | * * * * * | **** | 3,405,982.0 | 0.0 |
| Poteligeo | | | | | |
| 2018 | * * * * * | **** | * * * * * | 48,980,534.0 | 0.0 |
| 2019 | 218 | 218 | 55,407,032 | 48,668,638.1 | 0.4 |
| 2020 | * * * * * | **** | * * * * | 47,734,154.1 | 0.2 |
| 2021 | **** | * * * * * | **** | 3,405,979.9 | 0.0 |
| Onpattro | | | | · | |
| 2018 | * * * * * | * * * * * | * * * * * | 48,980,533.9 | 0.0 |
| 2019 | 144 | 144 | 55,407,029 | 48,668,678.8 | 0.3 |
| 2020 | **** | **** | **** | 47,734,214.8 | 0.1 |
| 2021 | **** | * * * * * | * * * * * | 3,405,979.4 | 0.0 |



| Year | New Users | New Episodes | Eligible Members ¹ | Eligible Member- Years ¹ | New Users per 100,000 Eligible Members |
|----------|-----------|--------------|-------------------------------|--|---|
| Annovera | | | | | |
| 2018 | 0 | 0 | 55,930,626 | 48,980,534.4 | 0.0 |
| 2019 | 133 | 133 | 55,407,041 | 48,668,753.7 | 0.2 |
| 2020 | 1,949 | 1,949 | 58,973,012 | 47,733,504.6 | 3.3 |
| 2021 | 331 | 331 | 15,461,787 | 3,405,700.7 | 2.1 |
| Galafold | | | | | |
| 2018 | 23 | 23 | 55,930,625 | 48,980,529.8 | 0.0 |
| 2019 | 31 | 31 | 55,407,016 | 48,668,726.1 | 0.1 |
| 2020 | 20 | 20 | 58,973,480 | 47,734,334.9 | 0.0 |
| 2021 | 0 | 0 | 15,462,808 | 3,405,984.3 | 0.0 |

¹Eligible Members and Member-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.



| | | Counts of New Users by Length of Follow-Up Time in Years ¹ | | | |
|----------------|------------------------|---|-----------------|--------|--|
| Year | Number of New Users | < 1 | 1-2 | 3+ | |
| Lutathera | | | | | |
| 2018 | 438 | 105 | 88 | 245 | |
| 2019 | 867 | 181 | 662 | 24 | |
| 2020 | 787 | 758 | 29 | 0 | |
| 2021 | 26 | 26 | 0 | 0 | |
| Biktarvy | | | | | |
| 2018 | 15,245 | 2,689 | 2,246 | 10,310 | |
| 2019 | 19,465 | 4,526 | 14,309 | 630 | |
| 2020 | 9,638 | 9,061 | 577 | 0 | |
| 2021 | 576 | 576 | 0 | 0 | |
| Symdeko | | | | | |
| 2018 | 1,060 | 199 | 154 | 707 | |
| 2019 | 353 | **** | **** | 26 | |
| 2020 | 52 | **** | **** | 0 | |
| 2021 | 0 | 0 | 0 | 0 | |
| Erleada | | | | | |
| 2018 | 1,203 | 199 | 221 | 783 | |
| 2019 | 1,437 | 314 | 1,081 | 42 | |
| 2020 | 2,139 | 2,035 | 104 | 0 | |
| 2021 | 132 | 132 | 0 | 0 | |
| Trogarzo | 101 | 101 | Ŭ | Ũ | |
| 2018 | 63 | **** | 16 | **** | |
| 2019 | 56 | **** | 43 | **** | |
| 2020 | **** | **** | 0 | 0 | |
| 2020 | **** | **** | 0 | 0 | |
| | | | 0 | 0 | |
| llumya 2018 | 30 | **** | **** | 24 | |
| 2018 | 729 | **** | **** | 15 | |
| 2019 | 1,185 | 1,158 | 27 | 0 | |
| 2020 | 41 | 41 | 0 | 0 | |
| | 41 | 41 | 0 | 0 | |
| Tavalisse | 146 | **** | 22 | **** | |
| 2018 | 146 | **** | 23 | ***** | |
| 2019 | 214 **** | **** | 150 **** | | |
| 2020 | ***** | **** | | 0 | |
| 2021 | <u>ተ ተ ጥ ጥ</u> ጥ | יזי יזי יזי איז איז | 0 | 0 | |
| Crysvita | and the star star star | - د مل مل مل | باد باد بان بان | | |
| 2018 | **** | **** | **** | 28 | |
| 2019 | 140 | 26 | 101 | 13 | |
| 2020 | 62 | **** | **** | 0 | |
| 2021 | **** | **** | 0 | 0 | |



| Year | Number of New Users | Counts of New Users by Length of Follow-Up Time in Years ¹ | | |
|------------|---------------------|---|---------|-------|
| | | < 1 | 1-2 | 3+ |
| Akynzeo | | | | |
| 2018 | 478 | 182 | 89 | 207 |
| 2019 | 4,423 | 1,740 | 2,651 | 32 |
| 2020 | 5,728 | 5,511 | 217 | 0 |
| 2021 | 232 | 232 | 0 | 0 |
| Lucemyra | | | | |
| 2018 | 347 | 74 | 72 | 201 |
| 2019 | 1,340 | 348 | 942 | 50 |
| 2020 | 510 | 472 | 38 | 0 |
| 2021 | 39 | 39 | 0 | 0 |
| Aimovig | | | | |
| 2018 | 14,447 | 2,415 | 2,036 | 9,996 |
| 2019 | 29,265 | 6,253 | 21,540 | 1,472 |
| 2020 | 23,591 | 21,505 | 2,086 | 0 |
| 2021 | 1,710 | 1,710 | 0 | 0 |
| Lokelma | | | | |
| 2018 | **** | **** | **** | **** |
| 2019 | 3,438 | **** | 2,681 | **** |
| 2020 | 14,175 | 13,951 | * * * * | 0 |
| 2021 | **** | **** | 0 | 0 |
| Doptelet | | | | |
| 2018 | 177 | **** | 42 | **** |
| 2019 | 330 | **** | 237 | **** |
| 2020 | 360 | 348 | 12 | 0 |
| 2021 | 18 | 18 | 0 | 0 |
| Palynziq | | | | |
| 2018 | 46 | **** | **** | 28 |
| 2019 | 67 | **** | **** | **** |
| 2020 | **** | **** | **** | 0 |
| 2021 | **** | **** | 0 | 0 |
| Olumiant | | | | |
| 2018 | 317 | 49 | 38 | 230 |
| 2019 | 829 | 125 | 671 | 33 |
| 2020 | 439 | 415 | 24 | 0 |
| 2021 | 26 | 26 | 0 | 0 |
| Epidioloex | - | | - | - |
| 2018 | 263 | 30 | 52 | 181 |
| 2019 | 3,129 | 645 | 2,334 | 150 |
| 2020 | 1,079 | 1,020 | 59 | 0 |
| 2021 | 49 | 49 | 0 | 0 |



| Year | Number of New Users | Counts of New Users by Length of Follow-Up Time in Years ¹ | | |
|-----------|---------------------|---|-------|------|
| | | < 1 | 1-2 | 3+ |
| Zemdri | | | | |
| 2018 | **** | **** | **** | **** |
| 2019 | **** | **** | **** | **** |
| 2020 | 64 | **** | **** | 0 |
| 2021 | **** | **** | 0 | 0 |
| Mektovi | | | | |
| 2018 | 239 | 109 | 43 | 87 |
| 2019 | 419 | 200 | 200 | 19 |
| 2020 | 548 | 532 | 16 | 0 |
| 2021 | 22 | 22 | 0 | 0 |
| Braftovi | | | | |
| 2018 | 235 | 106 | 42 | 87 |
| 2019 | 405 | 187 | 199 | 19 |
| 2020 | 627 | 611 | 16 | 0 |
| 2021 | 33 | 33 | 0 | 0 |
| Трохх | | | | |
| 2018 | 0 | 0 | 0 | 0 |
| 2019 | 0 | 0 | 0 | 0 |
| 2020 | 0 | 0 | 0 | 0 |
| 2021 | 0 | 0 | 0 | 0 |
| Tibsovo | | | | |
| 2018 | 87 | 51 | **** | **** |
| 2019 | 137 | **** | **** | **** |
| 2020 | 259 | **** | **** | 0 |
| 2021 | 13 | 13 | 0 | 0 |
| Krintafel | | | | |
| 2018 | 0 | 0 | 0 | 0 |
| 2019 | 39 | **** | **** | 0 |
| 2020 | 19 | **** | **** | 0 |
| 2021 | 0 | 0 | 0 | 0 |
| Orilissa | | | | |
| 2018 | 489 | 123 | 119 | 247 |
| 2019 | 3,702 | 1,114 | 2,369 | 219 |
| 2020 | 3,186 | 2,856 | 330 | 0 |
| 2021 | 359 | 359 | 0 | 0 |
| Omegaven | | | | |
| 2018 | 0 | 0 | 0 | 0 |
| 2019 | **** | **** | **** | **** |
| 2020 | **** | **** | **** | 0 |
| 2021 | 0 | 0 | 0 | 0 |



| Year | Number of New Users | Counts of New Users by Length of Follow-Up Time in Years ¹ | | |
|-----------|---------------------|---|------|------|
| | | < 1 | 1-2 | 3+ |
| Mulpleta | | | | |
| 2018 | **** | **** | **** | **** |
| 2019 | 106 | 28 | **** | **** |
| 2020 | **** | **** | **** | 0 |
| 2021 | **** | **** | 0 | 0 |
| Poteligeo | | | | |
| 2018 | **** | **** | 0 | **** |
| 2019 | 218 | **** | 157 | **** |
| 2020 | **** | **** | **** | 0 |
| 2021 | **** | **** | 0 | 0 |
| Onpattro | | | | |
| 2018 | **** | **** | 0 | **** |
| 2019 | 144 | **** | 112 | **** |
| 2020 | **** | **** | **** | 0 |
| 2021 | **** | **** | 0 | 0 |
| Annovera | | | | |
| 2018 | 0 | 0 | 0 | 0 |
| 2019 | 133 | 47 | 86 | 0 |
| 2020 | 1,949 | 1,844 | 105 | 0 |
| 2021 | 331 | 331 | 0 | 0 |
| Galafold | | | | |
| 2018 | 23 | **** | **** | 12 |
| 2019 | 31 | **** | **** | **** |
| 2020 | 20 | **** | **** | 0 |
| 2021 | 0 | 0 | 0 | 0 |

¹Time to censor is for characterization purposes only. It does not represent at-risk time and does not take into account episode end date, outcome occurrence, or blackout period when calculating time to censor.



Figure 1. Counts of New Lutathera Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 2. Counts of New Biktarvy Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018





Figure 3. Counts of New Symdeko Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 4. Counts of New Erleada Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 5. Counts of New Trogarzo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 6. Counts of New Ilumya Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 7. Counts of New Tavalisse Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 8. Counts of New Crysvita Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 9. Counts of New Akynzeo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018





Figure 10. Counts of New Lucemyra Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 11. Counts of New Aimovig Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018





Figure 12. Counts of New Lokelma Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 13. Counts of New Doptelet Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 14. Counts of New Palynziq Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 15. Counts of New Olumniant Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 16. Counts of New Epidiolex Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018





Figure 17. Counts of New Zemdri Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 18. Counts of New Mektovi Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 19. Counts of New Braftovi Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 20. Counts of New Tpoxx Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018





Figure 21. Counts of New Tibsovo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018


Figure 22. Counts of New Krintafel Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 23. Counts of New Orilissa Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018





Figure 24. Counts of New Omegaven Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 25. Counts of New Mulpleta Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 26. Counts of New Poteligeo Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 27. Counts of New Onpattro Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 28. Counts of New Annovera Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



Figure 29. Counts of New Galafold Users Over Time from January 1, 2018 to March 31, 2021 Among NMEs Approved in 2018



| Masked ID | DP Start Date | DP End Date |
|-----------|---------------|-------------|
| DP01 | 01/01/2007 | 02/28/2021 |
| DP02 | 01/01/2008 | 12/31/2020 |
| DP03 | 01/01/2000 | 12/31/2019 |
| DP04 | 01/01/2006 | 03/31/2021 |
| DP05 | 01/01/2010 | 12/31/2020 |
| DP06 | 01/01/2008 | 12/31/2020 |

Appendix A: Start and End Dates for Each Data Partner (DP) up to Request End Date (09/30/2021)

*The start and end dates are based on the minimum and maximum dates within each DP. The month with the maximum date must have at least 80% of the number of records in the previous month.



Appendix B. List of Generic and Brand Names of Medical Products Used to Define Exposures in this Request

| Generic Name | Brand Name |
|--|-------------------------------|
| | Erleada |
| apalutamide | Erleada |
| | Doptelet |
| avatrombopag maleate | Doptelet (10 tab pack) |
| avatrombopag maleate | Doptelet (15 tab pack) |
| avatrombopag maleate | Doptelet (30 tab pack) |
| | Olumiant |
| paricitinib | Olumiant |
| | Biktarvy |
| pictegravir sodium/emtricitabine/tenofovir | Biktarvy |
| alafenamide fumar | |
| | Mektovi |
| pinimetinib | Mektovi |
| | Crysvita |
| purosumab-twza | Crysvita |
| | Epidioloex |
| cannabidiol (CBD) | Epidiolex |
| | Orilissa |
| elagolix sodium | Orilissa |
| | Braftovi |
| encorafenib | Braftovi |
| | Aimovig |
| erenumab-aooe | Aimovig Autoinjector |
| erenumab-aooe | Aimovig Autoinjector (2 Pack) |
| | Omegaven |
| atty acids combo. no.6/fish | Omegaven |
| pil/glycerin/phospholipids, egg | |
| | Akynzeo |
| osnetupitant chloride HCl/palonosetron HCl | Akynzeo (fosnetupitant) |
| netupitant/palonosetron HCl | Akynzeo (netupitant) |
| | Tavalisse |
| ostamatinib disodium | Tavalisse |
| | Trogarzo |
| balizumab-uiyk | Trogarzo |
| · · · · | Tibsovo |
| vosidenib | Tibsovo |
| | Lucemyra |
| ofexidine HCl | Lucemyra |
| | Mulpleta |
| usutrombopag | Mulpleta |
| | Lutathera |
| utetium Lu 177 dotatate | Lutathera |
| | Galafold |
| nigalastat HCl | Galafold |
| | Poteligeo |
| | |
| nogamulizumab-kpkc | Poteligeo |
| atistical and the limit and a limit | Onpattro |
| patisiran sodium, lipid complex | Onpattro |
| | Palynziq |
| P | |
| pegvaliase-pqpz | Palynziq Zemdri |



Appendix B. List of Generic and Brand Names of Medical Products Used to Define Exposures in this Request

| Generic Name | Brand Name |
|---------------------------------------|----------------------------|
| | Annovera |
| segesterone acetate/ethinyl estradiol | Annovera |
| | Lokelma |
| sodium zirconium cyclosilicate | Lokelma |
| | Krintafel |
| tafenoquine succinate | Krintafel |
| | Трохх |
| tecovirimat | Tpoxx (National Stockpile) |
| | Symdeko |
| tezacaftor/ivacaftor | Symdeko |
| | llumya |
| tildrakizumab-asmn | Ilumya |



| Code | Description | Code Category | Code Type |
|-------|--|---------------|-----------|
| | Lutathera | | |
| A9513 | Lutetium Lu 177, dotatate, therapeutic, 1 mCi | Procedure | HCPCS |
| C9031 | Lutetium Lu 177, dotatate, therapeutic, 1 mCi | Procedure | HCPCS |
| | Omegaven | | |
| B4187 | Omegaven, 10 g lipids | Procedure | HCPCS |
| | Akynzeo | | |
| C9033 | Injection, fosnetupitant 235 mg and palonosetron 0.25 mg | Procedure | HCPCS |
| J1454 | Injection, fosnetupitant 235 mg and palonosetron 0.25 mg | Procedure | HCPCS |
| | Onpattro | | |
| C9036 | Injection, patisiran, 0.1 mg | Procedure | HCPCS |
| J0222 | Injection, patisiran, 0.1 mg | Procedure | HCPCS |
| | Poteligeo | | |
| C9038 | Injection, mogamulizumab-kpkc, 1 mg | Procedure | HCPCS |
| J9204 | Injection, mogamulizumab-kpkc, 1 mg | Procedure | HCPCS |
| | Zemdri | | |
| C9039 | Injection, plazomicin, 5 mg | Procedure | HCPCS |
| J0291 | Injection, plazomicin, 5 mg | Procedure | HCPCS |
| | Crysvita | | |
| J0584 | Injection, burosumab-twza, 1 mg | Procedure | HCPCS |
| | Trogarzo | | |
| J1746 | Injection, ibalizumab-uiyk, 10 mg | Procedure | HCPCS |
| | llumya | | |
| J3245 | Injection, tildrakizumab, 1 mg | Procedure | HCPCS |
| | | | |

Appendix C. List of Healthcare Common Procedure Coding System, Level II (HCPCS) Codes Used to Define Exposures in this Request



Appendix D. List of Generic and Brand Names of Medical Products Used to Define Baseline Characteristics in this Request

| Generic Name | Brand Name | |
|---------------------------------------|------------------------------|--|
| | Obesity | |
| amino acids/multivit-minerals/dietary | Optifast 70 | |
| penzphetamine HCl | Regimex | |
| penzphetamine HCl | benzphetamine | |
| diethylpropion HCl | diethylpropion | |
| diethylpropion HCl | diethylpropion HCl (bulk) | |
| iraglutide | Saxenda | |
| orcaserin HCI | Belviq | |
| orcaserin HCl | Belviq XR | |
| naltrexone HCl/bupropion HCl | Contrave | |
| orlistat | Alli | |
| orlistat | Xenical | |
| phendimetrazine tartrate | phendimetrazine tartrate | |
| ohentermine HCl | Adipex-P | |
| ohentermine HCl | Lomaira | |
| ohentermine HCl | phentermine | |
| ohentermine HCl | phentermine HCl (bulk) | |
| phentermine HCI/topiramate | Qsymia | |
| resveratrol/chromium pico/green | Resveratrol Diet | |
| setmelanotide acetate | Imcivree | |
| | Smoking | |
| nicotine | NTS Step 1 | |
| nicotine | Nicoderm CQ | |
| nicotine | Nicotrol | |
| nicotine | Nicotrol NS | |
| nicotine | nicotine | |
| nicotine bitartrate | Nicotine Tartrate | |
| nicotine polacrilex | Nicorelief | |
| nicotine polacrilex | Nicorette | |
| nicotine polacrilex | Quit 2 | |
| nicotine polacrilex | Quit 4 | |
| nicotine polacrilex | Stop Smoking Aid | |
| nicotine polacrilex | nicotine (polacrilex) | |
| nicotine polacrilex | nicotine polacrilex (bulk) | |
| varenicline tartrate | Chantix | |
| varenicline tartrate | Chantix Continuing Month Box | |
| varenicline tartrate | Chantix Starting Month Box | |



| | | Code | |
|---------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| | Hyperlipidemia | | |
| E78.0 | Pure hypercholesterolemia | Diagnosis | ICD-10-CM |
| E78.00 | Pure hypercholesterolemia, unspecified | Diagnosis | ICD-10-CM |
| E78.01 | Familial hypercholesterolemia | Diagnosis | ICD-10-CM |
| E78.1 | Pure hyperglyceridemia | Diagnosis | ICD-10-CM |
| E78.2 | Mixed hyperlipidemia | Diagnosis | ICD-10-CM |
| E78.3 | Hyperchylomicronemia | Diagnosis | ICD-10-CM |
| E78.4 | Other hyperlipidemia | Diagnosis | ICD-10-CM |
| E78.41 | Elevated Lipoprotein(a) | Diagnosis | ICD-10-CN |
| E78.49 | Other hyperlipidemia | Diagnosis | ICD-10-CM |
| E78.5 | Hyperlipidemia, unspecified | Diagnosis | ICD-10-CN |
| | Depression | | |
| F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified | Diagnosis | ICD-10-CM |
| F31.31 | Bipolar disorder, current episode depressed, mild | Diagnosis | ICD-10-CM |
| F31.32 | Bipolar disorder, current episode depressed, moderate | Diagnosis | ICD-10-CM |
| F31.4 | Bipolar disorder, current episode depressed, severe, without psychotic features | Diagnosis | ICD-10-CN |
| F31.5 | Bipolar disorder, current episode depressed, severe, with psychotic features | Diagnosis | ICD-10-CN |
| F31.60 | Bipolar disorder, current episode mixed, unspecified | Diagnosis | ICD-10-CN |
| F31.61 | Bipolar disorder, current episode mixed, mild | Diagnosis | ICD-10-CN |
| F31.62 | Bipolar disorder, current episode mixed, moderate | Diagnosis | ICD-10-CN |
| F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features | Diagnosis | ICD-10-CN |
| F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features | Diagnosis | ICD-10-CN |
| F31.75 | Bipolar disorder, in partial remission, most recent episode depressed | Diagnosis | ICD-10-CN |
| F31.76 | Bipolar disorder, in full remission, most recent episode depressed | Diagnosis | ICD-10-CM |
| F31.77 | Bipolar disorder, in partial remission, most recent episode mixed | Diagnosis | ICD-10-CM |
| F31.78 | Bipolar disorder, in full remission, most recent episode mixed | Diagnosis | ICD-10-CM |
| F31.81 | Bipolar II disorder | Diagnosis | ICD-10-CM |
| F32.0 | Major depressive disorder, single episode, mild | Diagnosis | ICD-10-CN |
| F32.1 | Major depressive disorder, single episode, moderate | Diagnosis | ICD-10-CM |
| F32.2 | Major depressive disorder, single episode, severe without psychotic features | Diagnosis | ICD-10-CM |
| F32.3 | Major depressive disorder, single episode, severe with psychotic features | Diagnosis | ICD-10-CM |
| F32.4 | Major depressive disorder, single episode, in partial remission | Diagnosis | ICD-10-CM |
| F32.5 | Major depressive disorder, single episode, in full remission | Diagnosis | ICD-10-CM |
| F32.9 | Major depressive disorder, single episode, unspecified | Diagnosis | ICD-10-CN |
| F33.0 | Major depressive disorder, recurrent, mild | Diagnosis | ICD-10-CM |
| F33.1 | Major depressive disorder, recurrent, moderate | Diagnosis | ICD-10-CM |
| F33.2 | Major depressive disorder, recurrent severe without psychotic features | Diagnosis | ICD-10-CM |
| F33.3 | Major depressive disorder, recurrent, severe with psychotic symptoms | Diagnosis | ICD-10-CN |
| F33.40 | Major depressive disorder, recurrent, in remission, unspecified | Diagnosis | ICD-10-CM |
| F33.41 | Major depressive disorder, recurrent, in partial remission | Diagnosis | ICD-10-CM |
| F33.42 | Major depressive disorder, recurrent, in full remission | Diagnosis | ICD-10-CM |
| F33.8 | Other recurrent depressive disorders | Diagnosis | ICD-10-CM |
| F33.9 | Major depressive disorder, recurrent, unspecified | Diagnosis | ICD-10-CM |
| F34.1 | Dysthymic disorder | Diagnosis | ICD-10-CM |
| F43.21 | Adjustment disorder with depressed mood | Diagnosis | ICD-10-CM |
| F43.21 | Adjustment disorder with mixed anxiety and depressed mood | Diagnosis | ICD-10-CM |
| 1-13.23 | Endometrial Cancer | | |
| C54.1 | Malignant neoplasm of endometrium | Diagnosis | ICD-10-CM |
| | | | |



| Character | | Code | |
|-----------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| C54.3 | Malignant neoplasm of fundus uteri | Diagnosis | ICD-10-CN |
| C54.8 | Malignant neoplasm of overlapping sites of corpus uteri | Diagnosis | ICD-10-CN |
| C54.9 | Malignant neoplasm of corpus uteri, unspecified | Diagnosis | ICD-10-CN |
| D07.0 | Carcinoma in situ of endometrium | Diagnosis | ICD-10-CN |
| Z85.42 | Personal history of malignant neoplasm of other parts of uterus | Diagnosis | ICD-10-CN |
| | Acquired Hypothyroidism | | |
| E01.8 | Other iodine-deficiency related thyroid disorders and allied conditions | Diagnosis | ICD-10-CN |
| E02 | Subclinical iodine-deficiency hypothyroidism | Diagnosis | ICD-10-CN |
| E03.2 | Hypothyroidism due to medicaments and other exogenous substances | Diagnosis | ICD-10-CN |
| E03.3 | Postinfectious hypothyroidism | Diagnosis | ICD-10-CN |
| E03.8 | Other specified hypothyroidism | Diagnosis | ICD-10-CN |
| E03.9 | Hypothyroidism, unspecified | Diagnosis | ICD-10-CN |
| E89.0 | Postprocedural hypothyroidism | Diagnosis | ICD-10-CN |
| | Asthma | | |
| J45.20 | Mild intermittent asthma, uncomplicated | Diagnosis | ICD-10-CN |
| J45.21 | Mild intermittent asthma with (acute) exacerbation | Diagnosis | ICD-10-CN |
| J45.22 | Mild intermittent asthma with status asthmaticus | Diagnosis | ICD-10-CN |
| J45.30 | Mild persistent asthma, uncomplicated | Diagnosis | ICD-10-CN |
| J45.31 | Mild persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CN |
| J45.32 | Mild persistent asthma with status asthmaticus | Diagnosis | ICD-10-CN |
| J45.40 | Moderate persistent asthma, uncomplicated | Diagnosis | ICD-10-CN |
| J45.41 | Moderate persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CN |
| J45.42 | Moderate persistent asthma with status asthmaticus | Diagnosis | ICD-10-CN |
| J45.50 | Severe persistent asthma, uncomplicated | Diagnosis | ICD-10-CN |
| J45.51 | Severe persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CN |
| J45.52 | Severe persistent asthma with status asthmaticus | Diagnosis | ICD-10-CN |
| J45.901 | Unspecified asthma with (acute) exacerbation | Diagnosis | ICD-10-CN |
| J45.902 | Unspecified asthma with status asthmaticus | Diagnosis | ICD-10-CN |
| J45.909 | Unspecified asthma, uncomplicated | Diagnosis | ICD-10-CN |
| J45.990 | Exercise induced bronchospasm | Diagnosis | ICD-10-CN |
| J45.991 | Cough variant asthma | Diagnosis | ICD-10-CN |
| J45.998 | Other asthma | Diagnosis | ICD-10-CN |
| J82.83 | Eosinophilic asthma | Diagnosis | ICD-10-CN |
| | Chronic Obstructive Pulmonary Disorder | | |
| J40 | Bronchitis, not specified as acute or chronic | _ | ICD-10-CN |
| J41.0 | Simple chronic bronchitis | Diagnosis | ICD-10-CN |
| J41.1 | Mucopurulent chronic bronchitis | Diagnosis | ICD-10-CN |
| J41.8 | Mixed simple and mucopurulent chronic bronchitis | Diagnosis | ICD-10-CN |
| J42 | Unspecified chronic bronchitis | Diagnosis | ICD-10-CN |
| J43.0 | Unilateral pulmonary emphysema [MacLeod's syndrome] | Diagnosis | ICD-10-CN |
| J43.1 | Panlobular emphysema | Diagnosis | ICD-10-CN |
| J43.2 | Centrilobular emphysema | Diagnosis | ICD-10-CN |
| J43.8 | Other emphysema | Diagnosis | ICD-10-CN |
| J43.9 | Emphysema, unspecified | Diagnosis | ICD-10-CN |
| J44.0 | Chronic obstructive pulmonary disease with (acute) lower respiratory infection | Diagnosis | ICD-10-CN |
| J44.1 | Chronic obstructive pulmonary disease with (acute) exacerbation | Diagnosis | ICD-10-CN |
| J44.9 | Chronic obstructive pulmonary disease, unspecified | Diagnosis | ICD-10-CN |
| J47.0 | Bronchiectasis with acute lower respiratory infection | Diagnosis | ICD-10-CN |
| 517.0 | | | |



| | | Code | |
|---------|--|-----------|-------------|
| Code | Description | Category | Code Type |
| J47.9 | Bronchiectasis, uncomplicated | Diagnosis | ICD-10-CM |
| | Obesity | | |
| 0D16079 | Bypass Stomach to Duodenum with Autologous Tissue Substitute, Open Approach | | ICD-10-PCS |
| 0D1607A | Bypass Stomach to Jejunum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1607B | Bypass Stomach to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1607L | Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160J9 | Bypass Stomach to Duodenum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160JA | Bypass Stomach to Jejunum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160JB | Bypass Stomach to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160JL | Bypass Stomach to Transverse Colon with Synthetic Substitute, Open Approach | | ICD-10-PCS |
| 0D160K9 | Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160KA | Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160KB | Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160KL | Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160Z9 | Bypass Stomach to Duodenum, Open Approach | Procedure | ICD-10-PCS |
| 0D160ZA | Bypass Stomach to Jejunum, Open Approach | Procedure | ICD-10-PCS |
| 0D160ZB | Bypass Stomach to Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0D160ZL | Bypass Stomach to Transverse Colon, Open Approach | Procedure | ICD-10-PCS |
| 0D16479 | Bypass Stomach to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1647A | Bypass Stomach to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1647B | Bypass Stomach to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1647L | Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164J9 | Bypass Stomach to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164JA | Bypass Stomach to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164JB | Bypass Stomach to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164JL | Bypass Stomach to Transverse Colon with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164K9 | Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164KA | Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164KB | Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164KL | Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Percutaneous Endoscopic | Procedure | ICD-10-PCS |
| 0D164Z9 | Bypass Stomach to Duodenum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164ZA | Bypass Stomach to Jejunum, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D164ZB | Bypass Stomach to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164ZL | Bypass Stomach to Transverse Colon, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D16879 | Bypass Stomach to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1687A | Bypass Stomach to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | | |
| 0D1687B | Bypass Stomach to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D1687L | Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Via Natural or Artificial Opening | | |
| | Endoscopic | Procedure | ICD-10-PCS |
| 0D168J9 | Bypass Stomach to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D168JA | Bypass Stomach to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D168JB | Bypass Stomach to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D168JL | Bypass Stomach to Transverse Colon with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D1085E | Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening | | ICD-10-PCS |
| 0D108K9 | Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening | | ICD-10-PCS |
| 0D168KA | Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D108KB | Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Via Natural or Artificial Opening | | |
| ODIOOKL | Endoscopic | Procedure | ICD-10-PCS |
| 0D168Z9 | Bypass Stomach to Duodenum, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0010073 | | incedure | 100 10-1 03 |



| | | Code | |
|--------------------|---|-----------|------------|
| Code | Description | Category | Code Type |
| 0D168ZA | Bypass Stomach to Jejunum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168ZB | Bypass Stomach to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168ZL | Bypass Stomach to Transverse Colon, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D19079 | Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1907A | Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1907B | Bypass Duodenum to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190J9 | Bypass Duodenum to Duodenum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190JA | Bypass Duodenum to Jejunum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190JB | Bypass Duodenum to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190K9 | Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190KA | Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190KB | Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190Z9 | Bypass Duodenum to Duodenum, Open Approach | Procedure | ICD-10-PCS |
| 0D190ZA | Bypass Duodenum to Jejunum, Open Approach | Procedure | ICD-10-PCS |
| 0D190ZB | Bypass Duodenum to Ileum, Open Approach | | ICD-10-PCS |
| 0D19479 | Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1947A | Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D1947B | Bypass Duodenum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194J9 | Bypass Duodenum to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194JA | Bypass Duodenum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194JB | Bypass Duodenum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194K9 | Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194KA | Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194KB | Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194Z9 | Bypass Duodenum to Duodenum, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194ZA | Bypass Duodenum to Jejunum, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D194ZB | Bypass Duodenum to Ileum, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D19879 | Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening | | ICD-10-PCS |
| 0D1987A | Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D1987B | Bypass Duodenum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D198J9 | Bypass Duodenum to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D198JA | Bypass Duodenum to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D198JB | Bypass Duodenum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D198K9 | Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening | | ICD-10-PCS |
| 0D198KA | Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening | | ICD-10-PCS |
| 0D198KB | Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | | |
| 0D198KB | Bypass Duodenum to Duodenum, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D198ZA | Bypass Duodenum to Jejunum, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D198ZB | Bypass Duodenum to Ileum, Via Natural or Artificial Opening Endoscopic | | ICD-10-PCS |
| 0D1302B | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Open Approach | | ICD-10-PCS |
| 0D1A07A | Bypass Jejunum to Ileum with Autologous Tissue Substitute, Open Approach | | ICD-10-PCS |
| 0D1A07B | Bypass Jejunum to Jejunum with Synthetic Substitute, Open Approach | | ICD-10-PCS |
| 0D1A0JA 0D1A0JB | Bypass Jejunum to Jejunum with Synthetic Substitute, Open Approach | | ICD-10-PCS |
| ODIAOJB ODIAOKA | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Open Approach | | ICD-10-PCS |
| 0D1A0KA 0D1A0KB | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Open Approach | | ICD-10-PCS |
| 0D1A0KB 0D1A0ZA | Bypass Jejunum to Jejunum, Open Approach | | ICD-10-PCS |
| | Bypass Jejunum to Jejunum, Open Approach | | ICD-10-PCS |
| 0D1A0ZB | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D1A47A | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D1A47B | Sypass sejanam to neum with Autologous rissue substitute, releateneous Endoscopic Approach | FIOCEUUIE | 10-10-203 |



| | • | Code | |
|---------|---|-----------|------------|
| Code | Description | Category | Code Type |
| 0D1A4JA | Bypass Jejunum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4JB | Bypass Jejunum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4KA | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4KB | Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4ZA | Bypass Jejunum to Jejunum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4ZB | Bypass Jejunum to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A87A | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A87B | Bypass Jejunum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8JA | Bypass Jejunum to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8JB | Bypass Jejunum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8KA | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8KB | Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8ZA | Bypass Jejunum to Jejunum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8ZB | Bypass Jejunum to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8ZH | Bypass Jejunum to Cecum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B07B | Bypass Ileum to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1B0JB | Bypass Ileum to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1B0KB | Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1B0ZB | Bypass Ileum to Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0D1B47B | Bypass Ileum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D1B4JB | Bypass Ileum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1B4KB | Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | | ICD-10-PCS |
| 0D1B4ZB | Bypass Ileum to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1B87B | Bypass Ileum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8JB | Bypass Ileum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8KB | Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8ZB | Bypass Ileum to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8ZH | Bypass Ileum to Cecum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0DB60Z3 | Excision of Stomach, Open Approach, Vertical | Procedure | ICD-10-PCS |
| 0DB60ZZ | Excision of Stomach, Open Approach | Procedure | ICD-10-PCS |
| 0DB63Z3 | Excision of Stomach, Percutaneous Approach, Vertical | Procedure | ICD-10-PCS |
| 0DB63ZZ | Excision of Stomach, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0DB67Z3 | Excision of Stomach, Via Natural or Artificial Opening, Vertical | Procedure | ICD-10-PCS |
| 0DB67ZZ | Excision of Stomach, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 0DB68Z3 | Excision of Stomach, Via Natural or Artificial Opening Endoscopic, Vertical | Procedure | ICD-10-PCS |
| 0DB80ZZ | Excision of Small Intestine, Open Approach | Procedure | ICD-10-PCS |
| 0DB90ZZ | Excision of Duodenum, Open Approach | Procedure | ICD-10-PCS |
| 0DBB0ZZ | Excision of Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0DQ64ZZ | Repair Stomach, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0DV64CZ | Restriction of Stomach with Extraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0F190Z3 | Bypass Common Bile Duct to Duodenum, Open Approach | Procedure | ICD-10-PCS |
| OTRB07Z | Replacement of Bladder with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 43644 | Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and Roux-en-Y gastroenterostomy | | |
| | (roux limb 150 cm or less) | Procedure | CPT-4 |
| 43645 | Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine reconstruction to | | |
| | limit absorption | Procedure | CPT-4 |
| 43770 | Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric restrictive device (eg, | | |
| | gastric | Procedure | CPT-4 |
| 43842 | Gastric restrictive procedure, without gastric bypass, for morbid obesity; vertical-banded gastroplasty | Procedure | CPT-4 |
| | | | |



| | | Code | |
|--------------------|---|------------|----------------|
| Code | Description | Category | Code Type |
| 43843 | Gastric restrictive procedure, without gastric bypass, for morbid obesity; other than vertical-banded | Procedure | CPT-4 |
| 43845 | Gastric restrictive procedure with partial gastrectomy, pylorus-preserving duodenoileostomy and | | |
| 43846 | ileoileostomy (50 to 100 cm common channel) to limit absorption (biliopancreatic diversion with duodenal Gastric restrictive procedure, with gastric bypass for morbid obesity; with short limb (150 cm or less) Roux-en- | Procedure | CPT-4 |
| 15010 | Ygastroenterostomy | Procedure | CPT-4 |
| 3847 | Gastric restrictive procedure, with gastric bypass for morbid obesity; with small intestine reconstruction to | | 0 |
| 15017 | limit absorption | Procedure | CPT-4 |
| 66.01 | Morbid (severe) obesity due to excess calories | Diagnosis | ICD-10-CN |
| 66.09 | Other obesity due to excess calories | Diagnosis | ICD-10-CN |
| 66.1 | Drug-induced obesity | Diagnosis | ICD-10-CN |
| E66.2 | Morbid (severe) obesity with alveolar hypoventilation | Diagnosis | ICD-10-CN |
| E66.8 | Other obesity | Diagnosis | ICD-10-CN |
| E66.9 | Obesity, unspecified | Diagnosis | ICD-10-CN |
| K95.01 | Infection due to gastric band procedure | Diagnosis | ICD-10-CN |
| K95.09 | Other complications of gastric band procedure | Diagnosis | ICD-10-CN |
| K95.81 | Infection due to other bariatric procedure | Diagnosis | ICD-10-CN |
| K95.89 | Other complications of other bariatric procedure | Diagnosis | ICD-10-CN |
| 099.210 | Obesity complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CN |
| 099.210 | Obesity complicating pregnancy, first trimester | Diagnosis | ICD-10-CN |
| 099.212 | Obesity complicating pregnancy, second trimester | Diagnosis | ICD-10-CN |
| 099.212 | Obesity complicating pregnancy, third trimester | Diagnosis | ICD-10-CN |
| 099.213 | Obesity complicating childbirth | Diagnosis | ICD-10-CN |
| 099.214 099.215 | Obesity complicating the puerperium | Diagnosis | ICD-10-CN |
| 099.840 | Bariatric surgery status complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CN |
| 099.841 | Bariatric surgery status complicating pregnancy, first trimester | Diagnosis | ICD-10-CN |
| 099.842 | Bariatric surgery status complicating pregnancy, second trimester | Diagnosis | ICD-10-CN |
| 099.843 | Bariatric surgery status complicating pregnancy, third trimester | Diagnosis | ICD-10-CN |
| 099.844 | Bariatric surgery status complicating childbirth | Diagnosis | ICD-10-CN |
| 099.845 | Bariatric surgery status complicating the puerperium | Diagnosis | ICD-10-CN |
| Z68.30 | Body mass index (BMI) 30.0-30.9, adult | Diagnosis | ICD-10-CN |
| Z68.30 Z68.31 | Body mass index (BMI) 31.0-31.9, adult | Diagnosis | ICD-10-CN |
| Z68.31 Z68.32 | Body mass index (BMI) 32.0-32.9, adult | Diagnosis | ICD-10-CN |
| Z68.32 | Body mass index (BMI) 33.0-33.9, adult | Diagnosis | ICD-10-CN |
| z68.34 | Body mass index (BMI) 34.0-34.9, adult | Diagnosis | ICD-10-CN |
| 268.35 | Body mass index (BMI) 35.0-35.9, adult | Diagnosis | |
| Z68.36 | Body mass index (BMI) 36.0-36.9, adult | Diagnosis | ICD-10-CN |
| Z68.30 | Body mass index (BMI) 37.0-37.9, adult | Diagnosis | ICD-10-CN |
| Z68.38 | Body mass index (BMI) 38.0-38.9, adult | Diagnosis | ICD-10-CN |
| Z68.39 | Body mass index (BMI) 39.0-39.9, adult | Diagnosis | ICD-10-CN |
| Z68.41 | Body mass index (BMI) 40.0-44.9, adult | Diagnosis | ICD-10-CN |
| Z68.41 | Body mass index (BMI) 45.0-49.9, adult | Diagnosis | ICD-10-CN |
| z68.42 Z68.43 | Body mass index (BMI) 50-59.9, adult | Diagnosis | ICD-10-CN |
| 268.43 Z68.44 | Body mass index (BMI) 60.0-69.9, adult | Diagnosis | ICD-10-CN |
| 268.44 Z68.45 | Body mass index (BMI) 70 or greater, adult | Diagnosis | ICD-10-CN |
| 200.43 | Smoking | Diagilusis | 10-10-010 |
| 1034F | Current tobacco smoker (CAD, CAP, COPD, PV) (DM) | Procedure | CPT-2 |
| 1034F 4001F | Tobacco use cessation intervention, pharmacologic therapy (COPD, CAD, CAP, PV, Asthma) (DM) (PV) | Procedure | CPT-2 CPT-2 |
| 4001F 4004F | Patient screened for tobacco use and received tobacco cessation intervention (counseling, pharmacotherapy, | inocedure | |
| +UU4F | or both), if identified as a tobacco user (PV, CAD) | Procedure | CPT-2 |



| | | Code | |
|----------------------|---|-----------|-------------|
| Code | Description | Category | Code Type |
| 99406 | Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes | Procedure | CPT-4 |
| 99407 | Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes | Procedure | CPT-4 |
| F17.200 | Nicotine dependence, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F17.201 | Nicotine dependence, unspecified, in remission | Diagnosis | ICD-10-CM |
| F17.210 | Nicotine dependence, cigarettes, uncomplicated | Diagnosis | ICD-10-CM |
| F17.211 | Nicotine dependence, cigarettes, in remission | Diagnosis | ICD-10-CM |
| F17.290 | Nicotine dependence, other tobacco product, uncomplicated | Diagnosis | ICD-10-CM |
| F17.291 | Nicotine dependence, other tobacco product, in remission | Diagnosis | ICD-10-CM |
| G0436 | Smoking and tobacco cessation counseling visit for the asymptomatic patient; intermediate, greater than 3 | - | |
| | minutes, up to 10 minutes | Procedure | HCPCS |
| G0437 | Smoking and tobacco cessation counseling visit for the asymptomatic patient; intensive, greater than 10 | Procedure | HCPCS |
| G9016 | Smoking cessation counseling, individual, in the absence of or in addition to any other evaluation and | | |
| | management service, per session (6-10 minutes) [demo project code only] | Procedure | HCPCS |
| G9276 | Documentation that patient is a current tobacco user | Procedure | HCPCS |
| G9458 | Patient documented as tobacco user and received tobacco cessation intervention (must include at least one of | | |
| 03150 | the following: advice given to quit smoking or tobacco use, counseling on the benefits of quitting smoking or | | |
| | tobacco use, assistance with or | Procedure | HCPCS |
| 099.330 | Smoking (tobacco) complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| 099.330 | Smoking (tobacco) complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| 099.332 | Smoking (tobacco) complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| 099.332 | Smoking (tobacco) complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| 099.333 | Smoking (tobacco) complicating pregnancy, time transition Smoking (tobacco) complicating childbirth | Diagnosis | ICD-10-CM |
| 099.334 | Smoking (tobacco) complicating the puerperium | Diagnosis | ICD-10-CM |
| S4995 | Smoking (costacco) completeling the pacific num | Procedure | HCPCS |
| S9075 | Smoking cessation treatment | Procedure | HCPCS |
| S9453 | Smoking cessation classes, non-physician provider, per session | Procedure | HCPCS |
| | Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter | Diagnosis | ICD-10-CM |
| T65.221A T65.222A | Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter | Diagnosis | ICD-10-CM |
| | Toxic effect of tobacco cigarettes, assault, initial encounter | Diagnosis | ICD-10-CIVI |
| T65.223A | Toxic effect of tobacco cigarettes, undetermined, initial encounter | - | |
| T65.224A | Personal history of nicotine dependence | Diagnosis | ICD-10-CM |
| Z87.891 | Chronic Kidney Disorder | Diagnosis | ICD-10-CM |
| A18.11 | Tuberculosis of kidney and ureter | Diagnosis | ICD-10-CM |
| A52.75 | Syphilis of kidney and ureter | - | ICD-10-CM |
| B52.0 | Plasmodium malariae malaria with nephropathy | - | ICD-10-CM |
| C64.1 | Malignant neoplasm of right kidney, except renal pelvis | - | ICD-10-CM |
| C64.1 C64.2 | Malignant neoplasm of left kidney, except renal pelvis | Diagnosis | ICD-10-CM |
| C64.2 | Malignant neoplasm of unspecified kidney, except renal pelvis | Diagnosis | ICD-10-CM |
| | Malignant neoplasm of urinary organ, unspecified | Diagnosis | ICD-10-CM |
| C68.9 | Benign neoplasm of unspecified kidney | 0 | |
| D30.00 | Benign neoplasm of right kidney | Diagnosis | ICD-10-CM |
| D30.01 | | Diagnosis | ICD-10-CM |
| D30.02 | Benign neoplasm of left kidney Neoplasm of uncertain behavior of unspecified kidney | Diagnosis | ICD-10-CM |
| D41.00 | Neoplasm of uncertain behavior of right kidney | Diagnosis | ICD-10-CM |
| D41.01 | | Diagnosis | ICD-10-CM |
| D41.02 | Neoplasm of uncertain behavior of left kidney | Diagnosis | ICD-10-CM |
| D41.10 | Neoplasm of uncertain behavior of unspecified renal pelvis | Diagnosis | ICD-10-CM |
| D41.11 | Neoplasm of uncertain behavior of right renal pelvis | Diagnosis | ICD-10-CM |
| D41.12 | Neoplasm of uncertain behavior of left renal pelvis | Diagnosis | ICD-10-CM |
| D41.20 | Neoplasm of uncertain behavior of unspecified ureter | Diagnosis | ICD-10-CM |



| | • | Code | |
|--------------------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| D41.21 | Neoplasm of uncertain behavior of right ureter | Diagnosis | ICD-10-CM |
| D41.22 | Neoplasm of uncertain behavior of left ureter | Diagnosis | ICD-10-CM |
| D59.3 | Hemolytic-uremic syndrome | Diagnosis | ICD-10-CM |
| E08.21 | Diabetes mellitus due to underlying condition with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E08.22 | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E08.29 | Diabetes mellitus due to underlying condition with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E08.65 | Diabetes mellitus due to underlying condition with hyperglycemia | Diagnosis | ICD-10-CM |
| E09.21 | Drug or chemical induced diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E09.22 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E09.29 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E10.21 | Type 1 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E10.22 | Type 1 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E10.29 | Type 1 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E10.65 | Type 1 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E11.21 | Type 2 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E11.22 | Type 2 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E11.29 | Type 2 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E11.65 | Type 2 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E13.21 | Other specified diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E13.22 | Other specified diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E13.29 | Other specified diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E74.8 | Other specified disorders of carbohydrate metabolism | Diagnosis | ICD-10-CM |
| 112.0 | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease | Diagnosis | ICD-10-CM |
| 112.9 | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified | 0 | |
| | chronic | Diagnosis | ICD-10-CM |
| 113.0 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney | 0 | |
| | disease, | Diagnosis | ICD-10-CM |
| 113.10 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic | 0 | |
| | kidney | Diagnosis | ICD-10-CM |
| 113.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or | 0 | |
| | end | Diagnosis | ICD-10-CM |
| 113.2 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or | 0 | |
| | end | Diagnosis | ICD-10-CM |
| 170.1 | Atherosclerosis of renal artery | - | ICD-10-CM |
| 172.2 | Aneurysm of renal artery | - | ICD-10-CM |
| K76.7 | Hepatorenal syndrome | - | ICD-10-CM |
| M10.30 | Gout due to renal impairment, unspecified site | Diagnosis | ICD-10-CM |
| M10.311 | Gout due to renal impairment, right shoulder | Diagnosis | ICD-10-CM |
| M10.312 | Gout due to renal impairment, left shoulder | Diagnosis | ICD-10-CM |
| M10.319 | Gout due to renal impairment, unspecified shoulder | Diagnosis | ICD-10-CM |
| M10.321 | Gout due to renal impairment, right elbow | Diagnosis | ICD-10-CM |
| M10.322 | Gout due to renal impairment, left elbow | Diagnosis | ICD-10-CM |
| M10.322 | Gout due to renal impairment, unspecified elbow | Diagnosis | ICD-10-CM |
| M10.323 | Gout due to renal impairment, right wrist | Diagnosis | ICD-10-CM |
| M10.331 | Gout due to renal impairment, left wrist | Diagnosis | ICD-10-CM |
| M10.332 | Gout due to renal impairment, unspecified wrist | Diagnosis | ICD-10-CM |
| M10.339 | Gout due to renal impairment, right hand | Diagnosis | ICD-10-CM |
| M10.341 M10.342 | Gout due to renal impairment, left hand | Diagnosis | ICD-10-CM |
| M10.342 M10.349 | Gout due to renal impairment, inspecified hand | Diagnosis | ICD-10-CM |
| 10110.349 | | 210210313 | |



| | | Code | |
|---------|--|-----------|-----------|
| Code | Description | | Code Type |
| M10.351 | Gout due to renal impairment, right hip | Diagnosis | ICD-10-CM |
| M10.352 | Gout due to renal impairment, left hip | Diagnosis | ICD-10-CM |
| M10.359 | Gout due to renal impairment, unspecified hip | Diagnosis | ICD-10-CM |
| M10.361 | Gout due to renal impairment, right knee | Diagnosis | ICD-10-CM |
| M10.362 | Gout due to renal impairment, left knee | Diagnosis | ICD-10-CM |
| M10.369 | Gout due to renal impairment, unspecified knee | Diagnosis | ICD-10-CM |
| M10.371 | Gout due to renal impairment, right ankle and foot | Diagnosis | ICD-10-CM |
| M10.372 | Gout due to renal impairment, left ankle and foot | Diagnosis | ICD-10-CM |
| M10.379 | Gout due to renal impairment, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M10.38 | Gout due to renal impairment, vertebrae | Diagnosis | ICD-10-CM |
| M10.39 | Gout due to renal impairment, multiple sites | Diagnosis | ICD-10-CM |
| M32.14 | Glomerular disease in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M32.15 | Tubulo-interstitial nephropathy in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M35.04 | Sicca syndrome with tubulo-interstitial nephropathy | Diagnosis | ICD-10-CM |
| N00.0 | Acute nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N00.1 | Acute nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N00.2 | Acute nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N00.3 | Acute nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N00.4 | Acute nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N00.5 | Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N00.6 | Acute nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N00.7 | Acute nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N00.8 | Acute nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N00.9 | Acute nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N00.A | Acute nephritic syndrome with C3 glomerulonephritis | Diagnosis | ICD-10-CM |
| N01.0 | Rapidly progressive nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N01.1 | Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N01.2 | Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N01.3 | Rapidly progressive nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N01.4 | Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N01.5 | Rapidly progressive nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N01.6 | Rapidly progressive nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N01.7 | Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N01.8 | Rapidly progressive nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N01.9 | Rapidly progressive nephritic syndrome with unspecified morphologic changes | - | ICD-10-CM |
| N01.A | Rapidly progressive nephritic syndrome with C3 glomerulonephritis | Diagnosis | ICD-10-CM |
| N02.0 | Recurrent and persistent hematuria with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N02.1 | Recurrent and persistent hematuria with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N02.2 | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N02.3 | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N02.4 | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N02.5 | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N02.6 | Recurrent and persistent hematuria with dense deposit disease | Diagnosis | ICD-10-CM |
| N02.7 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N02.8 | Recurrent and persistent hematuria with other morphologic changes | Diagnosis | ICD-10-CM |
| N02.9 | Recurrent and persistent hematuria with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N02.A | Recurrent and persistent hematuria with C3 glomerulonephritis | Diagnosis | ICD-10-CM |
| N03.0 | Chronic nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N03.1 | Chronic nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| | | - | |



| CodeDescriptionCategoryCode TypeN03.2Chronic nephritic syndrome with diffuse mesnagial proliferative glomerulonephritisDiagnosisICD-10-CMN03.4Chronic nephritic syndrome with diffuse endecapillary proliferative glomerulonephritisDiagnosisICD-10-CMN03.5Chronic nephritic syndrome with diffuse endecapillary proliferative glomerulonephritisDiagnosisICD-10-CMN03.6Chronic nephritic syndrome with diffuse endecapilic changesDiagnosisICD-10-CMN03.7Chronic nephritic syndrome with diffuse erscentic glomerulonephritisDiagnosisICD-10-CMN03.8Chronic nephritic syndrome with anger erscentic glomerulonephritisDiagnosisICD-10-CMN03.4Chronic nephritic syndrome with anger erscentic glomerulonephritisDiagnosisICD-10-CMN03.4Chronic nephritic syndrome with anger erscentic glomerulonephritisDiagnosisICD-10-CMN04.1Nephrotic syndrome with diffuse enangual glomerulonephritisDiagnosisICD-10-CMN04.1Nephrotic syndrome with diffuse enangual glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse enangual glomeruloneph | | · | Code | |
|--|-------|--|-----------|-----------|
| N03.3Chronic nephritic syndrome with diffuse mesangiac pallary goinerulonephritisDiagnosisICD-10-CMN03.4Chronic nephritic syndrome with diffuse mesangiac pallary goinerulonephritisDiagnosisICD-10-CMN03.5Chronic nephritic syndrome with diffuse erasentic glomerulonephritisDiagnosisICD-10-CMN03.6Chronic nephritic syndrome with diffuse erasentic glomerulonephritisDiagnosisICD-10-CMN03.8Chronic nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN03.9Chronic nephritic syndrome with agenerular abnormalityDiagnosisICD-10-CMN04.0Nephrotic syndrome with foral and segmental glomerular lesionsDiagnosisICD-10-CMN04.1Nephrotic syndrome with agengial proliferative glomerulonephritisDiagnosisICD-10-CMN04.2Nephrotic syndrome with agengial proliferative glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN04.5Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN04.6Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN04.7< | Code | Description | Category | Code Type |
| N9.3.4Chronic nephritic syndrome with diffuse endscapillary proliferative glomerulonephritisDiagnosisICD-10-CMN0.3.5Chronic nephritic syndrome with diffuse rescapito capillary glomerulonephritisDiagnosisICD-10-CMN0.3.7Chronic nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN0.3.8Chronic nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN0.3.9Chronic nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN0.4.0Nephrotic syndrome with a general al glomerular belonsDiagnosisICD-10-CMN0.4.1Nephrotic syndrome with al general al glomerular belonsDiagnosisICD-10-CMN0.4.2Nephrotic syndrome with diffuse membranous glomerular belonsDiagnosisICD-10-CMN0.4.3Nephrotic syndrome with diffuse membranous glomerulanephritisDiagnosisICD-10-CMN0.4.4Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN0.4.5Nephrotic syndrome with diffuse mesanglocapillary glomerulonephritisDiagnosisICD-10-CMN0.4.6Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN0.4.7Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN0.4.8Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN0.5.1Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN0.5.2 <t< td=""><td>N03.2</td><td>Chronic nephritic syndrome with diffuse membranous glomerulonephritis</td><td>Diagnosis</td><td>ICD-10-CM</td></t<> | N03.2 | Chronic nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N03.5Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN03.6Chronic nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN03.8Chronic nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN03.9Chronic nephritic syndrome with tog glomerulonephritisDiagnosisICD-10-CMN03.4Chronic nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN04.0Nephrotic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN04.1Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse endecapillary proliferative glomerulonephritisDiagnosisICD-10-CMN04.5Nephrotic syndrome with diffuse endecapillary proliferative glomerulonephritisDiagnosisICD-10-CMN04.6Nephrotic syndrome with diffuse endecapillary proliferative glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with diffuse encentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with diffuse encentic glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse encentic glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse encentic glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified | N03.3 | Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N03.6Chronic nephritic syndrome with diense deposit diesaseDiagnosisCD-10-CMN03.7Chronic nephritic syndrome with other morphologic changesDiagnosisCD-10-CMN03.8Chronic nephritic syndrome with soler morphologic changesDiagnosisCD-10-CMN03.4Chronic nephritic syndrome with soler morphologic changesDiagnosisCD-10-CMN04.0Nephrotic syndrome with all glomerular abnormalityDiagnosisCD-10-CMN04.1Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.2Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.3Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.4Nephrotic syndrome with diffuse mesangial context abnormalityDiagnosisCD-10-CMN04.5Nephrotic syndrome with diffuse mesangiac glomerulonephritisDiagnosisCD-10-CMN04.6Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisCD-10-CMN04.7Nephrotic syndrome with other morphologic changesDiagnosisCD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerulonephritisDiagnosisCD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.2Unspecified nephritic syndrome with di | N03.4 | Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N03.7Chronic nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisCD-10-CMN03.9Chronic nephritic syndrome with onspecified morphologic changesDiagnosisCD-10-CMN03.4Chronic nephritic syndrome with G3 glomerulonephritisDiagnosisCD-10-CMN04.0Nephrotic syndrome with focal and segmental glomerular lesionsDiagnosisCD-10-CMN04.1Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.2Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.4Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.5Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisCD-10-CMN04.6Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisCD-10-CMN04.6Nephrotic syndrome with other morphologic changesDiagnosisCD-10-CMN04.7Nephrotic syndrome with minor glomerular abnormalityDiagnosisCD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.5Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis <td< td=""><td>N03.5</td><td>Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis</td><td>Diagnosis</td><td>ICD-10-CM</td></td<> | N03.5 | Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N03.8Chronic nephritic syndrome with other morphologic changesDiagnosisCD-10-CMN03.4Chronic nephritic syndrome with C3 glomerulonephritisDiagnosisCD-10-CMN04.0Nephrotic syndrome with G3 glomerulonephritisDiagnosisCD-10-CMN04.1Nephrotic syndrome with G3 glomerulone abnormalityDiagnosisCD-10-CMN04.2Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisCD-10-CMN04.3Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisCD-10-CMN04.4Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN04.5Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisCD-10-CMN04.6Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisCD-10-CMN04.7Nephrotic syndrome with other morphologic changesDiagnosisCD-10-CMN04.8Nephrotic syndrome with OtaglomerulonephritisDiagnosisCD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerular elsonsDiagnosisCD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.1Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisCD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisCD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glo | N03.6 | Chronic nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N03.9Chronic nephritic syndrome with Unspecified morphologic changesDiagnosisIC-10-CMN03.4Chronic nephritic syndrome with flocal and segmental glomerulanephritisDiagnosisIC-10-CMN04.1Nephrotic syndrome with flocal and segmental glomerulanephritisDiagnosisIC-10-CMN04.2Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisIC-10-CMN04.3Nephrotic syndrome with diffuse mesangical proliferative glomerulonephritisDiagnosisIC-10-CMN04.4Nephrotic syndrome with diffuse mesangical proliferative glomerulonephritisDiagnosisIC-10-CMN04.5Nephrotic syndrome with diffuse ensangical proliferative glomerulonephritisDiagnosisIC-10-CMN04.6Nephrotic syndrome with diffuse encencent glomerulonephritisDiagnosisIC-10-CMN04.7Nephrotic syndrome with diffuse encencent glomerulonephritisDiagnosisIC-10-CMN04.8Nephrotic syndrome with floral and segmental glomerulanephritisDiagnosisIC-10-CMN04.9Nephrotic syndrome with floral and segmental glomerulanephritisDiagnosisIC-10-CMN05.1Unspecified nephritic syndrome with floral and segmental glomerulanephritisDiagnosisIC-10-CMN05.2Unspecified nephritic syndrome with diffuse encentral glomerulonephritisDiagnosisIC-10-CMN05.3Unspecified nephritic syndrome with diffuse encentral glomerulonephritisDiagnosisIC-10-CMN05.4Unspecified nephritic syndrome with diffuse encentral glomerulonephritisDiagnosisIC-10-CMN05.5 | N03.7 | Chronic nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N03.9Chronic nephritic syndrome with unspecified morphologic changesDiagnosisIC-D1-CMN03.4Chronic nephritic syndrome with flocal and segmental glomerular elsoinsDiagnosisIC-D1-CMN04.1Nephrotic syndrome with flocal and segmental glomerular elsoinsDiagnosisIC-D1-CMN04.2Nephrotic syndrome with flifuse mesnapial proliferative glomerulonephritisDiagnosisIC-D1-CMN04.3Nephrotic syndrome with diffuse mesnapial proliferative glomerulonephritisDiagnosisIC-D1-CMN04.4Nephrotic syndrome with diffuse mesnapial proliferative glomerulonephritisDiagnosisIC-D1-CMN04.5Nephrotic syndrome with diffuse mesnapial proliferative glomerulonephritisDiagnosisIC-D1-CMN04.6Nephrotic syndrome with diffuse mesnapial complex changesDiagnosisIC-D1-CMN04.8Nephrotic syndrome with there rescentic glomerulonephritisDiagnosisIC-D1-CMN04.4Nephrotic syndrome with floga and segmental glomerular elsoinsDiagnosisIC-D1-CMN05.1Unspecified nephritic syndrome with diffuse mesnagial proliferative glomerulonephritisDiagnosisIC-D1-CMN05.2Unspecified nephritic syndrome with diffuse mesnagial proliferative glomerulonephritisDiagnosisIC-D1-CMN05.3Unspecified nephritic syndrome with diffuse mesnagial proliferative glomerulonephritisDiagnosisIC-D1-CMN05.4Unspecified nephritic syndrome with diffuse mesnagial proliferative glomerulonephritisDiagnosisIC-D1-CMN05.4Unspecified nephritic syndrome with diffuse mesnagial proliferat | N03.8 | Chronic nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| NQ3.4Chronic nephritic syndrome with C glomerulonephritisDiagnosisIC-D-10-CMNQ4.1Nephrotic syndrome with find and segmental glomerular lesionsDiagnosisIC-D-10-CMNQ4.2Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisIC-D-10-CMNQ4.3Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisIC-D-10-CMNQ4.4Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisIC-D-10-CMNQ4.5Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisIC-D-10-CMNQ4.6Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisIC-D-10-CMNQ4.7Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisIC-D-10-CMNQ4.8Nephrotic syndrome with foral glomerulonephritisDiagnosisIC-D-10-CMNQ5.0Unspecified nephritic syndrome with foral and segmental glomerular abionsDiagnosisIC-D-10-CMNQ5.1Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisIC-D-10-CMNQ5.2Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisIC-D-10-CMNQ5.3Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisIC-D-10-CMNQ5.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisIC-D-10-CMNQ5.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosis <t< td=""><td></td><td>Chronic nephritic syndrome with unspecified morphologic changes</td><td>Diagnosis</td><td>ICD-10-CM</td></t<> | | Chronic nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| NQ4.0Nephrotic syndrome with minor glomerular abnormalityDiagnosisICD-10-CMNQ4.1Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMNQ4.2Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMNQ4.3Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMNQ4.4Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMNQ4.5Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMNQ4.7Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMNQ4.8Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMNQ5.0Unspecified nephritic syndrome with focal and segmental glomerular beinsDiagnosisICD-10-CMNQ5.1Unspecified nephritic syndrome with focal and segmental glomerulan ebinsDiagnosisICD-10-CMNQ5.2Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMNQ5.3Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMNQ5.4Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMNQ5.4Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMNQ5.5Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosis | | Chronic nephritic syndrome with C3 glomerulonephritis | Diagnosis | ICD-10-CM |
| NQ4.1Nephrotic syndrome with focal and segmental glomerular lesionsDiagnossiICD-10-CMNQ4.2Nephrotic syndrome with diffuse membranous glomerulonephritisDiagnossiICD-10-CMNQ4.4Nephrotic syndrome with diffuse mesangical proliferative glomerulonephritisDiagnossiICD-10-CMNQ4.5Nephrotic syndrome with diffuse mesangical proliferative glomerulonephritisDiagnossiICD-10-CMNQ4.7Nephrotic syndrome with diffuse mesangical proliferative glomerulonephritisDiagnossiICD-10-CMNQ4.7Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnossiICD-10-CMNQ4.8Nephrotic syndrome with ourspecified morphologic changesDiagnossiICD-10-CMNQ5.0Unspecified nephritic syndrome with ninor glomerular abnormalityDiagnosiICD-10-CMNQ5.1Unspecified nephritic syndrome with ninor glomerular abnormalityDiagnosiICD-10-CMNQ5.2Unspecified nephritic syndrome with diffuse membranous glomerulanephritisDiagnosiICD-10-CMNQ5.3Unspecified nephritic syndrome with diffuse mesangical proliferative glomerulonephritisDiagnosiICD-10-CMNQ5.4Unspecified nephritic syndrome with diffuse mesangical pro | | | - | ICD-10-CM |
| N04.2Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN04.3Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN04.5Nephrotic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN04.7Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN04.4Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerulare lationsDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangio capillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse mesangio capillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangio capillar | | | - | |
| N04.3Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse mesangicapillary proliferative glomerulonephritisDiagnosisICD-10-CMN04.5Nephrotic syndrome with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN04.6Nephrotic syndrome with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN04.7Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with ninor glomerular abnormalityDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspeci | | | - | |
| N04.4Nephrotic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN04.5Nephrotic syndrome with diffuse enasolocapillary glomerulonephritisDiagnosisICD-10-CMN04.6Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN04.9Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN04.4Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerular lesionsDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CM <t< td=""><td></td><td></td><td>-</td><td></td></t<> | | | - | |
| N04.5Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN04.6Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.7Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN04.9Nephrotic syndrome with a glomerulonephritisDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerular elsionsDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CM <td></td> <td></td> <td>-</td> <td></td> | | | - | |
| N04.6Nephrotic syndrome with dense deposit diseaseDiagnosisICD-10-CMN04.7Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN04.4Nephrotic syndrome with diffuse crescentic glomerular abnormalityDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with nior glomerular abnormalityDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesnanous glomerulan elsionsDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesnajal proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse ensengiocapillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with aglomerulonephritisDiagnosisICD-10-CM | | | - | |
| N04.7Nephrotic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN04.8Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN04.4Nephrotic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with foral and segmental glomerular abnormalityDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with foral and segmental glomerulan lesionsDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with 13 glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with 13 glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with 14 menorphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with 23 glomerulonephritisDiagnosisICD-10-CMN05.4 <t< td=""><td></td><td></td><td>-</td><td></td></t<> | | | - | |
| N04.8Nephrotic syndrome with other morphologic changesDiagnosisICD-10-CMN04.9Nephrotic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN04.ANephrotic syndrome with G3 glomerulonephritisDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerular lesionsDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endephilits glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse endephritic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with otag algomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with algomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with algomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with algomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephriti | | | - | |
| N04.9Nephrotic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN04.ANephrotic syndrome with G glomerulonephritisDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with focal and segmental glomerular lesionsDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with O3 glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with G glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with Gal and segmental glomerulanephritisDiagnosisICD-10-CMN05.6Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis< | | | - | |
| N04.ANephrotic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN05.0Unspecified nephritic syndrome with for al and segmental glomerular lesionsDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse membranous glomerulan lesionsDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangiacpaillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with Otaglomerulan phritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with Otaglomerulan phritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with Otaglomerulan phritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with Otaglomerulan phritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.6Isolated proteinuria with focal and segmental glomerulan phritisDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06 | | | - | |
| N05.0Unspecified nephritic syndrome with minor glomerular abnormalityDiagnosisICD-10-CMN05.1Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse mesangica proliferative glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN05.9Unspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN05.4Inspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with fifuse mesangia proliferative glomerulonephritisDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06 | | | - | |
| N05.1Unspecified nephritic syndrome with focal and segmental glomerulan lesionsDiagnosisICD-10-CMN05.2Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with a glomerulan ephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with a glomerulan ephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with focal and segmental glomerulan ephritisDiagnosisICD-10-CMN06.1Isolated proteinuria with focal and segmental glomerulonephritisDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse endocapillary groliferative glomerulonephritis <td></td> <td></td> <td>-</td> <td></td> | | | - | |
| N05.2Unspecified nephritic syndrome with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with apsecified morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangial aproliferative glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse mesangialary glomeruloneph | | | - | |
| N05.3Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse mesangio apillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with OC3 glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with Qlomerular abnormalityDiagnosisICD-10-CMN06.0Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse endocapillary glo | | | - | |
| N05.4Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN05.5Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CM | | | | |
| N05.5Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN05.6Unspecified nephritic syndrome with dense deposit diseaseDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.9Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with 0.3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN06.9Isolated proteinuria with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN06.8< | | | - | |
| N05.6Unspecified nephritic syndrome with dense deposit diseaseDiagnosisICD-10-CMN05.7Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.9Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN06.9Isolated proteinuria with diffuse rescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated prot | | | - | |
| N05.7Unspecified nephritic syndrome with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.9Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.4Unspecified nephritic syndrome with G3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.1Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.9Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse methonous glomerular abnormalityDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse me | | | - | |
| N05.8Unspecified nephritic syndrome with other morphologic changesDiagnosisICD-10-CMN05.9Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.AUnspecified nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse enesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse mesangil proliferative glomerulanephritisDiagnosisICD-10-CMN06.9Isolated proteinuria with diffuse mesangile elsionDiagnosisICD-10-CMN06.4< | | | - | |
| N05.9Unspecified nephritic syndrome with unspecified morphologic changesDiagnosisICD-10-CMN05.AUnspecified nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesionsDiagnosisICD-10-CMN07.1Hereditary nephropathy, not | | | - | |
| N05.AUnspecified nephritic syndrome with C3 glomerulonephritisDiagnosisICD-10-CMN06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse mesangicapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesanfied with minor glomerular abnormalityDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse mesanfied with minor glomerular abnormalityDiagnosisICD-10-CMN06.7Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.8Isolated proteinuria with c3 glomerulon | | | - | |
| N06.0Isolated proteinuria with minor glomerular abnormalityDiagnosisICD-10-CMN06.1Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.5Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN06.7Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nep | | | - | |
| N06.1Isolated proteinuria with focal and segmental glomerular lesionsDiagnosisICD-10-CMN06.2Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with dense deposit diseaseDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosis </td <td></td> <td></td> <td>0</td> <td></td> | | | 0 | |
| N06.2Isolated proteinuria with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with dense deposit diseaseDiagnosisICD-10-CMN06.7Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.8Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with focal and segmental glomerulan elsionsDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07 | | | - | |
| N06.3Isolated proteinuria with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN06.4Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with dense deposit diseaseDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiacapillary glomerulonephritis <td></td> <td></td> <td>0</td> <td></td> | | | 0 | |
| N06.4Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with dense deposit diseaseDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary | | | - | |
| N06.5Isolated proteinuria with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN06.6Isolated proteinuria with dense deposit diseaseDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis< | | | - | |
| N06.6Isolated proteinuria with dense deposit diseaseDiagnosisICD-10-CMN06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glom | | | | |
| N06.7Isolated proteinuria with diffuse crescentic glomerulonephritisDiagnosisICD-10-CMN06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.4Isolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with offuse membranous glomerulonephritisDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | - | |
| N06.8Isolated proteinuria with other morphologic lesionDiagnosisICD-10-CMN06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.AIsolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with focal and segmental glomerulonephritisDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | 0 | |
| N06.9Isolated proteinuria with unspecified morphologic lesionDiagnosisICD-10-CMN06.AIsolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with focal and segmental glomerulonephritisDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse endocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | - | |
| N06.AIsolated proteinuria with C3 glomerulonephritisDiagnosisICD-10-CMN07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesionsDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | 0 | |
| N07.0Hereditary nephropathy, not elsewhere classified with minor glomerular abnormalityDiagnosisICD-10-CMN07.1Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesionsDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | N06.9 | | 0 | |
| N07.1Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesionsDiagnosisICD-10-CMN07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | 0 | |
| N07.2Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritisDiagnosisICD-10-CMN07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | 0 | |
| N07.3Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritisDiagnosisICD-10-CMN07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CM | | | 0 | |
| N07.4Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritisDiagnosisICD-10-CMN07.5Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritisDiagnosisICD-10-CM | | | 0 | |
| N07.5 Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis Diagnosis ICD-10-CM | | | 0 | |
| | N07.4 | | 0 | ICD-10-CM |
| N07.6 Hereditary nephropathy, not elsewhere classified with dense deposit disease Diagnosis ICD-10-CM | N07.5 | | Diagnosis | ICD-10-CM |
| | N07.6 | Hereditary nephropathy, not elsewhere classified with dense deposit disease | Diagnosis | ICD-10-CM |



| | Code | | | |
|----------------|---|-----------|-----------|--|
| Code | Description | Category | Code Type | |
| N07.7 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM | |
| N07.8 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions | Diagnosis | ICD-10-CM | |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions | Diagnosis | ICD-10-CM | |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis | Diagnosis | ICD-10-CM | |
| N08 | Glomerular disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM | |
| N13.1 | Hydronephrosis with ureteral stricture, not elsewhere classified | Diagnosis | ICD-10-CM | |
| N13.2 | Hydronephrosis with renal and ureteral calculous obstruction | Diagnosis | ICD-10-CM | |
| N13.30 | Unspecified hydronephrosis | Diagnosis | ICD-10-CM | |
| N13.39 | Other hydronephrosis | Diagnosis | ICD-10-CM | |
| N14.0 | Analgesic nephropathy | Diagnosis | ICD-10-CM | |
| N14.1 | Nephropathy induced by other drugs, medicaments and biological substances | Diagnosis | ICD-10-CM | |
| N14.2 | Nephropathy induced by unspecified drug, medicament or biological substance | Diagnosis | ICD-10-CM | |
| N14.3 | Nephropathy induced by heavy metals | Diagnosis | ICD-10-CM | |
| N14.4 | Toxic nephropathy, not elsewhere classified | Diagnosis | ICD-10-CM | |
| N15.0 | Balkan nephropathy | Diagnosis | ICD-10-CM | |
| N15.8 | Other specified renal tubulo-interstitial diseases | Diagnosis | ICD-10-CM | |
| N15.9 | Renal tubulo-interstitial disease, unspecified | Diagnosis | ICD-10-CM | |
| N16 | Renal tubulo-interstitial disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM | |
| N17.0 | Acute kidney failure with tubular necrosis | Diagnosis | ICD-10-CM | |
| N17.1 | Acute kidney failure with acute cortical necrosis | Diagnosis | ICD-10-CM | |
| N17.2 | Acute kidney failure with medullary necrosis | Diagnosis | ICD-10-CM | |
| N17.8 | Other acute kidney failure | Diagnosis | ICD-10-CM | |
| N17.9 | Acute kidney failure, unspecified | Diagnosis | ICD-10-CM | |
| N18.1 | Chronic kidney disease, stage 1 | Diagnosis | ICD-10-CM | |
| N18.2 | Chronic kidney disease, stage 2 (mild) | Diagnosis | ICD-10-CM | |
| N18.3 | Chronic kidney disease, stage 3 (moderate) | Diagnosis | ICD-10-CM | |
| N18.30 | Chronic kidney disease, stage 3 unspecified | Diagnosis | ICD-10-CM | |
| N18.30 | Chronic kidney disease, stage 3a | Diagnosis | ICD-10-CM | |
| N18.31 | Chronic kidney disease, stage 3b | Diagnosis | ICD-10-CM | |
| N18.32 | Chronic kidney disease, stage 4 (severe) | Diagnosis | ICD-10-CM | |
| N18.4 N18.5 | Chronic kidney disease, stage 5 | Diagnosis | ICD-10-CM | |
| N18.6 | End stage renal disease | Diagnosis | ICD-10-CM | |
| | Chronic kidney disease, unspecified | Diagnosis | ICD-10-CM | |
| N18.9 | Unspecified kidney failure | Diagnosis | ICD-10-CM | |
| N19 | Renal osteodystrophy | Diagnosis | ICD-10-CM | |
| N25.0 | Nephrogenic diabetes insipidus | - | | |
| N25.1 | Secondary hyperparathyroidism of renal origin | | ICD-10-CM | |
| N25.81 | Other disorders resulting from impaired renal tubular function | Diagnosis | ICD-10-CM | |
| N25.89 | | Diagnosis | ICD-10-CM | |
| N25.9 | Disorder resulting from impaired renal tubular function, unspecified | Diagnosis | ICD-10-CM | |
| N26.1 | Atrophy of kidney (terminal) | Diagnosis | ICD-10-CM | |
| N26.9 | Renal sclerosis, unspecified | Diagnosis | ICD-10-CM | |
| Q61.02 | Congenital multiple renal cysts | Diagnosis | ICD-10-CM | |
| Q61.11 | Cystic dilatation of collecting ducts | Diagnosis | ICD-10-CM | |
| Q61.19 | Other polycystic kidney, infantile type | Diagnosis | ICD-10-CM | |
| Q61.2 | Polycystic kidney, adult type | Diagnosis | ICD-10-CM | |
| Q61.3 | Polycystic kidney, unspecified | Diagnosis | ICD-10-CM | |
| Q61.4 | Renal dysplasia | Diagnosis | ICD-10-CM | |
| Q61.5 | Medullary cystic kidney | Diagnosis | ICD-10-CM | |
| Q61.8 | Other cystic kidney diseases | Diagnosis | ICD-10-CM | |
| | | | | |



| | | Code | |
|---------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| Q62.0 | Congenital hydronephrosis | Diagnosis | ICD-10-CM |
| Q62.10 | Congenital occlusion of ureter, unspecified | Diagnosis | ICD-10-CM |
| Q62.11 | Congenital occlusion of ureteropelvic junction | Diagnosis | ICD-10-CM |
| Q62.12 | Congenital occlusion of ureterovesical orifice | Diagnosis | ICD-10-CM |
| Q62.2 | Congenital megaureter | Diagnosis | ICD-10-CM |
| Q62.31 | Congenital ureterocele, orthotopic | Diagnosis | ICD-10-CM |
| Q62.32 | Cecoureterocele | Diagnosis | ICD-10-CM |
| Q62.39 | Other obstructive defects of renal pelvis and ureter | Diagnosis | ICD-10-CM |
| R94.4 | Abnormal results of kidney function studies | Diagnosis | ICD-10-CM |
| | Colorectal Cancer | | |
| C18.0 | Malignant neoplasm of cecum | Diagnosis | ICD-10-CM |
| C18.1 | Malignant neoplasm of appendix | Diagnosis | ICD-10-CM |
| C18.2 | Malignant neoplasm of ascending colon | Diagnosis | ICD-10-CM |
| C18.3 | Malignant neoplasm of hepatic flexure | Diagnosis | ICD-10-CM |
| C18.4 | Malignant neoplasm of transverse colon | Diagnosis | ICD-10-CM |
| C18.5 | Malignant neoplasm of splenic flexure | Diagnosis | ICD-10-CM |
| C18.6 | Malignant neoplasm of descending colon | Diagnosis | ICD-10-CM |
| C18.7 | Malignant neoplasm of sigmoid colon | Diagnosis | ICD-10-CM |
| C18.8 | Malignant neoplasm of overlapping sites of colon | Diagnosis | ICD-10-CM |
| C18.9 | Malignant neoplasm of colon, unspecified | Diagnosis | ICD-10-CM |
| C19 | Malignant neoplasm of rectosigmoid junction | Diagnosis | ICD-10-CM |
| C20 | Malignant neoplasm of rectum | Diagnosis | ICD-10-CM |
| D01.0 | Carcinoma in situ of colon | Diagnosis | ICD-10-CM |
| D01.1 | Carcinoma in situ of rectosigmoid junction | Diagnosis | ICD-10-CM |
| D01.2 | Carcinoma in situ of rectum | Diagnosis | ICD-10-CM |
| Z85.038 | Personal history of other malignant neoplasm of large intestine | Diagnosis | ICD-10-CM |
| Z85.040 | Personal history of malignant carcinoid tumor of rectum | Diagnosis | ICD-10-CM |
| Z85.048 | Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus | Diagnosis | ICD-10-CM |
| | Lung Cancer | | |
| C34.00 | Malignant neoplasm of unspecified main bronchus | Diagnosis | ICD-10-CM |
| C34.01 | Malignant neoplasm of right main bronchus | Diagnosis | ICD-10-CM |
| C34.02 | Malignant neoplasm of left main bronchus | Diagnosis | ICD-10-CM |
| C34.10 | Malignant neoplasm of upper lobe, unspecified bronchus or lung | Diagnosis | ICD-10-CM |
| C34.11 | Malignant neoplasm of upper lobe, right bronchus or lung | Diagnosis | ICD-10-CM |
| C34.12 | Malignant neoplasm of upper lobe, left bronchus or lung | Diagnosis | ICD-10-CM |
| C34.2 | Malignant neoplasm of middle lobe, bronchus or lung | Diagnosis | ICD-10-CM |
| C34.30 | Malignant neoplasm of lower lobe, unspecified bronchus or lung | Diagnosis | ICD-10-CM |
| C34.31 | Malignant neoplasm of lower lobe, right bronchus or lung | Diagnosis | ICD-10-CM |
| C34.32 | Malignant neoplasm of lower lobe, left bronchus or lung | Diagnosis | ICD-10-CM |
| C34.80 | Malignant neoplasm of overlapping sites of unspecified bronchus and lung | Diagnosis | ICD-10-CM |
| C34.81 | Malignant neoplasm of overlapping sites of right bronchus and lung | Diagnosis | ICD-10-CM |
| C34.82 | Malignant neoplasm of overlapping sites of left bronchus and lung | Diagnosis | ICD-10-CM |
| C34.90 | Malignant neoplasm of unspecified part of unspecified bronchus or lung | Diagnosis | ICD-10-CM |
| C34.91 | Malignant neoplasm of unspecified part of right bronchus or lung | Diagnosis | ICD-10-CM |
| C34.92 | Malignant neoplasm of unspecified part of left bronchus or lung | Diagnosis | ICD-10-CM |
| D02.20 | Carcinoma in situ of unspecified bronchus and lung | Diagnosis | ICD-10-CM |
| D02.21 | Carcinoma in situ of right bronchus and lung | Diagnosis | ICD-10-CM |
| D02.22 | Carcinoma in situ of left bronchus and lung | Diagnosis | ICD-10-CM |
| Z85.110 | Personal history of malignant carcinoid tumor of bronchus and lung | Diagnosis | ICD-10-CM |
| | | 5 | |



| | | Code | |
|--------------------|---|------------------------|------------------------|
| Code | Description | Category | Code Type |
| Z85.118 | Personal history of other malignant neoplasm of bronchus and lung | Diagnosis | ICD-10-CM |
| | Breast Cancer | | |
| C50.011 | Malignant neoplasm of nipple and areola, right female breast | Diagnosis | ICD-10-CM |
| C50.012 | Malignant neoplasm of nipple and areola, left female breast | Diagnosis | ICD-10-CM |
| C50.019 | Malignant neoplasm of nipple and areola, unspecified female breast | Diagnosis | ICD-10-CM |
| C50.021 | Malignant neoplasm of nipple and areola, right male breast | Diagnosis | ICD-10-CM |
| C50.022 | Malignant neoplasm of nipple and areola, left male breast | Diagnosis | ICD-10-CM |
| C50.029 | Malignant neoplasm of nipple and areola, unspecified male breast | Diagnosis | ICD-10-CM |
| C50.111 | Malignant neoplasm of central portion of right female breast | Diagnosis | ICD-10-CM |
| C50.112 | Malignant neoplasm of central portion of left female breast | Diagnosis | ICD-10-CM |
| C50.119 | Malignant neoplasm of central portion of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.121 | Malignant neoplasm of central portion of right male breast | Diagnosis | ICD-10-CM |
| C50.122 | Malignant neoplasm of central portion of left male breast | Diagnosis | ICD-10-CM |
| C50.129 | Malignant neoplasm of central portion of unspecified male breast | Diagnosis | ICD-10-CM |
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50.219 | Malignant neoplasm of upper-inner quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.221 | Malignant neoplasm of upper-inner quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50.222 | Malignant neoplasm of upper-inner quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50.229 | Malignant neoplasm of upper-inner quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C50.311 | Malignant neoplasm of lower-inner quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50.312 | Malignant neoplasm of lower-inner quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50.319 | Malignant neoplasm of lower-inner quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.321 | Malignant neoplasm of lower-inner quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50.322 | Malignant neoplasm of lower-inner quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50.329 | Malignant neoplasm of lower-inner quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C50.411 | Malignant neoplasm of upper-outer quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50.412 | Malignant neoplasm of upper-outer quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50.419 | Malignant neoplasm of upper-outer quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.421 | Malignant neoplasm of upper-outer quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50.422 | Malignant neoplasm of upper-outer quadrant of left male breast Malignant neoplasm of upper-outer quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C50.429 | Malignant neoplasm of lower-outer quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50.511 | Malignant neoplasm of lower-outer quadrant of left female breast | Diagnosis | ICD-10-CM ICD-10-CM |
| C50.512 C50.519 | Malignant neoplasm of lower-outer quadrant of unspecified female breast | Diagnosis Diagnosis | ICD-10-CIVI |
| | Malignant neoplasm of lower-outer quadrant of right male breast | - | ICD-10-CM |
| C50.521 C50.522 | Malignant neoplasm of lower-outer quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50.522 | Malignant neoplasm of lower-outer quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C50.529 | Malignant neoplasm of axillary tail of right female breast | Diagnosis | ICD-10-CM |
| C50.611 | Malignant neoplasm of axillary tail of left female breast | Diagnosis | ICD-10-CM |
| C50.612 | Malignant neoplasm of axillary tail of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.621 | Malignant neoplasm of axillary tail of right male breast | Diagnosis | ICD-10-CM |
| C50.621 | Malignant neoplasm of axillary tail of left male breast | Diagnosis | ICD-10-CM |
| C50.622 | Malignant neoplasm of axillary tail of unspecified male breast | Diagnosis | ICD-10-CM |
| C50.029 | Malignant neoplasm of overlapping sites of right female breast | Diagnosis | ICD-10-CM |
| C50.811 | Malignant neoplasm of overlapping sites of left female breast | Diagnosis | ICD-10-CM |
| C50.812 C50.819 | Malignant neoplasm of overlapping sites of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.819 | Malignant neoplasm of overlapping sites of right male breast | Diagnosis | ICD-10-CM |
| C50.821 | Malignant neoplasm of overlapping sites of left male breast | Diagnosis | ICD-10-CM |
| CJ0.022 | | Diagnosis | |



| CodeDescriptionCategorCode TypeC50.829Malignant neoplasm of ourspecified site of inght female breastDiagnosisICD-10-CMC50.911Malignant neoplasm of unspecified site of inght female breastDiagnosisICD-10-CMC50.922Malignant neoplasm of unspecified site of inght female breastDiagnosisICD-10-CMC50.923Malignant neoplasm of unspecified site of unspecified female breastDiagnosisICD-10-CMC50.924Malignant neoplasm of unspecified site of unspecified male breastDiagnosisICD-10-CMC50.925Malignant neoplasm of unspecified site of unspecified male breastDiagnosisICD-10-CMC50.926Lobular carcinoma in situ of inght breastDiagnosisICD-10-CMD50.911Lobular carcinoma in situ of inght breastDiagnosisICD-10-CMD51.911Intraductal carcinoma in situ of inght breastDiagnosisICD-10-CMD51.911Intraductal carcinoma in situ of inght breastDiagnosisICD-10-CMD51.911Intraductal carcinoma in situ of inght breastDiagnosisICD-10-CMD51.921Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD522Unterspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD530Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD531Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD532Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CM< | | | Code | |
|--|---------|---|-----------|-----------|
| C50.311 Mailgrant neoplasm of unspecified site of right female breast Diagnosis ICD-10-CM C50.312 Mailgrant neoplasm of unspecified site of inspecified female breast Diagnosis ICD-10-CM C50.312 Mailgrant neoplasm of unspecified site of inspecified male breast Diagnosis ICD-10-CM C50.322 Mailgrant neoplasm of unspecified site of unspecified male breast Diagnosis ICD-10-CM C50.322 Mailgrant neoplasm of unspecified breast Diagnosis ICD-10-CM D50.01 Lobular carcinoma in situ of right breast Diagnosis ICD-10-CM D51.11 Intraductal carcinoma in situ of right breast Diagnosis ICD-10-CM D51.11 Intraductal carcinoma in situ of right breast Diagnosis ICD-10-CM D51.21 Intraductal carcinoma in situ of right breast Diagnosis ICD-10-CM D53.20 Other specified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D53.20 Other specified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D53.20 Unspecified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D53.20 Unspecified type of carcinoma in situ of right breast | Code | Description | | Code Type |
| C50.121 Maignant neoplasm of unspecified site of right male breast Diagnosis CD-10-CM C50.21 Maignant neoplasm of unspecified site of right male breast Diagnosis CD-10-CM C50.22 Maignant neoplasm of unspecified site of right male breast Diagnosis CD-10-CM C50.22 Maignant neoplasm of unspecified site of right male breast Diagnosis CD-10-CM C50.22 Maignant neoplasm of unspecified breast Diagnosis CD-10-CM D50.01 Lobular carcinoma in situ of right breast Diagnosis CD-10-CM D51.1 Intraductal carcinoma in situ of right breast Diagnosis CD-10-CM D51.2 Intraductal carcinoma in situ of right breast Diagnosis CD-10-CM D53.8 Other specified type of carcinoma in situ of right breast Diagnosis CD-10-CM D55.8 Other specified type of carcinoma in situ of right breast Diagnosis CD-10-CM D55.9 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D55.9 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D55.9 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D55.9 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM | C50.829 | Malignant neoplasm of overlapping sites of unspecified male breast | Diagnosis | ICD-10-CM |
| CSD.119 Malignant neoplasm of unspecified site of unspecified fremale breast Diagnosis ICD-10-CM CSD.221 Malignant neoplasm of unspecified site of unspecified male breast Diagnosis ICD-10-CM CSD.225 Malignant neoplasm of unspecified site of unspecified male breast Diagnosis ICD-10-CM CSD.225 Malignant neoplasm of unspecified breast Diagnosis ICD-10-CM DD5.01 Lobular carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.12 Intraductal carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.11 Intraductal carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.22 Other specified type of carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.30 Other specified type of carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.30 Other specified type of carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.30 Unspecified type of carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.31 Unspecified type of carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.31 Unspecified type of carcinoma in situ of night breast Diagnosis ICD-10-CM DD5.31 Unspecified type of carcinoma in situ of night breast Diag | C50.911 | Malignant neoplasm of unspecified site of right female breast | Diagnosis | ICD-10-CM |
| C50.21 Malignant neoplasm of unspecified site of right male breast Diagnosis ICD-10-CM C50.222 Malignant neoplasm of unspecified site of unspecified male breast Diagnosis ICD-10-CM D05.01 Lobular carcinoms in situ of input breast Diagnosis ICD-10-CM D05.01 Lobular carcinoms in situ of right breast Diagnosis ICD-10-CM D05.11 Intraductal carcinoma in situ of right breast Diagnosis ICD-10-CM D05.10 Intraductal carcinoma in situ of unspecified breast Diagnosis ICD-10-CM D05.11 Intraductal carcinoma in situ of inspecified breast Diagnosis ICD-10-CM D05.80 Other specified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D05.80 Unspecified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D05.80 Unspecified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D05.91 Unspecified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D05.91 Unspecified type of carcinoma in situ of right breast Diagnosis ICD-10-CM D05.91 Unspecified type of carcinoma in situ of right breast Diagnosis | C50.912 | Malignant neoplasm of unspecified site of left female breast | Diagnosis | ICD-10-CM |
| C50.922 Malignant neoplasm of unspecified site of left male breast Diagnosis CD-10-CM C50.929 Malignant neoplasm of unspecified breast Diagnosis CD-10-CM D05.01 Lobular carcinoms in situ of inght breast Diagnosis CD-10-CM D05.11 Intraductal carcinoma in situ of unspecified breast Diagnosis CD-10-CM D05.12 Intraductal carcinoma in situ of right breast Diagnosis CD-10-CM D05.11 Intraductal carcinoma in situ of right breast Diagnosis CD-10-CM D05.81 Other specified type of carcinoma in situ of specified breast Diagnosis CD-10-CM D05.92 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D05.92 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D05.92 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D05.92 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D05.92 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM D05.92 Unspecified type of carcinoma in situ of right breast Diagnosis CD-10-CM < | C50.919 | Malignant neoplasm of unspecified site of unspecified female breast | Diagnosis | ICD-10-CM |
| C50.22Malignant neoplasm of unspecified site of unspecified male breastDiagnosisCC 10-CMD05.00Lobular carcinoma in situ of night breastDiagnosisICD-10-CMD05.11Lobular carcinoma in situ of right breastDiagnosisICD-10-CMD05.12Lobular carcinoma in situ of right breastDiagnosisICD-10-CMD05.11Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.12Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.28Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.80Uther specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.93Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD75Carcinoma in situ of prostateDiagnosisICD-10-CMD75Carcinoma in situ of prostateDiagnosisICD-10-CMD75Carcinoma in situ of prostateDiagnosisICD-10-CMD75Carcinoma in situ of prostateDiagnosisICD-10-CMD75Carcinoma in situ of prostateDiagnosisICD-10-CMD7 | C50.921 | Malignant neoplasm of unspecified site of right male breast | Diagnosis | ICD-10-CM |
| C50.22Malignant neoplasm of unspecified site of unspecified male breastDiagnoisICD-10-CMD05.00Lobular carcinoma in situ of right breastDiagnoisICD-10-CMD05.01Lobular carcinoma in situ of right breastDiagnoisICD-10-CMD05.10Intraductal carcinoma in situ of right breastDiagnoisICD-10-CMD05.11Intraductal carcinoma in situ of right breastDiagnoisICD-10-CMD05.12Intraductal carcinoma in situ of right breastDiagnoisICD-10-CMD05.80Other specified type of carcinoma in situ of right breastDiagnoisICD-10-CMD05.81Other specified type of carcinoma in situ of right breastDiagnoisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnoisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnoisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnoisICD-10-CMD05.93Unspecified type of carcinoma in situ of right breastDiagnoisICD-10-CMD05.94Malignant neoplasm of breastDiagnoisICD-10-CMD05.92Unspecified type of prostateDiagnoisICD-10-CMD05.93Malignant neoplasm of prostateDiagnoisICD-10-CMD05.94Personal history of malignant neoplasm of prostateDiagnoisICD-10-CMD05.93Iron deficiency anemia secondary to blood loss (chronic)DiagnoisICD-10-CMD5.94Personal history of malignant neoplasm of prostateD | C50.922 | Malignant neoplasm of unspecified site of left male breast | Diagnosis | ICD-10-CM |
| DDS.11Lobular carcinoma in situ of right breastDiagnosisIC-D1-CMDDS.10Intraductal carcinoma in situ of neght breastDiagnosisIC-D1-CMDDS.11Intraductal carcinoma in situ of the breastDiagnosisIC-D1-CMDDS.20Other specified type of carcinoma in situ of the breastDiagnosisIC-D1-CMDDS.20Other specified type of carcinoma in situ of right breastDiagnosisIC-D1-CMDDS.20Other specified type of carcinoma in situ of right breastDiagnosisIC-D1-CMDDS.20Other specified type of carcinoma in situ of right breastDiagnosisIC-D1-CMDDS.20Unspecified type of carcinoma in situ of right breastDiagnosisIC-D1-CMDS.20Unspecified type of carcinoma in situ of right breastDiagnosisIC-D1-CMDS.20Trosenal history of malignant neoplasm of prostateDiagnosisIC-D1-CMDS.21Forsonal history of malignant neoplasm of prostateDiagnosisIC-D1-CMDS.21ron deficiency anemia secondary to blood loss (chronic)DiagnosisIC-D1-CMDS.21ron deficiency anemia secondary to blood loss (chronic)DiagnosisIC-D1-CMDS.21Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisIC-D1-CM <td>C50.929</td> <td>Malignant neoplasm of unspecified site of unspecified male breast</td> <td>Diagnosis</td> <td></td> | C50.929 | Malignant neoplasm of unspecified site of unspecified male breast | Diagnosis | |
| DS 10.Lobular carcinoma in situ of right breastDiagnosisIC-10-CMD05.02Lobular carcinoma in situ of left breastDiagnosisIC-10-CMD05.11Intraductal carcinoma in situ of fight breastDiagnosisIC-10-CMD05.22Intraductal carcinoma in situ of the breastDiagnosisIC-10-CMD05.33Other specified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.42Intraductal carcinoma in situ of right breastDiagnosisIC-10-CMD05.52Other specified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisIC-10-CMD05.92Carcinoma in situ of prostateDiagnosisIC-10-CMD05.92Carcinoma in situ of prostateDiagnosisIC-10-CMD05.92InservertNamenaDiagnosisIC-10-CMD05.92Carcinoma in situ of prostateDiagnosisIC-10-CMD05.93Iron deficiency anemia secondary to blood loss (chronic)DiagnosisIC-10-CMD05.01Sideropenic dysphagiaDiagnosisIC-10-CMD05.01Vitamin B1 | D05.00 | Lobular carcinoma in situ of unspecified breast | Diagnosis | ICD-10-CM |
| DS 5.2Iobular carcinoma in situ of left breastDiagnosisIC-D-10-CMD05.10Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.11Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.80Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.81Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.82Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of left breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of left breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Tunspecified type of prostateDiagnosisICD-10-CMD05.92Carcinoma in situ of prostateDiagnosisICD-10-CMD05.92Carcinoma in situ of prostateDiagnosisICD-10-CMD05.15Carcinoma in situ of prostateDiagnosisICD-10-CMD05.1Siftcorpenic dysphagiaDiagnosisICD-10-CMD05.1Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD11Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD12.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorpti | | Lobular carcinoma in situ of right breast | Diagnosis | ICD-10-CM |
| D05.11Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.12Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.80Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.82Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.90Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of prostateDiagnosisICD-10-CMD05.75Carcinoma in situ of prostateDiagnosisICD-10-CMD07.5Carcinoma in situ of prostateDiagnosisICD-10-CMD05.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD5.0Sideropenic dysphagiaDiagnosisICD-10-CMD5.0Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD5.1Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.2Transcobalamin II deficiency anemiaDiagnosisICD-10-CMD5.3Other detary vitamin B12 deficiency anemia< | D05.02 | Lobular carcinoma in situ of left breast | Diagnosis | |
| DDS.11Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.12Intraductal carcinoma in situ of right breastDiagnosisICD-10-CMD05.80Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.81Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD25.32Personal history of malignant neoplasm of breastDiagnosisICD-10-CMD25.5Carcinoma in situ of right breastDiagnosisICD-10-CMD25.5Carcinoma in situ of prostateDiagnosisICD-10-CMD25.6Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMD5.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD5.0Sideropenic dysphagiaDiagnosisICD-10-CMD5.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD5.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD5.1Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.1Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.2Transcobalamin II deficiencyDiagnos | D05.10 | Intraductal carcinoma in situ of unspecified breast | Diagnosis | ICD-10-CM |
| D05.12Intraductal carcinoma in situ of left breastDiagnosisICD-10-CMD05.80Other specified type of carcinoma in situ of inght breastDiagnosisICD-10-CMD05.81Other specified type of carcinoma in situ of inght breastDiagnosisICD-10-CMD05.92Other specified type of carcinoma in situ of inght breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of inght breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of inght breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of inght breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of inght breastDiagnosisICD-10-CMZ83.04Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMD07.5Carcinoma in situ of prostateDiagnosisICD-10-CMD05.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD5.0.0Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD5.0.0Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD5.1.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD5.1.2Transcobalamin II deficiency anemiaDiagnosisICD-10-CMD5.1.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.1.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CM <tr< td=""><td></td><td></td><td>-</td><td></td></tr<> | | | - | |
| D05.80Other specified type of carcinoma in situ of inspecified breastDiagnosisICD-10-CMD05.81Other specified type of carcinoma in situ of fight breastDiagnosisICD-10-CMD05.90Unspecified type of carcinoma in situ of the breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMZ85.3Personal history of malignant neoplasm of breastDiagnosisICD-10-CMD05.52Carcinoma in situ of right breastDiagnosisICD-10-CMZ85.4Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMD05.5Carcinoma in situ of prostateDiagnosisICD-10-CMD50.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.1Sideorpenic dyshagiaDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other riterian y deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other riterian y deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3 | | | - | |
| DDS.81Other specified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of left breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.93Unspecified type of carcinoma in situ of left breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of left breastDiagnosisICD-10-CMD05.93Carcinoma in situ of prostateDiagnosisICD-10-CMD05.5Carcinoma in situ of prostateDiagnosisICD-10-CMD05.5Carcinoma in situ of prostateDiagnosisICD-10-CMD5.00Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD5.01Sideropenic dysphagiaDiagnosisICD-10-CMD5.03Other iron deficiency anemia que to intrinsic factor deficiencyDiagnosisICD-10-CMD5.14Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD5.15Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.14Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.15Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.16Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.17Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD5.18Other vitamin B12 deficiency a | | Other specified type of carcinoma in situ of unspecified breast | - | |
| D05.82Other specified type of carcinoma in situ of left breastDiagnosisICD-10-CMD05.90Unspecified type of carcinoma in situ of unspecified breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of jeth breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of jeth breastDiagnosisICD-10-CMZ85.3Personal history of malignant neoplasm of breastDiagnosisICD-10-CMPostate CancerColspan="2">Colspan="2"Colspan="2"Colspa | | | - | |
| D05.90Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMD05.92Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CMZ85.3Personal history of malignant neoplasm of breastDiagnosisICD-10-CMCarcinoma in situ of prostateDiagnosisICD-10-CMAnemiaDiagnosisICD-10-CMAnemiaDiagnosisICD-10-CMState CancerDiagnosisICD-10-CMState CancerDiagnosisICD-10-CMState CancerDiagnosisICD-10-CMDiagnosisICD-10-CMState CancerDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10-CMDiagnosisICD-10- | | | - | |
| D05.91Unspecified type of carcinoma in situ of right breastDiagnosisICD-10-CM285.3Personal history of malignant neoplasm of breastDiagnosisICD-10-CM761Malignant neoplasm of prostateDiagnosisICD-10-CM285.46Personal history of malignant neoplasm of prostateDiagnosisICD-10-CM50.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CM50.1Sideropenic dysphagiaDiagnosisICD-10-CM50.0Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CM51.1Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CM51.2Transcobalamin II deficiency anemiaDiagnosisICD-10-CM51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CM51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CM51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CM51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CM52.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CM53.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CM51.9Vitamin B12 deficiency anemiaD | | | - | |
| D05.92Unspecified type of carcinoma in situ of left breastDiagnosisICD-10-CMZ85.3Personal history of malignant neoplasm of breastDiagnosisICD-10-CMProstate CancerC61Malignant neoplasm of prostateDiagnosisICD-10-CMD07.5Carcinoma in situ of prostateDiagnosisICD-10-CM283.46Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMD50.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.3Sideropenic dysphagiaDiagnosisICD-10-CMD50.4Urton deficiency anemia unspecifiedDiagnosisICD-10-CMD50.9Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other witamin B12 deficiency anemiaDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.0Dietar | | | - | |
| 285.3Personal history of malignant neoplasm of breastDiagnosisICD-10-CMProstate CancerC61Malignant neoplasm of prostateDiagnosisICD-10-CM285.46Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMD50.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.1Sideropenic dysphagiaDiagnosisICD-10-CMD50.9Iron deficiency anemiaDiagnosisICD-10-CMD50.9Iron deficiency anemia, unspecifiedDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.0Dietary folate deficiency anem | | | - | |
| Prostate Cancer C61 Malignant neoplasm of prostate Diagnosis ICD-10-CM D07.5 Carcinoma in situ of prostate Diagnosis ICD-10-CM D85.46 Personal history of malignant neoplasm of prostate Diagnosis ICD-10-CM D50.0 Iron deficiency anemia secondary to blood loss (chronic) Diagnosis ICD-10-CM D51.1 Sideropenic dysphagia Diagnosis ICD-10-CM D50.9 Iron deficiency anemia Diagnosis ICD-10-CM D51.1 Vitamin B12 deficiency anemia due to intrinsic factor deficiency Diagnosis ICD-10-CM D51.1 Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria Diagnosis ICD-10-CM D51.2 Transcobalamin II deficiency Diagnosis ICD-10-CM D51.3 Other vitamin B12 deficiency anemia Diagnosis ICD-10-CM D51.3 Other vitamin B12 deficiency anemia Diagnosis ICD-10-CM D51.4 Vitamin B12 deficiency anemia Diagnosis ICD-10-CM D52.9 Vitamin B12 deficiency anemia Diagnosis ICD-10-CM | | | - | |
| D07.5Carcinoma in situ of prostateDiagnosisICD-10-CMZ85.46Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMD50.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.1Sideropenic dysphagiaDiagnosisICD-10-CMD50.8Other iron deficiency anemiaDiagnosisICD-10-CMD50.9Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.6Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.7Folate deficiency anemiaDiagnosisICD-10-CMD52.8Other folate deficiency anemiaDiagnosisICD-10-CMD52.9Folate deficiency anemiaDiagnosisICD-10-CMD52.9Folate deficiency anemiaDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.0Protein deficiency anemia | 20010 | | | |
| 285.46Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMDS0.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.1Sideropenic dysphagiaDiagnosisICD-10-CMD50.8Other iron deficiency anemiasDiagnosisICD-10-CMD50.9Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other ditary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Folate deficiency anemiaDiagnosisICD-10-CMD52.3Other folate deficiency anemiaDiagnosisICD-10-CMD53.4Other deficiency anemiaDiagnosisICD-10-CMD53.5Folate deficiency anemiaDiagnosisICD-10-CM< | C61 | Malignant neoplasm of prostate | Diagnosis | ICD-10-CM |
| 285.46Personal history of malignant neoplasm of prostateDiagnosisICD-10-CMDS0.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.1Sideropenic dysphagiaDiagnosisICD-10-CMD50.8Other iron deficiency anemiasDiagnosisICD-10-CMD50.9Iron deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Folate deficiency anemiaDiagnosisICD-10-CMD53.3Other indeficiency anemiaDiagnosisICD-10-CMD53.4Other deficiency anemiaDiagnosisICD-10-CM <t< td=""><td>D07.5</td><td>Carcinoma in situ of prostate</td><td>Diagnosis</td><td>ICD-10-CM</td></t<> | D07.5 | Carcinoma in situ of prostate | Diagnosis | ICD-10-CM |
| D50.0Iron deficiency anemia secondary to blood loss (chronic)DiagnosisICD-10-CMD50.1Sideropenic dysphagiaDiagnosisICD-10-CMD50.8Other iron deficiency anemiasDiagnosisICD-10-CMD50.9Iron deficiency anemia unspecifiedDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.8Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.3Other folate deficiency anemiaDiagnosisICD-10-CMD52.4Other folate deficiency anemiaDiagnosisICD-10-CMD52.5Folate deficiency anemiaDiagnosisICD-10-CMD53.0Protein deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.4Other specifiedDiagnosisICD-10-CMD53.5Anemia due to o | Z85.46 | Personal history of malignant neoplasm of prostate | Diagnosis | ICD-10-CM |
| D50.1Sideropenic dysphagiaDiagnosisICD-10-CMD50.8Other iron deficiency anemia, unspecifiedDiagnosisICD-10-CMD50.9Iron deficiency anemia, unspecifiedDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiency anemiaDiagnosisICD-10-CMD51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Folate deficiency anemiaDiagnosisICD-10-CMD52.3Other rolate deficiency anemiaDiagnosisICD-10-CMD53.4Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.5Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD53.6Anemia due to other disorders of glycolytic enzymesDiagnosisICD-10-CMD53.7Anemia due to other disorders of glycolytic enzymesDiagnosisICD-10-CMD53.6Anemia due to other di | | | | |
| D50.8Other iron deficiency anemiasDiagnosisICD-10-CMD50.9Iron deficiency anemia, unspecifiedDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiency anemiaDiagnosisICD-10-CMD51.3Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.9Folate deficiency anemiaDiagnosisICD-10-CMD52.9Folate deficiency anemiaDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemias, unspecifiedDiagnosisICD-10-CMD53.9Nutritional anemias, unspecifiedDiagnosisICD-10-CMD53.9Nutritional anemias, unspecifiedDiagnosisICD-10-CMD53.0 <td< td=""><td>D50.0</td><td></td><td>Diagnosis</td><td>ICD-10-CM</td></td<> | D50.0 | | Diagnosis | ICD-10-CM |
| D50.9Iron deficiency anemia, unspecifiedDiagnosisICD-10-CMD51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.4Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.5Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemiaDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.3Other folate deficiency anemiaDiagnosisICD-10-CMD52.4Other folate deficiency anemiaDiagnosisICD-10-CMD52.5Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemia, unspecifiedDiagnosisICD-10-CMD53.3Other specified nutritional anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.4Other specified nutritional anemias, not elsewhere classified <td< td=""><td>D50.1</td><td></td><td>Diagnosis</td><td>ICD-10-CM</td></td<> | D50.1 | | Diagnosis | ICD-10-CM |
| D51.0Vitamin B12 deficiency anemia due to intrinsic factor deficiencyDiagnosisICD-10-CMD51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.8Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.3Other folate deficiency anemiaDiagnosisICD-10-CMD52.4Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.5Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemia, unspecifiedDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.4Other specified nutritional anemiasDiagnosisICD-10-CMD53.5Anemia due to other disorders of glucathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glucathione me | D50.8 | | Diagnosis | ICD-10-CM |
| D51.1Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuriaDiagnosisICD-10-CMD51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.8Other vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Polate deficiency anemiaDiagnosisICD-10-CMD52.3Other folate deficiency anemiaDiagnosisICD-10-CMD52.4Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.5Folate deficiency anemiaDiagnosisICD-10-CMD52.6Protein deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.4Other specified nutritional anemiasDiagnosisICD-10-CMD53.5Anemia due to other disorders of glucathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glucathione metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM< | D50.9 | | Diagnosis | ICD-10-CM |
| D51.2Transcobalamin II deficiencyDiagnosisICD-10-CMD51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.8Other vitamin B12 deficiency anemiasDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.2Other folate deficiency anemiaDiagnosisICD-10-CMD52.3Other folate deficiency anemiaDiagnosisICD-10-CMD52.4Other folate deficiency anemiaDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemia, ont elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.4Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD53.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glucolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM </td <td>D51.0</td> <td>Vitamin B12 deficiency anemia due to intrinsic factor deficiency</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | D51.0 | Vitamin B12 deficiency anemia due to intrinsic factor deficiency | Diagnosis | ICD-10-CM |
| D51.3Other dietary vitamin B12 deficiency anemiaDiagnosisICD-10-CMD51.8Other vitamin B12 deficiency anemiasDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.8Other folate deficiency anemiaDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.4Other specified nutritional anemiasDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glucathione metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D51.1 | Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria | Diagnosis | ICD-10-CM |
| D51.8Other vitamin B12 deficiency anemiasDiagnosisICD-10-CMD51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.8Other folate deficiency anemiasDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.4Other specified nutritional anemiasDiagnosisICD-10-CMD53.5Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glucathione metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D51.2 | Transcobalamin II deficiency | Diagnosis | ICD-10-CM |
| D51.9Vitamin B12 deficiency anemia, unspecifiedDiagnosisICD-10-CMD52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.8Other folate deficiency anemiasDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD53.9Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glucathione metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D51.3 | Other dietary vitamin B12 deficiency anemia | Diagnosis | ICD-10-CM |
| D52.0Dietary folate deficiency anemiaDiagnosisICD-10-CMD52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.8Other folate deficiency anemiasDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.3Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD53.9Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glucathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D51.8 | Other vitamin B12 deficiency anemias | Diagnosis | ICD-10-CM |
| D52.1Drug-induced folate deficiency anemiaDiagnosisICD-10-CMD52.8Other folate deficiency anemiasDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3ICD-10-CMDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D51.9 | | Diagnosis | ICD-10-CM |
| D52.8Other folate deficiency anemiasDiagnosisICD-10-CMD52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glucotic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3D55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D52.0 | Dietary folate deficiency anemia | Diagnosis | ICD-10-CM |
| D52.9Folate deficiency anemia, unspecifiedDiagnosisICD-10-CMD53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CMD55.3D55.3Icde to disorders of nucleotide metabolismDiagnosisICD-10-CM | D52.1 | Drug-induced folate deficiency anemia | Diagnosis | ICD-10-CM |
| D53.0Protein deficiency anemiaDiagnosisICD-10-CMD53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D52.8 | Other folate deficiency anemias | Diagnosis | ICD-10-CM |
| D53.1Other megaloblastic anemias, not elsewhere classifiedDiagnosisICD-10-CMD53.2Scorbutic anemiaDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D52.9 | Folate deficiency anemia, unspecified | Diagnosis | ICD-10-CM |
| D53.2Scorbutic anemiaDiagnosisICD-10-CMD53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D53.0 | Protein deficiency anemia | Diagnosis | ICD-10-CM |
| D53.8Other specified nutritional anemiasDiagnosisICD-10-CMD53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D53.1 | Other megaloblastic anemias, not elsewhere classified | Diagnosis | ICD-10-CM |
| D53.9Nutritional anemia, unspecifiedDiagnosisICD-10-CMD55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D53.2 | Scorbutic anemia | Diagnosis | ICD-10-CM |
| D55.0Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiencyDiagnosisICD-10-CMD55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D53.8 | Other specified nutritional anemias | Diagnosis | ICD-10-CM |
| D55.1Anemia due to other disorders of glutathione metabolismDiagnosisICD-10-CMD55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D53.9 | Nutritional anemia, unspecified | Diagnosis | ICD-10-CM |
| D55.2Anemia due to disorders of glycolytic enzymesDiagnosisICD-10-CMD55.3Anemia due to disorders of nucleotide metabolismDiagnosisICD-10-CM | D55.0 | Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency | Diagnosis | ICD-10-CM |
| D55.3 Anemia due to disorders of nucleotide metabolism Diagnosis ICD-10-CM | D55.1 | Anemia due to other disorders of glutathione metabolism | Diagnosis | ICD-10-CM |
| | D55.2 | Anemia due to disorders of glycolytic enzymes | Diagnosis | ICD-10-CM |
| D55.8 Other anemias due to enzyme disorders Diagnosis ICD-10-CM | D55.3 | Anemia due to disorders of nucleotide metabolism | Diagnosis | ICD-10-CM |
| | D55.8 | Other anemias due to enzyme disorders | Diagnosis | ICD-10-CM |



| CodeDescriptionCategoryCode TypeD55.9Anemia due to enzyme disorder, unspecifiedDiagnosisICD-10-CMD56.0Alph thalassemiaDiagnosisICD-10-CMD56.1Beta thalassemiaDiagnosisICD-10-CMD56.2Deta-beta thalassemiaDiagnosisICD-10-CMD56.3Thalassemia minorDiagnosisICD-10-CMD56.4Hereditary persitence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMD56.5Hernoglobin F-beta thalassemiaDiagnosisICD-10-CMD56.6Hereditary persitence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMD56.8Other HalassemiaDiagnosisICD-10-CMD57.0Hb-S5 disease with citis, unspecifiedDiagnosisICD-10-CMD57.0Hb-S5 disease with citis, unspecifiedDiagnosisICD-10-CMD57.0Hb-S5 disease with citis with other specified complicationDiagnosisICD-10-CMD57.0Si disease with citis with other specified complicationDiagnosisICD-10-CMD57.1Sickle-cell/Hb-C disease with citis, unspecified complicationDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with citis, unspecified complicationDiagnosisICD-10 | | | Code | |
|--|---------|---|-----------|-----------|
| D56.0Alpha thalassemiaDiagnosisICD-10-CMD56.1Beta-bata thalassemiaDiagnosisICD-10-CMD56.3Thalassemia minorDiagnosisICD-10-CMD56.4Herndglobin E-beta thalassemiaDiagnosisICD-10-CMD56.5Herndglobin E-beta thalassemiaDiagnosisICD-10-CMD56.6Herndglobin E-beta thalassemiaDiagnosisICD-10-CMD56.7Thalassemia, unspecifiedDiagnosisICD-10-CMD57.01Hb-SS disease with rotis, unspecifiedDiagnosisICD-10-CMD57.01Hb-SS disease with rotis, unspecifiedDiagnosisICD-10-CMD57.02Hb-SS disease with rotis, unspecified complicationDiagnosisICD-10-CMD57.03Hb-SS disease with rotiers pecified complicationDiagnosisICD-10-CMD57.04Hb-SS disease with rotiers pecified complicationDiagnosisICD-10-CMD57.05Sicke-cell/Hb-C disease with rotiers unspecified complicationDiagnosisICD-10-CMD57.12Sicke-cell/Hb-C disease with rotiers unspecified complicationDiagnosisICD-10-CMD57.13Sicke-cell/Hb-C disease with rotis unspecified complicationDiagnosisICD-10-CMD57.14Sicke-cell/Hb-C disease with rotis with other specified complicationDiagnosisICD-10-CMD57.13Sicke-cell/Hb-C disease with rotis with other specified complicationDiagnosisICD-10-CMD57.14Sicke-cell/Hb-C disease with rotis with other specified complicationDiagnosisICD-10-CMD57.15Sicke- | Code | Description | | Code Type |
| DS:1Beta thalassemiaDiagnosisICD-10-CMDS:2Delta-beta thalassemiaDiagnosisICD-10-CMDS:4Hereditary persistence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMDS:5Heroglobin E-beta thalassemiaDiagnosisICD-10-CMDS:6Heroglobin E-beta thalassemiaDiagnosisICD-10-CMDS:6Heroglobin E-beta thalassemiaDiagnosisICD-10-CMDS:6Heroglobin E-beta thalassemiaDiagnosisICD-10-CMDS:70Hb-SS disease with crisis, unspecifiedDiagnosisICD-10-CMDS:71Hb-SS disease with acute chets syndromeDiagnosisICD-10-CMDS:70Hb-SS disease with acute chets syndromeDiagnosisICD-10-CMDS:71Sickle-cell/Hb-C disease with acute chets syndromeDiagnosisICD | D55.9 | Anemia due to enzyme disorder, unspecified | Diagnosis | ICD-10-CM |
| D55.2Delta-beta thalassemiaDiagnosisICD-10-CMD56.3Thalassemia minoriDiagnosisICD-10-CMD56.4Heredlary persistence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMD56.5Heredlary persistence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMD56.6Thalassemia, unspecifiedDiagnosisICD-10-CMD57.0Hb-SS disease with rois, unspecifiedDiagnosisICD-10-CMD57.01Hb-SS disease with rois, unspecifiedDiagnosisICD-10-CMD57.02Hb-SS disease with cerebral vascular involvementDiagnosisICD-10-CMD57.03Hb-SS disease with cerebral vascular involvementDiagnosisICD-10-CMD57.04Hb-SS disease with cerebral vascular involvementDiagnosisICD-10-CMD57.13Sickle-cell/Hb-C disease with otter specified complicationDiagnosisICD-10-CMD57.13Sickle-cell/Hb-C disease with cerebral vascular involvementDiagnosisICD-10-CMD57.13Sickle-cell/Hb-C disease with cerebral vascular involvementDiagnosisICD-10-CMD57.14Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMD57.13Sickle-cell/Hb-C disease with actes thert syndromeDiagnosisICD-10-CMD57.14Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMD57.15Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.14Sickle-cell/Hb-C disease with crisis with other spec | D56.0 | Alpha thalassemia | Diagnosis | ICD-10-CM |
| D56.3Thalassemia minorDiagnosisICD-10-CMD56.4Hereditary persistence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMD56.5Heroditoria Deta thalassemiaDiagnosisICD-10-CMD56.6Other thalassemia, supperfiedDiagnosisICD-10-CMD57.0Hb-SS disease with acite chest syndromeDiagnosisICD-10-CMD57.01Hb-SS disease with splenic sequestrationDiagnosisICD-10-CMD57.02Hb-SS disease with splenic sequestrationDiagnosisICD-10-CMD57.03Hb-SS disease with splenic sequestrationDiagnosisICD-10-CMD57.04Hb-SS disease with splenic sequestrationDiagnosisICD-10-CMD57.05Sickie-eel/Hb-C disease without crisisDiagnosisICD-10-CMD57.11Sickie-eel/Hb-C disease without crisisDiagnosisICD-10-CMD57.12Sickie-eel/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.13Sickie-eel/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.14Sickie-eel/Hb-C disease with acute visuou involvementDiagnosisICD-10-CMD57.15Sickie-eel/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.14Sickie-eel/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.15Sickie-eel/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.14Sickie-eel/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.14Sickie-eel/Halassemia, unspecifie | D56.1 | Beta thalassemia | Diagnosis | ICD-10-CM |
| Dp6.4Hereditary persistence of fetal hemoglobin [HPFH]DiagnosisICD-10-CMDp6.5Hemoglobin E-beta thalassemiaDiagnosisICD-10-CMDp6.8Other thalassemiaDiagnosisICD-10-CMDp7.00Hb-SS disease with crisis, unspecifiedDiagnosisICD-10-CMDp7.01Hb-SS disease with crisis, unspecifiedDiagnosisICD-10-CMDp7.01Hb-SS disease with crisis, unspecifiedDiagnosisICD-10-CMDp7.03Hb-SS disease with crisis with other specified complicationDiagnosisICD-10-CMDp7.03Hb-SS disease with crisis with other specified complicationDiagnosisICD-10-CMDp7.13Sickle-cell/Hb-C disease with out crisisDiagnosisICD-10-CMDp7.12Sickle-cell/Hb-C disease with out crisisDiagnosisICD-10-CMDp7.13Sickle-cell/Hb-C disease with out crisisDiagnosisICD-10-CMDp7.14Sickle-cell/Hb-C disease with crisis unspecified complicationDiagnosisICD-10-CMDp7.13Sickle-cell/Hb-C disease with crisis, unspecifiedDiagnosisICD-10-CMDp7.14Sickle-cell traltDiagnosisICD-10-CMDp7.15Sickle-cell traltDiagnosisICD-10-CMDp7.14Sickle-cell traltDiagnosisICD-10-CMDp7.14Sickle-cell tralassemia, unspecified, with actue chest syndromeDiagnosisICD-10-CMDp7.14Sickle-cell tralassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMDp7.14Sickle-cell thalassemi | D56.2 | Delta-beta thalassemia | Diagnosis | ICD-10-CM |
| D56.5Hemoglobin E-beta thalassemiaDiagnosisCD-10-CMD56.8Other thalassemia, unspecifiedDiagnosisCD-10-CMD57.00Hb-SS disease with crisis, unspecifiedDiagnosisCD-10-CMD57.01Hb-SS disease with acute chest syndromeDiagnosisCD-10-CMD57.02Hb-SS disease with acute chest syndromeDiagnosisCD-10-CMD57.03Hb-SS disease with crisis with other specified complicationDiagnosisCD-10-CMD57.03Hb-SS disease with crisis with other specified complicationDiagnosisCD-10-CMD57.03Sickle-cell disease with crisisDiagnosisCD-10-CMD57.11Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisCD-10-CMD57.12Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisCD-10-CMD57.13Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisCD-10-CMD57.14Sickle-cell/Hb-C disease with specified complicationDiagnosisCD-10-CMD57.15Sickle-cell thalissemia, unspecified, with acute chest syndromeDiagnosisCD-10-CMD57.14Sickle-cell thalissemia, unspecified, with acute chest syndromeDiagnosisCD-10-CMD57.14 | D56.3 | Thalassemia minor | Diagnosis | ICD-10-CM |
| D56.8Other thalassemiasDiagnosisICD-10-CMD56.9Thalassemia, unspecifiedDiagnosisICD-10-CMD57.00Hb-SS disease with cruis, unspecifiedDiagnosisICD-10-CMD57.11Hb-SS disease with cruis, unspecifiedDiagnosisICD-10-CMD57.03Hb-SS disease with oreisn vancular involvementDiagnosisICD-10-CMD57.03Hb-SS disease with oreisn vancular involvementDiagnosisICD-10-CMD57.03Hb-SS disease without crisisDiagnosisICD-10-CMD57.13Sickle-cell disease without crisisDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease without crisisDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crisisDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crisisDiagnosisICD-10-CMD57.23Sickle-cell thaliassemia, unspecified, with acter baryndromeDiagnosisICD-10-CMD57.24Sickle-cell thaliassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CM | D56.4 | Hereditary persistence of fetal hemoglobin [HPFH] | Diagnosis | ICD-10-CM |
| D56.9Thalassemia, unspecifiedDiagnosisICD-10-CMD57.00Hb-S5 disease with crisis, unspecifiedDiagnosisICD-10-CMD57.01Hb-S5 disease with acute chest syndromeDiagnosisICD-10-CMD57.02Hb-S5 disease with acute chest syndromentDiagnosisICD-10-CMD57.03Hb-S5 disease with crisis with other specified complicationDiagnosisICD-10-CMD57.04Hb-S5 disease without crisisDiagnosisICD-10-CMD57.11Sickle-cell/Hb-C disease without crisisDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.214Sickle-cell thaliassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.213Sickle-cell thaliassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.234Sickle-cell thaliassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.243Sickle-cell thaliassemia beta zero with scite s | D56.5 | Hemoglobin E-beta thalassemia | Diagnosis | ICD-10-CM |
| DS7.00Hb-SS disease with crisis, unspecifiedDiagnosisICD-10-CMDS7.01Hb-SS disease with acute chest syndromeDiagnosisICD-10-CMDS7.02Hb-SS disease with orebral vascular involvementDiagnosisICD-10-CMDS7.03Hb-SS disease with orebral vascular involvementDiagnosisICD-10-CMDS7.04Hb-SS disease with ortisis with other specified complicationDiagnosisICD-10-CMDS7.05Sickle-cell/Hb-C disease without crisisDiagnosisICD-10-CMDS7.11Sickle-cell/Hb-C disease without crisisDiagnosisICD-10-CMDS7.212Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMDS7.213Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMDS7.214Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMDS7.215Sickle-cell/Hb-C disease with crisisDiagnosisICD-10-CMDS7.216Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMDS7.213Sickle-cell thalassemia, unspecified, with cure chest syndromeDiagnosisICD-10-CMDS7.214Sickle-cell thalassemia, unspecified, with cure chest syndromeDiagnosisICD-10-CMDS7.215Sickle-cell thalassemia, unspecified, with cure chest syndromeDiagnosisICD-10-CMDS7.214Sickle-cell thalassemia, unspecified, with cure chest syndromeDiagnosisICD-10-CMDS7.215Sickle-cell thalassemia beta zero with crisis with other specif | D56.8 | Other thalassemias | Diagnosis | ICD-10-CM |
| D57.00Hb-SS disease with acute chest syndromeDiagnosisICD-10-CMD57.01Hb-SS disease with acute chest syndromeDiagnosisICD-10-CMD57.02Hb-SS disease with cerboral vascular involvementDiagnosisICD-10-CMD57.03Hb-SS disease with ottersis with other specified complicationDiagnosisICD-10-CMD57.04Hb-SS disease with ottersis with other specified complicationDiagnosisICD-10-CMD57.05Sickle-cell/Hb-C disease without crisisDiagnosisICD-10-CMD57.11Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with crisisDiagnosisICD-10-CMD57.23Sickle-cell thaliassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.14Sickle-cell thaliassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.14Sickle-cell thaliassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.14Sickle-cell thaliassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.14Sickle-cell thaliassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57 | D56.9 | Thalassemia, unspecified | Diagnosis | ICD-10-CM |
| D57.01Hb SS disease with acute chest syndromeDiagnossiIC-10-CMD57.02Hb SS disease with splenic sequestrationDiagnossiIC-10-CMD57.03Hb SS disease with creibral vascular involvementDiagnossiIC-10-CMD57.04Sickle-cell disease with out crisisDiagnossiIC-10-CMD57.15Sickle-cell/Hb-C disease with out crisisDiagnossiIC-10-CMD57.11Sickle-cell/Hb-C disease with acute chest syndromeDiagnossiIC-10-CMD57.12Sickle-cell/Hb-C disease with acute chest syndromeDiagnossiIC-10-CMD57.13Sickle-cell/Hb-C disease with crebral vascular involvementDiagnossiIC-10-CMD57.14Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnossiIC-10-CMD57.13Sickle-cell trialDiagnossiIC-10-CMD57.14Sickle-cell trialsesemia, unspecified, with splenic sequestrationDiagnossiIC-10-CMD57.14Sickle-cell trialsesemia, unspecified, with splenic sequestrationDiagnossiIC-10-CMD57.14Sickle-cell thalassemia, unspecified, with splenic sequestrationDiagnossiIC-10-CMD57.14Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosiIC-10-CMD57.14Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosiIC-10-CMD57.14Sickle-cell thalassemia, unspecified, with cresis vardomeDiagnosiIC-10-CMD57.14Sickle-cell thalassemia beta zero with crisis with other specified | | Hb-SS disease with crisis, unspecified | 0 | |
| D57.02Hb-SS disease with splenic sequestrationDiagnossiICD-10-CMD57.03Hb-SS disease with cerebral vascular involvementDiagnossiICD-10-CMD57.14Sickle-cell disease without crisisDiagnossiICD-10-CMD57.15Sickle-cell/Hb-C disease without crisisDiagnossiICD-10-CMD57.14Sickle-cell/Hb-C disease without crisisDiagnossiICD-10-CMD57.12Sickle-cell/Hb-C disease with splenic sequestrationDiagnossiICD-10-CMD57.13Sickle-cell/Hb-C disease with crebral vascular involvementDiagnossiICD-10-CMD57.14Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnossiICD-10-CMD57.15Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnossiICD-10-CMD57.14Sickle-cell thalasemia, unspecified, with acute chest syndromeDiagnossiICD-10-CMD57.14Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnossiICD-10-CMD57.14Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnossiICD-10-CMD57.14Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnossiICD-10-CMD57.14Sickle-cell thalassemia, unspecified, with splenic sequestrationDiagnossiICD-10-CMD57.14Sickle-cell thalassemia beta zero with splenic sequestrationDiagnossiICD-10-CMD57.14Sickle-cell thalassemia beta zero with splenic sequestrationDiagnossiICD-10-CMD57.43Sickle-cell | | | 0 | |
| DS7.03Hb-SS disease with cerebral vascular involvementDiagnossiICD-10-CMDS7.00Hb-SS disease with criss with other specified complicationDiagnossiICD-10-CMDS7.20Sickle-cell /Hb-C disease without crisisDiagnossiICD-10-CMDS7.21Sickle-cell//Hb-C disease with acute chest syndromeDiagnossiICD-10-CMDS7.21Sickle-cell//Hb-C disease with acute chest syndromeDiagnossiICD-10-CMDS7.21Sickle-cell//Hb-C disease with crisis with other specified complicationDiagnossiICD-10-CMDS7.21Sickle-cell//Hb-C disease with crisis with other specified complicationDiagnossiICD-10-CMDS7.21Sickle-cell//Hb-C disease with crisis with other specified complicationDiagnossiICD-10-CMDS7.21Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnossiICD-10-CMDS7.21Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnossiICD-10-CMDS7.41Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnossiICD-10-CMDS7.41Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMDS7.42Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMDS7.43Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMDS7.43Sickle-cell thalassemia beta zero with crisis, unspecified complicationDiagnosisICD-10-CMDS7.43Sickle- | | | - | |
| D57.09Hb-SS disease with crisis with other specified complicationDiagnosisICD-10-CMD57.1Sickle-cell disease without crisisDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with creibral vascular involvementDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with creibral vascular involvementDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with creibral vascular involvementDiagnosisICD-10-CMD57.21Sickle-cell Hb-C disease with creibral vascular involvementDiagnosisICD-10-CMD57.31Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.41Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.43Sickle-cell thalassemia, unspecified, with creibral vascular involvementDiagnosisICD-10-CMD57.43Sickle-cell thalassemia punspecified, with crisisDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with crisis unspecifiedDiagnosisICD- | | | - | |
| D57.1Sickle-cell disease without crisisDiagnosisCD-10-CMD57.20Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisCD-10-CMD57.21Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisCD-10-CMD57.212Sickle-cell/Hb-C disease with acute chest syndromentDiagnosisCD-10-CMD57.213Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisCD-10-CMD57.213Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisCD-10-CMD57.215Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisCD-10-CMD57.41Sickle-cell thalassemia without crisisDiagnosisCD-10-CMD57.41Sickle-cell thalassemia, unspecified, with specified complicationDiagnosisCD-10-CMD57.41Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisCD-10-CMD57.41Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisCD-10-CMD57.42Sickle-cell thalassemia beta zero with out crisisDiagnosisCD-10-CMD57.43Sickle-cell thalassemia beta zero with out crisisDiagnosisCD-10-CMD57.43Sickle-cell thalassemia beta zero with ceptar vacuar involvementDiagnosisCD-10-CMD57.43Sickle-cell thalassemia beta zero with ceptar vacuar involvementDiagnosisCD-10-CMD57.43Sickle-cell thalassemia beta zero with ceptar vacuar involvementDiagnosisCD-10-CM </td <td></td> <td></td> <td>-</td> <td></td> | | | - | |
| D57.20Sickle-cell/Hb-C disease without crisisDiagnosisICD-10-CMD57.21Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.212Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecified complicationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecifiedDiagnosisICD-10-CMD57.3Sickle-cell traitDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisisDiagnosisICD-10-CMD57.424Sickle-cell thalassemia, unspecified, with crisisDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell th | | | | |
| D57.211Sickle-cell/Hb-C disease with acute chest syndromeDiagnosisICD-10-CMD57.212Sickle-cell/Hb-C disease with crebral vascular involvementDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecifiedDiagnosisICD-10-CMD57.214Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.215Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.41Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia beta zero with out crisisDiagnosisICD-10-CMD57.423Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.434Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisisDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisisDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisisDiagnosisICD-10-CMD57.4 | | | 0 | |
| D57.212Sickle-cell/Hb-C disease with splenic sequestrationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with cerebral vascular involvementDiagnosisICD-10-CMD57.214Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.215Sickle-cell/Hb-C disease with crisis, unspecifiedDiagnosisICD-10-CMD57.40Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.414Sickle-cell thalassemia, unspecified, with crisisDiagnosisICD-10-CMD57.415Sickle-cell thalassemia pecified, with crisisDiagnosisICD-10-CMD57.414Sickle-cell thalassemia beta zero without crisisDiagnosisICD-10-CMD57.425Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisis, unspecified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus without crisisDiagnosisICD- | | | 0 | |
| D57.213Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.213Sickle-cell/Hb-C disease with crisis, unspecifiedComplicationDiagnosisICD-10-CMD57.219Sickle-cell traitDiagnosisICD-10-CMD57.40Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.41Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with splenic sequestrationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia beta zero with out crisisDiagnosisICD-10-CMD57.423Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with creisis with other specified complicationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis unspecifiedDiagnosisICD-10-CMD57.434Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia be | | | - | |
| D57.218Sickle-cell/Hb-C disease with crisis with other specified complicationDiagnosisICD-10-CMD57.219Sickle-cell thalese with crisis, unspecifiedDiagnosisICD-10-CMD57.30Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.411Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.412Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.414Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.415Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.414Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.425Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.436Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.437Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.438Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57 | - | | - | |
| D57.219Sickle-cell/Hb-C disease with crisis, unspecifiedDiagnosisICD-10-CMD57.30Sickle-cell traitDiagnosisICD-10-CMD57.40Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.411Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.412Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia beta zero with oute chest syndromeDiagnosisICD-10-CMD57.424Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.436Sickle-cell thalassemia beta zero with crisis unspecified complicationDiagnosisICD-10-CMD57.437Sickle-cell thalassemia beta zero with crisis unspecified complicationDiagnosisICD-10-CMD57.438Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with crisis unspecifiedDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with crisis unspecifi | | | - | |
| D57.3Sickle-cell traitDiagnosisICD-10-CMD57.40Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.41Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.412Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.423Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.434Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisisDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.445Sickle-cell thalassemia beta plus with crisis unspecifiedDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus with crisis unspecified complicationDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with cres | | | - | |
| D57.40Sickle-cell thalassemia without crisisDiagnosisICD-10-CMD57.411Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.412Sickle-cell thalassemia, unspecified, with cerebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.414Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.415Sickle-cell thalassemia beta zero with out crisisDiagnosisICD-10-CMD57.423Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis unspecifiedDiagnosisICD-10-CMD57.443Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.443Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.456 | | | - | |
| D57.411Sickle-cell thalassemia, unspecified, with acute chest syndromeDiagnosisICD-10-CMD57.412Sickle-cell thalassemia, unspecified, with splenic sequestrationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.414Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.425Sickle-cell thalassemia beta zero with out crisisDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.434Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with creebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis with other specified complicationDiag | | | - | |
| D57.412Sickle-cell thalassemia, unspecified, with splenic sequestrationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crebral vascular involvementDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.413Sickle-cell thalassemia, unspecified, with crisisDiagnosisICD-10-CMD57.424Sickle-cell thalassemia beta zero with out crisisDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with crebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.434Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisis unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta pero with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with orteris with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis unspecified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis unspecified complicationD | | | - | |
| D57.413Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.418Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.419Sickle-cell thalassemia, unspecified, with crisisDiagnosisICD-10-CMD57.421Sickle-cell thalassemia beta zero with crisisDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with creebral vascular involvementDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemi | D57.411 | | - | ICD-10-CM |
| D57.418Sickle-cell thalassemia, unspecified, with crisis with other specified complicationDiagnosisICD-10-CMD57.42Sickle-cell thalassemia beta zero without crisisDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with cerebral vascular involvementDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with crisis unspecified complicationDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with crisis unspecified complicationDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta zero with crisis unspecified complicationDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta plus with crisis unspecified complicationDiagnosisICD-10-CMD57.43Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis unspecified complicationDiagnosisIC | D57.412 | | - | |
| D57.419Sickle-cell thalassemia, unspecified, with crisisDiagnosisICD-10-CMD57.42Sickle-cell thalassemia beta zero without crisisDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisisDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisisDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.435Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.436Other sick | D57.413 | | Diagnosis | ICD-10-CM |
| D57.42Sickle-cell thalassemia beta zero without crisisDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with creebral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with oute chest syndromeDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with creebral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with creebral vascular involvementDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with cresis, unspecified complicationDiagnosisICD-10-CMD57.457Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.458Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.459Sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD57.451Other sickle-cell disorders wi | D57.418 | Sickle-cell thalassemia, unspecified, with crisis with other specified complication | Diagnosis | ICD-10-CM |
| D57.431Sickle-cell thalassemia beta zero with acute chest syndromeDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with creibral vascular involvementDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.432Sickle-cell thalassemia beta zero with crisisDiagnosisICD-10-CMD57.431Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with creibral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.459Sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.451Other sickle-cell disorders with crisisDiagnosisICD-10-CMD57.452Sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.453Other sickle-cell disorders with crisisDiagnosisICD-10-CM <t< td=""><td>D57.419</td><td>Sickle-cell thalassemia, unspecified, with crisis</td><td>Diagnosis</td><td>ICD-10-CM</td></t<> | D57.419 | Sickle-cell thalassemia, unspecified, with crisis | Diagnosis | ICD-10-CM |
| D57.432Sickle-cell thalassemia beta zero with splenic sequestrationDiagnosisICD-10-CMD57.433Sickle-cell thalassemia beta zero with cerebral vascular involvementDiagnosisICD-10-CMD57.438Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.445Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.458Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.459Sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.451Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD57.451Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.452Other sickle-cell disorders with crisis unspecified complicationDiagnosisICD-10-CMD57.810Oth | D57.42 | Sickle-cell thalassemia beta zero without crisis | Diagnosis | ICD-10-CM |
| D57.433Sickle-cell thalassemia beta zero with cerebral vascular involvementDiagnosisICD-10-CMD57.438Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.44Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with cerebral vascular involvementDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.459Sickle-cell diaorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with crebral vascular involvementDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.814Other sickle-cell disorders | D57.431 | Sickle-cell thalassemia beta zero with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57.438Sickle-cell thalassemia beta zero with crisis with other specified complicationDiagnosisICD-10-CMD57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.44Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with creebral vascular involvementDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.810Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with creebral vascular involvementDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.815Other sickle-cell disorders w | D57.432 | Sickle-cell thalassemia beta zero with splenic sequestration | Diagnosis | ICD-10-CM |
| D57.439Sickle-cell thalassemia beta zero with crisis, unspecifiedDiagnosisICD-10-CMD57.44Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with cerebral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.457Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.458Sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.810Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.816Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifie | D57.433 | Sickle-cell thalassemia beta zero with cerebral vascular involvement | Diagnosis | ICD-10-CM |
| D57.44Sickle-cell thalassemia beta plus without crisisDiagnosisICD-10-CMD57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with cerebral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with cerebral vascular involvementDiagnosisICD-10-CMD57.457Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.458Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.80Other sickle-cell disorders with out crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisD | D57.438 | Sickle-cell thalassemia beta zero with crisis with other specified complication | Diagnosis | ICD-10-CM |
| D57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.80Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crebral vascular involvementDiagnosisICD-10-CMD57.818Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | D57.439 | Sickle-cell thalassemia beta zero with crisis, unspecified | Diagnosis | ICD-10-CM |
| D57.451Sickle-cell thalassemia beta plus with acute chest syndromeDiagnosisICD-10-CMD57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with crebral vascular involvementDiagnosisICD-10-CMD57.454Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.455Sickle-cell thalassemia beta plus with crisis, unspecified complicationDiagnosisICD-10-CMD57.457Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crebral vascular involvementDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crebral vascular involvementDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.816Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary spherocytosisDiagnosisICD-10-CM | D57.44 | Sickle-cell thalassemia beta plus without crisis | Diagnosis | ICD-10-CM |
| D57.452Sickle-cell thalassemia beta plus with splenic sequestrationDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with cerebral vascular involvementDiagnosisICD-10-CMD57.458Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.80Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.81Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.816Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | Sickle-cell thalassemia beta plus with acute chest syndrome | | |
| D57.453Sickle-cell thalassemia beta plus with cerebral vascular involvementDiagnosisICD-10-CMD57.453Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.80Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.814Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | | |
| D57.458Sickle-cell thalassemia beta plus with crisis with other specified complicationDiagnosisICD-10-CMD57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.80Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.81Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with creibral vascular involvementDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD57.816Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | - | |
| D57.459Sickle-cell thalassemia beta plus with crisis, unspecifiedDiagnosisICD-10-CMD57.80Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.818Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | - | |
| D57.80Other sickle-cell disorders without crisisDiagnosisICD-10-CMD57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.814Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.815Other sickle-cell disorders with crisis, unspecified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | 0 | |
| D57.811Other sickle-cell disorders with acute chest syndromeDiagnosisICD-10-CMD57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.818Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | 0 | |
| D57.812Other sickle-cell disorders with splenic sequestrationDiagnosisICD-10-CMD57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.818Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | 0 | |
| D57.813Other sickle-cell disorders with cerebral vascular involvementDiagnosisICD-10-CMD57.818Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | - | |
| D57.818Other sickle-cell disorders with crisis with other specified complicationDiagnosisICD-10-CMD57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | 0 | |
| D57.819Other sickle-cell disorders with crisis, unspecifiedDiagnosisICD-10-CMD58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | - | |
| D58.0Hereditary spherocytosisDiagnosisICD-10-CMD58.1Hereditary elliptocytosisDiagnosisICD-10-CM | | | - | |
| D58.1 Hereditary elliptocytosis Diagnosis ICD-10-CM | | | - | |
| | | | 0 | |
| D58.2 Other nemoglobinopathies Diagnosis ICD-10-CM | | | - | |
| | D58.2 | other nemoglobinopathies | Diagnosis | ICD-10-CM |



| | | Code | |
|---------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| D58.8 | Other specified hereditary hemolytic anemias | Diagnosis | ICD-10-CM |
| D58.9 | Hereditary hemolytic anemia, unspecified | Diagnosis | ICD-10-CM |
| D59.0 | Drug-induced autoimmune hemolytic anemia | Diagnosis | ICD-10-CM |
| D59.1 | Other autoimmune hemolytic anemias | Diagnosis | ICD-10-CM |
| D59.10 | Autoimmune hemolytic anemia, unspecified | Diagnosis | ICD-10-CM |
| D59.11 | Warm autoimmune hemolytic anemia | Diagnosis | ICD-10-CM |
| D59.12 | Cold autoimmune hemolytic anemia | Diagnosis | ICD-10-CM |
| D59.13 | Mixed type autoimmune hemolytic anemia | Diagnosis | ICD-10-CM |
| D59.19 | Other autoimmune hemolytic anemia | Diagnosis | ICD-10-CM |
| D59.2 | Drug-induced nonautoimmune hemolytic anemia | Diagnosis | ICD-10-CM |
| D59.3 | Hemolytic-uremic syndrome | Diagnosis | ICD-10-CM |
| D59.4 | Other nonautoimmune hemolytic anemias | Diagnosis | ICD-10-CM |
| D59.5 | Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] | Diagnosis | ICD-10-CM |
| D59.6 | Hemoglobinuria due to hemolysis from other external causes | Diagnosis | ICD-10-CM |
| D59.8 | Other acquired hemolytic anemias | Diagnosis | ICD-10-CM |
| D59.9 | Acquired hemolytic anemia, unspecified | Diagnosis | ICD-10-CM |
| D60.0 | Chronic acquired pure red cell aplasia | Diagnosis | ICD-10-CM |
| D60.1 | Transient acquired pure red cell aplasia | Diagnosis | ICD-10-CM |
| D60.8 | Other acquired pure red cell aplasias | Diagnosis | ICD-10-CM |
| D60.9 | Acquired pure red cell aplasia, unspecified | Diagnosis | ICD-10-CM |
| D61.01 | Constitutional (pure) red blood cell aplasia | Diagnosis | ICD-10-CM |
| D61.09 | Other constitutional aplastic anemia | Diagnosis | ICD-10-CM |
| D61.1 | Drug-induced aplastic anemia | Diagnosis | ICD-10-CM |
| D61.2 | Aplastic anemia due to other external agents | Diagnosis | ICD-10-CM |
| D61.3 | Idiopathic aplastic anemia | Diagnosis | ICD-10-CM |
| D61.810 | Antineoplastic chemotherapy induced pancytopenia | Diagnosis | ICD-10-CM |
| D61.811 | Other drug-induced pancytopenia | Diagnosis | ICD-10-CM |
| D61.818 | Other pancytopenia | Diagnosis | ICD-10-CM |
| D61.82 | Myelophthisis | Diagnosis | ICD-10-CM |
| D61.89 | Other specified aplastic anemias and other bone marrow failure syndromes | Diagnosis | ICD-10-CM |
| D61.9 | Aplastic anemia, unspecified | Diagnosis | ICD-10-CM |
| D62 | Acute posthemorrhagic anemia | Diagnosis | ICD-10-CM |
| D63.0 | Anemia in neoplastic disease | Diagnosis | ICD-10-CM |
| D63.1 | Anemia in chronic kidney disease | Diagnosis | ICD-10-CM |
| D63.8 | Anemia in other chronic diseases classified elsewhere | 0 | ICD-10-CM |
| D64.0 | Hereditary sideroblastic anemia | - | ICD-10-CM |
| D64.1 | Secondary sideroblastic anemia due to disease | Diagnosis | ICD-10-CM |
| D64.2 | Secondary sideroblastic anemia due to drugs and toxins | Diagnosis | ICD-10-CM |
| D64.3 | Other sideroblastic anemias | Diagnosis | ICD-10-CM |
| D64.4 | Congenital dyserythropoietic anemia | Diagnosis | ICD-10-CM |
| D64.81 | Anemia due to antineoplastic chemotherapy | Diagnosis | ICD-10-CM |
| D64.89 | Other specified anemias | Diagnosis | ICD-10-CM |
| D64.9 | Anemia, unspecified | Diagnosis | ICD-10-CM |
| 50115 | Diabetes | | |
| E08.00 | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic- | | |
| | hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E08.01 | Diabetes mellitus due to underlying condition with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E08.10 | Diabetes mellitus due to underlying condition with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| | | | |

Diagnosis ICD-10-CM



| CodeDescriptionE08.21Diabetes mellitus due to underlying condition with diabetic nephropathyE08.22Diabetes mellitus due to underlying condition with diabetic chronic kidney diseaseE08.29Diabetes mellitus due to underlying condition with other diabetic kidney complicationE08.311Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edemaE08.319Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edemaE08.321Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macularE08.321Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macularE08.321Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macularedema, rightE08.3212E08.3213Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macularedema, leftE08.3213E08.3214Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macularedema,edema,edema,edema,edema,edema,edema,edema,E08.3219Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macularedema,edema,edema,edema,edema,edema,edema,edema,E08.3219Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Category Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
|---|--|--|
| E08.22 Diabetes mellitus due to underlying condition with diabetic chronic kidney disease E08.29 Diabetes mellitus due to underlying condition with other diabetic kidney complication E08.311 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema E08.319 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema E08.321 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3229 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| E08.29 Diabetes mellitus due to underlying condition with other diabetic kidney complication E08.311 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema E08.319 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema E08.321 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.3211 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| E08.311 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema E08.319 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema E08.321 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| E08.319 Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema E08.321 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.321 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| E08.321 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular E08.3211 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| E08.3211 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, | Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM |
| edema, right E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3229 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM |
| E08.3212 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, | Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM |
| edema, left E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis Diagnosis | ICD-10-CM |
| E08.3213 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis Diagnosis | ICD-10-CM |
| edema, E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis | |
| E08.3219 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis | |
| edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis | |
| edema, E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | - | |
| E08.329 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | - | ICD-10-CM |
| | DIAPHOSIS | ICD-10-CM |
| | Diagnosis | |
| edema, | Diagnosis | ICD-10-CM |
| E08.3292 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | Diagnosis | |
| edema, | Diagnosis | ICD-10-CM |
| | Diagnosis | |
| E08.3293 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, | Diamania | |
| | Diagnosis | ICD-10-CM |
| E08.3299 Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular | . | |
| edema, Dichata and literation and a biographic and literative advantage and literative dichatic action at the second | Diagnosis | ICD-10-CM |
| E08.331 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with | Diagnosis | ICD-10-CM |
| E08.3311 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with | | |
| macular edema, | Diagnosis | ICD-10-CM |
| E08.3312 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with | | |
| macular edema, | Diagnosis | ICD-10-CM |
| E08.3313 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with | | |
| macular edema, | Diagnosis | ICD-10-CM |
| E08.3319 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with | | |
| macular edema, | Diagnosis | ICD-10-CM |
| E08.339 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without | | |
| macular | Diagnosis | ICD-10-CM |
| E08.3391 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without | | |
| macular | Diagnosis | ICD-10-CM |
| E08.3392 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without | | |
| macular | Diagnosis | ICD-10-CM |
| E08.3393 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without | U | |
| macular | Diagnosis | ICD-10-CM |
| E08.3399 Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without | 0 | |
| macular | Diagnosis | ICD-10-CM |
| E08.341 Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular | Diagnosis | ICD-10-CM |
| | Diagnosis | |
| E08.3411 Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| | Diagilosis | |
| | Diagrasic | |
| edema, | Diagnosis | ICD-10-CM |
| E08.3413 Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular | D'a a i | |
| edema, | Diagnosis | ICD-10-CM |



| | | Code | |
|-----------|--|------------|-----------|
| Code | Description | Category | Code Type |
| E08.3419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular | | |
| | edema, | Diagnosis | ICD-10-CM |
| E08.349 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without | Diagnosis | ICD-10-CM |
| E08.3491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without | | |
| | macular | Diagnosis | ICD-10-CM |
| E08.3492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without | | |
| | macular | Diagnosis | ICD-10-CM |
| E08.3493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without | | |
| | macular | Diagnosis | ICD-10-CM |
| E08.3499 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without | | |
| | macular | Diagnosis | ICD-10-CM |
| E08.351 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left | Diagnosis | ICD-10-CM |
| E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| E08.3519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, | Diamaria | |
| 500 0504 | unspecified Diskator mollitur due to underlying condition with proliferative diskatic ratinopathy with traction ratinal | Diagnosis | ICD-10-CM |
| E08.3521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment | Diagnosis | |
| 500 2522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | Diagnosis | ICD-10-CM |
| E08.3522 | detachment | Diagnosis | ICD-10-CM |
| EU0 3E33 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | Diagnosis | |
| E08.3523 | detachment | Diagnosis | ICD-10-CM |
| E08.3529 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | Diagnosis | |
| EU0.5529 | detachment | Diagnosis | ICD-10-CM |
| E08.3531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | Diagnosis | |
| 200.5551 | detachment | Diagnosis | ICD-10-CM |
| E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | Diagnosis | |
| 200.3332 | detachment | Diagnosis | ICD-10-CM |
| E08.3533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | 2108.10010 | |
| 200.0000 | detachment | Diagnosis | ICD-10-CM |
| E08.3539 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal | | |
| 200100000 | detachment | Diagnosis | ICD-10-CM |
| E08.3541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction | 0 | |
| | retinal | Diagnosis | ICD-10-CM |
| E08.3542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction | - | |
| | retinal | Diagnosis | ICD-10-CM |
| E08.3543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction | - | |
| | retinal | Diagnosis | ICD-10-CM |
| E08.3549 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction | | |
| | retinal | Diagnosis | ICD-10-CM |
| E08.3551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E08.3552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E08.3553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E08.3559 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E08.359 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E08.3591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| | | - | |



| | | Code | |
|----------|--|------------------------|------------------------|
| Code | Description | Category | Code Type |
| E08.3599 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, | | |
| | unspecified eye | Diagnosis | ICD-10-CM |
| E08.36 | Diabetes mellitus due to underlying condition with diabetic cataract | Diagnosis | ICD-10-CM |
| E08.37X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, | Diagnosis | ICD-10-CM |
| E08.37X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left | Diagnosis | ICD-10-CM |
| E08.37X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, | Diagnosis | ICD-10-CM |
| E08.37X9 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, | | |
| | unspecified | Diagnosis | ICD-10-CM |
| E08.39 | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E08.40 | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E08.41 | Diabetes mellitus due to underlying condition with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E08.42 | Diabetes mellitus due to underlying condition with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E08.43 | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E08.44 | Diabetes mellitus due to underlying condition with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E08.49 | Diabetes mellitus due to underlying condition with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E08.51 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E08.52 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E08.59 | Diabetes mellitus due to underlying condition with other circulatory complications | Diagnosis | ICD-10-CM |
| E08.610 | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E08.618 | Diabetes mellitus due to underlying condition with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E08.620 | Diabetes mellitus due to underlying condition with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E08.621 | Diabetes mellitus due to underlying condition with foot ulcer | Diagnosis | ICD-10-CM |
| E08.621 | Diabetes mellitus due to underlying condition with other skin ulcer | Diagnosis | ICD-10-CM |
| E08.628 | Diabetes mellitus due to underlying condition with other skin complications | Diagnosis | ICD-10-CM |
| E08.630 | Diabetes mellitus due to underlying condition with periodontal disease | Diagnosis | ICD-10-CM |
| E08.638 | Diabetes mellitus due to underlying condition with other oral complications | Diagnosis | ICD-10-CM |
| E08.641 | Diabetes mellitus due to underlying condition with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E08.649 | Diabetes mellitus due to underlying condition with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E08.65 | Diabetes mellitus due to underlying condition with hyperglycemia | Diagnosis | ICD-10-CM |
| | Diabetes mellitus due to underlying condition with other specified complication | Diagnosis | ICD-10-CM |
| E08.69 | Diabetes mellitus due to underlying condition with unspecified complications | Diagnosis | ICD-10-CM |
| E08.8 | Diabetes mellitus due to underlying condition with dispective complications | Diagnosis | ICD-10-CM |
| E08.9 | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic- | Diagnosis | |
| E09.00 | hyperosmolar | Diagnosis | ICD-10-CM |
| F00 01 | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma | 0 | |
| E09.01 | Drug or chemical induced diabetes mellitus with reperositionary with coma | | ICD-10-CM ICD-10-CM |
| E09.10 | Drug or chemical induced diabetes mellitus with ketoacidosis without coma | Diagnosis | |
| E09.11 | Drug or chemical induced diabetes mellitus with ketoacidosis with coma Drug or chemical induced diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E09.21 | | Diagnosis | ICD-10-CM |
| E09.22 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E09.29 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E09.311 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis Diagnosis | ICD-10-CM |
| E09.319 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis Diagnosis | ICD-10-CM |
| E09.321 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular | Diagnosis | ICD-10-CM |
| E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular | D's start i | |
| | edema, right | Diagnosis | ICD-10-CM |
| E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular | | |
| | edema, left | Diagnosis | ICD-10-CM |
| E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular | . . | |
| | edema, | Diagnosis | ICD-10-CM |
| | | | |



| Code | Description | Category | Code Type |
|-----------|---|------------|-----------|
| E09.3219 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular | | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.329 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular | Diagnosis | ICD-10-CM |
| E09.3291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular | Diamatia | |
| 500 2202 | edema, Drug or chamical induced dispetes mollitus with mild penpreliferative dispetis retipenathy without macular | Diagnosis | ICD-10-CM |
| E09.3292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left | Diagnosis | |
| E09.3293 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular | Diagnosis | ICD-10-CM |
| EU9.5295 | edema, | Diagnosis | ICD-10-CM |
| E09.3299 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular | Diagnosis | |
| 200.0200 | edema, | Diagnosis | ICD-10-CM |
| E09.331 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular | Diagnosis | ICD-10-CM |
| E09.3311 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular | - | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.3312 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular | | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.3313 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular | | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.3319 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular | Diamatia | |
| 500 220 | edema, Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without | Diagnosis | ICD-10-CM |
| E09.339 | macular | Diagnosis | ICD-10-CM |
| E09.3391 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without | Diagnosis | |
| 205.5551 | macular | Diagnosis | ICD-10-CM |
| E09.3392 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without | 0 | |
| | macular | Diagnosis | ICD-10-CM |
| E09.3393 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without | | |
| | macular | Diagnosis | ICD-10-CM |
| E09.3399 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without | | |
| | macular | Diagnosis | ICD-10-CM |
| E09.341 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular | Diagnosis | ICD-10-CM |
| E09.3411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular | Diagnosis | |
| E09.3412 | edema, Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular | Diagnosis | ICD-10-CM |
| EU9.5412 | edema, left | Diagnosis | ICD-10-CM |
| E09.3413 | | Diagnosis | |
| 20010 .20 | edema, | Diagnosis | ICD-10-CM |
| E09.3419 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular | 0 | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.349 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular | Diagnosis | ICD-10-CM |
| E09.3491 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular | | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.3492 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular | | |
| | edema, | Diagnosis | ICD-10-CM |
| E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular | Diamatia | |
| E00 2400 | edema, Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular | Diagnosis | ICD-10-CM |
| E09.3499 | edema, | Diagnosis | ICD-10-CM |
| E09.351 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| L03.331 | | 2125110313 | |



| Code | Description | Category | Code Type |
|-----------|--|------------|------------------------|
| E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right | Diagnosis | ICD-10-CM |
| E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left | Diagnosis | ICD-10-CM |
| E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| E09.3519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, | | |
| | unspecified | Diagnosis | ICD-10-CM |
| E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | | |
| | detachment | Diagnosis | ICD-10-CM |
| E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | | |
| | detachment | Diagnosis | ICD-10-CM |
| E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | | |
| | detachment | Diagnosis | ICD-10-CM |
| E09.3529 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | | |
| | detachment | Diagnosis | ICD-10-CM |
| E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | . . | |
| | detachment not | Diagnosis | ICD-10-CM |
| E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | Diagnosis | |
| 500 2522 | detachment not Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | Diagnosis | ICD-10-CM |
| E09.3533 | detachment not | Diagnosis | ICD-10-CM |
| E09.3539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal | Diagnosis | |
| LU9.3339 | detachment not | Diagnosis | ICD-10-CM |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction | Diagnosis | |
| 205.5541 | retinal | Diagnosis | ICD-10-CM |
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction | 2108.10010 | 100 10 0111 |
| 200.00 12 | retinal | Diagnosis | ICD-10-CM |
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction | 0 | |
| | retinal | Diagnosis | ICD-10-CM |
| E09.3549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction | - | |
| | retinal | Diagnosis | ICD-10-CM |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E09.3559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E09.359 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, | 0 | ICD-10-CM |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left | Diagnosis | ICD-10-CM |
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E09.3599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, | | |
| | unspecified | Diagnosis | ICD-10-CM |
| E09.36 | Drug or chemical induced diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right | Diagnosis | ICD-10-CM |
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left | Diagnosis | ICD-10-CM |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, | Diagnosis | ICD-10-CM |
| E09.37X9 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, | Diagram | |
| 500.20 | unspecified Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E09.39 | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, | Diagnosis | ICD-10-CM |
| E09.40 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, | Diagnosis | ICD-10-CM |
| E09.41 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy | Diagnosis | ICD-10-CM ICD-10-CM |
| E09.42 | brag of chemical induced diabetes memilias with neurological complications with diabetic polylied opathy | Diagnosis | 10-10-0101 |



| | | | - | |
|----------|--|------------|-------------|--|
| Code | Description | Category | Code Type | |
| E09.43 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic | Diagnosis | ICD-10-CM | |
| E09.44 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy | Diagnosis | ICD-10-CM | |
| E09.49 | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological | | | |
| | complication | Diagnosis | ICD-10-CM | |
| E09.51 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM | |
| 09.52 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CN | |
| E09.59 | Drug or chemical induced diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM | |
| E09.610 | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CN | |
| 09.618 | Drug or chemical induced diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CN | |
| 09.620 | Drug or chemical induced diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CN | |
| 09.621 | Drug or chemical induced diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CN | |
| E09.622 | Drug or chemical induced diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CN | |
| E09.628 | Drug or chemical induced diabetes mellitus with other skin complications | Diagnosis | ICD-10-CN | |
| E09.630 | Drug or chemical induced diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM | |
| 09.638 | Drug or chemical induced diabetes mellitus with other oral complications | Diagnosis | ICD-10-CN | |
| 09.641 | Drug or chemical induced diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CN | |
| 09.649 | Drug or chemical induced diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CN | |
| 09.65 | Drug or chemical induced diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CN | |
| 09.69 | Drug or chemical induced diabetes mellitus with other specified complication | Diagnosis | ICD-10-CN | |
| 09.8 | Drug or chemical induced diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CN | |
| 09.9 | Drug or chemical induced diabetes mellitus without complications | Diagnosis | ICD-10-CN | |
| 10.10 | Type 1 diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CN | |
| 10.11 | Type 1 diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CN | |
| 10.21 | Type 1 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CN | |
| 10.22 | Type 1 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CN | |
| 10.29 | Type 1 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CN | |
| 10.311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CN | |
| 10.319 | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CN | |
| 10.321 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CN | |
| 10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CN | |
| 10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CN | |
| 10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CN | |
| 10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CN | |
| 10.329 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CN | |
| 10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CN | |
| 10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CN | |
| 10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CN | |
| 10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified | Diagnosis | ICD-10-CN | |
| 10.331 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CN | |
| 10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CN | |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CN | |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CN | |
| 10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CN | |
| E10.339 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CN | |
| E10.3391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right | Diagnosis | ICD-10-CN | |
| E10.3392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | - | ICD-10-CN | |
| E10.3393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM | |
| E10.3399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM | |
| E10.341 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM | |
| 210.341 | ,,,,,,,, | 2.00.10010 | .02 10 0101 | |



| | · | Code | |
|----------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E10.3419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified | Diagnosis | ICD-10-CM |
| E10.349 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E10.3491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E10.3492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E10.3493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E10.3499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E10.351 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E10.3511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E10.3512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E10.3513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E10.3519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | - | |
| | macula, | Diagnosis | ICD-10-CM |
| E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | 0 | |
| | macula, | Diagnosis | ICD-10-CM |
| E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | - | |
| | macula, | Diagnosis | ICD-10-CM |
| E10.3529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | 0 | |
| | macula, | Diagnosis | ICD-10-CM |
| E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | 0 | |
| | the | Diagnosis | ICD-10-CM |
| E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | 0 | |
| | the | Diagnosis | ICD-10-CM |
| E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | 0 | |
| | the | Diagnosis | ICD-10-CM |
| E10.3539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | 0 | |
| | the | Diagnosis | ICD-10-CM |
| E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | 0 | |
| | and | Diagnosis | ICD-10-CM |
| E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | - | |
| | and | Diagnosis | ICD-10-CM |
| E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | - | |
| | and | Diagnosis | ICD-10-CM |
| E10.3549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | | |
| | and | Diagnosis | ICD-10-CM |
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E10.359 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10.36 | Type 1 diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| | | - | |


| | ······································ | Code | |
|----------------|---|------------------------|------------------------|
| Code | Description | Category | Code Type |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E10.37X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E10.39 | Type 1 diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E10.40 | Type 1 diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E10.41 | Type 1 diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E10.42 | Type 1 diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E10.43 | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E10.44 | Type 1 diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E10.49 | Type 1 diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E10.51 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E10.52 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E10.59 | Type 1 diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E10.610 | Type 1 diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E10.618 | Type 1 diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E10.620 | Type 1 diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E10.621 | Type 1 diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E10.621 | Type 1 diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E10.622 | Type 1 diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E10.620 | Type 1 diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E10.638 | Type 1 diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E10.638 | Type 1 diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E10.649 | Type 1 diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E10.65 | Type 1 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E10.69 | Type 1 diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E10.05 | Type 1 diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E10.8 E10.9 | Type 1 diabetes mellitus with dispectined complications | Diagnosis | ICD-10-CM |
| | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma | Diagnosis | ICD-10-CM |
| E11.00 | Type 2 diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E11.01 | Type 2 diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E11.10 | Type 2 diabetes mellitus with ketoacidosis with coma | - | |
| E11.11 | Type 2 diabetes mellitus with diabetic nephropathy | Diagnosis Diagnosis | ICD-10-CM ICD-10-CM |
| E11.21 | Type 2 diabetes mellitus with diabetic hephropathy Type 2 diabetes mellitus with diabetic chronic kidney disease | - | |
| E11.22 | Type 2 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM ICD-10-CM |
| E11.29 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CIVI |
| E11.311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | |
| E11.319 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with out macular edema | | ICD-10-CM |
| E11.321 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3213 | | Diagnosis | ICD-10-CM |
| E11.3219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11.329 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E11.3291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis Diagnosis | ICD-10-CM |
| E11.3292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified | Diagnosis | ICD-10-CM |
| E11.331 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |



| | • | Code | |
|----------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| E11.339 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | | ICD-10-CM |
| E11.3391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right | Diagnosis | ICD-10-CM |
| E11.3392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E11.3399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E11.341 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified | Diagnosis | ICD-10-CM |
| E11.349 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| E11.351 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | U | |
| | macula, | Diagnosis | ICD-10-CM |
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | - | |
| | macula, | Diagnosis | ICD-10-CM |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | | |
| | macula, | Diagnosis | ICD-10-CM |
| E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the | | |
| | macula, | Diagnosis | ICD-10-CM |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | | |
| | the | Diagnosis | ICD-10-CM |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | | |
| | the | Diagnosis | ICD-10-CM |
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | | |
| | the | Diagnosis | ICD-10-CM |
| E11.3539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving | | |
| | the | Diagnosis | ICD-10-CM |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | - | |
| | and | Diagnosis | ICD-10-CM |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | - | |
| | and | Diagnosis | ICD-10-CM |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | - | |
| | and | Diagnosis | ICD-10-CM |
| E11.3549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | - | |
| | and | Diagnosis | ICD-10-CM |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| | | | |



| | | Code | |
|------------------|--|------------------------|-----------|
| Code | Description | Category | Code Type |
| E11.3559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E11.359 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11.36 | Type 2 diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E11.37X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E11.39 | Type 2 diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E11.40 | Type 2 diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E11.41 | Type 2 diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E11.42 | Type 2 diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E11.43 | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E11.44 | Type 2 diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E11.49 | Type 2 diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E11.51 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E11.51 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E11.52 | Type 2 diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E11.610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E11.618 | Type 2 diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E11.610 | Type 2 diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E11.620 | Type 2 diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E11.621 | Type 2 diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E11.628 | Type 2 diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E11.620 | Type 2 diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E11.638 | Type 2 diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E11.641 | Type 2 diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E11.649 | Type 2 diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E11.65 | Type 2 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E11.69 | Type 2 diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E11.09 E11.8 | Type 2 diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E11.8 E11.9 | Type 2 diabetes mellitus with an specifications | Diagnosis | ICD-10-CM |
| E13.00 | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma | Diagnosis | |
| L13.00 | (NKHHC) | Diagnosis | ICD-10-CM |
| E13.01 | Other specified diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E13.10 | Other specified diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E13.10 E13.11 | Other specified diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E13.11 E13.21 | Other specified diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| | Other specified diabetes mellitus with diabetic chronic kidney disease | 0 | |
| E13.22 | Other specified diabetes mellitus with other diabetic kidney complication | Diagnosis Diagnosis | ICD-10-CM |
| E13.29 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E13.311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E13.319 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | 0 | ICD-10-CM |
| E13.321 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right | Diagnosis | ICD-10-CM |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | • | ICD-10-CM |
| E13.3213 | other specified diabetes menitus with mild nonpromerative diabetic retinopathy with macuial edefild, | Diagnosis | ICD-10-CM |



| | | Code | |
|---------|--|------------|------------|
| Code | Description | Category | Code Type |
| 13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| 13.329 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| 13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right | Diagnosis | ICD-10-CM |
| 13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left | Diagnosis | ICD-10-CM |
| 13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| 13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, | | |
| | unspecified | Diagnosis | ICD-10-CM |
| 13.331 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| 13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| 13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| 13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CM |
| 13.3319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | | |
| | unspecified | Diagnosis | ICD-10-CM |
| 13.339 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| 13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular | | |
| | edema, right | Diagnosis | ICD-10-CM |
| 13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular | Diagnosis | ICD-10-CM |
| 13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular | Diagnosis | ICD-10-CN |
| 13.3399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular | | |
| | edema, | Diagnosis | ICD-10-CN |
| 13.341 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CN |
| 13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right | Diagnosis | ICD-10-CM |
| L3.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left | Diagnosis | ICD-10-CN |
| L3.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, | Diagnosis | ICD-10-CN |
| 13.3419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, | | |
| | unspecified | Diagnosis | ICD-10-CM |
| 13.349 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| 13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| 13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| 13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | Diagnosis | ICD-10-CM |
| 13.3499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | | |
| | unspecified eye | Diagnosis | ICD-10-CM |
| 13.351 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| 13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| L3.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| L3.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| 13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| 13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | U U | |
| | involving the | Diagnosis | ICD-10-CM |
| 13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | Ũ | |
| | involving the | Diagnosis | ICD-10-CM |
| 13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | | |
| | involving the | Diagnosis | ICD-10-CM |
| 13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | | |
| 10.0020 | involving the | Diagnosis | ICD-10-CM |
| 13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not | | .02 10 010 |
| | involving | Diagnosis | ICD-10-CM |
| 13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not | Diagilosis | |
| 13.3332 | involving | Diagnosis | ICD-10-CM |
| | | Diagilosis | 10-10-0101 |



| | · · | Code | |
|----------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not | | |
| | involving | Diagnosis | ICD-10-CM |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not | | |
| | involving | Diagnosis | ICD-10-CM |
| 13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal | | |
| | detachment and | Diagnosis | ICD-10-CM |
| 13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal | | |
| | detachment and | Diagnosis | ICD-10-CM |
| 13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal | | |
| | detachment and | Diagnosis | ICD-10-CN |
| 13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal | | |
| | detachment and | Diagnosis | ICD-10-CN |
| 13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CN |
| 13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CN |
| 13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CN |
| 13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CN |
| 13.359 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CN |
| 13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CN |
| 13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CN |
| 13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CN |
| 13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified | Diagnosis | ICD-10-CN |
| 13.36 | Other specified diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CN |
| 13.39 | Other specified diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CN |
| 13.40 | Other specified diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CN |
| 13.41 | Other specified diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CN |
| 13.42 | Other specified diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CN |
| 13.43 | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CN |
| 13.44 | Other specified diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CN |
| 13.49 | Other specified diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CN |
| 13.51 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CN |
| 13.52 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CN |
| 13.59 | Other specified diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CN |
| 13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CN |
| 13.618 | Other specified diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CN |
| 13.620 | Other specified diabetes mellitus with diabetic dermatitis | 0 | ICD-10-CN |
| 13.621 | Other specified diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CN |
| 13.622 | Other specified diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CN |
| 13.628 | Other specified diabetes mellitus with other skin complications | Diagnosis | ICD-10-CN |
| 13.630 | Other specified diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CN |
| 13.638 | Other specified diabetes mellitus with other oral complications | Diagnosis | ICD-10-CN |
| 13.641 | Other specified diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| 13.649 | Other specified diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CN |
| 13.65 | Other specified diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CN |
| 13.69 | Other specified diabetes mellitus with other specified complication | Diagnosis | ICD-10-CN |
| 13.8 | Other specified diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CN |
| 13.9 | Other specified diabetes mellitus without complications | Diagnosis | ICD-10-CN |
| | Overweight | | |
| 66.3 | Overweight | Diagnosis | ICD-10-CM |
| 768 25 | Body mass index (BMI) 25.0-25.9, adult | Diagnosis | ICD-10-CM |

Z68.25 Body mass index (BMI) 25.0-25.9, adult

Diagnosis ICD-10-CM



| enaratee | | Code | |
|--|--|------------------------|-------------------------------------|
| Code | Description | Category | Code Type |
| Z68.26 | Body mass index (BMI) 26.0-26.9, adult | Diagnosis | ICD-10-CN |
| Z68.27 | Body mass index (BMI) 27.0-27.9, adult | Diagnosis | ICD-10-CN |
| Z68.28 | Body mass index (BMI) 28.0-28.9, adult | Diagnosis | ICD-10-CN |
| Z68.29 | Body mass index (BMI) 29.0-29.9, adult | Diagnosis | ICD-10-CN |
| | Alzheimer's Disease | | |
| F01.50 | Vascular dementia without behavioral disturbance | Diagnosis | ICD-10-CN |
| F01.51 | Vascular dementia with behavioral disturbance | Diagnosis | ICD-10-CN |
| F02.80 | Dementia in other diseases classified elsewhere without behavioral disturbance | Diagnosis | ICD-10-CN |
| F02.81 | Dementia in other diseases classified elsewhere with behavioral disturbance | Diagnosis | ICD-10-CN |
| F03.90 | Unspecified dementia without behavioral disturbance | Diagnosis | ICD-10-CN |
| F03.91 | Unspecified dementia with behavioral disturbance | Diagnosis | ICD-10-CN |
| F04 | Amnestic disorder due to known physiological condition | Diagnosis | ICD-10-CN |
| F05 | Delirium due to known physiological condition | Diagnosis | ICD-10-CN |
| F06.1 | Catatonic disorder due to known physiological condition | Diagnosis | ICD-10-CN |
| F06.8 | Other specified mental disorders due to known physiological condition | Diagnosis | ICD-10-CN |
| G13.8 | Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere | Diagnosis | ICD-10-CN |
| G30.0 | Alzheimer's disease with early onset | Diagnosis | ICD-10-CN |
| G30.1 | Alzheimer's disease with late onset | Diagnosis | ICD-10-CN |
| G30.8 | Other Alzheimer's disease | Diagnosis | ICD-10-CN |
| G30.9 | Alzheimer's disease, unspecified | Diagnosis | ICD-10-CN |
| G31.01 | Pick's disease | Diagnosis | ICD-10-CN |
| G31.09 | Other frontotemporal dementia | Diagnosis | ICD-10-CN |
| G31.1 | Senile degeneration of brain, not elsewhere classified | Diagnosis | ICD-10-CN |
| G31.2 | Degeneration of nervous system due to alcohol | Diagnosis | ICD-10-CN |
| G94 | Other disorders of brain in diseases classified elsewhere | Diagnosis | ICD-10-CN |
| R41.81 | Age-related cognitive decline | Diagnosis | ICD-10-CN |
| R54 | Age-related physical debility | Diagnosis | ICD-10-CN |
| | Alcohol Abuse | | |
| F10.10 | Alcohol abuse, uncomplicated | Diagnosis | ICD-10-CN |
| F10.11 | Alcohol abuse, in remission | Diagnosis | ICD-10-CN |
| F10.120 | Alcohol abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CN |
| F10.121 | Alcohol abuse with intoxication delirium | Diagnosis | ICD-10-CN |
| F10.129 | Alcohol abuse with intoxication, unspecified | Diagnosis | ICD-10-CN |
| F10.14 | Alcohol abuse with alcohol-induced mood disorder | Diagnosis | ICD-10-CN |
| F10.150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions | Diagnosis | ICD-10-CN |
| F10.151 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CN |
| F10.159 | Alcohol abuse with alcohol-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CN |
| F10.180 | Alcohol abuse with alcohol-induced anxiety disorder | Diagnosis | ICD-10-CN |
| F10.181 | Alcohol abuse with alcohol-induced sexual dysfunction | Diagnosis | ICD-10-CN |
| F10.182 | Alcohol abuse with alcohol-induced sleep disorder | Diagnosis | ICD-10-CN |
| F10.188 | Alcohol abuse with other alcohol-induced disorder | Diagnosis | ICD-10-CN |
| F10.19 | Alcohol abuse with unspecified alcohol-induced disorder | Diagnosis | ICD-10-CN |
| F10.20 | Alcohol dependence, uncomplicated | Diagnosis | ICD-10-CN |
| F10.21 | Alcohol dependence, in remission | Diagnosis | ICD-10-CN |
| | Alcohol dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CN |
| F10.220 | | | |
| | Alcohol dependence with intoxication delirium | Diagnosis | ICD-10-CN |
| F10.221 | Alcohol dependence with intoxication delirium Alcohol dependence with intoxication, unspecified | Diagnosis Diagnosis | |
| F10.220 F10.221 F10.229 F10.230 | | - | ICD-10-CN ICD-10-CN ICD-10-CN |



| | · · · · · · · · · · · · · · · · · · · | Code | |
|--------------------|---|-----------|-------------|
| Code | Description | Category | Code Type |
| F10.232 | Alcohol dependence with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F10.239 | Alcohol dependence with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F10.24 | Alcohol dependence with alcohol-induced mood disorder | Diagnosis | ICD-10-CM |
| F10.250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F10.251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F10.259 | Alcohol dependence with alcohol-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F10.26 | Alcohol dependence with alcohol-induced persisting amnestic disorder | Diagnosis | ICD-10-CM |
| F10.27 | Alcohol dependence with alcohol-induced persisting dementia | Diagnosis | ICD-10-CM |
| F10.280 | Alcohol dependence with alcohol-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F10.281 | Alcohol dependence with alcohol-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F10.282 | Alcohol dependence with alcohol-induced sleep disorder | Diagnosis | ICD-10-CM |
| F10.288 | Alcohol dependence with other alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F10.29 | Alcohol dependence with unspecified alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F10.920 | Alcohol use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F10.921 | Alcohol use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F10.929 | Alcohol use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F10.94 | Alcohol use, unspecified with alcohol-induced mood disorder | Diagnosis | ICD-10-CM |
| F10.950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F10.951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F10.951 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F10.96 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder | Diagnosis | ICD-10-CM |
| F10.90 | Alcohol use, unspecified with alcohol-induced persisting dementia | Diagnosis | ICD-10-CM |
| F10.980 | Alcohol use, unspecified with alcohol-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F10.981 | Alcohol use, unspecified with alcohol-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F10.981 | Alcohol use, unspecified with alcohol-induced sleep disorder | Diagnosis | ICD-10-CM |
| F10.982 | Alcohol use, unspecified with other alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F10.988 | Alcohol use, unspecified with unspecified alcohol-induced disorder | Diagnosis | ICD-10-CM |
| G62.1 | Alcoholic polyneuropathy | - | ICD-10-CM |
| HZ2ZZZZ | Detoxification Services for Substance Abuse Treatment | 0 | ICD-10-CIVI |
| HZ30ZZZ | Individual Counseling for Substance Abuse Treatment, Cognitive | | ICD-10-PCS |
| HZ30ZZZ HZ31ZZZ | Individual Counseling for Substance Abuse Treatment, Behavioral | | ICD-10-PCS |
| | Individual Counseling for Substance Abuse Treatment, Cognitive-Behavioral | | ICD-10-PCS |
| HZ32ZZZ | Individual Counseling for Substance Abuse Treatment, Cognitive-Benavioral | | ICD-10-PCS |
| HZ33ZZZ | Individual Courseling for Substance Abuse Treatment, Interpersonal | | ICD-10-PCS |
| HZ34ZZZ | Individual Courseling for Substance Abuse Treatment, Vocational | | ICD-10-PCS |
| HZ35ZZZ | | | |
| HZ36ZZZ | Individual Counseling for Substance Abuse Treatment, Psychoeducation Individual Counseling for Substance Abuse Treatment, Motivational Enhancement | | ICD-10-PCS |
| HZ37ZZZ | Individual Courseling for Substance Abuse Treatment, Motivational | | ICD-10-PCS |
| HZ38ZZZ | - | | ICD-10-PCS |
| HZ39ZZZ | Individual Counseling for Substance Abuse Treatment, Continuing Care | | ICD-10-PCS |
| HZ3BZZZ | Individual Counseling for Substance Abuse Treatment, Spiritual | | ICD-10-PCS |
| HZ40ZZZ | Group Counseling for Substance Abuse Treatment, Cognitive | | ICD-10-PCS |
| HZ41ZZZ | Group Counseling for Substance Abuse Treatment, Behavioral | | ICD-10-PCS |
| HZ42ZZZ | Group Counseling for Substance Abuse Treatment, Cognitive-Behavioral | | ICD-10-PCS |
| HZ43ZZZ | Group Counseling for Substance Abuse Treatment, 12-Step | | ICD-10-PCS |
| HZ44ZZZ | Group Counseling for Substance Abuse Treatment, Interpersonal | | ICD-10-PCS |
| HZ45ZZZ | Group Counseling for Substance Abuse Treatment, Vocational | | ICD-10-PCS |
| HZ46ZZZ | Group Counseling for Substance Abuse Treatment, Psychoeducation | | ICD-10-PCS |
| HZ47ZZZ | Group Counseling for Substance Abuse Treatment, Motivational Enhancement | | ICD-10-PCS |
| HZ48ZZZ | Group Counseling for Substance Abuse Treatment, Confrontational | Procedure | ICD-10-PCS |



| code Description Creagory Code Type Hz42222 Group Counselling for Substance Abuse Treatment, Continuing Care Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Cognitive Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Cognitive Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Cognitive Behavioral Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Interrective Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Interrective Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Psychoophrapis Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Psychoophrapis Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Psychoophrapis Procedure ICD-10-PCS Hz52222 Individual Psychotherap | | | Code |
|---|---------|---|---------------------|
| rpt4222 Croup Counseling for Substance Abuse Treatment, Spiritual Procedure ICD-10-PCS rpt3222 Individual Psychotherapy for Substance Abuse Treatment, Cognitive Procedure ICD-10-PCS rpt3222 Individual Psychotherapy for Substance Abuse Treatment, Lephavioral Procedure ICD-10-PCS rpt3222 Individual Psychotherapy for Substance Abuse Treatment, Lephavioral Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Interactive Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Methavional Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Methavional Enhancement Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Psychoanysis Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Psychoanysis Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Psychoanysis Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatment, Psychoanysis Procedure ICD-10-PCS Rt52522 Individual Psychotherapy for Substance Abuse Treatme | Code | Description | Category Code Type |
| HZSD222 Individual Psychotherapy for Substance Abuse Treatment, Cognitive Procedure (CD-10-PCS HZSIZZZ Individual Psychotherapy for Substance Abuse Treatment, Cognitive-Behavioral Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Interpersonal Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Interpersonal Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychodeuration Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychodeuration Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Supportve Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Supportve Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychodynamic Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychotynamic Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychotynamic Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychotynamic Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychotynamic Procedure (CD-10-PCS HZSZZZ Individual Psychotherapy for Sub | HZ49ZZZ | Group Counseling for Substance Abuse Treatment, Continuing Care | Procedure ICD-10-PC |
| Hz51222 Individual Psychotherapy for Substance Abuse Treatment, Cognitive-Behavioral Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, 12-Step Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, 12-Step Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Networking Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Motivational Inhancement Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Psychoanaysis Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Psychoanaysis Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Psychoanaysis Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Antabuse Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Antabuse Procedure ICD-10-PCS Hz52222 Individual Psychotherapy for Substance Abuse Treatment, Chorine Incoment Medication Procedure ICD-10-PCS Hz52222 Family Counselling for Substance | HZ4BZZZ | Group Counseling for Substance Abuse Treatment, Spiritual | Procedure ICD-10-PC |
| HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Capritive-Behavioral Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Interpersonal Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Interpersonal Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psycholaynalic Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Psycholaynalic Procedure ICD-10-PCS HZSZZZ Individual Psychotherapy for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS HZSZZZ Medication Management for Substance Abuse Treatment, Psychiatric Medication Procedure ICD-10-PCS HZSZZZ Medication Management for Substance Abuse Treatment, Psychiatric Medication Procedure ICD-10-PCS HZSZZZZ Medication Management for Substa | HZ50ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Cognitive | Procedure ICD-10-PC |
| H253ZZZ Individual Psychotherapy for Substance Abuse Treatment, 12-Step Procedure ICD-10-PCS H254ZZ2 Individual Psychotherapy for Substance Abuse Treatment, Interactive Procedure ICD-10-PCS H255ZZ2 Individual Psychotherapy for Substance Abuse Treatment, Interactive Procedure ICD-10-PCS H255ZZ2 Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure ICD-10-PCS H255ZZ2 Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure ICD-10-PCS H255ZZ2 Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis Procedure ICD-10-PCS H252ZZ Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis Procedure ICD-10-PCS H252ZZ Individual Psychotherapy for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS H252ZZ Medication Management for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS H252ZZ Medication Management for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS H252ZZ Medication Management for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS H252ZZ Medication Management for Substance Abuse Treatment, Clonidine P | HZ51ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Behavioral | Procedure ICD-10-PC |
| H254222 Individual Psychotherapy for Substance Abuse Treatment, Interpersonal Procedure IC-10-PCS H255222 Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation Procedure IC-10-PCS H252222 Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation Procedure IC-10-PCS H252222 Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure IC-10-PCS H252222 Individual Psychotherapy for Substance Abuse Treatment, Supportive Procedure IC-10-PCS H252222 Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis Procedure IC-10-PCS H252222 Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysia Procedure IC-10-PCS H252222 Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysia Procedure IC-10-PCS H252222 Medication Management for Substance Abuse Treatment, Confidne Procedure IC-10-PCS H252222 Medication Management for Substance Abuse Treatment, Psychiatric Medication Procedure IC-10-PCS H252222 Medication Management for Substance Abuse Treatment, Confidne Procedure IC-10-PCS H252222 Medication Management for Substance Abuse Treatment, P | HZ52ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Cognitive-Behavioral | Procedure ICD-10-PC |
| HZ55ZZZ Individual Psychotherapy for Substance Abuse Treatment, Interactive Procedure ICD-10-PCS HZ57ZZZ Individual Psychotherapy for Substance Abuse Treatment, Confrontational Procedure ICD-10-PCS HZ57ZZZ Individual Psychotherapy for Substance Abuse Treatment, Confrontational Procedure ICD-10-PCS HZ57ZZZ Individual Psychotherapy for Substance Abuse Treatment, Spychoanalysis Procedure ICD-10-PCS HZ52ZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis Procedure ICD-10-PCS HZ52ZZZ Individual Psychotherapy for Substance Abuse Treatment, Psychopysiological Procedure ICD-10-PCS HZ52ZZZ Individual Psychotherapy for Substance Abuse Treatment, Antabuse Procedure ICD-10-PCS HZ52ZZZ Medication Management for Substance Abuse Treatment, Psychiatric Medication Procedure ICD-10-PCS HZ52ZZ Medication Management for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS HZ52ZZ Medication Management for Substance Abuse Treatment, Psychiatric Medication Procedure ICD-10-PCS HZ52ZZ Medication Management for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS HZ52ZZ Medication Management for Substance Abuse Treatment, Clonidine Procedure ICD-10-PCS HZ52ZZ Medication Management for | HZ53ZZZ | Individual Psychotherapy for Substance Abuse Treatment, 12-Step | Procedure ICD-10-PC |
| H2562Z2Individual Psychotherapy for Substance Abuse Treatment, PsychoeducationProceedureICD-10-PCSH2572Z2Individual Psychotherapy for Substance Abuse Treatment, OnfontationalProceedureICD-10-PCSH2572Z2Individual Psychotherapy for Substance Abuse Treatment, SupportiveProceedureICD-10-PCSH2572Z2Individual Psychotherapy for Substance Abuse Treatment, PsychoanayissProceedureICD-10-PCSH2522Z2Individual Psychotherapy for Substance Abuse Treatment, PsychoanayissProceedureICD-10-PCSH2522Z2Individual Psychotherapy for Substance Abuse Treatment, PsychoanayissProceedureICD-10-PCSH2522Z2Medication Management for Substance Abuse Treatment, AntabuseProceedureICD-10-PCSH2822Z2Medication Management for Substance Abuse Treatment, ChoidineProceedureICD-10-PCSH2822Z2Medication Management for Substance Abuse Treatment, Other Replacement MedicationProceedureICD-10-PCSH2822Z2Medication Management for Substance Abuse Treatment, Psychiatric MedicationProceedureICD-10-PCSH2922Z2Pharmacotherapy for Substance Abuse Tre | HZ54ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Interpersonal | Procedure ICD-10-PC |
| HZ572ZZ Hdividual Psychotherapy for Substance Abuse Treatment, Motivational EnhancementProcedureICD-10-PCSHZ582ZZ Hdividual Psychotherapy for Substance Abuse Treatment, SupportiveProcedureICD-10-PCSHZ582ZZ Hdividual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ522Z Hdividual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ522Z Hdividual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ522Z Hdividual Psychotherapy for Substance Abuse Treatment, PsychophysiologicalProcedureICD-10-PCSHZ522Z Hdividual Psychotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ522Z Hdication Management for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ522Z HZ522Z Harmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ522Z HZ522Z Harmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ522Z HZ522Z Harmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ522Z HZ522Z Harmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedure | HZ55ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Interactive | Procedure ICD-10-PC |
| HZ582ZZIndividual Psychotherapy for Substance Abuse Treatment, SupportiveProcedureICD-10-PCSHZ582ZZIndividual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ562ZZIndividual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ562ZZIndividual Psychotherapy for Substance Abuse Treatment, PsychoanyanicProcedureICD-10-PCSHZ562ZZFamily Counseling for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ562ZZMedication Management for Substance Abuse Treatment, CondinieProcedureICD-10-PCSHZ862ZZMedication Management for Substance Abuse Treatment, CondinieProcedureICD-10-PCSHZ822ZZMedication Management for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, ConfidineProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, ConfidineProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, ConfidineProcedureICD-10-PCSHZ922ZPharmacotherapy for Substance Abuse Treatment, ConfidineProcedureICD-10-PCS <t< td=""><td>HZ56ZZZ</td><td>Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation</td><td>Procedure ICD-10-PC</td></t<> | HZ56ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation | Procedure ICD-10-PC |
| HZ592Z2Individual Psychotherapy for Substance Abuse Treatment, SupportiveProcedureICD-10-PCSHZ592Z2Individual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ502Z2Family Counseling for Substance Abuse Treatment, PsychophysiologicalProcedureICD-10-PCSHZ522Z2Family Counseling for Substance Abuse Treatment, PsychophysiologicalProcedureICD-10-PCSHZ522Z2Family Counseling for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ522Z2Medication Management for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ522Z2Medication Management for Substance Abuse Treatment, Schlatric MedicationProcedureICD-10-PCSHZ522Z2Medication Management for Substance Abuse Treatment, Chrie Replacement MedicationProcedureICD-10-PCSHZ522Z2Pharmacotherapy for Substance Abuse Treatment, Chrie Replacement MedicationProcedureICD-10-PCSHZ522Z2Pharmacotherapy for Substance Abuse Treatment, Chrie Replacement MedicationProcedureICD-10-PCSHZ522Z2Pharmacotherapy for Substance Abuse Treatment, Sychiatric MedicationProcedureICD-10-PCSHZ522Z2Acoholic gastritis without ascitesICD-10-CM< | HZ57ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Motivational Enhancement | Procedure ICD-10-PC |
| HZ582ZZIndividual Psychotherapy for Substance Abuse Treatment, PsychoanalysisProcedureICD-10-PCSHZ502ZZIndividual Psychotherapy for Substance Abuse Treatment, PsychoanysiologicalProcedureICD-10-PCSHZ522ZZIndividual Psychotherapy for Substance Abuse Treatment, PsychophysiologicalProcedureICD-10-PCSHZ522ZZMedication Management for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ522ZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ522ZZMedication Management for Substance Abuse Treatment, ConidineProcedureICD-10-PCSHZ522ZZMedication Management for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ522ZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ522ZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ522ZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ522ZPharmacotherapy for Substance Abuse Treatment, Psychiatric | HZ58ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Confrontational | Procedure ICD-10-PC |
| HZSCZZZIndividual Psychotherapy for Substance Abuse Treatment, PsychodynamicProcedureICD-10-PCSHZSDZZZIndividual Psychotherapy for Substance Abuse Treatment, PsychothysiologicalProcedureICD-10-PCSHZSZZZMedication Management for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZSZZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZSZZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZSZZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZSZZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZSZZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZSZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZSZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZSZZZPharmacotherapy for Substance Abuse Treatment, Spychiatric MedicationProcedureICD-10-PCSHZSZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCS | HZ59ZZZ | Individual Psychotherapy for Substance Abuse Treatment, Supportive | Procedure ICD-10-PC |
| HZ5DZZ2Individual Psychotherapy for Substance Abuse Treatment, PsychophysiologicalProcedureICD-10-PCSHZ63ZZ2Family Counseling for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ86ZZ2Medication Management for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ86ZZ2Medication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ82ZZ2Medication Management for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ92ZZ2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292ZZ2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292ZZ2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292Z2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH29222Alcoholic cardiomyopathyDiagnosisICD-10-CMK29_20Alcoholic gastritis with bleedingDiagnosisICD-10-CMK70_10Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70_11Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70_21Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70_23Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70_14Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70_23Alcoholic hepatit f | HZ5BZZZ | Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis | Procedure ICD-10-PC |
| HZ63ZZZFamily Counseling for Substance Abuse TreatmentProcedureICD-10-PCSHZ63ZZZMedication Management for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ62ZZMedication Management for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ82ZZMedication Management for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ82ZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ92ZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ92ZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSH292ZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH292Z2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292Z2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292Z2Alcoholic gastritis without bleedingDiagnosisICD-10-CMK20.0Alcoholic fastritis without scitesDiagnosisICD-10-CMK70.1Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.2Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.3Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.4Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.4Alcoholic lord aliue with notication with | HZ5CZZZ | Individual Psychotherapy for Substance Abuse Treatment, Psychodynamic | Procedure ICD-10-PC |
| HZ33ZZMedication Management for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ36ZZMedication Management for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ38ZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ32ZZMedication Management for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ32ZZPharmacotherapy for Substance Abuse Treatment, CondineProcedureICD-10-PCSHZ32ZZPharmacotherapy for Substance Abuse Treatment, CondineProcedureICD-10-PCSHZ32ZZPharmacotherapy for Substance Abuse Treatment, CondineProcedureICD-10-PCSHZ32ZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ32ZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ32ZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ32ZZAlcoholic gastritis without bleedingDiagnosisICD-10-CMK29.20Alcoholic gastritis without ascitesDiagnosisICD-10-CMK70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.21Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.41Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.42 | HZ5DZZZ | Individual Psychotherapy for Substance Abuse Treatment, Psychophysiological | Procedure ICD-10-PC |
| HZ86ZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ88ZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ89ZZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ96ZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSH296ZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSH296ZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH292ZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292Z2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292Z2Alcoholic gastritis without bleedingDiagnosisICD-10-CMK29.20Alcoholic fastritis without socitesDiagnosisICD-10-CMK70.01Alcoholic fastritis without ascitesDiagnosisICD-10-CMK70.11Alcoholic introsis of liver without ascitesDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.41Alcoholic introsis of liver without ascitesDiagnosisICD-10-CMK70.42Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.43Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.44Alcoholic hepatic failure with comaDi | HZ63ZZZ | Family Counseling for Substance Abuse Treatment | Procedure ICD-10-PC |
| HZ88ZZZMedication Management for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSHZ88ZZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ922Z2Pharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ98ZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ98ZZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ98ZZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ98ZZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSHZ98ZZZAlcoholic gastritis without bleedingDiagnosisICD-10-CMK29.20Alcoholic gastritis without bleedingDiagnosisICD-10-CMK70.10Alcoholic fatty liverDiagnosisICD-10-CMK70.11Alcoholic fatty liverDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.42Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.43Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.44Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.45Al | HZ83ZZZ | Medication Management for Substance Abuse Treatment, Antabuse | Procedure ICD-10-PC |
| HZ892ZZMedication Management for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH2932ZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSH292ZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH299ZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH299ZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH299ZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292ZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH292ZAlcoholic cardiomyopathyDiagnosisICD-10-CMK29.20Alcoholic fastritis without bleedingDiagnosisICD-10-CMK70.10Alcoholic fastritis without ascitesDiagnosisICD-10-CMK70.11Alcoholic fromsis of liverDiagnosisICD-10-CMK70.2Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.30Alcoholic hepatiti failure without ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.42Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.43Alcoholic hepatic failure with ascitesDiagnosisICD-10-CMK70.44 | HZ86ZZZ | Medication Management for Substance Abuse Treatment, Clonidine | Procedure ICD-10-PC |
| HZ33ZZZPharmacotherapy for Substance Abuse Treatment, AntabuseProcedureICD-10-PCSHZ36ZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSHZ36ZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH2426Alcoholic cardiomyopathyDiagnosisICD-10-CMK29227Alcoholic gastritis without bleedingDiagnosisICD-10-CMK29.20Alcoholic gastritis with bleedingDiagnosisICD-10-CMK70.0Alcoholic fatty liverDiagnosisICD-10-CMK70.10Alcoholic hepatitis with bleedingDiagnosisICD-10-CMK70.11Alcoholic hepatitis with acitesDiagnosisICD-10-CMK70.23Alcoholic cirrhosis of liverDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver with acitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with acitesDiagnosisICD-10-CMK70.41Alcoholic hepatit failure without comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.44Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.44Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.45Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.46Alcoholic hepatic failure without comaDiagnosisICD-10-CM< | HZ88ZZZ | Medication Management for Substance Abuse Treatment, Psychiatric Medication | Procedure ICD-10-PC |
| H296ZZZPharmacotherapy for Substance Abuse Treatment, ClonidineProcedureICD-10-PCSH298ZZZPharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH292ZZZPharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSH2.6Alcoholic cardiomyopathyDiagnosisICD-10-CMK29.20Alcoholic gastritis without bleedingDiagnosisICD-10-CMK29.21Alcoholic fatty liverDiagnosisICD-10-CMK70.00Alcoholic fatty liverDiagnosisICD-10-CMK70.11Alcoholic fragetritis without ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatitis without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with ascitesDiagnosisICD-10-CMK70.42Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.43Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.44Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.45Other disease, unspecifiedDiagnosisICD-10-CMK70.40Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD- | HZ89ZZZ | Medication Management for Substance Abuse Treatment, Other Replacement Medication | Procedure ICD-10-PC |
| H2982Z2Pharmacotherapy for Substance Abuse Treatment, Psychiatric MedicationProcedureICD-10-PCSH2982Z2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCSI42.6Alcoholic cardiomyopathyDiagnosisICD-10-CMK29.20Alcoholic gastritis without bleedingDiagnosisICD-10-CMK70.0Alcoholic fastritis without ascitesDiagnosisICD-10-CMK70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.11Alcoholic inpatitis with ascitesDiagnosisICD-10-CMK70.20Alcoholic inpatitis with ascitesDiagnosisICD-10-CMK70.11Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.21Alcoholic introsis of liver without ascitesDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.42Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.43Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.44Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.45Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMK70.45Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.120Opioid | HZ93ZZZ | Pharmacotherapy for Substance Abuse Treatment, Antabuse | Procedure ICD-10-PC |
| H2992Z2Pharmacotherapy for Substance Abuse Treatment, Other Replacement MedicationProcedureICD-10-PCS142.6Alcoholic cardiomyopathyDiagnosisICD-10-CMK29.20Alcoholic gastritis without bleedingDiagnosisICD-10-CMK29.21Alcoholic gastritis with bleedingDiagnosisICD-10-CMK70.0Alcoholic fatty liverDiagnosisICD-10-CMK70.11Alcoholic hepatitis with out ascitesDiagnosisICD-10-CMK70.2Alcoholic rinbosis on sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic rinbosis of liver without ascitesDiagnosisICD-10-CMK70.41Alcoholic irrbosis of liver without ascitesDiagnosisICD-10-CMK70.41Alcoholic irrbosis of liver without comaDiagnosisICD-10-CMK70.41Alcoholic hepatiti failure without comaDiagnosisICD-10-CMK70.41Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.52Blcholic liver disease, unspecifiedDiagnosisICD-10-CMK70.42Alcoholic liver without comaDiagnosisICD-10-CMK70.43Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.54Diel dubuse, uncomplicatedDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.121Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11 | HZ96ZZZ | Pharmacotherapy for Substance Abuse Treatment, Clonidine | Procedure ICD-10-PC |
| I42.6Alcoholic cardiomyopathyDiagnosisICD-10-CMK29.20Alcoholic gastritis without bleedingDiagnosisICD-10-CMK29.21Alcoholic gastritis with bleedingDiagnosisICD-10-CMK70.0Alcoholic fatty liverDiagnosisICD-10-CMK70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.2Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatiti failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.41Alcoholic hepatit failure with comaDiagnosisICD-10-CMK70.42Alcoholic hepatit failure with comaDiagnosisICD-10-CMK70.43Alcoholic hepatit failure with comaDiagnosisICD-10-CMK70.44Alcoholic hepatitis mithout ascitesDiagnosisICD-10-CMK70.5Alcoholic hepatitis mithout ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatitis difuer with comaDiagnosisICD-10-CMK70.5Alcoholic hepatitis difuer with comaDiagnosisICD-10-CMK70.5Alcoholic hepatitis difuerDiagnos | HZ98ZZZ | Pharmacotherapy for Substance Abuse Treatment, Psychiatric Medication | Procedure ICD-10-PC |
| K29.20Alcoholic gastritis without bleedingDiagnosisICD-10-CMK29.21Alcoholic gastritis with bleedingDiagnosisICD-10-CMK70.0Alcoholic fatty liverDiagnosisICD-10-CMK70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.21Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.22Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.23Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.52Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CM | HZ99ZZZ | Pharmacotherapy for Substance Abuse Treatment, Other Replacement Medication | Procedure ICD-10-PC |
| K29.21Alcoholic gastritis with bleedingDiagnosisICD-10-CMK70.0Alcoholic fatty liverDiagnosisICD-10-CMK70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.11Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.2Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver withactiesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.41Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.45Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.12Opioid abuse, with intoxication, uncomplicatedDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12< | 142.6 | Alcoholic cardiomyopathy | Diagnosis ICD-10-CN |
| K70.0Alcoholic fatty liverDiagnosisICD-10-CMK70.0Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.11Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.59Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.6Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication deliriumDiagnosisICD-10-CM <t< td=""><td>K29.20</td><td>Alcoholic gastritis without bleeding</td><td>Diagnosis ICD-10-CN</td></t<> | K29.20 | Alcoholic gastritis without bleeding | Diagnosis ICD-10-CN |
| K70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.11Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.40Alcoholic hippatic failure with comaDiagnosisICD-10-CMK70.40Alcoholic hippatic failure with comaDiagnosisICD-10-CMK70.58Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse with intoxication uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.120Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.131Opioid abuse with opioid-induced mood dis | K29.21 | Alcoholic gastritis with bleeding | Diagnosis ICD-10-CN |
| K70.10Alcoholic hepatitis without ascitesDiagnosisICD-10-CMK70.11Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.40Alcoholic hiver disease, unspecifiedDiagnosisICD-10-CMK70.41Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.58Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication delirumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication delirumDiagnosisICD-10-CMF11.120Opioid abuse with intoxication delirumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication delirumDiagnosisICD-10-CMF11.123Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced psychotic disorder with delusionsDia | K70.0 | Alcoholic fatty liver | Diagnosis ICD-10-CN |
| K70.11Alcoholic hepatitis with ascitesDiagnosisICD-10-CMK70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.40Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.41Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.52Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.58Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.120Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.131Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.14Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced p | K70.10 | Alcoholic hepatitis without ascites | Diagnosis ICD-10-CN |
| K70.2Alcoholic fibrosis and sclerosis of liverDiagnosisICD-10-CMK70.30Alcoholic cirrhosis of liver without ascitesDiagnosisICD-10-CMK70.31Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.9Alcoholic high cirrhosis of liver disease, unspecifiedDiagnosisICD-10-CMK70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMR78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.123Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.124Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.125Opioid abuse with opioid-induced mood disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | K70.11 | Alcoholic hepatitis with ascites | Diagnosis ICD-10-CN |
| K70.31Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMK70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMR78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.12Opioid abuse, in remissionDiagnosisICD-10-CMF11.12Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.12Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.12Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.12Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.15Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Alcoholic fibrosis and sclerosis of liver | Diagnosis ICD-10-CN |
| K70.31Alcoholic cirrhosis of liver with ascitesDiagnosisICD-10-CMK70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMR78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.129Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Alcoholic cirrhosis of liver without ascites | - |
| K70.40Alcoholic hepatic failure without comaDiagnosisICD-10-CMK70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMR78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.12Opioid abuse, in remissionDiagnosisICD-10-CMF11.12Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.12Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.12Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.15Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.15Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CMF11.15Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Alcoholic cirrhosis of liver with ascites | |
| K70.41Alcoholic hepatic failure with comaDiagnosisICD-10-CMK70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMR78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.122Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.129Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Alcoholic hepatic failure without coma | Diagnosis ICD-10-CN |
| K70.9Alcoholic liver disease, unspecifiedDiagnosisICD-10-CMR78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | K70.41 | Alcoholic hepatic failure with coma | Diagnosis ICD-10-CN |
| R78.0Finding of alcohol in bloodDiagnosisICD-10-CMZ65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMDrug AbuseF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Alcoholic liver disease, unspecified | Diagnosis ICD-10-CN |
| Z65.8Other specified problems related to psychosocial circumstancesDiagnosisICD-10-CMDrug AbuseF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Finding of alcohol in blood | |
| Drug AbuseF11.10Opioid abuse, uncomplicatedDiagnosisICD-10-CMF11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Other specified problems related to psychosocial circumstances | - |
| F11.11Opioid abuse, in remissionDiagnosisICD-10-CMF11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | | Drug Abuse | |
| F11.120Opioid abuse with intoxication, uncomplicatedDiagnosisICD-10-CMF11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.10 | Opioid abuse, uncomplicated | Diagnosis ICD-10-CN |
| F11.121Opioid abuse with intoxication deliriumDiagnosisICD-10-CMF11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.11 | Opioid abuse, in remission | Diagnosis ICD-10-CN |
| F11.122Opioid abuse with intoxication with perceptual disturbanceDiagnosisICD-10-CMF11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.120 | Opioid abuse with intoxication, uncomplicated | Diagnosis ICD-10-CN |
| F11.129Opioid abuse with intoxication, unspecifiedDiagnosisICD-10-CMF11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.121 | | Diagnosis ICD-10-CN |
| F11.14Opioid abuse with opioid-induced mood disorderDiagnosisICD-10-CMF11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.122 | Opioid abuse with intoxication with perceptual disturbance | Diagnosis ICD-10-CN |
| F11.150Opioid abuse with opioid-induced psychotic disorder with delusionsDiagnosisICD-10-CMF11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.129 | Opioid abuse with intoxication, unspecified | Diagnosis ICD-10-CN |
| F11.151Opioid abuse with opioid-induced psychotic disorder with hallucinationsDiagnosisICD-10-CM | F11.14 | | Diagnosis ICD-10-CN |
| | F11.150 | | Diagnosis ICD-10-CN |
| F11.159 Opioid abuse with opioid-induced psychotic disorder, unspecified Diagnosis ICD-10-CM | F11.151 | Opioid abuse with opioid-induced psychotic disorder with hallucinations | Diagnosis ICD-10-CN |
| | F11.159 | Opioid abuse with opioid-induced psychotic disorder, unspecified | Diagnosis ICD-10-CN |



| | | Code | |
|--------------------|--|------------------------|------------------------|
| Code | Description | Category | Code Type |
| F11.181 | Opioid abuse with opioid-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F11.182 | Opioid abuse with opioid-induced sleep disorder | Diagnosis | ICD-10-CM |
| F11.188 | Opioid abuse with other opioid-induced disorder | Diagnosis | ICD-10-CM |
| F11.19 | Opioid abuse with unspecified opioid-induced disorder | Diagnosis | ICD-10-CM |
| F11.220 | Opioid dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F11.221 | Opioid dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F11.222 | Opioid dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F11.229 | Opioid dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F11.23 | Opioid dependence with withdrawal | Diagnosis | ICD-10-CM |
| F11.24 | Opioid dependence with opioid-induced mood disorder | Diagnosis | ICD-10-CM |
| F11.250 | Opioid dependence with opioid-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F11.251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F11.259 | Opioid dependence with opioid-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F11.281 | Opioid dependence with opioid-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F11.282 | Opioid dependence with opioid-induced sleep disorder | Diagnosis | ICD-10-CM |
| F11.288 | Opioid dependence with other opioid-induced disorder | Diagnosis | ICD-10-CM |
| F11.29 | Opioid dependence with unspecified opioid-induced disorder | Diagnosis | ICD-10-CM |
| F11.90 | Opioid use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F11.920 | Opioid use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F11.921 | Opioid use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F11.921 | Opioid use, unspecified with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F11.929 | Opioid use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F11.925 | Opioid use, unspecified with withdrawal | Diagnosis | ICD-10-CM |
| F11.95 | Opioid use, unspecified with opioid-induced mood disorder | Diagnosis | ICD-10-CM |
| F11.950 | Opioid use, unspecified with opioid-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F11.950 | Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F11.951 | Opioid use, unspecified with opioid-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F11.981 | Opioid use, unspecified with opioid-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F11.981 | Opioid use, unspecified with opioid-induced sleep disorder | Diagnosis | ICD-10-CM |
| F11.988 | Opioid use, unspecified with other opioid-induced disorder | Diagnosis | ICD-10-CM |
| F11.900 | Opioid use, unspecified with unspecified opioid-induced disorder | Diagnosis | ICD-10-CM |
| F12.10 | Cannabis abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F12.10 | Cannabis abuse, in remission | Diagnosis | ICD-10-CM |
| F12.11 | Cannabis abuse, in remission Cannabis abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F12.120 | Cannabis abuse with intoxication, direction delirium | 0 | ICD-10-CM |
| F12.121 | Cannabis abuse with intoxication with perceptual disturbance | - | ICD-10-CM |
| F12.122 | Cannabis abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F12.129 | Cannabis abuse with psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F12.150 F12.151 | Cannabis abuse with psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F12.151 F12.159 | Cannabis abuse with psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F12.139 | Cannabis abuse with cannabis-induced anxiety disorder | Diagnosis | ICD-10-CM |
| | Cannabis abuse with other cannabis-induced disorder | Diagnosis | ICD-10-CIM |
| F12.188 | Cannabis abuse with unspecified cannabis-induced disorder | Diagnosis | ICD-10-CIVI |
| F12.19 | Cannabis dependence with intoxication, uncomplicated | 0 | |
| F12.220 | Cannabis dependence with intoxication, discomplicated | Diagnosis Diagnosis | ICD-10-CM ICD-10-CM |
| F12.221 | Cannabis dependence with intoxication deinfum Cannabis dependence with intoxication with perceptual disturbance | Diagnosis | |
| F12.222 | Cannabis dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F12.229 | Cannabis dependence with httoxication, dispectived | Diagnosis | ICD-10-CM |
| F12.250 | | Diagnosis | ICD-10-CM |
| F12.251 | Cannabis dependence with psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |



| | | Code | |
|----------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| F12.259 | Cannabis dependence with psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F12.280 | Cannabis dependence with cannabis-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F12.288 | Cannabis dependence with other cannabis-induced disorder | Diagnosis | ICD-10-CM |
| F12.29 | Cannabis dependence with unspecified cannabis-induced disorder | Diagnosis | ICD-10-CM |
| F12.90 | Cannabis use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F12.920 | Cannabis use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F12.921 | Cannabis use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F12.922 | Cannabis use, unspecified with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F12.929 | Cannabis use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F12.950 | Cannabis use, unspecified with psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F12.951 | Cannabis use, unspecified with psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F12.959 | Cannabis use, unspecified with psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F12.980 | Cannabis use, unspecified with anxiety disorder | Diagnosis | ICD-10-CM |
| F12.988 | Cannabis use, unspecified with other cannabis-induced disorder | Diagnosis | ICD-10-CM |
| F12.99 | Cannabis use, unspecified with unspecified cannabis-induced disorder | Diagnosis | ICD-10-CM |
| F13.10 | Sedative, hypnotic or anxiolytic abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F13.11 | Sedative, hypnotic or anxiolytic abuse, in remission | Diagnosis | ICD-10-CM |
| F13.120 | Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F13.121 | Sedative, hypnotic or anxiolytic abuse with intoxication delirium | Diagnosis | ICD-10-CM |
| F13.129 | Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F13.14 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder | Diagnosis | ICD-10-CM |
| F13.150 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with | Diagnosis | ICD-10-CM |
| F13.151 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with | | |
| | hallucinations | Diagnosis | ICD-10-CM |
| F13.159 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, | Diagnosis | ICD-10-CM |
| F13.180 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F13.181 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F13.182 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder | Diagnosis | ICD-10-CM |
| F13.188 | Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F13.19 | Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F13.220 | Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F13.221 | Sedative, hypnotic or anxiolytic dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F13.229 | Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F13.230 | Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |
| F13.231 | Sedative, hypnotic or anxiolytic dependence with withdrawal delirium | Diagnosis | ICD-10-CM |
| F13.232 | Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F13.239 | Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F13.24 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder | Diagnosis | ICD-10-CM |
| F13.250 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder | U | |
| | with | Diagnosis | ICD-10-CM |
| F13.251 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder | U | |
| | with | Diagnosis | ICD-10-CM |
| F13.259 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, | U | |
| | unspecified | Diagnosis | ICD-10-CM |
| F13.26 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnestic | Diagnosis | ICD-10-CM |
| F13.27 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia | Diagnosis | ICD-10-CM |
| F13.280 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F13.281 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F13.281 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder | Diagnosis | ICD-10-CM |
| 1 13.202 | | 210210313 | |



| | | Code | |
|----------|--|------------|-----------|
| Code | Description | Category | Code Type |
| F13.288 | Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F13.29 | Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F13.90 | Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F13.920 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F13.921 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F13.929 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F13.930 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |
| F13.931 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium | Diagnosis | ICD-10-CM |
| F13.932 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances | Diagnosis | ICD-10-CM |
| F13.939 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F13.94 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder | Diagnosis | ICD-10-CM |
| F13.950 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic | U | |
| | disorder with | Diagnosis | ICD-10-CM |
| F13.951 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic | 2108110010 | 100 20 0 |
| 110.001 | disorder with | Diagnosis | ICD-10-CM |
| F13.959 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic | Diagnosis | |
| 115.555 | disorder, | Diagnosis | ICD-10-CM |
| F13.96 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting | Diagnosis | |
| F13.90 | amnestic | Diagnosis | ICD-10-CM |
| F13.97 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting | Diagnosis | ICD-10-CM |
| | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F13.980 | Sedative, hypnotic of anxiolytic use, unspecified with sedative, hypnotic of anxiolytic-induced anxiety disorder | - | |
| F13.981 | Sedative, hypnotic of anxiolytic use, unspecified with sedative, hypnotic of anxiolytic-induced sexual Sedative, hypnotic or anxiolytic-induced sleep disorder | Diagnosis | ICD-10-CM |
| F13.982 | | Diagnosis | ICD-10-CM |
| F13.988 | Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F13.99 | Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced | Diagnosis | ICD-10-CM |
| F14.10 | Cocaine abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F14.11 | Cocaine abuse, in remission | Diagnosis | ICD-10-CM |
| F14.120 | Cocaine abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F14.121 | Cocaine abuse with intoxication with delirium | Diagnosis | ICD-10-CM |
| F14.122 | Cocaine abuse with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F14.129 | Cocaine abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F14.14 | Cocaine abuse with cocaine-induced mood disorder | Diagnosis | ICD-10-CM |
| F14.150 | Cocaine abuse with cocaine-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F14.151 | Cocaine abuse with cocaine-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F14.159 | Cocaine abuse with cocaine-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F14.180 | Cocaine abuse with cocaine-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F14.181 | Cocaine abuse with cocaine-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F14.182 | Cocaine abuse with cocaine-induced sleep disorder | Diagnosis | ICD-10-CM |
| F14.188 | Cocaine abuse with other cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F14.19 | Cocaine abuse with unspecified cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F14.220 | Cocaine dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F14.221 | Cocaine dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F14.222 | Cocaine dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F14.229 | Cocaine dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F14.23 | Cocaine dependence with withdrawal | Diagnosis | ICD-10-CM |
| F14.24 | Cocaine dependence with cocaine-induced mood disorder | Diagnosis | ICD-10-CM |
| F14.250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F14.251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F14.259 | Cocaine dependence with cocaine-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| 1 14.233 | | Diagnosis | |



| | | Code | |
|-------------------|---|-----------|-------------|
| Code | Description | Category | Code Type |
| F14.280 | Cocaine dependence with cocaine-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F14.281 | Cocaine dependence with cocaine-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F14.282 | Cocaine dependence with cocaine-induced sleep disorder | Diagnosis | ICD-10-CM |
| F14.288 | Cocaine dependence with other cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F14.29 | Cocaine dependence with unspecified cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F14.90 | Cocaine use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F14.920 | Cocaine use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F14.921 | Cocaine use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F14.922 | Cocaine use, unspecified with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F14.929 | Cocaine use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F14.94 | Cocaine use, unspecified with cocaine-induced mood disorder | Diagnosis | ICD-10-CM |
| F14.950 | Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F14.951 | Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F14.959 | Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F14.980 | Cocaine use, unspecified with cocaine-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F14.981 | Cocaine use, unspecified with cocaine-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F14.982 | Cocaine use, unspecified with cocaine-induced sleep disorder | Diagnosis | ICD-10-CM |
| F14.988 | Cocaine use, unspecified with other cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F14.99 | Cocaine use, unspecified with unspecified cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F15.10 | Other stimulant abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F15.11 | Other stimulant abuse, in remission | Diagnosis | ICD-10-CM |
| F15.120 | Other stimulant abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F15.121 | Other stimulant abuse with intoxication delirium | Diagnosis | ICD-10-CM |
| F15.122 | Other stimulant abuse with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F15.129 | Other stimulant abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F15.14 | Other stimulant abuse with stimulant-induced mood disorder | Diagnosis | ICD-10-CM |
| F15.150 | Other stimulant abuse with stimulant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F15.151 | Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F15.159 | Other stimulant abuse with stimulant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F15.180 | Other stimulant abuse with stimulant-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F15.181 | Other stimulant abuse with stimulant-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F15.181 | Other stimulant abuse with stimulant-induced sleep disorder | Diagnosis | ICD-10-CM |
| F15.188 | Other stimulant abuse with other stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F15.19 | Other stimulant abuse with unspecified stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F15.220 | Other stimulant dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F15.221 | Other stimulant dependence with intoxication delirium | - | ICD-10-CM |
| F15.221 | Other stimulant dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F15.229 | Other stimulant dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F15.23 | Other stimulant dependence with withdrawal | Diagnosis | ICD-10-CM |
| F15.23 F15.24 | Other stimulant dependence with stimulant-induced mood disorder | Diagnosis | ICD-10-CM |
| F15.24 F15.250 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CIM |
| | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CIVI |
| F15.251 | Other stimulant dependence with stimulant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CIVI |
| F15.259 | Other stimulant dependence with stimulant-induced psychotic disorder | - | ICD-10-CIVI |
| F15.280 | Other stimulant dependence with stimulant-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F15.281 | Other stimulant dependence with stimulant-induced sleep disorder | Diagnosis | |
| F15.282 | Other stimulant dependence with other stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F15.288 | Other stimulant dependence with unspecified stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F15.29 | Other stimulant dependence with unspecified stimulant-induced disorder Other stimulant use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F15.90 | סנחכו סנוווטומונ מסכ, מווסףכנווכט, מונטווףוונמנכט | Diagnosis | ICD-10-CM |



| | | Code | |
|-------------------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| F15.920 | Other stimulant use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F15.921 | Other stimulant use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F15.922 | Other stimulant use, unspecified with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F15.929 | Other stimulant use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F15.93 | Other stimulant use, unspecified with withdrawal | Diagnosis | ICD-10-CM |
| F15.94 | Other stimulant use, unspecified with stimulant-induced mood disorder | Diagnosis | ICD-10-CM |
| F15.950 | Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F15.951 | Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F15.959 | Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F15.980 | Other stimulant use, unspecified with stimulant-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F15.981 | Other stimulant use, unspecified with stimulant-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F15.982 | Other stimulant use, unspecified with stimulant-induced sleep disorder | Diagnosis | ICD-10-CM |
| F15.988 | Other stimulant use, unspecified with other stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F15.99 | Other stimulant use, unspecified with unspecified stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F16.10 | Hallucinogen abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F16.11 | Hallucinogen abuse, in remission | Diagnosis | ICD-10-CM |
| F16.120 | Hallucinogen abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F16.121 | Hallucinogen abuse with intoxication with delirium | Diagnosis | ICD-10-CM |
| F16.122 | Hallucinogen abuse with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F16.129 | Hallucinogen abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F16.14 | Hallucinogen abuse with hallucinogen-induced mood disorder | Diagnosis | ICD-10-CM |
| F16.150 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F16.151 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F16.159 | Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F16.180 | Hallucinogen abuse with hallucinogen-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F16.183 | Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks) | Diagnosis | ICD-10-CM |
| F16.188 | Hallucinogen abuse with other hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F16.19 | Hallucinogen abuse with unspecified hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F16.220 | Hallucinogen dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F16.221 | Hallucinogen dependence with intoxication with delirium | Diagnosis | ICD-10-CM |
| F16.229 | Hallucinogen dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F16.24 | Hallucinogen dependence with hallucinogen-induced mood disorder | Diagnosis | ICD-10-CM |
| F16.250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F16.251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F16.259 | Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F16.280 | Hallucinogen dependence with hallucinogen-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F16.283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) | Diagnosis | ICD-10-CM |
| F16.288 | Hallucinogen dependence with other hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F16.29 | Hallucinogen dependence with unspecified hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F16.29 | Hallucinogen use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F16.920 | Hallucinogen use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F16.920 | Hallucinogen use, unspecified with intoxication with delirium | Diagnosis | ICD-10-CM |
| F16.921 | Hallucinogen use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F16.929 F16.94 | Hallucinogen use, unspecified with hallucinogen-induced mood disorder | Diagnosis | ICD-10-CM |
| | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F16.950 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F16.951 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified | 0 | |
| F16.959 | Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F16.980 | Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks) | Diagnosis | ICD-10-CM |
| F16.983 | רומווענוווטצבוו עזב, עווזאבנווובע אונוו וומווענוווטצבוו אבוזאנוווצ אבונבאנוטוו עוזטו עבו (וומאווטמנגא) | Diagnosis | ICD-10-CM |



| | | Code | |
|-------------------|---|-----------|------------------------|
| Code | Description | Category | Code Type |
| F16.988 | Hallucinogen use, unspecified with other hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F16.99 | Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F17.203 | Nicotine dependence unspecified, with withdrawal | Diagnosis | ICD-10-CM |
| F17.208 | Nicotine dependence, unspecified, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.209 | Nicotine dependence, unspecified, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.213 | Nicotine dependence, cigarettes, with withdrawal | Diagnosis | ICD-10-CM |
| F17.218 | Nicotine dependence, cigarettes, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.219 | Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.223 | Nicotine dependence, chewing tobacco, with withdrawal | Diagnosis | ICD-10-CM |
| F17.228 | Nicotine dependence, chewing tobacco, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.229 | Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.293 | Nicotine dependence, other tobacco product, with withdrawal | Diagnosis | ICD-10-CM |
| F17.298 | Nicotine dependence, other tobacco product, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17.299 | Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F18.10 | Inhalant abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F18.11 | Inhalant abuse, in remission | Diagnosis | ICD-10-CM |
| F18.120 | Inhalant abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F18.121 | Inhalant abuse with intoxication delirium | Diagnosis | ICD-10-CM |
| F18.129 | Inhalant abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F18.14 | Inhalant abuse with inhalant-induced mood disorder | Diagnosis | ICD-10-CM |
| F18.150 | Inhalant abuse with inhalant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F18.151 | Inhalant abuse with inhalant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F18.159 | Inhalant abuse with inhalant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F18.17 | Inhalant abuse with inhalant-induced dementia | Diagnosis | ICD-10-CM |
| F18.180 | Inhalant abuse with inhalant-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F18.188 | Inhalant abuse with other inhalant-induced disorder | Diagnosis | ICD-10-CM |
| F18.19 | Inhalant abuse with unspecified inhalant-induced disorder | Diagnosis | ICD-10-CM |
| F18.220 | Inhalant dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F18.221 | Inhalant dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F18.229 | Inhalant dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F18.24 | Inhalant dependence with inhalant-induced mood disorder | Diagnosis | ICD-10-CM |
| F18.250 | Inhalant dependence with inhalant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F18.250 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F18.251 | Inhalant dependence with inhalant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F18.27 | Inhalant dependence with inhalant-induced dementia | - | ICD-10-CM |
| F18.280 | Inhalant dependence with inhalant-induced anxiety disorder | - | ICD-10-CM |
| F18.280 | Inhalant dependence with other inhalant-induced disorder | Diagnosis | ICD-10-CM |
| F18.29 | Inhalant dependence with unspecified inhalant-induced disorder | Diagnosis | ICD-10-CM |
| F18.29 F18.90 | Inhalant use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F18.90 F18.920 | Inhalant use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| | Inhalant use, unspecified with intoxication, uncomplicated | - | ICD-10-CM |
| F18.921 | Inhalant use, unspecified with intoxication with demining | Diagnosis | |
| F18.929 | Inhalant use, unspecified with inhalant-induced mood disorder | Diagnosis | ICD-10-CM ICD-10-CM |
| F18.94 | Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions | Diagnosis | |
| F18.950 | Inhalant use, unspecified with inhalant-induced psychotic disorder with defusions | Diagnosis | ICD-10-CM |
| F18.951 | Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F18.959 | | Diagnosis | ICD-10-CM |
| F18.97 | Inhalant use, unspecified with inhalant-induced persisting dementia | Diagnosis | ICD-10-CM |
| F18.980 | Inhalant use, unspecified with inhalant-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F18.988 | Inhalant use, unspecified with other inhalant-induced disorder | Diagnosis | ICD-10-CM |



| | | Code | |
|---------|---|------------------------|-----------|
| Code | Description | Category | Code Type |
| F18.99 | Inhalant use, unspecified with unspecified inhalant-induced disorder | Diagnosis | ICD-10-CM |
| F19.10 | Other psychoactive substance abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F19.11 | Other psychoactive substance abuse, in remission | Diagnosis | ICD-10-CM |
| F19.120 | Other psychoactive substance abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F19.121 | Other psychoactive substance abuse with intoxication delirium | Diagnosis | ICD-10-CM |
| F19.122 | Other psychoactive substance abuse with intoxication with perceptual disturbances | Diagnosis | ICD-10-CM |
| F19.129 | Other psychoactive substance abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F19.14 | Other psychoactive substance abuse with psychoactive substance-induced mood disorder | Diagnosis | ICD-10-CM |
| F19.150 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F19.151 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with | Diagnosis | ICD-10-CM |
| F19.159 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F19.16 | Other psychoactive substance abuse with psychoactive substance-induced persisting amnestic disorder | Diagnosis | ICD-10-CM |
| F19.17 | Other psychoactive substance abuse with psychoactive substance-induced persisting dementia | Diagnosis | ICD-10-CM |
| F19.180 | Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F19.181 | Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F19.182 | Other psychoactive substance abuse with psychoactive substance-induced sleep disorder | Diagnosis | ICD-10-CM |
| F19.188 | Other psychoactive substance abuse with other psychoactive substance-induced disorder | Diagnosis | ICD-10-CM |
| F19.19 | Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder | Diagnosis | ICD-10-CM |
| F19.15 | Other psychoactive substance dependence, in remission | Diagnosis | ICD-10-CM |
| F19.220 | Other psychoactive substance dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F19.221 | Other psychoactive substance dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F19.221 | Other psychoactive substance dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F19.229 | Other psychoactive substance dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F19.230 | Other psychoactive substance dependence with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |
| F19.230 | Other psychoactive substance dependence with withdrawal delirium | Diagnosis | ICD-10-CM |
| F19.231 | Other psychoactive substance dependence with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F19.232 | Other psychoactive substance dependence with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F19.235 | Other psychoactive substance dependence with psychoactive substance-induced mood disorder | Diagnosis | ICD-10-CM |
| F19.24 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with | Diagnosis | ICD-10-CM |
| F19.250 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with | Diagnosis | |
| F19.291 | hallucinations | Diagnosis | ICD-10-CM |
| F19.259 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, | Diagnosis | ICD-10-CM |
| | Other psychoactive substance dependence with psychoactive substance-induced psychoactive disorder, | Diagnosis | ICD-10-CM |
| F19.26 | Other psychoactive substance dependence with psychoactive substance-induced persisting annestic disorder Other psychoactive substance dependence with psychoactive substance-induced persisting dementia | - | ICD-10-CM |
| F19.27 | Other psychoactive substance dependence with psychoactive substance-induced persisting demendar Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder | Diagnosis Diagnosis | ICD-10-CM |
| F19.280 | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F19.281 | Other psychoactive substance dependence with psychoactive substance-induced sexual dystanction | - | |
| F19.282 | Other psychoactive substance dependence with other psychoactive substance-induced disorder | Diagnosis | ICD-10-CM |
| F19.288 | | Diagnosis | ICD-10-CM |
| F19.29 | Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder | Diagnosis | ICD-10-CM |
| F19.90 | Other psychoactive substance use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F19.920 | Other psychoactive substance use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F19.921 | Other psychoactive substance use, unspecified with intoxication with delirium | Diagnosis | ICD-10-CM |
| F19.922 | Other psychoactive substance use, unspecified with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F19.929 | Other psychoactive substance use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F19.930 | Other psychoactive substance use, unspecified with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |
| F19.931 | Other psychoactive substance use, unspecified with withdrawal delirium | Diagnosis | ICD-10-CM |
| F19.932 | Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F19.939 | Other psychoactive substance use, unspecified with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F19.94 | Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder | Diagnosis | ICD-10-CM |
| | | | |



| | | Code | |
|---|---|---|--|
| Code | Description | Category | Code Type |
| F19.950 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with | | |
| | delusions | Diagnosis | ICD-10-CM |
| F19.951 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with | | |
| | hallucinations | Diagnosis | ICD-10-CM |
| F19.959 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, | Diagnosis | ICD-10-CM |
| F19.96 | Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnestic | Diagnosis | ICD-10-CN |
| F19.97 | Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia | Diagnosis | ICD-10-CM |
| F19.980 | Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F19.981 | Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction | Diagnosis | ICD-10-CN |
| F19.982 | Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder | Diagnosis | ICD-10-CN |
| F19.988 | Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder | Diagnosis | ICD-10-CN |
| F19.99 | Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder | Diagnosis | ICD-10-CN |
| F55.0 | Abuse of antacids | Diagnosis | ICD-10-CM |
| F55.1 | Abuse of herbal or folk remedies | Diagnosis | ICD-10-CM |
| F55.2 | Abuse of laxatives | Diagnosis | ICD-10-CM |
| F55.3 | Abuse of steroids or hormones | Diagnosis | ICD-10-CN |
| F55.4 | Abuse of vitamins | Diagnosis | ICD-10-CM |
| F55.8 | Abuse of other non-psychoactive substances | Diagnosis | ICD-10-CM |
| 099.320 | Drug use complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| 099.321 | Drug use complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| 099.322 | Drug use complicating pregnancy, second trimester | Diagnosis | ICD-10-CN |
| 099.323 | Drug use complicating pregnancy, third trimester | Diagnosis | ICD-10-CN |
| 099.324 | Drug use complicating childbirth | Diagnosis | ICD-10-CN |
| 099.325 | Drug use complicating the puerperium | Diagnosis | ICD-10-CM |
| | Stroke | | |
| G45.0 | Vertebro-basilar artery syndrome | Diagnosis | ICD-10-CM |
| G45.1 | Carotid artery syndrome (hemispheric) | Diagnosis | ICD-10-CM |
| G45.2 | Multiple and bilateral precerebral artery syndromes | Diagnosis | ICD-10-CM |
| G45.8 | Other transient cerebral ischemic attacks and related syndromes | Diagnosis | ICD-10-CM |
| G45.9 | Transient cerebral ischemic attack, unspecified | Diagnosis | ICD-10-CN |
| G46.0 | Middle cerebral artery syndrome | Diagnosis | ICD-10-CM |
| G46.1 | Anterior cerebral artery syndrome | Diagnosis | ICD-10-CM |
| G46.2 | Posterior cerebral artery syndrome | Diagnosis | ICD-10-CM |
| C 4 C 2 | | Diagnosis | |
| G46.3 | Brain stem stroke syndrome | Diagnosis | |
| | Brain stem stroke syndrome Cerebellar stroke syndrome | Diagnosis | ICD-10-CM |
| G46.4 | | Diagnosis Diagnosis | ICD-10-CM ICD-10-CM |
| G46.4 G46.5 | Cerebellar stroke syndrome | Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 | Cerebellar stroke syndrome Pure motor lacunar syndrome | Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 G46.7 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome | Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 G46.7 G46.8 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 G46.7 G46.8 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 G46.7 G46.8 G97.31 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 G46.7 G46.8 G97.31 G97.32 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.6 G46.7 G46.8 G97.31 G97.32 I60.00 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN |
| G46.4 G46.5 G46.6 G46.7 G46.8 G97.31 G97.32 I60.00 I60.01 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN ICD-10-CN |
| G46.4 G46.5 G46.6 G46.7 G46.8 G97.31 G97.32 I60.00 I60.01 I60.02 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.4 G46.5 G46.7 G46.8 G97.31 G97.32 I60.00 I60.01 I60.02 I60.10 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |
| G46.3 G46.4 G46.5 G46.7 G46.8 G97.31 G97.32 I60.00 I60.01 I60.02 I60.10 I60.11 I60.12 | Cerebellar stroke syndrome Pure motor lacunar syndrome Pure sensory lacunar syndrome Other lacunar syndromes Other vascular syndromes of brain in cerebrovascular diseases Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation | Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis Diagnosis | ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM ICD-10-CM |



| | · · · | Code | |
|-------------------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| 160.21 | Nontraumatic subarachnoid hemorrhage from right anterior communicating artery | Diagnosis | ICD-10-CM |
| 160.22 | Nontraumatic subarachnoid hemorrhage from left anterior communicating artery | Diagnosis | ICD-10-CM |
| 160.30 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery | Diagnosis | ICD-10-CM |
| 160.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery | Diagnosis | ICD-10-CM |
| 160.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery | Diagnosis | ICD-10-CM |
| 160.4 | Nontraumatic subarachnoid hemorrhage from basilar artery | Diagnosis | ICD-10-CM |
| 160.50 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery | Diagnosis | ICD-10-CM |
| 160.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery | Diagnosis | ICD-10-CM |
| 160.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery | Diagnosis | ICD-10-CM |
| 160.6 | Nontraumatic subarachnoid hemorrhage from other intracranial arteries | Diagnosis | ICD-10-CM |
| 160.7 | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery | Diagnosis | ICD-10-CM |
| 160.8 | Other nontraumatic subarachnoid hemorrhage | Diagnosis | ICD-10-CM |
| 160.9 | Nontraumatic subarachnoid hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| 161.0 | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical | Diagnosis | ICD-10-CM |
| 161.1 | Nontraumatic intracerebral hemorrhage in hemisphere, cortical | Diagnosis | ICD-10-CM |
| 161.2 | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified | Diagnosis | ICD-10-CM |
| 161.3 | Nontraumatic intracerebral hemorrhage in brain stem | Diagnosis | ICD-10-CM |
| 161.4 | Nontraumatic intracerebral hemorrhage in cerebellum | Diagnosis | ICD-10-CM |
| 161.5 | Nontraumatic intracerebral hemorrhage, intraventricular | Diagnosis | ICD-10-CM |
| 161.6 | Nontraumatic intracerebral hemorrhage, multiple localized | Diagnosis | ICD-10-CM |
| 161.8 | Other nontraumatic intracerebral hemorrhage | Diagnosis | ICD-10-CM |
| 161.9 | Nontraumatic intracerebral hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| 163.00 | Cerebral infarction due to thrombosis of unspecified precerebral artery | Diagnosis | ICD-10-CM |
| 163.011 | Cerebral infarction due to thrombosis of right vertebral artery | Diagnosis | ICD-10-CM |
| 163.012 | Cerebral infarction due to thrombosis of left vertebral artery | Diagnosis | ICD-10-CM |
| 163.013 | Cerebral infarction due to thrombosis of bilateral vertebral arteries | Diagnosis | ICD-10-CM |
| 163.019 | Cerebral infarction due to thrombosis of unspecified vertebral artery | Diagnosis | ICD-10-CM |
| 163.02 | Cerebral infarction due to thrombosis of basilar artery | Diagnosis | ICD-10-CM |
| 163.031 | Cerebral infarction due to thrombosis of right carotid artery | Diagnosis | ICD-10-CM |
| 163.032 | Cerebral infarction due to thrombosis of left carotid artery | Diagnosis | ICD-10-CM |
| 163.032 | Cerebral infarction due to thrombosis of unspecified carotid artery | Diagnosis | ICD-10-CM |
| 163.09 | Cerebral infarction due to thrombosis of other precerebral artery | Diagnosis | ICD-10-CM |
| 163.10 | Cerebral infarction due to embolism of unspecified precerebral artery | Diagnosis | ICD-10-CM |
| 163.10 163.111 | Cerebral infarction due to embolism of right vertebral artery | Diagnosis | ICD-10-CM |
| 163.112 | Cerebral infarction due to embolism of left vertebral artery | - | ICD-10-CM |
| l63.112 | Cerebral infarction due to embolism of unspecified vertebral artery | - | ICD-10-CM |
| 163.119 | Cerebral infarction due to embolism of basilar artery | Diagnosis | ICD-10-CM |
| 163.12 | Cerebral infarction due to embolism of right carotid artery | Diagnosis | ICD-10-CM |
| 163.131 | Cerebral infarction due to embolism of left carotid artery | Diagnosis | ICD-10-CM |
| 163.132 | Cerebral infarction due to embolism of inspecified carotid artery | Diagnosis | ICD-10-CM |
| | Cerebral infarction due to embolism of other precerebral artery | - | |
| 163.19 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries | Diagnosis | ICD-10-CM |
| 163.20 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries | Diagnosis | ICD-10-CM |
| 163.211 | Cerebral infarction due to unspecified occlusion or stenosis of light vertebral artery | Diagnosis | ICD-10-CM |
| 163.212 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries | Diagnosis | ICD-10-CM |
| 163.213 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral arteries | Diagnosis | ICD-10-CM |
| 163.219 | | Diagnosis | ICD-10-CM |
| 163.22 | Cerebral infarction due to unspecified occlusion or stenosis of basilar artery | Diagnosis | ICD-10-CM |
| 163.231 | Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries | Diagnosis | ICD-10-CM |
| 163.232 | Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries | Diagnosis | ICD-10-CM |



| | | Code | |
|---------|--|-----------|------------------------|
| Code | Description | Category | Code Type |
| 163.233 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries | Diagnosis | ICD-10-CM |
| 163.239 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery | Diagnosis | ICD-10-CM |
| 163.29 | Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries | Diagnosis | ICD-10-CM |
| 163.30 | Cerebral infarction due to thrombosis of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| 163.311 | Cerebral infarction due to thrombosis of right middle cerebral artery | Diagnosis | ICD-10-CM |
| 163.312 | Cerebral infarction due to thrombosis of left middle cerebral artery | Diagnosis | ICD-10-CM |
| 163.313 | Cerebral infarction due to thrombosis of bilateral middle cerebral arteries | Diagnosis | ICD-10-CM |
| 163.319 | Cerebral infarction due to thrombosis of unspecified middle cerebral artery | Diagnosis | ICD-10-CM |
| 163.321 | Cerebral infarction due to thrombosis of right anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.322 | Cerebral infarction due to thrombosis of left anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.323 | Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries | Diagnosis | ICD-10-CM |
| 163.329 | Cerebral infarction due to thrombosis of unspecified anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.331 | Cerebral infarction due to thrombosis of right posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.332 | Cerebral infarction due to thrombosis of left posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.333 | Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries | Diagnosis | ICD-10-CM |
| 163.339 | Cerebral infarction due to thrombosis of unspecified posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.341 | Cerebral infarction due to thrombosis of right cerebellar artery | Diagnosis | ICD-10-CM |
| 163.342 | Cerebral infarction due to thrombosis of left cerebellar artery | Diagnosis | ICD-10-CM |
| 163.343 | Cerebral infarction due to thrombosis of bilateral cerebellar arteries | Diagnosis | ICD-10-CM |
| 163.349 | Cerebral infarction due to thrombosis of unspecified cerebellar artery | Diagnosis | ICD-10-CM |
| 163.39 | Cerebral infarction due to thrombosis of other cerebral artery | Diagnosis | ICD-10-CM |
| 163.40 | Cerebral infarction due to embolism of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| 163.411 | Cerebral infarction due to embolism of right middle cerebral artery | Diagnosis | ICD-10-CM |
| 163.412 | Cerebral infarction due to embolism of left middle cerebral artery | Diagnosis | ICD-10-CM |
| 163.412 | Cerebral infarction due to embolism of bilateral middle cerebral arteries | Diagnosis | ICD-10-CM |
| 163.419 | Cerebral infarction due to embolism of unspecified middle cerebral artery | Diagnosis | ICD-10-CM |
| 163.419 | Cerebral infarction due to embolism of right anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.421 | Cerebral infarction due to embolism of left anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.423 | Cerebral infarction due to embolism of bilateral anterior cerebral arteries | Diagnosis | ICD-10-CM |
| 163.429 | Cerebral infarction due to embolism of unspecified anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.429 | Cerebral infarction due to embolism of right posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.431 | Cerebral infarction due to embolism of left posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.432 | Cerebral infarction due to embolism of bilateral posterior cerebral arteries | Diagnosis | ICD-10-CM |
| 163.433 | Cerebral infarction due to embolism of unspecified posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.439 | Cerebral infarction due to embolism of right cerebellar artery | Diagnosis | ICD-10-CM |
| 163.441 | Cerebral infarction due to embolism of left cerebellar artery | • | ICD-10-CM |
| 163.442 | Cerebral infarction due to embolism of bilateral cerebellar arteries | Diagnosis | ICD-10-CM |
| 163.449 | Cerebral infarction due to embolism of unspecified cerebellar artery | Diagnosis | ICD-10-CM |
| 163.449 | Cerebral infarction due to embolism of other cerebral artery | Diagnosis | ICD-10-CM |
| 163.50 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| 163.50 | Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery | Diagnosis | ICD-10-CM |
| | Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery | Diagnosis | |
| 163.512 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries | Diagnosis | ICD-10-CM ICD-10-CM |
| 163.513 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery | 0 | |
| 163.519 | Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.521 | Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.522 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries | Diagnosis | ICD-10-CM |
| 163.523 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.529 | Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery | Diagnosis | ICD-10-CM |
| 163.531 | ceres a marchon due to anspectifica occlusion of stenosis of right posterior cerebral artery | Diagnosis | ICD-10-CM |



| CodeDescriptionCategoryCode Type163.321Cerebral infarction due to unspecified occlusion or stenosis of later al protein cerebral arteryDiagnosis1CD-10-CM163.332Cerebral infarction due to unspecified occlusion or stenosis of inplater cerebral arteryDiagnosis1CD-10-CM163.342Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar arteryDiagnosisICD-10-CM163.342Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar arteryDiagnosisICD-10-CM163.342Cerebral infarction due to unspecified occlusion or stenosis of other cerebellar arteryDiagnosisICD-10-CM163.343Cerebral infarction due to unspecified occlusion or stenosis of other cerebellar arteryDiagnosisICD-10-CM163.345Cerebral infarction due to unspecified occlusion or stenosis of other cerebral arteryDiagnosisICD-10-CM163.64Cerebral infarction due to cerebral arteryDiagnosisICD-10-CM163.60Other cerebral infarctionDiagnosisICD-10-CM163.61Occlusion and stenosis of fight middle cerebral arteryDiagnosisICD-10-CM166.10Occlusion and stenosis of onspecified middle cerebral arteryDiagnosisICD-10-CM166.12Occlusion and stenosis of onspecified middle carebral arteryDiagnosisICD-10-CM166.13Occlusion and stenosis of bilateral arterior cerebral arteryDiagnosisICD-10-CM166.14Occlusion and stenosis of onspecified middle carebral arteryDiagnosisICD-10-CM16 | | • | Code | |
|---|---------|---|-----------|-----------|
| is3.33 Cerebral infarction due to unspecified occlusion or stenosis of inght cerebral arteries Diagnosis ICD-10-CM is3.43 Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery Diagnosis ICD-10-CM is3.44 Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery Diagnosis ICD-10-CM is3.45 Cerebral infarction due to unspecified occlusion or stenosis of infart cerebellar artery Diagnosis ICD-10-CM is3.45 Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery Diagnosis ICD-10-CM is3.45 Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery Diagnosis ICD-10-CM is3.46 Cerebral infarction, unspecified Diagnosis ICD-10-CM Diagnosis ICD-10-CM is6.30 Cerebral infarction, unspecified Cerebral artery Diagnosis ICD-10-CM is6.40 Occlusion and stenosis of right arterior cerebral artery Diagnosis ICD-10-CM is6.30 Occlusion and stenosis of right arterior cerebral artery Diagnosis ICD-10-CM is6.41 Occlusion and stenosis of right arterior cerebral artery Diagnosis ICD-10-CM | Code | Description | Category | Code Type |
| Inf3:53 Cerebral infarction due to unspecified occlusion or stenosis of inspecified posterior cerebral artery Diagnosis ICD-10-CM I63:541 Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery Diagnosis ICD-10-CM I63:542 Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries Diagnosis ICD-10-CM I63:549 Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery Diagnosis ICD-10-CM I63:540 Cerebral infarction due to cerebral artery Diagnosis ICD-10-CM I63:64 Cerebral infarction due to cerebral artery Diagnosis ICD-10-CM I63:64 Cerebral infarction due to cerebral artery Diagnosis ICD-10-CM I63:60 Cerclusion and stenosis of right middle cerebral artery Diagnosis ICD-10-CM I66:00 Occlusion and stenosis of right arterior cerebral artery Diagnosis ICD-10-CM I66:10 Occlusion and stenosis of right arterior cerebral artery Diagnosis ICD-10-CM I66:10 Occlusion and stenosis of right arterior cerebral artery Diagnosis ICD-10-CM I66:10 Occlusion and stenosis of right posterior cerebral artery Diagnosis <td< td=""><td>163.532</td><td>Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery</td><td>Diagnosis</td><td>ICD-10-CM</td></td<> | 163.532 | Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery | Diagnosis | ICD-10-CM |
| i63.541 Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery Diagnosis CD-10-CM i63.542 Cerebral infarction due to unspecified occlusion or stenosis of bilteraci cerebellar arteries Diagnosis ICD-10-CM i63.543 Cerebral infarction due to unspecified occlusion or stenosis of bilteraci cerebellar artery Diagnosis ICD-10-CM i63.543 Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery Diagnosis ICD-10-CM i63.64 Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery Diagnosis ICD-10-CM i63.63 Cerebral infarction nue to cerebral artery Diagnosis ICD-10-CM i66.01 Occlusion and stenosis of fight middle cerebral artery Diagnosis ICD-10-CM i66.03 Occlusion and stenosis of right anterior cerebral artery Diagnosis ICD-10-CM i66.11 Occlusion and stenosis of right patientior cerebral artery Diagnosis ICD-10-CM i66.12 Occlusion and stenosis of fight patientior cerebral artery Diagnosis ICD-10-CM i66.12 Occlusion and stenosis of fight patientior cerebral artery Diagnosis ICD-10-CM i66.13 Occlusion and stenosis of ingene | 163.533 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries | Diagnosis | ICD-10-CM |
| IG3.542Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteriesDiagnosisIC-10-CMIG3.543Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar arteryDiagnosisIC-10-CMIG3.55Cerebral infarction due to unspecified occlusion or stenosis of other cerebral arteryDiagnosisIC-10-CMIG3.56Cerebral infarction due to unspecified occlusion or stenosis of other cerebral arteryDiagnosisIC-10-CMIG3.66Cerebral infarction, unspecified occlusion arteryDiagnosisIC-10-CMIG3.61Cerebral infarction, unspecifiedCerebral arteryDiagnosisIC-10-CMIG6.02Occlusion and stenosis of right middle cerebral arteryDiagnosisIC-10-CMIG6.03Occlusion and stenosis of right anterior cerebral arteryDiagnosisIC-10-CMIG6.11Occlusion and stenosis of litteral indice cerebral arteryDiagnosisIC-10-CMIG6.12Occlusion and stenosis of litteral interior cerebral arteryDiagnosisIC-10-CMIG6.13Occlusion and stenosis of litteral interior cerebral arteryDiagnosisIC-10-CMIG6.14Occlusion and stenosis of litteral anterior cerebral arteryDiagnosisIC-10-CMIG6.15Occlusion and stenosis of litteral anterior cerebral arteryDiagnosisIC-10-CMIG6.14Occlusion and stenosis of litteral anterior cerebral arteryDiagnosisIC-10-CMIG6.15Occlusion and stenosis of litteral anterior cerebral arteryDiagnosisIC-10-CMIG6.24Occlusion a | 163.539 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery | Diagnosis | ICD-10-CM |
| InS 3.54Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteriesDiagnosisIC-10-CMIG3.59Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar arteryDiagnosisIC-10-CMIG3.60Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral arteryDiagnosisIC-10-CMIG3.60Cerebral infarction, unspecifiedDiagnosisIC-10-CMIG3.60Cerebral infarction, unspecifiedDiagnosisIC-10-CMIG6.10Occlusion and stenosis of right middle cerebral arteryDiagnosisIC-10-CMIG6.20Occlusion and stenosis of light middle cerebral arteriesDiagnosisIC-10-CMIG6.31Occlusion and stenosis of light anterior cerebral arteryDiagnosisIC-10-CMIG6.12Occlusion and stenosis of light anterior cerebral arteryDiagnosisIC-10-CMIG6.13Occlusion and stenosis of bilateral anterior cerebral arteryDiagnosisIC-10-CMIG6.21Occlusion and stenosis of bilateral anterior cerebral arteryDiagnosisIC-10-CMIG6.22Occlusion and stenosis of light posterior cerebral arteryDiagnosisIC-10-CMIG6.23Occlusion and stenosis of light posterior cerebral arteryDiagnosisIC-10-CMIG6.24Occlusion and stenosis of inspecified posterior cerebral arteryDiagnosisIC-10-CMIG6.25Occlusion and stenosis of inspecified posterior cerebral arteryDiagnosisIC-10-CMIG6.23Occlusion and stenosis of inspecified posterior cerebral artery <t< td=""><td>163.541</td><td>Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery</td><td>Diagnosis</td><td>ICD-10-CM</td></t<> | 163.541 | Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery | Diagnosis | ICD-10-CM |
| IG3.58Cerebral infarction due to unspecified occlusion or stenosis of other cerebral arteryDiagnosisICD-10-CMIG3.60Cerebral infarction due to unspecified occlusion or stenosis of other cerebral arteryDiagnosisICD-10-CMIG3.61Cerebral infarction due to unspecified occlusion or stenosis of other cerebral arteryDiagnosisICD-10-CMIG3.62Cerebral infarction, unspecifiedDiagnosisICD-10-CMIG6.01Occlusion and stenosis of right middle cerebral arteryDiagnosisICD-10-CMIG6.02Occlusion and stenosis of bilateral middle cerebral arteryDiagnosisICD-10-CMIG6.03Occlusion and stenosis of bilateral middle cerebral arteryDiagnosisICD-10-CMIG6.14Occlusion and stenosis of bilateral middle cerebral arteryDiagnosisICD-10-CMIG6.15Occlusion and stenosis of bilateral netrior cerebral arteryDiagnosisICD-10-CMIG6.16Occlusion and stenosis of bilateral netrior cerebral arteryDiagnosisICD-10-CMIG6.13Occlusion and stenosis of bilateral netrior cerebral arteryDiagnosisICD-10-CMIG6.14Occlusion and stenosis of bilateral netrior cerebral arteryDiagnosisICD-10-CMIG6.23Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMIG6.24Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMIG6.25Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMIG6.24Occlusion and stenosis of bilateral posterior | 163.542 | Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery | Diagnosis | ICD-10-CM |
| IS3.59Cerebral infarction due to unspecified occlusion or stenosis of other cerebral atteryDiagnosisICD-10-CMIG3.6Cerebral infarctionDiagnosisICD-10-CMIG3.7Cerebral infarction, unspecifiedDiagnosisICD-10-CMIG6.10Occlusion and stenosis of right middle cerebral atteryDiagnosisICD-10-CMIG6.02Occlusion and stenosis of left middle cerebral atteryDiagnosisICD-10-CMIG6.03Occlusion and stenosis of left middle cerebral atteryDiagnosisICD-10-CMIG6.04Occlusion and stenosis of unspecified middle cerebral atteryDiagnosisICD-10-CMIG6.11Occlusion and stenosis of left atterior cerebral atteryDiagnosisICD-10-CMIG6.12Occlusion and stenosis of left atterior cerebral atteryDiagnosisICD-10-CMIG6.13Occlusion and stenosis of bilateral enterior cerebral atteryDiagnosisICD-10-CMIG6.22Occlusion and stenosis of left posterior cerebral atteryDiagnosisICD-10-CMIG6.23Occlusion and stenosis of left posterior cerebral atteryDiagnosisICD-10-CMIG6.24Occlusion and stenosis of left posterior cerebral atteryDiagnosisICD-10-CMIG6.25Occlusion and stenosis of other cerebral atteryDiagnosisICD-10-CMIG6.26Occlusion and stenosis of other cerebral atteryDiagnosisICD-10-CMIG6.25Occlusion and stenosis of other cerebral atteryDiagnosisICD-10-CMIG6.24Occlusion and stenosis of other cerebral atteryDiagnosisICD- | 163.543 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries | Diagnosis | ICD-10-CM |
| IG3.6Cerebral infarction due to cerebral venous thrombosis, nonpyogenicDiagnosisICD-10-CMIG3.9Cerebral infarctionDiagnosisICD-10-CMIG3.9Cerebral infarction, unspecifiedDiagnosisICD-10-CMIG6.00Occlusion and stenosis of right indielle cerebral arteryDiagnosisICD-10-CMIG6.01Occlusion and stenosis of light indielle cerebral arteryDiagnosisICD-10-CMIG6.02Occlusion and stenosis of light indielle cerebral arteryDiagnosisICD-10-CMIG6.11Occlusion and stenosis of light indielle cerebral arteryDiagnosisICD-10-CMIG6.12Occlusion and stenosis of light anterior cerebral arteryDiagnosisICD-10-CMIG6.13Occlusion and stenosis of light posterior cerebral arteryDiagnosisICD-10-CMIG6.22Occlusion and stenosis of bilateral arterior cerebral arteryDiagnosisICD-10-CMIG6.23Occlusion and stenosis of light posterior cerebral arteryDiagnosisICD-10-CMIG6.24Occlusion and stenosis of light posterior cerebral arteryDiagnosisICD-10-CMIG6.25Occlusion and stenosis of the cerebral arteriesDiagnosisICD-10-CMIG6.34Occlusion and stenosis of negretified posterior cerebral arteryDiagnosisICD-10-CMIG6.34Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CMIG6.34Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMIG6.35Occlusion and stenosis of unspecified cerebral arteryDiagno | 163.549 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery | Diagnosis | ICD-10-CM |
| 163.8Other cerebral infarction, unspecifiedDiagnosisICD-10-CM163.9Cerebral infarction, unspecifiedDiagnosisICD-10-CM166.01Occlusion and stenosis of left middle cerebral arteryDiagnosisICD-10-CM166.02Occlusion and stenosis of infart middle cerebral arteryDiagnosisICD-10-CM166.03Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CM166.11Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CM166.12Occlusion and stenosis of bift anterior cerebral arteryDiagnosisICD-10-CM166.13Occlusion and stenosis of bift anterior cerebral arteryDiagnosisICD-10-CM166.14Occlusion and stenosis of bift anterior cerebral arteryDiagnosisICD-10-CM166.21Occlusion and stenosis of pift proterior cerebral arteryDiagnosisICD-10-CM166.22Occlusion and stenosis of furt proterior cerebral arteryDiagnosisICD-10-CM166.23Occlusion and stenosis of furt proterior cerebral arteryDiagnosisICD-10-CM166.24Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CM166.30Occlusion and stenosis of unspecified noteriesDiagnosisICD-10-CM166.30Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CM166.29Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CM166.30Occlusion and stenosis of unspecified cerebral arteriesDiagnos | 163.59 | Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery | Diagnosis | ICD-10-CM |
| 10:39Cerebral infarction, unspecifiedDiagnosisICD-10-CM166.01Occlusion and stenosis of right middle cerebral arteryDiagnosisICD-10-CM166.02Occlusion and stenosis of of thindle cerebral arteryDiagnosisICD-10-CM166.03Occlusion and stenosis of bilateral middle cerebral arteryDiagnosisICD-10-CM166.04Occlusion and stenosis of pilat materior cerebral arteryDiagnosisICD-10-CM166.11Occlusion and stenosis of light anterior cerebral arteryDiagnosisICD-10-CM166.12Occlusion and stenosis of light patterior cerebral arteryDiagnosisICD-10-CM166.13Occlusion and stenosis of light posterior cerebral arteryDiagnosisICD-10-CM166.22Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CM166.23Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CM166.24Occlusion and stenosis of bilateral posterior cerebral arteriesDiagnosisICD-10-CM166.25Occlusion and stenosis of the posterior cerebral arteriesDiagnosisICD-10-CM166.30Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CM166.30Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CM167.48Other cerebrovascular vasopasm and vasoconstriction syndromeDiagnosisICD-10-CM167.84Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM167.80Hypertensive ertinopathy, ingle ye< | 163.6 | Cerebral infarction due to cerebral venous thrombosis, nonpyogenic | Diagnosis | ICD-10-CM |
| InfeG.01Occlusion and stenosis of right middle cerebral arteryDiagnosisICD-10-CMIG6.02Occlusion and stenosis of litter middle cerebral arteryDiagnosisICD-10-CMIG6.03Occlusion and stenosis of unspecified middle cerebral arteryDiagnosisICD-10-CMIG6.11Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CMIG6.12Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CMIG6.13Occlusion and stenosis of light anterior cerebral arteriesDiagnosisICD-10-CMIG6.14Occlusion and stenosis of unspecified anterior cerebral arteryDiagnosisICD-10-CMIG6.22Occlusion and stenosis of pitp posterior cerebral arteryDiagnosisICD-10-CMIG6.23Occlusion and stenosis of pitp posterior cerebral arteryDiagnosisICD-10-CMIG6.24Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CMIG6.25Occlusion and stenosis of unspecified posterior cerebral arteriesDiagnosisICD-10-CMIG6.36Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMIG6.37Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMIG6.38Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMIG7.380Theraceprovascular infarction during cardiac surgeryDiagnosisICD-10-CMIG7.381Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMIG7.382Hype | 163.8 | Other cerebral infarction | Diagnosis | ICD-10-CM |
| Is6.02Occlusion and stenosis of left middle cerebral arteryDiagnosisICD-10-CMIB6.03Occlusion and stenosis of bilateral middle cerebral arteryDiagnosisICD-10-CMIB6.11Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CMIB6.12Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CMIB6.13Occlusion and stenosis of left anterior cerebral arteryDiagnosisICD-10-CMIB6.14Occlusion and stenosis of unspecified anterior cerebral arteryDiagnosisICD-10-CMIB6.21Occlusion and stenosis of unspecified anterior cerebral arteryDiagnosisICD-10-CMIB6.22Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMIB6.23Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMIB6.24Occlusion and stenosis of the posterior cerebral arteriesDiagnosisICD-10-CMIB6.35Occlusion and stenosis of the cerebral arteriesDiagnosisICD-10-CMIB6.36Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMIB6.37Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMIB6.38Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMIB6.38Other cerebrovascular vasopasm and vasoconstrictionDiagnosisICD-10-CMIB7.380Ihrer cerebrovascular vasopasm and vasoconstrictionDiagnosisICD-10-CMIB7.381Intraoperative cerebrovascular infarcti | 163.9 | Cerebral infarction, unspecified | Diagnosis | ICD-10-CM |
| I66.03Occlusion and stenosis of bilateral middle cerebral arteriesDiagnosisICD-10-CMI66.09Occlusion and stenosis of right naterior cerebral arteryDiagnosisICD-10-CMI66.12Occlusion and stenosis of right naterior cerebral arteryDiagnosisICD-10-CMI66.13Occlusion and stenosis of right naterior cerebral arteryDiagnosisICD-10-CMI66.14Occlusion and stenosis of Injectified anterior cerebral arteryDiagnosisICD-10-CMI66.21Occlusion and stenosis of Injectified anterior cerebral arteryDiagnosisICD-10-CMI66.22Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMI66.23Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMI66.29Occlusion and stenosis of linteral posterior cerebral arteryDiagnosisICD-10-CMI66.30Occlusion and stenosis of othereal posterior cerebral arteryDiagnosisICD-10-CMI66.40Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CMI66.30Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CMI66.41Reversible cerebrovascular vasopasm and vasoconstrictionDiagnosisICD-10-CMI67.441Reversible cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI67.452Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM <td>166.01</td> <td>Occlusion and stenosis of right middle cerebral artery</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | 166.01 | Occlusion and stenosis of right middle cerebral artery | Diagnosis | ICD-10-CM |
| 166.09 166.11Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CM166.11Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CM166.12Occlusion and stenosis of bilateral anterior cerebral arteryDiagnosisICD-10-CM166.13Occlusion and stenosis of supecified anterior cerebral arteryDiagnosisICD-10-CM166.20Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CM166.21Occlusion and stenosis of light posterior cerebral arteryDiagnosisICD-10-CM166.22Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CM166.32Occlusion and stenosis of unspecified posterior cerebral arteriesDiagnosisICD-10-CM166.3Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CM166.4Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CM167.40Reversible cerebrovascular vasoconstrictionDiagnosisICD-10-CM167.48Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM167.80Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM167.80Hypertensive retinopathy, right eyeDiagnosisICD-10-CM167.80Hypertensive retinopathy, left eyeDiagnosisICD-10-CM167.80Hypertensive retinopathy, left eyeDiagnosisICD-10-CM167.80Hypertensive retinopathy, left eyeDiagnosisIC | 166.02 | Occlusion and stenosis of left middle cerebral artery | Diagnosis | ICD-10-CM |
| I66.11Occlusion and stenosis of right anterior cerebral arteryDiagnosisICD-10-CMI66.12Occlusion and stenosis of left anterior cerebral arteryDiagnosisICD-10-CMI66.13Occlusion and stenosis of interal anterior cerebral arteryDiagnosisICD-10-CMI66.21Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CMI66.22Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CMI66.23Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMI66.24Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CMI66.25Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CMI66.3Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CMI66.4Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMI67.840Other cerebrovascular vasconstriction syndromeDiagnosisICD-10-CMI67.840Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Intraoperative cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.820Hypertensive retinopathy, light eyeDiagnosisICD-10-CM197.831 <td>166.03</td> <td>Occlusion and stenosis of bilateral middle cerebral arteries</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | 166.03 | Occlusion and stenosis of bilateral middle cerebral arteries | Diagnosis | ICD-10-CM |
| I66.12Occlusion and stenosis of left anterior cerebral arteriesDiagnosisICD-10-CMI66.13Occlusion and stenosis of bilateral anterior cerebral arteriesDiagnosisICD-10-CMI66.21Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CMI66.22Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMI66.23Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMI66.24Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMI66.25Occlusion and stenosis of ounspecified posterior cerebral arteriesDiagnosisICD-10-CMI66.3Occlusion and stenosis of ounspecified posterior cerebral arteryDiagnosisICD-10-CMI66.4Occlusion and stenosis of ounspecified cerebral arteriesDiagnosisICD-10-CMI66.5Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CMI67.84Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.840Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.810Intraoperative cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.823Hypertensive retinopathy, right eyeDiagnosisICD-10-CM195.034Hypertensive retinopathy, unspecified eyes or surgeryDiagnosisICD-10-CM195.0 | 166.09 | Occlusion and stenosis of unspecified middle cerebral artery | Diagnosis | ICD-10-CM |
| I66.13Occlusion and stenosis of bilateral anterior cerebral arteriesDiagnosisICD-10-CMI66.19Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CMI66.20Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMI66.23Occlusion and stenosis of bilateral posterior cerebral arteryDiagnosisICD-10-CMI66.24Occlusion and stenosis of bilateral posterior cerebral arteriesDiagnosisICD-10-CMI66.25Occlusion and stenosis of ther cerebral arteriesDiagnosisICD-10-CMI66.30Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMI66.40Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMI66.80Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMI67.840Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.840Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CMI97.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CMI13.00Hypertensive retinopathy, right eyeDiagnosisICD-10-CMI13.00Hypertensive chronic kidney disease with heart failureDiagnosisICD-10-CMI13.00Hypertensive chronic kidney disease with heart fai | 166.11 | Occlusion and stenosis of right anterior cerebral artery | Diagnosis | ICD-10-CM |
| IG6.19Occlusion and stenosis of unspecified anterior cerebral arteryDiagnosisICD-10-CMIG6.21Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CMIG6.22Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMIG6.23Occlusion and stenosis of bilateral posterior cerebral arteriesDiagnosisICD-10-CMIG6.29Occlusion and stenosis of cerebella arteriesDiagnosisICD-10-CMIG6.30Occlusion and stenosis of ther cerebral arteriesDiagnosisICD-10-CMIG6.40Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMIG6.41Reversible cerebrovascular vasconstriction syndromeDiagnosisICD-10-CMIG7.841Reversible cerebrovascular vasconstrictionDiagnosisICD-10-CMIG7.842Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Hypertensive retinopathy, left eyeDiagnosisICD-10-CMI97.821Hypertensive retinopathy, liateralDiagnosisICD-10-CMI97.821Hypertensive retinopathy, liateralDiagnosisICD-10-CMI97.821Hypertensive retinopathy, liateralDiagnosisICD-10-CM </td <td>166.12</td> <td>Occlusion and stenosis of left anterior cerebral artery</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | 166.12 | Occlusion and stenosis of left anterior cerebral artery | Diagnosis | ICD-10-CM |
| I66.21Occlusion and stenosis of right posterior cerebral arteryDiagnosisICD-10-CMI66.22Occlusion and stenosis of left posterior cerebral arteryDiagnosisICD-10-CMI66.23Occlusion and stenosis of bilateral posterior cerebral arteriesDiagnosisICD-10-CMI66.30Occlusion and stenosis of ther cerebral arteriesDiagnosisICD-10-CMI66.41Occlusion and stenosis of ther cerebral arteriesDiagnosisICD-10-CMI66.52Occlusion and stenosis of ther cerebral arteriesDiagnosisICD-10-CMI66.63Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMI66.74Reversible cerebrovascular vasconstriction syndromeDiagnosisICD-10-CMI67.848Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CM185.031Hypertensive retinopathy, right eyeDiagnosisICD-10-CM185.033Hypertensive retinopathy, night eyeDiagnosisICD-10-CM185.034Hypertensive retinopathy, night eyeDiagnosisICD-10-CM185.035Hypertensive retinopathy, night eyeDiagnosisICD-10-CM185.034Hypertensive retinopathy, night eyeDiagnosisICD-10-CM185.035Hypertensive ret | 166.13 | Occlusion and stenosis of bilateral anterior cerebral arteries | Diagnosis | ICD-10-CM |
| I66.22Occlusion and stenosis of left posterior cerebral arteriesDiagnosisICD-10-CMI66.23Occlusion and stenosis of bilateral posterior cerebral arteriesDiagnosisICD-10-CMI66.29Occlusion and stenosis of cerebellar arteriesDiagnosisICD-10-CMI66.3Occlusion and stenosis of cerebellar arteriesDiagnosisICD-10-CMI66.49Occlusion and stenosis of the cerebral arteriesDiagnosisICD-10-CMI66.79Occlusion and stenosis of the cerebral arteriesDiagnosisICD-10-CMI67.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.849Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.840Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.811Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CMI97.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.031Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.032Hypertensive retinopathy, light eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, light eyeDiagnosisICD-10-CMH35.034Hypertensive heart disease with heart failureDiagnosisICD-10-CMH11.0Hypertensive heart disease with heart failureDiagnosisICD-10-CMH35.034Hypertensive hea | 166.19 | Occlusion and stenosis of unspecified anterior cerebral artery | Diagnosis | ICD-10-CM |
| I66.23Occlusion and stenosis of bilateral posterior cerebral arteriesDiagnosisICD-10-CMI66.29Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CMI66.30Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMI66.41Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.842Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.843Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Hypertensive retinopathy, right eveDiagnosisICD-10-CM135.031Hypertensive retinopathy, left eveDiagnosisICD-10-CM135.034Hypertensive retinopathy, left eveDiagnosisICD-10-CM135.034Hypertensive retinopathy, left eveDiagnosisICD-10-CM135.035Hypertensive retinopathy, left eveDiagnosisICD-10-CM135.034Hypertensive retinopathy, left eveDiagnosisICD-10-CM135.035Hypertensive retinopathy, left eveDiagnosisICD-10-CM135.034Hypertensive retinopathy, unspecified eveDiagnosisICD-10-CM110Essential (primary) hypertension <td< td=""><td>166.21</td><td>Occlusion and stenosis of right posterior cerebral artery</td><td>Diagnosis</td><td>ICD-10-CM</td></td<> | 166.21 | Occlusion and stenosis of right posterior cerebral artery | Diagnosis | ICD-10-CM |
| I66.29Occlusion and stenosis of unspecified posterior cerebral arteryDiagnosisICD-10-CMI66.3Occlusion and stenosis of cerebellar arteriesDiagnosisICD-10-CMI66.4Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMI66.9Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMI66.4Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.842Other cerebrovascular vasospasm and vasoconstrictionDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.823Hypertensive retinopathy, left eyeDiagnosisICD-10-CM <td>166.22</td> <td>Occlusion and stenosis of left posterior cerebral artery</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | 166.22 | Occlusion and stenosis of left posterior cerebral artery | Diagnosis | ICD-10-CM |
| I66.3Occlusion and stenosis of crebellar arteriesDiagnosisICD-10-CMI66.8Occlusion and stenosis of other cerebral arteriesDiagnosisICD-10-CMI66.9Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMI67.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.845Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.849Other cerebrovascular vasoconstriction during cardiac surgeryDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM195.031Hypertensive retinopathy, left eyeDiagnosisICD-10-CM195.033Hypertensive retinopathy, left eyeDiagnosisICD-10-CM195.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM11.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM11.0Hypertensive heart disease with heart failure< | 166.23 | Occlusion and stenosis of bilateral posterior cerebral arteries | Diagnosis | ICD-10-CM |
| IntegrationDiagnosisICD-10-CMI66.8Occlusion and stenosis of unspecified cerebral arteriesDiagnosisICD-10-CMI66.9Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMI67.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.842Other cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.843Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.811Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CMI97.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.031Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CM100Essential (primary) hypertensionDiagnosisICD-10-CM11.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM11.0Hypertensive heart disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM11.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM11.0Hypertensive heart and chronic kidney disease without heart failure, with stage 1 t | 166.29 | Occlusion and stenosis of unspecified posterior cerebral artery | Diagnosis | ICD-10-CM |
| IG6.9Occlusion and stenosis of unspecified cerebral arteryDiagnosisICD-10-CMIG7.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMIG7.848Other cerebrovascular vasospasm and vasoconstrictionDiagnosisICD-10-CMIG7.849Other cerebrovascular diseaseDiagnosisICD-10-CMIG7.89Other cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.810Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CM1435.031Hypertensive retinopathy, bilateralDiagnosisICD-10-CM1435.033Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM11.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM11.0Hypertensive heart disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM11.0Hypertensive chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM11.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisI | 166.3 | Occlusion and stenosis of cerebellar arteries | Diagnosis | ICD-10-CM |
| I67.841Reversible cerebrovascular vasoconstriction syndromeDiagnosisICD-10-CMI67.848Other cerebrovascular vasospasm and vasoconstrictionDiagnosisICD-10-CMI67.89Other cerebrovascular diseaseDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.811Intraoperative cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.823Hypertensive retinopathy, right eyeDiagnosisICD-10-CM193.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CM195.034Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Hypertensive heart disease with heart failureDiagnosisICD-10-CM111.0Hypertensive | 166.8 | Occlusion and stenosis of other cerebral arteries | Diagnosis | ICD-10-CM |
| IG7.848Other cerebrovascular vasospasm and vasoconstrictionDiagnosisICD-10-CMIG7.849Other cerebrovascular diseaseDiagnosisICD-10-CMI97.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CMI97.811Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CMI97.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CMI97.821Pypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.031Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM11.0Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM11.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM11.0Hypertensive heart disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM12.9Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM13.0Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM13.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic </td <td>166.9</td> <td>Occlusion and stenosis of unspecified cerebral artery</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | 166.9 | Occlusion and stenosis of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| I67.89Other cerebrovascular diseaseDiagnosisICD-10-CM197.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.811Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CM197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CM1435.031Hypertensive retinopathy, left eyeDiagnosisICD-10-CM1435.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM100Essential (primary) hypertensionDiagnosisICD-10-CM11.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM11.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM11.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM11.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM11.3.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 t | 167.841 | Reversible cerebrovascular vasoconstriction syndrome | Diagnosis | ICD-10-CM |
| 197.810Intraoperative cerebrovascular infarction during cardiac surgeryDiagnosisICD-10-CM197.811Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CM197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CM197.821Hypertensive retinopathy, right eyeDiagnosisICD-10-CM1435.032Hypertensive retinopathy, bilateralDiagnosisICD-10-CM1435.033Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through s | 167.848 | Other cerebrovascular vasospasm and vasoconstriction | Diagnosis | ICD-10-CM |
| I97.811Intraoperative cerebrovascular infarction during other surgeryDiagnosisICD-10-CMI97.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CMI97.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CMH35.031Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.032Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, uspecified eyeDiagnosisICD-10-CMH35.039Hypertensive retinopathy, uspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic <td>167.89</td> <td>Other cerebrovascular disease</td> <td>Diagnosis</td> <td>ICD-10-CM</td> | 167.89 | Other cerebrovascular disease | Diagnosis | ICD-10-CM |
| 197.820Postprocedural cerebrovascular infarction following cardiac surgeryDiagnosisICD-10-CM197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CMH35.031Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.032Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecifiedDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 197.810 | Intraoperative cerebrovascular infarction during cardiac surgery | Diagnosis | ICD-10-CM |
| 197.821Postprocedural cerebrovascular infarction following other surgeryDiagnosisICD-10-CMHypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.031Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.032Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease,DiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease without heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 197.811 | Intraoperative cerebrovascular infarction during other surgery | Diagnosis | ICD-10-CM |
| HypertensionH35.031Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.032Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM112.0Hypertensive heart disease with ot heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 197.820 | Postprocedural cerebrovascular infarction following cardiac surgery | Diagnosis | ICD-10-CM |
| H35.031Hypertensive retinopathy, right eyeDiagnosisICD-10-CMH35.032Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM112.0Hypertensive heart disease with out heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive chronic kidney disease with heart failureDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 197.821 | Postprocedural cerebrovascular infarction following other surgery | Diagnosis | ICD-10-CM |
| H35.032Hypertensive retinopathy, left eyeDiagnosisICD-10-CMH35.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM111.9Hypertensive heart disease with out heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecifiedDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM <t< td=""><td></td><td>Hypertension</td><td></td><td></td></t<> | | Hypertension | | |
| H35.033Hypertensive retinopathy, bilateralDiagnosisICD-10-CMH35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM111.9Hypertensive heart disease without heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified disease,DiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 t | H35.031 | Hypertensive retinopathy, right eye | Diagnosis | ICD-10-CM |
| H35.039Hypertensive retinopathy, unspecified eyeDiagnosisICD-10-CM110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM111.9Hypertensive heart disease without heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | H35.032 | Hypertensive retinopathy, left eye | Diagnosis | ICD-10-CM |
| 110Essential (primary) hypertensionDiagnosisICD-10-CM111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM111.9Hypertensive heart disease without heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | H35.033 | | Diagnosis | ICD-10-CM |
| 111.0Hypertensive heart disease with heart failureDiagnosisICD-10-CM111.9Hypertensive heart disease without heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease with otheart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | H35.039 | Hypertensive retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| 111.9Hypertensive heart disease without heart failureDiagnosisICD-10-CM112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 110 | Essential (primary) hypertension | Diagnosis | ICD-10-CM |
| 112.0Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal diseaseDiagnosisICD-10-CM112.9Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidneyDiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 111.0 | Hypertensive heart disease with heart failure | Diagnosis | ICD-10-CM |
| 112.9Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronicDiagnosisICD-10-CM113.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease,DiagnosisICD-10-CM113.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 111.9 | | Diagnosis | ICD-10-CM |
| chronicDiagnosisICD-10-CMI13.0Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease,DiagnosisICD-10-CMI13.10Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronicDiagnosisICD-10-CM | 112.0 | | Diagnosis | ICD-10-CM |
| I13.0 Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, Diagnosis ICD-10-CM I13.10 Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic Diagnosis ICD-10-CM | 112.9 | | | |
| disease, Diagnosis ICD-10-CM 113.10 Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic Diagnosis ICD-10-CM | | | Diagnosis | ICD-10-CM |
| Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic | 113.0 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney | | |
| | | | Diagnosis | ICD-10-CM |
| kidney Diagnosis ICD-10-CM | 113.10 | | | |
| | | kidney | Diagnosis | ICD-10-CM |



| | | Code | |
|----------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| 113.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or | | |
| | end | Diagnosis | ICD-10-CM |
| 113.2 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or | | |
| | end | Diagnosis | ICD-10-CM |
| 115.0 | Renovascular hypertension | Diagnosis | ICD-10-CM |
| 115.1 | Hypertension secondary to other renal disorders | Diagnosis | ICD-10-CM |
| 115.2 | Hypertension secondary to endocrine disorders | Diagnosis | ICD-10-CM |
| 115.8 | Other secondary hypertension | Diagnosis | ICD-10-CN |
| 115.9 | Secondary hypertension, unspecified | Diagnosis | ICD-10-CN |
| 167.4 | Hypertensive encephalopathy | Diagnosis | ICD-10-CN |
| N26.2 | Page kidney | Diagnosis | ICD-10-CN |
| | Glaucoma | | |
| H40.001 | Preglaucoma, unspecified, right eye | Diagnosis | ICD-10-CM |
| H40.002 | Preglaucoma, unspecified, left eye | Diagnosis | ICD-10-CN |
| H40.003 | Preglaucoma, unspecified, bilateral | Diagnosis | ICD-10-CN |
| H40.009 | Preglaucoma, unspecified, unspecified eye | Diagnosis | ICD-10-CN |
| H40.011 | Open angle with borderline findings, low risk, right eye | Diagnosis | ICD-10-CN |
| H40.012 | Open angle with borderline findings, low risk, left eye | Diagnosis | ICD-10-CN |
| H40.013 | Open angle with borderline findings, low risk, bilateral | Diagnosis | ICD-10-CN |
| H40.019 | Open angle with borderline findings, low risk, unspecified eye | Diagnosis | ICD-10-CN |
| H40.031 | Anatomical narrow angle, right eye | Diagnosis | ICD-10-CN |
| H40.032 | Anatomical narrow angle, left eye | Diagnosis | ICD-10-CN |
| H40.033 | Anatomical narrow angle, bilateral | Diagnosis | ICD-10-CN |
| H40.039 | Anatomical narrow angle, unspecified eye | Diagnosis | ICD-10-CN |
| H40.041 | Steroid responder, right eye | Diagnosis | ICD-10-CN |
| H40.042 | Steroid responder, left eye | Diagnosis | ICD-10-CN |
| H40.043 | Steroid responder, bilateral | Diagnosis | ICD-10-CN |
| H40.049 | Steroid responder, unspecified eye | Diagnosis | ICD-10-CN |
| H40.051 | Ocular hypertension, right eye | Diagnosis | ICD-10-CN |
| H40.052 | Ocular hypertension, left eye | Diagnosis | ICD-10-CN |
| H40.053 | Ocular hypertension, bilateral | Diagnosis | ICD-10-CN |
| H40.059 | Ocular hypertension, unspecified eye | Diagnosis | ICD-10-CN |
| H40.10X0 | Unspecified open-angle glaucoma, stage unspecified | Diagnosis | ICD-10-CN |
| H40.10X1 | Unspecified open-angle glaucoma, mild stage | Diagnosis | ICD-10-CN |
| H40.10X2 | Unspecified open-angle glaucoma, moderate stage | Diagnosis | ICD-10-CN |
| H40.10X3 | Unspecified open-angle glaucoma, severe stage | Diagnosis | ICD-10-CN |
| H40.10X4 | Unspecified open-angle glaucoma, indeterminate stage | Diagnosis | ICD-10-CN |
| H40.1110 | Primary open-angle glaucoma, right eye, stage unspecified | Diagnosis | ICD-10-CN |
| H40.1111 | Primary open-angle glaucoma, right eye, mild stage | Diagnosis | ICD-10-CN |
| H40.1112 | Primary open-angle glaucoma, right eye, moderate stage | Diagnosis | ICD-10-CN |
| H40.1113 | Primary open-angle glaucoma, right eye, severe stage | Diagnosis | ICD-10-CN |
| H40.1114 | Primary open-angle glaucoma, right eye, indeterminate stage | Diagnosis | ICD-10-CN |
| H40.1120 | Primary open-angle glaucoma, left eye, stage unspecified | Diagnosis | ICD-10-CN |
| H40.1121 | Primary open-angle glaucoma, left eye, mild stage | Diagnosis | ICD-10-CN |
| H40.1122 | Primary open-angle glaucoma, left eye, moderate stage | Diagnosis | ICD-10-CN |
| H40.1123 | Primary open-angle glaucoma, left eye, severe stage | Diagnosis | ICD-10-CN |
| H40.1124 | Primary open-angle glaucoma, left eye, indeterminate stage | Diagnosis | ICD-10-CN |
| | Primary open-angle glaucoma, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1130 | | | |



| | | Code | |
|----------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| H40.1132 | Primary open-angle glaucoma, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.1133 | Primary open-angle glaucoma, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.1134 | Primary open-angle glaucoma, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1190 | Primary open-angle glaucoma, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1191 | Primary open-angle glaucoma, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1192 | Primary open-angle glaucoma, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1193 | Primary open-angle glaucoma, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1194 | Primary open-angle glaucoma, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.11X0 | Primary open-angle glaucoma, stage unspecified | Diagnosis | ICD-10-CM |
| H40.11X1 | Primary open-angle glaucoma, mild stage | Diagnosis | ICD-10-CM |
| H40.11X2 | Primary open-angle glaucoma, moderate stage | Diagnosis | ICD-10-CM |
| H40.11X3 | Primary open-angle glaucoma, severe stage | Diagnosis | ICD-10-CM |
| H40.11X4 | Primary open-angle glaucoma, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1210 | Low-tension glaucoma, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1211 | Low-tension glaucoma, right eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1212 | Low-tension glaucoma, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1213 | Low-tension glaucoma, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1214 | Low-tension glaucoma, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1220 | Low-tension glaucoma, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1221 | Low-tension glaucoma, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1222 | Low-tension glaucoma, left eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1223 | Low-tension glaucoma, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1224 | Low-tension glaucoma, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1230 | Low-tension glaucoma, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1231 | Low-tension glaucoma, bilateral, mild stage | Diagnosis | ICD-10-CM |
| H40.1232 | Low-tension glaucoma, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.1233 | Low-tension glaucoma, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.1234 | Low-tension glaucoma, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1290 | Low-tension glaucoma, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1291 | Low-tension glaucoma, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1292 | Low-tension glaucoma, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1293 | Low-tension glaucoma, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1294 | Low-tension glaucoma, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1310 | Pigmentary glaucoma, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| | Pigmentary glaucoma, right eye, mild stage | Diagnosis | ICD-10-CM |
| | Pigmentary glaucoma, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1313 | Pigmentary glaucoma, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1314 | Pigmentary glaucoma, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1320 | Pigmentary glaucoma, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1321 | Pigmentary glaucoma, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1322 | Pigmentary glaucoma, left eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1323 | Pigmentary glaucoma, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1324 | Pigmentary glaucoma, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1330 | Pigmentary glaucoma, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1331 | Pigmentary glaucoma, bilateral, mild stage | Diagnosis | ICD-10-CM |
| H40.1332 | Pigmentary glaucoma, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.1333 | Pigmentary glaucoma, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.1334 | Pigmentary glaucoma, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1390 | Pigmentary glaucoma, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| | | 0 | |



| | • | Code | |
|----------------------|---|------------------------|-------------|
| Code | Description | Category | Code Type |
| H40.1391 | Pigmentary glaucoma, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1392 | Pigmentary glaucoma, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1393 | Pigmentary glaucoma, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1394 | Pigmentary glaucoma, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1410 | Capsular glaucoma with pseudoexfoliation of lens, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1411 | Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1412 | Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1413 | Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1414 | Capsular glaucoma with pseudoexfoliation of lens, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1420 | Capsular glaucoma with pseudoexfoliation of lens, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1421 | Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1422 | Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1423 | Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1424 | Capsular glaucoma with pseudoexfoliation of lens, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1430 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1431 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, mild stage | Diagnosis | ICD-10-CM |
| H40.1432 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.1433 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.1434 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1490 | Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.1491 | Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.1491 | Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.1493 | Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.1493 | Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.1494 H40.151 | Residual stage of open-angle glaucoma, right eye | Diagnosis | ICD-10-CM |
| H40.151 | Residual stage of open-angle glaucoma, left eye | Diagnosis | ICD-10-CM |
| H40.152 | Residual stage of open-angle glaucoma, bilateral | Diagnosis | ICD-10-CM |
| H40.155 | Residual stage of open-angle glaucoma, unspecified eye | Diagnosis | ICD-10-CM |
| H40.139 | Unspecified primary angle-closure glaucoma, stage unspecified | Diagnosis | ICD-10-CM |
| H40.20X0 H40.20X1 | Unspecified primary angle-closure glaucoma, mild stage | Diagnosis | ICD-10-CM |
| H40.20X1 H40.20X2 | Unspecified primary angle-closure glaucoma, moderate stage | Diagnosis | ICD-10-CM |
| | Unspecified primary angle-closure glaucoma, severe stage | Diagnosis | ICD-10-CIVI |
| H40.20X3 | Unspecified primary angle-closure glaucoma, indeterminate stage | Diagnosis | ICD-10-CIVI |
| H40.20X4 | Acute angle-closure glaucoma, right eye | - | ICD-10-CIVI |
| H40.211 | Acute angle-closure glaucoma, left eye | Diagnosis Diagnosis | ICD-10-CIVI |
| H40.212 | Acute angle-closure glaucoma, bilateral | - | |
| H40.213 | | | ICD-10-CM |
| H40.219 | Acute angle-closure glaucoma, unspecified eye Chronic angle-closure glaucoma, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.2210 | | Diagnosis | ICD-10-CM |
| H40.2211 | Chronic angle-closure glaucoma, right eye, mild stage | Diagnosis Diagnosis | ICD-10-CM |
| H40.2212 | Chronic angle-closure glaucoma, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.2213 | Chronic angle-closure glaucoma, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.2214 | Chronic angle-closure glaucoma, right eye, indeterminate stage | Diagnosis Diagnosis | ICD-10-CM |
| H40.2220 | Chronic angle-closure glaucoma, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.2221 | Chronic angle-closure glaucoma, left eye, mild stage | Diagnosis Diagnosis | ICD-10-CM |
| H40.2222 | Chronic angle-closure glaucoma, left eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.2223 | Chronic angle-closure glaucoma, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.2224 | Chronic angle-closure glaucoma, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.2230 | Chronic angle-closure glaucoma, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.2231 | Chronic angle-closure glaucoma, bilateral, mild stage | Diagnosis | ICD-10-CM |



| | | Code | |
|-----------|--|-----------|-----------|
| Code | Description | | Code Type |
| H40.2232 | Chronic angle-closure glaucoma, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.2233 | Chronic angle-closure glaucoma, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.2234 | Chronic angle-closure glaucoma, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.2290 | Chronic angle-closure glaucoma, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.2291 | Chronic angle-closure glaucoma, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.2292 | Chronic angle-closure glaucoma, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.2293 | Chronic angle-closure glaucoma, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.2294 | Chronic angle-closure glaucoma, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.231 | Intermittent angle-closure glaucoma, right eye | Diagnosis | ICD-10-CM |
| H40.232 | Intermittent angle-closure glaucoma, left eye | Diagnosis | ICD-10-CM |
| H40.233 | Intermittent angle-closure glaucoma, bilateral | Diagnosis | ICD-10-CM |
| H40.239 | Intermittent angle-closure glaucoma, unspecified eye | Diagnosis | ICD-10-CM |
| H40.241 | Residual stage of angle-closure glaucoma, right eye | Diagnosis | ICD-10-CM |
| H40.242 | Residual stage of angle-closure glaucoma, left eye | Diagnosis | ICD-10-CM |
| H40.243 | Residual stage of angle-closure glaucoma, bilateral | Diagnosis | ICD-10-CM |
| H40.249 | Residual stage of angle-closure glaucoma, unspecified eye | Diagnosis | ICD-10-CM |
| H40.30X0 | Glaucoma secondary to eye trauma, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.30X1 | Glaucoma secondary to eye trauma, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.30X2 | Glaucoma secondary to eye trauma, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.30X3 | Glaucoma secondary to eye trauma, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.30X4 | Glaucoma secondary to eye trauma, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.31X0 | Glaucoma secondary to eye trauma, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.31X1 | Glaucoma secondary to eye trauma, right eye, mild stage | Diagnosis | ICD-10-CM |
| H40.31X2 | Glaucoma secondary to eye trauma, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.31X3 | Glaucoma secondary to eye trauma, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.31X4 | Glaucoma secondary to eye trauma, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.32X0 | Glaucoma secondary to eye trauma, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.32X1 | Glaucoma secondary to eye trauma, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.32X2 | Glaucoma secondary to eye trauma, left eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.32X3 | Glaucoma secondary to eye trauma, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.32X4 | Glaucoma secondary to eye trauma, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.33X0 | Glaucoma secondary to eye trauma, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.33X1 | Glaucoma secondary to eye trauma, bilateral, mild stage | Diagnosis | ICD-10-CM |
| H40.33X2 | Glaucoma secondary to eye trauma, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.33X3 | | Diagnosis | ICD-10-CM |
| | Glaucoma secondary to eye trauma, bilateral, indeterminate stage | - | ICD-10-CM |
| H40.40X0 | Glaucoma secondary to eye inflammation, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.40X1 | Glaucoma secondary to eye inflammation, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.40X1 | Glaucoma secondary to eye inflammation, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.40X2 | Glaucoma secondary to eye inflammation, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.40X3 | Glaucoma secondary to eye inflammation, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.40X4 | Glaucoma secondary to eye inflammation, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.41X0 | Glaucoma secondary to eye inflammation, right eye, mild stage | Diagnosis | ICD-10-CM |
| H40.41X1 | Glaucoma secondary to eye inflammation, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.41X2 | Glaucoma secondary to eye inflammation, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.41X3 | Glaucoma secondary to eye inflammation, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.41X4 | Glaucoma secondary to eye inflammation, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.42X0 | Glaucoma secondary to eye inflammation, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.42X1 | Glaucoma secondary to eye inflammation, left eye, moderate stage | Diagnosis | ICD-10-CM |
| 1140.4272 | | Diagnosis | |



| | • | Code | |
|----------|--|------------------------|-----------|
| Code | Description | Category | Code Type |
| H40.42X3 | Glaucoma secondary to eye inflammation, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.42X4 | Glaucoma secondary to eye inflammation, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.43X0 | Glaucoma secondary to eye inflammation, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.43X1 | Glaucoma secondary to eye inflammation, bilateral, mild stage | Diagnosis | ICD-10-CM |
| H40.43X2 | Glaucoma secondary to eye inflammation, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.43X3 | Glaucoma secondary to eye inflammation, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.43X4 | Glaucoma secondary to eye inflammation, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.50X0 | Glaucoma secondary to other eye disorders, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.50X1 | Glaucoma secondary to other eye disorders, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.50X2 | Glaucoma secondary to other eye disorders, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.50X3 | Glaucoma secondary to other eye disorders, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.50X4 | Glaucoma secondary to other eye disorders, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.51X0 | Glaucoma secondary to other eye disorders, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.51X1 | Glaucoma secondary to other eye disorders, right eye, mild stage | Diagnosis | ICD-10-CM |
| H40.51X2 | Glaucoma secondary to other eye disorders, right eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.51X3 | Glaucoma secondary to other eye disorders, right eye, severe stage | Diagnosis | ICD-10-CM |
| H40.51X4 | Glaucoma secondary to other eye disorders, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.52X0 | Glaucoma secondary to other eye disorders, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.52X1 | Glaucoma secondary to other eye disorders, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.52X2 | Glaucoma secondary to other eye disorders, left eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.52X3 | Glaucoma secondary to other eye disorders, left eye, severe stage | Diagnosis | ICD-10-CM |
| H40.52X3 | Glaucoma secondary to other eye disorders, left eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.53X0 | Glaucoma secondary to other eye disorders, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.53X1 | Glaucoma secondary to other eye disorders, bilateral, mild stage | Diagnosis | ICD-10-CM |
| H40.53X1 | Glaucoma secondary to other eye disorders, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.53X2 | Glaucoma secondary to other eye disorders, bilateral, severe stage | Diagnosis | ICD-10-CM |
| H40.53X4 | Glaucoma secondary to other eye disorders, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.60X0 | Glaucoma secondary to drugs, unspecified eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.60X1 | Glaucoma secondary to drugs, unspecified eye, mild stage | Diagnosis | ICD-10-CM |
| H40.60X1 | Glaucoma secondary to drugs, unspecified eye, moderate stage | Diagnosis | ICD-10-CM |
| H40.60X2 | Glaucoma secondary to drugs, unspecified eye, severe stage | Diagnosis | ICD-10-CM |
| H40.60X3 | Glaucoma secondary to drugs, unspecified eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.61X0 | Glaucoma secondary to drugs, right eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.61X1 | Glaucoma secondary to drugs, right eye, mild stage | Diagnosis | ICD-10-CM |
| | Glaucoma secondary to drugs, right eye, moderate stage | Diagnosis | ICD-10-CM |
| | Glaucoma secondary to drugs, right eye, severe stage | - | ICD-10-CM |
| H40.61X4 | Glaucoma secondary to drugs, right eye, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.62X0 | Glaucoma secondary to drugs, left eye, stage unspecified | Diagnosis | ICD-10-CM |
| H40.62X0 | Glaucoma secondary to drugs, left eye, mild stage | Diagnosis | ICD-10-CM |
| H40.62X1 | Glaucoma secondary to drugs, left eye, moderate stage | Diagnosis | ICD-10-CM |
| | Glaucoma secondary to drugs, left eye, severe stage | Diagnosis | |
| H40.62X3 | Glaucoma secondary to drugs, left eye, indeterminate stage | 0 | ICD-10-CM |
| H40.62X4 | Glaucoma secondary to drugs, bilateral, stage unspecified | Diagnosis | ICD-10-CM |
| H40.63X0 | Glaucoma secondary to drugs, bilateral, stage dispectived | Diagnosis | ICD-10-CM |
| H40.63X1 | Glaucoma secondary to drugs, bilateral, mild stage Glaucoma secondary to drugs, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.63X2 | Glaucoma secondary to drugs, bilateral, moderate stage | Diagnosis | ICD-10-CM |
| H40.63X3 | Glaucoma secondary to drugs, bilateral, indeterminate stage | Diagnosis | ICD-10-CM |
| H40.63X4 | Glaucoma with increased episcleral venous pressure, right eye | Diagnosis | ICD-10-CM |
| H40.811 | Glaucoma with increased episcleral venous pressure, left eye | Diagnosis Diagnosis | ICD-10-CM |
| H40.812 | טומענטווים שונו ווונובמשבע באושנובוסו עבווטעש אובששווב, ובוג בעב | Diagnosis | ICD-10-CM |



| | · | Code | |
|---------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| H40.813 | Glaucoma with increased episcleral venous pressure, bilateral | Diagnosis | ICD-10-CM |
| H40.819 | Glaucoma with increased episcleral venous pressure, unspecified eye | Diagnosis | ICD-10-CM |
| H40.821 | Hypersecretion glaucoma, right eye | Diagnosis | ICD-10-CM |
| H40.822 | Hypersecretion glaucoma, left eye | Diagnosis | ICD-10-CM |
| H40.823 | Hypersecretion glaucoma, bilateral | Diagnosis | ICD-10-CM |
| H40.829 | Hypersecretion glaucoma, unspecified eye | Diagnosis | ICD-10-CM |
| H40.831 | Aqueous misdirection, right eye | Diagnosis | ICD-10-CM |
| H40.832 | Aqueous misdirection, left eye | Diagnosis | ICD-10-CM |
| H40.833 | Aqueous misdirection, bilateral | Diagnosis | ICD-10-CM |
| H40.839 | Aqueous misdirection, unspecified eye | Diagnosis | ICD-10-CM |
| H40.89 | Other specified glaucoma | Diagnosis | ICD-10-CM |
| H40.9 | Unspecified glaucoma | Diagnosis | ICD-10-CM |
| H42 | Glaucoma in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| H44.511 | Absolute glaucoma, right eye | Diagnosis | ICD-10-CM |
| H44.512 | Absolute glaucoma, left eye | Diagnosis | ICD-10-CM |
| H44.513 | Absolute glaucoma, bilateral | Diagnosis | ICD-10-CM |
| H44.519 | Absolute glaucoma, unspecified eye | Diagnosis | ICD-10-CM |
| H47.231 | Glaucomatous optic atrophy, right eye | Diagnosis | ICD-10-CM |
| H47.232 | Glaucomatous optic atrophy, left eye | Diagnosis | ICD-10-CM |
| H47.233 | Glaucomatous optic atrophy, bilateral | Diagnosis | ICD-10-CM |
| H47.239 | Glaucomatous optic atrophy, unspecified eye | Diagnosis | ICD-10-CM |
| Q15.0 | Congenital glaucoma | Diagnosis | ICD-10-CM |
| 41010 | Heart Failure | | |
| 109.81 | Rheumatic heart failure | Diagnosis | ICD-10-CM |
| 111.0 | Hypertensive heart disease with heart failure | Diagnosis | ICD-10-CM |
| 113.0 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney | | |
| | disease, | Diagnosis | ICD-10-CM |
| 113.2 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or | | |
| | end | Diagnosis | ICD-10-CM |
| 150.1 | Left ventricular failure, unspecified | Diagnosis | ICD-10-CM |
| 150.20 | Unspecified systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.21 | Acute systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.22 | Chronic systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.23 | Acute on chronic systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.30 | Unspecified diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.31 | Acute diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.32 | Chronic diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.33 | Acute on chronic diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.40 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.41 | Acute combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.43 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| 150.810 | Right heart failure, unspecified | Diagnosis | ICD-10-CM |
| 150.811 | Acute right heart failure | Diagnosis | ICD-10-CM |
| 150.812 | Chronic right heart failure | Diagnosis | ICD-10-CM |
| 150.813 | Acute on chronic right heart failure | Diagnosis | ICD-10-CM |
| 150.814 | Right heart failure due to left heart failure | Diagnosis | ICD-10-CM |
| 150.82 | Biventricular heart failure | Diagnosis | ICD-10-CM |
| 150.83 | High output heart failure | Diagnosis | ICD-10-CM |
| | | 0 | |



| | | Code | |
|---------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| 150.84 | End stage heart failure | Diagnosis | ICD-10-CM |
| 150.89 | Other heart failure | Diagnosis | ICD-10-CM |
| 150.9 | Heart failure, unspecified | Diagnosis | ICD-10-CM |
| | Ischemic Heart Disease | | |
| 120.0 | Unstable angina | Diagnosis | ICD-10-CM |
| 120.1 | Angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| 120.8 | Other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 120.9 | Angina pectoris, unspecified | Diagnosis | ICD-10-CM |
| 121.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery | Diagnosis | ICD-10-CM |
| 121.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery | Diagnosis | ICD-10-CM |
| 121.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall | Diagnosis | ICD-10-CM |
| 121.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery | Diagnosis | ICD-10-CM |
| 121.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall | Diagnosis | ICD-10-CM |
| 121.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery | Diagnosis | ICD-10-CM |
| 121.29 | ST elevation (STEMI) myocardial infarction involving other sites | Diagnosis | ICD-10-CM |
| 121.3 | ST elevation (STEMI) myocardial infarction of unspecified site | Diagnosis | ICD-10-CM |
| 121.4 | Non-ST elevation (NSTEMI) myocardial infarction | Diagnosis | ICD-10-CM |
| I21.A1 | Myocardial infarction type 2 | Diagnosis | ICD-10-CM |
| I21.A9 | Other myocardial infarction type | Diagnosis | ICD-10-CM |
| 122.0 | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall | Diagnosis | ICD-10-CM |
| 122.1 | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall | Diagnosis | ICD-10-CM |
| 122.2 | Subsequent non-ST elevation (NSTEMI) myocardial infarction | Diagnosis | ICD-10-CM |
| 122.8 | Subsequent ST elevation (STEMI) myocardial infarction of other sites | Diagnosis | ICD-10-CM |
| 122.9 | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site | Diagnosis | ICD-10-CM |
| 123.0 | Hemopericardium as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| 123.1 | Atrial septal defect as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| 123.2 | Ventricular septal defect as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| 123.3 | Rupture of cardiac wall without hemopericardium as current complication following acute myocardial | Diagnosis | ICD-10-CM |
| 123.4 | Rupture of chordae tendineae as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| 123.5 | Rupture of papillary muscle as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| 123.6 | Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial | | |
| | infarction | Diagnosis | ICD-10-CM |
| 123.7 | Postinfarction angina | Diagnosis | ICD-10-CM |
| 123.8 | Other current complications following acute myocardial infarction | Diagnosis | ICD-10-CM |
| 124.0 | Acute coronary thrombosis not resulting in myocardial infarction | Diagnosis | ICD-10-CM |
| 124.1 | Dressler's syndrome | Diagnosis | ICD-10-CM |
| 124.8 | Other forms of acute ischemic heart disease | Diagnosis | ICD-10-CM |
| 124.9 | Acute ischemic heart disease, unspecified | Diagnosis | ICD-10-CM |
| 125.10 | Atherosclerotic heart disease of native coronary artery without angina pectoris | Diagnosis | ICD-10-CM |
| 125.110 | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris | Diagnosis | ICD-10-CM |
| 125.111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| 125.118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.2 | Old myocardial infarction | Diagnosis | ICD-10-CM |
| 125.3 | Aneurysm of heart | Diagnosis | ICD-10-CM |
| 125.41 | Coronary artery aneurysm | Diagnosis | ICD-10-CM |
| 125.42 | Coronary artery dissection | Diagnosis | ICD-10-CM |
| 125.5 | Ischemic cardiomyopathy | Diagnosis | ICD-10-CM |
| 125.6 | Silent myocardial ischemia | Diagnosis | ICD-10-CM |



| | | Code | |
|---------|---|-----------|------------|
| Code | Description | Category | Code Type |
| 125.700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris | Diagnosis | ICD-10-CM |
| 125.701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| 125.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris | Diagnosis | ICD-10-CN |
| 125.710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CN |
| 125.711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented | Diagnosis | ICD-10-CN |
| 125.718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.720 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CN |
| 125.721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented | Diagnosis | ICD-10-CN |
| 125.728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.730 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| 125.731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with | - | |
| | documented | Diagnosis | ICD-10-CM |
| 125.738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina | Diagnosis | ICD-10-CM |
| 125.739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.750 | Atherosclerosis of native coronary artery of transplanted heart with unstable angina | Diagnosis | ICD-10-CM |
| 125.751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| 125.758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.760 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina | Diagnosis | ICD-10-CM |
| 125.761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented | - | ICD-10-CM |
| 125.768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| 125.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| 125.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| 125.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| 125.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris | Diagnosis | ICD-10-CM |
| 125.811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris | Diagnosis | ICD-10-CM |
| 125.812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris | Diagnosis | ICD-10-CM |
| 125.82 | Chronic total occlusion of coronary artery | Diagnosis | ICD-10-CM |
| 125.83 | Coronary atherosclerosis due to lipid rich plaque | Diagnosis | ICD-10-CM |
| 125.84 | Coronary atherosclerosis due to calcified coronary lesion | - | ICD-10-CM |
| 125.89 | Other forms of chronic ischemic heart disease | 0 | ICD-10-CM |
| 125.9 | Chronic ischemic heart disease, unspecified | Diagnosis | ICD-10-CM |
| 123.5 | Acute Myocardial Infarction | Blaghosis | 100 10 011 |
| 121.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery | Diagnosis | ICD-10-CM |
| 121.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery | Diagnosis | ICD-10-CM |
| 121.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall | Diagnosis | ICD-10-CM |
| 121.05 | ST elevation (STEMI) myocardial infarction involving right coronary artery | Diagnosis | ICD-10-CM |
| 121.11 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall | Diagnosis | ICD-10-CM |
| 121.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery | Diagnosis | ICD-10-CM |
| 121.21 | ST elevation (STEMI) myocardial infarction involving other sites | Diagnosis | ICD-10-CM |
| 121.29 | ST elevation (STEMI) myocardial infarction of unspecified site | Diagnosis | ICD-10-CM |
| 121.3 | Non-ST elevation (NSTEMI) myocardial infarction | Diagnosis | ICD-10-CM |
| | Acute myocardial infarction, unspecified | Diagnosis | ICD-10-CM |
| 121.9 | Myocardial infarction type 2 | • | |
| I21.A1 | inyocardiai marction type 2 | Diagnosis | ICD-10-CM |



| | | Code | |
|--------------------|---|------------|------------|
| Code | Description | Category | Code Type |
| I21.A9 | Other myocardial infarction type | Diagnosis | ICD-10-CN |
| 122.0 | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall | Diagnosis | ICD-10-CN |
| 22.1 | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall | Diagnosis | ICD-10-CN |
| 122.2 | Subsequent non-ST elevation (NSTEMI) myocardial infarction | Diagnosis | ICD-10-CN |
| 122.8 | Subsequent ST elevation (STEMI) myocardial infarction of other sites | Diagnosis | ICD-10-CN |
| 122.9 | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site | Diagnosis | ICD-10-CN |
| | Atrial Fibrillation | | |
| 148.0 | Paroxysmal atrial fibrillation | Diagnosis | ICD-10-CN |
| 148.1 | Persistent atrial fibrillation | Diagnosis | ICD-10-CN |
| 148.11 | Longstanding persistent atrial fibrillation | Diagnosis | ICD-10-CN |
| 148.19 | Other persistent atrial fibrillation | Diagnosis | ICD-10-CN |
| 148.2 | Chronic atrial fibrillation | Diagnosis | ICD-10-CN |
| 148.20 | Chronic atrial fibrillation, unspecified | Diagnosis | ICD-10-CN |
| 148.21 | Permanent atrial fibrillation | Diagnosis | ICD-10-CN |
| 148.91 | Unspecified atrial fibrillation | Diagnosis | ICD-10-CN |
| | Arthritis | | |
| M05.00 | Felty's syndrome, unspecified site | Diagnosis | ICD-10-CN |
| M05.011 | Felty's syndrome, right shoulder | Diagnosis | ICD-10-CN |
| M05.012 | Felty's syndrome, left shoulder | Diagnosis | ICD-10-CN |
| M05.019 | Felty's syndrome, unspecified shoulder | Diagnosis | ICD-10-CN |
| M05.021 | Felty's syndrome, right elbow | Diagnosis | ICD-10-CN |
| M05.022 | Felty's syndrome, left elbow | Diagnosis | ICD-10-CN |
| M05.029 | Felty's syndrome, unspecified elbow | Diagnosis | ICD-10-CN |
| M05.031 | Felty's syndrome, right wrist | Diagnosis | ICD-10-CN |
| M05.032 | Felty's syndrome, left wrist | Diagnosis | ICD-10-CN |
| M05.039 | Felty's syndrome, unspecified wrist | Diagnosis | ICD-10-CN |
| M05.041 | Felty's syndrome, right hand | Diagnosis | ICD-10-CN |
| M05.042 | Felty's syndrome, left hand | Diagnosis | ICD-10-CN |
| M05.049 | Felty's syndrome, unspecified hand | Diagnosis | ICD-10-CN |
| M05.051 | Felty's syndrome, right hip | Diagnosis | ICD-10-CN |
| M05.052 | Felty's syndrome, left hip | Diagnosis | ICD-10-CN |
| M05.059 | Felty's syndrome, unspecified hip | Diagnosis | ICD-10-CN |
| M05.061 | Felty's syndrome, right knee | Diagnosis | ICD-10-CN |
| M05.062 | Felty's syndrome, left knee | Diagnosis | ICD-10-CN |
| M05.069 | Felty's syndrome, unspecified knee | Diagnosis | ICD-10-CN |
| M05.071 | Felty's syndrome, right ankle and foot | Diagnosis | ICD-10-CN |
| M05.072 | Felty's syndrome, left ankle and foot | Diagnosis | ICD-10-CN |
| M05.079 | Felty's syndrome, unspecified ankle and foot | Diagnosis | ICD-10-CN |
| M05.09 | Felty's syndrome, multiple sites | Diagnosis | ICD-10-CN |
| M05.20 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CN |
| M05.211 | Rheumatoid vasculitis with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CN |
| M05.211 | Rheumatoid vasculitis with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CN |
| M05.212 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CN |
| M05.219 | Rheumatoid vasculitis with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CN |
| M05.221 | Rheumatoid vasculitis with rheumatoid arthritis of light clow | Diagnosis | ICD-10-CN |
| M05.222 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CN |
| | Rheumatoid vasculitis with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CIV |
| MUE 221 | In company valuation with in company of the fit what | DIGRIJOSIS | |
| M05.231 M05.232 | Rheumatoid vasculitis with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CN |



| | | Code | |
|--------------------|---|------------------------|-----------|
| Code | Description | Category | Code Type |
| M05.241 | Rheumatoid vasculitis with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05.242 | Rheumatoid vasculitis with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05.249 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M05.251 | Rheumatoid vasculitis with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05.252 | Rheumatoid vasculitis with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05.259 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M05.261 | Rheumatoid vasculitis with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05.262 | Rheumatoid vasculitis with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05.269 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M05.271 | Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05.272 | Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05.279 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M05.29 | Rheumatoid vasculitis with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M05.30 | Rheumatoid heart disease with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M05.311 | Rheumatoid heart disease with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05.312 | Rheumatoid heart disease with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05.319 | Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M05.321 | Rheumatoid heart disease with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |
| M05.322 | Rheumatoid heart disease with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05.329 | Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M05.331 | Rheumatoid heart disease with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05.332 | Rheumatoid heart disease with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05.339 | Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M05.341 | Rheumatoid heart disease with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05.341 | Rheumatoid heart disease with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05.349 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M05.351 | Rheumatoid heart disease with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05.351 | Rheumatoid heart disease with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05.359 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M05.361 | Rheumatoid heart disease with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05.361 | Rheumatoid heart disease with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05.369 | Rheumatoid heart disease with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M05.371 | Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05.371 | Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05.372 | Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M05.39 | Rheumatoid heart disease with rheumatoid arthritis of multiple sites | - | ICD-10-CM |
| M05.40 | Rheumatoid myopathy with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| | Rheumatoid myopathy with rheumatoid arthritis of right shoulder | 0 | ICD-10-CM |
| M05.411 M05.412 | Rheumatoid myopathy with rheumatoid arthritis of left shoulder | Diagnosis Diagnosis | ICD-10-CM |
| | Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder | Diagnosis | |
| M05.419 | Rheumatoid myopathy with rheumatoid arthritis of right elbow | 0 | ICD-10-CM |
| M05.421 | | Diagnosis | ICD-10-CM |
| M05.422 | Rheumatoid myopathy with rheumatoid arthritis of left elbow Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M05.429 | Rheumatoid myopathy with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05.431 | | Diagnosis | ICD-10-CM |
| M05.432 | Rheumatoid myopathy with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05.439 | Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M05.441 | Rheumatoid myopathy with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05.442 | Rheumatoid myopathy with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05.449 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |



| | | Code | |
|---------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| M05.451 | Rheumatoid myopathy with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05.452 | Rheumatoid myopathy with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05.459 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M05.461 | Rheumatoid myopathy with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05.462 | Rheumatoid myopathy with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05.469 | Rheumatoid myopathy with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M05.471 | Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05.472 | Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05.479 | Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M05.49 | Rheumatoid myopathy with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M05.50 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M05.511 | Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05.512 | Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05.519 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M05.521 | Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |
| M05.522 | Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05.529 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M05.531 | Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05.532 | Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05.539 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M05.541 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05.542 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05.549 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M05.551 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05.552 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05.559 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M05.561 | Rheumatoid polyneuropathy with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05.562 | Rheumatoid polyneuropathy with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05.569 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M05.571 | Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05.572 | Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05.579 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M05.59 | Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M05.60 | Rheumatoid arthritis of unspecified site with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.611 | Rheumatoid arthritis of right shoulder with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.612 | Rheumatoid arthritis of left shoulder with involvement of other organs and systems | - | ICD-10-CM |
| M05.619 | Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.621 | Rheumatoid arthritis of right elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.622 | Rheumatoid arthritis of left elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.629 | Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.631 | Rheumatoid arthritis of right wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.632 | Rheumatoid arthritis of left wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.639 | Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.641 | Rheumatoid arthritis of right hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.641 | Rheumatoid arthritis of left hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.649 | Rheumatoid arthritis of unspecified hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.651 | Rheumatoid arthritis of right hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.651 | Rheumatoid arthritis of left hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.659 | Rheumatoid arthritis of unspecified hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| | | 2.0010010 | 20 20 20 |



| | | Code | |
|--------------------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| M05.661 | Rheumatoid arthritis of right knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.662 | Rheumatoid arthritis of left knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.669 | Rheumatoid arthritis of unspecified knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.671 | Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.672 | Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.679 | Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.69 | Rheumatoid arthritis of multiple sites with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05.70 | Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.711 | Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05.712 | Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.719 | Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05.721 | Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05.722 | Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.729 | Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.731 | Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.732 | Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.739 | Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.741 | Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.742 | Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.749 | Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.751 | Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.752 | Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.759 | Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.761 | Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.762 | Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.769 | Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.771 | Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.772 | Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement | Diagnosis | ICD-10-CN |
| M05.779 | Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems | Diagnosis | ICD-10-CN |
| M05.79 | Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05.7A | Rheumatoid arthritis with rheumatoid factor of other specified site without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05.80 | Other rheumatoid arthritis with rheumatoid factor of unspecified site | Diagnosis | ICD-10-CM |
| M05.811 | Other rheumatoid arthritis with rheumatoid factor of right shoulder | Diagnosis | ICD-10-CM |
| M05.811 | Other rheumatoid arthritis with rheumatoid factor of left shoulder | Diagnosis | ICD-10-CM |
| M05.812 | Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder | Diagnosis | ICD-10-CM |
| M05.819 | Other rheumatoid arthritis with rheumatoid factor of right elbow | - | ICD-10-CN |
| M05.821 | Other rheumatoid arthritis with rheumatoid factor of left elbow | Diagnosis | ICD-10-CN |
| M05.822 | Other rheumatoid arthritis with rheumatoid factor of unspecified elbow | Diagnosis | ICD-10-CN |
| | Other rheumatoid arthritis with rheumatoid factor of right wrist | Diagnosis | ICD-10-CN |
| M05.831 M05.832 | Other rheumatoid arthritis with rheumatoid factor of left wrist | - | ICD-10-CM |
| M05.832 | Other rheumatoid arthritis with rheumatoid factor of unspecified wrist | Diagnosis | |
| | · | Diagnosis | ICD-10-CM |
| M05.841 | Other rheumatoid arthritis with rheumatoid factor of right hand Other rheumatoid arthritis with rheumatoid factor of left hand | Diagnosis | ICD-10-CN |
| M05.842 | | Diagnosis | ICD-10-CM |
| M05.849 | Other rheumatoid arthritis with rheumatoid factor of unspecified hand | Diagnosis | ICD-10-CN |
| M05.851 | Other rheumatoid arthritis with rheumatoid factor of right hip | Diagnosis | ICD-10-CN |
| M05.852 | Other rheumatoid arthritis with rheumatoid factor of left hip | Diagnosis | ICD-10-CM |
| M05.859 | Other rheumatoid arthritis with rheumatoid factor of unspecified hip | Diagnosis | ICD-10-CM |
| M05.861 | Other rheumatoid arthritis with rheumatoid factor of right knee | Diagnosis | ICD-10-CM |
| M05.862 | Other rheumatoid arthritis with rheumatoid factor of left knee | Diagnosis | ICD-10-CM |
| | | | |



| | • | Code | |
|--------------------|---|-----------|------------------------|
| Code | Description | Category | Code Type |
| M05.869 | Other rheumatoid arthritis with rheumatoid factor of unspecified knee | Diagnosis | ICD-10-CM |
| M05.871 | Other rheumatoid arthritis with rheumatoid factor of right ankle and foot | Diagnosis | ICD-10-CM |
| M05.872 | Other rheumatoid arthritis with rheumatoid factor of left ankle and foot | Diagnosis | ICD-10-CM |
| M05.879 | Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M05.89 | Other rheumatoid arthritis with rheumatoid factor of multiple sites | Diagnosis | ICD-10-CM |
| M05.8A | Other rheumatoid arthritis with rheumatoid factor of other specified site | Diagnosis | ICD-10-CM |
| M05.9 | Rheumatoid arthritis with rheumatoid factor, unspecified | Diagnosis | ICD-10-CM |
| M06.00 | Rheumatoid arthritis without rheumatoid factor, unspecified site | Diagnosis | ICD-10-CM |
| M06.011 | Rheumatoid arthritis without rheumatoid factor, right shoulder | Diagnosis | ICD-10-CM |
| M06.012 | Rheumatoid arthritis without rheumatoid factor, left shoulder | Diagnosis | ICD-10-CM |
| M06.019 | Rheumatoid arthritis without rheumatoid factor, unspecified shoulder | Diagnosis | ICD-10-CM |
| M06.021 | Rheumatoid arthritis without rheumatoid factor, right elbow | Diagnosis | ICD-10-CM |
| M06.022 | Rheumatoid arthritis without rheumatoid factor, left elbow | Diagnosis | ICD-10-CM |
| M06.029 | Rheumatoid arthritis without rheumatoid factor, unspecified elbow | Diagnosis | ICD-10-CM |
| M06.031 | Rheumatoid arthritis without rheumatoid factor, right wrist | Diagnosis | ICD-10-CM |
| M06.032 | Rheumatoid arthritis without rheumatoid factor, left wrist | Diagnosis | ICD-10-CM |
| M06.039 | Rheumatoid arthritis without rheumatoid factor, unspecified wrist | Diagnosis | ICD-10-CM |
| M06.041 | Rheumatoid arthritis without rheumatoid factor, right hand | Diagnosis | ICD-10-CM |
| M06.042 | Rheumatoid arthritis without rheumatoid factor, left hand | Diagnosis | ICD-10-CM |
| M06.049 | Rheumatoid arthritis without rheumatoid factor, unspecified hand | Diagnosis | ICD-10-CM |
| M06.051 | Rheumatoid arthritis without rheumatoid factor, right hip | Diagnosis | ICD-10-CM |
| M06.052 | Rheumatoid arthritis without rheumatoid factor, left hip | Diagnosis | ICD-10-CM |
| M06.059 | Rheumatoid arthritis without rheumatoid factor, unspecified hip | Diagnosis | ICD-10-CM |
| M06.061 | Rheumatoid arthritis without rheumatoid factor, right knee | Diagnosis | ICD-10-CM |
| M06.062 | Rheumatoid arthritis without rheumatoid factor, left knee | Diagnosis | ICD-10-CM |
| M06.069 | Rheumatoid arthritis without rheumatoid factor, unspecified knee | Diagnosis | ICD-10-CM |
| M06.071 | Rheumatoid arthritis without rheumatoid factor, right ankle and foot | Diagnosis | ICD-10-CM |
| M06.071 | Rheumatoid arthritis without rheumatoid factor, left ankle and foot | Diagnosis | ICD-10-CM |
| M06.072 | Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M06.08 | Rheumatoid arthritis without rheumatoid factor, vertebrae | Diagnosis | ICD-10-CM |
| M06.09 | Rheumatoid arthritis without rheumatoid factor, multiple sites | Diagnosis | ICD-10-CM |
| M06.0A | Rheumatoid arthritis without rheumatoid factor, other specified site | Diagnosis | ICD-10-CM |
| M06.1 | Adult-onset Still's disease | Diagnosis | ICD-10-CM |
| M06.20 | Rheumatoid bursitis, unspecified site | Diagnosis | ICD-10-CM |
| M06.211 | Rheumatoid bursitis, right shoulder | Diagnosis | ICD-10-CM |
| M06.211 | Rheumatoid bursitis, left shoulder | - | ICD-10-CM |
| M06.212 | Rheumatoid bursitis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M06.221 | Rheumatoid bursitis, right elbow | Diagnosis | ICD-10-CM |
| M06.221 | Rheumatoid bursitis, left elbow | Diagnosis | ICD-10-CM |
| M06.222 | Rheumatoid bursitis, unspecified elbow | Diagnosis | ICD-10-CM |
| M06.231 | Rheumatoid bursitis, right wrist | Diagnosis | ICD-10-CM |
| M06.231 | Rheumatoid bursitis, left wrist | Diagnosis | ICD-10-CM |
| M06.232 | Rheumatoid bursitis, left whist Rheumatoid bursitis, unspecified wrist | Diagnosis | ICD-10-CM |
| M06.239 M06.241 | Rheumatoid bursitis, right hand | Diagnosis | ICD-10-CIVI |
| M06.241 | Rheumatoid bursitis, left hand | Diagnosis | ICD-10-CIVI |
| | Rheumatoid bursitis, unspecified hand | Diagnosis | ICD-10-CIVI |
| M06.249 | Rheumatoid bursitis, right hip | Diagnosis | |
| M06.251 | Rheumatoid bursitis, left hip | Diagnosis | ICD-10-CM ICD-10-CM |
| M06.252 | Rheumatoid bursitis, unspecified hip | Diagnosis | ICD-10-CIVI |
| M06.259 | | Diagnosis | 10-10-0141 |



| | | Code | |
|--------------------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| M06.261 | Rheumatoid bursitis, right knee | Diagnosis | ICD-10-CM |
| M06.262 | Rheumatoid bursitis, left knee | Diagnosis | ICD-10-CM |
| M06.269 | Rheumatoid bursitis, unspecified knee | Diagnosis | ICD-10-CM |
| M06.271 | Rheumatoid bursitis, right ankle and foot | Diagnosis | ICD-10-CM |
| M06.272 | Rheumatoid bursitis, left ankle and foot | Diagnosis | ICD-10-CM |
| M06.279 | Rheumatoid bursitis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M06.28 | Rheumatoid bursitis, vertebrae | Diagnosis | ICD-10-CM |
| M06.29 | Rheumatoid bursitis, multiple sites | Diagnosis | ICD-10-CM |
| M06.30 | Rheumatoid nodule, unspecified site | Diagnosis | ICD-10-CM |
| M06.311 | Rheumatoid nodule, right shoulder | Diagnosis | ICD-10-CM |
| M06.312 | Rheumatoid nodule, left shoulder | Diagnosis | ICD-10-CM |
| M06.319 | Rheumatoid nodule, unspecified shoulder | Diagnosis | ICD-10-CM |
| M06.321 | Rheumatoid nodule, right elbow | Diagnosis | ICD-10-CM |
| M06.322 | Rheumatoid nodule, left elbow | Diagnosis | ICD-10-CM |
| M06.329 | Rheumatoid nodule, unspecified elbow | Diagnosis | ICD-10-CM |
| M06.331 | Rheumatoid nodule, right wrist | Diagnosis | ICD-10-CM |
| M06.332 | Rheumatoid nodule, left wrist | Diagnosis | ICD-10-CM |
| M06.339 | Rheumatoid nodule, unspecified wrist | Diagnosis | ICD-10-CM |
| M06.341 | Rheumatoid nodule, right hand | Diagnosis | ICD-10-CM |
| M06.342 | Rheumatoid nodule, left hand | Diagnosis | ICD-10-CM |
| M06.349 | Rheumatoid nodule, unspecified hand | Diagnosis | ICD-10-CM |
| M06.351 | Rheumatoid nodule, right hip | Diagnosis | ICD-10-CM |
| M06.351 | Rheumatoid nodule, left hip | Diagnosis | ICD-10-CM |
| M06.359 | Rheumatoid nodule, unspecified hip | Diagnosis | ICD-10-CM |
| M06.361 | Rheumatoid nodule, right knee | Diagnosis | ICD-10-CM |
| M06.362 | Rheumatoid nodule, left knee | Diagnosis | ICD-10-CM |
| M06.369 | Rheumatoid nodule, unspecified knee | Diagnosis | ICD-10-CM |
| M06.371 | Rheumatoid nodule, right ankle and foot | Diagnosis | ICD-10-CM |
| M06.371 | Rheumatoid nodule, left ankle and foot | Diagnosis | ICD-10-CM |
| M06.372 | Rheumatoid nodule, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M06.379 | Rheumatoid nodule, vertebrae | Diagnosis | ICD-10-CM |
| M06.39 | Rheumatoid nodule, multiple sites | Diagnosis | ICD-10-CM |
| M06.80 | Other specified rheumatoid arthritis, unspecified site | Diagnosis | ICD-10-CM |
| M06.80 | Other specified rheumatoid arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M06.811 | Other specified rheumatoid arthritis, left shoulder | Diagnosis | ICD-10-CM |
| | Other specified rheumatoid arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M06.819 | Other specified rheumatoid arthritis, right elbow | Diagnosis | ICD-10-CM |
| M06.821 M06.822 | Other specified rheumatoid arthritis, left elbow | Diagnosis | ICD-10-CM |
| | Other specified rheumatoid arthritis, inspecified elbow | Diagnosis | ICD-10-CM |
| M06.829 | Other specified rheumatoid arthritis, right wrist | - | |
| M06.831 | Other specified rheumatoid arthritis, left wrist | Diagnosis | ICD-10-CM |
| M06.832 | Other specified rheumatoid arthritis, lieft wrist | Diagnosis | ICD-10-CM |
| M06.839 | Other specified rheumatoid arthritis, right hand | Diagnosis | ICD-10-CM |
| M06.841 | Other specified rheumatoid arthritis, left hand | Diagnosis | ICD-10-CM |
| M06.842 | · | Diagnosis | ICD-10-CM |
| M06.849 | Other specified rheumatoid arthritis, unspecified hand Other specified rheumatoid arthritis, right hip | Diagnosis | ICD-10-CM |
| M06.851 | | Diagnosis | ICD-10-CM |
| M06.852 | Other specified rheumatoid arthritis, left hip Other specified rheumatoid arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M06.859 | Other specified rheumatoid arthritis, unspecified hip Other specified rheumatoid arthritis, right know | Diagnosis | ICD-10-CM |
| M06.861 | Other specified rheumatoid arthritis, right knee | Diagnosis | ICD-10-CM |



| | | Code | |
|-----------|---|------------|-----------|
| Code | Description | Category | Code Type |
| M06.862 | Other specified rheumatoid arthritis, left knee | Diagnosis | ICD-10-CM |
| M06.869 | Other specified rheumatoid arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M06.871 | Other specified rheumatoid arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M06.872 | Other specified rheumatoid arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M06.879 | Other specified rheumatoid arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M06.88 | Other specified rheumatoid arthritis, vertebrae | Diagnosis | ICD-10-CM |
| M06.89 | Other specified rheumatoid arthritis, multiple sites | Diagnosis | ICD-10-CM |
| M06.8A | Other specified rheumatoid arthritis, other specified site | Diagnosis | ICD-10-CM |
| M06.9 | Rheumatoid arthritis, unspecified | Diagnosis | ICD-10-CM |
| M08.00 | Unspecified juvenile rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M08.011 | Unspecified juvenile rheumatoid arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M08.012 | Unspecified juvenile rheumatoid arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M08.019 | Unspecified juvenile rheumatoid arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M08.021 | Unspecified juvenile rheumatoid arthritis, right elbow | Diagnosis | ICD-10-CM |
| M08.022 | Unspecified juvenile rheumatoid arthritis, left elbow | Diagnosis | ICD-10-CM |
| M08.029 | Unspecified juvenile rheumatoid arthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M08.031 | Unspecified juvenile rheumatoid arthritis, right wrist | Diagnosis | ICD-10-CM |
| M08.032 | Unspecified juvenile rheumatoid arthritis, left wrist | Diagnosis | ICD-10-CM |
| M08.039 | Unspecified juvenile rheumatoid arthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M08.041 | Unspecified juvenile rheumatoid arthritis, right hand | Diagnosis | ICD-10-CM |
| M08.042 | Unspecified juvenile rheumatoid arthritis, left hand | Diagnosis | ICD-10-CM |
| M08.049 | Unspecified juvenile rheumatoid arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M08.051 | Unspecified juvenile rheumatoid arthritis, right hip | Diagnosis | ICD-10-CM |
| M08.052 | Unspecified juvenile rheumatoid arthritis, left hip | Diagnosis | ICD-10-CM |
| M08.059 | Unspecified juvenile rheumatoid arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M08.061 | Unspecified juvenile rheumatoid arthritis, right knee | Diagnosis | ICD-10-CM |
| M08.062 | Unspecified juvenile rheumatoid arthritis, left knee | Diagnosis | ICD-10-CM |
| M08.069 | Unspecified juvenile rheumatoid arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M08.071 | Unspecified juvenile rheumatoid arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M08.072 | Unspecified juvenile rheumatoid arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M08.079 | Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M08.08 | Unspecified juvenile rheumatoid arthritis, vertebrae | Diagnosis | ICD-10-CM |
| M08.09 | Unspecified juvenile rheumatoid arthritis, multiple sites | Diagnosis | ICD-10-CM |
| M08.0A | Unspecified juvenile rheumatoid arthritis, other specified site | Diagnosis | ICD-10-CM |
| M08.1 | Juvenile ankylosing spondylitis | Diagnosis | ICD-10-CM |
| M08.20 | Juvenile rheumatoid arthritis with systemic onset, unspecified site | Diagnosis | ICD-10-CM |
| M08.211 | Juvenile rheumatoid arthritis with systemic onset, right shoulder | Diagnosis | ICD-10-CM |
| M08.212 | Juvenile rheumatoid arthritis with systemic onset, left shoulder | Diagnosis | ICD-10-CM |
| M08.212 | Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder | Diagnosis | ICD-10-CM |
| M08.221 | Juvenile rheumatoid arthritis with systemic onset, right elbow | Diagnosis | ICD-10-CM |
| M08.221 | Juvenile rheumatoid arthritis with systemic onset, left elbow | Diagnosis | ICD-10-CM |
| M08.229 | Juvenile rheumatoid arthritis with systemic onset, unspecified elbow | Diagnosis | ICD-10-CM |
| M08.223 | Juvenile rheumatoid arthritis with systemic onset, right wrist | Diagnosis | ICD-10-CM |
| M08.231 | Juvenile rheumatoid arthritis with systemic onset, left wrist | Diagnosis | ICD-10-CM |
| M08.232 | Juvenile rheumatoid arthritis with systemic onset, unspecified wrist | Diagnosis | ICD-10-CM |
| M08.239 | Juvenile rheumatoid arthritis with systemic onset, right hand | Diagnosis | ICD-10-CM |
| M08.241 | Juvenile rheumatoid arthritis with systemic onset, left hand | Diagnosis | ICD-10-CM |
| M08.242 | Juvenile rheumatoid arthritis with systemic onset, unspecified hand | Diagnosis | ICD-10-CM |
| M08.249 | Juvenile rheumatoid arthritis with systemic onset, right hip | Diagnosis | ICD-10-CM |
| 10100.201 | | Bidgir0313 | |



| | | Code | |
|--------------------|---|------------------------|------------------------|
| Code | Description | Category | Code Type |
| M08.252 | Juvenile rheumatoid arthritis with systemic onset, left hip | Diagnosis | ICD-10-CM |
| M08.259 | Juvenile rheumatoid arthritis with systemic onset, unspecified hip | Diagnosis | ICD-10-CM |
| M08.261 | Juvenile rheumatoid arthritis with systemic onset, right knee | Diagnosis | ICD-10-CM |
| M08.262 | Juvenile rheumatoid arthritis with systemic onset, left knee | Diagnosis | ICD-10-CM |
| M08.269 | Juvenile rheumatoid arthritis with systemic onset, unspecified knee | Diagnosis | ICD-10-CM |
| M08.271 | Juvenile rheumatoid arthritis with systemic onset, right ankle and foot | Diagnosis | ICD-10-CM |
| M08.272 | Juvenile rheumatoid arthritis with systemic onset, left ankle and foot | Diagnosis | ICD-10-CM |
| M08.279 | Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M08.28 | Juvenile rheumatoid arthritis with systemic onset, vertebrae | Diagnosis | ICD-10-CM |
| M08.29 | Juvenile rheumatoid arthritis with systemic onset, multiple sites | Diagnosis | ICD-10-CM |
| M08.2A | Juvenile rheumatoid arthritis with systemic onset, other specified site | Diagnosis | ICD-10-CM |
| M08.3 | Juvenile rheumatoid polyarthritis (seronegative) | Diagnosis | ICD-10-CM |
| M08.40 | Pauciarticular juvenile rheumatoid arthritis, unspecified site | Diagnosis | ICD-10-CM |
| M08.411 | Pauciarticular juvenile rheumatoid arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M08.412 | Pauciarticular juvenile rheumatoid arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M08.419 | Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M08.421 | Pauciarticular juvenile rheumatoid arthritis, right elbow | Diagnosis | ICD-10-CM |
| M08.422 | Pauciarticular juvenile rheumatoid arthritis, left elbow | Diagnosis | ICD-10-CM |
| M08.429 | Pauciarticular juvenile rheumatoid arthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M08.431 | Pauciarticular juvenile rheumatoid arthritis, right wrist | Diagnosis | ICD-10-CM |
| M08.432 | Pauciarticular juvenile rheumatoid arthritis, left wrist | Diagnosis | ICD-10-CM |
| M08.439 | Pauciarticular juvenile rheumatoid arthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M08.441 | Pauciarticular juvenile rheumatoid arthritis, right hand | Diagnosis | ICD-10-CM |
| M08.442 | Pauciarticular juvenile rheumatoid arthritis, left hand | Diagnosis | ICD-10-CM |
| M08.449 | Pauciarticular juvenile rheumatoid arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M08.451 | Pauciarticular juvenile rheumatoid arthritis, right hip | Diagnosis | ICD-10-CM |
| M08.451 | Pauciarticular juvenile rheumatoid arthritis, left hip | Diagnosis | ICD-10-CM |
| M08.459 | Pauciarticular juvenile rheumatoid arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M08.461 | Pauciarticular juvenile rheumatoid arthritis, right knee | Diagnosis | ICD-10-CM |
| M08.461 | Pauciarticular juvenile rheumatoid arthritis, left knee | Diagnosis | ICD-10-CM |
| M08.469 | Pauciarticular juvenile rheumatoid arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M08.471 | Pauciarticular juvenile rheumatoid arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M08.471 | Pauciarticular juvenile rheumatoid arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M08.472 | Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M08.48 | Pauciarticular juvenile rheumatoid arthritis, vertebrae | Diagnosis | ICD-10-CM |
| M08.48 | Pauciarticular juvenile rheumatoid arthritis, other specified site | - | ICD-10-CM |
| M08.80 | Other juvenile arthritis, unspecified site | Diagnosis | ICD-10-CM |
| M08.80 | Other juvenile arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M08.811 M08.812 | Other juvenile arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M08.812 | Other juvenile arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M08.813 | Other juvenile arthritis, right elbow | Diagnosis | ICD-10-CM |
| | Other juvenile arthritis, left elbow | - | |
| M08.822 | Other juvenile arthritis, unspecified elbow | Diagnosis Diagnosis | ICD-10-CM ICD-10-CM |
| M08.829 | Other juvenile arthritis, right wrist | - | |
| M08.831 | Other juvenile arthritis, left wrist | Diagnosis | ICD-10-CM |
| M08.832 | Other juvenile arthritis, left white Other juvenile arthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M08.839 | | Diagnosis | ICD-10-CM |
| M08.841 | Other juvenile arthritis, right hand Other juvenile arthritis, left hand | Diagnosis | ICD-10-CM |
| M08.842 | Other juvenile arthritis, left hand Other juvenile arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M08.849 | other juvenile artifitis, unspecified fland | Diagnosis | ICD-10-CM |



| | | Code | |
|------------------|---|-----------|-------------|
| Code | Description | Category | Code Type |
| M08.851 | Other juvenile arthritis, right hip | Diagnosis | ICD-10-CM |
| M08.852 | Other juvenile arthritis, left hip | Diagnosis | ICD-10-CM |
| M08.859 | Other juvenile arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M08.861 | Other juvenile arthritis, right knee | Diagnosis | ICD-10-CM |
| M08.862 | Other juvenile arthritis, left knee | Diagnosis | ICD-10-CM |
| M08.869 | Other juvenile arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M08.871 | Other juvenile arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M08.872 | Other juvenile arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M08.879 | Other juvenile arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M08.88 | Other juvenile arthritis, other specified site | Diagnosis | ICD-10-CM |
| M08.89 | Other juvenile arthritis, multiple sites | Diagnosis | ICD-10-CM |
| M08.90 | Juvenile arthritis, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| M08.911 | Juvenile arthritis, unspecified, right shoulder | Diagnosis | ICD-10-CM |
| M08.912 | Juvenile arthritis, unspecified, left shoulder | Diagnosis | ICD-10-CM |
| M08.919 | Juvenile arthritis, unspecified, unspecified shoulder | Diagnosis | ICD-10-CM |
| M08.921 | Juvenile arthritis, unspecified, right elbow | Diagnosis | ICD-10-CM |
| M08.922 | Juvenile arthritis, unspecified, left elbow | Diagnosis | ICD-10-CM |
| M08.929 | Juvenile arthritis, unspecified, unspecified elbow | Diagnosis | ICD-10-CM |
| M08.931 | Juvenile arthritis, unspecified, right wrist | Diagnosis | ICD-10-CM |
| M08.932 | Juvenile arthritis, unspecified, left wrist | Diagnosis | ICD-10-CM |
| M08.939 | Juvenile arthritis, unspecified, unspecified wrist | Diagnosis | ICD-10-CM |
| M08.941 | Juvenile arthritis, unspecified, right hand | Diagnosis | ICD-10-CM |
| M08.942 | Juvenile arthritis, unspecified, left hand | Diagnosis | ICD-10-CM |
| M08.949 | Juvenile arthritis, unspecified, unspecified hand | Diagnosis | ICD-10-CM |
| M08.951 | Juvenile arthritis, unspecified, right hip | Diagnosis | ICD-10-CM |
| M08.952 | Juvenile arthritis, unspecified, left hip | Diagnosis | ICD-10-CM |
| M08.959 | Juvenile arthritis, unspecified, unspecified hip | Diagnosis | ICD-10-CM |
| M08.961 | Juvenile arthritis, unspecified, right knee | Diagnosis | ICD-10-CM |
| M08.962 | Juvenile arthritis, unspecified, left knee | Diagnosis | ICD-10-CM |
| M08.962 | Juvenile arthritis, unspecified, unspecified knee | Diagnosis | ICD-10-CM |
| M08.971 | Juvenile arthritis, unspecified, right ankle and foot | Diagnosis | ICD-10-CM |
| M08.971 | Juvenile arthritis, unspecified, left ankle and foot | Diagnosis | ICD-10-CM |
| M08.972 | Juvenile arthritis, unspecified, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M08.98 | Juvenile arthritis, unspecified, vertebrae | Diagnosis | ICD-10-CM |
| M08.99 | Juvenile arthritis, unspecified, multiple sites | Diagnosis | ICD-10-CM |
| M08.9A | Juvenile arthritis, unspecified, other specified site | Diagnosis | ICD-10-CM |
| M15.0 | Primary generalized (osteo)arthritis | Diagnosis | ICD-10-CM |
| M15.1 | Heberden's nodes (with arthropathy) | Diagnosis | ICD-10-CM |
| M15.1 M15.2 | Bouchard's nodes (with arthropathy) | Diagnosis | ICD-10-CM |
| M15.2 M15.3 | Secondary multiple arthritis | Diagnosis | ICD-10-CM |
| M15.4 | Erosive (osteo)arthritis | Diagnosis | ICD-10-CM |
| M15.4 M15.8 | Other polyosteoarthritis | Diagnosis | ICD-10-CM |
| M15.9 | Polyosteoarthritis, unspecified | Diagnosis | ICD-10-CM |
| M15.9 M16.0 | Bilateral primary osteoarthritis of hip | Diagnosis | ICD-10-CM |
| M16.10 | Unilateral primary osteoarthritis, unspecified hip | Diagnosis | ICD-10-CIVI |
| M16.10 M16.11 | Unilateral primary osteoarthritis, right hip | Diagnosis | ICD-10-CIVI |
| M16.11 | Unilateral primary osteoarthritis, left hip | Diagnosis | ICD-10-CM |
| M16.12 M16.2 | Bilateral osteoarthritis resulting from hip dysplasia | Diagnosis | ICD-10-CIVI |
| M16.30 | Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip | Diagnosis | ICD-10-CM |
| 10.20 | | Diagnosis | |


| | · · · · · · · · · · · · · · · · · · · | Code | |
|--------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| M16.31 | Unilateral osteoarthritis resulting from hip dysplasia, right hip | Diagnosis | ICD-10-CM |
| M16.32 | Unilateral osteoarthritis resulting from hip dysplasia, left hip | Diagnosis | ICD-10-CM |
| M16.4 | Bilateral post-traumatic osteoarthritis of hip | Diagnosis | ICD-10-CM |
| M16.50 | Unilateral post-traumatic osteoarthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M16.51 | Unilateral post-traumatic osteoarthritis, right hip | Diagnosis | ICD-10-CM |
| M16.52 | Unilateral post-traumatic osteoarthritis, left hip | Diagnosis | ICD-10-CM |
| M16.6 | Other bilateral secondary osteoarthritis of hip | Diagnosis | ICD-10-CM |
| M16.7 | Other unilateral secondary osteoarthritis of hip | Diagnosis | ICD-10-CM |
| | Osteoarthritis of hip, unspecified | Diagnosis | ICD-10-CM |
| | Bilateral primary osteoarthritis of knee | Diagnosis | ICD-10-CM |
| | Unilateral primary osteoarthritis, unspecified knee | Diagnosis | ICD-10-CM |
| - | Unilateral primary osteoarthritis, right knee | Diagnosis | ICD-10-CM |
| | Unilateral primary osteoarthritis, left knee | Diagnosis | ICD-10-CM |
| | Bilateral post-traumatic osteoarthritis of knee | Diagnosis | ICD-10-CM |
| | Unilateral post-traumatic osteoarthritis, unspecified knee | Diagnosis | ICD-10-CM |
| | Unilateral post-traumatic osteoarthritis, right knee | Diagnosis | ICD-10-CM |
| - | Unilateral post-traumatic osteoarthritis, left knee | Diagnosis | ICD-10-CM |
| - | Other bilateral secondary osteoarthritis of knee | Diagnosis | ICD-10-CM |
| | Other unilateral secondary osteoarthritis of knee | Diagnosis | ICD-10-CM |
| - | Osteoarthritis of knee, unspecified | Diagnosis | ICD-10-CM |
| | Bilateral primary osteoarthritis of first carpometacarpal joints | Diagnosis | ICD-10-CM |
| | Unilateral primary osteoarthritis of first carpometacarpal joint, unspecified hand | Diagnosis | ICD-10-CM |
| | Unilateral primary osteoarthritis of first carpometacarpal joint, right hand | Diagnosis | ICD-10-CM |
| | Unilateral primary osteoarthritis of first carpometacarpal joint, light hand | Diagnosis | ICD-10-CM |
| | Bilateral post-traumatic osteoarthritis of first carpometacarpal joints | - | |
| | Unilateral post-traumatic osteoarthritis of first carpometacarpal joints | Diagnosis | ICD-10-CM |
| | Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, dispectied hand | Diagnosis | ICD-10-CM |
| | Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, light hand | Diagnosis | ICD-10-CM |
| | | Diagnosis | ICD-10-CM |
| | Other bilateral secondary osteoarthritis of first carpometacarpal joints | Diagnosis | ICD-10-CM |
| | Other unilateral secondary osteoarthritis of first carpometacarpal joint, unspecified hand | Diagnosis | ICD-10-CM |
| | Other unilateral secondary osteoarthritis of first carpometacarpal joint, right hand | Diagnosis | ICD-10-CM |
| | Other unilateral secondary osteoarthritis of first carpometacarpal joint, left hand | Diagnosis | ICD-10-CM |
| | Osteoarthritis of first carpometacarpal joint, unspecified | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, right shoulder | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, left shoulder | | ICD-10-CM |
| | Primary osteoarthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, right elbow | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, left elbow | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, right wrist | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, left wrist | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, right hand | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, left hand | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, unspecified hand | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| | Primary osteoarthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M19.09 | Primary osteoarthritis, other specified site | Diagnosis | ICD-10-CM |



| | | Code | |
|--------------------|---|-----------|-------------|
| Code | Description | Category | Code Type |
| M19.111 | Post-traumatic osteoarthritis, right shoulder | Diagnosis | ICD-10-CM |
| M19.112 | Post-traumatic osteoarthritis, left shoulder | Diagnosis | ICD-10-CM |
| M19.119 | Post-traumatic osteoarthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M19.121 | Post-traumatic osteoarthritis, right elbow | Diagnosis | ICD-10-CM |
| M19.122 | Post-traumatic osteoarthritis, left elbow | Diagnosis | ICD-10-CM |
| M19.129 | Post-traumatic osteoarthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M19.131 | Post-traumatic osteoarthritis, right wrist | Diagnosis | ICD-10-CM |
| M19.132 | Post-traumatic osteoarthritis, left wrist | Diagnosis | ICD-10-CM |
| M19.139 | Post-traumatic osteoarthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M19.141 | Post-traumatic osteoarthritis, right hand | Diagnosis | ICD-10-CM |
| M19.142 | Post-traumatic osteoarthritis, left hand | Diagnosis | ICD-10-CM |
| M19.149 | Post-traumatic osteoarthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M19.171 | Post-traumatic osteoarthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M19.172 | Post-traumatic osteoarthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M19.179 | Post-traumatic osteoarthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M19.19 | Post-traumatic osteoarthritis, other specified site | Diagnosis | ICD-10-CM |
| M19.211 | Secondary osteoarthritis, right shoulder | Diagnosis | ICD-10-CM |
| M19.212 | Secondary osteoarthritis, left shoulder | Diagnosis | ICD-10-CM |
| M19.219 | Secondary osteoarthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M19.221 | Secondary osteoarthritis, right elbow | Diagnosis | ICD-10-CM |
| M19.222 | Secondary osteoarthritis, left elbow | Diagnosis | ICD-10-CM |
| M19.229 | Secondary osteoarthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M19.231 | Secondary osteoarthritis, right wrist | Diagnosis | ICD-10-CM |
| M19.232 | Secondary osteoarthritis, left wrist | Diagnosis | ICD-10-CM |
| M19.239 | Secondary osteoarthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M19.241 | Secondary osteoarthritis, right hand | Diagnosis | ICD-10-CM |
| M19.241 | Secondary osteoarthritis, left hand | Diagnosis | ICD-10-CM |
| M19.242 | Secondary osteoarthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M19.271 | Secondary osteoarthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M19.271 | Secondary osteoarthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M19.272 | Secondary osteoarthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M19.29 | Secondary osteoarthritis, other specified site | Diagnosis | ICD-10-CM |
| M19.90 | Unspecified osteoarthritis, unspecified site | Diagnosis | ICD-10-CM |
| M19.91 | Primary osteoarthritis, unspecified site | Diagnosis | ICD-10-CM |
| M19.91 | Post-traumatic osteoarthritis, unspecified site | - | ICD-10-CM |
| M19.92 | Secondary osteoarthritis, unspecified site | Diagnosis | |
| M45.0 | Ankylosing spondylitis of multiple sites in spine | Diagnosis | ICD-10-CM |
| M45.1 | Ankylosing spondylitis of occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M45.2 | Ankylosing spondylitis of cervical region | Diagnosis | ICD-10-CM |
| M45.3 | Ankylosing spondylitis of cervicothoracic region | Diagnosis | ICD-10-CM |
| M45.4 | Ankylosing spondylitis of thoracic region | Diagnosis | ICD-10-CM |
| M45.5 | Ankylosing spondylitis of thoracolumbar region | Diagnosis | ICD-10-CM |
| M45.6 | Ankylosing spondylitis lumbar region | Diagnosis | ICD-10-CM |
| M45.7 | Ankylosing spondylitis of lumbosacral region | Diagnosis | ICD-10-CIVI |
| M45.8 | Ankylosing spondylitis socral and sacrococcygeal region | Diagnosis | ICD-10-CIVI |
| M45.9 | Ankylosing spondylitis of unspecified sites in spine | Diagnosis | ICD-10-CIVI |
| M45.9 M47.011 | Anterior spinal artery compression syndromes, occipito-atlanto-axial region | Diagnosis | ICD-10-CIVI |
| M47.011 M47.012 | Anterior spinal artery compression syndromes, cervical region | Diagnosis | ICD-10-CIVI |
| M47.012 M47.013 | Anterior spinal artery compression syndromes, cervicothoracic region | Diagnosis | ICD-10-CM |
| 10147.013 | | Diagnosis | 10-10-CIVI |



| | • | Code | |
|----------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| M47.014 | Anterior spinal artery compression syndromes, thoracic region | Diagnosis | ICD-10-CM |
| M47.015 | Anterior spinal artery compression syndromes, thoracolumbar region | Diagnosis | ICD-10-CM |
| M47.016 | Anterior spinal artery compression syndromes, lumbar region | Diagnosis | ICD-10-CM |
| M47.019 | Anterior spinal artery compression syndromes, site unspecified | Diagnosis | ICD-10-CM |
| M47.021 | Vertebral artery compression syndromes, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M47.022 | Vertebral artery compression syndromes, cervical region | Diagnosis | ICD-10-CM |
| M47.029 | Vertebral artery compression syndromes, site unspecified | Diagnosis | ICD-10-CM |
| M47.10 | Other spondylosis with myelopathy, site unspecified | Diagnosis | ICD-10-CM |
| M47.11 | Other spondylosis with myelopathy, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M47.12 | Other spondylosis with myelopathy, cervical region | Diagnosis | ICD-10-CM |
| M47.13 | Other spondylosis with myelopathy, cervicothoracic region | Diagnosis | ICD-10-CM |
| M47.20 | Other spondylosis with radiculopathy, site unspecified | Diagnosis | ICD-10-CM |
| M47.21 | Other spondylosis with radiculopathy, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M47.22 | Other spondylosis with radiculopathy, cervical region | Diagnosis | ICD-10-CM |
| M47.23 | Other spondylosis with radiculopathy, cervicothoracic region | Diagnosis | ICD-10-CM |
| M47.24 | Other spondylosis with radiculopathy, thoracic region | Diagnosis | ICD-10-CM |
| M47.25 | Other spondylosis with radiculopathy, thoracolumbar region | Diagnosis | ICD-10-CM |
| M47.26 | Other spondylosis with radiculopathy, lumbar region | Diagnosis | ICD-10-CM |
| M47.27 | Other spondylosis with radiculopathy, lumbosacral region | Diagnosis | ICD-10-CM |
| M47.28 | Other spondylosis with radiculopathy, sacral and sacrococcygeal region | Diagnosis | ICD-10-CM |
| M47.811 | Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M47.812 | Spondylosis without myelopathy or radiculopathy, cervical region | Diagnosis | ICD-10-CM |
| M47.813 | Spondylosis without myelopathy or radiculopathy, cervicothoracic region | Diagnosis | ICD-10-CM |
| M47.814 | Spondylosis without myelopathy or radiculopathy, thoracic region | Diagnosis | ICD-10-CM |
| M47.815 | Spondylosis without myelopathy or radiculopathy, thoracolumbar region | Diagnosis | ICD-10-CM |
| M47.816 | Spondylosis without myelopathy or radiculopathy, lumbar region | Diagnosis | ICD-10-CM |
| M47.817 | Spondylosis without myelopathy or radiculopathy, lumbosacral region | Diagnosis | ICD-10-CM |
| M47.818 | Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region | Diagnosis | ICD-10-CM |
| M47.819 | Spondylosis without myelopathy or radiculopathy, site unspecified | Diagnosis | ICD-10-CM |
| M47.891 | Other spondylosis, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M47.892 | Other spondylosis, cervical region | Diagnosis | ICD-10-CM |
| M47.893 | Other spondylosis, cervicothoracic region | Diagnosis | ICD-10-CM |
| M47.894 | Other spondylosis, thoracic region | Diagnosis | ICD-10-CM |
| M47.895 | Other spondylosis, thoracolumbar region | Diagnosis | ICD-10-CM |
| M47.896 | Other spondylosis, lumbar region | Diagnosis | ICD-10-CM |
| M47.897 | Other spondylosis, lumbosacral region | - | ICD-10-CM |
| M47.898 | Other spondylosis, sacral and sacrococcygeal region | Diagnosis | ICD-10-CM |
| M47.899 | Other spondylosis, site unspecified | Diagnosis | ICD-10-CM |
| M47.9 | Spondylosis, unspecified | Diagnosis | ICD-10-CM |
| M48.8X1 | Other specified spondylopathies, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M48.8X2 | Other specified spondylopathies, cervical region | Diagnosis | ICD-10-CM |
| M48.8X3 | Other specified spondylopathies, cervicothoracic region | Diagnosis | ICD-10-CM |
| M48.8X4 | Other specified spondylopathies, thoracic region | Diagnosis | ICD-10-CM |
| M48.8X5 | Other specified spondylopathies, thoracolumbar region | Diagnosis | ICD-10-CM |
| M48.8X6 | Other specified spondylopathies, lumbar region | Diagnosis | ICD-10-CM |
| M48.8X7 | Other specified spondylopathies, lumbosacral region | Diagnosis | ICD-10-CM |
| M48.8X8 | Other specified spondylopathies, sacral and sacrococcygeal region | Diagnosis | ICD-10-CM |
| M48.8X9 | Other specified spondylopathies, site unspecified | Diagnosis | ICD-10-CM |
| 1140.073 | | Diagnosis | |



| | | Code | |
|--------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| | Osteoporosis | | |
| M81.0 | Age-related osteoporosis without current pathological fracture | Diagnosis | ICD-10-CM |
| M81.6 | Localized osteoporosis [Lequesne] | Diagnosis | ICD-10-CM |
| M81.8 | Other osteoporosis without current pathological fracture | Diagnosis | ICD-10-CM |
| | Benign Prostatic Hyperplasia | | |
| N40.0 | Benign prostatic hyperplasia without lower urinary tract symptoms | Diagnosis | ICD-10-CM |
| N40.1 | Benign prostatic hyperplasia with lower urinary tract symptoms | Diagnosis | ICD-10-CM |
| N40.2 | Nodular prostate without lower urinary tract symptoms | Diagnosis | ICD-10-CM |
| N40.3 | Nodular prostate with lower urinary tract symptoms | Diagnosis | ICD-10-CM |
| N42.83 | Cyst of prostate | Diagnosis | ICD-10-CM |
| | Cardiac Arrest | | |
| Z86.74 | Personal history of sudden cardiac arrest | Diagnosis | ICD-10-CM |
| | Coronary Bypass | | |
| Z95.1 | Presence of aortocoronary bypass graft | Diagnosis | ICD-10-CM |
| Z95.5 | Presence of coronary angioplasty implant and graft | Diagnosis | ICD-10-CM |
| Z98.61 | Coronary angioplasty status | Diagnosis | ICD-10-CM |
| | | | |



This request executed the Cohort Identification and Descriptive Analysis (CIDA) tool 10.4.0 to estimate rates of new molecular entities (NMEs) approved in 2018 in the Sentinel Distributed Database (SDD).

| | | Post-index | Coverage enrollment enrollment Er | e requirement: requirement t requirement: nrollment gap: Age groups: Stratifications: ategorization: Restrictions: | 0 days 45 days 0-18, 19-64, 65+ years Age group, Sex, Calendar year, Yea 1-364, 365-729, 730+ days N/A | | dispensing graphs) | | |
|----------|-----------------------------|---|--|---|---|--------------|---------------------------------|-----------------|--|
| Scenario | Index Exposure/ Event | Cohort definition | Washout period (days) | Incident with respect to: | sure/Event Exclude evidence of days supply if exposure washout includes dispensings | Care setting | Principal diagnosis position | Follow-up Start | ollow-up Censor enrollment at evidence of |
| 1 | Lutathera | First valid index date during query period | 183 | Lutathera | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 2 | Biktarvy | First valid index date during query period | 183 | Biktarvy | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 3 | Symdeko | First valid index date during query period | 183 | Symdeko | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 4 | Erleada | First valid index date during query period | 183 | Erleada | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 5 | Trogarzo | First valid index date during query period | 183 | Trogarzo | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |



| _ | | | | Expo | sure/Event | | | Fe | ollow-up |
|---------------|-----------------------------|---|-----------------------------|------------------------------|--|--------------|---------------------------------|-----------------|--|
| • Scenario | Index Exposure/ Event | Cohort definition | Washout period (days) | Incident with respect to: | Exclude evidence of days supply if exposure washout includes dispensings | Care setting | Principal diagnosis position | Follow-up Start | Censor enrollment at evidence of |
| 6 | Ilumya | First valid index date during query period | 183 | llumya | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 7 | Tavalisse | First valid index date during query period | 183 | Tavalisse | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 8 | Crysvita | First valid index date during query period | 183 | Crysvita | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 9 | Akynzeo | First valid index date during query period | 183 | Akynzeo | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 10 | Lucemyra | First valid index date during query period | 183 | Lucemyra | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 11 | Aimovig | First valid index date during query period | 183 | Aimovig | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 12 | Lokelma | First valid index date during query period | 183 | Lokelma | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 13 | Doptelet | First valid index date during query period | 183 | Doptelet | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |



| _ | | | | Expo | sure/Event | | | F | ollow-up |
|---------------|-----------------------------|---|-----------------------------|------------------------------|--|--------------|------------------------------|-----------------|--|
| ∎ Scenario | Index Exposure/ Event | Cohort definition | Washout period (days) | Incident with respect to: | Exclude evidence of days supply if exposure washout includes dispensings | Care setting | Principal diagnosis position | Follow-up Start | Censor enrollment at evidence of |
| 14 | Palynziq | First valid index date during query period | 183 | Palynziq | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 15 | Olumiant | First valid index date during query period | 183 | Olumiant | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 16 | Epidioloex | First valid index date during query period | 183 | Epidioloex | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 17 | Zemdri | First valid index date during query period | 183 | Zemdri | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 18 | Mektovi | First valid index date during query period | 183 | Mektovi | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 19 | Braftovi | First valid index date during query period | 183 | Braftovi | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 20 | Трохх | First valid index date during query period | 183 | Трохх | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date; Query End Date; Disenrollment |
| 21 | Tibsovo | First valid index date during query period | 183 | Tibsovo | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |



| _ | | | | Expo | sure/Event | | | Fo | ollow-up |
|---------|-----------------------------|--|-----------------------------|------------------------------|--|--------------|------------------------------|-----------------|---|
| cenario | Index Exposure/ Event | Cohort definition | Washout period (days) | Incident with respect to: | Exclude evidence of days supply if exposure washout includes dispensings | Care setting | Principal diagnosis position | Follow-up Start | Censor enrollment at evidence of |
| 22 | Krintafel | First valid index date during query period | 183 | Krintafel | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 23 | Orilissa | First valid index date during query period | 183 | Orilissa | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 24 | Omegaven | First valid index date during query period | 183 | Omegaven | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 25 | Mulpleta | First valid index date during query period | 183 | Mulpleta | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 26 | Poteligeo | First valid index date during query period | 183 | Poteligeo | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 27 | Onpattro | First valid index date during query period | 183 | Onpattro | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 28 | Annovera | First valid index date during query period | 183 | Annovera | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |
| 29 | Galafold | First valid index date during query period | 183 | Galafold | Washout lookback period should search for evidence of days supply | Any | Any | First exposure | Death; Data Partner End Date Query End Date; Disenrollment |

National Drug Codes (NDCs) are checked against First Data Bank's FDB MedKnowledge®.



Appendix G: Specifications Defining Parameters for Baseline Characteristics in this Request

| | | Covariates | | | | |
|---|--|---------------------------------|--------------------------------------|------------------------------------|---|--|
| Covariate | Care setting | Principal diagnosis position | Evaluation period start (days) | Evaluation period end (days) | Exclude evidence of days supply if covariate includes dispensings | Number of instances the covariate should be found in evaluatio period |
| Acute Myocardial Infarction | Inpatient | Principal,Secondary | -365 | -1 | N/A | 1 |
| Izheimer's Disease and related conditions | Any | Any | -365 | -1 | N/A | 1 |
| Atrial Fibrillation | Inpatient | Principal,Secondary | -365 | -1 | N/A | 1 |
| | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Diabetes | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| Heart Failure | Inpatient hospital stay, Emergency department encounter, Ambulatory visit | Any | -365 | -1 | N/A | 1 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Hyperlipidemia | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Hypertension | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| Depression | Any | Any | -365 | -1 | N/A | 1 |
| Ischemic Heart Disease | Any | Any | -365 | -1 | N/A | 1 |
| Rheumatoid Arthritis/Osteoarthritis | Any | Any | -365 | -1 | N/A | 1 |
| | Inpatient | Any | -365 | -1 | N/A | 1 |
| Stroke/TIA | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Breast Cancer | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |



Appendix G: Specifications Defining Parameters for Baseline Characteristics in this Request

| | | Covariates | | | | |
|------------------------------|--|---------------------------------|--------------------------------------|------------------------------------|---|--|
| Covariate | Care setting | Principal diagnosis position | Evaluation period start (days) | Evaluation period end (days) | Exclude evidence of days supply if covariate includes dispensings | Number of instances the covariate should be found in evaluatio period |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Colorectal Cancer | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Prostate Cancer | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Lung Cancer | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Endometrial Cancer | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Acquired Hypothyroidism | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| Anemia | Any | Any | -365 | -1 | N/A | 1 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Asthma | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Benign Prostatic Hyperplasia | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Chronic Kidney Disease | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| COPD and Bronchiectasis | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |
| Glaucoma | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 1 |
| | Inpatient, Non-acute Institutional Stay | Any | -365 | -1 | N/A | 1 |
| Osteoporosis | Ambulatory Visit, Emergency Department Encounter, or Other Ambulatory Visit | Any | -365 | -1 | N/A | 2 |



Appendix G: Specifications Defining Parameters for Baseline Characteristics in this Request

| | | Covariates | | | | |
|--|--------------|---------------------------------|--------------------------------------|------------------------------------|---|---|
| Covariate | Care setting | Principal diagnosis position | Evaluation period start (days) | Evaluation period end (days) | Exclude evidence of days supply if covariate includes dispensings | Number of instances the covariate should be found in evaluation period |
| Obesity | Any | Any | -365 | -1 | Evaluation period should search for evidence of days | 1 |
| Obesity | Any | Апу | -305 | -1 | supply | 1 |
| Overweight | Any | Any | -365 | -1 | N/A | 1 |
| Smoking | Any | Any | -365 | -1 | Evaluation period should search for evidence of days supply | 1 |
| Alcohol Abuse or Dependence | Any | Any | -365 | -1 | N/A | 1 |
| Drug Abuse or Dependence | Any | Any | -365 | -1 | N/A | 1 |
| History of Cardiac Arrest | Any | Any | -365 | -1 | N/A | 1 |
| listory of Coronary Angioplasty or Bypass | Any | Any | -365 | -1 | N/A | 1 |





¹29 scenarios defined based on initiation of NMEs approved in 2018 (one scenario per NME); Cohort entry date = first dispensing date for qualifying NME; See Specifications Tab for details on NMEs included in this request.

²Baseline characteristics:

Window I: Age, sex, year

Window II: Chronic conditions (CCW), alcohol abuse or dependence, drug abuse or dependence, history of cardiac arrest, history of coronary angioplasty or bypass, obesity, overweight, and smoking

⁸Follow-up intervals: 1-364, 365-729, 730+ days

⁴Censoring: earliest of death, disenrollment, data partner data end date, query end date