

Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the

Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data

guidance document provided by the FDA.



Overview

| Title | Syphilis Diagnosis Algorithm Defined in "Characterization of Syphilis Testing and Treatment in Infants in the Mother-Infant Linkage Table in the Sentinel Distributed Database: A Descriptive Analysis" |
|--------------------------------|--|
| Request ID | cder_mpl1p_wp092 |
| Description | This report lists the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes and algorithms used to define syphilis diagnosis in this request. For additional information about the algorithm and how it was defined relative to the cohort and |
| | exposure(s) of interest in the analysis, refer to the analysis webpage here: https://www.sentinelinitiative.org/studies/drugs/individual-drug-analyses/syphilis-testing-and-treatment-infants-mother-infant-linkage |
| Outcome | Syphilis Diagnosis |
| Algorithm to Define Outcome | The syphilis diagnosis outcome is defined as one ICD-9-CM or ICD-10-CM diagnosis code for syphilis diagnosis (Code List 1) within 7 days of a delivery date in the inpatient setting. |
| Query Period | January 1, 2010 - December 31, 2023 |
| Request Send Date | August 1, 2024 |



Glossary

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I). Outpatient (O), or Unknown or missing (U)

Outcome - outcome of interest (either primary or secondary)

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest

Request Send Date - date the request was sent to Sentinel Data Partners



Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Syphilis Diagnosis in this Request

| | | Code | Diagnosis |
|--------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| 090.40 | Unspecified juvenile neurosyphilis | Diagnosis | 09 |
| 090.49 | Other juvenile neurosyphilis | Diagnosis | 09 |
| 091.0 | Genital syphilis (primary) | Diagnosis | 09 |
| 091.1 | Primary anal syphilis | Diagnosis | 09 |
| 091.2 | Other primary syphilis | Diagnosis | 09 |
| 091.3 | Secondary syphilis of skin or mucous membranes | Diagnosis | 09 |
| 092.0 | Early syphilis, latent, serological relapse after treatment | Diagnosis | 09 |
| 092.9 | Early syphilis, latent, unspecified | Diagnosis | 09 |
| 093.89 | Other specified cardiovascular syphilis | Diagnosis | 09 |
| 093.9 | Unspecified cardiovascular syphilis | Diagnosis | 09 |
| 094.3 | Asymptomatic neurosyphilis | Diagnosis | 09 |
| 094.82 | Syphilitic Parkinsonism | Diagnosis | 09 |
| 094.83 | Syphilitic disseminated retinochoroiditis | Diagnosis | 09 |
| 094.87 | Syphilitic ruptured cerebral aneurysm | Diagnosis | 09 |
| 094.89 | Other specified neurosyphilis | Diagnosis | 09 |
| 094.9 | Unspecified neurosyphilis | Diagnosis | 09 |
| 095.1 | Syphilis of lung | Diagnosis | 09 |
| 095.2 | Syphilitic peritonitis | Diagnosis | 09 |
| 095.3 | Syphilis of liver | Diagnosis | 09 |
| 095.4 | Syphilis of kidney | Diagnosis | 09 |
| 095.5 | Syphilis of bone | Diagnosis | 09 |
| 095.6 | Syphilis of muscle | Diagnosis | 09 |
| 095.7 | Syphilis of synovium, tendon, and bursa | Diagnosis | 09 |
| 095.8 | Other specified forms of late symptomatic syphilis | Diagnosis | 09 |
| 095.9 | Unspecified late symptomatic syphilis | Diagnosis | 09 |
| 096 | Late syphilis, latent | Diagnosis | 09 |
| 097.0 | Unspecified late syphilis | Diagnosis | 09 |
| 097.1 | Unspecified latent syphilis | Diagnosis | 09 |
| 097.9 | Unspecified syphilis | Diagnosis | 09 |
| 104.0 | Nonvenereal endemic syphilis | Diagnosis | 09 |
| 647.00 | Maternal syphilis, complicating pregnancy, childbirth, or the puerperium, unspecified as | Diagnosis | 09 |
| 647.01 | Maternal syphilis, complicating pregnancy, with delivery | Diagnosis | 09 |
| 647.02 | Maternal syphilis, complicating pregnancy, with delivery, with current postpartum comp | Diagnosis | 09 |
| 647.03 | Maternal syphilis, antepartum | Diagnosis | 09 |
| 647.04 | Maternal syphilis complicating pregnancy, childbrith, or the puerperium, postpartum cor | Diagnosis | 09 |
| A51 | Early syphilis | Diagnosis | 10 |
| A51.0 | Primary genital syphilis | Diagnosis | 10 |
| A51.1 | Primary anal syphilis | Diagnosis | 10 |
| A51.2 | Primary syphilis of other sites | Diagnosis | 10 |



Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Syphilis Diagnosis in this Request

| | | Code | Diagnosis |
|---------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| A51.3 | Secondary syphilis of skin and mucous membranes | Diagnosis | 10 |
| A51.39 | Other secondary syphilis of skin | Diagnosis | 10 |
| A51.4 | Other secondary syphilis | Diagnosis | 10 |
| A51.5 | Early syphilis, latent | Diagnosis | 10 |
| A51.9 | Early syphilis, unspecified | Diagnosis | 10 |
| A52 | Late syphilis | Diagnosis | 10 |
| A52.0 | Cardiovascular and cerebrovascular syphilis | Diagnosis | 10 |
| A52.00 | Cardiovascular syphilis, unspecified | Diagnosis | 10 |
| A52.05 | Other cerebrovascular syphilis | Diagnosis | 10 |
| A52.09 | Other cardiovascular syphilis | Diagnosis | 10 |
| A52.1 | Symptomatic neurosyphilis | Diagnosis | 10 |
| A52.10 | Symptomatic neurosyphilis, unspecified | Diagnosis | 10 |
| A52.12 | Other cerebrospinal syphilis | Diagnosis | 10 |
| A52.19 | Other symptomatic neurosyphilis | Diagnosis | 10 |
| A52.2 | Asymptomatic neurosyphilis | Diagnosis | 10 |
| A52.3 | Neurosyphilis, unspecified | Diagnosis | 10 |
| A52.7 | Other symptomatic late syphilis | Diagnosis | 10 |
| A52.72 | Syphilis of lung and bronchus | Diagnosis | 10 |
| A52.73 | Symptomatic late syphilis of other respiratory organs | Diagnosis | 10 |
| A52.74 | Syphilis of liver and other viscera | Diagnosis | 10 |
| A52.75 | Syphilis of kidney and ureter | Diagnosis | 10 |
| A52.76 | Other genitourinary symptomatic late syphilis | Diagnosis | 10 |
| A52.77 | Syphilis of bone and joint | Diagnosis | 10 |
| A52.78 | Syphilis of other musculoskeletal tissue | Diagnosis | 10 |
| A52.79 | Other symptomatic late syphilis | Diagnosis | 10 |
| A52.8 | Late syphilis, latent | Diagnosis | 10 |
| A52.9 | Late syphilis, unspecified | Diagnosis | 10 |
| A53 | Other and unspecified syphilis | Diagnosis | 10 |
| A53.0 | Latent syphilis, unspecified as early or late | Diagnosis | 10 |
| A53.9 | Syphilis, unspecified | Diagnosis | 10 |
| A65 | Nonvenereal syphilis | Diagnosis | 10 |
| 098.1 | Syphilis complicating pregnancy, childbirth and the puerperium | Diagnosis | 10 |
| 098.11 | Syphilis complicating pregnancy | Diagnosis | 10 |
| 098.111 | Syphilis complicating pregnancy, first trimester | Diagnosis | 10 |
| 098.112 | Syphilis complicating pregnancy, second trimester | Diagnosis | 10 |
| 098.113 | Syphilis complicating pregnancy, third trimester | Diagnosis | 10 |
| 098.119 | Syphilis complicating pregnancy, unspecified trimester | Diagnosis | 10 |
| 098.12 | Syphilis complicating childbirth | Diagnosis | 10 |
| 098.13 | Syphilis complicating the puerperium | Diagnosis | 10 |

cder_mpl1p_wp092_nsdp_v02 Page 4 of 7



Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Syphilis Diagnosis in this Request

| | | Code | Diagnosis |
|--------|---|-----------|-----------|
| Code | Description | Category | Code Type |
| 090.0 | Early congenital syphilis, symptomatic | Diagnosis | 09 |
| 090.1 | Early congenital syphilis, latent | Diagnosis | 09 |
| 090.2 | Early congenital syphilis, unspecified | Diagnosis | 09 |
| 090.3 | Syphilitic interstitial keratitis | Diagnosis | 09 |
| 090.41 | Congenital syphilitic encephalitis | Diagnosis | 09 |
| 090.42 | Congenital syphilitic meningitis | Diagnosis | 09 |
| 090.5 | Other late congenital syphilis, symptomatic | Diagnosis | 09 |
| 090.6 | Late congenital syphilis, latent | Diagnosis | 09 |
| 090.7 | Late congenital syphilis, unspecified | Diagnosis | 09 |
| 090.9 | Congenital syphilis, unspecified | Diagnosis | 09 |
| 091.4 | Adenopathy due to secondary syphilis | Diagnosis | 09 |
| 091.50 | Syphilitic uveitis, unspecified | Diagnosis | 09 |
| 091.51 | Syphilitic chorioretinitis (secondary) | Diagnosis | 09 |
| 091.52 | Syphilitic iridocyclitis (secondary) | Diagnosis | 09 |
| 091.61 | Secondary syphilitic periostitis | Diagnosis | 09 |
| 091.62 | Secondary syphilitic hepatitis | Diagnosis | 09 |
| 091.69 | Secondary syphilis of other viscera | Diagnosis | 09 |
| 091.7 | Secondary syphilis, relapse | Diagnosis | 09 |
| 091.81 | Acute syphilitic meningitis (secondary) | Diagnosis | 09 |
| 091.82 | Syphilitic alopecia | Diagnosis | 09 |
| 091.89 | Other forms of secondary syphilis | Diagnosis | 09 |
| 091.9 | Unspecified secondary syphilis | Diagnosis | 09 |
| 093.0 | Aneurysm of aorta, specified as syphilitic | Diagnosis | 09 |
| 093.1 | Syphilitic aortitis | Diagnosis | 09 |
| 093.20 | Syphilitic endocarditis of valve, unspecified | Diagnosis | 09 |
| 093.21 | Syphilitic endocarditis of mitral valve | Diagnosis | 09 |
| 093.22 | Syphilitic endocarditis of aortic valve | Diagnosis | 09 |
| 093.23 | Syphilitic endocarditis of tricuspid valve | Diagnosis | 09 |
| 093.24 | Syphilitic endocarditis of pulmonary valve | Diagnosis | 09 |
| 093.81 | Syphilitic pericarditis | Diagnosis | 09 |
| 093.82 | Syphilitic myocarditis | Diagnosis | 09 |
| 094.0 | Tabes dorsalis | Diagnosis | 09 |
| 094.1 | General paresis | Diagnosis | 09 |
| 094.2 | Syphilitic meningitis | Diagnosis | 09 |
| 094.81 | Syphilitic encephalitis | Diagnosis | 09 |
| 094.84 | Syphilitic optic atrophy | Diagnosis | 09 |
| 094.85 | Syphilitic retrobulbar neuritis | Diagnosis | 09 |
| 094.86 | Syphilitic acoustic neuritis | Diagnosis | 09 |
| 095.0 | Syphilitic episcleritis | Diagnosis | 09 |
| | | | |



Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Syphilis Diagnosis in this Request

| | | Code | Diagnosis |
|--------|--|-----------|-----------|
| Code | Description | Category | Code Type |
| A50.01 | Early congenital syphilitic oculopathy | Diagnosis | 10 |
| A50.02 | Early congenital syphilitic osteochondropathy | Diagnosis | 10 |
| A50.03 | Early congenital syphilitic pharyngitis | Diagnosis | 10 |
| A50.04 | Early congenital syphilitic pneumonia | Diagnosis | 10 |
| A50.05 | Early congenital syphilitic rhinitis | Diagnosis | 10 |
| A50.06 | Early cutaneous congenital syphilis | Diagnosis | 10 |
| A50.07 | Early mucocutaneous congenital syphilis | Diagnosis | 10 |
| A50.08 | Early visceral congenital syphilis | Diagnosis | 10 |
| A50.09 | Other early congenital syphilis, symptomatic | Diagnosis | 10 |
| A50.1 | Early congenital syphilis, latent | Diagnosis | 10 |
| A50.2 | Early congenital syphilis, unspecified | Diagnosis | 10 |
| A50.30 | Late congenital syphilitic oculopathy, unspecified | Diagnosis | 10 |
| A50.31 | Late congenital syphilitic interstitial keratitis | Diagnosis | 10 |
| A50.32 | Late congenital syphilitic chorioretinitis | Diagnosis | 10 |
| A50.39 | Other late congenital syphilitic oculopathy | Diagnosis | 10 |
| A50.40 | Late congenital neurosyphilis, unspecified | Diagnosis | 10 |
| A50.41 | Late congenital syphilitic meningitis | Diagnosis | 10 |
| A50.42 | Late congenital syphilitic encephalitis | Diagnosis | 10 |
| A50.43 | Late congenital syphilitic polyneuropathy | Diagnosis | 10 |
| A50.44 | Late congenital syphilitic optic nerve atrophy | Diagnosis | 10 |
| A50.45 | Juvenile general paresis | Diagnosis | 10 |
| A50.49 | Other late congenital neurosyphilis | Diagnosis | 10 |
| A50.51 | Clutton's joints | Diagnosis | 10 |
| A50.52 | Hutchinson's teeth | Diagnosis | 10 |
| A50.53 | Hutchinson's triad | Diagnosis | 10 |
| A50.54 | Late congenital cardiovascular syphilis | Diagnosis | 10 |
| A50.55 | Late congenital syphilitic arthropathy | Diagnosis | 10 |
| A50.56 | Late congenital syphilitic osteochondropathy | Diagnosis | 10 |
| A50.57 | Syphilitic saddle nose | Diagnosis | 10 |
| A50.59 | Other late congenital syphilis, symptomatic | Diagnosis | 10 |
| A50.6 | Late congenital syphilis, latent | Diagnosis | 10 |
| A50.7 | Late congenital syphilis, unspecified | Diagnosis | 10 |
| A50.9 | Congenital syphilis, unspecified | Diagnosis | 10 |
| A51.31 | Condyloma latum | Diagnosis | 10 |
| A51.32 | Syphilitic alopecia | Diagnosis | 10 |
| A51.41 | Secondary syphilitic meningitis | Diagnosis | 10 |
| A51.42 | Secondary syphilitic female pelvic disease | Diagnosis | 10 |
| A51.43 | Secondary syphilitic oculopathy | Diagnosis | 10 |
| A51.44 | Secondary syphilitic nephritis | Diagnosis | 10 |

cder_mpl1p_wp092_nsdp_v02 Page 6 of 7



Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Syphilis Diagnosis in this Request

| | | Code | Diagnosis |
|--------|---------------------------------------|-----------|-----------|
| Code | Description | Category | Code Type |
| A51.45 | Secondary syphilitic hepatitis | Diagnosis | 10 |
| A51.46 | Secondary syphilitic osteopathy | Diagnosis | 10 |
| A51.49 | Other secondary syphilitic conditions | Diagnosis | 10 |
| A52.01 | Syphilitic aneurysm of aorta | Diagnosis | 10 |
| A52.02 | Syphilitic aortitis | Diagnosis | 10 |
| A52.03 | Syphilitic endocarditis | Diagnosis | 10 |
| A52.04 | Syphilitic cerebral arteritis | Diagnosis | 10 |
| A52.06 | Other syphilitic heart involvement | Diagnosis | 10 |
| A52.11 | Tabes dorsalis | Diagnosis | 10 |
| A52.13 | Late syphilitic meningitis | Diagnosis | 10 |
| A52.14 | Late syphilitic encephalitis | Diagnosis | 10 |
| A52.15 | Late syphilitic neuropathy | Diagnosis | 10 |
| A52.16 | Charcot's arthropathy (tabetic) | Diagnosis | 10 |
| A52.17 | General paresis | Diagnosis | 10 |