

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelsystem.org.



Overview for Request: cder mpl1p wp080 (Report 2 of 2)

Request ID: cder_mpl1p_wp075 (Report 2 of 2)

<u>Request Description</u>: In this report we examined counts of individuals with type 2 diabetes using dipeptidyl peptidase-4 (DPP-4) inhibitors or sulfonylureas that had inflammatory bowel disease, ulcerative colitis, and Crohn's disease in the Sentinel Distributed Database (SDD). This is report 2 of 2. Report 1 contains counts of individuals with type 2 diabetes using DPP-4 inhibitors or sodium-glucose cotransporter-2 (SGLT-2) inhibitors that had inflammatory bowel disease, ulcerative colitis, or Crohn's disease.

Sentinel Routine Querying Module: Cohort Identification and Descriptive Analysis (CIDA) module, version 12.1.1, with custom programming

<u>Data Source:</u> We distributed this query to six Sentinel Data Partners on July 27, 2023. Data from Medicare patients having both fee-for-service medical coverage and Part D drug coverage are included. The study period included data from January 1, 2008 through December 31, 2022. Please see Appendix A for a list of dates of available data for each Data Partner.

<u>Study Design:</u> We identified eligible individuals with incident use of DPP-4 inhibitors or sulfonylureas and tabulated the occurrence of inflammatory bowel disease, ulcerative colitis, or Crohn's disease as well as the length of exposure episodes overall and within subgroups of sex and age. This is a Type 2 analysis in the Query Request Package (QRP) documentation.

Exposure of Interest: We defined the exposures of interest as new use of DPP-4 inhibitors or sulfonylureas, both defined using National Drug Codes (NDCs). Only the first eligible treatment episode for each member was included; cohort re-entry was not allowed. Please refer to Appendix B for generic and brand names of medical products used to define exposures in this request.

<u>Outcome of Interest:</u> We defined the outcomes of interest as inflammatory bowel disease, ulcerative colitis, and Crohn's disease. We defined each outcome four ways:

- 1. Inflammatory Bowel Disease (IBD)
 - a. IBD diagnosis with evidence of endoscopy and biopsy in the 30 days prior to IBD diagnosis
 - b. IBD diagnosis with evidence of IBD treatment in the 30 days after IBD diagnosis
 - c. 2 IBD diagnoses within 90 days of each other
- d. IBD diagnosis with evidence of endoscopy and biopsy in the 30 days prior to IBD diagnosis and evidence of IBD treatment in the 30 days after IBD diagnosis
- 2. Ulcerative Colitis (UC)
 - a. UC diagnosis with evidence of endoscopy and biopsy in the 30 days prior to UC diagnosis
 - b. UC diagnosis with evidence of IBD treatment in the 30 days after UC diagnosis
 - c. 2 UC diagnoses within 90 days of each other
- d. UC diagnosis with evidence of endoscopy and biopsy in the 30 days prior to UC diagnosis and evidence of IBD treatment in the 30 days after UC diagnosis
- 3. Crohn's Disease (CD)
 - a. CD diagnosis with evidence of endoscopy and biopsy in the 30 days prior to CD diagnosis
 - b. CD diagnosis with evidence of IBD treatment in the 30 days after CD diagnosis
 - c. 2 CD diagnoses within 90 days of each other
- d. CD diagnosis with evidence of endoscopy and biopsy in the 30 days prior to CD diagnosis and evidence of IBD treatment in the 30 days after CD diagnosis

We used ICD-9-CM and ICD-10-CM codes, Healthcare Common Procedure Coding System (HCPCS) procedure codes, and National Drug Codes (NDCs) to define the outcomes for this request. Please see Appendix C for a list of brand and generic drug names and Appendix C.1 for specific diagnosis and procedure codes used to define inflammatory bowel disease, ulcerative colitis, and Crohn's disease in this request.

cder mpl1p wp075 Page 1 of 369



Overview for Request: cder_mpl1p_wp080 (Report 2 of 2)

Cohort Eligibility Criteria: We required members to be continuously enrolled in health plans with medical and drug coverage for at least 365 days prior to their index dispensing date. Eligible patients were also incident users, where incident use was defined as no previous dispensing for their index exposure during all-available pre-index data. Eligible patients must also have had at least 2 dispensings on different days for their index-defining exposure. A gap in enrollment of up to 45 days was allowed and treated as continuous enrollment. Eligible patients were aged 18 and over on the index date and were placed into the following age groups: 18-49, 50-59, 60-69, 70+.

<u>Inclusion Criteria:</u> We required a diagnosis of type 2 diabetes and evidence of treatment with an oral antidiabetic drug in the 365 days prior to the index-defining exposure of interest. We defined type 2 diabetes using ICD-9-CM and ICD-10-CM diagnosis codes, and oral antidiabetic drugs using National Drug Codes (NDCs). Please see Appendix D for a list of generic and brand drug names and Appendix D.1 for specific diagnosis codes used to define inclusions in this request.

Exclusion Criteria: We excluded individuals from the cohort if they had met any of the following exclusion criteria: prior history of 1) type 1 diabetes, 2) diverticulitis or colitis, 3) colectomy, colostomy, ileostomy procedure, and 4) receipt of ostomy supplies in the 365 days before the index-defining exposure of interest; 5) prior history of an IBD diagnosis or evidence of IBD treatment in the 365 days before or 180 days after the index-defining exposure of interest in order to avoid counting events which could not be plausibly caused by the index exposure; 6) an endoscopy or biopsy procedure, or 7) evidence of the comparator drug dispensing ever in enrollment history.

We defined type 1 diabetes, diverticulitis or colitis, and IBD using ICD-9-CM and ICD-10-CM diagnosis codes; colectomy, colostomy, ileostomy, receipt of ostomy supplies, endoscopy, and biopsy using Healthcare Common Procedure Coding System (HCPCS) procedure codes; and IBD treatment prescription or comparator drug dispensing using National Drug Codes (NDCs). Please see Appendix E for a list of generic and brand drug names and Appendix E.1 for specific diagnosis and procedure codes used to define exclusions and exposure incidence criteria in this request.

<u>Follow-up Time:</u> We created exposure episodes based on the number of days supplied for each dispensing using outpatient pharmacy data. When building continuous treatment episodes, we allowed gaps of up to 30 days between dispensings and extended the final dispensing by 30 days. While eligible patients must have had at least 2 dispensings to enter the cohort, follow-up began on the date of the first (index) dispensing and continued until the occurrence of any of the following: 1) treatment discontinuation, 2) disenrollment, 3) death, 4) the outcome of interest, 5) the end of Data Partner data, or 6) evidence of treatment with the comparator drug.

cder mpl1p wp075 Page 2 of 369



Overview for Request: cder mpl1p wp080 (Report 2 of 2)

<u>Health Characteristics:</u> Age, sex, race, ethnicity, and calendar year were assessed on the index date. We assessed the following characteristics in the 365 days prior to the index dispensing: health characteristics, medical product use, and health service and drug utilization.

Health characteristics included the adapted Diabetes Complications Severity Index (aDCSI)1, number of unique oral antidiabetics, retinopathy, nephropathy, neuropathy, psoriasis, rheumatoid arthritis, systemic lupus erythematosus, Sjogren's syndrome, celiac disease, systemic vasculitis, esophagus/stomach/duodenum disease, appendicitis, hernia of abnormal cavity, noninfective enteritis and colitis, other diseases of intestines and peritoneum, other diseases of digestive system, hypertension, dyslipidemia, coronary artery disease, cerebrovascular disease, peripheral vascular disease, congestive heart failure, chronic obstructive pulmonary disease, depression, cancer, chronic kidney disease, smoking history, and appendectomy. We identified health characteristics by presence of a diagnosis or procedure code in any care setting and used ICD-9-CM diagnosis and procedure codes, ICD-10-CM diagnosis codes, Healthcare Common Procedure Coding Systems (HCPCS) codes, and Current Procedural Terminology, Fourth Edition (CPT-4) codes to define these characteristics.

Medical product use included GLP-1 agonists, metformin, sulfonylureas, thiazolidinediones, DPP-4 inhibitors, SGLT-2 inhibitors, long/intermediate acting insulins, short/rapid acting insulins, combination insulins, alpha-glucosidase inhibitors, meglitinides, angiotensin converting enzyme (ACE) inhibitors, angiotensin receptor blockers (ARBs), beta blockers, calcium channel blockers, statins, loop diuretics, other diuretics, non-steroidal anti-inflammatory drugs (NSAIDs), and aspirin. We identified medical product use by presence of a dispensing date or procedure code in any care setting and used National Drug Codes (NDCs) and Healthcare Common Procedure Coding System (HCPCS) codes to define medical product use.

Health service and drug utilization included severe hyperglycemia diagnoses, hospitalizations due to diabetes, emergency department visits due to diabetes, and influenza vaccinations. We identified severe hyperglycemia diagnoses and influenza vaccinations by presence of diagnosis or procedure codes in any care setting. Emergency department visits due to diabetes and hospitalizations due to diabetes were identified by presence of diagnosis codes in the respective care settings (emergency department and inpatient). We used ICD-9-CM diagnosis codes, ICD-10-CM diagnosis codes, and Healthcare Common Procedure Coding System (HCPCS) codes to define health service and drug utilization.

Please see Appendix F for a list of generic and brand drug names and Appendix F.1 for specific diagnosis and procedure codes used to define baseline characteristics for this request. Please see Appendices G and H for the specifications of parameters used in this request and design diagram.

<u>Limitations</u>: Algorithms used to define exposures and inclusion and exclusion criteria are imperfect; thus, it is possible that there may be misclassification. Therefore, data should be interpreted with these limitations in mind.

<u>Notes:</u> Please contact the Sentinel Operations Center (info@sentinelsystem.org) for questions and to provide comments/suggestions for future enhancements to this document. For more information on Sentinel's routine querying modules, please refer to the documentation (https://dev.sentinelsystem.org/projects/SENTINEL/repos/sentinel-routine-querying-tool-documentation/browse).

1 Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

cder mpl1p wp075 Page 3 of 369



Table of Contents

- Glossary (CIDA) List of Terms to Define the Cohort Identification and Descriptive Analysis (CIDA) Found in this Report
 - <u>Table 1a</u> Aggregated Characteristics of Incident Users of DPP-4 Inhibitors in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022
 - <u>Table 1b</u> Aggregated Characteristics of Incident Users of Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022
 - <u>Table 2a</u> Summary of Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022
 - <u>Table 2b</u> Summary of Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex
 - <u>Table 2c</u> Summary of Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Age Group
 - <u>Table 3a</u> Summary of Time to End of At-Risk Period for Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022
 - <u>Table 3b</u> Summary of Time to End of At-Risk Period for Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex
 - <u>Table 3c</u> Summary of Time to End of At-Risk Period for Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Age Group
 - <u>Table 4</u> Summary of Patient Level Cohort Attrition in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022
 - Appendix A Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (July 27, 2023)
 - Appendix B List of Generic and Brand Names of Medical Products Used to Define Exposures in this Request
 - Appendix C List of Generic and Brand Names of Medical Products Used to Define Outcomes in this Request
 - Appendix C.1 List of Current Procedural Terminology, Third Edition (CPT-3), Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Ninth Revision, Procedural Coding System (ICD-9-PCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Outcomes in this Request
 - Appendix D List of Generic and Brand Names of Medical Products Used to Define Inclusion Criteria in this Request
 - <u>Appendix D.1</u> List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Inclusion Criteria in this Request
 - Appendix E List of Generic and Brand Names of Medical Products Used to Define Exclusion and Exposure Incidence Criteria in this Request
 - Appendix E.1 List of Current Procedural Terminology, Third Edition (CPT-3), Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Ninth Revision, Procedural Coding System (ICD-9-PCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Exclusion and Exposure Incidence Criteria in this Request
 - Appendix F List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

cder_mpl1p_wp075 Page 4 of 369



Table of Contents

Appendix F.1 List of Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Ninth Revision, Procedural Coding System (ICD-9-PCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Characteristics in this Request

Appendix G Technical Specifications for this Request

Appendix H Design Diagram for this Request

cder_mpl1p_wp075 Page 5 of 369



Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Module*

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

cder mpl1p wp075 Page 6 of 369



Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Module*

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered. **Minimum Episode Duration** - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*all terms may not be used in this report

cder mpl1p wp075 Page 7 of 369



Table 1a. Aggregated Characteristics of Incident Users of DPP-4 Inhibitors in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

Demographic Characteristics		Incident Users of DPP-4 Inhibitors			
Demographic Characteristics			Percent/		
Demographic Characteristics	Patient Characteristics	Number/Mean	Standard Deviation ¹		
Age (years) 64.4 11.0 Age 88 18-49 years 63,103 15.0% 50-59 years 87,282 20.7% 60-69 years 116,698 27.7% > 70 years 153,682 36.5% Sex 80 80.5% Female 220,184 52.3% Male 200,581 47.7% Race² 4.62 0.6% Asian 16,854 4.0% Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin 24,582 5.8% Yes 24,582 5.8% Unknown 137,309 32.6% Year 2009 6,712 1.6% 2009 6,712 1.6% 20.2 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7%	Unique patients	420,765			
Nage	Demographic Characteristics				
18-49 years 63,103 15.0% 50-59 years 87,282 20.7% 60-69 years 116,698 27.7% ≥ 70 years 153,682 36.5% 50-59 years 153,682 36.5% 50-59 50-5	Age (years)	64.4	11.0		
50-59 years 87,282 20.7% 60-69 years 116,698 27.7% > 70 years 153,682 36.5% Sex Female 200,581 47.7% Male 200,581 47.7% Race² American Indian or Alaska Native 2,642 0.6% Asian 16,854 4.0% Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin 24,582 5.8% Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Yes 24,582 5.8% 2008 3,461 0.8% 2009 6,712 1.6% 2011 30,574 7.3% 2012 29,209 6,9% 2013	Age				
60-69 years 116,698 27.7% ≥ 70 years 153,682 36.5% ≥ 70 years 150,581 47.7% American Indian or Alaska Native 20,581 47.7% areacc² 37 years 16,854 4.0% Asian 16,854 4.0% Asian 16,854 4.0% Black or African American 16,854 4.0% Black or African American 16,854 5.23 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White Hawaiian or Other Pacific Islander 150,233 35.7% 150,233 35.7% 150,233 35.7% Native Hawaiian or Other Pacific Islander 150,233 35.7% Native Hawaiian or Other Pacific Islander 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.7% 150,233 35.6% 150,233 35.6% 150,233 35.6% 150,233 35.7% 150,233	18-49 years	63,103	15.0%		
\$70 years \$153,682 36.5% \$6x\$ Female \$220,184 \$52.3%	50-59 years	87,282	20.7%		
Sex Female 220,184 52.3% Male 200,581 47.7% Race² Transcrious and the comments of the com	60-69 years	116,698	27.7%		
Female Male 220,184 (200,581) 52.3% (47.7%) Race² 47.7% American Indian or Alaska Native 2,642 (0.6%) 0.6% Asian (16,854) 4.0% 16,854 (4.0%) Black or African American (38,523) 9,2% Multi-racial (37,000) 587 (0.1%) Native Hawaiian or Other Pacific Islander (150,233) 35,7% Unknown (150,233) 35,7% White (10,200) 21,066 50,2% Hispanic origin 24,582 5,8% Yes (24,582) 5,8% 61,5% No (258,874) 61,5% 10,0% Vear 2008 3,461 0,8% 2009 6,712 1,6% 2010 7,859 1,9% 2011 30,574 7,3% 2012 29,209 6,9% 2013 23,702 5,6% 2014 27,702 6,6% 2015 32,608 7,7% 2016 38,325 9,1% 2019 40,615 11,9% <td>≥ 70 years</td> <td>153,682</td> <td>36.5%</td>	≥ 70 years	153,682	36.5%		
Male 200,581 47.7% Race²	Sex				
Race² American Indian or Alaska Native 2,642 0.6% Asian 16,854 4.0% Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 33,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668	Female	220,184	52.3%		
American Indian or Alaska Native 2,642 0.6% Asian 16,854 4.0% Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35,7% White 21,066 50.2% Hispanic origin TV TV Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% <	Male	200,581	47.7%		
American Indian or Alaska Native 2,642 0.6% Asian 16,854 4.0% Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35,7% White 21,066 50.2% Hispanic origin TV TV Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% <	Race ²				
Asian 16,854 4.0% Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin *** *** Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year *** *** 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,30		2,642	0.6%		
Black or African American 38,523 9.2% Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin 24,582 5.8% Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 7 859 1.9% 2009 6,712 1.6% 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2014 27,702 6.6% 2015 32,608 7,7% 2016 38,325 9.1% 2017 49,915 11,9% 2019 20,30 9.3% 2019 42,668 10,1% 20,20 39,230 9.3% 2020					
Multi-racial 587 0.1% Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% 2021 26					
Native Hawaiian or Other Pacific Islander 860 0.2% Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin ************************************					
Unknown 150,233 35.7% White 211,066 50.2% Hispanic origin ************************************					
White 211,066 50.2% Hispanic origin 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI)³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 173,292 41.2%					
Hispanic origin Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 2021 26,329 6.3% 2022 2021 39,230 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) ³					
Yes 24,582 5.8% No 258,874 61.5% Unknown 137,309 32.6% Year 7859 1.9% 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) ³ and 1.6 1.8	Hispanic origin	,			
No 258,874 61.5% Unknown 137,309 32.6% Year 7 8 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) categories 1 1.8 0 173,292 41.2%		24,582	5.8%		
Unknown 137,309 32.6% Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) at ageories 0 173,292 41.2%					
Year 2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) ³ at 173,292 41.2%					
2008 3,461 0.8% 2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%		,			
2009 6,712 1.6% 2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%		3,461	0.8%		
2010 7,859 1.9% 2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2011 30,574 7.3% 2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2012 29,209 6.9% 2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2013 23,702 5.6% 2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2014 27,702 6.6% 2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2015 32,608 7.7% 2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2016 38,325 9.1% 2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2017 49,915 11.9% 2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2018 46,037 10.9% 2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2019 42,668 10.1% 2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2020 39,230 9.3% 2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
2021 26,329 6.3% 2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%		•			
2022 16,434 3.9% Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
Health Characteristics Adapted Diabetes Complications Severity Index (aDCSI) ³ Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%					
Adapted Diabetes Complications Severity Index (aDCSI) ³ 1.6 1.8 Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%	Health Characteristics	-, -			
Adapted Diabetes Complications Severity Index (aDCSI) categories 0 173,292 41.2%		1.6	1.8		
0 173,292 41.2%		1.0	1.0		
		173 292	41 7 %		
14/11 1/40/2	1	73,472	17.5%		

cder_mpl1p_wp075 Page 8 of 369



Table 1a. Aggregated Characteristics of Incident Users of DPP-4 Inhibitors in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

	Incident Users o	Incident Users of DPP-4 Inhibitors			
		Percent/			
Patient Characteristics	Number/Mean	Standard Deviation ¹			
2	66,662	15.8%			
3+	107,339	25.5%			
Number of unique oral antidiabetics	1.2	0.5			
Retinopathy	21,185	5.0%			
Nephropathy	82,446	19.6%			
Neuropathy	21,286	5.1%			
Psoriasis	5,719	1.4%			
Rheumatoid Arthritis	6,282	1.5%			
Systemic Lupus Erythematosus	1,317	0.3%			
Sjogren's Syndrome	737	0.2%			
Celiac Disease	465	0.1%			
Systemic Vasculitis	1,090	0.3%			
Esophagus, Stomach, and Duodenum Disease	103,874	24.7%			
Appendicitis	458	0.1%			
Hernia of Abnormal Cavity	19,136	4.5%			
Noninfective Enteritis and Colitis	992	0.2%			
Other Diseases of Intestines and Peritoneum	58,592	13.9%			
Other Diseases of Digestive System	49,140	11.7%			
Hypertension	346,160	82.3%			
Dyslipidemia	329,093	78.2%			
Coronary Artery Disease	95,758	22.8%			
Cerebrovascular Disease	40,871	9.7%			
Peripheral Vascular Disease	33,019	7.8%			
Congestive Heart Failure	32,811	7.8%			
COPD	62,089	14.8%			
Depression	78,628	18.7%			
Cancer	72,036	17.1%			
Chronic Kidney Disease	163,436	38.8%			
Smoking	78,080	18.6%			
Appendectomy	298	0.1%			
Medical Product Use					
GLP-1 Agonist	19,006	4.5%			
Metformin	396,337	94.2%			
Sulfonylurea	****	****			
Thiazolidinedione	51,833	12.3%			
DPP-4 Inhibitor	57	0.0%			
SGLT-2 Inhibitor	29,483	7.0%			
Long/Intermediate Acting Insulin	53,411	12.7%			
Short/Rapid Acting Insulin	26,958	6.4%			
Combination Insulin	8,282	2.0%			
Alpha-glucosidase Inhibitor	1,623	0.4%			
Meglitinide	9,209	2.2%			
ACE Inhibitors	190,607	45.3%			
ARBs	124,948	29.7%			
Beta Blockers	162,211	38.6%			

cder_mpl1p_wp075 Page 9 of 369



Table 1a. Aggregated Characteristics of Incident Users of DPP-4 Inhibitors in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

	Incident Users of	of DPP-4 Inhibitors
		Percent/
Patient Characteristics	Number/Mean	Standard Deviation ¹
Calcium Channel Blockers	124,671	29.6%
Statins	304,255	72.3%
Loop Diuretics	64,424	15.3%
Other Diuretics	151,172	35.9%
NSAIDs	140,019	33.3%
Aspirin	18,932	4.5%
Health Service Utilization Intensity Metrics		
Number of severe hyperglycemia diagnoses	0.0	0.1
Number of hospitalizations due to diabetes	0.2	0.6
Number of emergency department visits due to diabetes	0.2	0.7
Number of influenza vaccinations	0.0	0.1
Mean number of ambulatory encounters	18.1	18.2
Mean number of other ambulatory encounters	8.2	24.2
Mean number of filled prescriptions	50.2	40.3
Mean number of generics dispensed	11.2	6.1
Mean number of unique drug classes dispensed	10.2	5.3

¹Value represents standard deviation where no % follows the value.

cder_mpl1p_wp075 Page 10 of 369

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.

^{*****}Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.



Table 1b. Aggregated Characteristics of Incident Users of Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

	Incident Users of Sulfonylureas			
		Percent/		
Patient Characteristics	Number/Mean	Standard Deviation ¹		
Unique patients	900,300	N/A		
Demographic Characteristics				
Age (years)	63.7	10.7		
Age				
18-49 years	142,959	15.9%		
50-59 years	180,183	20.0%		
60-69 years	267,294	29.7%		
≥ 70 years	309,864	34.4%		
5ex				
Female	430,610	47.8%		
Male	469,690	52.2%		
Race ²				
American Indian or Alaska Native	5,151	0.6%		
Asian	25,046	2.8%		
Black or African American	78,754	8.7%		
Multi-racial	1,164	0.1%		
Native Hawaiian or Other Pacific Islander	2,796	0.3%		
Unknown	301,515	33.5%		
White	485,874	54.0%		
Hispanic origin				
Yes	48,097	5.3%		
No	575,089	63.9%		
Unknown	277,114	30.8%		
Year	,			
2008	11,673	1.3%		
2009	23,406	2.6%		
2010	21,458	2.4%		
2011	66,478	7.4%		
2012	57,332	6.4%		
2013	51,902	5.8%		
2014	56,457	6.3%		
2015	63,434	7.0%		
2016	75,906	8.4%		
2017	96,745	10.7%		
2018	92,061	10.2%		
2019	89,033	9.9%		
2020	86,798	9.6%		
2021	65,097	7.2%		
2022	42,520	4.7%		
Health Characteristics	,===	,-		
Adapted Diabetes Complications Severity Index (aDCSI) ³	1.4	1.7		
Adapted Diabetes Complications Severity Index (aDCSI) categories	± , ⁻f	±.,		
0	405,935	45.1%		
1	160,434	17.8%		
	±30, ¬3¬	17.070		

cder_mpl1p_wp075 Page 11 of 369



Table 1b. Aggregated Characteristics of Incident Users of Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

	Incident Users	Incident Users of Sulfonylureas			
		Percent/			
Patient Characteristics	Number/Mean	Standard Deviation ¹			
3+	193,274	21.5%			
Number of unique oral antidiabetics	1.1	0.4			
Retinopathy	39,226	4.4%			
Nephropathy	147,693	16.4%			
Neuropathy	39,600	4.4%			
Psoriasis	11,692	1.3%			
Rheumatoid Arthritis	10,904	1.2%			
Systemic Lupus Erythematosus	2,191	0.2%			
Sjogren's Syndrome	1,235	0.1%			
Celiac Disease	785	0.1%			
Systemic Vasculitis	2,135	0.2%			
Esophagus, Stomach, and Duodenum Disease	200,156	22.2%			
Appendicitis	912	0.1%			
Hernia of Abnormal Cavity	38,093	4.2%			
Noninfective Enteritis and Colitis	1,687	0.2%			
Other Diseases of Intestines and Peritoneum	109,570	12.2%			
Other Diseases of Digestive System	96,861	10.8%			
Hypertension	725,344	80.6%			
Dyslipidemia	679,200	75.4%			
Coronary Artery Disease	190,009	21.1%			
Cerebrovascular Disease	74,086	8.2%			
Peripheral Vascular Disease	58,533	6.5%			
Congestive Heart Failure	61,529	6.8%			
COPD	127,278	14.1%			
Depression	153,575	17.1%			
Cancer	144,161	16.0%			
Chronic Kidney Disease	322,741	35.8%			
Smoking	172,020	19.1%			
Appendectomy	643	0.1%			
Medical Product Use	3.3	3.2 /3			
GLP-1 Agonist	42,803	4.8%			
Metformin	869,432	96.6%			
Sulfonylurea	116	0.0%			
Thiazolidinedione	75,981	8.4%			
DPP-4 Inhibitor	18	0.0%			
SGLT-2 Inhibitor	45,644	5.1%			
Long/Intermediate Acting Insulin	70,851	7.9%			
Short/Rapid Acting Insulin	31,809	3.5%			
Combination Insulin	10,728	1.2%			
Alpha-glucosidase Inhibitor	2,439	0.3%			
Meglitinide	11,064	1.2%			
ACE Inhibitors	426,608	47.4%			
ARBs	225,451	25.0%			
Beta Blockers	335,532	37.3%			
Calcium Channel Blockers	248,283	27.6%			
Salatan Grammer Brookers	270,203	27.070			

cder_mpl1p_wp075 Page 12 of 369



Table 1b. Aggregated Characteristics of Incident Users of Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

	Incident Users	of Sulfonylureas
		Percent/
Patient Characteristics	Number/Mean	Standard Deviation ¹
Statins	613,548	68.1%
Loop Diuretics	124,635	13.8%
Other Diuretics	322,029	35.8%
NSAIDs	280,047	31.1%
Aspirin	33,658	3.7%
Health Service Utilization Intensity Metrics		
Number of severe hyperglycemia diagnoses	0.0	0.1
Number of hospitalizations due to diabetes	0.2	0.5
Number of emergency department visits due to diabetes	0.2	0.7
Number of influenza vaccinations	0.0	0.1
Mean number of ambulatory encounters	16.2	16.4
Mean number of other ambulatory encounters	6.3	20.4
Mean number of filled prescriptions	42.7	35.1
Mean number of generics dispensed	10.1	5.7
Mean number of unique drug classes dispensed	9.3	5.0

¹Value represents standard deviation where no % follows the value.

cder_mpl1p_wp075 Page 13 of 369

²Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

³Chang H-Y, Weiner JP, Richards TM, Bleich SN, Segal JB. Validating the adapted Diabetes Complications Severity Index in claims data. Am J Manag Care. 2012;18(11):721-726.



	Number of	Number of Exposure	Number of Exposure Episodes with an
	Patients	Episodes	Event
Inflammatory Bowel Disease			
Incident DPP-4i users			
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	420,765	420,765	2 164
Incident Sulfonylurea users			3,164
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	900,300	900,300	
Incident DPP-4i users			
IBD with IBD treatment in 30 days after IBD diagnosis	420,765	420,765	607
Incident Sulfonylurea users			607
IBD with IBD treatment in 30 days after IBD diagnosis	900,300	900,300	
Incident DPP-4i users			
2 IBD diagnoses within 90 days	420,765	420,765	2.404
Incident Sulfonylurea users			3,404
2 IBD diagnoses within 90 days	900,300	900,300	
Incident DPP-4i users			
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis			
AND IBD treatment in the 30 days after IBD diagnosis	420,765	420,765	202
Incident Sulfonylurea users			393
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis			
AND IBD treatment in the 30 days after IBD diagnosis	900,300	900,300	
Ulcerative Colitis			
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	420,765	420,765	1,661
Incident Sulfonylurea users			1,001
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	900,300	900,300	
Incident DPP-4i users			
UC with IBD treatment in 30 days after UC diagnosis	420,765	420,765	353
Incident Sulfonylurea users			333
UC with IBD treatment in 30 days after UC diagnosis	900,300	900,300	
Incident DPP-4i users			
2 UC diagnoses within 90 days	420,765	420,765	893
Incident Sulfonylurea users			033
2 UC diagnoses within 90 days	900,300	900,300	
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis			
AND IBD treatment in the 30 days after UC diagnosis	420,765	420,765	234
Incident Sulfonylurea users			254
UC with endoscopy and biopsy in 30 days prior to UC diagnosis			
AND IBD treatment in the 30 days after UC diagnosis	900,300	900,300	
Crohn's Disease			
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	420,765	420,765	292
Incident Sulfonylurea users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	900,300	900,300	

cder_mpl1p_wp075 Page 14 of 369



		Number of	Number of Exposure
	Number of	Exposure	Episodes with an
	Patients	Episodes	Event
Incident DPP-4i users			
CD with IBD treatment in 30 days after CD diagnosis	420,765	420,765	160
Incident Sulfonylurea users			100
CD with IBD treatment in 30 days after CD diagnosis	900,300	900,300	
Incident DPP-4i users			
2 CD diagnoses within 90 days	420,765	420,765	423
Incident Sulfonylurea users			423
2 CD diagnoses within 90 days	900,300	900,300	
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis			
AND IBD treatment in the 30 days after CD diagnosis	420,765	420,765	83
Incident Sulfonylurea users			03
CD with endoscopy and biopsy in 30 days prior to CD diagnosis			
AND IBD treatment in the 30 days after CD diagnosis	900,300	900,300	

cder_mpl1p_wp075 Page 15 of 369



Table 2b. Summary of Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex

from January 1, 2008 to December 31, 2022, by Sex	Number of Patients	Number of Exposure Episodes	Number of Exposure Episodes with an	
Inflammatory Bowel Disease				
Male				
Incident DPP-4i users				
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	200,581	200,581	1510	
Incident Sulfonylurea users			1519	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	469,690	469,690	1	
Incident DPP-4i users				
IBD with IBD treatment in 30 days after IBD diagnosis	200,581	200,581		
Incident Sulfonylurea users		·	288	
IBD with IBD treatment in 30 days after IBD diagnosis	469,690	469,690	1	
Incident DPP-4i users	,	· · · · · · · · · · · · · · · · · · ·		
2 IBD diagnoses within 90 days	200,581	200,581		
Incident Sulfonylurea users			1356	
2 IBD diagnoses within 90 days	469,690	469,690		
Incident DPP-4i users	100,000	.00,000		
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND			-	
IBD treatment in the 30 days after IBD diagnosis	200,581	200,581		
Incident Sulfonylurea users	200,301	200,301	201	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND			-	
IBD treatment in the 30 days after IBD diagnosis	469,690	469,690		
Female	403,030	403,030		
Incident DPP-4i users	I		T	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	220,184	220,184	-	
Incident Sulfonylurea users	220,104	220,104	1645	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	430,610	430,610	-	
Incident DPP-4i users	430,010	430,010		
IBD with IBD treatment in 30 days after IBD diagnosis	220,184	220,184	-	
Incident Sulfonylurea users	220,104	220,104	319	
	420 610	420 610	-	
IBD with IBD treatment in 30 days after IBD diagnosis Incident DPP-4i users	430,610	430,610		
	220 104	220.404	4	
2 IBD diagnoses within 90 days	220,184	220,184	2048	
Incident Sulfonylurea users	420.610	420.610	_	
2 IBD diagnoses within 90 days	430,610	430,610		
Incident DPP-4i users			_	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND	222.424	222.424		
IBD treatment in the 30 days after IBD diagnosis	220,184	220,184	192	
Incident Sulfonylurea users				
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND				
IBD treatment in the 30 days after IBD diagnosis	430,610	430,610		
Ulcerative Colitis				
Male				
Incident DPP-4i users			_	
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	200,581	200,581	864	
Incident Sulfonylurea users				
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	469,690	469,690		

cder_mpl1p_wp075 Page 16 of 369



Table 2b. Summary of Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex

		Number of	Number of
	Number of	Exposure	Exposure
	Patients	Episodes	Episodes with an
Incident DPP-4i users			
UC with IBD treatment in 30 days after UC diagnosis	200,581	200,581	100
Incident Sulfonylurea users			190
UC with IBD treatment in 30 days after UC diagnosis	469,690	469,690	7
Incident DPP-4i users			
2 UC diagnoses within 90 days	200,581	200,581	100
Incident Sulfonylurea users			409
2 UC diagnoses within 90 days	469,690	469,690	7
Incident DPP-4i users		·	
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			1
IBD treatment in the 30 days after UC diagnosis	200,581	200,581	
Incident Sulfonylurea users	,	•	131
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			7
IBD treatment in the 30 days after UC diagnosis	469,690	469,690	
Female	1 100,000	100,000	
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	220,184	220,184	1
Incident Sulfonylurea users			797
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	430,610	430,610	-
Incident DPP-4i users	130,010	100,010	1
UC with IBD treatment in 30 days after UC diagnosis	220,184	220,184	-
Incident Sulfonylurea users	220,104	220,104	163
UC with IBD treatment in 30 days after UC diagnosis	430,610	430,610	┪
Incident DPP-4i users	430,010	430,010	1
2 UC diagnoses within 90 days	220,184	220,184	┪
Incident Sulfonylurea users	220,104	220,104	484
2 UC diagnoses within 90 days	430,610	430,610	-
Incident DPP-4i users	430,010	+30,010	
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			-
IBD treatment in the 30 days after UC diagnosis	220,184	220,184	
Incident Sulfonylurea users	220,184	220,184	103
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			-
IBD treatment in the 30 days after UC diagnosis	430,610	430,610	
Crohn's Disease	430,010	430,010	
Male			
Incident DPP-4i users	T T		T
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	200 501	200 591	-
Incident Sulfonylurea users	200,581	200,581	152
• •	460 600	460.600	-
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	469,690	469,690	
Incident DPP-4i users	200 504	200 504	
CD with IBD treatment in 30 days after CD diagnosis	200,581	200,581	74
Incident Sulfonylurea users	450 500	460.500	
CD with IBD treatment in 30 days after CD diagnosis	469,690	469,690	

cder_mpl1p_wp075 Page 17 of 369



from January 1, 2008 to December 31, 2022, by Sex	Number of	Number of Exposure	Number of Exposure
	Patients	Episodes	Episodes with an
Incident DPP-4i users			
2 CD diagnoses within 90 days	200,581	200,581	196
Incident Sulfonylurea users] 190
2 CD diagnoses within 90 days	469,690	469,690	
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	200,581	200,581	46
Incident Sulfonylurea users			40
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND]
IBD treatment in the 30 days after CD diagnosis	469,690	469,690	
Female			
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	220,184	220,184	140
Incident Sulfonylurea users			140
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	430,610	430,610	
Incident DPP-4i users			
CD with IBD treatment in 30 days after CD diagnosis	220,184	220,184	86
Incident Sulfonylurea users			00
CD with IBD treatment in 30 days after CD diagnosis	430,610	430,610]
Incident DPP-4i users			
2 CD diagnoses within 90 days	220,184	220,184	227
Incident Sulfonylurea users			227
2 CD diagnoses within 90 days	430,610	430,610	
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND]
IBD treatment in the 30 days after CD diagnosis	220,184	220,184	37
Incident Sulfonylurea users] 3/
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND]
IBD treatment in the 30 days after CD diagnosis	430,610	430,610	

cder_mpl1p_wp075 Page 18 of 369



from January 1, 2008 to December 31, 2022, by Age Group	Number of Patients	Number of Exposure Episodes	Number of Exposure Episodes with an
Inflammatory Bowel Disease			
18-49 years			
Incident DPP-4i users			
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	63103	63103	192
Incident Sulfonylurea users			192
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	142959	142959	
Incident DPP-4i users			
IBD with IBD treatment in 30 days after IBD diagnosis	63103	63103	65
Incident Sulfonylurea users			03
IBD with IBD treatment in 30 days after IBD diagnosis	142959	142959	
Incident DPP-4i users			
2 IBD diagnoses within 90 days	63103	63103	245
Incident Sulfonylurea users			245
2 IBD diagnoses within 90 days	142959	142959	
Incident DPP-4i users			
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND			
IBD treatment in the 30 days after IBD diagnosis	63103	63103	4.4
Incident Sulfonylurea users			44
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND			
IBD treatment in the 30 days after IBD diagnosis	142959	142959	
50-59 years			
Incident DPP-4i users			
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	87282	87282	
Incident Sulfonylurea users			481
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	180183	180183	
Incident DPP-4i users			
IBD with IBD treatment in 30 days after IBD diagnosis	87282	87282	
Incident Sulfonylurea users			101
IBD with IBD treatment in 30 days after IBD diagnosis	180183	180183	
Incident DPP-4i users		100100	
2 IBD diagnoses within 90 days	87282	87282	
Incident Sulfonylurea users	07202	07202	424
2 IBD diagnoses within 90 days	180183	180183	
Incident DPP-4i users	100103	100103	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND			
IBD treatment in the 30 days after IBD diagnosis	87282	87282	
Incident Sulfonylurea users	07202	07202	71
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND			
IBD treatment in the 30 days after IBD diagnosis	180183	180183	
	100183	100183	
60-69 years			
Incident DPP-4i users	11.000	11.000	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	116698	116698	1145
Incident Sulfonylurea users	267224	267224	
IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis	267294	267294	

cder_mpl1p_wp075 Page 19 of 369



Patients	Number of Exposure Episodes	Exposure Episodes with an
116698	116698	202
		202
267294	267294	
116698	116698	945
		3.13
267294	267294	
116698	116698	136
		150
267294	267294	
153682	153682	1346
		1340
309864	309864	
153682	153682	239
		239
309864	309864	
153682	153682	1790
		1790
309864	309864	
153682	153682	142
		142
309864	309864	
63103	63103	07
		87
142959	142959	
63103	63103	24
		31
142959	142959	
63103	63103	43
	267294 116698 267294 116698 267294 116698 267294 153682 309864 153682 309864 153682 309864 153682 309864 153682 309864 153682 309864 153682	267294 267294 116698 116698 267294 267294 116698 116698 267294 267294 153682 153682 309864 309864 153682 153682 309864 309864 153682 153682 309864 309864 153682 153682 309864 309864 153682 153682 309864 309864 153682 153682 309864 309864

cder_mpl1p_wp075 Page 20 of 369



from January 1, 2008 to December 31, 2022, by Age Group	Number of	Number of	Number of Exposure
	Patients	Exposure Episodes	Episode with an
Incident Sulfonylurea users			43
2 UC diagnoses within 90 days	142959	142959	45
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	63103	63103	24
Incident Sulfonylurea users			24
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	142959	142959	
50-59 years			
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	87282	87282	245
Incident Sulfonylurea users			245
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	180183	180183	
Incident DPP-4i users			
UC with IBD treatment in 30 days after UC diagnosis	87282	87282	65
Incident Sulfonylurea users			03
UC with IBD treatment in 30 days after UC diagnosis	180183	180183	
Incident DPP-4i users			
2 UC diagnoses within 90 days	87282	87282	118
Incident Sulfonylurea users			118
2 UC diagnoses within 90 days	180183	180183	
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	87282	87282	45
Incident Sulfonylurea users			45
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	180183	180183	
60-69 years			
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	116698	116698	636
Incident Sulfonylurea users			030
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	267294	267294	
Incident DPP-4i users			
UC with IBD treatment in 30 days after UC diagnosis	116698	116698	116
Incident Sulfonylurea users			110
UC with IBD treatment in 30 days after UC diagnosis	267294	267294	
Incident DPP-4i users			
2 UC diagnoses within 90 days	116698	116698	272
Incident Sulfonylurea users			212
2 UC diagnoses within 90 days	267294	267294	
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	116698	116698	79
Incident Sulfonylurea users			,,,

cder_mpl1p_wp075 Page 21 of 369



	Number of Patients	Number of Exposure Episodes	Number of Exposure Episodes with an
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			79
IBD treatment in the 30 days after UC diagnosis	267294	267294	79
≥70 years			
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	153682	153682	693
Incident Sulfonylurea users			093
UC with endoscopy and biopsy in 30 days prior to UC diagnosis	309864	309864	
Incident DPP-4i users			
UC with IBD treatment in 30 days after UC diagnosis	153682	153682	1.41
Incident Sulfonylurea users			141
UC with IBD treatment in 30 days after UC diagnosis	309864	309864	
Incident DPP-4i users			
2 UC diagnoses within 90 days	153682	153682	460
Incident Sulfonylurea users			460
2 UC diagnoses within 90 days	309864	309864	
Incident DPP-4i users			
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	153682	153682	0.5
Incident Sulfonylurea users			86
UC with endoscopy and biopsy in 30 days prior to UC diagnosis AND			
IBD treatment in the 30 days after UC diagnosis	309864	309864	
Crohn's Disease	•		
18-49 years			
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	63103	63103	20
Incident Sulfonylurea users			29
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	142959	142959	
Incident DPP-4i users			
CD with IBD treatment in 30 days after CD diagnosis	63103	63103	
Incident Sulfonylurea users			23
CD with IBD treatment in 30 days after CD diagnosis	142959	142959	
Incident DPP-4i users			
2 CD diagnoses within 90 days	63103	63103	
Incident Sulfonylurea users			34
2 CD diagnoses within 90 days	142959	142959	
Incident DPP-4i users	_ : _ : _ :		
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND	<u> </u>		
IBD treatment in the 30 days after CD diagnosis	63103	63103	
Incident Sulfonylurea users	22200	55205	14
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND	<u> </u>		
IBD treatment in the 30 days after CD diagnosis	142959	142959	

cder_mpl1p_wp075 Page 22 of 369



from January 1, 2008 to December 31, 2022, by Age Group	Number of Patients	Number of Exposure Episodes	Number of Exposure Episodes with an
50-59 years			
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	87282	87282	44
Incident Sulfonylurea users			7.7
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	180183	180183	
Incident DPP-4i users			
CD with IBD treatment in 30 days after CD diagnosis	87282	87282	34
Incident Sulfonylurea users			34
CD with IBD treatment in 30 days after CD diagnosis	180183	180183	
Incident DPP-4i users			
2 CD diagnoses within 90 days	87282	87282	67
Incident Sulfonylurea users			67
2 CD diagnoses within 90 days	180183	180183	
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	87282	87282	10
Incident Sulfonylurea users			18
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	180183	180183	
60-69 years	•		
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	116698	116698	400
Incident Sulfonylurea users			109
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	267294	267294	
Incident DPP-4i users			
CD with IBD treatment in 30 days after CD diagnosis	116698	116698	
Incident Sulfonylurea users			54
CD with IBD treatment in 30 days after CD diagnosis	267294	267294	
Incident DPP-4i users			
2 CD diagnoses within 90 days	116698	116698	
Incident Sulfonylurea users			147
2 CD diagnoses within 90 days	267294	267294	
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	116698	116698	
Incident Sulfonylurea users			32
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	267294	267294	
≥70 years	207254	23,234	
Incident DPP-4i users	I		
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	153682	153682	
Incident Sulfonylurea users	133002	133002	110
CD with endoscopy and biopsy in 30 days prior to CD diagnosis	309864	309864	
Incident DPP-4i users	303004	303004	
CD with IBD treatment in 30 days after CD diagnosis	153682	153682	49
Co with the treatment in 30 days after CD diagnosis	133007	133002	

cder_mpl1p_wp075 Page 23 of 369



			Number of
	Number of	Number of	Exposure
	Patients	Exposure Episodes	Episode with an
Incident Sulfonylurea users			49
CD with IBD treatment in 30 days after CD diagnosis	309864	309864	43
Incident DPP-4i users			
2 CD diagnoses within 90 days	153682	153682	175
Incident Sulfonylurea users			1/3
2 CD diagnoses within 90 days	309864	309864	
Incident DPP-4i users			
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	153682	153682	10
Incident Sulfonylurea users			19
CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND			
IBD treatment in the 30 days after CD diagnosis	309864	309864	

cder_mpl1p_wp075 Page 24 of 369



Table 3a. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

December 31, 2022				Number o	of Enisode	s hy Fniso	de Length									
		0-364	l days		94 days		824 days		+ days	Distri	hutio	n of At-	Risk T	ime in Day	s hy Fn	isode
	Total	0 30-1	uuys	303 1,0	34 days	1,033 1,0	oz-r uu yo	1,023	· uuys	Distri	Du tio	TI OI AC	THIS I	inie in Day	3, 0	noue .
	Number	Number	Percent	Number	Percent	Number	Percent	Number	Percent							
	of	of	of Total	of	of Total	of	of Total	of	of Total							Standard
		Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Minimum	Q1	Median	Q3	Maximum	Mean	Deviation
Inflammatory Bowel Dis	sease															
Incident Users of DPP-4 Inhibitors, IBD with																
endoscopy and biopsy																
in 30 days prior to IBD																
diagnosis	420.765	235,566	56.0%	132,409	31.5%	33,953	8.1%	18,837	4.5%	4	164	308	658	5,400	528.9	584.3
Incident Users of	-,	,		- ,		,		-,						-,		
Sulfonylureas, IBD with																
endoscopy and biopsy																
in 30 days prior to IBD																
diagnosis	900,300	465,705	51.7%	293,947	32.6%	85,377	9.5%	55,271	6.1%	4	180	344	756	5,408	596.6	651.0
Incident Users of DPP-4																
Inhibitors, IBD with IBD																
treatment in 30 days after IBD diagnosis	420 765	235,377	55.9%	132,324	31.4%	34,063	8.1%	19,001	4.5%	4	164	308	660	5,400	530.2	586.2
Incident Users of	420,765	233,377	33.9%	132,324	31.4%	34,003	0.170	19,001	4.5%	4	104	308	000	3,400	550.2	300.2
Sulfonylureas, IBD with																
IBD treatment in 30																
days after IBD	900,300	465,295	51.7%	293,748	32.6%	85,591	9.5%	55,666	6.2%	4	180	344	758	5,408	598.0	653.0
diagnosis																
Incident Users of DPP-4																
Inhibitors, 2 IBD																
diagnoses within 90	420,765	235,582	56.0%	132,417	31.5%	33,938	8.1%	18,828	4.5%	4	164	308	658	5,340	528.8	584.1
days	•			•				·						•		
Incident Users of Sulfonylureas, 2 IBD																
diagnoses within 90																
days	900,300	465,718	51.7%	293,905	32.6%	85,359	9.5%	55,318	6.1%	4	180	344	756	5,408	596.7	651.3
/-																

cder_mpl1p_wp075 Page 25 of 369



Table 3a. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

				Number o	of Episode	s by Episo	de Length									
		0-364	l days	365-1,0	94 days	1,095-1,	824 days	1,825	+ days	Distri	butio	n of At-	Risk T	ime in Day	s, by Ep	isode
	of	of	of Total	of	of Total	Number of Episodes	of Total	of	of Total	Minimum	Q1	Median	Q3	Maximum	Mean	Standard Deviation
Incident Users of DPP-4 Inhibitors, IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND IBD treatment in the 30 days after IBD diagnosis Incident users of Sulfonylureas, IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND IBD treatment in the 30 days after IBD diagnosis	,	235,367	55.9% 51.7%	132,320	31.4%	34,069 85,609	8.1% 9.5%	19,009	4.5% 6.2%	4	164	308	660 758	5,400	530.2	586.4
Ulcerative Colitis				,		,		11, 11						-,		
Incident Users of DPP-4 Inhibitors, UC with endoscopy and biopsy in 30 days prior to UC diagnosis Incident Users of Sulfonylureas, UC with endoscopy and biopsy in 30 days prior to UC	420,765	235,445	56.0%	132,363	31.5%	34,023	8.1%	18,934	4.5%	4	164	308	659	5,400	529.7	585.4
diagnosis	900,300	465,411	51.7%	293,824	32.6%	85,532	9.5%	55,533	6.2%	4	180	344	758	5,408	597.6	652.3

cder_mpl1p_wp075 Page 26 of 369



Table 3a. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

				Number o	of Episode	s by Episo	de Length									
		0-364	4 days	365-1,0	94 days	1,095-1,	824 days	1,825	+ days	Distri	butio	n of At-F	Risk T	ime in Day	s, by Ep	isode
	Total															
		Number		Number												
	of	of	of Total	of	of Total	of	of Total	of	of Total							Standard
	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Minimum	Q1	Median	Q3	Maximum	Mean	Deviation
Incident Users of DPP-4																
Inhibitors, UC with IBD																
treatment in 30 days	420 765	225 262	FF 00/	422.240	24 40/	24.072	0.40/	10.010	4.50/		464	200	660	5 400	F20.2	F0C 2
after UC diagnosis	420,765	235,362	55.9%	132,318	31.4%	34,073	8.1%	19,012	4.5%	4	164	308	660	5,400	530.3	586.3
Incident Users of																
Sulfonylureas, UC with IBD treatment in 30																
days after UC diagnosis	000 300	465,244	51.7%	293,732	32.6%	85,617	9.5%	55,707	6.2%	4	180	344	758	5,408	598.2	653.2
Incident Users of DPP-4	300,300	403,244	31.770	233,732	32.070	65,017	9.570	33,707	0.270	4	100	344	756	3,400	330.2	033.2
Inhibitors, 2 UC																
diagnoses within 90																
days	420.765	235,398	55.9%	132,329	31.4%	34,061	8.1%	18,977	4.5%	4	164	308	660	5,400	530.0	585.9
Incident Users of	-,	,		- ,		- ,		-,-						,		
Sulfonylureas, 2 UC																
diagnoses within 90																
days	900,300	465,299	51.7%	293,746	32.6%	85,586	9.5%	55,669	6.2%	4	180	344	758	5,408	598.0	653.0
Incident Users of DPP-4																
Inhibitors, UC with																
endoscopy and biopsy																
in 30 days prior to UC																
diagnosis AND IBD																
treatment in the 30																
days after UC diagnosis	420,765	235,358	55.9%	132,315	31.4%	34,074	8.1%	19,018	4.5%	4	164	308	660	5,400	530.3	586.4

cder_mpl1p_wp075 Page 27 of 369



Table 3a. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

				Number o	of Episode	s by Episo	de Length									
		0-364	days	365-1,0	94 days	1,095-1,	824 days	1,825	+ days	Distri	butio	n of At-F	Risk T	ime in Day	s, by Ep	isode
	Total															
	Number	Number		Number		Number	Percent	Number								
	of	of	of Total	of	of Total	of	of Total	of	of Total							Standard
	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Minimum	Q1	Median	Q3	Maximum	Mean	Deviation
Incident Users of																
Sulfonylureas, UC with																
endoscopy and biopsy																
in 30 days prior to UC																
diagnosis AND IBD																
treatment in the 30																
days after UC diagnosis	900,300	465,234	51.7%	293,712	32.6%	85,631	9.5%	55,723	6.2%	4	180	344	759	5,408	598.2	653.2
Crohn's Disease																
Incident Users of DPP-4																
Inhibitors, CD with																
endoscopy and biopsy																
in 30 days prior to CD																
diagnosis	420,765	235,353	55.9%	132,335	31.5%	34,072	8.1%	19,005	4.5%	4	164	308	660	5,400	530.3	586.3
Incident Users of																
Sulfonylureas, CD with																
IBD treatment in 30																
days after CD diagnosis	900,300	465,240	51.7%	293,717	32.6%	85,625	9.5%	55,718	6.2%	4	180	344	758	5,408	598.2	653.2
Incident Users of DPP-4																
Inhibitors, CD with IBD																
treatment in 30 days																
after CD diagnosis	420,765	235,349	55.9%	132,321	31.4%	34,079	8.1%	19,016	4.5%	4	164	308	660	5,400	530.3	586.5
Incident Users of																
Sulfonylureas, CD with																
IBD treatment in 30							/									
days after CD diagnosis	900,300	465,224	51.7%	293,711	32.6%	85,626	9.5%	55,739	6.2%	4	180	344	759	5,408	598.3	653.3

cder_mpl1p_wp075 Page 28 of 369



Table 3a. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

			Number of Episodes by Episode Length													
		0-364	l days	365-1,0	94 days	1,095-1,	824 days	1,825	+ days	Distri	butio	on of At-F	Risk T	ime in Day	s, by Ep	oisode
	Total															
		Number	Percent	Number		Number		Number								
	of	of	of Total	of	of Total	of	of Total	of	of Total							Standard
	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Minimum	Q1	Median	Q3	Maximum	Mean	Deviation
Incident Users of DPP-4																
Inhibitors, 2 CD																
diagnoses within 90	420 76E	235,362	EE 00/	132,330	31.4%	34,071	8.1%	19,002	4.5%	4	164	308	660	5,400	530.2	586.3
days Incident Users of	420,765	233,302	55.9%	132,330	31.470	34,071	0.170	19,002	4.5%	4	104	306	000	3,400	550.2	300.3
Sulfonylureas, 2 CD																
diagnoses within 90																
days	900,300	465,257	51.7%	293,721	32.6%	85,615	9.5%	55,707	6.2%	4	180	344	758	5,408	598.1	653.2
Incident Users of DPP-4																
Inhibitors, CD with																
endoscopy and biopsy																
in 30 days prior to CD																
diagnosis AND IBD																
treatment in the 30																
days after CD diagnosis	420,765	235,344	55.9%	132,318	31.4%	34,081	8.1%	19,022	4.5%	4	164	308	660	5,400	530.4	586.5
= = = = = = = = = = = = = = = = = = =																
• •																
• • • • • • •																
• •																
-																
	000 200	AGE 211	E1 70/	202 702	22 60/	OE 627	0.50/	EE 7E0	6 20/	4	100	244	750	E 400	E00.2	653.4
days Incident Users of DPP-4 Inhibitors, CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND IBD treatment in the 30	420,765	235,344		132,318		,		55,707 19,022 55,750		·				5,408 5,400 5,408		586

cder_mpl1p_wp075 Page 29 of 369



Table 3b. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex

		0-364	days	365-1,09	94 days	1,095-1,8	24 days	1,825+	days
	Total		Percent		Percent		Percent		Percent
	Number of	Number of	of Total	Number of	of Total	Number of	of Total	Number of	of Total
	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes	Episodes
Inflammatory Bowe									
Incident Users of DP									
Female	220,184	124,660	56.6%	68,650	31.2%	17,310	7.9%	9,564	4.3%
Male	200,581	110,906	55.3%	63,759	31.8%	16,643	8.3%	9,273	4.6%
Incident Users of Su	lfonylureas, II	BD with endo	oscopy and	biopsy in 30	days prior	to IBD diagr	nosis		
Female	430,610	228,899	53.2%	138,243	32.1%	38,893	9.0%	24,575	5.7%
Male	469,690	236,806	50.4%	155,704	33.2%	46,484	9.9%	30,696	6.5%
Incident Users of DP	P-4 Inhibitors	, IBD with IB	D treatme	nt in 30 days	after IBD	diagnosis			
Female	220,184	124,550	56.6%	68,609	31.2%	17,369	7.9%	9,656	4.4%
Male	200,581	110,827	55.3%	63,715	31.8%	16,694	8.3%	9,345	4.7%
Incident Users of Su	lfonylureas, II	BD with IBD	treatment	in 30 days af	ter IBD dia	gnosis			
Female	430,610	228,684	53.1%	138,152	32.1%	39,001	9.1%	24,773	5.8%
Male	469,690	236,611	50.4%	155,596	33.1%	46,590	9.9%	30,893	6.6%
Incident Users of DP	P-4 Inhibitors	, 2 IBD diagr	oses withi	n 90 days					
Female	220,184	124,689	56.6%	68,669	31.2%	17,290	7.9%	9,536	4.3%
Male	200,581	110,893	55.3%	63,748	31.8%	16,648	8.3%	9,292	4.6%
Incident Users of Su	lfonylureas, 2	IBD diagnos	es within 9	00 days					
Female	430,610	228,939	53.2%	138,243	32.1%	38,862	9.0%	24,566	5.7%
Male	469,690	236,779	50.4%	155,662	33.1%	46,497	9.9%	30,752	6.5%
Incident Users of DP		•		·	30 days pr	·		D IBD treatm	
30 days after IBD dia		•	٠,	. ,	, ,		ŭ		
Female	220,184	124,543	56.6%	68,606	31.2%	17,373	7.9%	9,662	4.4%
Male	200,581	110,824	55.3%	63,714	31.8%	16,696	8.3%	9,347	4.7%
Incident Users of Sul 30 days after IBD dia	•	BD with endo	oscopy and	biopsy in 30	days prior	to IBD diagr	nosis AND I	BD treatmen	t in the
Female	430,610	228,669	53.1%	138,138	32.1%	39,014	9.1%	24,789	5.8%
	·	ŕ				-		•	6.6%
Male	469,690	236,592	50.4%	155,592	33.1%	46,595	9.9%	30,911	0.0%
Ulcerative Colitis	ID 4 Inhihitan	. IIC with an	d.c.c.p., c.	ad bionovin	20 daya mi	ou to LIC dias			
Incident Users of DP								0.620	4.40/
Female	220,184	124,585	56.6%	68,630	31.2%	17,349	7.9%	9,620	4.4%
Male	200,581	110,860	55.3%	63,733	31.8%	16,674	8.3%	9,314	4.6%
Incident Users of Su	•							24.745	F 70'
Female	430,610	228,742	53.1%	138,171	32.1%	38,982	9.1%	24,715	5.7%
Male	469,690	236,669	50.4%	155,653	33.1%	46,550	9.9%	30,818	6.6%

cder_mpl1p_wp075 Page 30 of 369



Table 3b. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex

				Number	of Episode	s by Episode	Length		
		0-364	days	365-1,09	4 days	1,095-1,8	24 days	1,825+	days
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes						
Incident Users of DI	PP-4 Inhibitors	, UC with IBI) treatmen	t in 30 days	after UC di	agnosis			
Female	220,184	124,540	56.6%	68,606	31.2%	17,375	7.9%	9,663	4.4%
Male	200,581	110,822	55.3%	63,712	31.8%	16,698	8.3%	9,349	4.7%
Incident Users of Su	ılfonylureas, L	IC with IBD to	reatment i	n 30 days aft	er UC diag	nosis			
Female	430,610	228,658	53.1%	138,143	32.1%	39,017	9.1%	24,792	5.8%
Male	469,690	236,586	50.4%	155,589	33.1%	46,600	9.9%	30,915	6.6%
Incident Users of DI	PP-4 Inhibitors	, 2 UC diagno	oses withir	90 days					
Female	220,184	124,564	56.6%	68,612	31.2%	17,372	7.9%	9,636	4.4%
Male	200,581	110,834	55.3%	63,717	31.8%	16,689	8.3%	9,341	4.7%
Incident Users of Su	ılfonylureas, 2	UC diagnose	s within 90	0 days					
Female	430,610	228,690	53.1%	138,146	32.1%	38,997	9.1%	24,777	5.8%
Male	469,690	236,609	50.4%	155,600	33.1%	46,589	9.9%	30,892	6.6%
Incident Users of DI 30 days after UC dia		s, UC with en	doscopy aı	nd biopsy in	30 days pri	or to UC diag	gnosis AND	IBD treatme	ent in the
Female	220,184	124,538	56.6%	68,605	31.2%	17,375	7.9%	9,666	4.4%
Male	200,581	110,820	55.2%	63,710	31.8%	16,699	8.3%	9,352	4.7%
Incident Users of Sudays after UC diagn	•	IC with endo	scopy and	biopsy in 30	days prior	to UC diagno	osis AND IB	D treatment	in the 30
Female	430,610	228,654	53.1%	138,128	32.1%	39,027	9.1%	24,801	5.8%
Male	469,690	236,580	50.4%	155,584	33.1%	46,604	9.9%	30,922	6.6%
Crohn's Disease									
Incident Users of DI	PP-4 Inhibitors	, CD with en	doscopy ar	nd biopsy in 3	30 days pri	or to CD diag	nosis		
Female	220,184	124,536	56.6%	68,608	31.2%	17,380	7.9%	9,660	4.4%
Male	200,581	110,817	55.2%	63,727	31.8%	16,692	8.3%	9,345	4.7%
Incident Users of Su	ılfonylureas, C	D with endo	scopy and	biopsy in 30	days prior	to CD diagno	sis		
Female	430,610	228,655	53.1%	138,138	32.1%	39,021	9.1%	24,796	5.8%
Male	469,690	236,585	50.4%	155,579	33.1%	46,604	9.9%	30,922	6.6%
Incident Users of DI	PP-4 Inhibitors	, CD with IBI) treatmen	t in 30 days	after CD di	agnosis			
Female	220,184	124,533	56.6%	68,604	31.2%	17,383	7.9%	9,664	4.4%
Male	200,581	110,816	55.2%	63,717	31.8%	16,696	8.3%	9,352	4.7%
Incident Users of Su	ılfonylureas, C	D with IBD ti	reatment i	n 30 days aft	er CD diag	nosis			
Female	430,610	228,650	53.1%	138,137	32.1%	39,015	9.1%	24,808	5.8%
Male	469,690	236,574	50.4%	155,574	33.1%	46,611	9.9%	30,931	6.6%
Incident Users of DI	PP-4 Inhibitors	s, 2 CD diagno	oses within	90 days					

cder_mpl1p_wp075 Page 31 of 369



Table 3b. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Sex

		Number of Episodes by Episode Length								
		0-364 days		365-1,094 days		1,095-1,824 days		1,825+ days		
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	
Female	220,184	124,543	56.6%	68,606	31.2%	17,380	7.9%	9,655	4.4%	
Male	200,581	110,819	55.2%	63,724	31.8%	16,691	8.3%	9,347	4.7%	
Incident Users of Sulfonylureas, 2 CD diagnoses within 90 days										
Female	430,610	228,668	53.1%	138,143	32.1%	39,012	9.1%	24,787	5.8%	
Male	469,690	236,589	50.4%	155,578	33.1%	46,603	9.9%	30,920	6.6%	
Incident Users of DPP-4 Inhibitors, CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND IBD treatment in the 30 days after CD diagnosis										
Female	220,184	124,530	56.6%	68,602	31.2%	17,382	7.9%	9,670	4.4%	
Male	200,581	110,814	55.2%	63,716	31.8%	16,699	8.3%	9,352	4.7%	
Incident Users of Sulfonylureas, CD with endoscopy and biopsy in 30 days prior to CD diagnosis AND IBD treatment in the 30 days after CD diagnosis										
Female	430,610	228,646	53.1%	138,127	32.1%	39,024	9.1%	24,813	5.8%	
Male	469,690	236,565	50.4%	155,575	33.1%	46,613	9.9%	30,937	6.6%	

cder_mpl1p_wp075 Page 32 of 369



Table 3c. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Age Group

		Number of Episodes by Episode Length								
		0-364	days	365-1,094 days 1,09		1,095-1,	1,095-1,824 days		+ days	
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	
Inflammatory Box	•									
Incident Users of DPP-4 Inhibitors, IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis										
18-49 years	63,103	41,232	65.3%	16,989	26.9%	3,310	5.2%	1,572	2.5%	
50-59 years	87,282	51,115	58.6%	26,928	30.9%	6,206	7.1%	3,033	3.5%	
60-69 years	116,698	64,536	55.3%	37,369	32.0%	9,446	8.1%	5,347	4.6%	
≥ 70 years	153,682	78,683	51.2%	51,123	33.3%	14,991	9.8%	8,885	5.8%	
Incident Users of Sulfonylureas, IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis										
18-49 years	142,959	95,952	67.1%	36,542	25.6%	7,072	4.9%	3,393	2.4%	
50-59 years	180,183	106,153	58.9%	54,536	30.3%	12,783	7.1%	6,711	3.7%	
60-69 years	267,294	130,103	48.7%	91,247	34.1%	27,225	10.2%	18,719	7.0%	
≥ 70 years	309,864	133,497	43.1%	111,622	36.0%	38,297	12.4%	26,448	8.5%	
Incident Users of	DPP-4 Inhibitors	, IBD with IE	D treatmer	nt in 30 day	s after IBD	diagnosis				
18-49 years	63,103	41,220	65.3%	16,991	26.9%	3,312	5.2%	1,580	2.5%	
50-59 years	87,282	51,083	58.5%	26,904	30.8%	6,238	7.1%	3,057	3.5%	
60-69 years	116,698	64,475	55.2%	37,350	32.0%	9,478	8.1%	5,395	4.6%	
≥ 70 years	153,682	78,599	51.1%	51,079	33.2%	15,035	9.8%	8,969	5.8%	
Incident Users of	Sulfonylureas, IB	D with IBD	treatment i	n 30 days a	fter IBD dia	gnosis				
18-49 years	142,959	95,928	67.1%	36,547	25.6%	7,077	5.0%	3,407	2.4%	
50-59 years	180,183	106,085	58.9%	54,510	30.3%	12,831	7.1%	6,757	3.8%	
60-69 years	267,294	129,947	48.6%	91,185	34.1%	27,280	10.2%	18,882	7.1%	
≥ 70 years	309,864	133,335	43.0%	111,506	36.0%	38,403	12.4%	26,620	8.6%	
Incident Users of	DPP-4 Inhibitors	, 2 IBD diagr	noses within	n 90 days						
18-49 years	63,103	41,233	65.3%	16,998	26.9%	3,307	5.2%	1,565	2.5%	
50-59 years	87,282	51,109	58.6%	26,917	30.8%	6,218	7.1%	3,038	3.5%	
60-69 years	116,698	64,530	55.3%	37,376	32.0%	9,444	8.1%	5,348	4.6%	
≥ 70 years	153,682	78,710	51.2%	51,126	33.3%	14,969	9.7%	8,877	5.8%	
Incident Users of	Sulfonylureas, 2	IBD diagnos	es within 9	0 days						
18-49 years	142,959	95,969	67.1%	36,542	25.6%	7,064	4.9%	3,384	2.4%	
50-59 years	180,183	106,141	58.9%	54,515	30.3%	12,807	7.1%	6,720	3.7%	
60-69 years	267,294	130,061	48.7%	91,223	34.1%	27,231	10.2%	18,779	7.0%	
≥ 70 years	309,864	133,547	43.1%	111,625	36.0%	38,257	12.3%	26,435	8.5%	
Incident Users of		, IBD with e	ndoscopy a	nd biopsy ir	30 days pr	ior to IBD d	liagnosis AN	ID IBD treat	ment in	
the 30 days after										
18-49 years	63,103	41,219	65.3%	16,992	26.9%	3,312	5.2%	1,580	2.5%	

cder_mpl1p_wp075 Page 33 of 369



Table 3c. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Age Group

		Number of Episodes by Episode Length							
		0-364	days	365-1,094 days		1,095-1,824 days		1,825+ days	
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes
50-59 years	87,282	51,081	58.5%	26,903	30.8%	6,238	7.1%	3,060	3.5%
60-69 years	116,698	64,471	55.2%	37,350	32.0%	9,480	8.1%	5,397	4.6%
≥ 70 years	153,682	78,596	51.1%	51,075	33.2%	15,039	9.8%	8,972	5.8%
Incident Users of Sulfonylureas, IBD with endoscopy and biopsy in 30 days prior to IBD diagnosis AND IBD treatment in the 30 days after IBD diagnosis									ent in the
18-49 years	142,959	95,924	67.1%	36,543	25.6%	7,083	5.0%	3,409	2.4%
50-59 years	180,183	106,075	58.9%	54,517	30.3%	12,832	7.1%	6,759	3.8%
60-69 years	267,294	129,939	48.6%	91,174	34.1%	27,288	10.2%	18,893	7.1%
≥ 70 years	309,864	133,323	43.0%	111,496	36.0%	38,406	12.4%	26,639	8.6%
Ulcerative Colitis									
Incident Users of DI	PP-4 Inhibitors,	, UC with en	doscopy an	d biopsy in	30 days pri	or to UC dia	agnosis		
18-49 years	63,103	41,220	65.3%	16,992	26.9%	3,315	5.3%	1,576	2.5%
50-59 years	87,282	51,099	58.5%	26,917	30.8%	6,216	7.1%	3,050	3.5%
60-69 years	116,698	64,498	55.3%	37,362	32.0%	9,462	8.1%	5,376	4.6%
≥ 70 years	153,682	78,628	51.2%	51,092	33.2%	15,030	9.8%	8,932	5.8%
Incident Users of Su	ılfonylureas, U	C with endo	scopy and l	biopsy in 30	days prior	to UC diagn	osis		
18-49 years	142,959	95,930	67.1%	36,543	25.6%	7,081	5.0%	3,405	2.4%
50-59 years	180,183	106,102	58.9%	54,525	30.3%	12,811	7.1%	6,745	3.7%
60-69 years	267,294	130,008	48.6%	91,202	34.1%	27,264	10.2%	18,820	7.0%
≥ 70 years	309,864	133,371	43.0%	111,554	36.0%	38,376	12.4%	26,563	8.6%
Incident Users of DI	PP-4 Inhibitors,	UC with IB	D treatmen	t in 30 days	after UC di	agnosis			
18-49 years	63,103	41,217	65.3%	16,991	26.9%	3,315	5.3%	1,580	2.5%
50-59 years	87,282	51,083	58.5%	26,902	30.8%	6,238	7.1%	3,059	3.5%
60-69 years	116,698	64,469	55.2%	37,352	32.0%	9,477	8.1%	5,400	4.6%
≥ 70 years	153,682	78,593	51.1%	51,073	33.2%	15,043	9.8%	8,973	5.8%
Incident Users of Su	ılfonylureas, U	C with IBD t	reatment ir	n 30 days af	ter UC diag	nosis			
18-49 years	142,959	95,923	67.1%	36,545	25.6%	7,081	5.0%	3,410	2.4%
50-59 years	180,183	106,073	58.9%	54,517	30.3%	12,833	7.1%	6,760	3.8%
60-69 years	267,294	129,932	48.6%	91,172	34.1%	27,288	10.2%	18,902	7.1%
≥ 70 years	309,864	133,316	43.0%	111,498	36.0%	38,415	12.4%	26,635	8.6%
Incident Users of DI	PP-4 Inhibitors,	, 2 UC diagn	oses within	90 days					
18-49 years	63,103	41,218	65.3%	16,991	26.9%	3,313	5.3%	1,581	2.5%
50-59 years	87,282	51,090	58.5%	26,905	30.8%	6,231	7.1%	3,056	3.5%

cder_mpl1p_wp075 Page 34 of 369



Table 3c. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Age Group

Distributed Datas	ase iroini Januar	y 1, 2008 to	December	31, 2022, 0	y Age Giou	9				
		Number of Episodes by Episode Length								
		0-364 days		365-1,094 days		1,095-1,824 days		1,825+ days		
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	Number of Episodes	Percent of Total Episodes	
≥ 70 years	153,682	78,610	51.2%	51,079	33.2%	15,039	9.8%	8,954	5.8%	
Incident Users of	Sulfonylureas, 2	UC diagnos	es within 90) days						
18-49 years	142,959	95,924	67.1%	36,544	25.6%	7,081	5.0%	3,410	2.4%	
50-59 years	180,183	106,082	58.9%	54,513	30.3%	12,831	7.1%	6,757	3.8%	
60-69 years	267,294	129,946	48.6%	91,179	34.1%	27,279	10.2%	18,890	7.1%	
≥ 70 years	309,864	133,347	43.0%	111,510	36.0%	38,395	12.4%	26,612	8.6%	
Incident Users of 30 days after UC		, UC with en	idoscopy ar	nd biopsy in	30 days pri	ior to UC dia	agnosis ANI	IBD treatn	nent in the	
18-49 years	63,103	41,217	65.3%	16,991	26.9%	3,314	5.3%	1,581	2.5%	
50-59 years	87,282	51,081	58.5%	26,902	30.8%	6,237	7.1%	3,062	3.5%	
60-69 years	116,698	64,468	55.2%	37,350	32.0%	9,479	8.1%	5,401	4.6%	
≥ 70 years	153,682	78,592	51.1%	51,072	33.2%	15,044	9.8%	8,974	5.8%	
Incident Users of 30 days after UC		C with endo	scopy and	biopsy in 30	days prior	to UC diagr	nosis AND IE	BD treatme	nt in the	
18-49 years	142,959	95,923	67.1%	36,540	25.6%	7,085	5.0%	3,411	2.4%	
50-59 years	180,183	106,071	58.9%	54,516	30.3%	12,835	7.1%	6,761	3.8%	
60-69 years	267,294	129,928	48.6%	91,168	34.1%	27,293	10.2%	18,905	7.1%	
≥ 70 years	309,864	133,312	43.0%	111,488	36.0%	38,418	12.4%	26,646	8.6%	
Crohn's Disease										
Incident Users of	DPP-4 Inhibitors	, CD with en	idoscopy ar	nd biopsy in			agnosis			
18-49 years	63,103	41,216	65.3%	16,994	26.9%	3,313	5.3%	1,580	2.5%	
50-59 years	87,282	51,077	58.5%	26,907	30.8%	6,235	7.1%	3,063	3.5%	
60-69 years	116,698	64,468	55.2%	37,355	32.0%	9,478	8.1%	5,397	4.6%	
≥ 70 years	153,682	78,592	51.1%	51,079	33.2%	15,046	9.8%	8,965	5.8%	
Incident Users of										
18-49 years	142,959	95,922	67.1%	36,542	25.6%	7,086	5.0%	3,409	2.4%	
50-59 years	180,183	106,075	58.9%	54,517	30.3%	12,826	7.1%	6,765	3.8%	
60-69 years	267,294	129,925	48.6%	91,168	34.1%	27,294	10.2%	18,907	7.1%	
≥ 70 years	309,864	133,318	43.0%	111,490	36.0%	38,419	12.4%	26,637	8.6%	
Incident Users of				-		_				
18-49 years	63,103	41,216	65.3%	16,994	26.9%	3,312	5.2%	1,581	2.5%	
50-59 years	87,282	51,075	58.5%	26,907	30.8%	6,238	7.1%	3,062	3.5%	
60-69 years	116,698	64,468	55.2%	37,347	32.0%	9,482	8.1%	5,401	4.6%	
≥ 70 years	153,682	78,590	51.1%	51,073	33.2%	15,047	9.8%	8,972	5.8%	

cder_mpl1p_wp075 Page 35 of 369



Table 3c. Summary of Time to End of At-Risk Period for Incident Users of DPP-4 Inhibitors and Sulfonylureas in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022, by Age Group

				Number	of Episode	s by Episode	e Length		
		0-364	days	365-1,0	94 days	1,095-1,8	824 days	1,825-	+ days
	Total Number of Episodes	Number of Episodes	Percent of Total Episodes						
Incident Users of Sulfonylureas, CD with IBD treatment in 30 days after CD diagnosis									
18-49 years	142,959	95,921	67.1%	36,543	25.6%	7,085	5.0%	3,410	2.4%
50-59 years	180,183	106,076	58.9%	54,512	30.3%	12,828	7.1%	6,767	3.8%
60-69 years	267,294	129,920	48.6%	91,170	34.1%	27,291	10.2%	18,913	7.1%
≥ 70 years	309,864	133,307	43.0%	111,486	36.0%	38,422	12.4%	26,649	8.6%
Incident Users of	DPP-4 Inhibitors	, 2 CD diagn	oses within	90 days					
18-49 years	63,103	41,217	65.3%	16,996	26.9%	3,309	5.2%	1,581	2.5%
50-59 years	87,282	51,079	58.5%	26,908	30.8%	6,238	7.1%	3,057	3.5%
60-69 years	116,698	64,467	55.2%	37,355	32.0%	9,478	8.1%	5,398	4.6%
≥ 70 years	153,682	78,599	51.1%	51,071	33.2%	15,046	9.8%	8,966	5.8%
Incident Users of	Sulfonylureas, 2	CD diagnos	es within 90) days					
18-49 years	142,959	95,922	67.1%	36,543	25.6%	7,084	5.0%	3,410	2.4%
50-59 years	180,183	106,078	58.9%	54,514	30.3%	12,827	7.1%	6,764	3.8%
60-69 years	267,294	129,934	48.6%	91,173	34.1%	27,288	10.2%	18,899	7.1%
≥ 70 years	309,864	133,323	43.0%	111,491	36.0%	38,416	12.4%	26,634	8.6%
Incident Users of	DPP-4 Inhibitors	, CD with en	doscopy an	nd biopsy in	30 days pri	or to CD dia	agnosis ANI	IBD treatn	nent in the
30 days after CD o	liagnosis								
18-49 years	63,103	41,216	65.3%	16,993	26.9%	3,313	5.3%	1,581	2.5%
50-59 years	87,282	51,075	58.5%	26,906	30.8%	6,237	7.1%	3,064	3.5%
60-69 years	116,698	64,465	55.2%	37,348	32.0%	9,483	8.1%	5,402	4.6%
≥ 70 years	153,682	78,588	51.1%	51,071	33.2%	15,048	9.8%	8,975	5.8%
Incident Users of days after CD diag		D with endo	scopy and l	biopsy in 30	days prior	to CD diagn	osis AND IE	3D treatme	nt in the 30
18-49 years	142,959	95,920	67.1%	36,542	25.6%	7,086	5.0%	3,411	2.4%
50-59 years	180,183	106,070	58.9%	54,516	30.3%	12,830	7.1%	6,767	3.8%
60-69 years	267,294	129,917	48.6%	91,164	34.1%	27,295	10.2%	18,918	7.1%
≥ 70 years	309,864	133,304	43.0%	111,480	36.0%	38,426	12.4%	26,654	8.6%

cder_mpl1p_wp075 Page 36 of 369



Table 4. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database from January 1, 2008 to December 31, 2022

	Incident D	PP-4 Users	Incident Sulfo	onylurea Users
	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements				
Enrolled at any point during the query period	462,786,536	N/A	462,786,536	N/A
Had required coverage type (medical and drug coverage)	338,101,528	124,685,008	338,101,528	124,685,008
Enrolled during specified age range (aged 18+)	272,933,411	65,168,117	272,933,411	65,168,117
Met demographic requirements (recorded male or female sex)	272,727,521	205,890	272,727,521	205,890
Members with a valid index event				
Had at least 2 cohort-defining dispensings during the query period	4,390,653	268,336,868	10,216,090	262,511,431
Dispensings recorded during specified age range (age 18+)	4,389,964	689	10,213,687	2,403
Episode defining index dispensing recorded during the query period	4,365,994	23,970	9,931,148	282,539
Members with required pre-index history				
Had at least 365 days of continuous pre-index enrollment	2,111,755	2,254,239	2,651,438	7,279,710
Met inclusion and exclusion criteria ¹	420,765	1,690,990	900,300	1,751,138
Evidence of colectomy, colostomy, or ileostomy	N/A	32,127	N/A	36,191
Evidence of DPP-4 Inhibitors	N/A	N/A	N/A	437,182
Evidence of endoscopy before age 50	N/A	52,242	N/A	70,808
Evidence of diverticulitis or colitis	N/A	199,288	N/A	232,245
Evidence of IBD	N/A	77,392	N/A	92,153
Evidence of IBD treatment	N/A	72,173	N/A	88,262
Evidence of ostomy supplies	N/A	179,324	N/A	208,439
Evidence of sulfonylureas	N/A	1,170,292	N/A	N/A
Evidence of Type 1 Diabetes	N/A	207,098	N/A	189,498
No evidence of Type 2 diabetes and oral antidiabetics	N/A	397,578	N/A	993,819
Final cohort				
Number of members	420,765	N/A	900,300	N/A
Number of episodes	420,765	N/A	900,300	N/A

¹Patients can meet multiple inclusion and/or exclusion criteria; therefore, the total number of patients excluded overall may not equal the sum of all patients in each criterion.

cder_mpl1p_wp075 Page 37 of 369



Appendix A. Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (July 27, 2023)

Masked DP ID	DP Start Date	DP End Date ¹
DP01	01/01/2006	10/31/2022
DP02	01/01/2007	09/30/2022
DP03	01/01/2008	08/31/2022
DP04	01/01/2014	12/31/2020
DP05	01/01/2008	12/31/2022
DP06	01/01/2010	12/31/2022

¹End Date represents the earliest of: (1) query end date, or (2) last day of the most recent month for which all of a Data Partner's data tables (enrollment, dispensing, etc.) have at least 80% of the record count relative to the prior month.

cder_mpl1p_wp075 Page 38 of 369



Appendix B. List of Generic and Brand Names of Medical Products Used to Define Exposures in this Request

Generic Name	Brand Name				
DPP-4 Inhibitors					
alogliptin benzoate	Nesina				
alogliptin benzoate	alogliptin				
alogliptin benzoate/pioglitazone HCl	Oseni				
alogliptin benzoate/pioglitazone HCl	alogliptin-pioglitazone				
linagliptin	Tradjenta				
saxagliptin HCl	Onglyza				
sitagliptin phosphate	Januvia				
sitagliptin phosphate/simvastatin	Juvisync				
	Sulfonylureas				
chlorpropamide	Diabinese				
chlorpropamide	chlorpropamide				
glimepiride	Amaryl				
glimepiride	glimepiride				
glipizide	Glucotrol				
glipizide	Glucotrol XL				
glipizide	glipizide				
glipizide/metformin HCl	Metaglip				
glipizide/metformin HCl	glipizide-metformin				
glyburide	Diabeta				
glyburide	Micronase				
glyburide	glyburide				
glyburide,micronized	Glycron				
glyburide,micronized	Glynase				
glyburide,micronized	glyburide micronized				
glyburide/metformin HCl	Glucovance				
glyburide/metformin HCl	glyburide-metformin				
pioglitazone HCI/glimepiride	DUETACT				
pioglitazone HCl/glimepiride	pioglitazone-glimepiride				
rosiglitazone maleate/glimepiride	Avandaryl				
tolazamide	tolazamide				
tolbutamide	tolbutamide				

cder_mpl1p_wp075 Page 39 of 369



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Outcomes in this Request

	Generic Name	Brand Name	
	Inflammato	ry Bowel Disease Treatment	
adalimumab		Humira	
adalimumab		Humira Pediatric Crohns Start	
adalimumab		Humira Pen	
adalimumab		Humira Pen Crohns-UC-HS Start	
adalimumab		Humira Pen Psor-Uveits-Adol HS	
adalimumab		Humira(CF)	
adalimumab		Humira(CF) Pedi Crohns Starter	
adalimumab		Humira(CF) Pen	
adalimumab		Humira(CF) Pen Crohns-UC-HS	
adalimumab		Humira(CF) Pen Pediatric UC	
adalimumab		Humira(CF) Pen Psor-Uv-Adol HS	
azathioprine		Azasan	
azathioprine		Imuran	
azathioprine		azathioprine	
azathioprine sodium		azathioprine sodium	
balsalazide disodium		Colazal	
balsalazide disodium		Giazo	
balsalazide disodium		balsalazide	
budesonide		Entocort EC	
budesonide		Ortikos	
budesonide		Tarpeyo	
budesonide		Uceris	
budesonide		budesonide	
certolizumab pegol		Cimzia	
certolizumab pegol		Cimzia Powder for Reconst	
certolizumab pegol		Cimzia Starter Kit	
cyclosporine		Sandimmune	
cyclosporine		cyclosporine	
cyclosporine, modified		Gengraf	
cyclosporine, modified		Neoral	
cyclosporine, modified		cyclosporine modified	
golimumab		Simponi	
hydrocortisone acetate		Cortifoam	
infliximab		Remicade	
infliximab		infliximab	
infliximab-abda		Renflexis	
infliximab-axxq		Avsola	

cder_mpl1p_wp075 Page 40 of 369



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Outcomes in this Request

Generic Name	Brand Name	
infliximab-dyyb	Inflectra	
mercaptopurine	Purinethol	
mercaptopurine	Purixan	
mercaptopurine	mercaptopurine	
mesalamine	Apriso	
mesalamine	Asacol	
mesalamine	Asacol HD	
mesalamine	Canasa	
mesalamine	Delzicol	
mesalamine	Lialda	
mesalamine	Pentasa	
mesalamine	Rowasa	
mesalamine	mesalamine	
mesalamine	sfRowasa	
mesalamine with cleansing wipes	Rowasa	
mesalamine with cleansing wipes	mesalamine with cleansing wipe	
methotrexate	Xatmep	
methotrexate sodium	Methotrexate (Anti-Rheumatic)	
methotrexate sodium	Rheumatrex	
methotrexate sodium	Trexall	
methotrexate sodium	methotrexate sodium	
methotrexate sodium/PF	methotrexate sodium (PF)	
methotrexate/PF	Otrexup (PF)	
methotrexate/PF	Rasuvo (PF)	
methotrexate/PF	RediTrex (PF)	
olsalazine sodium	Dipentum	
ozanimod hydrochloride	Zeposia	
ozanimod hydrochloride	Zeposia Starter Kit	
ozanimod hydrochloride	Zeposia Starter Pack	
risankizumab-rzaa	Skyrizi	
sulfasalazine	Azulfidine	
sulfasalazine	Azulfidine EN-tabs	
sulfasalazine	Sulfazine	
sulfasalazine	sulfasalazine	
tacrolimus	Astagraf XL	
tacrolimus	Envarsus XR	
tacrolimus	Hecoria	
tacrolimus	Prograf	

cder_mpl1p_wp075 Page 41 of 369



Appendix C. List of Generic and Brand Names of Medical Products Used to Define Outcomes in this Request

Generic Name	Brand Name
tacrolimus	tacrolimus
tofacitinib citrate	Xeljanz
tofacitinib citrate	Xeljanz XR
upadacitinib	Rinvoq
ustekinumab	Stelara
vedolizumab	Entyvio

cder_mpl1p_wp075 Page 42 of 369



Request	Code		
Code	Category	Code Type	Description
	7	7,1	Inflammatory Bowel Disease
556	Diagnosis	ICD-9-CM	Crohn's disease of small intestine without complications
556.1	Diagnosis	ICD-9-CM	Crohn's disease of large intestine without complications
556.2	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine without complications
556.3	Diagnosis	ICD-9-CM	Crohn's disease, unspecified, without complications
556.4	Diagnosis	ICD-9-CM	Other ulcerative colitis without complications
556.5	Diagnosis	ICD-9-CM	Ulcerative (chronic) proctitis without complications
556.6	Diagnosis	ICD-9-CM	Ulcerative (chronic) rectosigmoiditis without complications
556.8	Diagnosis	ICD-9-CM	Inflammatory polyps of colon without complications
556.9	Diagnosis	ICD-9-CM	Left sided colitis without complications
556	Diagnosis	ICD-9-CM	Ulcerative (chronic) pancolitis without complications
K51	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified, without complications
K51.0	Diagnosis	ICD-10-CM	Regional enteritis of small intestine
K51.00	Diagnosis	ICD-10-CM	Regional enteritis of large intestine
K51.01	Diagnosis	ICD-10-CM	Regional enteritis of small intestine with large intestine
K51.011	Diagnosis	ICD-10-CM	Regional enteritis of unspecified site
K51.012	Diagnosis	ICD-10-CM	Ulcerative (chronic) enterocolitis
K51.013	Diagnosis	ICD-10-CM	Ulcerative (chronic) ileocolitis
K51.014	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis
K51.018	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctosigmoiditis
K51.019	Diagnosis	ICD-10-CM	Pseudopolyposis of colon
K51.2	Diagnosis	ICD-10-CM	Left sided ulcerative (chronic) colitis
K51.20	Diagnosis	ICD-10-CM	Universal ulcerative (chronic) colitis
K51.21	Diagnosis	ICD-10-CM	Other ulcerative colitis
K51.211	Diagnosis	ICD-10-CM	Unspecified ulcerative colitis
K51.212	Diagnosis	ICD-10-CM	Toxic megacolon
K51.213	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with other complication
K51.214	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with unspecified complications
K51.218	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with rectal bleeding
K51.219	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with intestinal obstruction
K51.3	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with fistula
K51.30	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with abscess
K51.31	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with other complication
K51.311	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with unspecified complications
K51.312	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with rectal bleeding
K51.313	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with intestinal obstruction
K51.314	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with fistula
K51.318	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with abscess
K51.319	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with other complication
K51.4	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with unspecified complications
K51.40	Diagnosis	ICD-10-CM	Left sided colitis with rectal bleeding
K51.41	Diagnosis	ICD-10-CM	Left sided colitis with intestinal obstruction

cder_mpl1p_wp075 Page 43 of 369



Kequ			
C	Code Category	Codo Tuno	Description
K51.4	<u> </u>	ICD-10-CM	Description Left sided colitis with fistula
K51.4	· ·	ICD-10-CM	Left sided colitis with abscess
K51.4	•	ICD-10-CM	Left sided colitis with other complication
K51.4	=	ICD-10-CM	Left sided colitis with unspecified complications
K51.4	•	ICD-10-CM	Ulcerative (chronic) pancolitis with rectal bleeding
K51.4	=	ICD-10-CM	Ulcerative (chronic) pancolitis with intestinal obstruction
K51.5	=	ICD-10-CM	Ulcerative (chronic) pancolitis with fistula
K51.5	•	ICD-10-CM	Ulcerative (chronic) pancolitis with abscess
K51.5	•	ICD-10-CM	Ulcerative (chronic) pancolitis with other complication
K51.5	=	ICD-10-CM	Ulcerative (chronic) pancolitis with unspecified complications
K51.5	-	ICD-10-CM	Other ulcerative colitis with rectal bleeding
K51.5		ICD-10-CM	Other ulcerative colitis with intestinal obstruction
K51.5	=	ICD-10-CM	Other ulcerative colitis with fistula
K51.5	=	ICD-10-CM	Other ulcerative colitis with abscess
K51.5	519 Diagnosis	ICD-10-CM	Other ulcerative colitis with other complication
K51.8	B Diagnosis	ICD-10-CM	Other ulcerative colitis with unspecified complications
K51.8	30 Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with rectal bleeding
K51.8	31 Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with intestinal obstruction
K51.8	B11 Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with fistula
K51.8	B12 Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with abscess
K51.8	313 Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with other complication
K51.8	B14 Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with unspecified complications
K51.8	318 Diagnosis	ICD-10-CM	Crohn's disease of small intestine with rectal bleeding
K51.8	319 Diagnosis	ICD-10-CM	Crohn's disease of small intestine with intestinal obstruction
K51.9	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with fistula
K51.9	90 Diagnosis	ICD-10-CM	Crohn's disease of small intestine with abscess
K51.9	91 Diagnosis	ICD-10-CM	Crohn's disease of small intestine with other complication
K51.9	911 Diagnosis	ICD-10-CM	Crohn's disease of small intestine with unspecified complications
K51.9	912 Diagnosis	ICD-10-CM	Crohn's disease of large intestine with rectal bleeding
K51.9	913 Diagnosis	ICD-10-CM	Crohn's disease of large intestine with intestinal obstruction
K51.9	914 Diagnosis	ICD-10-CM	Crohn's disease of large intestine with fistula
K51.9	918 Diagnosis	ICD-10-CM	Crohn's disease of large intestine with abscess
K51.9	•	ICD-10-CM	Crohn's disease of large intestine with other complication
555	Diagnosis	ICD-9-CM	Crohn's disease of large intestine with unspecified complications
555	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine with rectal bleeding
555.1	=	ICD-9-CM	Crohn's disease of both small and large intestine with intestinal obstruction
555.2	•	ICD-9-CM	Crohn's disease of both small and large intestine with fistula
555.9	-	ICD-9-CM	Crohn's disease of both small and large intestine with abscess
K50.0	-	ICD-10-CM	Crohn's disease of both small and large intestine with other complication
K50.0	•	ICD-10-CM	Crohn's disease of both small and large intestine with unspecified complications
K50.0	-	ICD-10-CM	Crohn's disease, unspecified, with rectal bleeding
K50.0	D13 Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with intestinal obstruction

cder_mpl1p_wp075 Page 44 of 369



Request			
	Code		
Code	Category	Code Type	Description
K50.014	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with fistula
K50.018	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with abscess
K50.019	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with other complication
K50.ICD-10			
CM	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with unspecified complications
K50.111	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with rectal bleeding
K50.112	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with intestinal obstruction
K50.113	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with fistula
K50.114	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with abscess
K50.118	Diagnosis	ICD-10-CM	Other and unspecified noninfective gastroenteritis and colitis
K50.119	Diagnosis	ICD-10-CM	Gastroenteritis and colitis due to radiation
K50.80	Diagnosis	ICD-10-CM	Toxic gastroenteritis and colitis
K50.811	Diagnosis	ICD-10-CM	Allergic and dietetic gastroenteritis and colitis
K50.812	Diagnosis	ICD-10-CM	Food protein-induced enterocolitis syndrome
K50.813	Diagnosis	ICD-10-CM	Food protein-induced enteropathy
K50.814	Diagnosis	ICD-10-CM	Other allergic and dietetic gastroenteritis and colitis
K50.818	Diagnosis	ICD-10-CM	Indeterminate colitis
K50.819	Diagnosis	ICD-10-CM	Other specified noninfective gastroenteritis and colitis
K50.90	Diagnosis	ICD-10-CM	Eosinophilic gastritis or gastroenteritis
K50.911	Diagnosis	ICD-10-CM	Eosinophilic colitis
K50.912	Diagnosis	ICD-10-CM	Microscopic colitis
K50.913	Diagnosis	ICD-10-CM	Collagenous colitis
K50.914	Diagnosis	ICD-10-CM	Lymphocytic colitis
K50.918	Diagnosis	ICD-10-CM	Other microscopic colitis
K50.919	Diagnosis	ICD-10-CM	Microscopic colitis, unspecified
558.9	Diagnosis	ICD-9-CM	Other specified noninfective gastroenteritis and colitis
K52.3	Diagnosis	ICD-10-CM	Noninfective gastroenteritis and colitis, unspecified
			Endoscopy
45.22	Procedure	ICD-9-PCS	Endoscopy of large intestine through artificial stoma
45.23	Procedure	ICD-9-PCS	Colonoscopy
45.24	Procedure	ICD-9-PCS	Flexible sigmoidoscopy
45.25	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of large intestine
48.22	Procedure	ICD-9-PCS	Proctosigmoidoscopy through artificial stoma
48.23	Procedure	ICD-9-PCS	Rigid proctosigmoidoscopy
49.21	Procedure	ICD-9-PCS	Anoscopy
0D9E3ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Approach, Diagnostic
0D9E4ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9E7ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening, Diagnostic
0D9E8ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9F3ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Approach, Diagnostic
0D9F4ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9F7ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
			. 5, 5

cder_mpl1p_wp075 Page 45 of 369



Request			
	Code		
Code	Category	Code Type	Description
			Drainage of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9F8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9G3ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Approach, Diagnostic
0D9G4ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9G7ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Drainage of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9G8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9H3ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Approach, Diagnostic
0D9H4ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0D9H7ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening, Diagnostic
0D9H8ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9K3ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Approach, Diagnostic
0D9K4ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9K7ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
0D9K8ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9L3ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Approach, Diagnostic
0D9L4ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9L7ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
0D9L8ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9M3ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Approach, Diagnostic
0D9M4ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9M7ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening, Diagnostic
0D9M8ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9N3ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Approach, Diagnostic
0D9N4ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9N7ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
0D9N8ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODB80ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Open Approach, Diagnostic
ODB83ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Approach, Diagnostic
ODB84ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODB87ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening, Diagnostic
ODB88ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBE0ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Open Approach, Diagnostic
ODBE3ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Approach, Diagnostic
ODBE4ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBE7ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening, Diagnostic
ODBE8ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBF3ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Approach, Diagnostic
0DBF4ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
			· ·· ·

cder_mpl1p_wp075 Page 46 of 369



Request			
	Code		
Code	Category	Code Type	Description
ODBF7ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Excision of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
ODBF8ZX	Procedure	ICD-10-PCS	Diagnostic
ODBG3ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Approach, Diagnostic
ODBG4ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0DBG7ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Excision of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
ODBG8ZX	Procedure	ICD-10-PCS	Diagnostic
ODBH3ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Approach, Diagnostic
ODBH4ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Endoscopic Approach, Diagnostic
ODBH7ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening, Diagnostic
ODBH8ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBK3ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Approach, Diagnostic
ODBK4ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBK7ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
ODBK8ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBL3ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Approach, Diagnostic
ODBL4ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBL7ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
ODBL8ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBM3ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Approach, Diagnostic
0DBM4ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBM7ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening, Diagnostic
ODBM8ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBN3ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Approach, Diagnostic
ODBN4ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBN7ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
ODBN8ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DD83ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Approach, Diagnostic
0DD84ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODD88ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDE3ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Approach, Diagnostic
ODDE4ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODDE8ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDF3ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Approach, Diagnostic
ODDF4ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
-			Extraction of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
ODDF8ZX	Procedure	ICD-10-PCS	Diagnostic
ODDIG.	Procedure	ICD-10-PCS	Extraction / Large Intestine, Left
ODDG3ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Approach, Diagnostic
322332X	. roccaure	.00 10 1 05	Exclusion of Left Large intestine, i erodianeous Approach, Diagnostic

cder_mpl1p_wp075 Page 47 of 369



Request	Code		
Code	Category	Code Type	Description
0DDG4ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
3550-12A	. roccaure	.02 10 1 05	Extraction of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDG8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDH3ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Approach, Diagnostic
0DDH4ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0DDH8ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDK3ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Approach, Diagnostic
0DDK4ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODDK8ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDR8ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Via Natural of Artificial Opening Endoscopic, Diagnostic Extraction of Transverse Colon, Percutaneous Approach, Diagnostic
ODDL3ZX ODDL4ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
ODDL42X	rrocedure	1CD-10-1 C3	Extraction of Transverse Colon, Via Natural or Artificial Opening Endoscopic,
0DDL8ZX	Procedure	ICD-10-PCS	Diagnostic
ODDL02X ODDM3ZX		ICD-10-PCS	Extraction of Descending Colon, Percutaneous Approach, Diagnostic
	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODDIVIALA	rioccaure	100 10 1 05	Extraction of Descending Colon, Via Natural or Artificial Opening Endoscopic,
0DDM87X	Procedure	ICD-10-PCS	Diagnostic
ODDN3ZX		ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Approach, Diagnostic
ODDN4ZX		ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODDN8ZX		ICD-10-PCS	Extraction of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDP3ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Percutaneous Approach, Diagnostic
ODDP4ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Percutaneous Endoscopic Approach, Diagnostic
ODDP8ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDQ3ZX	Procedure	ICD-10-PCS	Extraction of Anus, Percutaneous Approach, Diagnostic
0DDQ4ZX	Procedure	ICD-10-PCS	Extraction of Anus, Percutaneous Endoscopic Approach, Diagnostic
0DDQ8ZX	Procedure	ICD-10-PCS	Extraction of Anus, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDQXZX	Procedure	ICD-10-PCS	Extraction of Anus, External Approach, Diagnostic
ODJD8ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Via Natural or Artificial Opening Endoscopic
			Colonoscopy through stoma; diagnostic, including collection of specimen(s) by
44388	Procedure	CPT-4	brushing or washing, when performed (separate procedure)
44389	Procedure	CPT-4	Colonoscopy through stoma; with biopsy, single or multiple
44390	Procedure	CPT-4	Colonoscopy through stoma; with removal of foreign body(s)
44391	Procedure	CPT-4	Colonoscopy through stoma; with control of bleeding, any method
			Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by
44392	Procedure	CPT-4	hot biopsy forceps
			Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) not
44393	Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
			Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by
44394	Procedure	CPT-4	snare technique
			Colonoscopy through stoma; with transendoscopic stent placement (includes
44397	Procedure	CPT-4	predilation)

cder_mpl1p_wp075 Page 48 of 369



CodeCategoryCode TypeDescription44401ProcedureCPT-4(includes pre-and post-dilation and guide wire passage, when performed) Colonoscopy through stoma; with endoscopic stent placement (including pre- post-dilation and guide wire passage, when performed)44402ProcedureCPT-4post-dilation and guide wire passage, when performed)44403ProcedureCPT-4Colonoscopy through stoma; with endoscopic mucosal resection44404ProcedureCPT-4Colonoscopy through stoma; with directed submcosal injection(s), any subst44405ProcedureCPT-4Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color44407ProcedureCPT-4cecum and adjacent structures44408ProcedureCPT-4cecum and adjacent structures44408ProcedureCPT-4volvulus, megacolon), including placement of decompression tube, when perf45355ProcedureCPT-4Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush45378ProcedureCPT-4Colonoscopy, flexible; with removal of foreign body(s)45380ProcedureCPT-4Colonoscopy, flexible; with control of bleeding, any method45381ProcedureCPT-4Colonoscopy, flexible; with control of bleeding, any method45383Procedur	
Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesic (includes pre-and post-dilation and guide wire passage, when performed) Colonoscopy through stoma; with endoscopic stent placement (including pre-post-dilation and guide wire passage, when performed) Procedure CPT-4 Colonoscopy through stoma; with endoscopic mucosal resection CPT-4 Colonoscopy through stoma; with endoscopic mucosal injection(s), any substance CPT-4 Colonoscopy through stoma; with directed submucosal injection(s), any substance CPT-4 Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures Colonoscopy through stoma; with transendoscopic ultrasound guided intramu transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colonoscopy through stoma; with decompression (for pathologic distention) (secondary procedure CPT-4 Colonoscopy through stoma; with decompression (for pathologic distention) (secondary procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush storage procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) Colonoscopy, flexible; with biopsy, single or multiple Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible; proximal to splenic flexure; with ablation of tumor(s), por other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau snare technique	
44401 Procedure CPT-4 (includes pre-and post-dilation and guide wire passage, when performed) Colonoscopy through stoma; with endoscopic stent placement (including pre- post-dilation and guide wire passage, when performed) 44403 Procedure CPT-4 Colonoscopy through stoma; with endoscopic mucosal resection 44404 Procedure CPT-4 Colonoscopy through stoma; with endoscopic balloon dilation CPT-4 Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent 44406 Procedure CPT-4 structures Colonoscopy through stoma; with transendoscopic ultrasound guided intramu transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colo 44407 Procedure CPT-4 cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf 45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45380 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45381 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45382 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45383 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method 45383 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method 45383 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method 45383 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method 45383 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method 45383 Procedure CPT-4 CPT-4 CPT-4 CPT-4	
Colonoscopy through stoma; with endoscopic stent placement (including pre- 44402 Procedure CPT-4 post-dilation and guide wire passage, when performed) 44403 Procedure CPT-4 Colonoscopy through stoma; with endoscopic mucosal resection 44404 Procedure CPT-4 Colonoscopy through stoma; with directed submucosal injection(s), any subst 44405 Procedure CPT-4 Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures Colonoscopy through stoma; with transendoscopic ultrasound guided intrame transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colo 44407 Procedure CPT-4 cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf 45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	and
44403 Procedure CPT-4 Colonoscopy through stoma; with endoscopic mucosal resection 44404 Procedure CPT-4 Colonoscopy through stoma; with directed submucosal injection(s), any subst 44405 Procedure CPT-4 Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent 44406 Procedure CPT-4 structures Colonoscopy through stoma; with transendoscopic ultrasound guided intramutransmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color descending transverse, or ascending color descending transverse, or ascending color descending, transverse, or ascending color descending transverse, or ascending color descending transverse, or ascending color descending, transverse, or ascending color descending, transverse, or ascending color descending transverse, or ascending color descending, transverse, or ascending color descending transverse, or ascending color descending, transverse, or ascending color descending transverse, or ascending color descending transverse, or ascending color descending, transverse, or ascending color descendin	
44404 Procedure CPT-4 Colonoscopy through stoma; with directed submucosal injection(s), any substance 44405 Procedure CPT-4 Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent 44406 Procedure CPT-4 structures Colonoscopy through stoma; with transendoscopic ultrasound guided intramutransmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color 44407 Procedure CPT-4 cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf 45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45380 Procedure CPT-4 Colonoscopy, flexible; with pemoval of foreign body(s) 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance COlonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
44404 Procedure CPT-4 Colonoscopy through stoma; with directed submucosal injection(s), any substance CPT-4 Colonoscopy through stoma; with transendoscopic balloon dilation Colonoscopy through stoma; with transendoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color descending color pathologic distention) (descending, transverse, or ascending color descending color pathologic distention) (descending, transverse, or ascending color descending color pathologic distention) (descending, transverse, or ascending color descending color pathologic distention) (descending, transverse, or ascending color descending color d	
Colonoscopy through stoma; with endoscopic ultrasound examination, limited sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures Colonoscopy through stoma; with transendoscopic ultrasound guided intrama transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color descending, transverse, or ascending color structures Colonoscopy through stoma; with decompression (for pathologic distention) (descending) (for pathologic distention) (for pathologic di	ance
sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures Colonoscopy through stoma; with transendoscopic ultrasound guided intramutransmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (descending) (for pathologic distention) (descending) (for pathologic distention) (descending) (for pathologic distention) (descending) (for pathologic distention) (for pat	
44406 Procedure CPT-4 structures Colonoscopy through stoma; with transendoscopic ultrasound guided intrame transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color coloroscopy through stoma; with decompression (for pathologic distention) (standard procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perfocoloroscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush values Procedure CPT-4 (colonoscopy, flexible; with removal of foreign body(s) Procedure CPT-4 (colonoscopy, flexible; with biopsy, single or multiple CPT-4 (colonoscopy, flexible; with directed submucosal injection(s), any substance CPT-4 (colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), por or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau snare technique	to the
Colonoscopy through stoma; with transendoscopic ultrasound guided intrame transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending color cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (secument of decompression tube, when performed to the sigmoid, descending, transverse, or ascending color cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (secument of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed to the sigmoid placement of decompression tube, when performed tube, when performed to the specimen to the performed (separate procedure) to the sigmoid placement of the specimen (s) by brush the sigmoid placement of the specimen tube, when performed (separate procedure) to the specimen (s) by brush the sigmoid placement of the specimen (s) by brush the speci	
transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending cold examination limited to the sigmoid, descending, transverse, or ascending cold cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
examination limited to the sigmoid, descending, transverse, or ascending cold 44407 Procedure CPT-4 cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf 45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	ıral or
44407 Procedure CPT-4 cecum and adjacent structures Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf 45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
Colonoscopy through stoma; with decompression (for pathologic distention) (44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf 45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	n and
44408 Procedure CPT-4 volvulus, megacolon), including placement of decompression tube, when perf CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), por other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau snare technique	
45355 Procedure CPT-4 Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	eg,
Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brush 45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	ormed
45378 Procedure CPT-4 washing, when performed (separate procedure) 45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
45379 Procedure CPT-4 Colonoscopy, flexible; with removal of foreign body(s) 45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	ing or
45380 Procedure CPT-4 Colonoscopy, flexible; with biopsy, single or multiple 45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
45381 Procedure CPT-4 Colonoscopy, flexible; with directed submucosal injection(s), any substance 45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
45382 Procedure CPT-4 Colonoscopy, flexible; with control of bleeding, any method Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), p or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cau 45383 Procedure CPT-4 snare technique	
45383 Procedure CPT-4 snare technique	
·	ery or
Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by	hot
45384 Procedure CPT-4 biopsy forceps	
Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by	snare
45385 Procedure CPT-4 technique	
45386 Procedure CPT-4 Colonoscopy, flexible; with transendoscopic balloon dilation	
Colonoscopy, flexible, proximal to splenic flexure; with transendoscopic stent	
45387 Procedure CPT-4 placement (includes predilation)	
Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (ir	cludes
45388 Procedure CPT-4 pre- and post-dilation and guide wire passage, when performed)	
Colonoscopy, flexible; with endoscopic stent placement (includes pre- and pos	,t-
45389 Procedure CPT-4 dilation and guide wire passage, when performed) 45300 Procedure CPT-4 Colonoscopy floyibles with and according pusced resection	
45390 Procedure CPT-4 Colonoscopy, flexible; with endoscopic mucosal resection Colonoscopy, flexible; with endoscopic ultrasound examination limited to the	roctum
sigmoid, descending, transverse, or ascending colon and cecum, and adjacent	-
45391 Procedure CPT-4 structures	
TOCCUME OF THE STRUCTURES	

cder_mpl1p_wp075 Page 49 of 369



Request	Code		
Code	Category	Code Type	Description
		71.5	Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or
			transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound
			examination limited to the rectum, sigmoid, descending, transverse, or ascending
45392	Procedure	CPT-4	colon and cecum, and adjacent structures
			Colonoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus,
45393	Procedure	CPT-4	megacolon), including placement of decompression tube, when performed
45398	Procedure	CPT-4	Colonoscopy, flexible; with band ligation(s) (eg, hemorrhoids)
G0105	Procedure	HCPCS	Colorectal cancer screening; colonoscopy on individual at high risk
			Colorectal cancer screening; alternative to G0105, screening colonoscopy, barium
G0120	Procedure	HCPCS	enema
			Colorectal cancer screening; colonoscopy on individual not meeting criteria for high
G0121	Procedure	HCPCS	risk
			Patients greater than or equal to 86 years of age who underwent a screening
			colonoscopy and did not have a history of colorectal cancer or other valid medical
			reason for the colonoscopy, including: iron deficiency anemia, lower gastrointestinal
			bleeding, Crohn's disease (i.e., regional enteritis), familial adenomatous polyposis,
			Lynch syndrome (i.e., hereditary nonpolyposis colorectal cancer), inflammatory bowel
			disease, ulcerative colitis, abnormal finding of gastrointestinal tract, or changes in
G9659	Procedure	HCPCS	bowel habits
			Documentation of medical reason(s) for a colonoscopy performed on a patient greater
			than or equal to 86 years of age (e.g., iron deficiency anemia, lower gastrointestinal
			bleeding, Crohn's disease (i.e., regional enteritis), familial history of adenomatous
			polyposis, Lynch syndrome (i.e., hereditary nonpolyposis colorectal cancer),
			inflammatory bowel disease, ulcerative colitis, abnormal finding of gastrointestinal
G9660	Procedure	HCPCS	tract, or changes in bowel habits)
			Patients greater than or equal to 86 years of age who received a colonoscopy for an
			assessment of signs/symptoms of GI tract illness, and/or because the patient meets
G9661	Procedure	HCPCS	high risk criteria, and/or to follow-up on previously diagnosed advanced lesions
G9933	Procedure	HCPCS	Adenoma(s) or colorectal cancer detected during screening colonoscopy
G9935	Procedure	HCPCS	Adenoma(s) or colorectal cancer not detected during screening colonoscopy
			Surveillance colonoscopy - personal history of colonic polyps, colon cancer, or other
G9936	Procedure	HCPCS	malignant neoplasm of rectum, rectosigmoid junction, and anus
G9937	Procedure	HCPCS	Diagnostic colonoscopy
S0285	Procedure	HCPCS	Colonoscopy consultation performed prior to a screening colonoscopy procedure
45.11	Procedure	ICD-9-PCS	Transabdominal endoscopy of small intestine
45.21	Procedure	ICD-9-PCS	Transabdominal endoscopy of large intestine
48.21	Procedure	ICD-9-PCS	Transabdominal proctosigmoidoscopy
			Proctosigmoidoscopy, rigid; diagnostic, with or without collection of specimen(s) by
45300	Procedure	CPT-4	brushing or washing (separate procedure)
45302	Procedure	CPT-4	PROCTOSIGMOIDOSCOPY; COLLECT SPECIMEN BRUSH/WASH
45303	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with dilation (eg, balloon, guide wire, bougie)
45305	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with biopsy, single or multiple
-		-	G

cder_mpl1p_wp075 Page 50 of 369



	Code		
Code	Category	Code Type	Description
45307	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with removal of foreign body
			Proctosigmoidoscopy, rigid; with removal of single tumor, polyp, or other lesion by
45308	Procedure	CPT-4	hot biopsy forceps or bipolar cautery
			Proctosigmoidoscopy, rigid; with removal of single tumor, polyp, or other lesion by
45309	Procedure	CPT-4	snare technique
45310	Procedure	CPT-4	PROCTOSIGMOIDOSCOPY; REMOVAL POLYP/PAPILLOMA
			Proctosigmoidoscopy, rigid; with removal of multiple tumors, polyps, or other lesions
45315	Procedure	CPT-4	by hot biopsy forceps, bipolar cautery or snare technique
			Proctosigmoidoscopy, rigid; with control of bleeding (eg, injection, bipolar cautery,
45317	Procedure	CPT-4	unipolar cautery, laser, heater probe, stapler, plasma coagulator)
			Proctosigmoidoscopy, rigid; with ablation of tumor(s), polyp(s), or other lesion(s) not
			amenable to removal by hot biopsy forceps, bipolar cautery or snare technique (eg,
45320	Procedure	CPT-4	laser)
45321	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with decompression of volvulus
			Proctosigmoidoscopy, rigid; with transendoscopic stent placement (includes
45327	Procedure	CPT-4	predilation)
			Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or
45330	Procedure	CPT-4	washing, when performed (separate procedure)
45331	Procedure	CPT-4	Sigmoidoscopy, flexible; with biopsy, single or multiple
45332	Procedure	CPT-4	Sigmoidoscopy, flexible; with removal of foreign body(s)
			Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot
45333	Procedure	CPT-4	biopsy forceps
45334	Procedure	CPT-4	Sigmoidoscopy, flexible; with control of bleeding, any method
45335	Procedure	CPT-4	Sigmoidoscopy, flexible; with directed submucosal injection(s), any substance
45336	Procedure	CPT-4	SIGMOIDOSCOPY; ABLATE TUMOR MUCOSAL LESION
			Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare
45338	Procedure	CPT-4	technique
			Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) not
45339	Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
45340	Procedure	CPT-4	Sigmoidoscopy, flexible; with transendoscopic balloon dilation
45341	Procedure	CPT-4	Sigmoidoscopy, flexible; with endoscopic ultrasound examination
			Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or
45342	Procedure	CPT-4	transmural fine needle aspiration/biopsy(s)
45345	Procedure	CPT-4	Sigmoidoscopy, flexible; with transendoscopic stent placement (includes predilation)
			Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (include
45346	Procedure	CPT-4	pre- and post-dilation and guide wire passage, when performed)
			Sigmoidoscopy, flexible; with placement of endoscopic stent (includes pre- and post-
45347	Procedure	CPT-4	dilation and guide wire passage, when performed)
45349	Procedure	CPT-4	Sigmoidoscopy, flexible; with endoscopic mucosal resection
45350	Procedure	CPT-4	Sigmoidoscopy, flexible; with band ligation(s) (eg, hemorrhoids)
0D9N0ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Open Approach, Diagnostic
ODBN0ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Open Approach, Diagnostic

cder_mpl1p_wp075 Page 51 of 369



Code Category Procedure Procedure Procedure	Code Type CPT-4 HCPCS	Description Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed Colorectal cancer screening; flexible sigmoidoscopy
Procedure Procedure	CPT-4	Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed
Procedure		megacolon), including placement of decompression tube, when performed
Procedure		
	псесз	
Procedure		
Procedure	HCDCs	Colorectal cancer screening; alternative to G0104, screening sigmoidoscopy, barium
	HCPCS	enema Signalidassany flavible, with ablation of tumor(s), nalym(s), or other lesions(s) not
Dun	CDT 4	Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesions(s) not
Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
		Sigmoidoscopy, flexible; with transendoscopic stent placement (includes predilation)
		Intestinal biopsy, site unspecified
		Esophagoscopy through artificial stoma
		Other esophagoscopy
		Closed (endoscopic) biopsy of esophagus
		Closed [endoscopic] biopsy of stomach
		Other endoscopy of small intestine
		Closed [endoscopic] biopsy of small intestine
		Esophagogastroduodenoscopy (EGD) with closed biopsy
		Inspection of Upper Intestinal Tract, Percutaneous Approach
		Inspection of Upper Intestinal Tract, Percutaneous Endoscopic Approach
		Inspection of Upper Intestinal Tract, Via Natural or Artificial Opening
Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Via Natural or Artificial Opening Endoscopic
		Esophagoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by
Procedure	CPT-4	brushing or washing, when performed (separate procedure)
		Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of
Procedure		specimen(s) by brushing or washing, when performed (separate procedure)
Procedure	ICD-9-PCS	Other diagnostic procedures on small intestine
		Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus
Procedure	CPT-4	through ileum, with interpretation and report
		Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with
Procedure	CPT-3	interpretation and report
		Magnetically controlled capsule endoscopy, esophagus through stomach, including
Procedure	CPT-3	intraprocedural positioning of capsule, with interpretation and report
Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Open Approach
Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, External Approach
Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Percutaneous Approach
Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Via Natural or Artificial Opening
		Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus with
Procedure	CPT-4	interpretation and report
		Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with
Procedure	CPT-4	interpretation and report
		Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
		including ileum; diagnostic, including collection of specimen(s) by brushing or washing
Procedure	CPT-4	when performed (separate procedure)
F F F F F F F F F F F F F F F F F F F	Procedure	Procedure ICD-9-PCS Procedure ICD-10-PCS Procedure ICD-10-PCS Procedure ICD-10-PCS Procedure CPT-4 Procedure CPT-4 Procedure CPT-4 Procedure CPT-3 Procedure CPT-3 Procedure ICD-10-PCS Procedure ICD-10-PCS Procedure ICD-10-PCS Procedure CPT-3 Procedure ICD-10-PCS

cder_mpl1p_wp075 Page 52 of 369



Request	Code		
Code	Category	Code Type	Description
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44361	Procedure	CPT-4	including ileum; with biopsy, single or multiple
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44363	Procedure	CPT-4	including ileum; with removal of foreign body(s)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by snare
44364	Procedure	CPT-4	technique
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy
44365	Procedure	CPT-4	forceps or bipolar cautery
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar
44366	Procedure	CPT-4	cautery, laser, heater probe, stapler, plasma coagulator)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to
44369	Procedure	CPT-4	removal by hot biopsy forceps, bipolar cautery or snare technique
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44370	Procedure	CPT-4	including ileum; with transendoscopic stent placement (includes predilation)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44372	Procedure	CPT-4	including ileum; with placement of percutaneous jejunostomy tube
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with conversion of percutaneous gastrostomy tube to percutaneous
44373	Procedure	CPT-4	jejunostomy tube
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
			including ileum; diagnostic, with or without collection of specimen(s) by brushing or
44376	Procedure	CPT-4	washing (separate procedure)
44077		CDT 4	Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
44377	Procedure	CPT-4	including ileum; with biopsy, single or multiple
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
44270	Dunnalium	CDT 4	including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar
44378	Procedure	CPT-4	cautery, laser, heater probe, stapler, plasma coagulator)
44270	Dropoduro	CDT 4	Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; with transendoscopic stent placement (includes predilation)
44379	Procedure	CPT-4	Biopsy
45	Procedure	ICD-9-PCS	Incision of intestine, not otherwise specified
45.01	Procedure	ICD-9-PCS	Incision of duodenum
45.02	Procedure	ICD-9-PCS	Other incision of small intestine
45.03	Procedure	ICD-9-PCS	Incision of large intestine
45.14	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of small intestine
45.15	Procedure	ICD-9-PCS	Open biopsy of small intestine
45.16	Procedure	ICD-9-PCS	Esophagogastroduodenoscopy (EGD) with closed biopsy
45.25	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of large intestine
45.25	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of large intestine

cder_mpl1p_wp075 Page 53 of 369



	Code		
Code	Category	Code Type	Description
45.26	Procedure	ICD-9-PCS	Open biopsy of large intestine
45.27	Procedure	ICD-9-PCS	Intestinal biopsy, site unspecified
45.3	Procedure	ICD-9-PCS	Endoscopic excision or destruction of lesion of duodenum
45.31	Procedure	ICD-9-PCS	Other local excision of lesion of duodenum
45.32	Procedure	ICD-9-PCS	Other destruction of lesion of duodenum
45.33	Procedure	ICD-9-PCS	Local excision of lesion or tissue of small intestine, except duodenum
45.34	Procedure	ICD-9-PCS	Other destruction of lesion of small intestine, except duodenum
45.41	Procedure	ICD-9-PCS	Excision of lesion or tissue of large intestine
45.42	Procedure	ICD-9-PCS	Endoscopic polypectomy of large intestine
45.43	Procedure	ICD-9-PCS	Endoscopic destruction of other lesion or tissue of large intestine
45.49	Procedure	ICD-9-PCS	Other destruction of lesion of large intestine
45.79	Procedure	ICD-9-PCS	Other and unspecified partial excision of large intestine
48.24	Procedure	ICD-9-PCS	Closed (endoscopic) biopsy of rectum
48.25	Procedure	ICD-9-PCS	Open biopsy of rectum
48.26	Procedure	ICD-9-PCS	Biopsy of perirectal tissue
48.35	Procedure	ICD-9-PCS	Local excision of rectal lesion or tissue
48.36	Procedure	ICD-9-PCS	[Endoscopic] polypectomy of rectum
18.82	Procedure	ICD-9-PCS	Excision of perirectal tissue
19.02	Procedure	ICD-9-PCS	Other incision of perianal tissue
19.04	Procedure	ICD-9-PCS	Other excision of perianal tissue
19.22	Procedure	ICD-9-PCS	Biopsy of perianal tissue
19.23	Procedure	ICD-9-PCS	Biopsy of anus
49.31	Procedure	ICD-9-PCS	Endoscopic excision or destruction of lesion or tissue of anus
49.39	Procedure	ICD-9-PCS	Other local excision or destruction of lesion or tissue of anus
50.12	Procedure	ICD-9-PCS	Open biopsy of liver
DD5E4ZZ	Procedure	ICD-10-PCS	Destruction of Large Intestine, Percutaneous Endoscopic Approach
DD980ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Open Approach, Diagnostic
DD983ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Percutaneous Approach, Diagnostic
DD984ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
DD987ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Via Natural or Artificial Opening, Diagnostic
DD988ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
D990ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Open Approach, Diagnostic
DD993ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Percutaneous Approach, Diagnostic
DD994ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Percutaneous Endoscopic Approach, Diagnostic
DD997ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Via Natural or Artificial Opening, Diagnostic
DD998ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Via Natural or Artificial Opening Endoscopic, Diagnostic
DD9A0ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Open Approach, Diagnostic
DD9A3ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Percutaneous Approach, Diagnostic
OD9A4ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Percutaneous Endoscopic Approach, Diagnostic
DD9A7ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Via Natural or Artificial Opening, Diagnostic
OD9A8ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Via Natural or Artificial Opening Endoscopic, Diagnostic
DD9B0ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Open Approach, Diagnostic

cder_mpl1p_wp075 Page 54 of 369



Request			
	Code		
Code	Category	Code Type	Description
OD9B3ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Percutaneous Approach, Diagnostic
OD9B4ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Percutaneous Endoscopic Approach, Diagnostic
OD9B7ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Via Natural or Artificial Opening, Diagnostic
OD9B8ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9C0ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Open Approach, Diagnostic
0D9C3ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Percutaneous Approach, Diagnostic
0D9C4ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Percutaneous Endoscopic Approach, Diagnostic
0D9C7ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Via Natural or Artificial Opening, Diagnostic
0D9C8ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic, Diagnostic
OD9E0ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Open Approach, Diagnostic
0D9E3ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Approach, Diagnostic
0D9E4ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
OD9E7ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening, Diagnostic
0D9E8ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9F0ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Open Approach, Diagnostic
0D9F3ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Approach, Diagnostic
0D9F4ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9F7ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Drainage of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9F8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9G0ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Open Approach, Diagnostic
0D9G3ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Approach, Diagnostic
0D9G4ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9G7ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Drainage of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9G8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9H0ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Open Approach, Diagnostic
0D9H3ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Approach, Diagnostic
0D9H4ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0D9H7ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening, Diagnostic
0D9H8ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9J0ZX	Procedure	ICD-10-PCS	Drainage of Appendix, Open Approach, Diagnostic
0D9K0ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Open Approach, Diagnostic
0D9K3ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Approach, Diagnostic
0D9K4ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9K7ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
0D9K8ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9L0ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Open Approach, Diagnostic
0D9L3ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Approach, Diagnostic
0D9L4ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9L7ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
			, , , , , , , , , , , , , , , , , , , ,

cder_mpl1p_wp075 Page 55 of 369



Request	Code		
Codo		Codo Tuno	Description
Code	Category	Code Type	Description
0D9L8ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
	Procedure	ICD-10-PCS	Drainage of Descending Colon, Open Approach, Diagnostic
	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Approach, Diagnostic
	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening, Diagnostic
ODSIVITZA	rrocedure	1CD-10-1 C3	brainage of bescending colon, via Natural of Artificial Opening, biagnostic
0D9M8ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9N0ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Open Approach, Diagnostic
0D9N3ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Approach, Diagnostic
0D9N4ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9N7ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
0D9N8ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9P0ZX	Procedure	ICD-10-PCS	Drainage of Rectum, Open Approach, Diagnostic
0D9P3ZX	Procedure	ICD-10-PCS	Drainage of Rectum, Percutaneous Approach, Diagnostic
0D9P4ZX	Procedure	ICD-10-PCS	Drainage of Rectum, Percutaneous Endoscopic Approach, Diagnostic
OD9P7ZX	Procedure	ICD-10-PCS	Drainage of Rectum, Via Natural or Artificial Opening, Diagnostic
0D9P8ZX	Procedure	ICD-10-PCS	Drainage of Rectum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9Q0ZX	Procedure	ICD-10-PCS	Drainage of Anus, Open Approach, Diagnostic
0D9Q3ZX	Procedure	ICD-10-PCS	Drainage of Anus, Percutaneous Approach, Diagnostic
ODB80ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Open Approach, Diagnostic
ODB83ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Approach, Diagnostic
ODB84ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODB87ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening, Diagnostic
ODB88ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODB93ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Percutaneous Approach, Diagnostic
ODB94ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Percutaneous Endoscopic Approach, Diagnostic
ODB97ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Via Natural or Artificial Opening, Diagnostic
ODB98ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBA0ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Open Approach, Diagnostic
0DBA3ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Percutaneous Approach, Diagnostic
0DBA4ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Percutaneous Endoscopic Approach, Diagnostic
0DBA7ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Via Natural or Artificial Opening, Diagnostic
0DBA8ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBB0ZX	Procedure	ICD-10-PCS	Excision of Ileum, Open Approach, Diagnostic
ODBB3ZX	Procedure	ICD-10-PCS	Excision of Ileum, Percutaneous Approach, Diagnostic
ODBB4ZX	Procedure	ICD-10-PCS	Excision of Ileum, Percutaneous Endoscopic Approach, Diagnostic
ODBB7ZX	Procedure	ICD-10-PCS	Excision of Ileum, Via Natural or Artificial Opening, Diagnostic
ODBB8ZX	Procedure	ICD-10-PCS	Excision of Ileum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBC0ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Open Approach, Diagnostic
ODBC3ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Percutaneous Approach, Diagnostic
0DBC4ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Percutaneous Endoscopic Approach, Diagnostic
			,r - rr ,

cder_mpl1p_wp075 Page 56 of 369



Request			
	Code		
Code	Category	Code Type	Description
ODBC7ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Via Natural or Artificial Opening, Diagnostic
ODBC8ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBE0ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Open Approach, Diagnostic
ODBE3ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Approach, Diagnostic
ODBE4ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBE7ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening, Diagnostic
ODBE8ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBF0ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Open Approach, Diagnostic
ODBF3ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Approach, Diagnostic
ODBF4ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBF7ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Excision of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
ODBF8ZX	Procedure	ICD-10-PCS	Diagnostic
0DBG0ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Open Approach, Diagnostic
0DBG3ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Approach, Diagnostic
0DBG4ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0DBG7ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Excision of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DBG8ZX	Procedure	ICD-10-PCS	Diagnostic
ODBH0ZX	Procedure	ICD-10-PCS	Excision of Cecum, Open Approach, Diagnostic
ODBH3ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Approach, Diagnostic
ODBH4ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0DBH7ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening, Diagnostic
ODBH8ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBK0ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Open Approach, Diagnostic
ODBK3ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Approach, Diagnostic
0DBK4ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBK7ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
ODBK8ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBL0ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Open Approach, Diagnostic
ODBL3ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Approach, Diagnostic
ODBL4ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBL7ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
ODBL8ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBM0ZX		ICD-10-PCS	Excision of Descending Colon, Open Approach, Diagnostic
ODBM3ZX		ICD-10-PCS	Excision of Descending Colon, Percutaneous Approach, Diagnostic
	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening, Diagnostic
32 31111 LN		.02 20 .00	S. 2000
ODBM8ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBNOZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Open Approach, Diagnostic
SDDINOZA	Troccaure	100 10-1 03	Excision of Signification, Open Approach, Diagnostic

cder_mpl1p_wp075 Page 57 of 369



Request			
	Code		
Code	Category	Code Type	Description
ODBN3ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Approach, Diagnostic
ODBN4ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBN7ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
ODBN8ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBP0ZX	Procedure	ICD-10-PCS	Excision of Rectum, Open Approach, Diagnostic
ODBP3ZX	Procedure	ICD-10-PCS	Excision of Rectum, Percutaneous Approach, Diagnostic
ODBP4ZX	Procedure	ICD-10-PCS	Excision of Rectum, Percutaneous Endoscopic Approach, Diagnostic
ODBP7ZX	Procedure	ICD-10-PCS	Excision of Rectum, Via Natural or Artificial Opening, Diagnostic
ODBP8ZX	Procedure	ICD-10-PCS	Excision of Rectum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBQ0ZX	Procedure	ICD-10-PCS	Excision of Anus, Open Approach, Diagnostic
0DBQ3ZX	Procedure	ICD-10-PCS	Excision of Anus, Percutaneous Approach, Diagnostic
0DBQ4ZX	Procedure	ICD-10-PCS	Excision of Anus, Percutaneous Endoscopic Approach, Diagnostic
0DBQ7ZX	Procedure	ICD-10-PCS	Excision of Anus, Via Natural or Artificial Opening, Diagnostic
0DBQ8ZX	Procedure	ICD-10-PCS	Excision of Anus, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DBQXZX	Procedure	ICD-10-PCS	Excision of Anus, External Approach, Diagnostic
ODBROZX	Procedure	ICD-10-PCS	Excision of Anal Sphincter, Open Approach, Diagnostic
ODBR3ZX	Procedure	ICD-10-PCS	Excision of Anal Sphincter, Percutaneous Approach, Diagnostic
ODBR4ZX	Procedure	ICD-10-PCS	Excision of Anal Sphincter, Percutaneous Endoscopic Approach, Diagnostic
0DD83ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Approach, Diagnostic
0DD84ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODD88ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DD93ZX	Procedure	ICD-10-PCS	Extraction of Duodenum, Percutaneous Approach, Diagnostic
0DD94ZX	Procedure	ICD-10-PCS	Extraction of Duodenum, Percutaneous Endoscopic Approach, Diagnostic
0DD98ZX	Procedure	ICD-10-PCS	Extraction of Duodenum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDA3ZX	Procedure	ICD-10-PCS	Extraction of Jejunum, Percutaneous Approach, Diagnostic
0DDA4ZX	Procedure	ICD-10-PCS	Extraction of Jejunum, Percutaneous Endoscopic Approach, Diagnostic
ODDA8ZX	Procedure	ICD-10-PCS	Extraction of Jejunum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDB3ZX	Procedure	ICD-10-PCS	Extraction of Ileum, Percutaneous Approach, Diagnostic
ODDB4ZX	Procedure	ICD-10-PCS	Extraction of Ileum, Percutaneous Endoscopic Approach, Diagnostic
ODDB8ZX	Procedure	ICD-10-PCS	Extraction of Ileum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDC3ZX	Procedure	ICD-10-PCS	Extraction of Ileocecal Valve, Percutaneous Approach, Diagnostic
0DDC4ZX	Procedure	ICD-10-PCS	Extraction of Ileocecal Valve, Percutaneous Endoscopic Approach, Diagnostic
0DDC8ZX	Procedure	ICD-10-PCS	Extraction of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDE3ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Approach, Diagnostic
ODDE4ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODDE8ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDF3ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Approach, Diagnostic
0DDF4ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDF8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDG3ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Approach, Diagnostic
0DDG4ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic

cder_mpl1p_wp075 Page 58 of 369



Request			
	Code		
Code	Category	Code Type	Description
			Extraction of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDG8ZX	Procedure	ICD-10-PCS	Diagnostic
ODDH3ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Approach, Diagnostic
0DDH4ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0DDH8ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDK3ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Approach, Diagnostic
0DDK4ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
0DDK8ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDL3ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Approach, Diagnostic
0DDL4ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Transverse Colon, Via Natural or Artificial Opening Endoscopic,
0DDL8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDM3ZX	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Approach, Diagnostic
0DDM4ZX	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Descending Colon, Via Natural or Artificial Opening Endoscopic,
0DDM8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDN3ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Approach, Diagnostic
0DDN4ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODDN8ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDP3ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Percutaneous Approach, Diagnostic
ODDP4ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Percutaneous Endoscopic Approach, Diagnostic
ODDP8ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDQ3ZX	Procedure	ICD-10-PCS	Extraction of Anus, Percutaneous Approach, Diagnostic
0DDQ4ZX	Procedure	ICD-10-PCS	Extraction of Anus, Percutaneous Endoscopic Approach, Diagnostic
0DDQ8ZX	Procedure	ICD-10-PCS	Extraction of Anus, Via Natural or Artificial Opening Endoscopic, Diagnostic
44010	Procedure	CPT-4	Duodenotomy, for exploration, biopsy(s), or foreign body removal
			Enterotomy, small intestine, other than duodenum; for exploration, biopsy(s), or
44020	Procedure	CPT-4	foreign body removal
44025	Procedure	CPT-4	Colotomy, for exploration, biopsy(s), or foreign body removal
44100	Procedure	CPT-4	Biopsy of intestine by capsule, tube, peroral (1 or more specimens)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44361	Procedure	CPT-4	including ileum; with biopsy, single or multiple
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy
44365	Procedure	CPT-4	forceps or bipolar cautery
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to
44369	Procedure	CPT-4	removal by hot biopsy forceps, bipolar cautery or snare technique
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
44377	Procedure	CPT-4	including ileum; with biopsy, single or multiple
44382	Procedure	CPT-4	Ileoscopy, through stoma; with biopsy, single or multiple

cder_mpl1p_wp075 Page 59 of 369



Request	Code		
Code	Category	Code Type	Description
			Endoscopic evaluation of small intestinal pouch (eg, Kock pouch, ileal reservoir [S or
44386	Procedure	CPT-4	J]); with biopsy, single or multiple
44389	Procedure	CPT-4	Colonoscopy through stoma; with biopsy, single or multiple
			Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by
44392	Procedure	CPT-4	hot biopsy forceps
			Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) not
44393	Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
			Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or
			transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound
			examination limited to the sigmoid, descending, transverse, or ascending colon and
44407	Procedure	CPT-4	cecum and adjacent structures
45100	Procedure	CPT-4	Biopsy of anorectal wall, anal approach (eg, congenital megacolon)
45305	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with biopsy, single or multiple
			Proctosigmoidoscopy, rigid; with removal of single tumor, polyp, or other lesion by
45308	Procedure	CPT-4	hot biopsy forceps or bipolar cautery
45245	Danasalaas	CDT 4	Proctosigmoidoscopy, rigid; with removal of multiple tumors, polyps, or other lesions
45315	Procedure	CPT-4	by hot biopsy forceps, bipolar cautery or snare technique
			Proctosigmoidoscopy, rigid; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cautery or snare technique (eg,
45320	Procedure	CPT-4	laser)
45331	Procedure	CPT-4	Sigmoidoscopy, flexible; with biopsy, single or multiple
45551	Trocedure	CI I-4	Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot
45333	Procedure	CPT-4	biopsy forceps
		G	Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) not
45339	Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
			Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or
45342	Procedure	CPT-4	transmural fine needle aspiration/biopsy(s)
45380	Procedure	CPT-4	Colonoscopy, flexible; with biopsy, single or multiple
			Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), polyp(s),
			or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cautery or
45383	Procedure	CPT-4	snare technique
			Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot
45384	Procedure	CPT-4	biopsy forceps
			Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or
			transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound
			examination limited to the rectum, sigmoid, descending, transverse, or ascending
45392	Procedure	CPT-4	colon and cecum, and adjacent structures
46606	Procedure	CPT-4	Anoscopy; with biopsy, single or multiple
46607	Dan I	CDT 4	Anoscopy; with high-resolution magnification (HRA) (eg, colposcope, operating
46607	Procedure	CPT-4	microscope) and chemical agent enhancement, with biopsy, single or multiple
16610	Drocodura	CDT 4	Anoscopy; with removal of single tumor, polyp, or other lesion by hot biopsy forceps or bipolar cautery
46610	Procedure	CPT-4	of bipolal cautery

cder_mpl1p_wp075 Page 60 of 369



Request			
	Code		
Code	Category	Code Type	Description
			Anoscopy; with removal of multiple tumors, polyps, or other lesions by hot biopsy
46612	Procedure	CPT-4	forceps, bipolar cautery or snare technique
			Anoscopy; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to
46615	Procedure	CPT-4	removal by hot biopsy forceps, bipolar cautery or snare technique
88300	Procedure	CPT-4	Level I - Surgical pathology, gross examination only
			Level II - Surgical pathology, gross and microscopic examination Appendix, incidental
			Fallopian tube, sterilization Fingers/toes, amputation, traumatic Foreskin, newborn
			Hernia sac, any location Hydrocele sac Nerve Skin, plastic repair Sympathetic ganglior
88302	Procedure	CPT-4	Testis, castration Vaginal mucosa, incidental Vas deferens, sterilization
0DDQXZX	Procedure	ICD-10-PCS	Extraction of Anus, External Approach, Diagnostic
			Ulcerative Colitis
556	Diagnosis	ICD-9-CM	Ulcerative Colitis
556.1	Diagnosis	ICD-9-CM	Ulcerative (chronic) ileocolitis
556.2	Diagnosis	ICD-9-CM	Ulcerative (chronic) proctitis
556.3	Diagnosis	ICD-9-CM	Ulcerative (chronic) proctosigmoiditis
556.4	Diagnosis	ICD-9-CM	Pseudopolyposis of colon
556.5	Diagnosis	ICD-9-CM	Left sided ulcerative (chronic) colitis
556.6	Diagnosis	ICD-9-CM	Universal ulcerative (chronic) colitis
556.8	Diagnosis	ICD-9-CM	Other ulcerative colitis
556.9	Diagnosis	ICD-9-CM	Unspecified ulcerative colitis
556	Diagnosis	ICD-9-CM	Ulcerative (chronic) enterocolitis
K51	Diagnosis	ICD-10-CM	Ulcerative colitis
K51.0	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis
K51.00	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis without complications
K51.01	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with complications
K51.011	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with rectal bleeding
K51.012	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with intestinal obstruction
K51.013	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with fistula
K51.014	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with abscess
K51.018	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with other complication
K51.019	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with unspecified complications
K51.2	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis
K51.20	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis without complications
K51.21	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with complications
K51.211	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with rectal bleeding
K51.212	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with intestinal obstruction
K51.213	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with fistula
K51.214	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with abscess
K51.218	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with other complication
K51.219	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with unspecified complications
K51.3	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis
K51.30	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis without complications

cder_mpl1p_wp075 Page 61 of 369



Request	6 1		
Code	Code	Code Tune	Description
K51.31	Category Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with complications
K51.311	Diagnosis	ICD-10-CW	Ulcerative (chronic) rectosigmoiditis with rectal bleeding
K51.311	Diagnosis	ICD-10-CIVI	Ulcerative (chronic) rectosigmoiditis with intestinal obstruction
K51.312	Diagnosis	ICD-10-CW	Ulcerative (chronic) rectosigmoiditis with fistula
K51.313	Diagnosis	ICD-10-CW	Ulcerative (chronic) rectosigmoiditis with abscess
K51.314	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with other complication
K51.319	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with unspecified complications
K51.319	Diagnosis	ICD-10-CW	Inflammatory polyps of colon
K51.40	Diagnosis	ICD-10-CM	Inflammatory polyps of colon without complications
K51.40	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with complications
K51.41 K51.411	Diagnosis	ICD-10-CIVI	Inflammatory polyps of colon with complications Inflammatory polyps of colon with rectal bleeding
K51.411	Diagnosis	ICD-10-CW	Inflammatory polyps of colon with rectal bleeding
K51.412	Diagnosis	ICD-10-CW	Inflammatory polyps of colon with fitestinal obstruction
K51.413	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with abscess
K51.414 K51.418	=	ICD-10-CW	Inflammatory polyps of colon with other complication
K51.418	Diagnosis Diagnosis	ICD-10-CW	Inflammatory polyps of colon with unspecified complications
K51.419 K51.5	Diagnosis	ICD-10-CIVI	Left sided colitis
K51.50	Diagnosis	ICD-10-CIVI	Left sided colitis Left sided colitis without complications
K51.50	Diagnosis	ICD-10-CM	Left sided colitis without complications Left sided colitis with complications
K51.51	Diagnosis	ICD-10-CIVI	Left sided colitis with rectal bleeding
K51.511	Diagnosis	ICD-10-CM	Left sided colitis with rectar bleeding Left sided colitis with intestinal obstruction
K51.512	Diagnosis	ICD-10-CM	Left sided colitis with intestinal obstruction
K51.513	Diagnosis	ICD-10-CM	Left sided colitis with abscess
K51.514	Diagnosis	ICD-10-CIVI	Left sided colitis with abscess Left sided colitis with other complication
K51.518	Diagnosis	ICD-10-CM	Left sided collits with other complications
K51.313	Diagnosis	ICD-10-CIVI	Other ulcerative colitis
K51.80	Diagnosis	ICD-10-CIVI	Other ulcerative colitis Other ulcerative colitis without complications
K51.80	Diagnosis	ICD-10-CM	Other ulcerative colitis with complications Other ulcerative colitis with complications
K51.811	Diagnosis	ICD-10-CM	Other ulcerative colitis with rectal bleeding
K51.812	Diagnosis	ICD-10-CM	Other ulcerative colitis with intestinal obstruction
K51.813	Diagnosis	ICD-10-CM	Other ulcerative colitis with fistula
K51.814	Diagnosis	ICD-10-CM	Other ulcerative colitis with abscess
K51.818	Diagnosis	ICD-10-CM	Other ulcerative colitis with other complication
K51.819	Diagnosis	ICD-10-CM	Other ulcerative colitis with unspecified complications
K51.9	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified
K51.90	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified, without complications
K51.91	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified, with complications
K51.911	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with rectal bleeding
K51.912	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with intestinal obstruction
K51.913	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with fistula
K51.913	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with abscess
K51.918	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with other complication
	2145110313	.02 10 0111	5.55.55.75 Samuely and people at their same complication

cder_mpl1p_wp075 Page 62 of 369



	Code					
Code	Category	Code Type	Description			
K51.919	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with unspecified complications			
	Crohns Disease					
K50.00	Diagnosis	ICD-10-CM	Crohn's disease of small intestine without complications			
K50.011	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with rectal bleeding			
K50.012	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with intestinal obstruction			
K50.013	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with fistula			
K50.014	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with abscess			
K50.018	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with other complication			
K50.019	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with unspecified complications			
K50.ICD-1	0-					
CM	Diagnosis	ICD-10-CM	Crohn's disease of large intestine without complications			
K50.111	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with rectal bleeding			
K50.112	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with intestinal obstruction			
K50.113	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with fistula			
K50.114	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with abscess			
K50.118	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with other complication			
K50.119	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with unspecified complications			
K50.80	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine without complications			
K50.811	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with rectal bleeding			
K50.812	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with intestinal obstruction			
K50.813	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with fistula			
K50.814	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with abscess			
K50.818	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with other complication			
K50.819	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with unspecified complications			
K50.90	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, without complications			
K50.911	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with rectal bleeding			
K50.912	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with intestinal obstruction			
K50.913	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with fistula			
K50.914	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with abscess			
K50.918	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with other complication			
K50.919	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with unspecified complications			
555	Diagnosis	ICD-9-CM	Regional enteritis			
555	Diagnosis	ICD-9-CM	Regional enteritis of small intestine			
555.1	Diagnosis	ICD-9-CM	Regional enteritis of large intestine			
555.2	Diagnosis	ICD-9-CM	Regional enteritis of small intestine with large intestine			
555.9	Diagnosis	ICD-9-CM	Regional enteritis of unspecified site			
			Inflammatory Bowel Disease Treatment			
80158	Procedure	CPT-4	Cyclosporine			
80204	Procedure	CPT-4	Methotrexate			
J7500	Procedure	HCPCS	Azathioprine, oral, 50 mg			
J7501	Procedure	HCPCS	Azathioprine, parenteral, 100 mg			
J7502	Procedure	HCPCS	Cyclosporine, oral, 100 mg			

cder_mpl1p_wp075 Page 63 of 369



Request	Code		
Code		Code Type	Description
J7515	Category Procedure	HCPCS	Description Ovelespering and 35 mg
J7515 J7516	Procedure	HCPCS	Cyclosporine, oral, 25 mg
J8610	Procedure	HCPCS	Cyclosporine, parenteral, 250 mg Methotrexate, oral, 2.5 mg
J9250	Procedure	HCPCS	Methotrexate sodium, 5 mg
J9250 J9260	Procedure	HCPCS	
	Procedure	HCPCS	Methotrexate sodium, 50 mg
S0108			Mercaptopurine, oral, 50 mg
80280	Procedure	CPT-4	Vedolizumab
C9026	Procedure	HCPCS	Injection, vedolizumab, 1 mg
J2323	Procedure	HCPCS	Injection, natalizumab, 1 mg
J3380	Procedure	HCPCS	Injection, vedolizumab, 1 mg
Q4079	Procedure	HCPCS	Injection, natalizumab, 1 mg
80145	Procedure	CPT-4	Adalimumab
80230	Procedure	CPT-4	Infliximab
C9249	Procedure	HCPCS	Injection, certolizumab pegol, 1 mg
J0135	Procedure	HCPCS	Injection, adalimumab, 20 mg
			Injection, certolizumab pegol, 1 mg (code may be used for Medicare when drug
			administered under the direct supervision of a physician, not for use when drug is self-
J0717	Procedure	HCPCS	administered)
J0718	Procedure	HCPCS	Injection, certolizumab pegol, 1 mg
J1602	Procedure	HCPCS	Injection, golimumab, 1 mg, for intravenous use
J1745	Procedure	HCPCS	Injection, infliximab, excludes biosimilar, 10 mg
Q5102	Procedure	HCPCS	Injection, infliximab, biosimilar, 10 mg
Q5103	Procedure	HCPCS	Injection, infliximab-dyyb, biosimilar, (Inflectra), 10 mg
Q5104	Procedure	HCPCS	Injection, infliximab-abda, biosimilar, (Renflexis), 10 mg
Q5109	Procedure	HCPCS	Injection, infliximab-qbtx, biosimilar, (Ixifi), 10 mg
Q5121	Procedure	HCPCS	Injection, infliximab-axxq, biosimilar, (AVSOLA), 10 mg
			Home infusion therapy, antitumor necrosis factor intravenous therapy; (e.g.,
			Infliximab); administrative services, professional pharmacy services, care coordination,
			and all necessary supplies and equipment (drugs and nursing visits coded separately),
S9359	Procedure	HCPCS	per diem
C9261	Procedure	HCPCS	Injection, ustekinumab, 1 mg
C9487	Procedure	HCPCS	Ustekinumab, for intravenous injection, 1 mg
J2327	Procedure	HCPCS	Injection, risankizumab-rzaa, intravenous, 1 mg
J3357	Procedure	HCPCS	Ustekinumab, for subcutaneous injection, 1 mg
J3358	Procedure	HCPCS	Ustekinumab, for intravenous injection, 1 mg
Q9989	Procedure	HCPCS	Ustekinumab, for intravenous injection, 1 mg
80197	Procedure	CPT-4	Tacrolimus
J7503	Procedure	HCPCS	Tacrolimus, extended release, (Envarsus XR), oral, 0.25 mg
J7507	Procedure	HCPCS	Tacrolimus, immediate release, oral, 1 mg
J7508	Procedure	HCPCS	Tacrolimus, extended release, (Astagraf XL), oral, 0.1 mg
J7525	Procedure	HCPCS	Tacrolimus, parenteral, 5 mg

cder_mpl1p_wp075 Page 64 of 369



Appendix D. List of Generic and Brand Names of Medical Products Used to Define Inclusion Criteria in this Request

Generic Name	Brand Name	
	Oral Antidiabetics	
acarbose	Precose	
acarbose	acarbose	
alogliptin benzoate	Nesina	
alogliptin benzoate	alogliptin	
alogliptin benzoate/metformin HCl	Kazano	
alogliptin benzoate/metformin HCl	alogliptin-metformin	
alogliptin benzoate/pioglitazone HCl	Oseni	
alogliptin benzoate/pioglitazone HCl	alogliptin-pioglitazone	
bromocriptine mesylate	Cycloset	
canagliflozin	Invokana	
canagliflozin/metformin HCl	Invokamet	
canagliflozin/metformin HCl	Invokamet XR	
chlorpropamide	Diabinese	
chlorpropamide	chlorpropamide	
dapagliflozin propanediol	Farxiga	
dapagliflozin propanediol/metformin HCl	Xigduo XR	
dapagliflozin propanediol/saxagliptin HCl	Qtern	
empagliflozin	Jardiance	
empagliflozin/linagliptin	Glyxambi	
empagliflozin/linagliptin/metformin HCl	Trijardy XR	
empagliflozin/metformin HCl	Synjardy	
empagliflozin/metformin HCl	Synjardy XR	
ertugliflozin pidolate	Steglatro	
ertugliflozin pidolate/metformin HCl	Segluromet	
ertugliflozin pidolate/sitagliptin phosphate	Steglujan	
glimepiride	Amaryl	
glimepiride	glimepiride	
glipizide	Glucotrol	
glipizide	Glucotrol XL	
glipizide	glipizide	
glipizide/metformin HCl	Metaglip	
glipizide/metformin HCl	glipizide-metformin	
glyburide	Diabeta	
glyburide	Micronase	
glyburide	glyburide	
glyburide,micronized	Glycron	
glyburide,micronized	Glynase	

cder_mpl1p_wp075 Page 65 of 369



Brand Name

Appendix D. List of Generic and Brand Names of Medical Products Used to Define Inclusion Criteria in this Request

lyburide,micronized	glyburide micronized
IVNITIAE MICTORIZEA	givniiride micronized
iy barrac, irrici orrizca	giybariac iilici oilizca

glyburide, micronized

glyburide/metformin HCl Glucovance

Generic Name

glyburide/metformin HCl glyburide-metformin

linagliptin Tradjenta linagliptin/metformin HCl Jentadueto linagliptin/metformin HCl Jentadueto XR metformin HCl **Fortamet** metformin HCl Glucophage metformin HCl Glucophage XR metformin HCl Glumetza metformin HCl Riomet

metformin HCl Riomet ER metformin HCl metformin

metformin/amino acids no.7/herbal cmb.125/choline bitartrate Appformin-D

metformin/caffeine/amino acids 7/herbal comb 125/choline bit Appformin

miglitol Glyset miglitol miglitol nateglinide Starlix nateglinide nateglinide pioglitazone HCl Actos

pioglitazone HCl pioglitazone **DUETACT** pioglitazone HCl/glimepiride

pioglitazone HCl/glimepiride pioglitazone-glimepiride

pioglitazone HCI/metformin HCI **Actoplus MET** pioglitazone HCI/metformin HCI Actoplus Met XR

pioglitazone HCI/metformin HCI pioglitazone-metformin

repaglinide Prandin repaglinide repaglinide repaglinide/metformin HCl Prandimet

repaglinide/metformin HCl repaglinide-metformin

rosiglitazone maleate Avandia rosiglitazone maleate/glimepiride Avandaryl rosiglitazone maleate/metformin HCl Avandamet saxagliptin HCl Onglyza

saxagliptin HCl/metformin HCl Kombiglyze XR

sitagliptin phosphate Januvia

Page 66 of 369 cder_mpl1p_wp075



Appendix D. List of Generic and Brand Names of Medical Products Used to Define Inclusion Criteria in this Request

Generic Name	Brand Name
sitagliptin phosphate/metformin HCl	Janumet
sitagliptin phosphate/metformin HCl	Janumet XR
sitagliptin phosphate/simvastatin	Juvisync
tolazamide	tolazamide
tolbutamide	tolbutamide

cder_mpl1p_wp075 Page 67 of 369



Appendix D.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Inclusion Criteria in this Request

Code	Code Category	Code Type	Description
			Type 2 Diabetes
E11	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus
E11.0	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hyperosmolarity
			Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-
E11.00	Diagnosis	ICD-10-CM	hyperosmolar coma (NKHHC)
E11.01	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hyperosmolarity with coma
E11.1	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with ketoacidosis
E11.10	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with ketoacidosis without coma
E11.11	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with ketoacidosis with coma
E11.2	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with kidney complications
E11.21	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic nephropathy
E11.22	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic chronic kidney disease
E11.29	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic kidney complication
E11.3	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with ophthalmic complications
E11.31	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with unspecified diabetic retinopathy
E11.311	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema
			Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular
E11.319	Diagnosis	ICD-10-CM	edema
E11.32	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular
E11.321	Diagnosis	ICD-10-CM	edema
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular
E11.3211	Diagnosis	ICD-10-CM	edema, right eye
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular
E11.3212	Diagnosis	ICD-10-CM	edema, left eye
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular
E11.3213	Diagnosis	ICD-10-CM	edema, bilateral
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular
E11.3219	Diagnosis	ICD-10-CM	edema, unspecified eye
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E11.329	Diagnosis	ICD-10-CM	macular edema
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E11.3291	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E11.3292	Diagnosis	ICD-10-CM	macular edema, left eye
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E11.3293	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E11.3299	Diagnosis	ICD-10-CM	macular edema, unspecified eye
E11.33	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy
			Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E11.331	Diagnosis	ICD-10-CM	macular edema
	<u>-</u>		Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E11.3311	Diagnosis	ICD-10-CM	macular edema, right eye
	-		Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E11.3312	Diagnosis	ICD-10-CM	macular edema, left eye
	J		•

cder_mpl1p_wp075 Page 68 of 369



Appendix D.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Inclusion Criteria in this Request

Code	Code Category	Code Type	Description
			Type 2 Diabetes
			Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E11.3313	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E11.3319	Diagnosis	ICD-10-CM	macular edema, unspecified eye
			Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without
E11.339	Diagnosis	ICD-10-CM	macular edema
			Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without
E11.3391	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without
E11.3392	Diagnosis	ICD-10-CM	macular edema, left eye
E44 2202	Diagnasia	ICD 10 CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without
E11.3393	Diagnosis	ICD-10-CM	macular edema, bilateral
E11 2200	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without
E11.3399 E11.34	Diagnosis		macular edema, unspecified eye Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy
E11.54	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E11.341	Diagnosis	ICD-10-CM	macular edema
L11.J41	Diagnosis	ICD-10-CIVI	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E11.3411	Diagnosis	ICD-10-CM	macular edema, right eye
L11.5-11	Diagnosis	ICD 10 CIVI	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E11.3412	Diagnosis	ICD-10-CM	macular edema, left eye
	g		Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E11.3413	Diagnosis	ICD-10-CM	macular edema, bilateral
	J		Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E11.3419	Diagnosis	ICD-10-CM	macular edema, unspecified eye
	J		Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E11.349	Diagnosis	ICD-10-CM	macular edema
			Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E11.3491	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E11.3492	Diagnosis	ICD-10-CM	macular edema, left eye
			Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E11.3493	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E11.3499	Diagnosis	ICD-10-CM	macular edema, unspecified eye
E11.35	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy
E11.351	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E11.3511	Diagnosis	ICD-10-CM	right eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E11.3512	Diagnosis	ICD-10-CM	left eye
E44 0E46	5	100 40 614	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E11.3513	Diagnosis	ICD-10-CM	bilateral
E11 2E40	Diagrands	ICD 10 CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E11.3519	Diagnosis	ICD-10-CM	unspecified eye

cder_mpl1p_wp075 Page 69 of 369



Appendix D.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Inclusion Criteria in this Request

Code	Code Category	Code Type	Description
	<u> </u>		Type 2 Diabetes
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.352	Diagnosis	ICD-10-CM	detachment involving the macula
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3521	Diagnosis	ICD-10-CM	detachment involving the macula, right eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3522	Diagnosis	ICD-10-CM	detachment involving the macula, left eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3523	Diagnosis	ICD-10-CM	detachment involving the macula, bilateral
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3529	Diagnosis	ICD-10-CM	detachment involving the macula, unspecified eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.353	Diagnosis	ICD-10-CM	detachment not involving the macula
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3531	Diagnosis	ICD-10-CM	detachment not involving the macula, right eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3532	Diagnosis	ICD-10-CM	detachment not involving the macula, left eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3533	Diagnosis	ICD-10-CM	detachment not involving the macula, bilateral
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E11.3539	Diagnosis	ICD-10-CM	detachment not involving the macula, unspecified eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined
E11.354	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined
E11.3541	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, right eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined
E11.3542	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, left eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined
E11.3543	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, bilateral
			Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined
E11.3549	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, unspecified
E11.355	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy
E11.3551	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E11.3552	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E11.3553	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
			Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified
E11.3559	Diagnosis	ICD-10-CM	eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular
E11.359	Diagnosis	ICD-10-CM	edema
			Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular
E11.3591	Diagnosis	ICD-10-CM	edema, right eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular
E11.3592	Diagnosis	ICD-10-CM	edema, left eye
			Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular
E11.3593	Diagnosis	ICD-10-CM	edema, bilateral

cder_mpl1p_wp075 Page 70 of 369



Appendix D.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Inclusion Criteria in this Request

Code	Code Category	Code Type	Description
			Type 2 Diabetes
			Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular
E11.3599	Diagnosis	ICD-10-CM	edema, unspecified eye
E11.36	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic cataract
E11.37	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X1	Diagnosis	ICD-10-CM	right eye
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X2	Diagnosis	ICD-10-CM	left eye
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X3	Diagnosis	ICD-10-CM	bilateral
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X9	Diagnosis	ICD-10-CM	unspecified eye
E11.39	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E11.4	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with neurological complications
E11.40	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E11.41	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic mononeuropathy
E11.42	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic polyneuropathy
E11.43	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy Type 2 diabetes mellitus with diabetic amyotrophy
E11.44 E11.49	Diagnosis Diagnosis	ICD-10-CM ICD-10-CM	Type 2 diabetes mellitus with diabetic amyotrophy Type 2 diabetes mellitus with other diabetic neurological complication
E11.5	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with circulatory complications
E11.51	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E11.52	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E11.59	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other circulatory complications
E11.6	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other specified complications
E11.61	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic arthropathy
E11.610	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11.618	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic arthropathy
E11.62	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with skin complications
E11.620	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic dermatitis
E11.621	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with foot ulcer
E11.622	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other skin ulcer
E11.628	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other skin complications
E11.63	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with oral complications
E11.630	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with periodontal disease
E11.638	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other oral complications
E11.64	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hypoglycemia
E11.641	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hypoglycemia with coma
E11.649	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hypoglycemia without coma
E11.65	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hyperglycemia
E11.69	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other specified complication
E11.8	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with unspecified complications
E11.9	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus without complications
024.1	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in pregnancy, childbirth and the puerperium
024.11	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in pregnancy

cder_mpl1p_wp075 Page 71 of 369



Appendix D.1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Inclusion Criteria in this Request

Codo	Code Cotesson	Codo Turo	Description
Code	Code Category	Code Type	Description Type 3 Diabetes
024.111	Diagnosis	ICD-10-CM	Type 2 Diabetes Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester
024.111	Diagnosis		
	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester
024.113	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester
024.119	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester
024.12	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in childbirth
024.13	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in the puerperium
			Diabetes mellitus without mention of complication, type II or unspecified type, not
250	Diagnosis	ICD-9-CM	stated as uncontrolled
			Diabetes mellitus without mention of complication, type II or unspecified type,
250.02	Diagnosis	ICD-9-CM	uncontrolled
250.1	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled
250.12	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type II or unspecified type, uncontrolled
250.2	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled
250.22	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled
250.3	Diagnosis	ICD-9-CM	Diabetes with other coma, type II or unspecified type, not stated as uncontrolled
250.32	Diagnosis	ICD-9-CM	Diabetes with other coma, type II or unspecified type, uncontrolled
			Diabetes with renal manifestations, type II or unspecified type, not stated as
250.4	Diagnosis	ICD-9-CM	uncontrolled
250.42	Diagnosis	ICD-9-CM	Diabetes with renal manifestations, type II or unspecified type, uncontrolled
			Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as
250.5	Diagnosis	ICD-9-CM	uncontrolled
250.52	Diagnosis	ICD-9-CM	Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled
			Diabetes with neurological manifestations, type II or unspecified type, not stated as
250.6	Diagnosis	ICD-9-CM	uncontrolled
250.62	Diagnosis	ICD-9-CM	Diabetes with neurological manifestations, type II or unspecified type, uncontrolled
			Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated
250.7	Diagnosis	ICD-9-CM	as uncontrolled
			Diabetes with peripheral circulatory disorders, type II or unspecified type,
250.72	Diagnosis	ICD-9-CM	uncontrolled
			Diabetes with other specified manifestations, type II or unspecified type, not stated
250.8	Diagnosis	ICD-9-CM	as uncontrolled
	-		
250.82	Diagnosis	ICD-9-CM	Diabetes with other specified manifestations, type II or unspecified type, uncontrolled
	-		Diabetes with unspecified complication, type II or unspecified type, not stated as
250.9	Diagnosis	ICD-9-CM	uncontrolled
250.92	Diagnosis	ICD-9-CM	Diabetes with unspecified complication, type II or unspecified type, uncontrolled

cder_mpl1p_wp075 Page 72 of 369



Generic Name	Brand Name
In	flammatory Bowel Disease Treatment
adalimumab	Humira
adalimumab	Humira Pediatric Crohns Start
adalimumab	Humira Pen
adalimumab	Humira Pen Crohns-UC-HS Start
adalimumab	Humira Pen Psor-Uveits-Adol HS
adalimumab	Humira(CF)
adalimumab	Humira(CF) Pedi Crohns Starter
adalimumab	Humira(CF) Pen
adalimumab	Humira(CF) Pen Crohns-UC-HS
adalimumab	Humira(CF) Pen Pediatric UC
adalimumab	Humira(CF) Pen Psor-Uv-Adol HS
azathioprine	Azasan
azathioprine	Imuran
azathioprine	azathioprine
azathioprine sodium	azathioprine sodium
balsalazide disodium	Colazal
balsalazide disodium	Giazo
balsalazide disodium	balsalazide
budesonide	Entocort EC
budesonide	Ortikos
budesonide	Tarpeyo
budesonide	Uceris
budesonide	budesonide
certolizumab pegol	Cimzia
certolizumab pegol	Cimzia Powder for Reconst
certolizumab pegol	Cimzia Starter Kit
cyclosporine	Sandimmune
cyclosporine	cyclosporine
cyclosporine, modified	Gengraf
cyclosporine, modified	Neoral
cyclosporine, modified	cyclosporine modified
golimumab	Simponi
hydrocortisone acetate	Cortifoam
infliximab	Remicade
infliximab	infliximab
infliximab-abda	Renflexis

cder_mpl1p_wp075 Page 73 of 369



Generic Name	Brand Name
infliximab-axxq	Avsola
infliximab-dyyb	Inflectra
mercaptopurine	Purinethol
mercaptopurine	Purixan
mercaptopurine	mercaptopurine
mesalamine	Apriso
mesalamine	Asacol
mesalamine	Asacol HD
mesalamine	Canasa
mesalamine	Delzicol
mesalamine	Lialda
mesalamine	Pentasa
mesalamine	Rowasa
mesalamine	mesalamine
mesalamine	sfRowasa
mesalamine with cleansing wipes	Rowasa
mesalamine with cleansing wipes	mesalamine with cleansing wipe
methotrexate	Xatmep
methotrexate sodium	Methotrexate (Anti-Rheumatic)
methotrexate sodium	Rheumatrex
methotrexate sodium	Trexall
methotrexate sodium	methotrexate sodium
methotrexate sodium/PF	methotrexate sodium (PF)
methotrexate/PF	Otrexup (PF)
methotrexate/PF	Rasuvo (PF)
methotrexate/PF	RediTrex (PF)
olsalazine sodium	Dipentum
ozanimod hydrochloride	Zeposia
ozanimod hydrochloride	Zeposia Starter Kit
ozanimod hydrochloride	Zeposia Starter Pack
risankizumab-rzaa	Skyrizi
sulfasalazine	Azulfidine
sulfasalazine	Azulfidine EN-tabs
sulfasalazine	Sulfazine
sulfasalazine	sulfasalazine
tacrolimus	Astagraf XL
tacrolimus	Envarsus XR

cder_mpl1p_wp075 Page 74 of 369



Generic Name	Brand Name
tacrolimus	Hecoria
tacrolimus	Prograf
tacrolimus	tacrolimus
tofacitinib citrate	Xeljanz
tofacitinib citrate	Xeljanz XR
upadacitinib	Rinvoq
ustekinumab	Stelara
vedolizumab	Entyvio
	Sulfonylureas
chlorpropamide	Diabinese
chlorpropamide	chlorpropamide
glimepiride	Amaryl
glimepiride	glimepiride
glipizide	Glucotrol
glipizide	Glucotrol XL
glipizide	glipizide
glipizide/metformin HCl	Metaglip
glipizide/metformin HCl	glipizide-metformin
glyburide	Diabeta
glyburide	Micronase
glyburide	glyburide
glyburide,micronized	Glycron
glyburide,micronized	Glynase
glyburide,micronized	glyburide micronized
glyburide/metformin HCl	Glucovance
glyburide/metformin HCl	glyburide-metformin
pioglitazone HCI/glimepiride	DUETACT
pioglitazone HCI/glimepiride	pioglitazone-glimepiride
rosiglitazone maleate/glimepiride	Avandaryl
tolazamide	tolazamide
tolbutamide	tolbutamide
	DPP-4 Inhibitors
alogliptin benzoate	Nesina
alogliptin benzoate	alogliptin
alogliptin benzoate/pioglitazone HCl	Oseni
alogliptin benzoate/pioglitazone HCl	alogliptin-pioglitazone
linagliptin	Tradjenta

cder_mpl1p_wp075 Page 75 of 369



Generic Name	Brand Name
saxagliptin HCl	Onglyza
sitagliptin phosphate	Januvia
sitagliptin phosphate/simvastatin	Juvisync

cder_mpl1p_wp075 Page 76 of 369



Code	Code Category	Code Type	Description
			Type 1 Diabetes
E10	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus
E10.1	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with ketoacidosis
E10.10	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with ketoacidosis without coma
E10.11	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with ketoacidosis with coma
E10.2	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with kidney complications
E10.21	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic nephropathy
E10.22	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic chronic kidney disease
E10.29	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic kidney complication
E10.3	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with ophthalmic complications
E10.31	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with unspecified diabetic retinopathy
E10.311	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema
			Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular
E10.319	Diagnosis	ICD-10-CM	edema
E10.32	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with
E10.321	Diagnosis	ICD-10-CM	macular edema
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with
E10.3211	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with
E10.3212	Diagnosis	ICD-10-CM	macular edema, left eye
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with
E10.3213	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with
E10.3219	Diagnosis	ICD-10-CM	macular edema, unspecified eye
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E10.329	Diagnosis	ICD-10-CM	macular edema
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E10.3291	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E10.3292	Diagnosis	ICD-10-CM	macular edema, left eye
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E10.3293	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without
E10.3299	Diagnosis	ICD-10-CM	macular edema, unspecified eye
E10.33	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E10.331	Diagnosis	ICD-10-CM	macular edema
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E10.3311	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E10.3312	Diagnosis	ICD-10-CM	macular edema, left eye

cder_mpl1p_wp075 Page 77 of 369



Code	Code Category	Code Type	Description
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E10.3313	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with
E10.3319	Diagnosis	ICD-10-CM	macular edema, unspecified eye
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy
E10.339	Diagnosis	ICD-10-CM	without macular edema
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy
E10.3391	Diagnosis	ICD-10-CM	without macular edema, right eye
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy
E10.3392	Diagnosis	ICD-10-CM	without macular edema, left eye
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy
E10.3393	Diagnosis	ICD-10-CM	without macular edema, bilateral
			Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy
E10.3399	Diagnosis	ICD-10-CM	without macular edema, unspecified eye
E10.34	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy
			Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E10.341	Diagnosis	ICD-10-CM	macular edema
			Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E10.3411	Diagnosis	ICD-10-CM	macular edema, right eye
			Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E10.3412	Diagnosis	ICD-10-CM	macular edema, left eye
			Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E10.3413	Diagnosis	ICD-10-CM	macular edema, bilateral
			Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with
E10.3419	Diagnosis	ICD-10-CM	macular edema, unspecified eye
			Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E10.349	Diagnosis	ICD-10-CM	macular edema
	<u>.</u>	100 40 014	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E10.3491	Diagnosis	ICD-10-CM	macular edema, right eye
E40 2402	.	100 40 604	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E10.3492	Diagnosis	ICD-10-CM	macular edema, left eye
E10 2402	Diamania	ICD 10 CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E10.3493	Diagnosis	ICD-10-CM	macular edema, bilateral
E10 2400	Diamania	ICD 10 CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without
E10.3499	Diagnosis	ICD-10-CM	macular edema, unspecified eye
E10.35	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema
E10.351	Diagnosis	ICD-10-CM	• • • • • • • • • • • • • • • • • • • •
E10 2E11	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E10.3511	Diagnosis	ICD-TO-CIAI	right eye Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E10 2E12	Diagnosis	ICD-10 CM	left eye
E10.3512	Diagnosis	ICD-10-CM	ieit eye

cder_mpl1p_wp075 Page 78 of 369



Code	Code Category	Code Type	Description
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E10.3513	Diagnosis	ICD-10-CM	bilateral
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema,
E10.3519	Diagnosis	ICD-10-CM	unspecified eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.352	Diagnosis	ICD-10-CM	detachment involving the macula
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3521	Diagnosis	ICD-10-CM	detachment involving the macula, right eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3522	Diagnosis	ICD-10-CM	detachment involving the macula, left eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3523	Diagnosis	ICD-10-CM	detachment involving the macula, bilateral
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3529	Diagnosis	ICD-10-CM	detachment involving the macula, unspecified eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.353	Diagnosis	ICD-10-CM	detachment not involving the macula
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3531	Diagnosis	ICD-10-CM	detachment not involving the macula, right eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3532	Diagnosis	ICD-10-CM	detachment not involving the macula, left eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3533	Diagnosis	ICD-10-CM	detachment not involving the macula, bilateral
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal
E10.3539	Diagnosis	ICD-10-CM	detachment not involving the macula, unspecified eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined
E10.354	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined
E10.3541	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, right eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined
E10.3542	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, left eye
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined
E10.3543	Diagnosis	ICD-10-CM	traction retinal detachment and rhegmatogenous retinal detachment, bilateral
			Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined
			traction retinal detachment and rhegmatogenous retinal detachment, unspecified
E10.3549	Diagnosis	ICD-10-CM	eye
E10.355	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy
E10.3551	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E10.3552	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E10.3553	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
			Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified
E10.3559	Diagnosis	ICD-10-CM	eye

cder_mpl1p_wp075 Page 79 of 369



Code	Code Category	Code Type	Description
Couc	couc category	couc Type	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular
E10.359	Diagnosis	ICD-10-CM	edema
L10.555	Diagnosis	ICD 10 CIVI	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular
E10.3591	Diagnosis	ICD-10-CM	edema, right eye
210.5551	2106110313	100 10 0.11	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular
E10.3592	Diagnosis	ICD-10-CM	edema, left eye
210.0002	2106110313	100 10 011	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular
E10.3593	Diagnosis	ICD-10-CM	edema, bilateral
	2100010	.02 20 0	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular
E10.3599	Diagnosis	ICD-10-CM	edema, unspecified eye
E10.36	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic cataract
E10.37	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment
			Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X1	Diagnosis	ICD-10-CM	right eye
	Ü		Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X2	Diagnosis	ICD-10-CM	left eye
	J		Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X3	Diagnosis	ICD-10-CM	bilateral
	J		Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X9	Diagnosis	ICD-10-CM	unspecified eye
E10.39	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic ophthalmic complication
E10.4	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with neurological complications
E10.40	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic neuropathy, unspecified
E10.41	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic mononeuropathy
E10.42	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic polyneuropathy
E10.43	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy
E10.44	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic amyotrophy
E10.49	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic neurological complication
E10.5	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with circulatory complications
E10.51	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E10.52	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E10.59	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other circulatory complications
E10.6	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other specified complications
E10.61	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic arthropathy
E10.610	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic neuropathic arthropathy
E10.618	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic arthropathy
E10.62	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with skin complications
E10.620	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic dermatitis
E10.621	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with foot ulcer
E10.622	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other skin ulcer
E10.628	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other skin complications
E10.63	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with oral complications

cder_mpl1p_wp075 Page 80 of 369



Code	Code Category	Code Type	Description
E10.630	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with periodontal disease
E10.638	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other oral complications
E10.64	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hypoglycemia
E10.641	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hypoglycemia with coma
E10.649	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hypoglycemia without coma
E10.65	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hyperglycemia
E10.69	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other specified complication
E10.8	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with unspecified complications
E10.9	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus without complications
024.0	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in pregnancy, childbirth and the puerperium
024.01	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in pregnancy
024.011	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester
024.012	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester
024.013	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester
024.019	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester
024.02	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in childbirth
024.03	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in the puerperium
			Diabetes mellitus without mention of complication, type I [juvenile type], not stated
250.01	Diagnosis	ICD-9-CM	as uncontrolled
			Diabetes mellitus without mention of complication, type I [juvenile type],
250.03	Diagnosis	ICD-9-CM	uncontrolled
250.11	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type I [juvenile type], not stated as uncontrolled
250.13	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type I [juvenile type], uncontrolled
250.21	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type I [juvenile type], not stated as uncontrolled
250.23	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type I [juvenile type], uncontrolled
250.31	Diagnosis	ICD-9-CM	Diabetes with other coma, type I [juvenile type], not stated as uncontrolled
250.33	Diagnosis	ICD-9-CM	Diabetes with other coma, type I [juvenile type], uncontrolled
250.41	Diagnosis	ICD-9-CM	Diabetes with renal manifestations, type I [juvenile type], not stated as uncontrolled
250.43	Diagnosis	ICD-9-CM	Diabetes with renal manifestations, type I [juvenile type], uncontrolled
			Diabetes with ophthalmic manifestations, type I [juvenile type], not stated as
250.51	Diagnosis	ICD-9-CM	uncontrolled
250.53	Diagnosis	ICD-9-CM	Diabetes with ophthalmic manifestations, type I [juvenile type], uncontrolled
			Diabetes with neurological manifestations, type I [juvenile type], not stated as
250.61	Diagnosis	ICD-9-CM	uncontrolled
250.63	Diagnosis	ICD-9-CM	Diabetes with neurological manifestations, type I [juvenile type], uncontrolled
			Diabetes with peripheral circulatory disorders, type I [juvenile type], not stated as
250.71	Diagnosis	ICD-9-CM	uncontrolled
250.73	Diagnosis	ICD-9-CM	Diabetes with peripheral circulatory disorders, type I [juvenile type], uncontrolled
			Diabetes with other specified manifestations, type I [juvenile type], not stated as
250.81	Diagnosis	ICD-9-CM	uncontrolled
250.83	Diagnosis	ICD-9-CM	Diabetes with other specified manifestations, type I [juvenile type], uncontrolled

cder_mpl1p_wp075 Page 81 of 369



			•			
Code	Code Category	Code Type	Description			
			Diabetes with unspecified complication, type I [juvenile type], not stated as			
250.91	Diagnosis	ICD-9-CM	uncontrolled			
250.93	Diagnosis	ICD-9-CM	Diabetes with unspecified complication, type I [juvenile type], uncontrolled			
	Inflammatory Bowel Disease					
556	Diagnosis	ICD-9-CM	Crohn's disease of small intestine without complications			
556.1	Diagnosis	ICD-9-CM	Crohn's disease of large intestine without complications			
556.2	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine without complications			
556.3	Diagnosis	ICD-9-CM	Crohn's disease, unspecified, without complications			
556.4	Diagnosis	ICD-9-CM	Other ulcerative colitis without complications			
556.5	Diagnosis	ICD-9-CM	Ulcerative (chronic) proctitis without complications			
556.6	Diagnosis	ICD-9-CM	Ulcerative (chronic) rectosigmoiditis without complications			
556.8	Diagnosis	ICD-9-CM	Inflammatory polyps of colon without complications			
556.9	Diagnosis	ICD-9-CM	Left sided colitis without complications			
556	Diagnosis	ICD-9-CM	Ulcerative (chronic) pancolitis without complications			
K51	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified, without complications			
K51.0	Diagnosis	ICD-10-CM	Regional enteritis of small intestine			
K51.00	Diagnosis	ICD-10-CM	Regional enteritis of large intestine			
K51.01	Diagnosis	ICD-10-CM	Regional enteritis of small intestine with large intestine			
K51.011	Diagnosis	ICD-10-CM	Regional enteritis of unspecified site			
K51.012	Diagnosis	ICD-10-CM	Ulcerative (chronic) enterocolitis			
K51.013	Diagnosis	ICD-10-CM	Ulcerative (chronic) ileocolitis			
K51.014	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis			
K51.018	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctosigmoiditis			
K51.019	Diagnosis	ICD-10-CM	Pseudopolyposis of colon			
K51.2	Diagnosis	ICD-10-CM	Left sided ulcerative (chronic) colitis			
K51.20	Diagnosis	ICD-10-CM	Universal ulcerative (chronic) colitis			
K51.21	Diagnosis	ICD-10-CM	Other ulcerative colitis			
K51.211	Diagnosis	ICD-10-CM	Unspecified ulcerative colitis			
K51.212	Diagnosis	ICD-10-CM	Toxic megacolon			
K51.213	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with other complication			
K51.214	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with unspecified complications			
K51.218	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with rectal bleeding			
K51.219	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with intestinal obstruction			
K51.3	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with fistula			
K51.30	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with abscess			
K51.31	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with other complication			
K51.311	Diagnosis	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with unspecified complications			
K51.312	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with rectal bleeding			
K51.313	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with intestinal obstruction			
K51.314	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with fistula			
K51.318	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with abscess			
K51.319	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with other complication			
		, 	1 La.			

cder_mpl1p_wp075 Page 82 of 369



-Aposarc		timo ricques	•
Code	Code Category	Code Type	Description
K51.4	Diagnosis	ICD-10-CM	Inflammatory polyps of colon with unspecified complications
K51.40	Diagnosis	ICD-10-CM	Left sided colitis with rectal bleeding
K51.41	Diagnosis	ICD-10-CM	Left sided colitis with intestinal obstruction
K51.411	Diagnosis	ICD-10-CM	Left sided colitis with fistula
K51.412	Diagnosis	ICD-10-CM	Left sided colitis with abscess
K51.413	Diagnosis	ICD-10-CM	Left sided colitis with other complication
K51.414	Diagnosis	ICD-10-CM	Left sided colitis with unspecified complications
K51.418	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with rectal bleeding
K51.419	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with intestinal obstruction
K51.5	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with fistula
K51.50	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with abscess
K51.51	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with other complication
K51.511	Diagnosis	ICD-10-CM	Ulcerative (chronic) pancolitis with unspecified complications
K51.512	Diagnosis	ICD-10-CM	Other ulcerative colitis with rectal bleeding
K51.513	Diagnosis	ICD-10-CM	Other ulcerative colitis with intestinal obstruction
K51.514	Diagnosis	ICD-10-CM	Other ulcerative colitis with fistula
K51.518	Diagnosis	ICD-10-CM	Other ulcerative colitis with abscess
K51.519	Diagnosis	ICD-10-CM	Other ulcerative colitis with other complication
K51.8	Diagnosis	ICD-10-CM	Other ulcerative colitis with unspecified complications
K51.80	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with rectal bleeding
K51.81	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with intestinal obstruction
K51.811	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with fistula
K51.812	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with abscess
K51.813	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with other complication
K51.814	Diagnosis	ICD-10-CM	Ulcerative colitis, unspecified with unspecified complications
K51.818	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with rectal bleeding
K51.819	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with intestinal obstruction
K51.9	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with fistula
K51.90	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with abscess
K51.91	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with other complication
K51.911	Diagnosis	ICD-10-CM	Crohn's disease of small intestine with unspecified complications
K51.912	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with rectal bleeding
K51.913	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with intestinal obstruction
K51.914	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with fistula
K51.918	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with abscess
K51.919	Diagnosis	ICD-10-CM	Crohn's disease of large intestine with other complication
555	Diagnosis	ICD-9-CM	Crohn's disease of large intestine with unspecified complications
555	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine with rectal bleeding
555.1	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine with intestinal obstruction
555.2	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine with fistula
555.9	Diagnosis	ICD-9-CM	Crohn's disease of both small and large intestine with abscess
K50.00	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with other complication
	-		·

cder_mpl1p_wp075 Page 83 of 369



Exposure		una neques	
Code	Code Category	Code Type	Description
K50.011	Diagnosis	ICD-10-CM	Crohn's disease of both small and large intestine with unspecified complications
K50.012	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with rectal bleeding
K50.013	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with intestinal obstruction
K50.014	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with fistula
K50.018	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with abscess
K50.019	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with other complication
K50.10	Diagnosis	ICD-10-CM	Crohn's disease, unspecified, with unspecified complications
K50.111	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with rectal bleeding
K50.112	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with intestinal obstruction
K50.113	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with fistula
K50.114	Diagnosis	ICD-10-CM	Ulcerative (chronic) proctitis with abscess
K50.118	Diagnosis	ICD-10-CM	Other and unspecified noninfective gastroenteritis and colitis
K50.119	Diagnosis	ICD-10-CM	Gastroenteritis and colitis due to radiation
K50.80	Diagnosis	ICD-10-CM	Toxic gastroenteritis and colitis
K50.811	Diagnosis	ICD-10-CM	Allergic and dietetic gastroenteritis and colitis
K50.812	Diagnosis	ICD-10-CM	Food protein-induced enterocolitis syndrome
K50.813	Diagnosis	ICD-10-CM	Food protein-induced enteropathy
K50.814	Diagnosis	ICD-10-CM	Other allergic and dietetic gastroenteritis and colitis
K50.818	Diagnosis	ICD-10-CM	Indeterminate colitis
K50.819	Diagnosis	ICD-10-CM	Other specified noninfective gastroenteritis and colitis
K50.90	Diagnosis	ICD-10-CM	Eosinophilic gastritis or gastroenteritis
K50.911	Diagnosis	ICD-10-CM	Eosinophilic colitis
K50.912	Diagnosis	ICD-10-CM	Microscopic colitis
K50.913	Diagnosis	ICD-10-CM	Collagenous colitis
K50.914	Diagnosis	ICD-10-CM	Lymphocytic colitis
K50.918	Diagnosis	ICD-10-CM	Other microscopic colitis
K50.919	Diagnosis	ICD-10-CM	Microscopic colitis, unspecified
558.9	Diagnosis	ICD-9-CM	Other specified noninfective gastroenteritis and colitis
K52.3	Diagnosis	ICD-10-CM	Noninfective gastroenteritis and colitis, unspecified
			Inflammatory Bowel Disease Treatment
80158	Procedure	CPT-4	Cyclosporine
80204	Procedure	CPT-4	Methotrexate
J7500	Procedure	HCPCS	Azathioprine, oral, 50 mg
J7501	Procedure	HCPCS	Azathioprine, parenteral, 100 mg
J7502	Procedure	HCPCS	Cyclosporine, oral, 100 mg
J7515	Procedure	HCPCS	Cyclosporine, oral, 25 mg
J7516	Procedure	HCPCS	Cyclosporine, parenteral, 250 mg
J8610	Procedure	HCPCS	Methotrexate, oral, 2.5 mg
J9250	Procedure	HCPCS	Methotrexate sodium, 5 mg
J9260	Procedure	HCPCS	Methotrexate sodium, 50 mg
S0108	Procedure	HCPCS	Mercaptopurine, oral, 50 mg
80280	Procedure	CPT-4	Vedolizumab

cder_mpl1p_wp075 Page 84 of 369



Code	Code Category	-	Description
C9026	Procedure	HCPCS	Injection, vedolizumab, 1 mg
J2323	Procedure	HCPCS	Injection, vedolizamab, 1 mg
J3380	Procedure	HCPCS	Injection, ratalizumab, 1 mg
Q4079	Procedure	HCPCS	Injection, vedolizarnab, 1 mg
80145	Procedure	CPT-4	Adalimumab
80230	Procedure	CPT-4	Infliximab
C9249	Procedure	HCPCS	Injection, certolizumab pegol, 1 mg
J0135	Procedure	HCPCS	Injection, deliminab pegol, 1 mg Injection, adaliminab, 20 mg
10122	Procedure	псесз	Injection, additionably 20 mg Injection, certolizumab pegol, 1 mg (code may be used for Medicare when drug
			administered under the direct supervision of a physician, not for use when drug is
J0717	Procedure	HCPCS	self-administered)
J0717 J0718	Procedure	HCPCS	Injection, certolizumab pegol, 1 mg
J1602	Procedure	HCPCS	Injection, golimumab, 1 mg, for intravenous use
J1745	Procedure	HCPCS	Injection, infliximab, excludes biosimilar, 10 mg
Q5102	Procedure	HCPCS	Injection, infliximab, biosimilar, 10 mg
Q5102 Q5103	Procedure	HCPCS	Injection, infliximab, biosimilar, 10 mg
Q5103 Q5104	Procedure	HCPCS	Injection, infliximab-dyyb, biosimilar, (infectial, 10 mg
Q5104 Q5109	Procedure	HCPCS	Injection, infliximab-abda, biosimilar, (kermexis), 10 mg
Q5103 Q5121	Procedure	HCPCS	Injection, infliximab-axxq, biosimilar, (AVSOLA), 10 mg
QJIZI	riocedure	TICFCS	Home infusion therapy, antitumor necrosis factor intravenous therapy; (e.g.,
			Infliximab); administrative services, professional pharmacy services, care
			coordination, and all necessary supplies and equipment (drugs and nursing visits
S9359	Procedure	HCPCS	coded separately), per diem
C9261	Procedure	HCPCS	Injection, ustekinumab, 1 mg
C9487	Procedure	HCPCS	Ustekinumab, for intravenous injection, 1 mg
J2327	Procedure	HCPCS	Injection, risankizumab-rzaa, intravenous, 1 mg
J3357	Procedure	HCPCS	Ustekinumab, for subcutaneous injection, 1 mg
J3358	Procedure	HCPCS	Ustekinumab, for intravenous injection, 1 mg
Q9989	Procedure	HCPCS	Ustekinumab, for intravenous injection, 1 mg
80197	Procedure	CPT-4	Tacrolimus
J7503	Procedure	HCPCS	Tacrolimus, extended release, (Envarsus XR), oral, 0.25 mg
J7507	Procedure	HCPCS	Tacrolimus, immediate release, oral, 1 mg
J7508	Procedure	HCPCS	Tacrolimus, extended release, (Astagraf XL), oral, 0.1 mg
J7525	Procedure	HCPCS	Tacrolimus, parenteral, 5 mg
			Diverticulitis or Colitis
558	Diagnosis	ICD-9-CM	Other noninfectious gastroenteritis and colitis
8.45	Diagnosis	ICD-9-CM	Intestinal infections due to clostridium difficile
556.5	Diagnosis	ICD-9-CM	Left sided ulcerative (chronic) colitis
556.6	Diagnosis	ICD-9-CM	Universal ulcerative (chronic) colitis
556.8	Diagnosis	ICD-9-CM	Other ulcerative colitis
556.9	Diagnosis	ICD-9-CM	Unspecified ulcerative colitis
557	Diagnosis	ICD-9-CM	Acute vascular insufficiency of intestine

cder_mpl1p_wp075 Page 85 of 369



	Code Category		
Code	Code Category		Description Chronic vascular insufficiency of intesting
557.1 557.9	Diagnosis Diagnosis	ICD-9-CM ICD-9-CM	Chronic vascular insufficiency of intestine Unspecified vascular insufficiency of intestine
		ICD-9-CM	
558.4	Diagnosis		Eosinophilic gastroenteritis and colitis Other and unspecified peninfectious gastroenteritis and colitis
558.9	Diagnosis	ICD-9-CM ICD-9-CM	Other and unspecified noninfectious gastroenteritis and colitis
535.7	Diagnosis		Eosinophilic gastritis without mention of hemorrhage
535.71	Diagnosis	ICD-9-CM	Eosinophilic gastritis with hemorrhage
558.41	Diagnosis	ICD-9-CM	Eosinophilic gastroenteritis
558.42	Diagnosis	ICD-9-CM	Eosinophilic colitis
562.01	Diagnosis	ICD-9-CM	Diverticulitis of small intestine (without mention of hemorrhage)
562.03	Diagnosis	ICD-9-CM	Diverticulities of scalar (without mostion of homograpas)
562.11	Diagnosis	ICD-9-CM	Diverticulities of colon (without mention of hemorrhage)
562.13	Diagnosis	ICD-9-CM	Diverticulitis of colon with hemorrhage
8.45	Diagnosis	ICD-9-CM	Intestinal infections due to clostridium difficile
535.7	Diagnosis	ICD-9-CM	Eosinophilic gastritis without mention of hemorrhage
535.71	Diagnosis	ICD-9-CM	Eosinophilic gastritis with hemorrhage
557	Diagnosis	ICD-9-CM	Acute vascular insufficiency of intestine
557.1	Diagnosis	ICD-9-CM	Chronic vascular insufficiency of intestine
557.9 562	Diagnosis	ICD-9-CM	Unspecified vascular insufficiency of intestine
562	Diagnosis	ICD-9-CM	Diverticula of small intestine
562.01	Diagnosis	ICD-9-CM	Diverticulitis of small intestine (without mention of hemorrhage)
562.02	Diagnosis	ICD-9-CM	Diverticulosis of small intestine with hemorrhage
562.03	Diagnosis	ICD-9-CM	Diverticulitis of small intestine with hemorrhage
562.1	Diagnosis	ICD-9-CM	Diverticulosis of colon (without mention of hemorrhage)
562.11	Diagnosis	ICD-9-CM	Diverticulitis of colon (without mention of hemorrhage)
562.12	Diagnosis	ICD-9-CM	Diverticulosis of colon with hemorrhage
562.13	Diagnosis	ICD-9-CM	Diverticulitis of colon with hemorrhage
A04.7	Diagnosis	ICD-10-CM	Enterocolitis due to Clostridium difficile
A04.71	Diagnosis	ICD-10-CM	Enterocolitis due to Clostridium difficile, recurrent
A04.72	Diagnosis	ICD-10-CM	Enterocolitis due to Clostridium difficile, not specified as recurrent
K52.3	Diagnosis	ICD-10-CM	Indeterminate colitis
K52.8	Diagnosis	ICD-10-CM	Other specified noninfective gastroenteritis and colitis
K52.81	Diagnosis	ICD-10-CM	Eosinophilic gastritis or gastroenteritis
K52.82	Diagnosis	ICD-10-CM	Eosinophilic colitis
K52.83	Diagnosis	ICD-10-CM	Microscopic colitis
K52.831	Diagnosis	ICD-10-CM	Collagenous colitis
K52.832	Diagnosis	ICD-10-CM	Lymphocytic colitis
K52.838	Diagnosis	ICD-10-CM	Other microscopic colitis
K52.839	Diagnosis	ICD-10-CM	Microscopic colitis, unspecified
K52.89	Diagnosis	ICD-10-CM	Other specified noninfective gastroenteritis and colitis
K52.9	Diagnosis	ICD-10-CM	Noninfective gastroenteritis and colitis, unspecified
K57.0	Diagnosis	ICD-10-CM	Diverticulitis of small intestine with perforation and abscess
K57.00	Diagnosis	ICD-10-CM	Diverticulitis of small intestine with perforation and abscess without bleeding

cder_mpl1p_wp075 Page 86 of 369



Code Category	Code Type	Description
Diagnosis	ICD-10-CM	Diverticulitis of small intestine with perforation and abscess with bleeding
Diagnosis	ICD-10-CM	Diverticulitis of small intestine without perforation or abscess without bleeding
Diagnosis	ICD-10-CM	Diverticulitis of small intestine without perforation or abscess with bleeding
Diagnosis	ICD-10-CM	Diverticulitis of large intestine with perforation and abscess
Diagnosis	ICD-10-CM	Diverticulitis of large intestine with perforation and abscess without bleeding
Diagnosis	ICD-10-CM	Diverticulitis of large intestine with perforation and abscess with bleeding
Diagnosis	ICD-10-CM	Diverticulitis of large intestine without perforation or abscess without bleeding
Diagnosis	ICD-10-CM	Diverticulitis of large intestine without perforation or abscess with bleeding
Diagnosis	ICD-10-CM	Diverticulitis of both small and large intestine with perforation and abscess
		Diverticulitis of both small and large intestine with perforation and abscess without
Diagnosis	ICD-10-CM	bleeding
		Diverticulitis of both small and large intestine with perforation and abscess with
Diagnosis	ICD-10-CM	bleeding
		Diverticulitis of both small and large intestine without perforation or abscess
Diagnosis	ICD-10-CM	without bleeding
		Diverticulitis of both small and large intestine without perforation or abscess with
Diagnosis	ICD-10-CM	bleeding
Diagnosis	ICD-10-CM	Diverticulitis of intestine, part unspecified, with perforation and abscess
		Diverticulitis of intestine, part unspecified, with perforation and abscess without
Diagnosis	ICD-10-CM	bleeding
		Diverticulitis of intestine, part unspecified, with perforation and abscess with
Diagnosis	ICD-10-CM	bleeding
		Diverticulitis of intestine, part unspecified, without perforation or abscess without
Diagnosis	ICD-10-CM	bleeding
		Diverticulitis of intestine, part unspecified, without perforation or abscess with
Diagnosis	ICD-10-CM	bleeding
		Colectomy Colostomy Ileostomy
Procedure	ICD-9-PCS	Laparoscopic multiple segmental resection of large intestine
Procedure	ICD-9-PCS	Laparoscopic right hemicolectomy
Procedure	ICD-9-PCS	Laparoscopic left hemicolectomy
Procedure	ICD-9-PCS	Other laparoscopic partial excision of large intestine
Procedure	ICD-9-PCS	Other intrathoracic esophagocolostomy
Procedure	ICD-9-PCS	Other antesternal esophagocolostomy
Procedure	ICD-9-PCS	Other incision of small intestine
Procedure	ICD-9-PCS	Incision of large intestine
Procedure	ICD-9-PCS	Transabdominal endoscopy of small intestine
		Find a construction of small intensition the country of the later of
Procedure	ICD-9-PCS	Endoscopy of small intestine through artificial stoma
Procedure Procedure	ICD-9-PCS ICD-9-PCS	Closed [endoscopic] biopsy of small intestine
		-
Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of small intestine
Procedure Procedure	ICD-9-PCS ICD-9-PCS	Closed [endoscopic] biopsy of small intestine Open biopsy of small intestine
	Diagnosis	Diagnosis ICD-10-CM Procedure ICD-9-PCS

cder_mpl1p_wp075 Page 87 of 369



Code	Code Category	Code Type	Description
45.22	Procedure	ICD-9-PCS	Endoscopy of large intestine through artificial stoma
45.25	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of large intestine
45.26	Procedure	ICD-9-PCS	Open biopsy of large intestine
45.27	Procedure	ICD-9-PCS	Intestinal biopsy, site unspecified
45.28	Procedure	ICD-9-PCS	Other diagnostic procedures on large intestine
45.29	Procedure	ICD-9-PCS	Other diagnostic procedures on intestine, site unspecified
45.3	Procedure	ICD-9-PCS	Endoscopic excision or destruction of lesion of duodenum
45.31	Procedure	ICD-9-PCS	Other local excision of lesion of duodenum
45.32	Procedure	ICD-9-PCS	Other destruction of lesion of duodenum
45.33	Procedure	ICD-9-PCS	Local excision of lesion or tissue of small intestine, except duodenum
45.34	Procedure	ICD-9-PCS	Other destruction of lesion of small intestine, except duodenum
45.4	Procedure	ICD-9-PCS	Local excision or destruction of lesion or tissue of large intestine
45.41	Procedure	ICD-9-PCS	Excision of lesion or tissue of large intestine
45.42	Procedure	ICD-9-PCS	Endoscopic polypectomy of large intestine
45.43	Procedure	ICD-9-PCS	Endoscopic destruction of other lesion or tissue of large intestine
45.49	Procedure	ICD-9-PCS	Other destruction of lesion of large intestine
45.5	Procedure	ICD-9-PCS	Isolation of intestinal segment
45.51	Procedure	ICD-9-PCS	Isolation of segment of small intestine
45.52	Procedure	ICD-9-PCS	Isolation of segment of large intestine
45.6	Procedure	ICD-9-PCS	Other excision of small intestine
45.61	Procedure	ICD-9-PCS	Multiple segmental resection of small intestine
45.62	Procedure	ICD-9-PCS	Other partial resection of small intestine
45.63	Procedure	ICD-9-PCS	Total removal of small intestine
45.7	Procedure	ICD-9-PCS	Open and other partial excision of large intestine
45.71	Procedure	ICD-9-PCS	Open and other multiple segmental resection of large intestine
45.72	Procedure	ICD-9-PCS	Open and other cecectomy
45.73	Procedure	ICD-9-PCS	Open and other right hemicolectomy
45.74	Procedure	ICD-9-PCS	Open and other resection of transverse colon
45.75	Procedure	ICD-9-PCS	Open and other left hemicolectomy
45.76	Procedure	ICD-9-PCS	Open and other sigmoidectomy
45.79	Procedure	ICD-9-PCS	Other and unspecified partial excision of large intestine
45.81	Procedure	ICD-9-PCS	Laparoscopic total intra-abdominal colectomy
45.82	Procedure	ICD-9-PCS	Open total intra-abdominal colectomy
45.83	Procedure	ICD-9-PCS	Other and unspecified total intra-abdominal colectomy
45.9	Procedure	ICD-9-PCS	Intestinal anastomosis
45.91	Procedure	ICD-9-PCS	Small-to-small intestinal anastomosis
45.92	Procedure	ICD-9-PCS	Anastomosis of small intestine to rectal stump
45.93	Procedure	ICD-9-PCS	Other small-to-large intestinal anastomosis
45.94	Procedure	ICD-9-PCS	Large-to-large intestinal anastomosis
45.95	Procedure	ICD-9-PCS	Anastomosis to anus
46.02	Procedure	ICD-9-PCS	Resection of exteriorized segment of small intestine
46.03	Procedure	ICD-9-PCS	Exteriorization of large intestine

cder_mpl1p_wp075 Page 88 of 369



=::pooure		time requee	
Code	Code Category		Description
46.04	Procedure	ICD-9-PCS	Resection of exteriorized segment of large intestine
46.1	Procedure	ICD-9-PCS	Colostomy, not otherwise specified
46.11	Procedure	ICD-9-PCS	Temporary colostomy
46.13	Procedure	ICD-9-PCS	Permanent colostomy
46.14	Procedure	ICD-9-PCS	Delayed opening of colostomy
46.2	Procedure	ICD-9-PCS	lleostomy
46.21	Procedure	ICD-9-PCS	Temporary ileostomy
46.22	Procedure	ICD-9-PCS	Continent ileostomy
46.23	Procedure	ICD-9-PCS	Other permanent ileostomy
46.24	Procedure	ICD-9-PCS	Delayed opening of ileostomy
46.42	Procedure	ICD-9-PCS	Repair of pericolostomy hernia
48.21	Procedure	ICD-9-PCS	Transabdominal proctosigmoidoscopy
48.22	Procedure	ICD-9-PCS	Proctosigmoidoscopy through artificial stoma
48.23	Procedure	ICD-9-PCS	Rigid proctosigmoidoscopy
48.29	Procedure	ICD-9-PCS	Other diagnostic procedures on rectum, rectosigmoid, and perirectal tissue
48.5	Procedure	ICD-9-PCS	Abdominoperineal resection of the rectum, not otherwise specified
48.51	Procedure	ICD-9-PCS	Laparoscopic abdominoperineal resection of the rectum
48.52	Procedure	ICD-9-PCS	Open abdominoperineal resection of the rectum
48.59	Procedure	ICD-9-PCS	Other abdominoperineal resection of the rectum
48.61	Procedure	ICD-9-PCS	Transsacral rectosigmoidectomy
48.62	Procedure	ICD-9-PCS	Anterior resection of rectum with synchronous colostomy
49.21	Procedure	ICD-9-PCS	Anoscopy
49.29	Procedure	ICD-9-PCS	Other diagnostic procedures on anus and perianal tissue
51.36	Procedure	ICD-9-PCS	Choledochoenterostomy
52.51	Procedure	ICD-9-PCS	Proximal pancreatectomy
52.6	Procedure	ICD-9-PCS	Total pancreatectomy
52.7	Procedure	ICD-9-PCS	Radical pancreaticoduodenectomy
54.91	Procedure	ICD-9-PCS	Percutaneous abdominal drainage
56.5	Procedure	ICD-9-PCS	Cutaneous uretero-ileostomy
56.51	Procedure	ICD-9-PCS	Formation of cutaneous uretero-ileostomy
56.52	Procedure	ICD-9-PCS	Revision of cutaneous uretero-ileostomy
57.87	Procedure	ICD-9-PCS	Reconstruction of urinary bladder
68.8	Procedure	ICD-9-PCS	Pelvic evisceration
96.08	Procedure	ICD-9-PCS	Insertion of (naso-) intestinal tube
			Removal of intraluminal foreign body from stomach and small intestine without
98.03	Procedure	ICD-9-PCS	incision
98.04	Procedure	ICD-9-PCS	Removal of intraluminal foreign body from large intestine without incision
98.18	Procedure	ICD-9-PCS	Removal of intraluminal foreign body from artificial stoma without incision
			Gastric restrictive procedure with partial gastrectomy, pylorus-preserving
			duodenoileostomy and ileoileostomy (50 to 100 cm common channel) to limit
43845	Procedure	CPT-4	absorption (biliopancreatic diversion with duodenal switch)
44136	Procedure	CPT-4	Intestinal allotransplantation; from living donor
			·

cder_mpl1p_wp075 Page 89 of 369



Code	Code Category	•	Description
			Mobilization (take-down) of splenic flexure performed in conjunction with partial
44139	Procedure	CPT-4	colectomy (List separately in addition to primary procedure)
44140	Procedure	CPT-4	Colectomy, partial; with anastomosis
44141	Procedure	CPT-4	Colectomy, partial; with skin level cecostomy or colostomy
			Colectomy, partial; with end colostomy and closure of distal segment (Hartmann
44143	Procedure	CPT-4	type procedure)
			Colectomy, partial; with resection, with colostomy or ileostomy and creation of
44144	Procedure	CPT-4	mucofistula
44145	Procedure	CPT-4	Colectomy, partial; with coloproctostomy (low pelvic anastomosis)
44146	Procedure	CPT-4	Colectomy, partial; with coloproctostomy (low pelvic anastomosis), with colostomy
44147	Procedure	CPT-4	Colectomy, partial; abdominal and transanal approach
			Colectomy, total, abdominal, without proctectomy; with ileostomy or
44150	Procedure	CPT-4	ileoproctostomy
44151	Procedure	CPT-4	Colectomy, total, abdominal, without proctectomy; with continent ileostomy
44155	Procedure	CPT-4	Colectomy, total, abdominal, with proctectomy; with ileostomy
44156	Procedure	CPT-4	Colectomy, total, abdominal, with proctectomy; with continent ileostomy
			Colectomy, total, abdominal, with proctectomy; with ileoanal anastomosis, includes
44157	Procedure	CPT-4	loop ileostomy, and rectal mucosectomy, when performed
			Colectomy, total, abdominal, with proctectomy; with ileoanal anastomosis, creation
			of ileal reservoir (S or J), includes loop ileostomy, and rectal mucosectomy, when
44158	Procedure	CPT-4	performed
44160	Procedure	CPT-4	Colectomy, partial, with removal of terminal ileum with ileocolostomy
44186	Procedure	CPT-4	Laparoscopy, surgical; jejunostomy (eg, for decompression or feeding)
44187	Procedure	CPT-4	Laparoscopy, surgical; ileostomy or jejunostomy, non-tube
44188	Procedure	CPT-4	Laparoscopy, surgical, colostomy or skin level cecostomy
44204	Procedure	CPT-4	Laparoscopy, surgical; colectomy, partial, with anastomosis
			Laparoscopy, surgical; colectomy, partial, with removal of terminal ileum with
44205	Procedure	CPT-4	ileocolostomy
			Laparoscopy, surgical; colectomy, partial, with end colostomy and closure of distal
44206	Procedure	CPT-4	segment (Hartmann type procedure)
			Laparoscopy, surgical; colectomy, partial, with anastomosis, with coloproctostomy
44207	Procedure	CPT-4	(low pelvic anastomosis)
			Laparoscopy, surgical; colectomy, partial, with anastomosis, with coloproctostomy
44208	Procedure	CPT-4	(low pelvic anastomosis) with colostomy
			Laparoscopy, surgical; colectomy, total, abdominal, without proctectomy, with
44210	Procedure	CPT-4	ileostomy or ileoproctostomy
			Laparoscopy, surgical; colectomy, total, abdominal, with proctectomy, with ileoanal
			anastomosis, creation of ileal reservoir (S or J), with loop ileostomy, includes rectal
44211	Procedure	CPT-4	mucosectomy, when performed
			Laparoscopy, surgical; colectomy, total, abdominal, with proctectomy, with
44212	Procedure	CPT-4	ileostomy

cder_mpl1p_wp075 Page 90 of 369



zation (take-down) of splenic flexure performed in ctomy (List separately in addition to primary procedure) on-tube (release of superficial scar) (separate procedure) cated (reconstruction in-depth) (separate procedure) ocedure) (separate procedure) tomy; tomy; with multiple biopsies (eg, for congenital
ctomy (List separately in addition to primary procedure) on-tube (release of superficial scar) (separate procedure) cated (reconstruction in-depth) (separate procedure) ocedure) (separate procedure) tomy;
on-tube (release of superficial scar) (separate procedure) cated (reconstruction in-depth) (separate procedure) ocedure) (separate procedure) tomy;
(release of superficial scar) (separate procedure) cated (reconstruction in-depth) (separate procedure) ocedure) (separate procedure) tomy;
cated (reconstruction in-depth) (separate procedure) ocedure) (separate procedure) tomy;
ocedure) (separate procedure) tomy;
tomy;
•
tomy: with multiple biopsies (eg. for congenital
lure)
e (release of superficial scar) (separate procedure)
icated (reconstruction in-depth) (separate procedure)
epair of paracolostomy hernia (separate procedure)
orrhaphy) for perforated ulcer, diverticulum, wound,
ultiple perforations); with colostomy
bined abdominoperineal, with colostomy
ctal mucosectomy, ileoanal anastomosis, creation of
without loop ileostomy
ongenital megacolon), abdominal and perineal
tal colectomy, with multiple biopsies
ectal malignancy, with proctectomy (with or without
pladder and ureteral transplantations, and/or
ny, with or without removal of tube(s), with or without
ombination thereof
with ileostomy
ctomy, complete, combined abdominoperineal, with
acral drainage for rectal injury; with colostomy
; with colostomy
la; with colostomy
creation of sigmoid bladder and establishment of
omy, including intestine anastomosis
e, for vesical, prostatic or urethral malignancy, with
ral transplantations, with or without hysterectomy
section of rectum and colon and colostomy, or any
a; abdominal approach, with concomitant colostomy
ologic malignancy, with total abdominal hysterectomy
out removal of tube(s), with or without removal of
dder and ureteral transplantations, and/or
of rectum and colon and colostomy, or any

cder_mpl1p_wp075 Page 91 of 369



	Code Cotterio	-	
Code	Code Category		Description
99505	Procedure	CPT-4	Home visit for stoma care and maintenance including colostomy and cystostomy
0D160ZB	Procedure	ICD-10-PCS	Bypass Stomach to Ileum, Open Approach
0D19079	Procedure	ICD-10-PCS	Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Open Approach
0D1907A	Procedure	ICD-10-PCS	Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Open Approach
0D1907B	Procedure	ICD-10-PCS	Bypass Duodenum to Ileum with Autologous Tissue Substitute, Open Approach
			Bypass Duodenum to Transverse Colon with Autologous Tissue Substitute, Open
0D1907L	Procedure	ICD-10-PCS	Approach
0D190J9	Procedure	ICD-10-PCS	Bypass Duodenum to Duodenum with Synthetic Substitute, Open Approach
0D190JA	Procedure	ICD-10-PCS	Bypass Duodenum to Jejunum with Synthetic Substitute, Open Approach
0D190JB	Procedure	ICD-10-PCS	Bypass Duodenum to Ileum with Synthetic Substitute, Open Approach
0D190JL	Procedure	ICD-10-PCS	Bypass Duodenum to Transverse Colon with Synthetic Substitute, Open Approach
			Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Open
0D190K9	Procedure	ICD-10-PCS	Approach
			Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Open
0D190KA	Procedure	ICD-10-PCS	Approach
0D190KB	Procedure	ICD-10-PCS	Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Open Approach
			Bypass Duodenum to Transverse Colon with Nonautologous Tissue Substitute, Open
0D190KL	Procedure	ICD-10-PCS	Approach
0D190Z9	Procedure	ICD-10-PCS	Bypass Duodenum to Duodenum, Open Approach
0D190ZA	Procedure	ICD-10-PCS	Bypass Duodenum to Jejunum, Open Approach
0D190ZB	Procedure	ICD-10-PCS	Bypass Duodenum to Ileum, Open Approach
0D190ZL	Procedure	ICD-10-PCS	Bypass Duodenum to Transverse Colon, Open Approach
			Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Percutaneous
0D19479	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Percutaneous
0D1947A	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Duodenum to Ileum with Autologous Tissue Substitute, Percutaneous
0D1947B	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Duodenum to Transverse Colon with Autologous Tissue Substitute,
0D1947L	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Duodenum to Duodenum with Synthetic Substitute, Percutaneous
0D194J9	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Duodenum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic
0D194JA	Procedure	ICD-10-PCS	Approach
			Bypass Duodenum to Ileum with Synthetic Substitute, Percutaneous Endoscopic
0D194JB	Procedure	ICD-10-PCS	Approach
			Bypass Duodenum to Transverse Colon with Synthetic Substitute, Percutaneous
0D194JL	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute,
0D194K9	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
		J	Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Percutaneous
0D194KA	Procedure	ICD-10-PCS	Endoscopic Approach
J= _J 110 (. 32 20 . 00	

cder_mpl1p_wp075 Page 92 of 369



=::p30a101			-
Code	Code Category	Code Type	Description
			Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Percutaneous
0D194KB	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Duodenum to Transverse Colon with Nonautologous Tissue Substitute,
0D194KL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0D194Z9	Procedure	ICD-10-PCS	Bypass Duodenum to Duodenum, Percutaneous Endoscopic Approach
0D194ZA	Procedure	ICD-10-PCS	Bypass Duodenum to Jejunum, Percutaneous Endoscopic Approach
0D194ZB	Procedure	ICD-10-PCS	Bypass Duodenum to Ileum, Percutaneous Endoscopic Approach
0D194ZL	Procedure	ICD-10-PCS	Bypass Duodenum to Transverse Colon, Percutaneous Endoscopic Approach
			Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Via Natural or
0D19879	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Via Natural or
0D1987A	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Duodenum to Ileum with Autologous Tissue Substitute, Via Natural or
0D1987B	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Duodenum to Transverse Colon with Autologous Tissue Substitute, Via
0D1987L	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Duodenum to Duodenum with Synthetic Substitute, Via Natural or Artificial
0D198J9	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Duodenum to Jejunum with Synthetic Substitute, Via Natural or Artificial
0D198JA	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Duodenum to Ileum with Synthetic Substitute, Via Natural or Artificial
0D198JB	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Duodenum to Transverse Colon with Synthetic Substitute, Via Natural or
0D198JL	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Via Natural
0D198K9	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Via Natural or
0D198KA	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Via Natural or
0D198KB	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Duodenum to Transverse Colon with Nonautologous Tissue Substitute, Via
0D198KL	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
0D198Z9	Procedure	ICD-10-PCS	Bypass Duodenum to Duodenum, Via Natural or Artificial Opening Endoscopic
0D198ZA	Procedure	ICD-10-PCS	Bypass Duodenum to Jejunum, Via Natural or Artificial Opening Endoscopic
0D198ZB	Procedure	ICD-10-PCS	Bypass Duodenum to Ileum, Via Natural or Artificial Opening Endoscopic
0D198ZL	Procedure	ICD-10-PCS	Bypass Duodenum to Transverse Colon, Via Natural or Artificial Opening Endoscopic
0D1A07A	Procedure	ICD-10-PCS	Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Open Approach
0D1A07B	Procedure	ICD-10-PCS	Bypass Jejunum to Ileum with Autologous Tissue Substitute, Open Approach
0D1A07H	Procedure	ICD-10-PCS	Bypass Jejunum to Cecum with Autologous Tissue Substitute, Open Approach
			Bypass Jejunum to Ascending Colon with Autologous Tissue Substitute, Open
0D1A07K	Procedure	ICD-10-PCS	Approach

cder_mpl1p_wp075 Page 93 of 369



Code	Code Category	Code Type	Description
			Bypass Jejunum to Transverse Colon with Autologous Tissue Substitute, Open
0D1A07L	Procedure	ICD-10-PCS	Approach
			Bypass Jejunum to Descending Colon with Autologous Tissue Substitute, Open
0D1A07M	Procedure	ICD-10-PCS	Approach
0D1A07N	Procedure	ICD-10-PCS	Bypass Jejunum to Sigmoid Colon with Autologous Tissue Substitute, Open Approach
0D1A07P	Procedure	ICD-10-PCS	Bypass Jejunum to Rectum with Autologous Tissue Substitute, Open Approach
0D1A07Q	Procedure	ICD-10-PCS	Bypass Jejunum to Anus with Autologous Tissue Substitute, Open Approach
OD1A0JA	Procedure	ICD-10-PCS	Bypass Jejunum to Jejunum with Synthetic Substitute, Open Approach
OD1A0JB	Procedure	ICD-10-PCS	Bypass Jejunum to Ileum with Synthetic Substitute, Open Approach
0D1A0JH	Procedure	ICD-10-PCS	Bypass Jejunum to Cecum with Synthetic Substitute, Open Approach
OD1A0JK	Procedure	ICD-10-PCS	Bypass Jejunum to Ascending Colon with Synthetic Substitute, Open Approach
0D1A0JL	Procedure	ICD-10-PCS	Bypass Jejunum to Transverse Colon with Synthetic Substitute, Open Approach
0D1A0JM	Procedure	ICD-10-PCS	Bypass Jejunum to Descending Colon with Synthetic Substitute, Open Approach
OD1A0JN	Procedure	ICD-10-PCS	Bypass Jejunum to Sigmoid Colon with Synthetic Substitute, Open Approach
OD1A0JP	Procedure	ICD-10-PCS	Bypass Jejunum to Rectum with Synthetic Substitute, Open Approach
0D1A0JQ	Procedure	ICD-10-PCS	Bypass Jejunum to Anus with Synthetic Substitute, Open Approach
OD1A0KA	Procedure	ICD-10-PCS	Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Open Approach
OD1A0KB	Procedure	ICD-10-PCS	Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Open Approach
0D1A0KH	Procedure	ICD-10-PCS	Bypass Jejunum to Cecum with Nonautologous Tissue Substitute, Open Approach
			Bypass Jejunum to Ascending Colon with Nonautologous Tissue Substitute, Open
OD1A0KK	Procedure	ICD-10-PCS	Approach
			Bypass Jejunum to Transverse Colon with Nonautologous Tissue Substitute, Open
0D1A0KL	Procedure	ICD-10-PCS	Approach
			Bypass Jejunum to Descending Colon with Nonautologous Tissue Substitute, Open
0D1A0KM	Procedure	ICD-10-PCS	Approach
			Bypass Jejunum to Sigmoid Colon with Nonautologous Tissue Substitute, Open
0D1A0KN	Procedure	ICD-10-PCS	Approach
OD1A0KP	Procedure	ICD-10-PCS	Bypass Jejunum to Rectum with Nonautologous Tissue Substitute, Open Approach
0D1A0KQ	Procedure	ICD-10-PCS	Bypass Jejunum to Anus with Nonautologous Tissue Substitute, Open Approach
0D1A0ZA	Procedure	ICD-10-PCS	Bypass Jejunum to Jejunum, Open Approach
OD1A0ZB	Procedure	ICD-10-PCS	Bypass Jejunum to Ileum, Open Approach
0D1A0ZH	Procedure	ICD-10-PCS	Bypass Jejunum to Cecum, Open Approach
OD1A0ZK	Procedure	ICD-10-PCS	Bypass Jejunum to Ascending Colon, Open Approach
0D1A0ZL	Procedure	ICD-10-PCS	Bypass Jejunum to Transverse Colon, Open Approach
0D1A0ZM	Procedure	ICD-10-PCS	Bypass Jejunum to Descending Colon, Open Approach
OD1A0ZN	Procedure	ICD-10-PCS	Bypass Jejunum to Sigmoid Colon, Open Approach
OD1A0ZP	Procedure	ICD-10-PCS	Bypass Jejunum to Rectum, Open Approach
0D1A0ZQ	Procedure	ICD-10-PCS	Bypass Jejunum to Anus, Open Approach
			Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Percutaneous
0D1A47A	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Jejunum to Ileum with Autologous Tissue Substitute, Percutaneous
0D1A47B	Procedure	ICD-10-PCS	Endoscopic Approach

cder_mpl1p_wp075 Page 94 of 369



Code	Code Category	Code Type	Description
	cour euroge.	couc Type	Bypass Jejunum to Cecum with Autologous Tissue Substitute, Percutaneous
0D1A47H	Procedure	ICD-10-PCS	Endoscopic Approach
022,		.02 20 . 00	Bypass Jejunum to Ascending Colon with Autologous Tissue Substitute,
0D1A47K	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
001/11/11	rroccaare	102 10 1 00	Bypass Jejunum to Transverse Colon with Autologous Tissue Substitute,
0D1A47L	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
001,1172	rroccaare	102 10 1 00	Bypass Jejunum to Descending Colon with Autologous Tissue Substitute,
0D1A47M	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
001/(4/10)	rroccaure	100 10 1 05	Bypass Jejunum to Sigmoid Colon with Autologous Tissue Substitute, Percutaneous
0D1A47N	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATIN	rroccaare	100 10 1 05	Bypass Jejunum to Rectum with Autologous Tissue Substitute, Percutaneous
0D1A47P	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATA	rroccaare	100 10 1 05	Bypass Jejunum to Anus with Autologous Tissue Substitute, Percutaneous
0D1A47Q	Procedure	ICD-10-PCS	Endoscopic Approach
UDIATIQ	rrocedure	ICD-10-1 C3	Bypass Jejunum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic
0D1A4JA	Procedure	ICD-10-PCS	Approach
UDIAHJA	riocedure	ICD-10-FC3	Bypass Jejunum to Ileum with Synthetic Substitute, Percutaneous Endoscopic
OD1A4JB	Procedure	ICD-10-PCS	Approach
ODIA4JD	riocedure	ICD-10-FC3	Bypass Jejunum to Cecum with Synthetic Substitute, Percutaneous Endoscopic
0D1A4JH	Procedure	ICD-10-PCS	Approach
ODIA4JII	riocedure	ICD-10-FC3	Bypass Jejunum to Ascending Colon with Synthetic Substitute, Percutaneous
0D1A4JK	Procedure	ICD-10-PCS	Endoscopic Approach
ODIA4JK	riocedure	ICD-10-FC3	Bypass Jejunum to Transverse Colon with Synthetic Substitute, Percutaneous
0D1A4JL	Procedure	ICD-10-PCS	Endoscopic Approach
ODIA-JL	rrocedure	ICD-10-1 C3	Bypass Jejunum to Descending Colon with Synthetic Substitute, Percutaneous
0D1A4JM	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATIVI	rrocedure	ICD-10-1 C3	Bypass Jejunum to Sigmoid Colon with Synthetic Substitute, Percutaneous
0D1A4JN	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATIN	Troccaure	100 10 1 05	Bypass Jejunum to Rectum with Synthetic Substitute, Percutaneous Endoscopic
OD1A4JP	Procedure	ICD-10-PCS	Approach
ODIATI	Troccaure	100 10 1 05	Bypass Jejunum to Anus with Synthetic Substitute, Percutaneous Endoscopic
0D1A4JQ	Procedure	ICD-10-PCS	Approach
ODIATIQ	Troccaure	100 10 1 05	Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Percutaneous
0D1A4KA	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATIO	Troccaure	100 10 1 05	Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Percutaneous
OD1A4KB	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATIO	Troccaure	100 10 1 05	Bypass Jejunum to Cecum with Nonautologous Tissue Substitute, Percutaneous
0D1A4KH	Procedure	ICD-10-PCS	Endoscopic Approach
ODIATION	Troccadie	100 10-1 00	Bypass Jejunum to Ascending Colon with Nonautologous Tissue Substitute,
0D1A4KK	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
ODIMHIN	Trocedure	1CD-10-1 C3	Bypass Jejunum to Transverse Colon with Nonautologous Tissue Substitute,
0D1A4KL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
ODIMHILL	Trocedure	ICD-10-FC3	rereataneous Endoscopie Approach

cder_mpl1p_wp075 Page 95 of 369



Code	Code Category	Code Type	Description
			Bypass Jejunum to Descending Colon with Nonautologous Tissue Substitute,
0D1A4KM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Jejunum to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1A4KN	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Jejunum to Rectum with Nonautologous Tissue Substitute, Percutaneous
OD1A4KP	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Jejunum to Anus with Nonautologous Tissue Substitute, Percutaneous
0D1A4KQ	Procedure	ICD-10-PCS	Endoscopic Approach
OD1A4ZA	Procedure	ICD-10-PCS	Bypass Jejunum to Jejunum, Percutaneous Endoscopic Approach
OD1A4ZB	Procedure	ICD-10-PCS	Bypass Jejunum to Ileum, Percutaneous Endoscopic Approach
0D1A4ZH	Procedure	ICD-10-PCS	Bypass Jejunum to Cecum, Percutaneous Endoscopic Approach
OD1A4ZK	Procedure	ICD-10-PCS	Bypass Jejunum to Ascending Colon, Percutaneous Endoscopic Approach
0D1A4ZL	Procedure	ICD-10-PCS	Bypass Jejunum to Transverse Colon, Percutaneous Endoscopic Approach
0D1A4ZM	Procedure	ICD-10-PCS	Bypass Jejunum to Descending Colon, Percutaneous Endoscopic Approach
OD1A4ZN	Procedure	ICD-10-PCS	Bypass Jejunum to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1A4ZP	Procedure	ICD-10-PCS	Bypass Jejunum to Rectum, Percutaneous Endoscopic Approach
0D1A4ZQ	Procedure	ICD-10-PCS	Bypass Jejunum to Anus, Percutaneous Endoscopic Approach
			Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Via Natural or
0D1A87A	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial
0D1A87B	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Jejunum to Cecum with Autologous Tissue Substitute, Via Natural or Artificial
0D1A87H	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Jejunum to Ascending Colon with Autologous Tissue Substitute, Via Natural
0D1A87K	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Jejunum to Transverse Colon with Autologous Tissue Substitute, Via Natural
0D1A87L	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Jejunum to Descending Colon with Autologous Tissue Substitute, Via Natural
0D1A87M	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Jejunum to Sigmoid Colon with Autologous Tissue Substitute, Via Natural or
0D1A87N	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Rectum with Autologous Tissue Substitute, Via Natural or
0D1A87P	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Anus with Autologous Tissue Substitute, Via Natural or Artificial
0D1A87Q	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Jejunum to Jejunum with Synthetic Substitute, Via Natural or Artificial
0D1A8JA	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Jejunum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening
OD1A8JB	Procedure	ICD-10-PCS	Endoscopic
0044500	5	100 10	Bypass Jejunum to Cecum with Synthetic Substitute, Via Natural or Artificial Opening
0D1A8JH	Procedure	ICD-10-PCS	Endoscopic

cder_mpl1p_wp075 Page 96 of 369



	ncidence Criteria	•	
Code	Code Category	Code Type	Description
			Bypass Jejunum to Ascending Colon with Synthetic Substitute, Via Natural or
OD1A8JK	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Transverse Colon with Synthetic Substitute, Via Natural or
0D1A8JL	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Descending Colon with Synthetic Substitute, Via Natural or
0D1A8JM	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Sigmoid Colon with Synthetic Substitute, Via Natural or Artificial
OD1A8JN	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Jejunum to Rectum with Synthetic Substitute, Via Natural or Artificial
OD1A8JP	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Jejunum to Anus with Synthetic Substitute, Via Natural or Artificial Opening
0D1A8JQ	Procedure	ICD-10-PCS	Endoscopic
			Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Via Natural or
0D1A8KA	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Via Natural or
OD1A8KB	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Cecum with Nonautologous Tissue Substitute, Via Natural or
0D1A8KH	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Ascending Colon with Nonautologous Tissue Substitute, Via
OD1A8KK	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Jejunum to Transverse Colon with Nonautologous Tissue Substitute, Via
0D1A8KL	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Jejunum to Descending Colon with Nonautologous Tissue Substitute, Via
0D1A8KM	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Jejunum to Sigmoid Colon with Nonautologous Tissue Substitute, Via Natural
OD1A8KN	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Jejunum to Rectum with Nonautologous Tissue Substitute, Via Natural or
OD1A8KP	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Jejunum to Anus with Nonautologous Tissue Substitute, Via Natural or
0D1A8KQ		ICD-10-PCS	Artificial Opening Endoscopic
OD1A8ZA	Procedure	ICD-10-PCS	Bypass Jejunum to Jejunum, Via Natural or Artificial Opening Endoscopic
OD1A8ZB	Procedure	ICD-10-PCS	Bypass Jejunum to Ileum, Via Natural or Artificial Opening Endoscopic
0D1A8ZH	Procedure	ICD-10-PCS	Bypass Jejunum to Cecum, Via Natural or Artificial Opening Endoscopic
OD1A8ZK	Procedure	ICD-10-PCS	Bypass Jejunum to Ascending Colon, Via Natural or Artificial Opening Endoscopic
0D1A8ZL	Procedure	ICD-10-PCS	Bypass Jejunum to Transverse Colon, Via Natural or Artificial Opening Endoscopic
0D1A8ZM	Procedure	ICD-10-PCS	Bypass Jejunum to Descending Colon, Via Natural or Artificial Opening Endoscopic
OD1A8ZN	Procedure	ICD-10-PCS	Bypass Jejunum to Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
OD1A8ZP	Procedure	ICD-10-PCS	Bypass Jejunum to Rectum, Via Natural or Artificial Opening Endoscopic
0D1A8ZQ	Procedure	ICD-10-PCS	Bypass Jejunum to Anus, Via Natural or Artificial Opening Endoscopic
0D1B074	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous with Autologous Tissue Substitute, Open Approach
0D1B07B	Procedure	ICD-10-PCS	Bypass Ileum to Ileum with Autologous Tissue Substitute, Open Approach
0D1B07H	Procedure	ICD-10-PCS	Bypass Ileum to Cecum with Autologous Tissue Substitute, Open Approach

cder_mpl1p_wp075 Page 97 of 369



Code	Code Category	Code Type	Description
0D1B07K	Procedure	ICD-10-PCS	Bypass Ileum to Ascending Colon with Autologous Tissue Substitute, Open Approach
0D1B07L	Procedure	ICD-10-PCS	Bypass Ileum to Transverse Colon with Autologous Tissue Substitute, Open Approach
			Bypass Ileum to Descending Colon with Autologous Tissue Substitute, Open
0D1B07M	Procedure	ICD-10-PCS	Approach
0D1B07N	Procedure	ICD-10-PCS	Bypass Ileum to Sigmoid Colon with Autologous Tissue Substitute, Open Approach
0D1B07P	Procedure	ICD-10-PCS	Bypass Ileum to Rectum with Autologous Tissue Substitute, Open Approach
0D1B07Q	Procedure	ICD-10-PCS	Bypass Ileum to Anus with Autologous Tissue Substitute, Open Approach
0D1B0J4	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous with Synthetic Substitute, Open Approach
OD1B0JB	Procedure	ICD-10-PCS	Bypass Ileum to Ileum with Synthetic Substitute, Open Approach
OD1B0JH	Procedure	ICD-10-PCS	Bypass Ileum to Cecum with Synthetic Substitute, Open Approach
OD1B0JK	Procedure	ICD-10-PCS	Bypass Ileum to Ascending Colon with Synthetic Substitute, Open Approach
OD1B0JL	Procedure	ICD-10-PCS	Bypass Ileum to Transverse Colon with Synthetic Substitute, Open Approach
OD1B0JM	Procedure	ICD-10-PCS	Bypass Ileum to Descending Colon with Synthetic Substitute, Open Approach
OD1B0JN	Procedure	ICD-10-PCS	Bypass Ileum to Sigmoid Colon with Synthetic Substitute, Open Approach
OD1B0JP	Procedure	ICD-10-PCS	Bypass Ileum to Rectum with Synthetic Substitute, Open Approach
0D1B0JQ	Procedure	ICD-10-PCS	Bypass Ileum to Anus with Synthetic Substitute, Open Approach
0D1B0K4	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous with Nonautologous Tissue Substitute, Open Approach
OD1B0KB	Procedure	ICD-10-PCS	Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Open Approach
OD1B0KH	Procedure	ICD-10-PCS	Bypass Ileum to Cecum with Nonautologous Tissue Substitute, Open Approach
			Bypass Ileum to Ascending Colon with Nonautologous Tissue Substitute, Open
OD1BOKK	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Transverse Colon with Nonautologous Tissue Substitute, Open
OD1B0KL	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Descending Colon with Nonautologous Tissue Substitute, Open
OD1B0KM	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Sigmoid Colon with Nonautologous Tissue Substitute, Open
OD1B0KN	Procedure	ICD-10-PCS	Approach
OD1B0KP	Procedure	ICD-10-PCS	Bypass Ileum to Rectum with Nonautologous Tissue Substitute, Open Approach
0D1B0KQ	Procedure	ICD-10-PCS	Bypass Ileum to Anus with Nonautologous Tissue Substitute, Open Approach
0D1B0Z4	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous, Open Approach
OD1B0ZB	Procedure	ICD-10-PCS	Bypass Ileum to Ileum, Open Approach
OD1B0ZH	Procedure	ICD-10-PCS	Bypass Ileum to Cecum, Open Approach
OD1B0ZK	Procedure	ICD-10-PCS	Bypass Ileum to Ascending Colon, Open Approach
OD1B0ZL	Procedure	ICD-10-PCS	Bypass Ileum to Transverse Colon, Open Approach
OD1B0ZM	Procedure	ICD-10-PCS	Bypass Ileum to Descending Colon, Open Approach
OD1B0ZN	Procedure	ICD-10-PCS	Bypass Ileum to Sigmoid Colon, Open Approach
OD1B0ZP	Procedure	ICD-10-PCS	Bypass Ileum to Rectum, Open Approach
0D1B0ZQ	Procedure	ICD-10-PCS	Bypass Ileum to Anus, Open Approach
0D1B3J4	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous with Synthetic Substitute, Percutaneous Approach
			Bypass Ileum to Cutaneous with Autologous Tissue Substitute, Percutaneous
0D1B474	Procedure	ICD-10-PCS	Endoscopic Approach

cder_mpl1p_wp075 Page 98 of 369



p3641 C .			
Code	Code Category	Code Type	Description
			Bypass Ileum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic
0D1B47B	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Cecum with Autologous Tissue Substitute, Percutaneous Endoscopic
0D1B47H	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Ascending Colon with Autologous Tissue Substitute, Percutaneous
0D1B47K	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Transverse Colon with Autologous Tissue Substitute, Percutaneous
0D1B47L	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Descending Colon with Autologous Tissue Substitute, Percutaneous
0D1B47M	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Sigmoid Colon with Autologous Tissue Substitute, Percutaneous
0D1B47N	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Rectum with Autologous Tissue Substitute, Percutaneous
0D1B47P	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Anus with Autologous Tissue Substitute, Percutaneous Endoscopic
0D1B47Q	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Cutaneous with Synthetic Substitute, Percutaneous Endoscopic
0D1B4J4	Procedure	ICD-10-PCS	Approach
OD1B4JB	Procedure	ICD-10-PCS	Bypass Ileum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach
			Bypass Ileum to Cecum with Synthetic Substitute, Percutaneous Endoscopic
0D1B4JH	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Ascending Colon with Synthetic Substitute, Percutaneous
0D1B4JK	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Transverse Colon with Synthetic Substitute, Percutaneous
0D1B4JL	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Descending Colon with Synthetic Substitute, Percutaneous
0D1B4JM	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Sigmoid Colon with Synthetic Substitute, Percutaneous Endoscopic
OD1B4JN	Procedure	ICD-10-PCS	Approach
			Bypass Ileum to Rectum with Synthetic Substitute, Percutaneous Endoscopic
OD1B4JP	Procedure	ICD-10-PCS	Approach
0D1B4JQ	Procedure	ICD-10-PCS	Bypass Ileum to Anus with Synthetic Substitute, Percutaneous Endoscopic Approach
			Bypass Ileum to Cutaneous with Nonautologous Tissue Substitute, Percutaneous
0D1B4K4	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Percutaneous
OD1B4KB	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Cecum with Nonautologous Tissue Substitute, Percutaneous
0D1B4KH	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Ascending Colon with Nonautologous Tissue Substitute,
OD1B4KK	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ileum to Transverse Colon with Nonautologous Tissue Substitute,
0D1B4KL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach

cder_mpl1p_wp075 Page 99 of 369



=::p354161			
Code	Code Category	Code Type	Description
			Bypass Ileum to Descending Colon with Nonautologous Tissue Substitute,
0D1B4KM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ileum to Sigmoid Colon with Nonautologous Tissue Substitute, Percutaneous
OD1B4KN	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Rectum with Nonautologous Tissue Substitute, Percutaneous
OD1B4KP	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ileum to Anus with Nonautologous Tissue Substitute, Percutaneous
0D1B4KQ	Procedure	ICD-10-PCS	Endoscopic Approach
0D1B4Z4	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous, Percutaneous Endoscopic Approach
OD1B4ZB	Procedure	ICD-10-PCS	Bypass Ileum to Ileum, Percutaneous Endoscopic Approach
OD1B4ZH	Procedure	ICD-10-PCS	Bypass Ileum to Cecum, Percutaneous Endoscopic Approach
OD1B4ZK	Procedure	ICD-10-PCS	Bypass Ileum to Ascending Colon, Percutaneous Endoscopic Approach
OD1B4ZL	Procedure	ICD-10-PCS	Bypass Ileum to Transverse Colon, Percutaneous Endoscopic Approach
0D1B4ZM	Procedure	ICD-10-PCS	Bypass Ileum to Descending Colon, Percutaneous Endoscopic Approach
OD1B4ZN	Procedure	ICD-10-PCS	Bypass Ileum to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1B4ZP	Procedure	ICD-10-PCS	Bypass Ileum to Rectum, Percutaneous Endoscopic Approach
0D1B4ZQ	Procedure	ICD-10-PCS	Bypass Ileum to Anus, Percutaneous Endoscopic Approach
			Bypass Ileum to Cutaneous with Autologous Tissue Substitute, Via Natural or
0D1B874	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial
0D1B87B	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Cecum with Autologous Tissue Substitute, Via Natural or Artificial
0D1B87H	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Ascending Colon with Autologous Tissue Substitute, Via Natural or
0D1B87K	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Transverse Colon with Autologous Tissue Substitute, Via Natural or
0D1B87L	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Descending Colon with Autologous Tissue Substitute, Via Natural or
0D1B87M	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Sigmoid Colon with Autologous Tissue Substitute, Via Natural or
0D1B87N	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Rectum with Autologous Tissue Substitute, Via Natural or Artificial
0D1B87P	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Anus with Autologous Tissue Substitute, Via Natural or Artificial
0D1B87Q	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Cutaneous with Synthetic Substitute, Via Natural or Artificial
0D1B8J4	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening
OD1B8JB	Procedure	ICD-10-PCS	Endoscopic
			Bypass Ileum to Cecum with Synthetic Substitute, Via Natural or Artificial Opening
0D1B8JH	Procedure	ICD-10-PCS	Endoscopic

cder_mpl1p_wp075 Page 100 of 369



zapodare i			
Code	Code Category	Code Type	Description
			Bypass Ileum to Ascending Colon with Synthetic Substitute, Via Natural or Artificial
OD1B8JK	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Transverse Colon with Synthetic Substitute, Via Natural or Artificial
OD1B8JL	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Descending Colon with Synthetic Substitute, Via Natural or Artificial
0D1B8JM	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Sigmoid Colon with Synthetic Substitute, Via Natural or Artificial
OD1B8JN	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Rectum with Synthetic Substitute, Via Natural or Artificial Opening
OD1B8JP	Procedure	ICD-10-PCS	Endoscopic
			Bypass Ileum to Anus with Synthetic Substitute, Via Natural or Artificial Opening
0D1B8JQ	Procedure	ICD-10-PCS	Endoscopic
			Bypass Ileum to Cutaneous with Nonautologous Tissue Substitute, Via Natural or
0D1B8K4	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial
OD1B8KB	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ileum to Cecum with Nonautologous Tissue Substitute, Via Natural or
OD1B8KH	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Ascending Colon with Nonautologous Tissue Substitute, Via Natural
OD1B8KK	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Ileum to Transverse Colon with Nonautologous Tissue Substitute, Via Natural
OD1B8KL	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Ileum to Descending Colon with Nonautologous Tissue Substitute, Via
0D1B8KM	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ileum to Sigmoid Colon with Nonautologous Tissue Substitute, Via Natural or
OD1B8KN	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Rectum with Nonautologous Tissue Substitute, Via Natural or
OD1B8KP	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ileum to Anus with Nonautologous Tissue Substitute, Via Natural or Artificial
0D1B8KQ	Procedure	ICD-10-PCS	Opening Endoscopic
0D1B8Z4	Procedure	ICD-10-PCS	Bypass Ileum to Cutaneous, Via Natural or Artificial Opening Endoscopic
OD1B8ZB	Procedure	ICD-10-PCS	Bypass Ileum to Ileum, Via Natural or Artificial Opening Endoscopic
OD1B8ZH	Procedure	ICD-10-PCS	Bypass Ileum to Cecum, Via Natural or Artificial Opening Endoscopic
OD1B8ZK	Procedure	ICD-10-PCS	Bypass Ileum to Ascending Colon, Via Natural or Artificial Opening Endoscopic
OD1B8ZL	Procedure	ICD-10-PCS	Bypass Ileum to Transverse Colon, Via Natural or Artificial Opening Endoscopic
0D1B8ZM	Procedure	ICD-10-PCS	Bypass Ileum to Descending Colon, Via Natural or Artificial Opening Endoscopic
OD1B8ZN	Procedure	ICD-10-PCS	Bypass Ileum to Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
OD1B8ZP	Procedure	ICD-10-PCS	Bypass Ileum to Rectum, Via Natural or Artificial Opening Endoscopic
0D1B8ZQ	Procedure	ICD-10-PCS	Bypass Ileum to Anus, Via Natural or Artificial Opening Endoscopic
0D1H074	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous with Autologous Tissue Substitute, Open Approach
0D1H07H	Procedure	ICD-10-PCS	Bypass Cecum to Cecum with Autologous Tissue Substitute, Open Approach

cder_mpl1p_wp075 Page 101 of 369



Code	Code Category	Code Type	Description
			Bypass Cecum to Ascending Colon with Autologous Tissue Substitute, Open
0D1H07K	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Transverse Colon with Autologous Tissue Substitute, Open
0D1H07L	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Descending Colon with Autologous Tissue Substitute, Open
0D1H07M	Procedure	ICD-10-PCS	Approach
0D1H07N	Procedure	ICD-10-PCS	Bypass Cecum to Sigmoid Colon with Autologous Tissue Substitute, Open Approach
0D1H07P	Procedure	ICD-10-PCS	Bypass Cecum to Rectum with Autologous Tissue Substitute, Open Approach
0D1H0J4	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous with Synthetic Substitute, Open Approach
0D1H0JH	Procedure	ICD-10-PCS	Bypass Cecum to Cecum with Synthetic Substitute, Open Approach
OD1H0JK	Procedure	ICD-10-PCS	Bypass Cecum to Ascending Colon with Synthetic Substitute, Open Approach
0D1H0JL	Procedure	ICD-10-PCS	Bypass Cecum to Transverse Colon with Synthetic Substitute, Open Approach
0D1H0JM	Procedure	ICD-10-PCS	Bypass Cecum to Descending Colon with Synthetic Substitute, Open Approach
0D1H0JN	Procedure	ICD-10-PCS	Bypass Cecum to Sigmoid Colon with Synthetic Substitute, Open Approach
OD1H0JP	Procedure	ICD-10-PCS	Bypass Cecum to Rectum with Synthetic Substitute, Open Approach
0D1H0K4	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous with Nonautologous Tissue Substitute, Open Approach
OD1H0KH	Procedure	ICD-10-PCS	Bypass Cecum to Cecum with Nonautologous Tissue Substitute, Open Approach
			Bypass Cecum to Ascending Colon with Nonautologous Tissue Substitute, Open
OD1H0KK	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Transverse Colon with Nonautologous Tissue Substitute, Open
OD1H0KL	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Descending Colon with Nonautologous Tissue Substitute, Open
0D1H0KM	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Sigmoid Colon with Nonautologous Tissue Substitute, Open
OD1H0KN	Procedure	ICD-10-PCS	Approach
OD1H0KP	Procedure	ICD-10-PCS	Bypass Cecum to Rectum with Nonautologous Tissue Substitute, Open Approach
0D1H0Z4	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous, Open Approach
0D1H0ZH	Procedure	ICD-10-PCS	Bypass Cecum to Cecum, Open Approach
OD1H0ZK	Procedure	ICD-10-PCS	Bypass Cecum to Ascending Colon, Open Approach
0D1H0ZL	Procedure	ICD-10-PCS	Bypass Cecum to Transverse Colon, Open Approach
0D1H0ZM	Procedure	ICD-10-PCS	Bypass Cecum to Descending Colon, Open Approach
OD1H0ZN	Procedure	ICD-10-PCS	Bypass Cecum to Sigmoid Colon, Open Approach
OD1H0ZP	Procedure	ICD-10-PCS	Bypass Cecum to Rectum, Open Approach
0D1H3J4	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous with Synthetic Substitute, Percutaneous Approach
			Bypass Cecum to Cutaneous with Autologous Tissue Substitute, Percutaneous
0D1H474	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Cecum to Cecum with Autologous Tissue Substitute, Percutaneous
0D1H47H	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Cecum to Ascending Colon with Autologous Tissue Substitute, Percutaneous
0D1H47K	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Cecum to Transverse Colon with Autologous Tissue Substitute, Percutaneous
0D1H47L	Procedure	ICD-10-PCS	Endoscopic Approach

cder_mpl1p_wp075 Page 102 of 369



Codo		Code Type	
Code	Code Category	Code Type	Description Punass Cosum to Descending Colon with Autologous Tissue Substitute Persutaneous
00144714	Drocoduro	ICD 10 DCS	Bypass Cecum to Descending Colon with Autologous Tissue Substitute, Percutaneous
0D1H47M	FIOCEGUIE	ICD-10-PCS	Endoscopic Approach Bypass Cecum to Sigmoid Colon with Autologous Tissue Substitute, Percutaneous
0D1H47N	Procedure	ICD-10-PCS	Endoscopic Approach
UDIN4/N	Procedure	ICD-10-PC3	Bypass Cecum to Rectum with Autologous Tissue Substitute, Percutaneous
0D1H47P	Procedure	ICD-10-PCS	Endoscopic Approach
00111477	riocedure	ICD-10-FC3	Bypass Cecum to Cutaneous with Synthetic Substitute, Percutaneous Endoscopic
0D1H4J4	Procedure	ICD-10-PCS	Approach
00111434	Trocedure	1CD-10-1 C3	Bypass Cecum to Cecum with Synthetic Substitute, Percutaneous Endoscopic
0D1H4JH	Procedure	ICD-10-PCS	Approach
ODINAM	rroccaare	100 10 1 05	Bypass Cecum to Ascending Colon with Synthetic Substitute, Percutaneous
0D1H4JK	Procedure	ICD-10-PCS	Endoscopic Approach
352117310		.55 10 1 05	Bypass Cecum to Transverse Colon with Synthetic Substitute, Percutaneous
0D1H4JL	Procedure	ICD-10-PCS	Endoscopic Approach
35111JL		.55 10 1 65	Bypass Cecum to Descending Colon with Synthetic Substitute, Percutaneous
0D1H4JM	Procedure	ICD-10-PCS	Endoscopic Approach
022		.02 20 . 00	Bypass Cecum to Sigmoid Colon with Synthetic Substitute, Percutaneous Endoscopic
0D1H4JN	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Rectum with Synthetic Substitute, Percutaneous Endoscopic
OD1H4JP	Procedure	ICD-10-PCS	Approach
			Bypass Cecum to Cutaneous with Nonautologous Tissue Substitute, Percutaneous
0D1H4K4	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Cecum to Cecum with Nonautologous Tissue Substitute, Percutaneous
0D1H4KH	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Cecum to Ascending Colon with Nonautologous Tissue Substitute,
0D1H4KK	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Cecum to Transverse Colon with Nonautologous Tissue Substitute,
0D1H4KL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Cecum to Descending Colon with Nonautologous Tissue Substitute,
0D1H4KM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Cecum to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1H4KN	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Cecum to Rectum with Nonautologous Tissue Substitute, Percutaneous
OD1H4KP	Procedure	ICD-10-PCS	Endoscopic Approach
0D1H4Z4	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous, Percutaneous Endoscopic Approach
0D1H4ZH	Procedure	ICD-10-PCS	Bypass Cecum to Cecum, Percutaneous Endoscopic Approach
0D1H4ZK	Procedure	ICD-10-PCS	Bypass Cecum to Ascending Colon, Percutaneous Endoscopic Approach
0D1H4ZL	Procedure	ICD-10-PCS	Bypass Cecum to Transverse Colon, Percutaneous Endoscopic Approach
0D1H4ZM	Procedure	ICD-10-PCS	Bypass Cecum to Descending Colon, Percutaneous Endoscopic Approach
0D1H4ZN	Procedure	ICD-10-PCS	Bypass Cecum to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1H4ZP	Procedure	ICD-10-PCS	Bypass Cecum to Rectum, Percutaneous Endoscopic Approach

cder_mpl1p_wp075 Page 103 of 369



Code	Code Category	Code Type	Description
			Bypass Cecum to Cutaneous with Autologous Tissue Substitute, Via Natural or
0D1H874	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Cecum to Cecum with Autologous Tissue Substitute, Via Natural or Artificial
0D1H87H	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Cecum to Ascending Colon with Autologous Tissue Substitute, Via Natural or
0D1H87K	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Cecum to Transverse Colon with Autologous Tissue Substitute, Via Natural or
0D1H87L	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Cecum to Descending Colon with Autologous Tissue Substitute, Via Natural
0D1H87M	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Cecum to Sigmoid Colon with Autologous Tissue Substitute, Via Natural or
0D1H87N	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Cecum to Rectum with Autologous Tissue Substitute, Via Natural or Artificial
0D1H87P	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Cecum to Cutaneous with Synthetic Substitute, Via Natural or Artificial
0D1H8J4	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Cecum to Cecum with Synthetic Substitute, Via Natural or Artificial Opening
0D1H8JH	Procedure	ICD-10-PCS	Endoscopic
			Bypass Cecum to Ascending Colon with Synthetic Substitute, Via Natural or Artificial
0D1H8JK	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Cecum to Transverse Colon with Synthetic Substitute, Via Natural or Artificial
0D1H8JL	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Cecum to Descending Colon with Synthetic Substitute, Via Natural or
0D1H8JM	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Cecum to Sigmoid Colon with Synthetic Substitute, Via Natural or Artificial
0D1H8JN	Procedure	ICD-10-PCS	Opening Endoscopic
00411010	Donasakona	ICD 40 DCC	Bypass Cecum to Rectum with Synthetic Substitute, Via Natural or Artificial Opening
OD1H8JP	Procedure	ICD-10-PCS	Endoscopic
0011101/4	Procedure	ICD 10 DCS	Bypass Cecum to Cutaneous with Nonautologous Tissue Substitute, Via Natural or
0D1H8K4	Procedure	ICD-10-PCS	Artificial Opening Endoscopic Punass Cosum to Cosum with Nonautologous Tissue Substitute. Via Natural or
0D1H8KH	Procedure	ICD-10-PCS	Bypass Cecum to Cecum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic
ODIUSKU	Procedure	ICD-10-PC3	
UD1 II O V V	Procedure	ICD-10-PCS	Bypass Cecum to Ascending Colon with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic
0D1H8KK	Procedure	ICD-10-PC3	Bypass Cecum to Transverse Colon with Nonautologous Tissue Substitute, Via
0D1H8KL	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
ODITIONE	rrocedure	ICD-10-1 C3	Bypass Cecum to Descending Colon with Nonautologous Tissue Substitute, Via
OD1H8KM	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
JD II IOINIVI		.55 10 1 65	Bypass Cecum to Sigmoid Colon with Nonautologous Tissue Substitute, Via Natural
0D1H8KN	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
551.10KH		.55 10 1 65	Bypass Cecum to Rectum with Nonautologous Tissue Substitute, Via Natural or
OD1H8KP	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
55 I. IOI		.55 10 1 65	

cder_mpl1p_wp075 Page 104 of 369



Code	Code Category	Code Type	Description
OD1H8Z4	Procedure	ICD-10-PCS	Bypass Cecum to Cutaneous, Via Natural or Artificial Opening Endoscopic
0D1H8ZH	Procedure	ICD-10-PCS	Bypass Cecum to Cecum, Via Natural or Artificial Opening Endoscopic Bypass Cecum to Cecum, Via Natural or Artificial Opening Endoscopic
OD1H8ZK	Procedure	ICD-10-PCS	Bypass Cecum to Ascending Colon, Via Natural or Artificial Opening Endoscopic
OD1H8ZL	Procedure	ICD-10-PCS	Bypass Cecum to Transverse Colon, Via Natural or Artificial Opening Endoscopic
OD1H8ZM	Procedure	ICD-10-PCS	Bypass Cecum to Descending Colon, Via Natural or Artificial Opening Endoscopic Bypass Cecum to Descending Colon, Via Natural or Artificial Opening Endoscopic
OD1H8ZN	Procedure	ICD-10-PCS	Bypass Cecum to Sigmoid Colon, Via Natural or Artificial Opening Endoscopic Bypass Cecum to Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
OD1H8ZP	Procedure		
ODIHOZP	Procedure	ICD-10-PCS	Bypass Cecum to Rectum, Via Natural or Artificial Opening Endoscopic Bypass Ascending Colon to Cutaneous with Autologous Tissue Substitute, Open
0D1K074	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Ascending Colon with Autologous Tissue Substitute, Open
0D1K07K	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Transverse Colon with Autologous Tissue Substitute,
0D1K07L	Procedure	ICD-10-PCS	Open Approach
			Bypass Ascending Colon to Descending Colon with Autologous Tissue Substitute,
0D1K07M	Procedure	ICD-10-PCS	Open Approach
			Bypass Ascending Colon to Sigmoid Colon with Autologous Tissue Substitute, Open
0D1K07N	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Rectum with Autologous Tissue Substitute, Open
0D1K07P	Procedure	ICD-10-PCS	Approach
0D1K0J4	Procedure	ICD-10-PCS	Bypass Ascending Colon to Cutaneous with Synthetic Substitute, Open Approach
			Bypass Ascending Colon to Ascending Colon with Synthetic Substitute, Open
OD1KOJK	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Transverse Colon with Synthetic Substitute, Open
0D1K0JL	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Descending Colon with Synthetic Substitute, Open
0D1K0JM	Procedure	ICD-10-PCS	Approach
OD1KOJN	Procedure	ICD-10-PCS	Bypass Ascending Colon to Sigmoid Colon with Synthetic Substitute, Open Approach
OD1KOJP	Procedure	ICD-10-PCS	Bypass Ascending Colon to Rectum with Synthetic Substitute, Open Approach
			Bypass Ascending Colon to Cutaneous with Nonautologous Tissue Substitute, Open
0D1K0K4	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Ascending Colon with Nonautologous Tissue Substitute,
OD1KOKK	Procedure	ICD-10-PCS	Open Approach
			Bypass Ascending Colon to Transverse Colon with Nonautologous Tissue Substitute,
OD1KOKL	Procedure	ICD-10-PCS	Open Approach
			Bypass Ascending Colon to Descending Colon with Nonautologous Tissue Substitute,
0D1K0KM	Procedure	ICD-10-PCS	Open Approach
			Bypass Ascending Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
OD1KOKN	Procedure	ICD-10-PCS	Open Approach
			Bypass Ascending Colon to Rectum with Nonautologous Tissue Substitute, Open
OD1KOKP	Procedure	ICD-10-PCS	Approach
0D1K0Z4	Procedure	ICD-10-PCS	Bypass Ascending Colon to Cutaneous, Open Approach
OD1KOZK	Procedure	ICD-10-PCS	Bypass Ascending Colon to Ascending Colon, Open Approach

cder_mpl1p_wp075 Page 105 of 369



Code	Code Category	Code Type	Description
OD1KOZL	Procedure	ICD-10-PCS	Bypass Ascending Colon to Transverse Colon, Open Approach
OD1K0ZM	Procedure	ICD-10-PCS	Bypass Ascending Colon to Descending Colon, Open Approach
OD1KOZN	Procedure	ICD-10-PCS	Bypass Ascending Colon to Sigmoid Colon, Open Approach
OD1K0ZP	Procedure	ICD-10-PCS	Bypass Ascending Colon to Rectum, Open Approach
			Bypass Ascending Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1K3J4	Procedure	ICD-10-PCS	Approach
			Bypass Ascending Colon to Cutaneous with Autologous Tissue Substitute,
0D1K474	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Ascending Colon with Autologous Tissue Substitute,
0D1K47K	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Transverse Colon with Autologous Tissue Substitute,
0D1K47L	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Descending Colon with Autologous Tissue Substitute,
0D1K47M	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Sigmoid Colon with Autologous Tissue Substitute,
0D1K47N	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Rectum with Autologous Tissue Substitute, Percutaneous
0D1K47P	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ascending Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1K4J4	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ascending Colon to Ascending Colon with Synthetic Substitute, Percutaneous
OD1K4JK	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ascending Colon to Transverse Colon with Synthetic Substitute,
0D1K4JL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Descending Colon with Synthetic Substitute,
0D1K4JM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Sigmoid Colon with Synthetic Substitute, Percutaneous
0D1K4JN	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ascending Colon to Rectum with Synthetic Substitute, Percutaneous
OD1K4JP	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Ascending Colon to Cutaneous with Nonautologous Tissue Substitute,
0D1K4K4	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Ascending Colon with Nonautologous Tissue Substitute,
0D1K4KK	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Transverse Colon with Nonautologous Tissue Substitute,
0D1K4KL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Descending Colon with Nonautologous Tissue Substitute,
0D1K4KM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1K4KN	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Rectum with Nonautologous Tissue Substitute,
OD1K4KP	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach

cder_mpl1p_wp075 Page 106 of 369



Code	Code Category	Code Type	Description
0D1K4Z4	Procedure	ICD-10-PCS	Bypass Ascending Colon to Cutaneous, Percutaneous Endoscopic Approach
0D1K4ZK	Procedure	ICD-10-PCS	Bypass Ascending Colon to Ascending Colon, Percutaneous Endoscopic Approach
0D1K4ZL	Procedure	ICD-10-PCS	Bypass Ascending Colon to Transverse Colon, Percutaneous Endoscopic Approach
0D1K4ZM	Procedure	ICD-10-PCS	Bypass Ascending Colon to Descending Colon, Percutaneous Endoscopic Approach
0D1K4ZN	Procedure	ICD-10-PCS	Bypass Ascending Colon to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1K4ZP	Procedure	ICD-10-PCS	Bypass Ascending Colon to Rectum, Percutaneous Endoscopic Approach
			Bypass Ascending Colon to Cutaneous with Autologous Tissue Substitute, Via Natural
0D1K874	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Ascending Colon to Ascending Colon with Autologous Tissue Substitute, Via
0D1K87K	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Transverse Colon with Autologous Tissue Substitute, Via
0D1K87L	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Descending Colon with Autologous Tissue Substitute, Via
0D1K87M	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Sigmoid Colon with Autologous Tissue Substitute, Via
0D1K87N	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Rectum with Autologous Tissue Substitute, Via Natural or
0D1K87P	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ascending Colon to Cutaneous with Synthetic Substitute, Via Natural or
0D1K8J4	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ascending Colon to Ascending Colon with Synthetic Substitute, Via Natural or
0D1K8JK	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ascending Colon to Transverse Colon with Synthetic Substitute, Via Natural
0D1K8JL	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Ascending Colon to Descending Colon with Synthetic Substitute, Via Natural
0D1K8JM	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Ascending Colon to Sigmoid Colon with Synthetic Substitute, Via Natural or
0D1K8JN	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Ascending Colon to Rectum with Synthetic Substitute, Via Natural or Artificial
OD1K8JP	Procedure	ICD-10-PCS	Opening Endoscopic
			Bypass Ascending Colon to Cutaneous with Nonautologous Tissue Substitute, Via
0D1K8K4	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Ascending Colon with Nonautologous Tissue Substitute,
OD1K8KK	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Transverse Colon with Nonautologous Tissue Substitute,
0D1K8KL	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Descending Colon with Nonautologous Tissue Substitute,
0D1K8KM	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Sigmoid Colon with Nonautologous Tissue Substitute, Via
0D1K8KN	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Rectum with Nonautologous Tissue Substitute, Via

cder_mpl1p_wp075 Page 107 of 369



Code	Code Category	Code Type	Description
0D1K8Z4	Procedure	ICD-10-PCS	Bypass Ascending Colon to Cutaneous, Via Natural or Artificial Opening Endoscopic
			Bypass Ascending Colon to Ascending Colon, Via Natural or Artificial Opening
OD1K8ZK	Procedure	ICD-10-PCS	Endoscopic
			Bypass Ascending Colon to Transverse Colon, Via Natural or Artificial Opening
0D1K8ZL	Procedure	ICD-10-PCS	Endoscopic
			Bypass Ascending Colon to Descending Colon, Via Natural or Artificial Opening
0D1K8ZM	Procedure	ICD-10-PCS	Endoscopic
			Bypass Ascending Colon to Sigmoid Colon, Via Natural or Artificial Opening
0D1K8ZN	Procedure	ICD-10-PCS	Endoscopic
OD1K8ZP	Procedure	ICD-10-PCS	Bypass Ascending Colon to Rectum, Via Natural or Artificial Opening Endoscopic
			Bypass Transverse Colon to Cutaneous with Autologous Tissue Substitute, Open
0D1L074	Procedure	ICD-10-PCS	Approach
			Bypass Transverse Colon to Transverse Colon with Autologous Tissue Substitute,
0D1L07L	Procedure	ICD-10-PCS	Open Approach
			Bypass Transverse Colon to Descending Colon with Autologous Tissue Substitute,
0D1L07M	Procedure	ICD-10-PCS	Open Approach
			Bypass Transverse Colon to Sigmoid Colon with Autologous Tissue Substitute, Open
0D1L07N	Procedure	ICD-10-PCS	Approach
			Bypass Transverse Colon to Rectum with Autologous Tissue Substitute, Open
0D1L07P	Procedure	ICD-10-PCS	Approach
0D1L0J4	Procedure	ICD-10-PCS	Bypass Transverse Colon to Cutaneous with Synthetic Substitute, Open Approach
			Bypass Transverse Colon to Transverse Colon with Synthetic Substitute, Open
0D1L0JL	Procedure	ICD-10-PCS	Approach
			Bypass Transverse Colon to Descending Colon with Synthetic Substitute, Open
0D1L0JM	Procedure	ICD-10-PCS	Approach
0D1L0JN	Procedure	ICD-10-PCS	Bypass Transverse Colon to Sigmoid Colon with Synthetic Substitute, Open Approach
OD1L0JP	Procedure	ICD-10-PCS	Bypass Transverse Colon to Rectum with Synthetic Substitute, Open Approach
			Bypass Transverse Colon to Cutaneous with Nonautologous Tissue Substitute, Open
0D1L0K4	Procedure	ICD-10-PCS	Approach
			Bypass Transverse Colon to Transverse Colon with Nonautologous Tissue Substitute,
0D1L0KL	Procedure	ICD-10-PCS	Open Approach
			Bypass Transverse Colon to Descending Colon with Nonautologous Tissue Substitute,
0D1L0KM	Procedure	ICD-10-PCS	Open Approach
			Bypass Transverse Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1L0KN	Procedure	ICD-10-PCS	Open Approach
			Bypass Transverse Colon to Rectum with Nonautologous Tissue Substitute, Open
OD1L0KP	Procedure	ICD-10-PCS	Approach
0D1L0Z4	Procedure	ICD-10-PCS	Bypass Transverse Colon to Cutaneous, Open Approach
0D1L0ZL	Procedure	ICD-10-PCS	Bypass Transverse Colon to Transverse Colon, Open Approach
0D1L0ZM	Procedure	ICD-10-PCS	Bypass Transverse Colon to Descending Colon, Open Approach
0D1L0ZN	Procedure	ICD-10-PCS	Bypass Transverse Colon to Sigmoid Colon, Open Approach
OD1LOZP	Procedure	ICD-10-PCS	Bypass Transverse Colon to Rectum, Open Approach

cder_mpl1p_wp075 Page 108 of 369



Code	Code Category	Code Type	Description
			Bypass Transverse Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1L3J4	Procedure	ICD-10-PCS	Approach
			Bypass Transverse Colon to Cutaneous with Autologous Tissue Substitute,
0D1L474	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Transverse Colon with Autologous Tissue Substitute,
0D1L47L	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Descending Colon with Autologous Tissue Substitute,
0D1L47M	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Sigmoid Colon with Autologous Tissue Substitute,
0D1L47N	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Rectum with Autologous Tissue Substitute, Percutaneous
0D1L47P	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Transverse Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1L4J4	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Transverse Colon to Transverse Colon with Synthetic Substitute,
0D1L4JL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Descending Colon with Synthetic Substitute,
0D1L4JM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Sigmoid Colon with Synthetic Substitute, Percutaneous
0D1L4JN	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Transverse Colon to Rectum with Synthetic Substitute, Percutaneous
OD1L4JP	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Transverse Colon to Cutaneous with Nonautologous Tissue Substitute,
0D1L4K4	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Transverse Colon with Nonautologous Tissue Substitute,
0D1L4KL	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Descending Colon with Nonautologous Tissue Substitute,
0D1L4KM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1L4KN	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Rectum with Nonautologous Tissue Substitute,
0D1L4KP	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0D1L4Z4	Procedure	ICD-10-PCS	Bypass Transverse Colon to Cutaneous, Percutaneous Endoscopic Approach
0D1L4ZL	Procedure	ICD-10-PCS	Bypass Transverse Colon to Transverse Colon, Percutaneous Endoscopic Approach
0D1L4ZM	Procedure	ICD-10-PCS	Bypass Transverse Colon to Descending Colon, Percutaneous Endoscopic Approach
0D1L4ZN	Procedure	ICD-10-PCS	Bypass Transverse Colon to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1L4ZP	Procedure	ICD-10-PCS	Bypass Transverse Colon to Rectum, Percutaneous Endoscopic Approach
			Bypass Transverse Colon to Cutaneous with Autologous Tissue Substitute, Via
0D1L874	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Transverse Colon to Transverse Colon with Autologous Tissue Substitute, Via
0D1L87L	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic

cder_mpl1p_wp075 Page 109 of 369



Code	Code Category	Code Type	Description
· · · · · · · · · · · · · · · · · · ·			Bypass Transverse Colon to Descending Colon with Autologous Tissue Substitute, Via
0D1L87M	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Transverse Colon to Sigmoid Colon with Autologous Tissue Substitute, Via
0D1L87N	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Transverse Colon to Rectum with Autologous Tissue Substitute, Via Natural
0D1L87P	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Transverse Colon to Cutaneous with Synthetic Substitute, Via Natural or
0D1L8J4	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Transverse Colon to Transverse Colon with Synthetic Substitute, Via Natural
0D1L8JL	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Transverse Colon to Descending Colon with Synthetic Substitute, Via Natural
0D1L8JM	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Transverse Colon to Sigmoid Colon with Synthetic Substitute, Via Natural or
0D1L8JN	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Transverse Colon to Rectum with Synthetic Substitute, Via Natural or
OD1L8JP	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Transverse Colon to Cutaneous with Nonautologous Tissue Substitute, Via
0D1L8K4	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Transverse Colon to Transverse Colon with Nonautologous Tissue Substitute,
0D1L8KL	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
			Bypass Transverse Colon to Descending Colon with Nonautologous Tissue Substitute,
0D1L8KM	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
0041044		100 10 000	Bypass Transverse Colon to Sigmoid Colon with Nonautologous Tissue Substitute, Via
0D1L8KN	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
0041040		100 10 000	Bypass Transverse Colon to Rectum with Nonautologous Tissue Substitute, Via
0D1L8KP	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
0011074	Dragodura	ICD 10 DCC	Punass Transverse Colon to Cutanopus Via Natural or Artificial Opening Endessenia
0D1L8Z4	Procedure	ICD-10-PCS	Bypass Transverse Colon to Cutaneous, Via Natural or Artificial Opening Endoscopic Bypass Transverse Colon to Transverse Colon, Via Natural or Artificial Opening
0D1L8ZL	Procedure	ICD-10-PCS	Endoscopic
UDILOZL	Procedure	ICD-10-PC3	Bypass Transverse Colon to Descending Colon, Via Natural or Artificial Opening
0D1L8ZM	Procedure	ICD-10-PCS	Endoscopic
ODILOZIVI	riocedure	ICD-10-FC3	Bypass Transverse Colon to Sigmoid Colon, Via Natural or Artificial Opening
0D1L8ZN	Procedure	ICD-10-PCS	Endoscopic
OD1L8ZP	Procedure	ICD-10-PCS	Bypass Transverse Colon to Rectum, Via Natural or Artificial Opening Endoscopic
ODILOZI	Troccaure	100 10 1 05	Bypass Descending Colon to Cutaneous with Autologous Tissue Substitute, Open
0D1M074	Procedure	ICD-10-PCS	Approach
3D 114107 T	occurre	.00 10 1 05	Bypass Descending Colon to Descending Colon with Autologous Tissue Substitute,
0D1M07M	Procedure	ICD-10-PCS	Open Approach
2221107111		.55 10 105	Bypass Descending Colon to Sigmoid Colon with Autologous Tissue Substitute, Open
0D1M07N	Procedure	ICD-10-PCS	Approach
20 11410 / IV	occuare	.55 10 1 65	, pp. 555.

cder_mpl1p_wp075 Page 110 of 369



Code	Codo Cotoro	Code True	Description
Code	Code Category	Code Type	Description Description
00414075	Dona and	100 40 500	Bypass Descending Colon to Rectum with Autologous Tissue Substitute, Open
0D1M07P	Procedure	ICD-10-PCS	Approach
0D1M0J4	Procedure	ICD-10-PCS	Bypass Descending Colon to Cutaneous with Synthetic Substitute, Open Approach
			Bypass Descending Colon to Descending Colon with Synthetic Substitute, Open
0D1M0JM	Procedure	ICD-10-PCS	Approach
			Bypass Descending Colon to Sigmoid Colon with Synthetic Substitute, Open
0D1M0JN	Procedure	ICD-10-PCS	Approach
OD1M0JP	Procedure	ICD-10-PCS	Bypass Descending Colon to Rectum with Synthetic Substitute, Open Approach
			Bypass Descending Colon to Cutaneous with Nonautologous Tissue Substitute, Open
0D1M0K4	Procedure	ICD-10-PCS	Approach
			Bypass Descending Colon to Descending Colon with Nonautologous Tissue
0D1M0KM	Procedure	ICD-10-PCS	Substitute, Open Approach
			Bypass Descending Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1M0KN	Procedure	ICD-10-PCS	Open Approach
			Bypass Descending Colon to Rectum with Nonautologous Tissue Substitute, Open
OD1M0KP	Procedure	ICD-10-PCS	Approach
0D1M0Z4	Procedure	ICD-10-PCS	Bypass Descending Colon to Cutaneous, Open Approach
0D1M0ZM	Procedure	ICD-10-PCS	Bypass Descending Colon to Descending Colon, Open Approach
0D1M0ZN	Procedure	ICD-10-PCS	Bypass Descending Colon to Sigmoid Colon, Open Approach
OD1M0ZP	Procedure	ICD-10-PCS	Bypass Descending Colon to Rectum, Open Approach
			Bypass Descending Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1M3J4	Procedure	ICD-10-PCS	Approach
			Bypass Descending Colon to Cutaneous with Autologous Tissue Substitute,
0D1M474	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Descending Colon to Descending Colon with Autologous Tissue Substitute,
0D1M47M	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Descending Colon to Sigmoid Colon with Autologous Tissue Substitute,
0D1M47N	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Descending Colon to Rectum with Autologous Tissue Substitute,
0D1M47P	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Descending Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1M4J4	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Descending Colon to Descending Colon with Synthetic Substitute,
0D1M4JM	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Descending Colon to Sigmoid Colon with Synthetic Substitute, Percutaneous
0D1M4JN	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Descending Colon to Rectum with Synthetic Substitute, Percutaneous
0D1M4JP	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Descending Colon to Cutaneous with Nonautologous Tissue Substitute,
0D1M4K4	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
•			Bypass Descending Colon to Descending Colon with Nonautologous Tissue
0D1M4KM	Procedure	ICD-10-PCS	Substitute, Percutaneous Endoscopic Approach
		·	,

cder_mpl1p_wp075 Page 111 of 369



		time requee	
Code	Code Category	Code Type	Description
			Bypass Descending Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1M4KN	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Descending Colon to Rectum with Nonautologous Tissue Substitute,
OD1M4KP	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0D1M4Z4	Procedure	ICD-10-PCS	Bypass Descending Colon to Cutaneous, Percutaneous Endoscopic Approach
0D1M4ZM	Procedure	ICD-10-PCS	Bypass Descending Colon to Descending Colon, Percutaneous Endoscopic Approach
0D1M4ZN	Procedure	ICD-10-PCS	Bypass Descending Colon to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1M4ZP	Procedure	ICD-10-PCS	Bypass Descending Colon to Rectum, Percutaneous Endoscopic Approach
			Bypass Descending Colon to Cutaneous with Autologous Tissue Substitute, Via
0D1M874	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Descending Colon with Autologous Tissue Substitute,
0D1M87M	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Sigmoid Colon with Autologous Tissue Substitute, Via
0D1M87N	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Rectum with Autologous Tissue Substitute, Via Natural
0D1M87P	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Descending Colon to Cutaneous with Synthetic Substitute, Via Natural or
0D1M8J4	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Descending Colon to Descending Colon with Synthetic Substitute, Via Natural
0D1M8JM	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Descending Colon to Sigmoid Colon with Synthetic Substitute, Via Natural or
0D1M8JN	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Descending Colon to Rectum with Synthetic Substitute, Via Natural or
OD1M8JP	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Bypass Descending Colon to Cutaneous with Nonautologous Tissue Substitute, Via
0D1M8K4	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Descending Colon with Nonautologous Tissue
0D1M8KM	Procedure	ICD-10-PCS	Substitute, Via Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1M8KN	Procedure	ICD-10-PCS	Via Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Rectum with Nonautologous Tissue Substitute, Via
OD1M8KP	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
0D1M8Z4	Procedure	ICD-10-PCS	Bypass Descending Colon to Cutaneous, Via Natural or Artificial Opening Endoscopic
			Bypass Descending Colon to Descending Colon, Via Natural or Artificial Opening
0D1M8ZM	Procedure	ICD-10-PCS	Endoscopic
			Bypass Descending Colon to Sigmoid Colon, Via Natural or Artificial Opening
0D1M8ZN	Procedure	ICD-10-PCS	Endoscopic
OD1M8ZP	Procedure	ICD-10-PCS	Bypass Descending Colon to Rectum, Via Natural or Artificial Opening Endoscopic
			Bypass Sigmoid Colon to Cutaneous with Autologous Tissue Substitute, Open
0D1N074	Procedure	ICD-10-PCS	Approach

cder_mpl1p_wp075 Page 112 of 369



Code	Code Category	Code Type	Description
			Bypass Sigmoid Colon to Sigmoid Colon with Autologous Tissue Substitute, Open
0D1N07N	Procedure	ICD-10-PCS	Approach
0D1N07P	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Rectum with Autologous Tissue Substitute, Open Approach
0D1N0J4	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Cutaneous with Synthetic Substitute, Open Approach
OD1NOJN	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Sigmoid Colon with Synthetic Substitute, Open Approach
OD1NOJP	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Rectum with Synthetic Substitute, Open Approach
			Bypass Sigmoid Colon to Cutaneous with Nonautologous Tissue Substitute, Open
0D1N0K4	Procedure	ICD-10-PCS	Approach
			Bypass Sigmoid Colon to Sigmoid Colon with Nonautologous Tissue Substitute, Open
0D1N0KN	Procedure	ICD-10-PCS	Approach
			Bypass Sigmoid Colon to Rectum with Nonautologous Tissue Substitute, Open
OD1N0KP	Procedure	ICD-10-PCS	Approach
0D1N0Z4	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Cutaneous, Open Approach
OD1NOZN	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Sigmoid Colon, Open Approach
OD1NOZP	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Rectum, Open Approach
			Bypass Sigmoid Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1N3J4	Procedure	ICD-10-PCS	Approach
			Bypass Sigmoid Colon to Cutaneous with Autologous Tissue Substitute,
0D1N474	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Sigmoid Colon to Sigmoid Colon with Autologous Tissue Substitute,
0D1N47N	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Sigmoid Colon to Rectum with Autologous Tissue Substitute, Percutaneous
0D1N47P	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Sigmoid Colon to Cutaneous with Synthetic Substitute, Percutaneous
0D1N4J4	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Sigmoid Colon to Sigmoid Colon with Synthetic Substitute, Percutaneous
0D1N4JN	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Sigmoid Colon to Rectum with Synthetic Substitute, Percutaneous
OD1N4JP	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Sigmoid Colon to Cutaneous with Nonautologous Tissue Substitute,
0D1N4K4	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Sigmoid Colon to Sigmoid Colon with Nonautologous Tissue Substitute,
0D1N4KN	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Sigmoid Colon to Rectum with Nonautologous Tissue Substitute,
OD1N4KP	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0D1N4Z4	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Cutaneous, Percutaneous Endoscopic Approach
0D1N4ZN	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Sigmoid Colon, Percutaneous Endoscopic Approach
OD1N4ZP	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Rectum, Percutaneous Endoscopic Approach
			Bypass Sigmoid Colon to Cutaneous with Autologous Tissue Substitute, Via Natural
0D1N874	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Bypass Sigmoid Colon to Sigmoid Colon with Autologous Tissue Substitute, Via
0D1N87N	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic

cder_mpl1p_wp075 Page 113 of 369



Code	Code Category	Code Type	Description
Coue	Code Category	code Type	Bypass Sigmoid Colon to Rectum with Autologous Tissue Substitute, Via Natural or
0D1N87P	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
ODINO/I	riocedure	ICD-10-1 C3	Bypass Sigmoid Colon to Cutaneous with Synthetic Substitute, Via Natural or
0D1N8J4	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
ODINOJ4	riocedure	ICD-10-1 C3	Bypass Sigmoid Colon to Sigmoid Colon with Synthetic Substitute, Via Natural or
OD1N8JN	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
ODINOIN	riocedure	ICD-10-FC3	Bypass Sigmoid Colon to Rectum with Synthetic Substitute, Via Natural or Artificial
OD1N8JP	Procedure	ICD-10-PCS	Opening Endoscopic
ODINOJE	riocedure	ICD-10-FC3	Bypass Sigmoid Colon to Cutaneous with Nonautologous Tissue Substitute, Via
0D1N8K4	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
ODINOK4	riocedure	ICD-10-FC3	Bypass Sigmoid Colon to Sigmoid Colon with Nonautologous Tissue Substitute, Via
0D1N8KN	Procedure	ICD-10-PCS	Natural or Artificial Opening Endoscopic
ODINOKIN	riocedure	ICD-10-FC3	Bypass Sigmoid Colon to Rectum with Nonautologous Tissue Substitute, Via Natural
OD1N8KP	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
0D1N8KP	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Cutaneous, Via Natural or Artificial Opening Endoscopic
UDINOZ4	Procedure	ICD-10-PC3	bypass signification to Cutaneous, via Natural of Artificial Opening Endoscopic
0D1N8ZN	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
OD1N8ZP	Procedure	ICD-10-PCS	Bypass Sigmoid Colon to Rectum, Via Natural or Artificial Opening Endoscopic
0D1N8ZF 0D580ZZ	Procedure	ICD-10-PCS	Destruction of Small Intestine, Open Approach
0D580ZZ 0D583ZZ	Procedure	ICD-10-PCS	Destruction of Small Intestine, Open Approach
0D583ZZ 0D584ZZ	Procedure	ICD-10-PCS	Destruction of Small Intestine, Percutaneous Endoscopic Approach
0D584ZZ 0D587ZZ	Procedure	ICD-10-PCS	Destruction of Small Intestine, Via Natural or Artificial Opening
0D58722 0D588ZZ	Procedure	ICD-10-PCS	Destruction of Small Intestine, Via Natural or Artificial Opening Endoscopic
0D5882Z 0D590ZZ	Procedure	ICD-10-PCS	Destruction of Duodenum, Open Approach
0D593ZZ	Procedure	ICD-10-PCS	Destruction of Duodenum, Percutaneous Approach
0D593ZZ 0D594ZZ	Procedure	ICD-10-PCS	Destruction of Duodenum, Percutaneous Endoscopic Approach
0D594ZZ 0D597ZZ	Procedure	ICD-10-PCS	Destruction of Duodenum, Via Natural or Artificial Opening
0D597ZZ	Procedure	ICD-10-PCS	Destruction of Duodenum, Via Natural or Artificial Opening Endoscopic
0D530ZZ 0D5A0ZZ	Procedure	ICD-10-PCS	Destruction of Jejunum, Open Approach
0D5A3ZZ	Procedure	ICD-10-PCS	Destruction of Jejunum, Percutaneous Approach
0D5A3ZZ 0D5A4ZZ	Procedure	ICD-10-PCS	Destruction of Jejunum, Percutaneous Approach Destruction of Jejunum, Percutaneous Endoscopic Approach
0D5A4ZZ 0D5A7ZZ	Procedure	ICD-10-PCS	Destruction of Jejunum, Via Natural or Artificial Opening
0D5A7ZZ 0D5A8ZZ	Procedure	ICD-10-PCS	Destruction of Jejunum, Via Natural or Artificial Opening Endoscopic
0D5A6ZZ 0D5B0ZZ	Procedure	ICD-10-PCS	Destruction of Ileum, Open Approach
	Procedure		Destruction of Ileum, Percutaneous Approach
OD5B3ZZ OD5B4ZZ	Procedure	ICD-10-PCS	• •
0D5B4ZZ 0D5B7ZZ	Procedure	ICD-10-PCS	Destruction of Ileum, Percutaneous Endoscopic Approach Postruction of Ileum, Via Natural or Artificial Opening
		ICD-10-PCS	Destruction of Ileum, Via Natural or Artificial Opening
0D5B8ZZ	Procedure	ICD-10-PCS	Destruction of Ileum, Via Natural or Artificial Opening Endoscopic
OD5COZZ	Procedure	ICD-10-PCS	Destruction of Ileocecal Valve, Open Approach
ODEC477	Procedure	ICD-10-PCS	Destruction of Ileocecal Valve, Percutaneous Approach
OD5C4ZZ	Procedure	ICD-10-PCS	Destruction of Ileocecal Valve, Percutaneous Endoscopic Approach
0D5C7ZZ	Procedure	ICD-10-PCS	Destruction of Ileocecal Valve, Via Natural or Artificial Opening

cder_mpl1p_wp075 Page 114 of 369



Code	Code Category	Code Type	Description
0D5C8ZZ	Procedure	ICD-10-PCS	Destruction of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic
OD5E0ZZ	Procedure	ICD-10-PCS	Destruction of Large Intestine, Open Approach
OD5E3ZZ	Procedure	ICD-10-PCS	Destruction of Large Intestine, Percutaneous Approach
OD5E4ZZ	Procedure	ICD-10-PCS	Destruction of Large Intestine, Percutaneous Endoscopic Approach
OD5E7ZZ	Procedure	ICD-10-PCS	Destruction of Large Intestine, Via Natural or Artificial Opening
OD5E8ZZ	Procedure	ICD-10-PCS	Destruction of Large Intestine, Via Natural or Artificial Opening Endoscopic
0D5F0ZZ	Procedure	ICD-10-PCS	Destruction of Right Large Intestine, Open Approach
0D5F3ZZ	Procedure	ICD-10-PCS	Destruction of Right Large Intestine, Percutaneous Approach
0D5F4ZZ	Procedure	ICD-10-PCS	Destruction of Right Large Intestine, Percutaneous Endoscopic Approach
OD5F7ZZ	Procedure	ICD-10-PCS	Destruction of Right Large Intestine, Via Natural or Artificial Opening
OD5F8ZZ	Procedure	ICD-10-PCS	Destruction of Right Large Intestine, Via Natural or Artificial Opening Endoscopic
0D5G0ZZ	Procedure	ICD-10-PCS	Destruction of Left Large Intestine, Open Approach
0D5G3ZZ	Procedure	ICD-10-PCS	Destruction of Left Large Intestine, Percutaneous Approach
0D5G4ZZ	Procedure	ICD-10-PCS	Destruction of Left Large Intestine, Percutaneous Endoscopic Approach
0D5G7ZZ	Procedure	ICD-10-PCS	Destruction of Left Large Intestine, Via Natural or Artificial Opening
0D5G8ZZ	Procedure	ICD-10-PCS	Destruction of Left Large Intestine, Via Natural or Artificial Opening Endoscopic
0D5H0ZZ	Procedure	ICD-10-PCS	Destruction of Cecum, Open Approach
0D5H3ZZ	Procedure	ICD-10-PCS	Destruction of Cecum, Percutaneous Approach
0D5H4ZZ	Procedure	ICD-10-PCS	Destruction of Cecum, Percutaneous Endoscopic Approach
0D5H7ZZ	Procedure	ICD-10-PCS	Destruction of Cecum, Via Natural or Artificial Opening
0D5H8ZZ	Procedure	ICD-10-PCS	Destruction of Cecum, Via Natural or Artificial Opening Endoscopic
OD5K0ZZ	Procedure	ICD-10-PCS	Destruction of Ascending Colon, Open Approach
OD5K3ZZ	Procedure	ICD-10-PCS	Destruction of Ascending Colon, Percutaneous Approach
OD5K4ZZ	Procedure	ICD-10-PCS	Destruction of Ascending Colon, Percutaneous Endoscopic Approach
OD5K7ZZ	Procedure	ICD-10-PCS	Destruction of Ascending Colon, Via Natural or Artificial Opening
OD5K8ZZ	Procedure	ICD-10-PCS	Destruction of Ascending Colon, Via Natural or Artificial Opening Endoscopic
0D5L0ZZ	Procedure	ICD-10-PCS	Destruction of Transverse Colon, Open Approach
0D5L3ZZ	Procedure	ICD-10-PCS	Destruction of Transverse Colon, Percutaneous Approach
0D5L4ZZ	Procedure	ICD-10-PCS	Destruction of Transverse Colon, Percutaneous Endoscopic Approach
0D5L7ZZ	Procedure	ICD-10-PCS	Destruction of Transverse Colon, Via Natural or Artificial Opening
OD5L8ZZ	Procedure	ICD-10-PCS	Destruction of Transverse Colon, Via Natural or Artificial Opening Endoscopic
0D5M0ZZ	Procedure	ICD-10-PCS	Destruction of Descending Colon, Open Approach
0D5M3ZZ	Procedure	ICD-10-PCS	Destruction of Descending Colon, Percutaneous Approach
0D5M4ZZ	Procedure	ICD-10-PCS	Destruction of Descending Colon, Percutaneous Endoscopic Approach
0D5M7ZZ	Procedure	ICD-10-PCS	Destruction of Descending Colon, Via Natural or Artificial Opening
OD5M8ZZ	Procedure	ICD-10-PCS	Destruction of Descending Colon, Via Natural or Artificial Opening Endoscopic
0D5N0ZZ	Procedure	ICD-10-PCS	Destruction of Sigmoid Colon, Open Approach
OD5N3ZZ	Procedure	ICD-10-PCS	Destruction of Sigmoid Colon, Percutaneous Approach
OD5N4ZZ	Procedure	ICD-10-PCS	Destruction of Sigmoid Colon, Percutaneous Endoscopic Approach
0D5N7ZZ	Procedure	ICD-10-PCS	Destruction of Sigmoid Colon, Via Natural or Artificial Opening
0D5N8ZZ	Procedure	ICD-10-PCS	Destruction of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic

cder_mpl1p_wp075 Page 115 of 369



Code	Code Category	Code Type	Description
			Drainage of Upper Esophagus, Via Natural or Artificial Opening Endoscopic,
0D918ZX	Procedure	ICD-10-PCS	Diagnostic
			Drainage of Middle Esophagus, Via Natural or Artificial Opening Endoscopic,
0D928ZX	Procedure	ICD-10-PCS	Diagnostic
			Drainage of Lower Esophagus, Via Natural or Artificial Opening Endoscopic,
0D938ZX	Procedure	ICD-10-PCS	Diagnostic
			Drainage of Esophagogastric Junction, Via Natural or Artificial Opening Endoscopic,
0D948ZX	Procedure	ICD-10-PCS	Diagnostic
0D958ZX	Procedure	ICD-10-PCS	Drainage of Esophagus, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D968ZX	Procedure	ICD-10-PCS	Drainage of Stomach, Via Natural or Artificial Opening Endoscopic, Diagnostic
			Drainage of Stomach, Pylorus, Via Natural or Artificial Opening Endoscopic,
0D978ZX	Procedure	ICD-10-PCS	Diagnostic
0D9800Z	Procedure	ICD-10-PCS	Drainage of Small Intestine with Drainage Device, Open Approach
0D980ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Open Approach, Diagnostic
0D980ZZ	Procedure	ICD-10-PCS	Drainage of Small Intestine, Open Approach
0D9830Z	Procedure	ICD-10-PCS	Drainage of Small Intestine with Drainage Device, Percutaneous Approach
0D983ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Percutaneous Approach, Diagnostic
0D983ZZ	Procedure	ICD-10-PCS	Drainage of Small Intestine, Percutaneous Approach
			Drainage of Small Intestine with Drainage Device, Percutaneous Endoscopic
0D9840Z	Procedure	ICD-10-PCS	Approach
0D984ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D984ZZ	Procedure	ICD-10-PCS	Drainage of Small Intestine, Percutaneous Endoscopic Approach
0D9870Z	Procedure	ICD-10-PCS	Drainage of Small Intestine with Drainage Device, Via Natural or Artificial Opening
0D987ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Via Natural or Artificial Opening, Diagnostic
0D987ZZ	Procedure	ICD-10-PCS	Drainage of Small Intestine, Via Natural or Artificial Opening
			Drainage of Small Intestine with Drainage Device, Via Natural or Artificial Opening
0D9880Z	Procedure	ICD-10-PCS	Endoscopic
0D988ZX	Procedure	ICD-10-PCS	Drainage of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D988ZZ	Procedure	ICD-10-PCS	Drainage of Small Intestine, Via Natural or Artificial Opening Endoscopic
0D9900Z	Procedure	ICD-10-PCS	Drainage of Duodenum with Drainage Device, Open Approach
0D990ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Open Approach, Diagnostic
0D990ZZ	Procedure	ICD-10-PCS	Drainage of Duodenum, Open Approach
0D993ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Percutaneous Approach, Diagnostic
0D9940Z	Procedure	ICD-10-PCS	Drainage of Duodenum with Drainage Device, Percutaneous Endoscopic Approach
0D994ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Percutaneous Endoscopic Approach, Diagnostic
0D994ZZ	Procedure	ICD-10-PCS	Drainage of Duodenum, Percutaneous Endoscopic Approach
0D997ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Via Natural or Artificial Opening, Diagnostic
0D997ZZ	Procedure	ICD-10-PCS	Drainage of Duodenum, Via Natural or Artificial Opening
0D998ZX	Procedure	ICD-10-PCS	Drainage of Duodenum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D998ZZ	Procedure	ICD-10-PCS	Drainage of Duodenum, Via Natural or Artificial Opening Endoscopic
0D9A00Z	Procedure	ICD-10-PCS	Drainage of Jejunum with Drainage Device, Open Approach
· · · · · ·		<u> </u>	

cder_mpl1p_wp075 Page 116 of 369



LXPOSUTE	incluence Criteria	in this Reques	
Code	Code Category	Code Type	Description
0D9A0ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Open Approach, Diagnostic
0D9A0ZZ	Procedure	ICD-10-PCS	Drainage of Jejunum, Open Approach
0D9A3ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Percutaneous Approach, Diagnostic
0D9A40Z	Procedure	ICD-10-PCS	Drainage of Jejunum with Drainage Device, Percutaneous Endoscopic Approach
0D9A4ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Percutaneous Endoscopic Approach, Diagnostic
0D9A4ZZ	Procedure	ICD-10-PCS	Drainage of Jejunum, Percutaneous Endoscopic Approach
0D9A7ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Via Natural or Artificial Opening, Diagnostic
0D9A7ZZ	Procedure	ICD-10-PCS	Drainage of Jejunum, Via Natural or Artificial Opening
0D9A8ZX	Procedure	ICD-10-PCS	Drainage of Jejunum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9A8ZZ	Procedure	ICD-10-PCS	Drainage of Jejunum, Via Natural or Artificial Opening Endoscopic
0D9B00Z	Procedure	ICD-10-PCS	Drainage of Ileum with Drainage Device, Open Approach
OD9B0ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Open Approach, Diagnostic
OD9B0ZZ	Procedure	ICD-10-PCS	Drainage of Ileum, Open Approach
OD9B3ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Percutaneous Approach, Diagnostic
0D9B40Z	Procedure	ICD-10-PCS	Drainage of Ileum with Drainage Device, Percutaneous Endoscopic Approach
0D9B4ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Percutaneous Endoscopic Approach, Diagnostic
OD9B4ZZ	Procedure	ICD-10-PCS	Drainage of Ileum, Percutaneous Endoscopic Approach
OD9B7ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Via Natural or Artificial Opening, Diagnostic
OD9B7ZZ	Procedure	ICD-10-PCS	Drainage of Ileum, Via Natural or Artificial Opening
0D9B8ZX	Procedure	ICD-10-PCS	Drainage of Ileum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9B8ZZ	Procedure	ICD-10-PCS	Drainage of Ileum, Via Natural or Artificial Opening Endoscopic
0D9C00Z	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve with Drainage Device, Open Approach
0D9C0ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Open Approach, Diagnostic
0D9C0ZZ	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Open Approach
0D9C3ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Percutaneous Approach, Diagnostic
			Drainage of Ileocecal Valve with Drainage Device, Percutaneous Endoscopic
0D9C40Z	Procedure	ICD-10-PCS	Approach
0D9C4ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Percutaneous Endoscopic Approach, Diagnostic
0D9C4ZZ	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Percutaneous Endoscopic Approach
0D9C70Z	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve with Drainage Device, Via Natural or Artificial Opening
0D9C7ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Via Natural or Artificial Opening, Diagnostic
0D9C7ZZ	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Via Natural or Artificial Opening
			Drainage of Ileocecal Valve with Drainage Device, Via Natural or Artificial Opening
0D9C80Z	Procedure	ICD-10-PCS	Endoscopic
0D9C8ZX	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9C8ZZ	Procedure	ICD-10-PCS	Drainage of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic
0D9E00Z	Procedure	ICD-10-PCS	Drainage of Large Intestine with Drainage Device, Open Approach
OD9E0ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Open Approach, Diagnostic
OD9E0ZZ	Procedure	ICD-10-PCS	Drainage of Large Intestine, Open Approach
0D9E30Z	Procedure	ICD-10-PCS	Drainage of Large Intestine with Drainage Device, Percutaneous Approach
0D9E3ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Approach, Diagnostic

cder_mpl1p_wp075 Page 117 of 369



Exposure.		· ··· ····· ····· ·····	•
Code	Code Category	Code Type	Description
0D9E3ZZ	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Approach
			Drainage of Large Intestine with Drainage Device, Percutaneous Endoscopic
0D9E40Z	Procedure	ICD-10-PCS	Approach
OD9E4ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
OD9E4ZZ	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Endoscopic Approach
0D9E70Z	Procedure	ICD-10-PCS	Drainage of Large Intestine with Drainage Device, Via Natural or Artificial Opening
OD9E7ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening, Diagnostic
OD9E7ZZ	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening
			Drainage of Large Intestine with Drainage Device, Via Natural or Artificial Opening
0D9E80Z	Procedure	ICD-10-PCS	Endoscopic
0D9E8ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
OD9E8ZZ	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening Endoscopic
0D9F00Z	Procedure	ICD-10-PCS	Drainage of Right Large Intestine with Drainage Device, Open Approach
0D9F0ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Open Approach, Diagnostic
0D9F0ZZ	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Open Approach
0D9F3ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Approach, Diagnostic
			Drainage of Right Large Intestine with Drainage Device, Percutaneous Endoscopic
0D9F40Z	Procedure	ICD-10-PCS	Approach
0D9F4ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9F4ZZ	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Endoscopic Approach
0D9F7ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
0D9F7ZZ	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Via Natural or Artificial Opening
			Drainage of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9F8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9F8ZZ	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Via Natural or Artificial Opening Endoscopic
0D9G00Z	Procedure	ICD-10-PCS	Drainage of Left Large Intestine with Drainage Device, Open Approach
0D9G0ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Open Approach, Diagnostic
0D9G0ZZ	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Open Approach
0D9G3ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Approach, Diagnostic
			Drainage of Left Large Intestine with Drainage Device, Percutaneous Endoscopic
0D9G40Z	Procedure	ICD-10-PCS	Approach
0D9G4ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9G4ZZ	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Endoscopic Approach
0D9G7ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
0D9G7ZZ	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Via Natural or Artificial Opening
			Drainage of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9G8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9G8ZZ	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Via Natural or Artificial Opening Endoscopic
0D9H00Z	Procedure	ICD-10-PCS	Drainage of Cecum with Drainage Device, Open Approach
0D9H0ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Open Approach, Diagnostic
0D9H0ZZ	Procedure	ICD-10-PCS	Drainage of Cecum, Open Approach

cder_mpl1p_wp075 Page 118 of 369



Code	Code Category	Code Type	Description
D9H3ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Approach, Diagnostic
D9H40Z	Procedure	ICD-10-PCS	Drainage of Cecum with Drainage Device, Percutaneous Endoscopic Approach
D9H4ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Endoscopic Approach, Diagnostic
D9H4ZZ	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Endoscopic Approach
D9H7ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening, Diagnostic
D9H7ZZ	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening
D9H8ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
D9H8ZZ	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening Endoscopic
D9K00Z	Procedure	ICD-10-PCS	Drainage of Ascending Colon with Drainage Device, Open Approach
D9K0ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Open Approach, Diagnostic
D9K0ZZ	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Open Approach
D9K3ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Approach, Diagnostic
			Drainage of Ascending Colon with Drainage Device, Percutaneous Endoscopic
D9K40Z	Procedure	ICD-10-PCS	Approach
D9K4ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
D9K4ZZ	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Endoscopic Approach
D9K7ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
D9K7ZZ	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening
			Drainage of Ascending Colon, Via Natural or Artificial Opening Endoscopic,
D9K8ZX	Procedure	ICD-10-PCS	Diagnostic
D9K8ZZ	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening Endoscopic
D9L00Z	Procedure	ICD-10-PCS	Drainage of Transverse Colon with Drainage Device, Open Approach
D9L0ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Open Approach, Diagnostic
D9L0ZZ	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Open Approach
D9L3ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Approach, Diagnostic
			Drainage of Transverse Colon with Drainage Device, Percutaneous Endoscopic
D9L40Z	Procedure	ICD-10-PCS	Approach
D9L4ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
D9L4ZZ	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Endoscopic Approach
D9L7ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
D9L7ZZ	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening
			Drainage of Transverse Colon, Via Natural or Artificial Opening Endoscopic,
D9L8ZX	Procedure	ICD-10-PCS	Diagnostic
D9L8ZZ	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening Endoscopic
D9M00Z	Procedure	ICD-10-PCS	Drainage of Descending Colon with Drainage Device, Open Approach
D9M0ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Open Approach, Diagnostic
D9M0ZZ	Procedure	ICD-10-PCS	Drainage of Descending Colon, Open Approach
D9M3ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Approach, Diagnostic
			Drainage of Descending Colon with Drainage Device, Percutaneous Endoscopic
D9M40Z	Procedure	ICD-10-PCS	Approach
D9M4ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
D9M4ZZ	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Endoscopic Approach

cder_mpl1p_wp075 Page 119 of 369



-Apodure i		· ··· ····· ····· ·····	·
Code	Code Category	Code Type	Description
0D9M7ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening, Diagnostic
0D9M7ZZ	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening
			Drainage of Descending Colon, Via Natural or Artificial Opening Endoscopic,
0D9M8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9M8ZZ	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening Endoscopic
0D9N00Z	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon with Drainage Device, Open Approach
OD9NOZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Open Approach, Diagnostic
0D9N0ZZ	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Open Approach
0D9N3ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Approach, Diagnostic
			Drainage of Sigmoid Colon with Drainage Device, Percutaneous Endoscopic
0D9N40Z	Procedure	ICD-10-PCS	Approach
0D9N4ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9N4ZZ	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Endoscopic Approach
0D9N7ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
0D9N7ZZ	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening
0D9N8ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
OD9N8ZZ	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
ODB80ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Open Approach, Diagnostic
ODB80ZZ	Procedure	ICD-10-PCS	Excision of Small Intestine, Open Approach
ODB83ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Approach, Diagnostic
ODB83ZZ	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Approach
ODB84ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODB84ZZ	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Endoscopic Approach
ODB87ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening, Diagnostic
ODB87ZZ	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening
ODB88ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODB88ZZ	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening Endoscopic
ODB90ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Open Approach, Diagnostic
ODB90ZZ	Procedure	ICD-10-PCS	Excision of Duodenum, Open Approach
ODB93ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Percutaneous Approach, Diagnostic
ODB93ZZ	Procedure	ICD-10-PCS	Excision of Duodenum, Percutaneous Approach
ODB94ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Percutaneous Endoscopic Approach, Diagnostic
ODB94ZZ	Procedure	ICD-10-PCS	Excision of Duodenum, Percutaneous Endoscopic Approach
ODB97ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Via Natural or Artificial Opening, Diagnostic
ODB97ZZ	Procedure	ICD-10-PCS	Excision of Duodenum, Via Natural or Artificial Opening
ODB98ZX	Procedure	ICD-10-PCS	Excision of Duodenum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODB98ZZ	Procedure	ICD-10-PCS	Excision of Duodenum, Via Natural or Artificial Opening Endoscopic
0DBA0ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Open Approach, Diagnostic
ODBA0ZZ	Procedure	ICD-10-PCS	Excision of Jejunum, Open Approach
0DBA3ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Percutaneous Approach, Diagnostic
0DBA3ZZ	Procedure	ICD-10-PCS	Excision of Jejunum, Percutaneous Approach
ODBA4ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Percutaneous Endoscopic Approach, Diagnostic

cder_mpl1p_wp075 Page 120 of 369



Exposure .	mora em ce contente	in tino neques	•
Code	Code Category	Code Type	Description
ODBA4ZZ	Procedure	ICD-10-PCS	Excision of Jejunum, Percutaneous Endoscopic Approach
ODBA7ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Via Natural or Artificial Opening, Diagnostic
0DBA7ZZ	Procedure	ICD-10-PCS	Excision of Jejunum, Via Natural or Artificial Opening
ODBA8ZX	Procedure	ICD-10-PCS	Excision of Jejunum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBA8ZZ	Procedure	ICD-10-PCS	Excision of Jejunum, Via Natural or Artificial Opening Endoscopic
ODBB0ZX	Procedure	ICD-10-PCS	Excision of Ileum, Open Approach, Diagnostic
ODBB0ZZ	Procedure	ICD-10-PCS	Excision of Ileum, Open Approach
ODBB3ZX	Procedure	ICD-10-PCS	Excision of Ileum, Percutaneous Approach, Diagnostic
ODBB3ZZ	Procedure	ICD-10-PCS	Excision of Ileum, Percutaneous Approach
ODBB4ZX	Procedure	ICD-10-PCS	Excision of Ileum, Percutaneous Endoscopic Approach, Diagnostic
ODBB4ZZ	Procedure	ICD-10-PCS	Excision of Ileum, Percutaneous Endoscopic Approach
ODBB7ZX	Procedure	ICD-10-PCS	Excision of Ileum, Via Natural or Artificial Opening, Diagnostic
ODBB7ZZ	Procedure	ICD-10-PCS	Excision of Ileum, Via Natural or Artificial Opening
ODBB8ZX	Procedure	ICD-10-PCS	Excision of Ileum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBB8ZZ	Procedure	ICD-10-PCS	Excision of Ileum, Via Natural or Artificial Opening Endoscopic
ODBC0ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Open Approach, Diagnostic
0DBC0ZZ	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Open Approach
ODBC3ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Percutaneous Approach, Diagnostic
ODBC3ZZ	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Percutaneous Approach
ODBC4ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Percutaneous Endoscopic Approach, Diagnostic
ODBC4ZZ	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Percutaneous Endoscopic Approach
ODBC7ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Via Natural or Artificial Opening, Diagnostic
ODBC7ZZ	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Via Natural or Artificial Opening
ODBC8ZX	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBC8ZZ	Procedure	ICD-10-PCS	Excision of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic
ODBE0ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Open Approach, Diagnostic
ODBE0ZZ	Procedure	ICD-10-PCS	Excision of Large Intestine, Open Approach
ODBE3ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Approach, Diagnostic
ODBE3ZZ	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Approach
ODBE4ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBE4ZZ	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Endoscopic Approach
ODBE7ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening, Diagnostic
ODBE7ZZ	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening
ODBE8ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBE8ZZ	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening Endoscopic
0DBF0ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Open Approach, Diagnostic
0DBF0ZZ	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Open Approach
ODBF3ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Approach, Diagnostic
ODBF3ZZ	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Approach
0DBF4ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBF7ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
ODBF7ZZ	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Via Natural or Artificial Opening

cder_mpl1p_wp075 Page 121 of 369



Exposure incidence Criteria in this Reques			t		
Code	Code Category	Code Type	Description		
			Excision of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,		
ODBF8ZX	Procedure	ICD-10-PCS	Diagnostic		
ODBF8ZZ	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Via Natural or Artificial Opening Endoscopic		
0DBG0ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Open Approach, Diagnostic		
0DBG0ZZ	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Open Approach		
0DBG3ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Approach, Diagnostic		
0DBG3ZZ	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Approach		
0DBG4ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic		
0DBG7ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic		
0DBG7ZZ	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Via Natural or Artificial Opening		
			Excision of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,		
0DBG8ZX	Procedure	ICD-10-PCS	Diagnostic		
0DBG8ZZ	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Via Natural or Artificial Opening Endoscopic		
			Excision of Left Large Intestine, Via Natural or Artificial Opening With Percutaneous		
0DBGFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance		
0DBH0ZX	Procedure	ICD-10-PCS	Excision of Cecum, Open Approach, Diagnostic		
ODBH0ZZ	Procedure	ICD-10-PCS	Excision of Cecum, Open Approach		
0DBH3ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Approach, Diagnostic		
ODBH3ZZ	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Approach		
0DBH4ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Endoscopic Approach, Diagnostic		
ODBH7ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening, Diagnostic		
ODBH7ZZ	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening		
ODBH8ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic		
ODBH8ZZ	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening Endoscopic		
ODBK0ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Open Approach, Diagnostic		
ODBK0ZZ	Procedure	ICD-10-PCS	Excision of Ascending Colon, Open Approach		
ODBK3ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Approach, Diagnostic		
ODBK3ZZ	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Approach		
ODBK4ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic		
ODBK7ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening, Diagnostic		
ODBK7ZZ	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening		
ODBK8ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic		
ODBK8ZZ	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening Endoscopic		
ODBL0ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Open Approach, Diagnostic		
ODBL0ZZ	Procedure	ICD-10-PCS	Excision of Transverse Colon, Open Approach		
ODBL3ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Approach, Diagnostic		
ODBL3ZZ	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Approach		
0DBL4ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic		
ODBL7ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening, Diagnostic		
ODBL7ZZ	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening		

cder_mpl1p_wp075 Page 122 of 369



	ncidence Criteria		
Code	Code Category	Code Type	Description
0DDI 07V	Dunanduna	ICD 10 DCC	Fusicion of Transcrute Colon Via Natural on Artificial Constant Endorse in Discounties
ODBL8ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBL8ZZ	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening Endoscopic
0001533		100 10 000	Excision of Transverse Colon, Via Natural or Artificial Opening With Percutaneous
ODBLFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
	Procedure	ICD-10-PCS	Excision of Descending Colon, Open Approach, Diagnostic
	Procedure	ICD-10-PCS	Excision of Descending Colon, Open Approach
	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Approach, Diagnostic
	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Approach
	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening, Diagnostic
ODBM7ZZ	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening
			Excision of Descending Colon, Via Natural or Artificial Opening Endoscopic,
ODBM8ZX	Procedure	ICD-10-PCS	Diagnostic
ODBM8ZZ	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening Endoscopic
			Excision of Descending Colon, Via Natural or Artificial Opening With Percutaneous
ODBMFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
ODBN0ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Open Approach, Diagnostic
ODBN0ZZ	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Open Approach
ODBN3ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Approach, Diagnostic
ODBN3ZZ	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Approach
ODBN4ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBN7ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
ODBN7ZZ	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening
ODBN8ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBN8ZZ	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
			Excision of Sigmoid Colon, Via Natural or Artificial Opening With Percutaneous
ODBNFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
ODC80ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Small Intestine, Open Approach
ODC83ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Small Intestine, Percutaneous Approach
ODC84ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Small Intestine, Percutaneous Endoscopic Approach
ODC87ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Small Intestine, Via Natural or Artificial Opening
			Extirpation of Matter from Small Intestine, Via Natural or Artificial Opening
ODC88ZZ	Procedure	ICD-10-PCS	Endoscopic
ODC90ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Duodenum, Open Approach
0DC93ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Duodenum, Percutaneous Approach
0DC94ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Duodenum, Percutaneous Endoscopic Approach
0DCA0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Jejunum, Open Approach
0DCA3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Jejunum, Percutaneous Approach
0DCA4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Jejunum, Percutaneous Endoscopic Approach
ODCB0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ileum, Open Approach
ODCB3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ileum, Percutaneous Approach
			, and a second of the second s

cder_mpl1p_wp075 Page 123 of 369



Code	Code Category	Code Type	Description
ODCB4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ileum, Percutaneous Endoscopic Approach
ODCC0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ileocecal Valve, Open Approach
ODCC3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ileocecal Valve, Percutaneous Approach
0DCC4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ileocecal Valve, Percutaneous Endoscopic Approach
ODCE0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Large Intestine, Open Approach
ODCE3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Large Intestine, Percutaneous Approach
ODCE4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Large Intestine, Percutaneous Endoscopic Approach
ODCE7ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Large Intestine, Via Natural or Artificial Opening
			Extirpation of Matter from Large Intestine, Via Natural or Artificial Opening
ODCE8ZZ	Procedure	ICD-10-PCS	Endoscopic
ODCF0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Right Large Intestine, Open Approach
ODCF3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Right Large Intestine, Percutaneous Approach
ODCF4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Right Large Intestine, Percutaneous Endoscopic Approach
0DCG0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Left Large Intestine, Open Approach
0DCG3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Left Large Intestine, Percutaneous Approach
0DCG4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Left Large Intestine, Percutaneous Endoscopic Approach
0DCH0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Cecum, Open Approach
ODCH3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Cecum, Percutaneous Approach
0DCH4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Cecum, Percutaneous Endoscopic Approach
ODCK0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ascending Colon, Open Approach
ODCK3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ascending Colon, Percutaneous Approach
ODCK4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Ascending Colon, Percutaneous Endoscopic Approach
ODCL0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Transverse Colon, Open Approach
ODCL3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Transverse Colon, Percutaneous Approach
ODCL4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Transverse Colon, Percutaneous Endoscopic Approach
0DCM0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Descending Colon, Open Approach
0DCM3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Descending Colon, Percutaneous Approach
	Procedure	ICD-10-PCS	Extirpation of Matter from Descending Colon, Percutaneous Endoscopic Approach
0DCN0ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Sigmoid Colon, Open Approach
ODCN3ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Sigmoid Colon, Percutaneous Approach
ODCN4ZZ	Procedure	ICD-10-PCS	Extirpation of Matter from Sigmoid Colon, Percutaneous Endoscopic Approach
			Extraction of Upper Esophagus, Via Natural or Artificial Opening Endoscopic,
ODD18ZX	Procedure	ICD-10-PCS	Diagnostic
			Extraction of Middle Esophagus, Via Natural or Artificial Opening Endoscopic,
ODD28ZX	Procedure	ICD-10-PCS	Diagnostic
			Extraction of Lower Esophagus, Via Natural or Artificial Opening Endoscopic,
0DD38ZX	Procedure	ICD-10-PCS	Diagnostic
	_		Extraction of Esophagogastric Junction, Via Natural or Artificial Opening Endoscopic,
0DD48ZX	Procedure	ICD-10-PCS	Diagnostic
0DD58ZX	Procedure	ICD-10-PCS	Extraction of Esophagus, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DD68ZX	Procedure	ICD-10-PCS	Extraction of Stomach, Via Natural or Artificial Opening Endoscopic, Diagnostic

cder_mpl1p_wp075 Page 124 of 369



Code	Code Category	Code Type	Description
			Extraction of Stomach, Pylorus, Via Natural or Artificial Opening Endoscopic,
0DD78ZX	Procedure	ICD-10-PCS	Diagnostic
0DD83ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Approach, Diagnostic
0DD84ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
0DD88ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DD93ZX	Procedure	ICD-10-PCS	Extraction of Duodenum, Percutaneous Approach, Diagnostic
0DD94ZX	Procedure	ICD-10-PCS	Extraction of Duodenum, Percutaneous Endoscopic Approach, Diagnostic
0DD98ZX	Procedure	ICD-10-PCS	Extraction of Duodenum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDA3ZX	Procedure	ICD-10-PCS	Extraction of Jejunum, Percutaneous Approach, Diagnostic
0DDA4ZX	Procedure	ICD-10-PCS	Extraction of Jejunum, Percutaneous Endoscopic Approach, Diagnostic
0DDA8ZX	Procedure	ICD-10-PCS	Extraction of Jejunum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDB3ZX	Procedure	ICD-10-PCS	Extraction of Ileum, Percutaneous Approach, Diagnostic
ODDB4ZX	Procedure	ICD-10-PCS	Extraction of Ileum, Percutaneous Endoscopic Approach, Diagnostic
ODDB8ZX	Procedure	ICD-10-PCS	Extraction of Ileum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDC3ZX	Procedure	ICD-10-PCS	Extraction of Ileocecal Valve, Percutaneous Approach, Diagnostic
0DDC4ZX	Procedure	ICD-10-PCS	Extraction of Ileocecal Valve, Percutaneous Endoscopic Approach, Diagnostic
0DDC8ZX	Procedure	ICD-10-PCS	Extraction of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDE3ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Approach, Diagnostic
0DDE4ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0DDE8ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDF3ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Approach, Diagnostic
0DDF4ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic Extraction of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDF8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDG3ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Approach, Diagnostic
0DDG4ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic Extraction of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDG8ZX	Procedure	ICD-10-PCS	Diagnostic
ODDG3ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Approach, Diagnostic
ODDH4ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Endoscopic Approach, Diagnostic
ODDH4ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDK3ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Approach, Diagnostic
ODDK4ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Ascending Colon, Via Natural or Artificial Opening Endoscopic,
ODDK8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDL3ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Approach, Diagnostic
0DDL4ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic Extraction of Transverse Colon, Via Natural or Artificial Opening Endoscopic,
0DDL8ZX	Procedure	ICD-10-PCS	Diagnostic

cder_mpl1p_wp075 Page 125 of 369



		sine neques	-
Code	Code Category	Code Type	Description
0DDM3ZX	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Approach, Diagnostic
0DDM4ZX	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Descending Colon, Via Natural or Artificial Opening Endoscopic,
0DDM8ZX	Procedure	ICD-10-PCS	Diagnostic
ODDN3ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Approach, Diagnostic
0DDN4ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODDN8ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DH00YZ	Procedure	ICD-10-PCS	Insertion of Other Device into Upper Intestinal Tract, Open Approach
0DH03YZ	Procedure	ICD-10-PCS	Insertion of Other Device into Upper Intestinal Tract, Percutaneous Approach
			Insertion of Other Device into Upper Intestinal Tract, Percutaneous Endoscopic
0DH04YZ	Procedure	ICD-10-PCS	Approach
0DH802Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Small Intestine, Open Approach
0DH803Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Small Intestine, Open Approach
0DH832Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Small Intestine, Percutaneous Approach
0DH833Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Small Intestine, Percutaneous Approach
			Insertion of Monitoring Device into Small Intestine, Percutaneous Endoscopic
0DH842Z	Procedure	ICD-10-PCS	Approach
00110427	5 1	ICD 40 DCC	
0DH843Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Small Intestine, Percutaneous Endoscopic Approach
0DH902Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Duodenum, Open Approach
0DH903Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Duodenum, Open Approach
0DH932Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Duodenum, Percutaneous Approach
0DH933Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Duodenum, Percutaneous Approach
0DH942Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Duodenum, Percutaneous Endoscopic Approach
0DH943Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Duodenum, Percutaneous Endoscopic Approach
ODHA02Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Jejunum, Open Approach
ODHA03Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Jejunum, Open Approach
ODHA32Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Jejunum, Percutaneous Approach
ODHA33Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Jejunum, Percutaneous Approach
ODHA42Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Jejunum, Percutaneous Endoscopic Approach
ODHA43Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Jejunum, Percutaneous Endoscopic Approach
ODHBO2Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Ileum, Open Approach
ODHB03Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Ileum, Open Approach
ODHB32Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Ileum, Percutaneous Approach
ODHB33Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Ileum, Percutaneous Approach
ODHB42Z	Procedure	ICD-10-PCS	Insertion of Monitoring Device into Ileum, Percutaneous Endoscopic Approach
ODHB43Z	Procedure	ICD-10-PCS	Insertion of Infusion Device into Ileum, Percutaneous Endoscopic Approach
0DHD0YZ	Procedure	ICD-10-PCS	Insertion of Other Device into Lower Intestinal Tract, Open Approach
0DHD3YZ	Procedure	ICD-10-PCS	Insertion of Other Device into Lower Intestinal Tract, Percutaneous Approach
00115		100 10	Insertion of Other Device into Lower Intestinal Tract, Percutaneous Endoscopic
0DHD4YZ	Procedure	ICD-10-PCS	Approach

cder_mpl1p_wp075 Page 126 of 369



-Apoout C			-
Code	Code Category	Code Type	Description
0DJ03ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Percutaneous Approach
0DJ07ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Via Natural or Artificial Opening
ODJ08ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Via Natural or Artificial Opening Endoscopic
ODJD3ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Percutaneous Approach
0DJD4ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Percutaneous Endoscopic Approach
0DJD7ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Via Natural or Artificial Opening
ODJD8ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Via Natural or Artificial Opening Endoscopic
0DP000Z	Procedure	ICD-10-PCS	Removal of Drainage Device from Upper Intestinal Tract, Open Approach
0DP002Z	Procedure	ICD-10-PCS	Removal of Monitoring Device from Upper Intestinal Tract, Open Approach
0DP003Z	Procedure	ICD-10-PCS	Removal of Infusion Device from Upper Intestinal Tract, Open Approach
			Removal of Autologous Tissue Substitute from Upper Intestinal Tract, Open
0DP007Z	Procedure	ICD-10-PCS	Approach
ODPO0CZ	Procedure	ICD-10-PCS	Removal of Extraluminal Device from Upper Intestinal Tract, Open Approach
0DP00DZ	Procedure	ICD-10-PCS	Removal of Intraluminal Device from Upper Intestinal Tract, Open Approach
ODP00JZ	Procedure	ICD-10-PCS	Removal of Synthetic Substitute from Upper Intestinal Tract, Open Approach
			Removal of Nonautologous Tissue Substitute from Upper Intestinal Tract, Open
ODP00KZ	Procedure	ICD-10-PCS	Approach
0DP00UZ	Procedure	ICD-10-PCS	Removal of Feeding Device from Upper Intestinal Tract, Open Approach
ODP00YZ	Procedure	ICD-10-PCS	Removal of Other Device from Upper Intestinal Tract, Open Approach
0DP030Z	Procedure	ICD-10-PCS	Removal of Drainage Device from Upper Intestinal Tract, Percutaneous Approach
0DP032Z	Procedure	ICD-10-PCS	Removal of Monitoring Device from Upper Intestinal Tract, Percutaneous Approach
0DP033Z	Procedure	ICD-10-PCS	Removal of Infusion Device from Upper Intestinal Tract, Percutaneous Approach
			Removal of Autologous Tissue Substitute from Upper Intestinal Tract, Percutaneous
0DP037Z	Procedure	ICD-10-PCS	Approach
ODP03CZ	Procedure	ICD-10-PCS	Removal of Extraluminal Device from Upper Intestinal Tract, Percutaneous Approach
0DP03DZ	Procedure	ICD-10-PCS	Removal of Intraluminal Device from Upper Intestinal Tract, Percutaneous Approach
0DP03JZ	Procedure	ICD-10-PCS	Removal of Synthetic Substitute from Upper Intestinal Tract, Percutaneous Approach
			Removal of Nonautologous Tissue Substitute from Upper Intestinal Tract,
0DP03KZ	Procedure	ICD-10-PCS	Percutaneous Approach
0DP03UZ	Procedure	ICD-10-PCS	Removal of Feeding Device from Upper Intestinal Tract, Percutaneous Approach
0DP03YZ	Procedure	ICD-10-PCS	Removal of Other Device from Upper Intestinal Tract, Percutaneous Approach
			Removal of Drainage Device from Upper Intestinal Tract, Percutaneous Endoscopic
0DP040Z	Procedure	ICD-10-PCS	Approach
			Removal of Monitoring Device from Upper Intestinal Tract, Percutaneous Endoscopic
0DP042Z	Procedure	ICD-10-PCS	Approach
			Removal of Infusion Device from Upper Intestinal Tract, Percutaneous Endoscopic
0DP043Z	Procedure	ICD-10-PCS	Approach
			Removal of Autologous Tissue Substitute from Upper Intestinal Tract, Percutaneous
0DP047Z	Procedure	ICD-10-PCS	Endoscopic Approach
			Removal of Extraluminal Device from Upper Intestinal Tract, Percutaneous
0DP04CZ	Procedure	ICD-10-PCS	Endoscopic Approach

cder_mpl1p_wp075 Page 127 of 369



Code	Code Category	Code Type	Description
			Removal of Intraluminal Device from Upper Intestinal Tract, Percutaneous
0DP04DZ	Procedure	ICD-10-PCS	Endoscopic Approach
			Removal of Synthetic Substitute from Upper Intestinal Tract, Percutaneous
0DP04JZ	Procedure	ICD-10-PCS	Endoscopic Approach
			Removal of Nonautologous Tissue Substitute from Upper Intestinal Tract,
0DP04KZ	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Removal of Feeding Device from Upper Intestinal Tract, Percutaneous Endoscopic
0DP04UZ	Procedure	ICD-10-PCS	Approach
			Removal of Other Device from Upper Intestinal Tract, Percutaneous Endoscopic
ODP04YZ	Procedure	ICD-10-PCS	Approach
			Removal of Autologous Tissue Substitute from Upper Intestinal Tract, Via Natural or
0DP077Z	Procedure	ICD-10-PCS	Artificial Opening
			Removal of Extraluminal Device from Upper Intestinal Tract, Via Natural or Artificial
ODPO7CZ	Procedure	ICD-10-PCS	Opening
			Removal of Synthetic Substitute from Upper Intestinal Tract, Via Natural or Artificial
ODP07JZ	Procedure	ICD-10-PCS	Opening
			Removal of Nonautologous Tissue Substitute from Upper Intestinal Tract, Via Natural
0DP07KZ	Procedure	ICD-10-PCS	or Artificial Opening
			Removal of Feeding Device from Upper Intestinal Tract, Via Natural or Artificial
0DP07UZ	Procedure	ICD-10-PCS	Opening
	_		Removal of Autologous Tissue Substitute from Upper Intestinal Tract, Via Natural or
0DP087Z	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
000007	- '	100 10 000	Removal of Extraluminal Device from Upper Intestinal Tract, Via Natural or Artificial
ODP08CZ	Procedure	ICD-10-PCS	Opening Endoscopic
0000017	Dunnandous	ICD 40 DCC	Removal of Synthetic Substitute from Upper Intestinal Tract, Via Natural or Artificial
ODP08JZ	Procedure	ICD-10-PCS	Opening Endoscopic Remarkal of Nanautalagava Tissua Substitute from Unner Intestinal Treet, Via Natural
0DP08KZ	Procedure	ICD-10-PCS	Removal of Nonautologous Tissue Substitute from Upper Intestinal Tract, Via Natural
UDPU8KZ	Procedure	ICD-10-PC3	or Artificial Opening Endoscopic Removal of Feeding Device from Upper Intestinal Tract, Via Natural or Artificial
0DP08UZ	Procedure	ICD-10-PCS	Opening Endoscopic
ODPD00Z	Procedure	ICD-10-PCS	Removal of Drainage Device from Lower Intestinal Tract, Open Approach
ODPD02Z	Procedure	ICD-10-PCS	Removal of Monitoring Device from Lower Intestinal Tract, Open Approach
ODPD03Z	Procedure	ICD-10-PCS	Removal of Infusion Device from Lower Intestinal Tract, Open Approach
001 0032	rroccaare	100 10 1 05	Removal of Autologous Tissue Substitute from Lower Intestinal Tract, Open
0DPD07Z	Procedure	ICD-10-PCS	Approach
ODPD0CZ	Procedure	ICD-10-PCS	Removal of Extraluminal Device from Lower Intestinal Tract, Open Approach
ODPDODZ	Procedure	ICD-10-PCS	Removal of Intraluminal Device from Lower Intestinal Tract, Open Approach
ODPD0JZ	Procedure	ICD-10-PCS	Removal of Synthetic Substitute from Lower Intestinal Tract, Open Approach
'			Removal of Nonautologous Tissue Substitute from Lower Intestinal Tract, Open
0DPD0KZ	Procedure	ICD-10-PCS	Approach
0DPD0UZ	Procedure	ICD-10-PCS	Removal of Feeding Device from Lower Intestinal Tract, Open Approach
0DPD0YZ	Procedure	ICD-10-PCS	Removal of Other Device from Lower Intestinal Tract, Open Approach

cder_mpl1p_wp075 Page 128 of 369



Code	Code Category	Code Type	Description
ODPD30Z	Procedure	ICD-10-PCS	Removal of Drainage Device from Lower Intestinal Tract, Percutaneous Approach
ODPD32Z	Procedure	ICD-10-PCS	Removal of Monitoring Device from Lower Intestinal Tract, Percutaneous Approach
ODPD33Z	Procedure	ICD-10-PCS	Removal of Infusion Device from Lower Intestinal Tract, Percutaneous Approach
			Removal of Autologous Tissue Substitute from Lower Intestinal Tract, Percutaneous
ODPD37Z	Procedure	ICD-10-PCS	Approach
0DPD3CZ	Procedure	ICD-10-PCS	Removal of Extraluminal Device from Lower Intestinal Tract, Percutaneous Approach
ODPD3DZ	Procedure	ICD-10-PCS	Removal of Intraluminal Device from Lower Intestinal Tract, Percutaneous Approach
ODPD3JZ	Procedure	ICD-10-PCS	Removal of Synthetic Substitute from Lower Intestinal Tract, Percutaneous Approach
			Removal of Nonautologous Tissue Substitute from Lower Intestinal Tract,
ODPD3KZ	Procedure	ICD-10-PCS	Percutaneous Approach
ODPD3UZ	Procedure	ICD-10-PCS	Removal of Feeding Device from Lower Intestinal Tract, Percutaneous Approach
ODPD3YZ	Procedure	ICD-10-PCS	Removal of Other Device from Lower Intestinal Tract, Percutaneous Approach
			Removal of Drainage Device from Lower Intestinal Tract, Percutaneous Endoscopic
ODPD40Z	Procedure	ICD-10-PCS	Approach
			Removal of Monitoring Device from Lower Intestinal Tract, Percutaneous Endoscopic
ODPD42Z	Procedure	ICD-10-PCS	Approach
			Removal of Infusion Device from Lower Intestinal Tract, Percutaneous Endoscopic
0DPD43Z	Procedure	ICD-10-PCS	Approach
			Removal of Autologous Tissue Substitute from Lower Intestinal Tract, Percutaneous
0DPD47Z	Procedure	ICD-10-PCS	Endoscopic Approach
			Removal of Extraluminal Device from Lower Intestinal Tract, Percutaneous
0DPD4CZ	Procedure	ICD-10-PCS	Endoscopic Approach
0000407	5 1	100 40 000	Removal of Intraluminal Device from Lower Intestinal Tract, Percutaneous
0DPD4DZ	Procedure	ICD-10-PCS	Endoscopic Approach
0000417	Duesedine	ICD 10 DCC	Removal of Synthetic Substitute from Lower Intestinal Tract, Percutaneous
0DPD4JZ	Procedure	ICD-10-PCS	Endoscopic Approach Removal of Nonautologous Tissue Substitute from Lower Intestinal Tract,
0DPD4KZ	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
UDF D4KZ	riocedure	ICD-10-FC3	Removal of Feeding Device from Lower Intestinal Tract, Percutaneous Endoscopic
0DPD4UZ	Procedure	ICD-10-PCS	Approach
001 0402	rroccaure	100 10 1 05	Removal of Other Device from Lower Intestinal Tract, Percutaneous Endoscopic
0DPD4YZ	Procedure	ICD-10-PCS	Approach
0010112	110000010	105 10 1 05	Removal of Autologous Tissue Substitute from Lower Intestinal Tract, Via Natural or
ODPD77Z	Procedure	ICD-10-PCS	Artificial Opening
•			Removal of Extraluminal Device from Lower Intestinal Tract, Via Natural or Artificial
0DPD7CZ	Procedure	ICD-10-PCS	Opening
			Removal of Synthetic Substitute from Lower Intestinal Tract, Via Natural or Artificial
0DPD7JZ	Procedure	ICD-10-PCS	Opening
			Removal of Nonautologous Tissue Substitute from Lower Intestinal Tract, Via Natural
ODPD7KZ	Procedure	ICD-10-PCS	or Artificial Opening
			Removal of Feeding Device from Lower Intestinal Tract, Via Natural or Artificial
0DPD7UZ	Procedure	ICD-10-PCS	Opening

cder_mpl1p_wp075 Page 129 of 369



	ncidence Criteria		
Code	Code Category	Code Type	Description
			Removal of Autologous Tissue Substitute from Lower Intestinal Tract, Via Natural or
ODPD87Z	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
	_		Removal of Extraluminal Device from Lower Intestinal Tract, Via Natural or Artificial
ODPD8CZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Removal of Synthetic Substitute from Lower Intestinal Tract, Via Natural or Artificial
0DPD8JZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Removal of Nonautologous Tissue Substitute from Lower Intestinal Tract, Via Natural
ODPD8KZ	Procedure	ICD-10-PCS	or Artificial Opening Endoscopic
			Removal of Feeding Device from Lower Intestinal Tract, Via Natural or Artificial
ODPD8UZ	Procedure	ICD-10-PCS	Opening Endoscopic
ODT80ZZ	Procedure	ICD-10-PCS	Resection of Small Intestine, Open Approach
ODT84ZZ	Procedure	ICD-10-PCS	Resection of Small Intestine, Percutaneous Endoscopic Approach
ODT87ZZ	Procedure	ICD-10-PCS	Resection of Small Intestine, Via Natural or Artificial Opening
ODT88ZZ	Procedure	ICD-10-PCS	Resection of Small Intestine, Via Natural or Artificial Opening Endoscopic
ODT90ZZ	Procedure	ICD-10-PCS	Resection of Duodenum, Open Approach
ODT94ZZ	Procedure	ICD-10-PCS	Resection of Duodenum, Percutaneous Endoscopic Approach
ODT97ZZ	Procedure	ICD-10-PCS	Resection of Duodenum, Via Natural or Artificial Opening
ODT98ZZ	Procedure	ICD-10-PCS	Resection of Duodenum, Via Natural or Artificial Opening Endoscopic
0DTA0ZZ	Procedure	ICD-10-PCS	Resection of Jejunum, Open Approach
ODTA4ZZ	Procedure	ICD-10-PCS	Resection of Jejunum, Percutaneous Endoscopic Approach
ODTA7ZZ	Procedure	ICD-10-PCS	Resection of Jejunum, Via Natural or Artificial Opening
ODTA8ZZ	Procedure	ICD-10-PCS	Resection of Jejunum, Via Natural or Artificial Opening Endoscopic
ODTB0ZZ	Procedure	ICD-10-PCS	Resection of Ileum, Open Approach
ODTB4ZZ	Procedure	ICD-10-PCS	Resection of Ileum, Percutaneous Endoscopic Approach
ODTB7ZZ	Procedure	ICD-10-PCS	Resection of Ileum, Via Natural or Artificial Opening
ODTB8ZZ	Procedure	ICD-10-PCS	Resection of Ileum, Via Natural or Artificial Opening Endoscopic
0DTC0ZZ	Procedure	ICD-10-PCS	Resection of Ileocecal Valve, Open Approach
ODTC4ZZ	Procedure	ICD-10-PCS	Resection of Ileocecal Valve, Percutaneous Endoscopic Approach
ODTC7ZZ	Procedure	ICD-10-PCS	Resection of Ileocecal Valve, Via Natural or Artificial Opening
ODTC8ZZ	Procedure	ICD-10-PCS	Resection of Ileocecal Valve, Via Natural or Artificial Opening Endoscopic
ODTE0ZZ	Procedure	ICD-10-PCS	Resection of Large Intestine, Open Approach
ODTE4ZZ	Procedure	ICD-10-PCS	Resection of Large Intestine, Percutaneous Endoscopic Approach
ODTE7ZZ	Procedure	ICD-10-PCS	Resection of Large Intestine, Via Natural or Artificial Opening
ODTE8ZZ	Procedure	ICD-10-PCS	Resection of Large Intestine, Via Natural or Artificial Opening Endoscopic
0DTF0ZZ	Procedure	ICD-10-PCS	Resection of Right Large Intestine, Open Approach
0DTF4ZZ	Procedure	ICD-10-PCS	Resection of Right Large Intestine, Percutaneous Endoscopic Approach
ODTF7ZZ	Procedure	ICD-10-PCS	Resection of Right Large Intestine, Via Natural or Artificial Opening
0DTF8ZZ	Procedure	ICD-10-PCS	Resection of Right Large Intestine, Via Natural or Artificial Opening Endoscopic
0DTG0ZZ	Procedure	ICD-10-PCS	Resection of Left Large Intestine, Open Approach
0DTG4ZZ	Procedure	ICD-10-PCS	Resection of Left Large Intestine, Percutaneous Endoscopic Approach
0DTG7ZZ	Procedure	ICD-10-PCS	Resection of Left Large Intestine, Via Natural or Artificial Opening
ODTG8ZZ	Procedure	ICD-10-PCS	Resection of Left Large Intestine, Via Natural or Artificial Opening Endoscopic

cder_mpl1p_wp075 Page 130 of 369



-Apodure II	TOTAL CITIC CITIC	as reques	
Code	Code Category	Code Type	Description
			Resection of Left Large Intestine, Via Natural or Artificial Opening With Percutaneous
0DTGFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
0DTH0ZZ	Procedure	ICD-10-PCS	Resection of Cecum, Open Approach
0DTH7ZZ	Procedure	ICD-10-PCS	Resection of Cecum, Via Natural or Artificial Opening
0DTH8ZZ	Procedure	ICD-10-PCS	Resection of Cecum, Via Natural or Artificial Opening Endoscopic
0DTK0ZZ	Procedure	ICD-10-PCS	Resection of Ascending Colon, Open Approach
ODTK7ZZ	Procedure	ICD-10-PCS	Resection of Ascending Colon, Via Natural or Artificial Opening
ODTK8ZZ	Procedure	ICD-10-PCS	Resection of Ascending Colon, Via Natural or Artificial Opening Endoscopic
0DTL0ZZ	Procedure	ICD-10-PCS	Resection of Transverse Colon, Open Approach
0DTL7ZZ	Procedure	ICD-10-PCS	Resection of Transverse Colon, Via Natural or Artificial Opening
ODTL8ZZ	Procedure	ICD-10-PCS	Resection of Transverse Colon, Via Natural or Artificial Opening Endoscopic
			Resection of Transverse Colon, Via Natural or Artificial Opening With Percutaneous
0DTLFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
0DTM0ZZ	Procedure	ICD-10-PCS	Resection of Descending Colon, Open Approach
ODTM7ZZ	Procedure	ICD-10-PCS	Resection of Descending Colon, Via Natural or Artificial Opening
ODTM8ZZ	Procedure	ICD-10-PCS	Resection of Descending Colon, Via Natural or Artificial Opening Endoscopic
			Resection of Descending Colon, Via Natural or Artificial Opening With Percutaneous
0DTMFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
0DTN0ZZ	Procedure	ICD-10-PCS	Resection of Sigmoid Colon, Open Approach
ODTN7ZZ	Procedure	ICD-10-PCS	Resection of Sigmoid Colon, Via Natural or Artificial Opening
ODTN8ZZ	Procedure	ICD-10-PCS	Resection of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic
			Resection of Sigmoid Colon, Via Natural or Artificial Opening With Percutaneous
0DTNFZZ	Procedure	ICD-10-PCS	Endoscopic Assistance
0DTP0ZZ	Procedure	ICD-10-PCS	Resection of Rectum, Open Approach
ODTP4ZZ	Procedure	ICD-10-PCS	Resection of Rectum, Percutaneous Endoscopic Approach
0DW000Z	Procedure	ICD-10-PCS	Revision of Drainage Device in Upper Intestinal Tract, Open Approach
0DW002Z	Procedure	ICD-10-PCS	Revision of Monitoring Device in Upper Intestinal Tract, Open Approach
0DW003Z	Procedure	ICD-10-PCS	Revision of Infusion Device in Upper Intestinal Tract, Open Approach
0DW007Z	Procedure	ICD-10-PCS	Revision of Autologous Tissue Substitute in Upper Intestinal Tract, Open Approach
0DW00CZ	Procedure	ICD-10-PCS	Revision of Extraluminal Device in Upper Intestinal Tract, Open Approach
0DW00DZ	Procedure	ICD-10-PCS	Revision of Intraluminal Device in Upper Intestinal Tract, Open Approach
0DW00JZ	Procedure	ICD-10-PCS	Revision of Synthetic Substitute in Upper Intestinal Tract, Open Approach
			Revision of Nonautologous Tissue Substitute in Upper Intestinal Tract, Open
0DW00KZ	Procedure	ICD-10-PCS	Approach
0DW00UZ	Procedure	ICD-10-PCS	Revision of Feeding Device in Upper Intestinal Tract, Open Approach
0DW00YZ	Procedure	ICD-10-PCS	Revision of Other Device in Upper Intestinal Tract, Open Approach
0DW030Z	Procedure	ICD-10-PCS	Revision of Drainage Device in Upper Intestinal Tract, Percutaneous Approach
0DW032Z	Procedure	ICD-10-PCS	Revision of Monitoring Device in Upper Intestinal Tract, Percutaneous Approach
0DW033Z	Procedure	ICD-10-PCS	Revision of Infusion Device in Upper Intestinal Tract, Percutaneous Approach
			Revision of Autologous Tissue Substitute in Upper Intestinal Tract, Percutaneous
0DW037Z	Procedure	ICD-10-PCS	Approach
0DW03CZ	Procedure	ICD-10-PCS	Revision of Extraluminal Device in Upper Intestinal Tract, Percutaneous Approach

cder_mpl1p_wp075 Page 131 of 369



			-
Code	Code Category	Code Type	Description
	Procedure	ICD-10-PCS	Revision of Intraluminal Device in Upper Intestinal Tract, Percutaneous Approach
0DW03JZ	Procedure	ICD-10-PCS	Revision of Synthetic Substitute in Upper Intestinal Tract, Percutaneous Approach
			Revision of Nonautologous Tissue Substitute in Upper Intestinal Tract, Percutaneous
0DW03KZ	Procedure	ICD-10-PCS	Approach
0DW03UZ	Procedure	ICD-10-PCS	Revision of Feeding Device in Upper Intestinal Tract, Percutaneous Approach
0DW03YZ	Procedure	ICD-10-PCS	Revision of Other Device in Upper Intestinal Tract, Percutaneous Approach
			Revision of Drainage Device in Upper Intestinal Tract, Percutaneous Endoscopic
0DW040Z	Procedure	ICD-10-PCS	Approach
			Revision of Monitoring Device in Upper Intestinal Tract, Percutaneous Endoscopic
0DW042Z	Procedure	ICD-10-PCS	Approach
			Revision of Infusion Device in Upper Intestinal Tract, Percutaneous Endoscopic
0DW043Z	Procedure	ICD-10-PCS	Approach
			Revision of Autologous Tissue Substitute in Upper Intestinal Tract, Percutaneous
0DW047Z	Procedure	ICD-10-PCS	Endoscopic Approach
			Revision of Extraluminal Device in Upper Intestinal Tract, Percutaneous Endoscopic
0DW04CZ	Procedure	ICD-10-PCS	Approach
			Revision of Intraluminal Device in Upper Intestinal Tract, Percutaneous Endoscopic
0DW04DZ	Procedure	ICD-10-PCS	Approach
			Revision of Synthetic Substitute in Upper Intestinal Tract, Percutaneous Endoscopic
0DW04JZ	Procedure	ICD-10-PCS	Approach
			Revision of Nonautologous Tissue Substitute in Upper Intestinal Tract, Percutaneous
0DW04KZ	Procedure	ICD-10-PCS	Endoscopic Approach
			Revision of Other Device in Upper Intestinal Tract, Percutaneous Endoscopic
0DW04YZ	Procedure	ICD-10-PCS	Approach
			Revision of Drainage Device in Upper Intestinal Tract, Via Natural or Artificial
0DW070Z	Procedure	ICD-10-PCS	Opening
			Revision of Monitoring Device in Upper Intestinal Tract, Via Natural or Artificial
0DW072Z	Procedure	ICD-10-PCS	Opening
0DW073Z	Procedure	ICD-10-PCS	Revision of Infusion Device in Upper Intestinal Tract, Via Natural or Artificial Opening
			Revision of Autologous Tissue Substitute in Upper Intestinal Tract, Via Natural or
0DW077Z	Procedure	ICD-10-PCS	Artificial Opening
			Revision of Extraluminal Device in Upper Intestinal Tract, Via Natural or Artificial
0DW07CZ	Procedure	ICD-10-PCS	Opening
			Revision of Intraluminal Device in Upper Intestinal Tract, Via Natural or Artificial
0DW07DZ	Procedure	ICD-10-PCS	Opening
			Revision of Synthetic Substitute in Upper Intestinal Tract, Via Natural or Artificial
0DW07JZ	Procedure	ICD-10-PCS	Opening
001110011	5	100 10	Revision of Nonautologous Tissue Substitute in Upper Intestinal Tract, Via Natural or
ODW07KZ	Procedure	ICD-10-PCS	Artificial Opening
001110011	5	100 10	
UDWU/UZ	Procedure	ICD-10-PCS	Revision of Feeding Device in Upper Intestinal Tract, Via Natural or Artificial Opening

cder_mpl1p_wp075 Page 132 of 369



Code	Code Category	Code Type	Description
	Procedure	ICD-10-PCS	Revision of Other Device in Upper Intestinal Tract, Via Natural or Artificial Opening
			Revision of Drainage Device in Upper Intestinal Tract, Via Natural or Artificial
0DW080Z	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Monitoring Device in Upper Intestinal Tract, Via Natural or Artificial
0DW082Z	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Infusion Device in Upper Intestinal Tract, Via Natural or Artificial Opening
0DW083Z	Procedure	ICD-10-PCS	Endoscopic
			Revision of Autologous Tissue Substitute in Upper Intestinal Tract, Via Natural or
0DW087Z	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Revision of Extraluminal Device in Upper Intestinal Tract, Via Natural or Artificial
0DW08CZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Intraluminal Device in Upper Intestinal Tract, Via Natural or Artificial
0DW08DZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Synthetic Substitute in Upper Intestinal Tract, Via Natural or Artificial
0DW08JZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Nonautologous Tissue Substitute in Upper Intestinal Tract, Via Natural or
0DW08KZ	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Revision of Feeding Device in Upper Intestinal Tract, Via Natural or Artificial Opening
0DW08UZ	Procedure	ICD-10-PCS	Endoscopic
			Revision of Other Device in Upper Intestinal Tract, Via Natural or Artificial Opening
	Procedure	ICD-10-PCS	Endoscopic
	Procedure	ICD-10-PCS	Revision of Drainage Device in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Monitoring Device in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Infusion Device in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Autologous Tissue Substitute in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Extraluminal Device in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Intraluminal Device in Lower Intestinal Tract, Open Approach
UDWD0JZ	Procedure	ICD-10-PCS	Revision of Synthetic Substitute in Lower Intestinal Tract, Open Approach
00/4/50::-	Dun 1	ICD 40 500	Revision of Nonautologous Tissue Substitute in Lower Intestinal Tract, Open
	Procedure	ICD-10-PCS	Approach Revision of Fooding Revises in Lower Intestinal Treet, Open Approach
	Procedure	ICD-10-PCS	Revision of Feeding Device in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Other Device in Lower Intestinal Tract, Open Approach
	Procedure	ICD-10-PCS	Revision of Drainage Device in Lower Intestinal Tract, Percutaneous Approach
	Procedure	ICD-10-PCS	Revision of Monitoring Device in Lower Intestinal Tract, Percutaneous Approach
UDWD33Z	Procedure	ICD-10-PCS	Revision of Infusion Device in Lower Intestinal Tract, Percutaneous Approach
0011/0277	Dropoders	ICD 10 DCC	Revision of Autologous Tissue Substitute in Lower Intestinal Tract, Percutaneous
	Procedure	ICD-10-PCS	Approach Revision of Extra luminal Device in Lewer Intestinal Treet, Persutaneous Approach
	Procedure	ICD-10-PCS	Revision of Extraluminal Device in Lower Intestinal Tract, Percutaneous Approach
	Procedure	ICD-10-PCS	Revision of Intraluminal Device in Lower Intestinal Tract, Percutaneous Approach
אוצמאאטט	Procedure	ICD-10-PCS	Revision of Synthetic Substitute in Lower Intestinal Tract, Percutaneous Approach
ODIMO	Dropod	ICD 10 PCC	Revision of Nonautologous Tissue Substitute in Lower Intestinal Tract, Percutaneous
UDWD3KZ	Procedure	ICD-10-PCS	Approach

cder_mpl1p_wp075 Page 133 of 369



Code	Code Category	Code Type	Description
0DWD3UZ	Procedure	ICD-10-PCS	Revision of Feeding Device in Lower Intestinal Tract, Percutaneous Approach
0DWD3YZ	Procedure	ICD-10-PCS	Revision of Other Device in Lower Intestinal Tract, Percutaneous Approach
			Revision of Drainage Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD40Z	Procedure	ICD-10-PCS	Approach
			Revision of Monitoring Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD42Z	Procedure	ICD-10-PCS	Approach
			Revision of Infusion Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD43Z	Procedure	ICD-10-PCS	Approach
			Revision of Autologous Tissue Substitute in Lower Intestinal Tract, Percutaneous
0DWD47Z	Procedure	ICD-10-PCS	Endoscopic Approach
			Revision of Extraluminal Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD4CZ	Procedure	ICD-10-PCS	Approach
			Revision of Intraluminal Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD4DZ	Procedure	ICD-10-PCS	Approach
			Revision of Synthetic Substitute in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD4JZ	Procedure	ICD-10-PCS	Approach
			Revision of Nonautologous Tissue Substitute in Lower Intestinal Tract, Percutaneous
0DWD4KZ	Procedure	ICD-10-PCS	Endoscopic Approach
			Revision of Feeding Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD4UZ	Procedure	ICD-10-PCS	Approach
			Revision of Other Device in Lower Intestinal Tract, Percutaneous Endoscopic
0DWD4YZ	Procedure	ICD-10-PCS	Approach
•			Revision of Drainage Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD70Z	Procedure	ICD-10-PCS	Opening
			Revision of Monitoring Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD727	Procedure	ICD-10-PCS	Opening
0227.22		.02 20 : 00	
0DWD73Z	Procedure	ICD-10-PCS	Revision of Infusion Device in Lower Intestinal Tract, Via Natural or Artificial Opening
			Revision of Autologous Tissue Substitute in Lower Intestinal Tract, Via Natural or
0DWD77Z	Procedure	ICD-10-PCS	Artificial Opening
			Revision of Extraluminal Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD7C7	Procedure	ICD-10-PCS	Opening
00110702	rroccaare	100 10 1 00	Revision of Intraluminal Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD7D7	Procedure	ICD-10-PCS	Opening
ODWD/DZ	rioccaare	100 10 1 05	Revision of Synthetic Substitute in Lower Intestinal Tract, Via Natural or Artificial
0DWD717	Procedure	ICD-10-PCS	Opening
,,,,,,		132 20 1 00	Revision of Nonautologous Tissue Substitute in Lower Intestinal Tract, Via Natural or
0DW/D7K7	Procedure	ICD-10-PCS	Artificial Opening
JUVIUINE	occurre	10 1 03	A Constant of Control
0DWD7UZ	Procedure	ICD-10-PCS	Revision of Feeding Device in Lower Intestinal Tract, Via Natural or Artificial Opening
	Procedure	ICD-10-PCS	Revision of Other Device in Lower Intestinal Tract, Via Natural or Artificial Opening
30000/12	Troccadie	100 10-1 00	hevision of other bevice in Lower intestinal fract, via Natural of Artificial Opening

cder_mpl1p_wp075 Page 134 of 369



Code	Code Category	Code Type	Description
•			Revision of Drainage Device in Lower Intestinal Tract, Via Natural or Artificial
ODWD80Z	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Monitoring Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD82Z	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Infusion Device in Lower Intestinal Tract, Via Natural or Artificial Opening
0DWD83Z	Procedure	ICD-10-PCS	Endoscopic
			Revision of Autologous Tissue Substitute in Lower Intestinal Tract, Via Natural or
0DWD87Z	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Revision of Extraluminal Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD8CZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Intraluminal Device in Lower Intestinal Tract, Via Natural or Artificial
0DWD8DZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Synthetic Substitute in Lower Intestinal Tract, Via Natural or Artificial
0DWD8JZ	Procedure	ICD-10-PCS	Opening Endoscopic
			Revision of Nonautologous Tissue Substitute in Lower Intestinal Tract, Via Natural or
0DWD8KZ	Procedure	ICD-10-PCS	Artificial Opening Endoscopic
			Revision of Feeding Device in Lower Intestinal Tract, Via Natural or Artificial Opening
0DWD8UZ	Procedure	ICD-10-PCS	Endoscopic
			Revision of Other Device in Lower Intestinal Tract, Via Natural or Artificial Opening
0DWD8YZ	Procedure	ICD-10-PCS	Endoscopic
ODXE0Z5	Procedure	ICD-10-PCS	Transfer Large Intestine to Esophagus, Open Approach
			Bypass Right Ureter to Ileocutaneous with Autologous Tissue Substitute, Open
0T1607C	Procedure	ICD-10-PCS	Approach
0T160JC	Procedure	ICD-10-PCS	Bypass Right Ureter to Ileocutaneous with Synthetic Substitute, Open Approach
			Bypass Right Ureter to Ileocutaneous with Nonautologous Tissue Substitute, Open
0T160KC	Procedure	ICD-10-PCS	Approach
0T160ZC	Procedure	ICD-10-PCS	Bypass Right Ureter to Ileocutaneous, Open Approach
			Bypass Right Ureter to Ileocutaneous with Autologous Tissue Substitute,
0T1647C	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Right Ureter to Ileocutaneous with Synthetic Substitute, Percutaneous
OT164JC	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Right Ureter to Ileocutaneous with Nonautologous Tissue Substitute,
0T164KC	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0T164ZC	Procedure	ICD-10-PCS	Bypass Right Ureter to Ileocutaneous, Percutaneous Endoscopic Approach
			Bypass Left Ureter to Ileocutaneous with Autologous Tissue Substitute, Open
0T1707C	Procedure	ICD-10-PCS	Approach
0T170JC	Procedure	ICD-10-PCS	Bypass Left Ureter to Ileocutaneous with Synthetic Substitute, Open Approach
			Bypass Left Ureter to Ileocutaneous with Nonautologous Tissue Substitute, Open
0T170KC	Procedure	ICD-10-PCS	Approach
0T170ZC	Procedure	ICD-10-PCS	Bypass Left Ureter to Ileocutaneous, Open Approach
			Bypass Left Ureter to Ileocutaneous with Autologous Tissue Substitute,
0T1747C	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach

cder_mpl1p_wp075 Page 135 of 369



Code	Code Category	Code Type	Description
		,,	Bypass Left Ureter to Ileocutaneous with Synthetic Substitute, Percutaneous
0T174JC	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Left Ureter to Ileocutaneous with Nonautologous Tissue Substitute,
0T174KC	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0T174ZC	Procedure	ICD-10-PCS	Bypass Left Ureter to Ileocutaneous, Percutaneous Endoscopic Approach
			Bypass Bilateral Ureters to Ileocutaneous with Autologous Tissue Substitute, Open
0T1807C	Procedure	ICD-10-PCS	Approach
0T180JC	Procedure	ICD-10-PCS	Bypass Bilateral Ureters to Ileocutaneous with Synthetic Substitute, Open Approach
			Bypass Bilateral Ureters to Ileocutaneous with Nonautologous Tissue Substitute,
0T180KC	Procedure	ICD-10-PCS	Open Approach
0T180ZC	Procedure	ICD-10-PCS	Bypass Bilateral Ureters to Ileocutaneous, Open Approach
			Bypass Bilateral Ureters to Ileocutaneous with Autologous Tissue Substitute,
0T1847C	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
			Bypass Bilateral Ureters to Ileocutaneous with Synthetic Substitute, Percutaneous
0T184JC	Procedure	ICD-10-PCS	Endoscopic Approach
			Bypass Bilateral Ureters to Ileocutaneous with Nonautologous Tissue Substitute,
0T184KC	Procedure	ICD-10-PCS	Percutaneous Endoscopic Approach
0T184ZC	Procedure	ICD-10-PCS	Bypass Bilateral Ureters to Ileocutaneous, Percutaneous Endoscopic Approach
			Documentation of postsurgical anatomy (e.g., right hemicolectomy, ileocecal
G9613	Procedure	HCPCS	resection, etc.)
G9711	Procedure	HCPCS	Patients with a diagnosis or past history of total colectomy or colorectal cancer
			Ostomy Supplies
A4364	Procedure	HCPCS	Adhesive, liquid or equal, any type, per oz
A5126	Procedure	HCPCS	Adhesive or nonadhesive; disk or foam pad
A4455	Procedure	HCPCS	Adhesive remover or solvent (for tape, cement or other adhesive), per oz
A4456	Procedure	HCPCS	Adhesive remover, wipes, any type, each
A5131	Procedure	HCPCS	Appliance cleaner, incontinence and ostomy appliances, per 16 oz
A5102	Procedure	HCPCS	Bedside drainage bottle with or without tubing, rigid or expandable, each
			Bedside drainage bag, day or night, with or without antireflux device, with or
A4357	Procedure	HCPCS	without tube, each
A5083	Procedure	HCPCS	Continent device, stoma absorptive cover for continent stoma
A5082	Procedure	HCPCS	Continent device; catheter for continent stoma
			Extension drainage tubing, any type, any length, with connector/adaptor, for use
A4331	Procedure	HCPCS	with urinary leg bag or urostomy pouch, each
			Gauze, nonimpregnated, nonsterile, pad size 16 sq in or less, without adhesive
A6216	Procedure	HCPCS	border, each dressing
A4402	Procedure	HCPCS	Lubricant, per oz
A9270	Procedure	HCPCS	Noncovered item or service
			Ostomy absorbent material (sheet/pad/crystal packet) for use in ostomy pouch to
A4422	Procedure	HCPCS	thicken liquid stomal output, each
			Ostomy pouch, closed, with barrier attached, with built-in convexity, with filter (one
A4417	Procedure	HCPCS	piece), each

cder_mpl1p_wp075 Page 136 of 369



Code	Code Category	Code Type	Description
			Ostomy pouch, closed; for use on barrier with locking flange, with filter (two piece),
A4423	Procedure	HCPCS	each
			Ostomy pouch, closed; for use on barrier with nonlocking flange, with filter (two
A4419	Procedure	HCPCS	piece), each
			Ostomy pouch, drainable, high output, with extended wear barrier (one-piece
A4435	Procedure	HCPCS	system), with or without filter, each
			Ostomy pouch, drainable, with extended wear barrier attached, with built in
A5057	Procedure	HCPCS	convexity, with filter, (one piece), each
			Ostomy pouch, drainable, with extended wear barrier attached, with filter, (one
A5056	Procedure	HCPCS	piece), each
A4388	Procedure	HCPCS	Ostomy pouch, drainable, with extended wear barrier attached, (one piece), each
			Ostomy pouch, drainable; for use on barrier with locking flange (two-piece system),
A4426	Procedure	HCPCS	each
			Ostomy pouch, drainable; for use on barrier with nonlocking flange, with filter (two-
A4425	Procedure	HCPCS	piece system), each
			Ostomy pouch, drainable, high output, for use on a barrier with flange (two-piece
A4412	Procedure	HCPCS	system), without filter, each
			Ostomy pouch, drainable, high output, for use on a barrier with flange (two-piece
A4413	Procedure	HCPCS	system), with filter, each
			Ostomy pouch, drainable, with barrier attached, with built-in convexity (one piece),
A4389	Procedure	HCPCS	each
			Ostomy pouch, drainable, with extended wear barrier attached, with built-in
A4390	Procedure	HCPCS	convexity (one piece), each
			Ostomy pouch, drainable; for use on barrier with locking flange, with filter (two-
A4427	Procedure	HCPCS	piece system), each
			Ostomy pouch, urinary, with barrier attached, with built-in convexity, with faucet-
A4429	Procedure	HCPCS	type tap with valve (one piece), each
			Ostomy pouch, urinary, with extended wear barrier attached, with built-in
A4430	Procedure	HCPCS	convexity, with faucet-type tap with valve (one piece), each
			Ostomy pouch, urinary, with extended wear barrier attached, with faucet-type tap
A4428	Procedure	HCPCS	with valve (one piece), each
	5 1	110000	Ostomy pouch, urinary; for use on barrier with locking flange, with faucet-type tap
A4434	Procedure	HCPCS	with valve (two piece), each
A4433	Procedure	HCPCS	Ostomy pouch, urinary; for use on barrier with locking flange (two piece), each
A 4 4 2 4	Dunnandous	Hebec	Ostomy pouch, urinary; with barrier attached, with faucet-type tap with valve (one
A4431	Procedure	HCPCS	piece), each
A 4 4 2 2	Dropodii	HCDCC	Ostomy pouch, urinary; for use on barrier with nonlocking flange, with faucet-type
A4432	Procedure	HCPCS	tap with valve (two piece), each
A 4272	Dropodii	HCDCC	Ostomy skin barrier, solid 4 x 4 or equivalent, standard wear, with built-in convexity,
A4372	Procedure	HCPCS	each Ostomy skip barrier, with flange (solid, flevible or assertion), extended wear
A 4 4 1 O	Drocoders	HCDCs	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear,
A4410	Procedure	HCPCS	without built-in convexity, larger than 4 x 4 in, each

cder_mpl1p_wp075 Page 137 of 369



Code	Code Category	Code Type	Description
		••	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear,
A4409	Procedure	HCPCS	without built-in convexity, 4 x 4 in or smaller, each
			Ostomy skin barrier, with flange (solid, flexible or accordion), with built-in convexity,
A4373	Procedure	HCPCS	any size, each
			Ostomy skin barrier, solid 4 x 4 or equivalent, extended wear, without built-in
A4385	Procedure	HCPCS	convexity, each
			Ostomy skin barrier, solid 4 x 4 or equivalent, extended wear, with built-in convexity,
A4411	Procedure	HCPCS	each
			Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, with
A4408	Procedure	HCPCS	built-in convexity, larger than 4 x 4 in, each
			Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with
A4407	Procedure	HCPCS	built-in convexity, 4 x 4 in or smaller, each
			Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in
A4415	Procedure	HCPCS	convexity, larger than 4 x 4 in, each
			Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in
A4414	Procedure	HCPCS	convexity, 4 x 4 in or smaller, each
A5093	Procedure	HCPCS	Ostomy accessory; convex insert
A4367	Procedure	HCPCS	Ostomy belt, each
A4363	Procedure	HCPCS	Ostomy clamp, any type, replacement only, each
A4361	Procedure	HCPCS	Ostomy faceplate, each
A4384	Procedure	HCPCS	Ostomy faceplate equivalent, silicone ring, each
A4368	Procedure	HCPCS	Ostomy filter, any type, each
A4420	Procedure	HCPCS	Ostomy pouch, closed; for use on barrier with locking flange (two piece), each
A4418	Procedure	HCPCS	Ostomy pouch, closed; without barrier attached, with filter (one piece), each
			Ostomy pouch, closed, with barrier attached, with built-in convexity (one piece),
A4387	Procedure	HCPCS	each
A4416	Procedure	HCPCS	Ostomy pouch, closed, with barrier attached, with filter (one piece), each
A5053	Procedure	HCPCS	Ostomy pouch, closed; for use on faceplate, each
A5054	Procedure	HCPCS	Ostomy pouch, closed; for use on barrier with flange (two piece), each
A5051	Procedure	HCPCS	Ostomy pouch, closed; with barrier attached (one piece), each
A5052	Procedure	HCPCS	Ostomy pouch, closed; without barrier attached (one piece), each
A4377	Procedure	HCPCS	Ostomy pouch, drainable, for use on faceplate, plastic, each
A4378	Procedure	HCPCS	Ostomy pouch, drainable, for use on faceplate, rubber, each
A4424	Procedure	HCPCS	Ostomy pouch, drainable, with barrier attached, with filter (one piece), each
A4376	Procedure	HCPCS	Ostomy pouch, drainable, with faceplate attached, rubber, each
A4375	Procedure	HCPCS	Ostomy pouch, drainable, with faceplate attached, plastic, each
A5063	Procedure	HCPCS	Ostomy pouch, drainable; for use on barrier with flange (two-piece system), each
A5061	Procedure	HCPCS	Ostomy pouch, drainable; with barrier attached, (one piece), each
A5062	Procedure	HCPCS	Ostomy pouch, drainable; without barrier attached (one piece), each
A4382	Procedure	HCPCS	Ostomy pouch, urinary, for use on faceplate, heavy plastic, each
A4381	Procedure	HCPCS	Ostomy pouch, urinary, for use on faceplate, plastic, each
A4383	Procedure	HCPCS	Ostomy pouch, urinary, for use on faceplate, rubber, each

cder_mpl1p_wp075 Page 138 of 369



Code	Code Category		Description
A4379	Procedure	HCPCS	Ostomy pouch, urinary, with faceplate attached, plastic, each
A4380	Procedure	HCPCS	Ostomy pouch, urinary, with faceplate attached, rubber, each
A5073	Procedure	HCPCS	Ostomy pouch, urinary; for use on barrier with flange (two piece), each
A5071	Procedure	HCPCS	Ostomy pouch, urinary; with barrier attached (one piece), each
A5072	Procedure	HCPCS	Ostomy pouch, urinary; without barrier attached (one piece), each
A4404	Procedure	HCPCS	Ostomy ring, each
A4369	Procedure	HCPCS	Ostomy skin barrier, liquid (spray, brush, etc.), per oz
A4405	Procedure	HCPCS	Ostomy skin barrier, nonpectin-based, paste, per oz
A4406	Procedure	HCPCS	Ostomy skin barrier, pectin-based, paste, per oz
A4371	Procedure	HCPCS	Ostomy skin barrier, powder, per oz
A4421	Procedure	HCPCS	Ostomy supply; miscellaneous
A4366	Procedure	HCPCS	Ostomy vent, any type, each
A5120	Procedure	HCPCS	Skin barrier, wipes or swabs, each
A4362	Procedure	HCPCS	Skin barrier; solid, 4 x 4 or equivalent; each
A5121	Procedure	HCPCS	Skin barrier; solid, 6 x 6 or equivalent, each
A5122	Procedure	HCPCS	Skin barrier; solid, 8 x 8 or equivalent, each
A5055	Procedure	HCPCS	Stoma cap
A5081	Procedure	HCPCS	Stoma plug or seal, any type
A4450	Procedure	HCPCS	Tape, nonwaterproof, per 18 sq in
A4452	Procedure	HCPCS	Tape, waterproof, per 18 sq in
A4437	Procedure	HCPCS	Irrigation supply; sleeve, disposable, per month
A4436	Procedure	HCPCS	Irrigation supply; sleeve, reusable, per month
A4398	Procedure	HCPCS	Ostomy irrigation supply; bag, each
A4399	Procedure	HCPCS	Ostomy irrigation supply; cone/catheter, with or without brush
			Endoscopy
45.22	Procedure	ICD-9-PCS	Endoscopy of large intestine through artificial stoma
45.23	Procedure	ICD-9-PCS	Colonoscopy
45.24	Procedure	ICD-9-PCS	Flexible sigmoidoscopy
45.25	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of large intestine
48.22	Procedure	ICD-9-PCS	Proctosigmoidoscopy through artificial stoma
48.23	Procedure	ICD-9-PCS	Rigid proctosigmoidoscopy
49.21	Procedure	ICD-9-PCS	Anoscopy
OD9E3ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Approach, Diagnostic
OD9E4ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9E7ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening, Diagnostic
0D9E8ZX	Procedure	ICD-10-PCS	Drainage of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0D9F3ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Approach, Diagnostic
0D9F4ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9F7ZX	Procedure	ICD-10-PCS	Drainage of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic Drainage of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9F8ZX	Procedure	ICD-10-PCS	Diagnostic Diagnostic

cder_mpl1p_wp075 Page 139 of 369



_	ncidence Criteria	-	
Code	Code Category		Description
0D9G3ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Approach, Diagnostic
0D9G4ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0D9G7ZX	Procedure	ICD-10-PCS	Drainage of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Drainage of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0D9G8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9H3ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Approach, Diagnostic
0D9H4ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0D9H7ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening, Diagnostic
0D9H8ZX	Procedure	ICD-10-PCS	Drainage of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
OD9K3ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Approach, Diagnostic
0D9K4ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
OD9K7ZX	Procedure	ICD-10-PCS	Drainage of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
			Drainage of Ascending Colon, Via Natural or Artificial Opening Endoscopic,
OD9K8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9L3ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Approach, Diagnostic
0D9L4ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9L7ZX	Procedure	ICD-10-PCS	Drainage of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
			Drainage of Transverse Colon, Via Natural or Artificial Opening Endoscopic,
OD9L8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9M3ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Approach, Diagnostic
0D9M4ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9M7ZX	Procedure	ICD-10-PCS	Drainage of Descending Colon, Via Natural or Artificial Opening, Diagnostic
			Drainage of Descending Colon, Via Natural or Artificial Opening Endoscopic,
0D9M8ZX	Procedure	ICD-10-PCS	Diagnostic
0D9N3ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Approach, Diagnostic
0D9N4ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
0D9N7ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
0D9N8ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODB80ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Open Approach, Diagnostic
ODB83ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Approach, Diagnostic
ODB84ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODB87ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening, Diagnostic
ODB88ZX	Procedure	ICD-10-PCS	Excision of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBE0ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Open Approach, Diagnostic
ODBE3ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Approach, Diagnostic
ODBE4ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBE7ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening, Diagnostic
ODBE8ZX	Procedure	ICD-10-PCS	Excision of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBF3ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Approach, Diagnostic
ODBF4ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
ODBF7ZX	Procedure	ICD-10-PCS	Excision of Right Large Intestine, Via Natural or Artificial Opening, Diagnostic
JDD. 72.K	. roccaare	.55 10 1 65	

cder_mpl1p_wp075 Page 140 of 369



	ncidence Criteria		
Code	Code Category	Code Type	Description
			Excision of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
ODBF8ZX	Procedure	ICD-10-PCS	Diagnostic
0DBG3ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Approach, Diagnostic
0DBG4ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
0DBG7ZX	Procedure	ICD-10-PCS	Excision of Left Large Intestine, Via Natural or Artificial Opening, Diagnostic
			Excision of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
ODBG8ZX	Procedure	ICD-10-PCS	Diagnostic
ODBH3ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Approach, Diagnostic
ODBH4ZX	Procedure	ICD-10-PCS	Excision of Cecum, Percutaneous Endoscopic Approach, Diagnostic
ODBH7ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening, Diagnostic
ODBH8ZX	Procedure	ICD-10-PCS	Excision of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBK3ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Approach, Diagnostic
ODBK4ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBK7ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening, Diagnostic
ODBK8ZX	Procedure	ICD-10-PCS	Excision of Ascending Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBL3ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Approach, Diagnostic
ODBL4ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBL7ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening, Diagnostic
-			, , , , , , , , , , , , , , , , , , ,
ODBL8ZX	Procedure	ICD-10-PCS	Excision of Transverse Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODBM3ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Approach, Diagnostic
ODBM4ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBM7ZX	Procedure	ICD-10-PCS	Excision of Descending Colon, Via Natural or Artificial Opening, Diagnostic
			Excision of Descending Colon, Via Natural or Artificial Opening Endoscopic,
ODBM8ZX		ICD-10-PCS	Diagnostic
ODBN3ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Approach, Diagnostic
ODBN4ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
ODBN7ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening, Diagnostic
ODBN8ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODD83ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Approach, Diagnostic
0DD84ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Percutaneous Endoscopic Approach, Diagnostic
0DD88ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODD88ZX	Procedure	ICD-10-PCS	Extraction of Small Intestine, Via Natural of Artificial Opening Endoscopic, Diagnostic Extraction of Large Intestine, Percutaneous Approach, Diagnostic
ODDE3ZX ODDE4ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Percutaneous Approach, Diagnostic Extraction of Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
υυυ Ε4ΔΛ	Tocedure	1CD-10-LC3	Extraction of Large intestine, refeataneous Endoscopic Approach, Diagnostic
ODDE8ZX	Procedure	ICD-10-PCS	Extraction of Large Intestine, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDF3ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Approach, Diagnostic
0DDF4ZX	Procedure	ICD-10-PCS	Extraction of Right Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Right Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDF8ZX	Procedure	ICD-10-PCS	Diagnostic

cder_mpl1p_wp075 Page 141 of 369



Code	Code Category	Code Type	Description
0DDG	Procedure	ICD-10-PCS	Extraction / Large Intestine, Left
0DDG3ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Approach, Diagnostic
0DDG4ZX	Procedure	ICD-10-PCS	Extraction of Left Large Intestine, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Left Large Intestine, Via Natural or Artificial Opening Endoscopic,
0DDG8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDH3ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Approach, Diagnostic
0DDH4ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Percutaneous Endoscopic Approach, Diagnostic
0DDH8ZX	Procedure	ICD-10-PCS	Extraction of Cecum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDK3ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Approach, Diagnostic
0DDK4ZX	Procedure	ICD-10-PCS	Extraction of Ascending Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Ascending Colon, Via Natural or Artificial Opening Endoscopic,
ODDK8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDL3ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Approach, Diagnostic
0DDL4ZX	Procedure	ICD-10-PCS	Extraction of Transverse Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Transverse Colon, Via Natural or Artificial Opening Endoscopic,
ODDL8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDM3ZX	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Approach, Diagnostic
0DDM4ZX	Procedure	ICD-10-PCS	Extraction of Descending Colon, Percutaneous Endoscopic Approach, Diagnostic
			Extraction of Descending Colon, Via Natural or Artificial Opening Endoscopic,
0DDM8ZX	Procedure	ICD-10-PCS	Diagnostic
0DDN3ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Approach, Diagnostic
0DDN4ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Percutaneous Endoscopic Approach, Diagnostic
0DDN8ZX	Procedure	ICD-10-PCS	Extraction of Sigmoid Colon, Via Natural or Artificial Opening Endoscopic, Diagnostic
ODDP3ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Percutaneous Approach, Diagnostic
ODDP4ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Percutaneous Endoscopic Approach, Diagnostic
ODDP8ZX	Procedure	ICD-10-PCS	Extraction of Rectum, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDQ3ZX	Procedure	ICD-10-PCS	Extraction of Anus, Percutaneous Approach, Diagnostic
0DDQ4ZX		ICD-10-PCS	Extraction of Anus, Percutaneous Endoscopic Approach, Diagnostic
0DDQ8ZX	Procedure	ICD-10-PCS	Extraction of Anus, Via Natural or Artificial Opening Endoscopic, Diagnostic
0DDQXZX	Procedure	ICD-10-PCS	Extraction of Anus, External Approach, Diagnostic
ODJD8ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Via Natural or Artificial Opening Endoscopic
			Colonoscopy through stoma; diagnostic, including collection of specimen(s) by
44388	Procedure	CPT-4	brushing or washing, when performed (separate procedure)
44389	Procedure	CPT-4	Colonoscopy through stoma; with biopsy, single or multiple
44390	Procedure	CPT-4	Colonoscopy through stoma; with removal of foreign body(s)
44391	Procedure	CPT-4	Colonoscopy through stoma; with control of bleeding, any method
			Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by
44392	Procedure	CPT-4	hot biopsy forceps
			Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s)
44393	Procedure	CPT-4	not amenable to removal by hot biopsy forceps, bipolar cautery or snare technique

cder_mpl1p_wp075 Page 142 of 369



Code	Code Category	Code Type	Description
			Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by
44394	Procedure	CPT-4	snare technique
			Colonoscopy through stoma; with transendoscopic stent placement (includes
44397	Procedure	CPT-4	predilation)
			Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s)
44401	Procedure	CPT-4	(includes pre-and post-dilation and guide wire passage, when performed)
			Colonoscopy through stoma; with endoscopic stent placement (including pre- and
44402	Procedure	CPT-4	post-dilation and guide wire passage, when performed)
44403	Procedure	CPT-4	Colonoscopy through stoma; with endoscopic mucosal resection
44404	Procedure	CPT-4	Colonoscopy through stoma; with directed submucosal injection(s), any substance
44405	Procedure	CPT-4	Colonoscopy through stoma; with transendoscopic balloon dilation
			Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the
			sigmoid, descending, transverse, or ascending colon and cecum and adjacent
44406	Procedure	CPT-4	structures
			Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or
			transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound
			examination limited to the sigmoid, descending, transverse, or ascending colon and
44407	Procedure	CPT-4	cecum and adjacent structures
			Colonoscopy through stoma; with decompression (for pathologic distention) (eg,
44408	Procedure	CPT-4	volvulus, megacolon), including placement of decompression tube, when performed
45355	Procedure	CPT-4	Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple
			Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or
45378	Procedure	CPT-4	washing, when performed (separate procedure)
45379	Procedure	CPT-4	Colonoscopy, flexible; with removal of foreign body(s)
45380	Procedure	CPT-4	Colonoscopy, flexible; with biopsy, single or multiple
45381	Procedure	CPT-4	Colonoscopy, flexible; with directed submucosal injection(s), any substance
45382	Procedure	CPT-4	Colonoscopy, flexible; with control of bleeding, any method
			Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s),
			polyp(s), or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar
45383	Procedure	CPT-4	cautery or snare technique
			Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot
45384	Procedure	CPT-4	biopsy forceps
			Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare
45385	Procedure	CPT-4	technique
45386	Procedure	CPT-4	Colonoscopy, flexible; with transendoscopic balloon dilation
			Colonoscopy, flexible, proximal to splenic flexure; with transendoscopic stent
45387	Procedure	CPT-4	placement (includes predilation)
			Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes
45388	Procedure	CPT-4	pre- and post-dilation and guide wire passage, when performed)
			Colonoscopy, flexible; with endoscopic stent placement (includes pre- and post-
45389	Procedure	CPT-4	dilation and guide wire passage, when performed)
45390	Procedure	CPT-4	Colonoscopy, flexible; with endoscopic mucosal resection

cder_mpl1p_wp075 Page 143 of 369



Code	Code Category	Code Type	Description
			Colonoscopy, flexible; with endoscopic ultrasound examination limited to the
			rectum, sigmoid, descending, transverse, or ascending colon and cecum, and
45391	Procedure	CPT-4	adjacent structures
			Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or
			transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound
			examination limited to the rectum, sigmoid, descending, transverse, or ascending
45392	Procedure	CPT-4	colon and cecum, and adjacent structures
			Colonoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus,
45393	Procedure	CPT-4	megacolon), including placement of decompression tube, when performed
45398	Procedure	CPT-4	Colonoscopy, flexible; with band ligation(s) (eg, hemorrhoids)
G0105	Procedure	HCPCS	Colorectal cancer screening; colonoscopy on individual at high risk
			Colorectal cancer screening; alternative to G0105, screening colonoscopy, barium
G0120	Procedure	HCPCS	enema
			Colorectal cancer screening; colonoscopy on individual not meeting criteria for high
G0121	Procedure	HCPCS	risk
			Patients greater than or equal to 86 years of age who underwent a screening
			colonoscopy and did not have a history of colorectal cancer or other valid medical
			reason for the colonoscopy, including: iron deficiency anemia, lower gastrointestinal
			bleeding, Crohn's disease (i.e., regional enteritis), familial adenomatous polyposis,
			Lynch syndrome (i.e., hereditary nonpolyposis colorectal cancer), inflammatory
			bowel disease, ulcerative colitis, abnormal finding of gastrointestinal tract, or
G9659	Procedure	HCPCS	changes in bowel habits
			Documentation of medical reason(s) for a colonoscopy performed on a patient
			greater than or equal to 86 years of age (e.g., iron deficiency anemia, lower
			gastrointestinal bleeding, Crohn's disease (i.e., regional enteritis), familial history of
			adenomatous polyposis, Lynch syndrome (i.e., hereditary nonpolyposis colorectal
			cancer), inflammatory bowel disease, ulcerative colitis, abnormal finding of
G9660	Procedure	HCPCS	gastrointestinal tract, or changes in bowel habits)
			Patients greater than or equal to 86 years of age who received a colonoscopy for an
			assessment of signs/symptoms of GI tract illness, and/or because the patient meets
G9661	Procedure	HCPCS	high risk criteria, and/or to follow-up on previously diagnosed advanced lesions
G9933	Procedure	HCPCS	Adenoma(s) or colorectal cancer detected during screening colonoscopy
G9935	Procedure	HCPCS	Adenoma(s) or colorectal cancer not detected during screening colonoscopy
			Surveillance colonoscopy - personal history of colonic polyps, colon cancer, or other
G9936	Procedure	HCPCS	malignant neoplasm of rectum, rectosigmoid junction, and anus
G9937	Procedure	HCPCS	Diagnostic colonoscopy
S0285	Procedure	HCPCS	Colonoscopy consultation performed prior to a screening colonoscopy procedure
45.11	Procedure	ICD-9-PCS	Transabdominal endoscopy of small intestine
45.21	Procedure	ICD-9-PCS	Transabdominal endoscopy of large intestine
48.21	Procedure	ICD-9-PCS	Transabdominal proctosigmoidoscopy
			Proctosigmoidoscopy, rigid; diagnostic, with or without collection of specimen(s) by
45300	Procedure	CPT-4	brushing or washing (separate procedure)

cder_mpl1p_wp075 Page 144 of 369



Code	Code Category	Code Type	Description
45302	Procedure	CPT-4	PROCTOSIGMOIDOSCOPY; COLLECT SPECIMEN BRUSH/WASH
45302	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with dilation (eg, balloon, guide wire, bougie)
45305	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with biopsy, single or multiple
	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with removal of foreign body
45307	Procedure	CP1-4	
45200	Dunnadium	CDT 4	Proctosigmoidoscopy, rigid; with removal of single tumor, polyp, or other lesion by
45308	Procedure	CPT-4	hot biopsy forceps or bipolar cautery
45200	Danasadaaa	CDT 4	Proctosigmoidoscopy, rigid; with removal of single tumor, polyp, or other lesion by
45309	Procedure	CPT-4	snare technique
45310	Procedure	CPT-4	PROCTOSIGMOIDOSCOPY; REMOVAL POLYP/PAPILLOMA
45245	5 .	CDT 4	Proctosigmoidoscopy, rigid; with removal of multiple tumors, polyps, or other
45315	Procedure	CPT-4	lesions by hot biopsy forceps, bipolar cautery or snare technique
			Proctosigmoidoscopy, rigid; with control of bleeding (eg, injection, bipolar cautery,
45317	Procedure	CPT-4	unipolar cautery, laser, heater probe, stapler, plasma coagulator)
			Proctosigmoidoscopy, rigid; with ablation of tumor(s), polyp(s), or other lesion(s) not
	_		amenable to removal by hot biopsy forceps, bipolar cautery or snare technique (eg,
45320	Procedure	CPT-4	laser)
45321	Procedure	CPT-4	Proctosigmoidoscopy, rigid; with decompression of volvulus
	_		Proctosigmoidoscopy, rigid; with transendoscopic stent placement (includes
45327	Procedure	CPT-4	predilation)
			Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing
45330	Procedure	CPT-4	or washing, when performed (separate procedure)
45331	Procedure	CPT-4	Sigmoidoscopy, flexible; with biopsy, single or multiple
45332	Procedure	CPT-4	Sigmoidoscopy, flexible; with removal of foreign body(s)
			Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot
45333	Procedure	CPT-4	biopsy forceps
45334	Procedure	CPT-4	Sigmoidoscopy, flexible; with control of bleeding, any method
45335	Procedure	CPT-4	Sigmoidoscopy, flexible; with directed submucosal injection(s), any substance
45336	Procedure	CPT-4	SIGMOIDOSCOPY; ABLATE TUMOR MUCOSAL LESION
			Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by
45338	Procedure	CPT-4	snare technique
			Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) not
45339	Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
45340	Procedure	CPT-4	Sigmoidoscopy, flexible; with transendoscopic balloon dilation
45341	Procedure	CPT-4	Sigmoidoscopy, flexible; with endoscopic ultrasound examination
			Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or
45342	Procedure	CPT-4	transmural fine needle aspiration/biopsy(s)
45345	Procedure	CPT-4	Sigmoidoscopy, flexible; with transendoscopic stent placement (includes predilation)
			Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s)
45346	Procedure	CPT-4	(includes pre- and post-dilation and guide wire passage, when performed)
			Sigmoidoscopy, flexible; with placement of endoscopic stent (includes pre- and post-
45347	Procedure	CPT-4	dilation and guide wire passage, when performed)

cder_mpl1p_wp075 Page 145 of 369



Code	Code Category	Code Type	Description
45349	Procedure	CPT-4	Sigmoidoscopy, flexible; with endoscopic mucosal resection
45350	Procedure	CPT-4	Sigmoidoscopy, flexible; with band ligation(s) (eg, hemorrhoids)
0D9N0ZX	Procedure	ICD-10-PCS	Drainage of Sigmoid Colon, Open Approach, Diagnostic
0DBN0ZX	Procedure	ICD-10-PCS	Excision of Sigmoid Colon, Open Approach, Diagnostic
			Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg,
45337	Procedure	CPT-4	volvulus, megacolon), including placement of decompression tube, when performed
G0104	Procedure	HCPCS	Colorectal cancer screening; flexible sigmoidoscopy
			Colorectal cancer screening; alternative to G0104, screening sigmoidoscopy, barium
G0106	Procedure	HCPCS	enema
			Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesions(s) not
G6022	Procedure	CPT-4	amenable to removal by hot biopsy forceps, bipolar cautery or snare technique
G6023	Procedure	CPT-4	Sigmoidoscopy, flexible; with transendoscopic stent placement (includes predilation)
45.27	Procedure	ICD-9-PCS	Intestinal biopsy, site unspecified
42.22	Procedure	ICD-9-PCS	Esophagoscopy through artificial stoma
42.23	Procedure	ICD-9-PCS	Other esophagoscopy
42.24	Procedure	ICD-9-PCS	Closed (endoscopic) biopsy of esophagus
44.14	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of stomach
45.13	Procedure	ICD-9-PCS	Other endoscopy of small intestine
45.14	Procedure	ICD-9-PCS	Closed [endoscopic] biopsy of small intestine
45.16	Procedure	ICD-9-PCS	Esophagogastroduodenoscopy (EGD) with closed biopsy
0DJ03ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Percutaneous Approach
ODJ04ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Percutaneous Endoscopic Approach
ODJ07ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Via Natural or Artificial Opening
ODJ08ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Via Natural or Artificial Opening Endoscopic
			Esophagoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by
43200	Procedure	CPT-4	brushing or washing, when performed (separate procedure)
			Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of
43235	Procedure	CPT-4	specimen(s) by brushing or washing, when performed (separate procedure)
45.19	Procedure	ICD-9-PCS	Other diagnostic procedures on small intestine
			Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus
91110	Procedure	CPT-4	through ileum, with interpretation and report
			Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with
0355T	Procedure	CPT-3	interpretation and report
			Magnetically controlled capsule endoscopy, esophagus through stomach, including
0651T	Procedure	CPT-3	intraprocedural positioning of capsule, with interpretation and report
ODJ00ZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, Open Approach
ODJOXZZ	Procedure	ICD-10-PCS	Inspection of Upper Intestinal Tract, External Approach
ODJD3ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Percutaneous Approach
0DJD7ZZ	Procedure	ICD-10-PCS	Inspection of Lower Intestinal Tract, Via Natural or Artificial Opening
0444	- '	ODT 4	Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus with
91111	Procedure	CPT-4	interpretation and report

cder_mpl1p_wp075 Page 146 of 369



Code	Code Category	Code Type	Description
			Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with
91113	Procedure	CPT-4	interpretation and report
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; diagnostic, including collection of specimen(s) by brushing or
44360	Procedure	CPT-4	washing, when performed (separate procedure)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44361	Procedure	CPT-4	including ileum; with biopsy, single or multiple
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44363	Procedure	CPT-4	including ileum; with removal of foreign body(s)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by snare
44364	Procedure	CPT-4	technique
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy
44365	Procedure	CPT-4	forceps or bipolar cautery
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar
44366	Procedure	CPT-4	cautery, laser, heater probe, stapler, plasma coagulator)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable
44369	Procedure	CPT-4	to removal by hot biopsy forceps, bipolar cautery or snare technique
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44370	Procedure	CPT-4	including ileum; with transendoscopic stent placement (includes predilation)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
44372	Procedure	CPT-4	including ileum; with placement of percutaneous jejunostomy tube
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not
			including ileum; with conversion of percutaneous gastrostomy tube to percutaneous
44373	Procedure	CPT-4	jejunostomy tube
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
			including ileum; diagnostic, with or without collection of specimen(s) by brushing or
44376	Procedure	CPT-4	washing (separate procedure)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
44377	Procedure	CPT-4	including ileum; with biopsy, single or multiple
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
			including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar
44378	Procedure	CPT-4	cautery, laser, heater probe, stapler, plasma coagulator)
			Small intestinal endoscopy, enteroscopy beyond second portion of duodenum,
44379	Procedure	CPT-4	including ileum; with transendoscopic stent placement (includes predilation)

cder_mpl1p_wp075 Page 147 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name			
GLP-1 Agonists				
albiglutide	Tanzeum			
dulaglutide	Trulicity			
exenatide	Byetta			
exenatide microspheres	Bydureon			
exenatide microspheres	Bydureon BCise			
nsulin degludec/liraglutide	Xultophy 100/3.6			
nsulin glargine, human recombinant analog/lixisenatide	Soliqua 100/33			
iraglutide	Saxenda			
iraglutide	Victoza 2-Pak			
iraglutide	Victoza 3-Pak			
ixisenatide	Adlyxin			
semaglutide	Ozempic			
semaglutide	Rybelsus			
semaglutide	Wegovy			
tirzepatide	Mounjaro			
N	letformin			
alogliptin benzoate/metformin HCl	Kazano			
alogliptin benzoate/metformin HCl	alogliptin-metformin			
canagliflozin/metformin HCl	Invokamet			
canagliflozin/metformin HCl	Invokamet XR			
dapagliflozin propanediol/metformin HCl	Xigduo XR			
empagliflozin/linagliptin/metformin HCl	Trijardy XR			
empagliflozin/metformin HCl	Synjardy			
empagliflozin/metformin HCl	Synjardy XR			
ertugliflozin pidolate/metformin HCl	Segluromet			
glipizide/metformin HCl	Metaglip			
glipizide/metformin HCl	glipizide-metformin			
glyburide/metformin HCl	Glucovance			
glyburide/metformin HCl	glyburide-metformin			
inagliptin/metformin HCl	Jentadueto			
inagliptin/metformin HCl	Jentadueto XR			
metformin HCl	Fortamet			
metformin HCl	Glucophage			
metformin HCl	Glucophage XR			
metformin HCl	Glumetza			
metformin HCl	Riomet			
metformin HCl	Riomet ER			
metformin HCl	metformin			

metformin/caffeine/amino acids 7/herbal comb 125/choline bit Appformin pioglitazone HCI/metformin HCI **Actoplus MET** pioglitazone HCI/metformin HCI Actoplus Met XR pioglitazone HCI/metformin HCI pioglitazone-metformin repaglinide/metformin HCl Prandimet repaglinide/metformin HCl repaglinide-metformin

Page 148 of 369 cder_mpl1p_wp075



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Brand Name
Avandamet
Kombiglyze XR
Janumet
Janumet XR
Sulfonylureas
Diabinese
chlorpropamide
Amaryl
glimepiride
Glucotrol
Glucotrol XL
glipizide
Metaglip
glipizide-metformin
Diabeta
Micronase
glyburide
Glycron
Glynase
glyburide micronized
Glucovance
glyburide-metformin
DUETACT
pioglitazone-glimepiride
Avandaryl
tolazamide
tolbutamide
DPP-4 Inhibitors
Nesina
alogliptin
Oseni
alogliptin-pioglitazone
Tradjenta
Onglyza
Januvia
Juvisync
SGLT-2 Inhibitors
Invokana
Farxiga
Jardiance
Steglatro
_
Long Acting Insulin
Long Acting Insulin Humulin N NPH Insulin KwikPen
Long Acting Insulin Humulin N NPH Insulin KwikPen Humulin N NPH U-100 Insulin
Humulin N NPH Insulin KwikPen Humulin N NPH U-100 Insulin Humulin N Pen
Long Acting Insulin Humulin N NPH Insulin KwikPen Humulin N NPH U-100 Insulin

cder_mpl1p_wp075 Page 149 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
insulin NPH human isophane	Novolin N PenFill
insulin degludec	Tresiba FlexTouch U-100
insulin degludec	Tresiba FlexTouch U-200
insulin degludec	Tresiba U-100 Insulin
insulin degludec	insulin degludec
insulin degludec/liraglutide	Xultophy 100/3.6
insulin detemir	Levemir FlexPen
insulin detemir	Levemir FlexTouch U-100 Insuln
insulin detemir	Levemir Flexpen
insulin detemir	Levemir U-100 Insulin
insulin glargine, human recombinant analog	Basaglar KwikPen U-100 Insulin
insulin glargine, human recombinant analog	Basaglar Tempo Pen(U-100)InsIn
insulin glargine, human recombinant analog	Lantus Solostar U-100 Insulin
insulin glargine, human recombinant analog	Lantus U-100 Insulin
insulin glargine, human recombinant analog	Semglee Pen U-100 Insulin
insulin glargine, human recombinant analog	Semglee U-100 Insulin
insulin glargine, human recombinant analog	Toujeo Max U-300 SoloStar
insulin glargine, human recombinant analog	Toujeo SoloStar U-300 Insulin
insulin glargine, human recombinant analog	insulin glargine
insulin glargine, human recombinant analog/lixisenatide	Soliqua 100/33
insulin glargine-yfgn	Semglee(insulin glarg-yfgn)Pen
insulin glargine-yfgn	Semglee(insulin glargine-yfgn)
insulin glargine-yfgn	insulin glargine-yfgn
Short or Pr	anid Acting Insulin

Short or	Ranid	Acting	Inculin	

Short or Rap	id Acting Insulin
Insulin Regular, Human/Insulin Release Unit/Chamber/Inhaler	Exubera Kit
insulin aspart	Novolog FlexPen U-100 Insulin
insulin aspart	Novolog PenFill U-100 Insulin
insulin aspart	Novolog U-100 Insulin aspart
insulin aspart	insulin aspart U-100
insulin aspart (niacinamide)	Fiasp FlexTouch U-100 Insulin
insulin aspart (niacinamide)	Fiasp Penfill U-100 Insulin
insulin aspart (niacinamide)	Fiasp U-100 Insulin
insulin glulisine	Apidra SoloStar U-100 Insulin
insulin glulisine	Apidra U-100 Insulin
insulin lispro	Admelog SoloStar U-100 Insulin
insulin lispro	Admelog U-100 Insulin lispro
insulin lispro	Humalog Junior KwikPen U-100
insulin lispro	Humalog KwikPen Insulin
insulin lispro	Humalog Pen
insulin lispro	Humalog Tempo Pen(U-100)Insuln
insulin lispro	Humalog U-100 Insulin
insulin lispro	insulin lispro
insulin lispro-aabc	Lyumjev KwikPen U-100 Insulin
insulin lispro-aabc	Lyumjev KwikPen U-200 Insulin
insulin lispro-aabc	Lyumjev Tempo Pen(U-100)Insuln
insulin lispro-aabc	Lyumjev U-100 Insulin
insulin regular, human	Afrezza
insulin regular, human	Humulin R Regular U-100 Insuln

Page 150 of 369 $cder_mpl1p_wp075$



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Appendix F. List of Generic and Brand Names of Medical Generic Name	Brand Name
nsulin regular, human	Humulin R U-500 (Conc) Insulin
nsulin regular, human	Humulin R U-500 (Conc) Kwikpen
nsulin regular, human	Novolin R FlexPen
nsulin regular, human	Novolin R InnoLet
nsulin regular, human	Novolin R PenFill
nsulin regular, human	Novolin R Regular U-100 Insuln
nsulin regular, human in 0.9 % sodium chloride	Myxredlin
nsulin regular, human/insulin release unit	Exubera Combination Pack 12
nsulin regular, human/insulin release unit	Exubera Combination Pack 15
nsulin regular, human/insulin release unit	Exubera Patient Pack
Com	bination Insulins
nsulin NPH human isophane/insulin regular, human	Humulin 50/50
nsulin NPH human isophane/insulin regular, human	Humulin 70/30 Insulin Pen
nsulin NPH human isophane/insulin regular, human	Humulin 70/30 U-100 Insulin
nsulin NPH human isophane/insulin regular, human	Humulin 70/30 U-100 KwikPen
nsulin NPH human isophane/insulin regular, human	Novolin 70-30 FlexPen U-100
nsulin NPH human isophane/insulin regular, human	Novolin 70/30 InnoLet Insulin
nsulin NPH human isophane/insulin regular, human	Novolin 70/30 PenFill
nsulin NPH human isophane/insulin regular, human	Novolin 70/30 U-100 Insulin
nsulin aspart protamine human/insulin aspart	Novolog Mix 70-30 U-100 Insuln
nsulin aspart protamine human/insulin aspart	Novolog Mix 70-30FlexPen U-100
nsulin aspart protamine human/insulin aspart	insulin asp prt-insulin aspart
nsulin lispro protamine and insulin lispro	Humalog Mix 50-50 Insuln U-100
nsulin lispro protamine and insulin lispro	Humalog Mix 50-50 KwikPen
nsulin lispro protamine and insulin lispro	Humalog Mix 75-25 KwikPen
nsulin lispro protamine and insulin lispro	Humalog Mix 75-25(U-100)Insuln
nsulin lispro protamine and insulin lispro	insulin lispro protamin-lispro
	cosidase Inhibitors
acarbose	Precose
acarbose	acarbose
niglitol	Glyset
miglitol	miglitol
	Meglitinide
nateglinide	Starlix
nateglinide	nateglinide
repaglinide	Prandin
repaglinide	repaglinide
repaglinide/metformin HCl	Prandimet
repaglinide/metformin HCl	repaglinide-metformin
· -	ACE Inhibitors
amlodipine besylate/benazepril HCl	Lotrel
amlodipine besylate/benazepril HCl	amlodipine-benazepril
penazepril HCl	Lotensin
penazepril HCl	benazepril
penazepril HCl/hydrochlorothiazide	Lotensin HCT
penazepril HCl/hydrochlorothiazide	benazepril-hydrochlorothiazide
captopril	Capoten
captopril	captopril

cder_mpl1p_wp075 Page 151 of 369



Generic Name	cal Products Used to Define Characteristics in this Request Brand Name
captopril/hydrochlorothiazide	Capozide
captopril/hydrochlorothiazide	captopril-hydrochlorothiazide
enalapril maleate	Epaned
enalapril maleate	Vasotec
enalapril maleate	enalapril maleate
enalapril maleate/felodipine	Lexxel
enalapril maleate/hydrochlorothiazide	Vaseretic
enalapril maleate/hydrochlorothiazide	enalapril-hydrochlorothiazide
enalaprilat dihydrate	enalaprilat
fosinopril sodium	Monopril
fosinopril sodium	fosinopril
fosinopril sodium/hydrochlorothiazide	Monopril HCT
fosinopril sodium/hydrochlorothiazide	fosinopril-hydrochlorothiazide
lisinopril	Prinivil
lisinopril	Qbrelis
lisinopril	Zestril
lisinopril	lisinopril
lisinopril/dietary supplement,comb.10	Lytensopril
lisinopril/dietary supplement,comb.10	Lytensopril-90
lisinopril/hydrochlorothiazide	Prinzide
lisinopril/hydrochlorothiazide	Zestoretic
lisinopril/hydrochlorothiazide	lisinopril-hydrochlorothiazide
moexipril HCl	Univasc
moexiprii HCl	moexipril
moexiprii HCl/hydrochlorothiazide	Uniretic
moexiprii HCl/hydrochlorothiazide	moexipril-hydrochlorothiazide
perindopril arginine/amlodipine besylate	Prestalia
perindopril erbumine	Aceon
perindopril erbumine	perindopril erbumine
quinapril HCl	Accupril
quinapril HCl	quinapril
quinapril HCl/hydrochlorothiazide	Accuretic
quinapril HCl/hydrochlorothiazide	Quinaretic
quinapril HCl/hydrochlorothiazide	quinapril-hydrochlorothiazide
ramipril	Altace
ramipril	ramipril
trandolapril	Mavik
trandolapril	trandolapril
trandolaprii/verapamil HCl	Tarka
trandolapril/verapamil HCl	trandolapril-verapamil
	ension II Receptor Blockers
amlodipine besylate/olmesartan medoxomil	Azor
amlodipine besylate/olmesartan medoxomil	amlodipine-olmesartan
amlodipine besylate/valsartan	Exforge
amlodipine besylate/valsartan	amlodipine-valsartan
annouspine bedylate/ valuation	annouplic valuation

amlodipine besylate/valsartan/hydrochlorothiazide amlodipine-valsartan-hcthiazid azilsartan medoxomil Edarbi

amlodipine besylate/valsartan/hydrochlorothiazide

Page 152 of 369 $cder_mpl1p_wp075$

Exforge HCT



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
azilsartan medoxomil/chlorthalidone	Edarbyclor
candesartan cilexetil	Atacand
candesartan cilexetil	candesartan
candesartan cilexetil/hydrochlorothiazide	Atacand HCT
candesartan cilexetil/hydrochlorothiazide	candesartan-hydrochlorothiazid
eprosartan mesylate	Teveten
eprosartan mesylate	eprosartan
eprosartan mesylate/hydrochlorothiazide	Teveten HCT
irbesartan	Avapro
irbesartan	irbesartan
irbesartan/hydrochlorothiazide	Avalide
irbesartan/hydrochlorothiazide	irbesartan-hydrochlorothiazide
losartan potassium	Cozaar
losartan potassium	losartan
losartan potassium/hydrochlorothiazide	Hyzaar
losartan potassium/hydrochlorothiazide	losartan-hydrochlorothiazide
nebivolol HCl/valsartan	Byvalson
olmesartan medoxomil	Benicar
olmesartan medoxomil	olmesartan
olmesartan medoxomil/amlodipine	
besylate/hydrochlorothiazide	Tribenzor
olmesartan medoxomil/amlodipine	
besylate/hydrochlorothiazide	olmesartan-amlodipin-hcthiazid
olmesartan medoxomil/hydrochlorothiazide	Benicar HCT
olmesartan medoxomil/hydrochlorothiazide	olmesartan-hydrochlorothiazide
sacubitril/valsartan	Entresto
telmisartan	Micardis
telmisartan	telmisartan
telmisartan/amlodipine besylate	Twynsta
telmisartan/amlodipine besylate	telmisartan-amlodipine
telmisartan/hydrochlorothiazide	Micardis HCT
telmisartan/hydrochlorothiazide	telmisartan-hydrochlorothiazid
valsartan	Diovan
valsartan	valsartan
valsartan/hydrochlorothiazide	Diovan HCT
valsartan/hydrochlorothiazide	valsartan-hydrochlorothiazide
· ·	Beta Blockers
acebutolol HCl	Sectral
acebutolol HCl	acebutolol

Beta Blockers		
acebutolol HCl	Sectral	
acebutolol HCl	acebutolol	
atenolol	Tenormin	
atenolol	atenolol	
atenolol/chlorthalidone	Tenoretic 100	
atenolol/chlorthalidone	Tenoretic 50	
atenolol/chlorthalidone	atenolol-chlorthalidone	
betaxolol HCl	Kerlone	
betaxolol HCl	betaxolol	
bisoprolol fumarate	Zebeta	
bisoprolol fumarate	bisoprolol fumarate	

cder_mpl1p_wp075 Page 153 of 369



Appendix F. List of Generic and Brand Names of Medical Generic Name	Brand Name
pisoprolol fumarate/hydrochlorothiazide	Ziac
pisoprolol fumarate/hydrochlorothiazide	bisoprolol-hydrochlorothiazide
carvedilol	Coreg
carvedilol	carvedilol
carvedilol phosphate	Coreg CR
carvedilol phosphate	carvedilol phosphate
esmolol HCl	Brevibloc
esmolol HCl	esmolol
esmolol HCl in sodium chloride, iso-osmotic	Brevibloc in NaCl (iso-osm)
esmolol HCl in sodium chloride, iso-osmotic	esmolol in NaCl (iso-osm)
esmolol HCl in sterile water	esmolol in sterile water
abetalol HCl	Normodyne
abetalol HCl	Trandate
abetalol HCl	labetalol
abetalol HCl in dextrose, iso-osmotic	labetalol in dextrose,iso-osm
abetalol HCl in sodium chloride, iso-osmotic	labetalol in NaCl (iso-osmot)
abetalol in dextrose 5 % in water	labetalol in dextrose 5 %
metoprolol succinate	Kapspargo Sprinkle
metoprolol succinate	Toprol XL
netoprolol succinate	metoprolol succinate
netoprolol succinate/hydrochlorothiazide	Dutoprol
netoprolol succinate/hydrochlorothiazide	metoprolol su-hydrochlorothiaz
netoprolol tartrate	Lopressor
netoprolol tartrate	metoprolol tartrate
metoprolol tartrate/dietary supplement,comb.10	Hypertensolol
metoprolol tartrate/hydrochlorothiazide	Lopressor HCT
metoprolol tartrate/hydrochlorothiazide	metoprolol ta-hydrochlorothiaz
nadolol	Corgard
nadolol	nadolol
nadolol/bendroflumethiazide	Corzide
nadolol/bendroflumethiazide	nadolol-bendroflumethiazide
nebivolol HCl	Bystolic
nebivolol HCl	nebivolol
penbutolol sulfate	Levatol
pindolol	pindolol
propranolol HCl	Hemangeol
propranolol HCl	Inderal
propranolol HCl	Inderal LA
propranolol HCl	Inderal XL
propranolol HCl	InnoPran XL
propranolol HCl	propranolol
propranolol HCI/hydrochlorothiazide	Inderide
propranolol HCl/hydrochlorothiazide	propranolol-hydrochlorothiazid
sotalol HCl	Betapace
sotalol HCl	Betapace AF
sotalol HCl	Sorine
sotalol HCl	Sotalol AF
sotalol HCl	Sotylize

Page 154 of 369 cder_mpl1p_wp075



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
otalol HCl	sotalol
molol maleate	timolol maleate
Calcium C	Channel Blockers
liskiren hemifumarate/amlodipine besylate	Tekamlo
liskiren hemifumarate/amlodipine/hydrochlorothiazide	Amturnide
mlodipine benzoate	Katerzia
mlodipine besylate	Norliqva
mlodipine besylate	Norvasc
mlodipine besylate	amlodipine
mlodipine besylate/atorvastatin calcium	Caduet
mlodipine besylate/atorvastatin calcium	amlodipine-atorvastatin
mlodipine besylate/benazepril HCl	Lotrel
mlodipine besylate/benazepril HCl	amlodipine-benazepril
mlodipine besylate/celecoxib	Consensi
mlodipine besylate/olmesartan medoxomil	Azor
mlodipine besylate/olmesartan medoxomil	amlodipine-olmesartan
mlodipine besylate/valsartan	Exforge
mlodipine besylate/valsartan	amlodipine-valsartan
mlodipine besylate/valsartan/hydrochlorothiazide	Exforge HCT
mlodipine besylate/valsartan/hydrochlorothiazide	amlodipine-valsartan-hcthiazid
levidipine butyrate	Cleviprex
iltiazem HCl	Cardizem
iltiazem HCl	Cardizem CD
iltiazem HCl	Cardizem LA
iltiazem HCl	Cartia XT
iltiazem HCl	DILT-CD
iltiazem HCl	DILT-XR
iltiazem HCl	Dilacor XR
iltiazem HCl	Diltia XT
iltiazem HCl	Diltzac ER
iltiazem HCl	Matzim LA
iltiazem HCl	Taztia XT
iltiazem HCl	Tiadylt ER
iltiazem HCl	Tiazac
iltiazem HCl	diltiazem HCl
iltiazem HCl in 0.9 % sodium chloride	diltiazem HCl in 0.9% NaCl
iltiazem HCI/dextrose 5 % in water	diltiazem in dextrose 5 %
nalapril maleate/felodipine	Lexxel
elodipine	Plendil
elodipine	felodipine
radipine	DynaCirc
radipine	DynaCirc CR
radipine	isradipine
evamlodipine maleate	Conjupri
evamlodipine maleate	levamlodipine
icardipine HCl	Cardene IV
icardipine HCl	Cardene SR
ICAI UIDITE TCI	Caruelle 3N

cder_mpl1p_wp075 Page 155 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
nicardipine HCl in 0.9 % sodium chloride	nicardipine in 0.9 % sod chlor
icardipine in 5 % dextrose in water	nicardipine in 5 % dextrose
icardipine in dextrose, iso-osmotic	Cardene IV in dextrose
icardipine in sodium chloride, iso-osmotic	Cardene IV in sodium chloride
icardipine in sodium chloride, iso-osmotic	nicardipine in NaCl (iso-os)
ifedipine	Adalat CC
nifedipine	Afeditab CR
nifedipine	Nifediac CC
nifedipine	Nifedical XL
nifedipine	Procardia
nifedipine	Procardia XL
nifedipine	nifedipine
nimodipine	Nimotop
nimodipine	Nymalize
nimodipine	nimodipine
nisoldipine	Sular
nisoldipine	nisoldipine
olmesartan medoxomil/amlodipine	
pesylate/hydrochlorothiazide	Tribenzor
olmesartan medoxomil/amlodipine	
pesylate/hydrochlorothiazide	olmesartan-amlodipin-hcthiazid
perindopril arginine/amlodipine besylate	Prestalia
elmisartan/amlodipine besylate	Twynsta
elmisartan/amlodipine besylate	telmisartan-amlodipine
randolapril/verapamil HCl	Tarka
randolapril/verapamil HCl	trandolapril-verapamil
verapamil HCl	Calan
verapamil HCl	Calan SR
verapamil HCl	Covera-HS
verapamil HCl	Isoptin SR
verapamil HCl	Verelan
verapamil HCl	Verelan PM
verapamil HCl	verapamil
	Statins
amlodipine besylate/atorvastatin calcium	Caduet
amlodipine besylate/atorvastatin calcium	amlodipine-atorvastatin
atorvastatin calcium	Lipitor
atorvastatin calcium	atorvastatin
ezetimibe/atorvastatin calcium	Liptruzet
ezetimibe/atorvastatin calcium	ezetimibe-atorvastatin
ezetimibe/rosuvastatin calcium	Roszet
zetimibe/rosuvastatin calcium	ezetimibe-rosuvastatin
zetimibe/simvastatin	Vytorin 10-10
ezetimibe/simvastatin	Vytorin 10-20
ezetimibe/simvastatin	Vytorin 10-40
ezetimibe/simvastatin	Vytorin 10-80
ezetimibe/simvastatin	ezetimibe-simvastatin

cder_mpl1p_wp075 Page 156 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
fluvastatin sodium	Lescol XL
fluvastatin sodium	fluvastatin
lovastatin	Altoprev
lovastatin	Mevacor
lovastatin	lovastatin
niacin/lovastatin	Advicor
niacin/simvastatin	Simcor
nystatin	nystatin
pitavastatin calcium	Livalo
pitavastatin magnesium	Zypitamag
pravastatin sodium	Pravachol
pravastatin sodium	pravastatin
rosuvastatin calcium	Crestor
rosuvastatin calcium	Ezallor Sprinkle
rosuvastatin calcium	rosuvastatin
simvastatin	FloLipid
simvastatin	Zocor
simvastatin	simvastatin
sitagliptin phosphate/simvastatin	Juvisync
	Loop Diuretics
bumetanide	Bumex
bumetanide	bumetanide
ethacrynate sodium	Sodium Edecrin
ethacrynate sodium	ethacrynate sodium
ethacrynic acid	Edecrin
ethacrynic acid	ethacrynic acid
furosemide	Furoscix
furosemide	Lasix
furosemide	furosemide
furosemide in 0.9 % sodium chloride	furosemide in 0.9 % NaCl
furosemide/dextrose 5 % in water	furosemide in dextrose 5 %
torsemide	Demadex
torsemide	Soaanz
torsemide	torsemide
	Other Diuretics
acetazolamide	Diamox Sequels
acetazolamide	acetazolamide
acetazolamide sodium	acetazolamide sodium
aliskiren hemifumarate/hydrochlorothiazide	Tekturna HCT
amiloride HCl	Midamor
amiloride HCl	amiloride
amiloride HCl/hydrochlorothiazide	amiloride-hydrochlorothiazide
amlodipine besylate/valsartan/hydrochlorothiazide	Exforge HCT
amlodipine besylate/valsartan/hydrochlorothiazide	amlodipine-valsartan-hcthiazid
ammonium chloride	ammonium chloride
atenolol/chlorthalidone	Tenoretic 100
atenolo/chlorthalidone	Tenoretic 50
atenolol/chlorthalidone	atenolol-chlorthalidone
atendiol/ chioi trialidolle	atenolor-unoi triandone

cder_mpl1p_wp075 Page 157 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request	
Generic Name	Brand Name
azilsartan medoxomil/chlorthalidone	Edarbyclor
benazepril HCl/hydrochlorothiazide	Lotensin HCT
benazepril HCl/hydrochlorothiazide	benazepril-hydrochlorothiazide
bisoprolol fumarate/hydrochlorothiazide	Ziac
bisoprolol fumarate/hydrochlorothiazide	bisoprolol-hydrochlorothiazide
calcium/corn/buchu/couch grass/hydrangea	Diuretic
candesartan cilexetil/hydrochlorothiazide	Atacand HCT
candesartan cilexetil/hydrochlorothiazide	candesartan-hydrochlorothiazid
captopril/hydrochlorothiazide	Capozide
captopril/hydrochlorothiazide	captopril-hydrochlorothiazide
chlorothiazide	Diuril
chlorothiazide	chlorothiazide
chlorothiazide sodium	Diuril IV
chlorothiazide sodium	chlorothiazide sodium
chlorthalidone	Thalitone
chlorthalidone	chlorthalidone
clonidine HCl/chlorthalidone	Clorpres
conivaptan HCl	Vaprisol
conivaptan HCl/dextrose 5 % in water	Vaprisol in 5 % dextrose
enalapril maleate/hydrochlorothiazide	Vaseretic
enalapril maleate/hydrochlorothiazide	enalapril-hydrochlorothiazide
eplerenone	Inspra
eplerenone	eplerenone
eprosartan mesylate/hydrochlorothiazide	Teveten HCT
ethacrynate sodium	Sodium Edecrin
ethacrynate sodium	ethacrynate sodium
fosinopril sodium/hydrochlorothiazide	Monopril HCT
fosinopril sodium/hydrochlorothiazide	fosinopril-hydrochlorothiazide
glycerin	Introl
hydralazine HCl/hydrochlorothiazide	Hydra-Zide
hydrochlorothiazide	Microzide
hydrochlorothiazide	hydrochlorothiazide
indapamide	indapamide
irbesartan/hydrochlorothiazide	Avalide
irbesartan/hydrochlorothiazide	irbesartan-hydrochlorothiazide
lisinopril/hydrochlorothiazide	Prinzide
lisinopril/hydrochlorothiazide	Zestoretic
lisinopril/hydrochlorothiazide	lisinopril-hydrochlorothiazide
losartan potassium/hydrochlorothiazide	Hyzaar
losartan potassium/hydrochlorothiazide	losartan-hydrochlorothiazide
mannitol	Osmitrol 10 %
mannitol	Osmitrol 15 %
mannitol	Osmitrol 20 %
mannitol	Osmitrol 5 %
mannitol	mannitol 10 %
mannitol	mannitol 15 %
mannitol	mannitol 20 %
mannitol	mannitol 25 %

cder_mpl1p_wp075 Page 158 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request		
Generic Name	Brand Name	
mannitol	mannitol 5 %	
mannitol/sorbitol	Lollipop Base	
methazolamide	Neptazane	
methazolamide	methazolamide	
methyclothiazide	Enduron	
methyclothiazide	methyclothiazide	
methyldopa/hydrochlorothiazide	methyldopa-hydrochlorothiazide	
metolazone	Zaroxolyn	
metolazone	metolazone	
metoprolol succinate/hydrochlorothiazide	Dutoprol	
metoprolol succinate/hydrochlorothiazide	metoprolol su-hydrochlorothiaz	
metoprolol tartrate/hydrochlorothiazide	Lopressor HCT	
metoprolol tartrate/hydrochlorothiazide	metoprolol ta-hydrochlorothiaz	
moexipril HCl/hydrochlorothiazide	Uniretic	
moexipril HCl/hydrochlorothiazide	moexipril-hydrochlorothiazide	
nadolol/bendroflumethiazide	Corzide	
nadolol/bendroflumethiazide	nadolol-bendroflumethiazide	
olmesartan medoxomil/amlodipine		
besylate/hydrochlorothiazide	Tribenzor	
olmesartan medoxomil/amlodipine		
besylate/hydrochlorothiazide	olmesartan-amlodipin-hcthiazid	
olmesartan medoxomil/hydrochlorothiazide	Benicar HCT	
olmesartan medoxomil/hydrochlorothiazide	olmesartan-hydrochlorothiazide	
pamabrom	Diuretic Softgels	
pamabrom	Diurex Max	
potassium sulfate/corn/buchu/couch grass/hydrangea	Natural Herbal Diuretic	
propranolol HCl/hydrochlorothiazide	Inderide	
propranolol HCl/hydrochlorothiazide	propranolol-hydrochlorothiazid	
quinapril HCI/hydrochlorothiazide	Accuretic	
quinapril HCI/hydrochlorothiazide	Quinaretic	
quinapril HCI/hydrochlorothiazide	quinapril-hydrochlorothiazide	
spironolactone	Aldactone	
spironolactone	CaroSpir	
spironolactone	spironolactone	
spironolactone/hydrochlorothiazide	Aldactazide	
spironolactone/hydrochlorothiazide	spironolacton-hydrochlorothiaz	
telmisartan/hydrochlorothiazide	Micardis HCT	
telmisartan/hydrochlorothiazide	telmisartan-hydrochlorothiazid	
tolvaptan	Samsca	
tolvaptan	tolvaptan	
triamterene	Dyrenium	
triamterene	triamterene	
triamterene/hydrochlorothiazide	Dyazide	
triamterene/hydrochlorothiazide	Maxzide	
triamterene/hydrochlorothiazide	Maxzide-25mg	
triamterene/hydrochlorothiazide	triamterene-hydrochlorothiazid	
urea	Ure-Na	

Page 159 of 369 cder_mpl1p_wp075

Diovan HCT

valsartan/hydrochlorothiazide



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
alsartan/hydrochlorothiazide	valsartan-hydrochlorothiazide
	ISAID
buprofen/Caffeine/Vitamins B1, B2, B6, & B12	IC400
buprofen/Caffeine/Vitamins B1, B2, B6, & B12	IC800
mlodipine besylate/celecoxib	Consensi
oromfenac sodium	BromSite
romfenac sodium	Bromday
oromfenac sodium	Bromday TwinPack
romfenac sodium	Prolensa
romfenac sodium	XIBROM
romfenac sodium	bromfenac
elecoxib	Celebrex
elecoxib	Elyxyb
elecoxib	celecoxib
hlorpheniramine maleate/phenylephrine HCl/ibuprofen	Advil Allergy-Congestion RIf
hlorpheniramine maleate/pseudoephedrine HCl/ibuprofen	Advil Allergy Sinus
hlorpheniramine maleate/pseudoephedrine HCl/ibuprofen	Advil Multi-Symptom Cold
lexamethasone sod ph/moxifloxacin HCl/ketorolac/sod	•
hlor/PF	dexamet-moxifl-ketoro-NaCl(PF)
liclofenac epolamine	Flector
liclofenac epolamine	Licart
liclofenac epolamine	diclofenac epolamine
liclofenac potassium	Cambia
liclofenac potassium	Cataflam
liclofenac potassium	Lofena
liclofenac potassium	Zipsor
liclofenac potassium	diclofenac potassium
liclofenac sodium	Arthritis Pain (diclofenac)
liclofenac sodium	Aspercreme Arthritis Pain
liclofenac sodium	Diclo Gel
liclofenac sodium	
	Diclofono
liclofenac sodium	Dicloprep-100
liclofenac sodium	Diclozor
liclofenac sodium	Dyloject
liclofenac sodium	Klofensaid II
liclofenac sodium	Pennsaid
liclofenac sodium	Solaraze
liclofenac sodium	VennGel One
liclofenac sodium	Voltaren
liclofenac sodium	Voltaren-XR
liclofenac sodium	Vopac MDS
liclofenac sodium	diclofenac sodium
liclofenac sodium/benzalkonium chloride	DS Prep Pak
liclofenac sodium/capsaicin	CapsFenac Pak
liclofenac sodium/capsaicin	Dicloheal-60
liclofenac sodium/capsaicin	Diclopak
liclofenac sodium/capsaicin	NuDiclo SoluPAK
liclofenac sodium/capsaicin	Pennsaicin

cder_mpl1p_wp075 Page 160 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request		
Generic Name	Brand Name	
diclofenac sodium/capsaicin	Ziclocin	
diclofenac sodium/capsicum oleoresin	Capsinac	
diclofenac sodium/capsicum oleoresin	DermacinRx Lexitral	
diclofenac sodium/capsicum oleoresin	Diclofex DC	
diclofenac sodium/capsicum oleoresin	Diclosaicin	
diclofenac sodium/capsicum oleoresin	Diclotral	
diclofenac sodium/capsicum oleoresin	Iclofenac CP	
diclofenac sodium/capsicum oleoresin	Kapzin DC	
diclofenac sodium/capsicum oleoresin	Lexitral PharmaPak II	
diclofenac sodium/capsicum oleoresin	Sure Result DSS Premium Pack	
diclofenac sodium/capsicum oleoresin	Xelitral	
diclofenac sodium/capsicum oleoresin	Ziclopro	
diclofenac sodium/hyaluronate sodium/niacinamide	Roaoxia	
diclofenac sodium/hyaluronate sodium/niacinamide	diclofenac-hyaluronate-niacin	
diclofenac sodium/kinesiology tape	Clofenax	
diclofenac sodium/kinesiology tape	Diclo Gel-Xrylix Sheet	
diclofenac sodium/kinesiology tape	Lexixryl	
diclofenac sodium/kinesiology tape	Profinac	
diclofenac sodium/kinesiology tape	Xrylix (diclofenac-kines tape)	
diclofenac sodium/kinesiology tape	Xrylix II	
diclofenac sodium/lidocaine HCl/kinesiology tape	TriXylitral	
diclofenac sodium/lidocaine/methyl salicylate/camphor	Diclovix	
diclofenac sodium/menthol	DiThol	
diclofenac sodium/menthol/camphor	Diclotrex	
diclofenac sodium/menthol/camphor	Diclotrex II	
diclofenac sodium/menthol/kinesiology tape	DiMentho	
diclofenac sodium/menthol/kinesiology tape	Diclovix M	
diclofenac sodium/methyl salicylate/menthol	DicloPR	
diclofenac sodium/methyl salicylate/menthol	Fenovar	
diclofenac sodium/methyl salicylate/menthol	Varophen (diclofenac)	
diclofenac sodium/methyl salicylate/menthol/camphor	Inflamma-K	
diclofenac sodium/misoprostol	Arthrotec 50	
diclofenac sodium/misoprostol	Arthrotec 75	
diclofenac sodium/misoprostol	diclofenac-misoprostol	
diclofenac sodium/silicone, adhesive	Solaravix	
diclofenac submicronized	Zorvolex	
diclofenac submicronized	diclofenac submicronized	
etodolac	Lodine	
etodolac	Lodine XL	
etodolac	etodolac	
fenoprofen calcium	Fenortho	
fenoprofen calcium	Nalfon	
fenoprofen calcium	ProFeno	
fenoprofen calcium	fenoprofen	
flurbiprofen	Ansaid	
flurbiprofen	flurbiprofen	
flurbiprofen sodium	Ocufen	
flurbiprofen sodium	flurbiprofen sodium	

cder_mpl1p_wp075 Page 161 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
hydrocodone/ibuprofen	Ibudone
hydrocodone/ibuprofen	Reprexain
hydrocodone/ibuprofen	Vicoprofen
hydrocodone/ibuprofen	Xylon 10
hydrocodone/ibuprofen	hydrocodone-ibuprofen
ibuprofen	Addaprin
buprofen	Advanced Pain Relief
ibuprofen	Advil
ibuprofen .	Advil Junior Strength
ibuprofen	Advil Liqui-Gel
ibuprofen	Advil Migraine
ibuprofen	Caldolor
ibuprofen	Cap-Profen
ibuprofen	Child Ibuprofen
ibuprofen	Children's Advil
ibuprofen	Children's Ibu-Drops
ibuprofen	Children's Ibuprofen
ibuprofen	Children's Medi-Profen
ibuprofen	Children's Motrin
ibuprofen	Children's Motrin Jr Strength
ibuprofen	Children's Profen IB
ibuprofen	Genpril
ibuprofen	I-Prin
ibuprofen	IBU
ibuprofen	IBU-200
ibuprofen	Ibu-Drops
ibuprofen	Ibupain-200
ibuprofen	Ibuprofen IB
ibuprofen	Ibuprofen Jr Strength
ibuprofen	Ibuprofen M
ibuprofen	Ibutab
ibuprofen	Infant's Advil
ibuprofen	Infant's Ibuprofen
ibuprofen	Infant's Medi-Profen
ibuprofen	Infant's Motrin
ibuprofen	Infants Ibu-Drops
ibuprofen	Infants ProfenIB
ibuprofen	Medi-Profen
ibuprofen	Motrin
ibuprofen	Motrin IB
ibuprofen	Motrin Junior Strength
ibuprofen	Nuprin
ibuprofen	Profen IB
ibuprofen	Provil
ibuprofen	Wal-Profen
ibuprofen	Yaprofen
ibuprofen	ibuprofen
-	·
ibuprofen lysine/PF	NeoProfen (ibuprofen lysn)(PF)

cder_mpl1p_wp075 Page 162 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request		
Generic Name	Brand Name	
ibuprofen lysine/PF	ibuprofen lysine (PF)	
ibuprofen/acetaminophen	Advil Dual Action	
ibuprofen/dietary supplement, misc. cb.11	Theraprofen-60	
ibuprofen/dietary supplement, misc. cb.11	Theraprofen-90	
ibuprofen/diphenhydramine HCl	Advil PM Liqui-Gels	
ibuprofen/diphenhydramine HCl	Ibuprofen PM	
ibuprofen/diphenhydramine HCl	ibuprofen-diphenhydramine HCl	
ibuprofen/diphenhydramine citrate	Advil PM	
ibuprofen/diphenhydramine citrate	Ibuprofen PM	
ibuprofen/diphenhydramine citrate	Motrin PM	
ibuprofen/diphenhydramine citrate	ibuprofen-diphenhydramine cit	
ibuprofen/famotidine	Duexis	
ibuprofen/famotidine	ibuprofen-famotidine	
ibuprofen/glycerin	Ibupak	
ibuprofen/oxycodone HCl	Combunox	
ibuprofen/oxycodone HCl	ibuprofen-oxycodone	
ibuprofen/phenylephrine HCl	Advil Congestion Relief	
ibuprofen/phenylephrine HCl	Advil Sinus Congestion-Pain	
ibuprofen/phenylephrine HCl	Congestion Relief (ibuprof-PE)	
ibuprofen/phenylephrine HCl	Sudafed PE Head Congestn-Pain	
ibuprofen/pseudoephedrine HCl	Advil Cold and Sinus	
ibuprofen/pseudoephedrine HCl	Children's Motrin Cold	
ibuprofen/pseudoephedrine HCl	Cold and Sinus Pain Relief	
ibuprofen/pseudoephedrine HCl	Cold-Sinus Relief	
ibuprofen/pseudoephedrine HCl	Cold-Sinus Relief (ibuprofen)	
ibuprofen/pseudoephedrine HCl	Ibup Sinus	
ibuprofen/pseudoephedrine HCl	Ibuprofen Cold	
ibuprofen/pseudoephedrine HCl	Ibuprofen Cold-Sinus(with PSE)	
ibuprofen/pseudoephedrine HCl	Profen IB Cold And Sinus	
ibuprofen/pseudoephedrine HCl	Wal-Profen Cold-Sinus	
ibuprofen/pseudoephedrine HCl	Wal-Profen D Cold and Sinus	
ibuprofen/pseudoephedrine HCl	pseudoephedrine-ibuprofen	
indomethacin	Indocin	
indomethacin	Indocin SR	
indomethacin	indomethacin	
indomethacin sodium	Indocin I.V.	
indomethacin sodium	indomethacin sodium	
indomethacin, submicronized	Tivorbex	
indomethacin, submicronized	indomethacin submicronized	
ketoprofen	Frotek	
ketoprofen	Orudis KT	
ketoprofen	Oruvail	
ketoprofen	ketoprofen	
ketoprofen, micronized	Frotek	
ketorolac tromethamine	Acular	
ketorolac tromethamine	Acular LS	
ketorolac tromethamine	Acular PF	

Page 163 of 369 cder_mpl1p_wp075

ketorolac tromethamine

ReadySharp ketorolac



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
ketorolac tromethamine	Sprix
ketorolac tromethamine	Toradol
ketorolac tromethamine	ketorolac
ketorolac tromethamine/PF	Acuvail (PF)
ansoprazole/naproxen	PREVACID NapraPAC
meclofenamate sodium	meclofenamate
mefenamic acid	Ponstel
mefenamic acid	mefenamic acid
meloxicam	Anjeso
meloxicam	Mobic
neloxicam	Qmiiz ODT
meloxicam	meloxicam
meloxicam, submicronized	Vivlodex
meloxicam, submicronized	meloxicam submicronized
nabumetone	Relafen
nabumetone	Relafen DS
nabumetone	nabumetone
naproxen	EC-Naprosyn
naproxen	EC-Naproxen
naproxen	Naprosyn
naproxen	naproxen
naproxen sodium	Aleve
naproxen sodium	All Day Pain Relief
naproxen sodium	All Day Relief
naproxen sodium	Anaprox
naproxen sodium	Anaprox DS
naproxen sodium	Flanax (naproxen)
naproxen sodium	Mediproxen
naproxen sodium	Midol (naproxen)
naproxen sodium	Naprelan
naproxen sodium	Naprelan CR
naproxen sodium	Naprelan CR Dose Card
naproxen sodium	Wal-Proxen
naproxen sodium	naproxen sodium
naproxen sodium/diphenhydramine HCl	Aleve PM
naproxen sodium/diphenhydramine HCl	Naproxen PM
naproxen sodium/pseudoephedrine HCl	Aleve Cold and Sinus
naproxen sodium/pseudoephedrine HCl	Aleve Sinus and Headache
naproxen sodium/pseudoephedrine HCl	Aleve-D Sinus and Cold
naproxen sodium/pseudoephedrine HCl	Aleve-D Sinus and Headache
naproxen sodium/pseudoephedrine HCl	All Day Cold and Sinus
naproxen sodium/pseudoephedrine HCl	All Day Pain Relief Sinus, Cold
naproxen sodium/pseudoephedrine HCl	Cold and Sinus
naproxen sodium/pseudoephedrine HCl	Sinus and Cold-D
naproxen sodium/pseudoephedrine HCl	Sudafed 12 Hr Pressure-Pain
and the second of the second s	
naproxen sodium/pseudoephedrine HCl	Sudafed 12 Hr Sinus-Pain
	Sudafed 12 Hr Sinus-Pain Sudafed Sinus 12Hr Pressr-Pain

cder_mpl1p_wp075 Page 164 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
naproxen/dietary supplement,misc. cb.11	Theraproxen-90
aproxen/esomeprazole magnesium	Vimovo
aproxen/esomeprazole magnesium	naproxen-esomeprazole
epafenac	llevro
nepafenac	Nevanac
oxaprozin	Daypro
oxaprozin	oxaprozin
henylephrine HCl/ketorolac tromethamine	Omidria
piroxicam	Feldene
piroxicam	piroxicam
piroxicam/dietary supplement,misc. cb.11	Therafeldamine
prednisolone acetate/bromfenac sodium	prednisolone acetate-bromfenac
orednisolone acetate/gatifloxacin/bromfenac sodium	prednisol ace-gatiflox-bromfen
orednisolone acetate/gatifloxacin/nepafenac	prednisolone-gatiflox-nepafen
prednisolone acetate/moxifloxacin HCl/bromfenac sodium	prednisolone-moxiflox-bromfen
orednisolone acetate/moxifloxacin HCl/nepafenac	prednisolone-moxiflo-nepafenac
prednisolone acetate/nepafenac	prednisolone acetate-nepafenac
prednisolone sodium phosphate/bromfenac sodium	prednisolone sod ph-bromfenac
prednisolone sodium phosphate/gatifloxacin/bromfenac	p
odium	prednisoln sp-gatiflox-bromfen
prednisolone sodium phosphate/moxifloxacin HCl/bromfenac	produition of garmen stemen
od	prednisoln sp-moxiflox-bromfen
ulindac	Clinoril
ulindac	sulindac
umatriptan succinate/naproxen sodium	Treximet
umatriptan succinate/naproxen sodium	sumatriptan-naproxen
olmetin sodium	tolmetin
ramadol HCl/celecoxib	Seglentis
ropicamide/proparacaine/phenylephrine/ketorolac in water	Mydriatic4(trop-prop-PE-ktrlc)
ropicamide/proparacaine/phenylephrine/ketorolac in water	tropic-proparacai-pe-ketor-wat
	pirin
ispirin	Adult Aspirin EC Low Strength
spirin	Adult Low Pass Assists
spirin	Adult Low Dose Aspirin
spirin	Analgesic
spirin	AsperDrink
spirin	Aspir-81
spirin	Aspir-Low
spirin 	Aspir-Trin
spirin 	Aspirin Childrens
spirin 	Aspirin Extra Strength
rspirin	Aspirin Low-Strength
spirin	Aspirina
aspirin	Baby Aspirin
aspirin	Bayer Advanced
aspirin	Bayer Aspirin
ωριτιι	
aspirin aspirin	Bayer Chewable Aspirin Bayer Low Dose Aspirin

cder_mpl1p_wp075 Page 165 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name	
aspirin	Child Aspirin	
aspirin	Children's Aspirin	
aspirin	Durlaza	
aspirin	E.C. Prin	
aspirin	EC Aspirin	
aspirin	Easprin	
aspirin	Eco-10	
aspirin	Eco-5	
aspirin	Ecotrin	
aspirin	Ecotrin Low Strength	
aspirin	Ecotrin Maximum Strength	
aspirin	Enteric Coated Aspirin	
aspirin	Extra Strength Bayer	
aspirin	Genacote	
aspirin	Halfprin	
aspirin	Lite Coat Aspirin	
aspirin	Lo-Dose Aspirin	
aspirin	Low-Dose Aspirin	
aspirin	Miniprin	
aspirin	Ninoprin	
aspirin	St Joseph Aspirin	
aspirin	St. Joseph Aspirin	
aspirin	St. Joseph Low-Dose Aspirin	
aspirin	Stanback Headache Powder	
aspirin	Tasprin	
aspirin	Vazalore	
aspirin	Zorprin	
aspirin	aspirin	
aspirin/acetaminophen	Goody's BODY PAIN	
aspirin/acetaminophen	Goody's Back and Body Pain	
aspirin/acetaminophen/caffeine	Added Strength Headache Relief	
aspirin/acetaminophen/caffeine	Added Strength Pain Relief	
aspirin/acetaminophen/caffeine	Added Strength Pain Reliever	
aspirin/acetaminophen/caffeine	BC Max Strength	
aspirin/acetaminophen/caffeine	Ex-Pain	
aspirin/acetaminophen/caffeine	Excedrin Extra Strength	
aspirin/acetaminophen/caffeine	Excedrin Menstrual Complete	
aspirin/acetaminophen/caffeine	Excedrin Migraine	
aspirin/acetaminophen/caffeine	Extra Pain Relief	
aspirin/acetaminophen/caffeine	Extra Strength Pain Reliever	
aspirin/acetaminophen/caffeine	Extraprin	
aspirin/acetaminophen/caffeine	Genaced	
aspirin/acetaminophen/caffeine	Goody's Extra Strength	
aspirin/acetaminophen/caffeine	Goody's Migraine Relief	
aspirin/acetaminophen/caffeine	Headache Formula	
aspirin/acetaminophen/caffeine	Headache Formula Added Str	
aspirin/acetaminophen/caffeine	Headache Relief (ASA-acet-caf)	

cder_mpl1p_wp075 Page 166 of 369



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name
aspirin/acetaminophen/caffeine	Migraine Formula
aspirin/acetaminophen/caffeine	Migraine Pain Reliever
aspirin/acetaminophen/caffeine	Migraine Relief
aspirin/acetaminophen/caffeine	Pain Relief (acetamin-asp-caf)
aspirin/acetaminophen/caffeine	Pain Relief Plus
aspirin/acetaminophen/caffeine	Pain Reliever (acetam-aspirin)
aspirin/acetaminophen/caffeine	Pain Reliever Added Strength
aspirin/acetaminophen/caffeine	Pain Reliever Plus
aspirin/acetaminophen/caffeine	Pain-Off
aspirin/acetaminophen/caffeine	Painaid Extra Strength Formula
aspirin/acetaminophen/caffeine	Pamprin Max
aspirin/acetaminophen/caffeine	Super Pain Relief
aspirin/acetaminophen/caffeine	Super Strength Reliever
aspirin/acetaminophen/caffeine	Vanquish
aspirin/acetaminophen/caffeine	aspirin-acetaminophen-caffeine
aspirin/acetaminophen/caffeine/potassium	Goody's Headache Powder
aspirin/acetaminophen/calcium carbonate	Excedrin Back and Body
aspirin/acetaminophen/diphenhydramine citrate	Pain Relief PM (w-aspirin)
aspirin/caffeine	Adult Strength Analgesic
aspirin/caffeine	Anacin
aspirin/caffeine	Anacin Maximum Strength
aspirin/caffeine	Analgesic (aspirin/caffeine)
aspirin/caffeine	Analgesic Adult Strength
aspirin/caffeine	BC Arthritis
aspirin/caffeine	BC Pain Relief
aspirin/caffeine	Back and Body Pain Reliever
aspirin/caffeine	Bayer Aspirin (with caffeine)
aspirin/caffeine	Bayer Back and Body
aspirin/caffeine	Goody's Hangover
aspirin/caffeine	Pain Relief Fast Acting
aspirin/caffeine	Stanback
aspirin/caffeine	aspirin-caffeine
aspirin/caffeine/dihydrocodeine	Synalgos-DC
aspirin/caffeine/dihydrocodeine bitartrate	Synalgos-DC
aspirin/caffeine/dihydrocodeine bitartrate	aspirin-caffeine-dihydrocodein
aspirin/calcium carbonate	Aspirin Regimen Bayer/Calcium
aspirin/calcium carbonate	Women's Aspirin with Calcium
aspirin/calcium carbonate/magnesium	Aspir-Mox
aspirin/calcium carbonate/magnesium	Aspirin Tri-Buffered
aspirin/calcium carbonate/magnesium	Buffered Aspirin
aspirin/calcium carbonate/magnesium	Bufferin
aspirin/calcium carbonate/magnesium	Bufferin Analgesic
aspirin/calcium carbonate/magnesium	Bufferin Arthritis Strength
aspirin/calcium carbonate/magnesium	Bufferin Extra Strength
aspirin/calcium carbonate/magnesium	Tri-Buffered Aspirin
aspirin/calcium carbonate/magnesium	Tri-Buffered Bufferin
	· erem emilerini
aspirin/calcium carbonate/magnesium	aspirin,buffd-calcium carb-mag

cder_mpl1p_wp075 Page 167 of 369



Appendix F. List of Generic and Brand Names of Medical Proc	ducts Used to Define Characteristics in this Request		
Generic Name	Brand Name		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Ascriptin		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Aspir-Mox IB		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Aspirin AD/Antacid		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Aspirin Plus Antacid		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Aspirin Tri Buffered		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Aspridrox		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Asprimox		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Asprimox ID		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Bayer Plus Extra Strength		
aspirin/calcium carbonate/magnesium/aluminum hydroxide	Bufferin Extra Str (al hydrox)		
aspirin/codeine phosphate	Aspirin-Codeine #3		
aspirin/codeine phosphate	Aspirin-Codeine #4		
aspirin/codeine phosphate	aspirin-codeine		
aspirin/diphenhydramine citrate	Bayer PM		
aspirin/diphenhydramine/sodium bicarbonate/citric acid	Alka-Seltzer PM		
aspirin/dipyridamole	Aggrenox		
aspirin/dipyridamole	aspirin-dipyridamole		
aspirin/magnesium hydroxide/aluminum hydroxide	Arthritis Pain Formula		
aspirin/magnesium hydroxide/aluminum hydroxide	Arthritis Pain Formula Max St		
aspirin/magnesium hydroxide/aluminum hydroxide/caffeine	Cope		
aspirin/meprobamate	Equagesic		
aspirin/meprobamate	meprobamate-aspirin		
aspirin/omeprazole	Yosprala		
aspirin/omeprazole	aspirin-omeprazole		
aspirin/salicylamide/acetaminophen/caffeine	Levacet		
aspirin/salicylamide/acetaminophen/caffeine	Pain Relief(with salicylamide)		
aspirin/salicylamide/acetaminophen/caffeine	Painaid		
aspirin/salicylamide/acetaminophen/caffeine	Saleto		
aspirin/salicylamide/caffeine	Arthritis Strength BC Powder		
aspirin/salicylamide/caffeine	BC Headache Powder		
aspirin/sodium bicarbonate/citric acid	Alka-Seltzer		
aspirin/sodium bicarbonate/citric acid	Alka-Seltzer Extra Strength		
aspirin/sodium bicarbonate/citric acid	Alka-Seltzer Original		
aspirin/sodium bicarbonate/citric acid	Antacid and Pain Relief		
aspirin/sodium bicarbonate/citric acid	Efferves Pain Relief Antacid		
aspirin/sodium bicarbonate/citric acid	Efferves Pain-Antacid Relief		
aspirin/sodium bicarbonate/citric acid	Effervescent		
aspirin/sodium bicarbonate/citric acid	Effervescent Antacid		
aspirin/sodium bicarbonate/citric acid	Effervescent Pain Relief		
aspirin/sodium bicarbonate/citric acid	Effervescent Pain Reliever		
aspirin/sodium bicarbonate/citric acid	Medi-Seltzer		
aspirin/sodium bicarbonate/citric acid	Zee-Seltzer		
butalbital/aspirin/caffeine	Butalbital Compound		
butalbital/aspirin/caffeine	Farbital		
butalbital/aspirin/caffeine	Fiorinal		
butalbital/aspirin/caffeine	Fortabs		
butalbital/aspirin/caffeine	butalbital-aspirin-caffeine		
carisoprodol/aspirin	Carisoprodol Compound		

Page 168 of 369 cder_mpl1p_wp075



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name				
carisoprodol/aspirin	Soma Compound				
arisoprodol/aspirin	carisoprodol-aspirin				
arisoprodol/aspirin/codeine phosphate	Carisoprodol Compound-Codeine				
arisoprodol/aspirin/codeine phosphate	Soma Compound with Codeine				
arisoprodol/aspirin/codeine phosphate	carisoprodol-aspirin-codeine				
hlorpheniramine mal/phenylephrine/d-methorphan					
Hb/aspirin	Alka-Seltzer Plus C/C(PE,DM)				
hlorpheniramine maleate/phenylephrine bitartrate/aspirin	Alka-Seltzer Plus Cold (PE)				
hlorpheniramine maleate/phenylephrine bitartrate/aspirin	Cold Relief				
chlorpheniramine maleate/phenylephrine bitartrate/aspirin	Cold Relief Plus				
cinnamedrine HCI/aspirin/caffeine	Menstrual				
odeine phosphate/butalbital/aspirin/caffeine	Ascomp with Codeine				
odeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound W/Codeine				
odeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound-Codeine				
codeine phosphate/butalbital/aspirin/caffeine	Fiorinal-Codeine #3				
codeine phosphate/butalbital/aspirin/caffeine	codeine-butalbital-ASA-caff				
orphenadrine citrate/aspirin/caffeine	Norgesic				
orphenadrine citrate/aspirin/caffeine	Norgesic Forte				
orphenadrine citrate/aspirin/caffeine	Orphenadrine Compound				
orphenadrine citrate/aspirin/caffeine	Orphenadrine Compound Forte				
orphenadrine citrate/aspirin/caffeine	Orphenadrine Compound-DS				
orphenadrine citrate/aspirin/caffeine	Orphengesic Forte				
orphenadrine citrate/aspirin/caffeine	orphenadrine-ASA-caffeine				
oxycodone HCl/aspirin	Endodan				
oxycodone HCl/aspirin	Percodan				
oxycodone HCl/aspirin	oxycodone-aspirin				
oxycodone HCI/oxycodone terephthalate/aspirin	oxycodone HCl-oxycodone-ASA				
propoxyphene HCl/aspirin/caffeine	Darvon Compound-65				
propoxyphene HCI/aspirin/caffeine	Propoxyphene Compound-65				
oseudoephedrine HCl/aspirin/chlorpheniramine	Effervescent Plus Cold Relief				
Sr	noking				
oupropion HCl	Buproban				
pupropion HCl	Zyban				
pupropion HCl	bupropion HCl (smoking deter)				
icotine	NTS Step 1				
icotine	NTS Step 2				
nicotine	Nicoderm CQ				
nicotine	Nicotrol				
icotine	Nicotrol NS				
icotine	nicotine				
icotine polacrilex	Commit				
icotine polacrilex	Nicorelief				
icotine polacrilex	Nicorette				
nicotine polacrilex	Nicorette Refill				
nicotine polacrilex	Quit 2				
nicotine polacrilex	Quit 4				
nicotine polacrilex	Stop Smoking Aid				
nigotino nologgilov	Thrive Nicetine				

cder_mpl1p_wp075 Page 169 of 369

Thrive Nicotine

nicotine polacrilex



Appendix F. List of Generic and Brand Names of Medical Products Used to Define Characteristics in this Request

Generic Name	Brand Name		
nicotine polacrilex	nicotine (polacrilex)		
varenicline tartrate	Chantix		
rarenicline tartrate	Chantix Continuing Month Box		
rarenicline tartrate	Chantix Continuing Month Pak		
rarenicline tartrate	Chantix Starting Month Box		
arenicline tartrate	Chantix Starting Month Pak		
varenicline tartrate	varenicline		
Influenz	a Vaccine		
nfluenza vaccine quadrivalent 2020-21 (65 yr up)/MF59C.1/PF	Fluad Quad 2020-21(65y up)(PF)		
nfluenza vaccine quadrivalent 2021-22 (65 yr up)/MF59C.1/PF	Fluad Quad 2021-22(65y up)(PF)		
nfluenza vaccine quadrivalent 2022-23 (65 yr up)/MF59C.1/PF	Fluad Quad 2022-23(65y up)(PF)		
nfluenza vaccine quadrivalent live 2014-2015 (2 yrs-49 yrs)	Flumist Quad 2014-2015		
nfluenza vaccine quadrivalent live 2015-2016 (2 yrs-49 yrs)	Flumist Quad 2015-2016		
nfluenza vaccine quadrivalent live 2016-2017 (2 yrs-49 yrs)	Flumist Quad 2016-2017		
nfluenza vaccine quadrivalent live 2017-2018 (2 yrs-49 yrs)	Flumist Quad 2017-2018		
nfluenza vaccine quadrivalent live 2018-2019 (2 yrs-49 yrs)	Flumist Quad 2018-2019		
nfluenza vaccine quadrivalent live 2019-2020 (2 yrs-49 yrs)	Flumist Quad 2019-2020		
nfluenza vaccine quadrivalent live 2020-2021 (2 yrs-49 yrs)	Flumist Quad 2020-2021		
nfluenza vaccine quadrivalent live 2021-2022 (2 yrs-49 yrs)	Flumist Quad 2021-2022		
nfluenza vaccine quadrivalent live 2022-2023 (2 yrs-49 yrs)	Flumist Quad 2022-2023		
nfluenza vaccine tri-splt 2012-13(18 yr +)cell derived/PF	Flucelvax (PF)		
nfluenza vaccine trivalent 2015-16(18 yr,up)cell derived/PF	EZ Flu 2015-16(Flucelvax)(PF)		
nfluenza vaccine trivalent 2015-16(18 yr,up)cell derived/PF	Flucelvax 2015-2016 (PF)		
nfluenza vaccine tv split 2013-14(18 yr,up) cell derived/PF	Flucelvax 2013-2014 (PF)		
nfluenza vaccine tv split 2014-15 (18 yr,up)cell derived/PF	Flucelvax 2014-2015 (PF)		
nfluenza vaccine tv split 2014-15 (18 yr,up)cell derived/PF	Single Use EZ Flu 2014-15(PF)		
nfluenza vaccine tvs 2015-16 (65 yr,up)/adjuvant MF59C.1/PF	Fluad 2015-16(65yr+)(PF)		
nfluenza vaccine tvs 2016-17 (65 yr up)/adjuvant MF59C.1/PF	Fluad 2016-2017 (65 yr up)(PF)		
nfluenza vaccine tvs 2017-18 (65 yr up)/adjuvant MF59C.1/PF	Fluad 2017-2018 (65 yr up)(PF)		
nfluenza vaccine tvs 2018-19 (65 yr up)/adjuvant MF59C.1/PF	Fluad 2018-2019 (65 yr up)(PF)		
nfluenza vaccine tvs 2019-20 (65 yr up)/adjuvant MF59C.1/PF	Fluad 2019-2020 (65 yr up)(PF)		
nfluenza vaccine tvs 2020-21 (65 yr up)/adjuvant MF59C.1/PF	Fluad 2020-2021 (65 yr up)(PF)		

cder_mpl1p_wp075 Page 170 of 369



Request			
Code	Code Category	Code Type	Description
			Retinopathy
250.5	Diagnosis	ICD-9-CM	Diabetes with ophthalmic manifestations
361	Diagnosis	ICD-9-CM	Retinal detachments and defects
361	Diagnosis	ICD-9-CM	Retinal detachment with retinal defect
361.01	Diagnosis	ICD-9-CM	Recent retinal detachment, partial, with single defect
361.02	Diagnosis	ICD-9-CM	Recent retinal detachment, partial, with multiple defects
361.03	Diagnosis	ICD-9-CM	Recent retinal detachment, partial, with giant tear
361.04	Diagnosis	ICD-9-CM	Recent retinal detachment, partial, with retinal dialysis
361.05	Diagnosis	ICD-9-CM	Recent retinal detachment, total or subtotal
361.06	Diagnosis	ICD-9-CM	Old retinal detachment, partial
361.07	Diagnosis	ICD-9-CM	Old retinal detachment, total or subtotal
361.1	Diagnosis	ICD-9-CM	Retinoschisis and retinal cysts
361.1	Diagnosis	ICD-9-CM	Unspecified retinoschisis
361.11	Diagnosis	ICD-9-CM	Flat retinoschisis
361.12	Diagnosis	ICD-9-CM	Bullous retinoschisis
361.13	Diagnosis	ICD-9-CM	Primary retinal cysts
361.14	Diagnosis	ICD-9-CM	Secondary retinal cysts
361.19	Diagnosis	ICD-9-CM	Other retinoschisis and retinal cysts
361.2	Diagnosis	ICD-9-CM	Serous retinal detachment
361.3	Diagnosis	ICD-9-CM	Retinal defects without detachment
361.3	Diagnosis	ICD-9-CM	Unspecified retinal defect
361.31	Diagnosis	ICD-9-CM	Round hole of retina without detachment
361.32	Diagnosis	ICD-9-CM	Horseshoe tear of retina without detachment
361.33	Diagnosis	ICD-9-CM	Multiple defects of retina without detachment
361.8	Diagnosis	ICD-9-CM	Other forms of retinal detachment
361.89	Diagnosis	ICD-9-CM	Other forms of retinal detachment
361.9	Diagnosis	ICD-9-CM	Unspecified retinal detachment
362.1	Diagnosis	ICD-9-CM	Other background retinopathy and retinal vascular changes
362.13	Diagnosis	ICD-9-CM	Changes in vascular appearance of retina
362.14	Diagnosis	ICD-9-CM	Retinal microaneurysms NOS
362.15	Diagnosis	ICD-9-CM	Retinal telangiectasia
362.16	Diagnosis	ICD-9-CM	Retinal neovascularization NOS
362.17	Diagnosis	ICD-9-CM	Other intraretinal microvascular abnormalities
362.18	Diagnosis	ICD-9-CM	Retinal vasculitis
362.53	Diagnosis	ICD-9-CM	Cystoid macular degeneration of retina
362.8	Diagnosis	ICD-9-CM	Other retinal disorders
362.81	Diagnosis	ICD-9-CM	Retinal hemorrhage
362.82	Diagnosis	ICD-9-CM	Retinal exudates and deposits
362.83	Diagnosis	ICD-9-CM	Retinal edema
362.84	Diagnosis	ICD-9-CM	Retinal ischemia
362.85	Diagnosis	ICD-9-CM	Retinal nerve fiber bundle defects
362.89	Diagnosis	ICD-9-CM	Other retinal disorders
369	Diagnosis	ICD-9-CM	Profound impairment, both eyes

cder_mpl1p_wp075 Page 171 of 369



Request			
Code	Code Category	Code Type	Description
369	Diagnosis	ICD-9-CM	Blindness of both eyes, impairment level not further specified
369.01	Diagnosis	ICD-9-CM	Better eye: total vision impairment; lesser eye: total vision impairment
369.02	Diagnosis	ICD-9-CM	Better eye: near-total vision impairment; lesser eye: not further specified
369.03	Diagnosis	ICD-9-CM	Better eye: near-total vision impairment; lesser eye: total vision impairment
369.04	Diagnosis	ICD-9-CM	Better eye: near-total vision impairment; lesser eye: near-total vision impairment
369.05	Diagnosis	ICD-9-CM	Better eye: profound vision impairment; lesser eye: not further specified
369.06	Diagnosis	ICD-9-CM	Better eye: profound vision impairment; lesser eye: total vision impairment
369.07	Diagnosis	ICD-9-CM	Better eye: profound vision impairment; lesser eye: near-total vision impairment
369.08	Diagnosis	ICD-9-CM	Better eye: profound vision impairment; lesser eye: profound vision impairment
369.1	Diagnosis	ICD-9-CM	Moderate or severe impairment, better eye; profound vision impairment of lesser eye
369.1	Diagnosis	ICD-9-CM	Profound, moderate or severe vision impairment, not further specified
369.11	Diagnosis	ICD-9-CM	Better eye: severe vision impairment; lesser eye: blind, not further specified
369.12	Diagnosis	ICD-9-CM	Better eye: severe vision impairment; lesser eye: total vision impairment
369.13	Diagnosis	ICD-9-CM	Better eye: severe vision impairment; lesser eye: near-total vision impairment
369.14	Diagnosis	ICD-9-CM	Better eye: severe vision impairment; lesser eye: profound vision impairment
369.15	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: blind, not further specified
369.16	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: total vision impairment
369.17	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: near-total vision impairment
369.18	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: profound vision impairment
369.2	Diagnosis	ICD-9-CM	Moderate or severe vision impairment, both eyes
369.2	Diagnosis	ICD-9-CM	Vision impairment, both eyes, impairment level not further specified
369.21	Diagnosis	ICD-9-CM	Better eye: severe vision impairment; lesser eye; impairment not further specified
369.22	Diagnosis	ICD-9-CM	Better eye: severe vision impairment; lesser eye: severe vision impairment
369.23	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: impairment not further specified
369.24	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: severe vision impairment
369.25	Diagnosis	ICD-9-CM	Better eye: moderate vision impairment; lesser eye: moderate vision impairment
369.3	Diagnosis	ICD-9-CM	Unqualified visual loss, both eyes
369.4	Diagnosis	ICD-9-CM	Legal blindness, as defined in USA
369.6	Diagnosis	ICD-9-CM	Profound vision impairment, one eye
369.6	Diagnosis	ICD-9-CM	Impairment level not further specified
369.61	Diagnosis	ICD-9-CM	One eye: total vision impairment; other eye: not specified
369.62	Diagnosis	ICD-9-CM	One eye: total vision impairment; other eye: near-normal vision
369.63	Diagnosis	ICD-9-CM	One eye: total vision impairment; other eye: normal vision
369.64	Diagnosis	ICD-9-CM	One eye: near-total vision impairment; other eye: vision not specified
369.65	Diagnosis	ICD-9-CM	One eye: near-total vision impairment; other eye: near-normal vision
369.66	Diagnosis	ICD-9-CM	One eye: near-total vision impairment; other eye: normal vision
369.67	Diagnosis	ICD-9-CM	One eye: profound vision impairment; other eye: vision not specified
369.68	Diagnosis	ICD-9-CM	One eye: profound vision impairment; other eye: near-normal vision
369.69	Diagnosis	ICD-9-CM	One eye: profound vision impairment; other eye: normal vision
369.7	Diagnosis	ICD-9-CM	Moderate or severe vision impairment, one eye
369.7	Diagnosis	ICD-9-CM	Low vision, one eye, not otherwise specified
369.71	Diagnosis	ICD-9-CM	One eye: severe vision impairment; other eye: vision not specified
369.72	Diagnosis	ICD-9-CM	One eye: severe vision impairment; other eye: near-normal vision

cder_mpl1p_wp075 Page 172 of 369



Request			
Code	Code Category		Description
369.73	Diagnosis	ICD-9-CM	One eye: severe vision impairment; other eye: normal vision
369.74	Diagnosis	ICD-9-CM	One eye: moderate vision impairment; other eye: vision not specified
369.75	Diagnosis	ICD-9-CM	One eye: moderate vision impairment; other eye: near-normal vision
369.76	Diagnosis	ICD-9-CM	One eye: moderate vision impairment; other eye: normal vision
369.8	Diagnosis	ICD-9-CM	Unqualified visual loss, one eye
369.9	Diagnosis	ICD-9-CM	Unspecified visual loss
379.23	Diagnosis	ICD-9-CM	Vitreous hemorrhage
E10.36	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic cataract
			Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X1	Diagnosis	ICD-10-CM	right eye
			Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X2	Diagnosis	ICD-10-CM	left eye
			Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X3	Diagnosis	ICD-10-CM	bilateral
			Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment,
E10.37X9	Diagnosis	ICD-10-CM	unspecified eye
E10.39	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic ophthalmic complication
E11.36	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic cataract
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X1	Diagnosis	ICD-10-CM	right eye
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X2	Diagnosis	ICD-10-CM	left eye
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X3	Diagnosis	ICD-10-CM	bilateral
			Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment,
E11.37X9	Diagnosis	ICD-10-CM	unspecified eye
E11.39	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E13.36	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with diabetic cataract
			Other specified diabetes mellitus with diabetic macular edema, resolved following
E13.37X1	Diagnosis	ICD-10-CM	treatment, right eye
			Other specified diabetes mellitus with diabetic macular edema, resolved following
E13.37X2	Diagnosis	ICD-10-CM	treatment, left eye
			Other specified diabetes mellitus with diabetic macular edema, resolved following
E13.37X3	Diagnosis	ICD-10-CM	treatment, bilateral
			Other specified diabetes mellitus with diabetic macular edema, resolved following
E13.37X9	Diagnosis	ICD-10-CM	treatment, unspecified eye
E13.39	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with other diabetic ophthalmic complication
H33.001	Diagnosis	ICD-10-CM	Unspecified retinal detachment with retinal break, right eye
H33.002	Diagnosis	ICD-10-CM	Unspecified retinal detachment with retinal break, left eye
H33.003	Diagnosis	ICD-10-CM	Unspecified retinal detachment with retinal break, bilateral
H33.009	Diagnosis	ICD-10-CM	Unspecified retinal detachment with retinal break, unspecified eye
H33.011	Diagnosis	ICD-10-CM	Retinal detachment with single break, right eye
H33.012	Diagnosis	ICD-10-CM	Retinal detachment with single break, left eye

cder_mpl1p_wp075 Page 173 of 369



Request			
Code	Code Category	Code Type	Description
H33.013	Diagnosis	ICD-10-CM	Retinal detachment with single break, bilateral
H33.019	Diagnosis	ICD-10-CM	Retinal detachment with single break, unspecified eye
H33.021	Diagnosis	ICD-10-CM	Retinal detachment with multiple breaks, right eye
H33.022	Diagnosis	ICD-10-CM	Retinal detachment with multiple breaks, left eye
H33.023	Diagnosis	ICD-10-CM	Retinal detachment with multiple breaks, bilateral
H33.029	Diagnosis	ICD-10-CM	Retinal detachment with multiple breaks, unspecified eye
H33.031	Diagnosis	ICD-10-CM	Retinal detachment with giant retinal tear, right eye
H33.032	Diagnosis	ICD-10-CM	Retinal detachment with giant retinal tear, left eye
H33.033	Diagnosis	ICD-10-CM	Retinal detachment with giant retinal tear, bilateral
H33.039	Diagnosis	ICD-10-CM	Retinal detachment with giant retinal tear, unspecified eye
H33.041	Diagnosis	ICD-10-CM	Retinal detachment with retinal dialysis, right eye
H33.042	Diagnosis	ICD-10-CM	Retinal detachment with retinal dialysis, left eye
H33.043	Diagnosis	ICD-10-CM	Retinal detachment with retinal dialysis, bilateral
H33.049	Diagnosis	ICD-10-CM	Retinal detachment with retinal dialysis, unspecified eye
H33.051	Diagnosis	ICD-10-CM	Total retinal detachment, right eye
H33.052	Diagnosis	ICD-10-CM	Total retinal detachment, left eye
H33.053	Diagnosis	ICD-10-CM	Total retinal detachment, bilateral
H33.059	Diagnosis	ICD-10-CM	Total retinal detachment, unspecified eye
H33.101	Diagnosis	ICD-10-CM	Unspecified retinoschisis, right eye
H33.102	Diagnosis	ICD-10-CM	Unspecified retinoschisis, left eye
H33.103	Diagnosis	ICD-10-CM	Unspecified retinoschisis, bilateral
H33.109	Diagnosis	ICD-10-CM	Unspecified retinoschisis, unspecified eye
H33.111	Diagnosis	ICD-10-CM	Cyst of ora serrata, right eye
H33.112	Diagnosis	ICD-10-CM	Cyst of ora serrata, left eye
H33.113	Diagnosis	ICD-10-CM	Cyst of ora serrata, bilateral
H33.119	Diagnosis	ICD-10-CM	Cyst of ora serrata, unspecified eye
H33.191	Diagnosis	ICD-10-CM	Other retinoschisis and retinal cysts, right eye
H33.192	Diagnosis	ICD-10-CM	Other retinoschisis and retinal cysts, left eye
H33.193	Diagnosis	ICD-10-CM	Other retinoschisis and retinal cysts, bilateral
H33.199	Diagnosis	ICD-10-CM	Other retinoschisis and retinal cysts, unspecified eye
H33.20	Diagnosis	ICD-10-CM	Serous retinal detachment, unspecified eye
H33.21	Diagnosis	ICD-10-CM	Serous retinal detachment, right eye
H33.22	Diagnosis	ICD-10-CM	Serous retinal detachment, left eye
H33.23	Diagnosis	ICD-10-CM	Serous retinal detachment, bilateral
H33.301	Diagnosis	ICD-10-CM	Unspecified retinal break, right eye
H33.302	Diagnosis	ICD-10-CM	Unspecified retinal break, left eye
H33.303	Diagnosis	ICD-10-CM	Unspecified retinal break, bilateral
H33.309	Diagnosis	ICD-10-CM	Unspecified retinal break, unspecified eye
H33.311	Diagnosis	ICD-10-CM	Horseshoe tear of retina without detachment, right eye
H33.312	Diagnosis	ICD-10-CM	Horseshoe tear of retina without detachment, left eye
H33.313	Diagnosis	ICD-10-CM	Horseshoe tear of retina without detachment, bilateral
H33.319	Diagnosis	ICD-10-CM	Horseshoe tear of retina without detachment, unspecified eye
H33.321	Diagnosis	ICD-10-CM	Round hole, right eye

cder_mpl1p_wp075 Page 174 of 369



	Request			
,	Code	Code Category	Code Type	Description
	H33.322	Diagnosis	ICD-10-CM	Round hole, left eye
	H33.323	Diagnosis	ICD-10-CM	Round hole, bilateral
	H33.329	Diagnosis	ICD-10-CM	Round hole, unspecified eye
	H33.331	Diagnosis	ICD-10-CM	Multiple defects of retina without detachment, right eye
	H33.332	Diagnosis	ICD-10-CM	Multiple defects of retina without detachment, left eye
	H33.333	Diagnosis	ICD-10-CM	Multiple defects of retina without detachment, bilateral
	H33.339	Diagnosis	ICD-10-CM	Multiple defects of retina without detachment, unspecified eye
	H33.40	Diagnosis	ICD-10-CM	Traction detachment of retina, unspecified eye
	H33.41	Diagnosis	ICD-10-CM	Traction detachment of retina, right eye
	H33.42	Diagnosis	ICD-10-CM	Traction detachment of retina, left eye
	H33.43	Diagnosis	ICD-10-CM	Traction detachment of retina, bilateral
	H33.8	Diagnosis	ICD-10-CM	Other retinal detachments
	H35.011	Diagnosis	ICD-10-CM	Changes in retinal vascular appearance, right eye
	H35.012	Diagnosis	ICD-10-CM	Changes in retinal vascular appearance, left eye
	H35.013	Diagnosis	ICD-10-CM	Changes in retinal vascular appearance, bilateral
	H35.019	Diagnosis	ICD-10-CM	Changes in retinal vascular appearance, unspecified eye
	H35.041	Diagnosis	ICD-10-CM	Retinal micro-aneurysms, unspecified, right eye
	H35.042	Diagnosis	ICD-10-CM	Retinal micro-aneurysms, unspecified, left eye
	H35.043	Diagnosis	ICD-10-CM	Retinal micro-aneurysms, unspecified, bilateral
	H35.049	Diagnosis	ICD-10-CM	Retinal micro-aneurysms, unspecified, unspecified eye
	H35.051	Diagnosis	ICD-10-CM	Retinal neovascularization, unspecified, right eye
	H35.052	Diagnosis	ICD-10-CM	Retinal neovascularization, unspecified, left eye
	H35.053	Diagnosis	ICD-10-CM	Retinal neovascularization, unspecified, bilateral
	H35.059	Diagnosis	ICD-10-CM	Retinal neovascularization, unspecified, unspecified eye
	H35.061	Diagnosis	ICD-10-CM	Retinal vasculitis, right eye
	H35.062	Diagnosis	ICD-10-CM	Retinal vasculitis, left eye
	H35.063	Diagnosis	ICD-10-CM	Retinal vasculitis, bilateral
	H35.069	Diagnosis	ICD-10-CM	Retinal vasculitis, unspecified eye
	H35.071	Diagnosis	ICD-10-CM	Retinal telangiectasis, right eye
	H35.072	Diagnosis	ICD-10-CM	Retinal telangiectasis, left eye
	H35.073	Diagnosis	ICD-10-CM	Retinal telangiectasis, bilateral
	H35.079	Diagnosis	ICD-10-CM	Retinal telangiectasis, unspecified eye
	H35.09	Diagnosis	ICD-10-CM	Other intraretinal microvascular abnormalities
	H35.351	Diagnosis	ICD-10-CM	Cystoid macular degeneration, right eye
	H35.352	Diagnosis	ICD-10-CM	Cystoid macular degeneration, left eye
	H35.353	Diagnosis	ICD-10-CM	Cystoid macular degeneration, bilateral
	H35.359	Diagnosis	ICD-10-CM	Cystoid macular degeneration, unspecified eye
	H35.60	Diagnosis	ICD-10-CM	Retinal hemorrhage, unspecified eye
	H35.61	Diagnosis	ICD-10-CM	Retinal hemorrhage, right eye
	H35.62	Diagnosis	ICD-10-CM	Retinal hemorrhage, left eye
	H35.63	Diagnosis	ICD-10-CM	Retinal hemorrhage, bilateral
	H35.81	Diagnosis	ICD-10-CM	Retinal edema
	H35.82	Diagnosis	ICD-10-CM	Retinal ischemia

cder_mpl1p_wp075 Page 175 of 369



Request			
Code	Code Category	Code Type	Description
H35.89	Diagnosis	ICD-10-CM	Other specified retinal disorders
H43.10	Diagnosis	ICD-10-CM	Vitreous hemorrhage, unspecified eye
H43.11	Diagnosis	ICD-10-CM	Vitreous hemorrhage, right eye
H43.12	Diagnosis	ICD-10-CM	Vitreous hemorrhage, left eye
H43.13	Diagnosis	ICD-10-CM	Vitreous hemorrhage, bilateral
H44.2C1	Diagnosis	ICD-10-CM	Degenerative myopia with retinal detachment, right eye
H44.2C2	Diagnosis	ICD-10-CM	Degenerative myopia with retinal detachment, left eye
H44.2C3	Diagnosis	ICD-10-CM	Degenerative myopia with retinal detachment, bilateral eye
H44.2C9	Diagnosis	ICD-10-CM	Degenerative myopia with retinal detachment, unspecified eye
H54.0X33	Diagnosis	ICD-10-CM	Blindness right eye category 3, blindness left eye category 3
H54.0X34	Diagnosis	ICD-10-CM	Blindness right eye category 3, blindness left eye category 4
H54.0X35	Diagnosis	ICD-10-CM	Blindness right eye category 3, blindness left eye category 5
H54.0X43	Diagnosis	ICD-10-CM	Blindness right eye category 4, blindness left eye category 3
H54.0X44	Diagnosis	ICD-10-CM	Blindness right eye category 4, blindness left eye category 4
H54.0X45	Diagnosis	ICD-10-CM	Blindness right eye category 4, blindness left eye category 5
H54.0X53	Diagnosis	ICD-10-CM	Blindness right eye category 5, blindness left eye category 3
H54.0X54	Diagnosis	ICD-10-CM	Blindness right eye category 5, blindness left eye category 4
H54.0X55	Diagnosis	ICD-10-CM	Blindness right eye category 5, blindness left eye category 5
H54.10	Diagnosis	ICD-10-CM	Blindness, one eye, low vision other eye, unspecified eyes
H54.1131	Diagnosis	ICD-10-CM	Blindness right eye category 3, low vision left eye category 1
H54.1132	Diagnosis	ICD-10-CM	Blindness right eye category 3, low vision left eye category 2
H54.1141	Diagnosis	ICD-10-CM	Blindness right eye category 4, low vision left eye category 1
H54.1142	Diagnosis	ICD-10-CM	Blindness right eye category 4, low vision left eye category 2
H54.1151	Diagnosis	ICD-10-CM	Blindness right eye category 5, low vision left eye category 1
H54.1152	Diagnosis	ICD-10-CM	Blindness right eye category 5, low vision left eye category 2
H54.1213	Diagnosis	ICD-10-CM	Low vision right eye category 1, blindness left eye category 3
H54.1214	Diagnosis	ICD-10-CM	Low vision right eye category 1, blindness left eye category 4
H54.1215	Diagnosis	ICD-10-CM	Low vision right eye category 1, blindness left eye category 5
H54.1223	Diagnosis	ICD-10-CM	Low vision right eye category 2, blindness left eye category 3
H54.1224	Diagnosis	ICD-10-CM	Low vision right eye category 2, blindness left eye category 4
H54.1225	Diagnosis	ICD-10-CM	Low vision right eye category 2, blindness left eye category 5
H54.2X11	Diagnosis	ICD-10-CM	Low vision right eye category 1, low vision left eye category 1
H54.2X12	Diagnosis	ICD-10-CM	Low vision right eye category 1, low vision left eye category 2
H54.2X21		ICD-10-CM	Low vision right eye category 2, low vision left eye category 1
H54.2X22	Diagnosis	ICD-10-CM	Low vision right eye category 2, low vision left eye category 2
H54.3	Diagnosis	ICD-10-CM	Unqualified visual loss, both eyes
H54.40	Diagnosis	ICD-10-CM	Blindness, one eye, unspecified eye
H54.413A		ICD-10-CM	Blindness right eye category 3, normal vision left eye
H54.414A	Diagnosis	ICD-10-CM	Blindness right eye category 4, normal vision left eye
H54.415A	=	ICD-10-CM	Blindness right eye category 5, normal vision left eye
H54.42A3	Diagnosis	ICD-10-CM	Blindness left eye category 3, normal vision right eye
H54.42A4	Diagnosis	ICD-10-CM	Blindness left eye category 4, normal vision right eye
H54.42A5	Diagnosis	ICD-10-CM	Blindness left eye category 5, normal vision right eye
_	5		7 3 7 7

cder_mpl1p_wp075 Page 176 of 369



Request			
Code	Code Category		Description
H54.50	Diagnosis	ICD-10-CM	Low vision, one eye, unspecified eye
H54.511A	Diagnosis	ICD-10-CM	Low vision right eye category 1, normal vision left eye
H54.512A	Diagnosis	ICD-10-CM	Low vision right eye category 2, normal vision left eye
H54.52A1	Diagnosis	ICD-10-CM	Low vision left eye category 1, normal vision right eye
H54.52A2	Diagnosis	ICD-10-CM	Low vision left eye category 2, normal vision right eye
H54.60	Diagnosis	ICD-10-CM	Unqualified visual loss, one eye, unspecified
H54.61	Diagnosis	ICD-10-CM	Unqualified visual loss, right eye, normal vision left eye
H54.62	Diagnosis	ICD-10-CM	Unqualified visual loss, left eye, normal vision right eye
H54.7	Diagnosis	ICD-10-CM	Unspecified visual loss
H54.8	Diagnosis	ICD-10-CM	Legal blindness, as defined in USA
			Nephropathy
250.4	Diagnosis	ICD-9-CM	Diabetes with renal manifestations
580	Diagnosis	ICD-9-CM	Acute glomerulonephritis
580	Diagnosis	ICD-9-CM	Acute glomerulonephritis with lesion of proliferative glomerulonephritis
580.4	Diagnosis	ICD-9-CM	Acute glomerulonephritis with lesion of rapidly progressive glomerulonephritis
580.8	Diagnosis	ICD-9-CM	Acute glomerulonephritis with other specified pathological lesion in kidney
			Acute glomerulonephritis with other specified pathological lesion in kidney in disease
580.81	Diagnosis	ICD-9-CM	classified elsewhere
580.89	Diagnosis	ICD-9-CM	Other acute glomerulonephritis with other specified pathological lesion in kidney
580.9	Diagnosis	ICD-9-CM	Acute glomerulonephritis with unspecified pathological lesion in kidney
581	Diagnosis	ICD-9-CM	Nephrotic syndrome
581	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of proliferative glomerulonephritis
581.1	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of membranous glomerulonephritis
581.2	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of membranoproliferative glomerulonephritis
581.3	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of minimal change glomerulonephritis
581.8	Diagnosis	ICD-9-CM	Nephrotic syndrome with other specified pathological lesion in kidney
581.89	Diagnosis	ICD-9-CM	Other nephrotic syndrome with specified pathological lesion in kidney
581.9	Diagnosis	ICD-9-CM	Nephrotic syndrome with unspecified pathological lesion in kidney
582	Diagnosis	ICD-9-CM	Chronic glomerulonephritis
582	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of proliferative glomerulonephritis
582.1	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of membranous glomerulonephritis
582.2	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of membranoproliferative glomerulonephritis
582.4	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of rapidly progressive glomerulonephritis
582.8	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with other specified pathological lesion in kidney
			Chronic glomerulonephritis with other specified pathological lesion in kidney in
582.81	Diagnosis	ICD-9-CM	diseases classified elsewhere
582.89	Diagnosis	ICD-9-CM	Other chronic glomerulonephritis with specified pathological lesion in kidney
582.9	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with unspecified pathological lesion in kidney
583	Diagnosis	ICD-9-CM	Nephritis and nephropathy, not specified as acute or chronic
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of
583	Diagnosis	ICD-9-CM	proliferative glomerulonephritis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of rapidly
583.4	Diagnosis	ICD-9-CM	progressive glomerulonephritis

cder_mpl1p_wp075 Page 177 of 369



Request			
Code	Code Category	Code Type	Description
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of renal
583.6	Diagnosis	ICD-9-CM	cortical necrosis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of renal
583.7	Diagnosis	ICD-9-CM	medullary necrosis
			Nephritis and nephropathy, not specified as acute or chronic, with other specified
583.8	Diagnosis	ICD-9-CM	pathological lesion in kidney
584	Diagnosis	ICD-9-CM	Acute kidney failure
584.5	Diagnosis	ICD-9-CM	Acute kidney failure with lesion of tubular necrosis
584.6	Diagnosis	ICD-9-CM	Acute kidney failure with lesion of renal cortical necrosis
584.7	Diagnosis	ICD-9-CM	Acute kidney failure with lesion of medullary [papillary] necrosis
584.8	Diagnosis	ICD-9-CM	Acute kidney failure with other specified pathological lesion in kidney
584.9	Diagnosis	ICD-9-CM	Acute kidney failure, unspecified
585	Diagnosis	ICD-9-CM	Chronic kidney disease (CKD)
585.1	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage I
585.2	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage II (mild)
585.3	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage III (moderate)
585.4	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage IV (severe)
585.5	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage V
585.6	Diagnosis	ICD-9-CM	End stage renal disease
585.9	Diagnosis	ICD-9-CM	Chronic kidney disease, unspecified
586	Diagnosis	ICD-9-CM	Unspecified renal failure
587	Diagnosis	ICD-9-CM	Unspecified renal sclerosis
588	Diagnosis	ICD-9-CM	Disorders resulting from impaired renal function
588	Diagnosis	ICD-9-CM	Renal osteodystrophy
588.8	Diagnosis	ICD-9-CM	Other specified disorder resulting from impaired renal function
588.81	Diagnosis	ICD-9-CM	Secondary hyperparathyroidism (of renal origin)
588.89	Diagnosis	ICD-9-CM	Other specified disorders resulting from impaired renal function
588.9	Diagnosis	ICD-9-CM	Unspecified disorder resulting from impaired renal function
589	Diagnosis	ICD-9-CM	Small kidney of unknown cause
589	Diagnosis	ICD-9-CM	Unilateral small kidney
589.1	Diagnosis	ICD-9-CM	Bilateral small kidneys
589.9	Diagnosis	ICD-9-CM	Unspecified small kidney
590.2	Diagnosis	ICD-9-CM	Renal and perinephric abscess
590.81	Diagnosis	ICD-9-CM	Pyelitis or pyelonephritis in diseases classified elsewhere
590.9	Diagnosis	ICD-9-CM	Unspecified infection of kidney
593.9	Diagnosis	ICD-9-CM	Unspecified disorder of kidney and ureter
E08.22	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic chronic kidney disease
E08.29	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with other diabetic kidney complication
E09.22	Diagnosis	ICD-10-CM	Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease
E09.29	Diagnosis	ICD-10-CM	Drug or chemical induced diabetes mellitus with other diabetic kidney complication
E10.22	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic chronic kidney disease
E10.29	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic kidney complication
E11.22	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic chronic kidney disease

cder_mpl1p_wp075 Page 178 of 369



Request			
Code	Code Category	Code Type	Description
E11.29	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic kidney complication
E13.22	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with diabetic chronic kidney disease
E13.29	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with other diabetic kidney complication
M32.14	Diagnosis	ICD-10-CM	Glomerular disease in systemic lupus erythematosus
N00.0	Diagnosis	ICD-10-CM	Acute nephritic syndrome with minor glomerular abnormality
N00.1	Diagnosis	ICD-10-CM	Acute nephritic syndrome with focal and segmental glomerular lesions
N00.2	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse membranous glomerulonephritis
N00.3	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse mesangial proliferative glomerulonephritis
N00.4	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis
N00.5	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis
N00.6	Diagnosis	ICD-10-CM	Acute nephritic syndrome with dense deposit disease
N00.7	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse crescentic glomerulonephritis
N00.8	Diagnosis	ICD-10-CM	Acute nephritic syndrome with other morphologic changes
N00.9	Diagnosis	ICD-10-CM	Acute nephritic syndrome with unspecified morphologic changes
N01.0	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with minor glomerular abnormality
N01.1	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions
N01.2	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis
			Rapidly progressive nephritic syndrome with diffuse mesangial proliferative
N01.3	Diagnosis	ICD-10-CM	glomerulonephritis
			Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative
N01.4	Diagnosis	ICD-10-CM	glomerulonephritis
			Rapidly progressive nephritic syndrome with diffuse mesangiocapillary
N01.5	Diagnosis	ICD-10-CM	glomerulonephritis
N01.6	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with dense deposit disease
N01.7	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis
N01.8	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with other morphologic changes
N01.9	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with unspecified morphologic changes
N02.0	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with minor glomerular abnormality
N02.1	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with focal and segmental glomerular lesions
N02.2	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with diffuse membranous glomerulonephritis
			Recurrent and persistent hematuria with diffuse mesangial proliferative
N02.3	Diagnosis	ICD-10-CM	glomerulonephritis
			Recurrent and persistent hematuria with diffuse endocapillary proliferative
N02.4	Diagnosis	ICD-10-CM	glomerulonephritis
N02.5	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis
N02.6	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with dense deposit disease
N02.7	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis
N02.8	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with other morphologic changes
N02.9	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with unspecified morphologic changes
N03.0	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with minor glomerular abnormality
N03.1	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with focal and segmental glomerular lesions
N03.2	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse membranous glomerulonephritis

cder_mpl1p_wp075 Page 179 of 369



Request			
Code	Code Category	Code Type	Description
N03.3	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis
N03.4	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis
N03.5	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis
N03.6	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with dense deposit disease
N03.7	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse crescentic glomerulonephritis
N03.8	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with other morphologic changes
N03.9	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with unspecified morphologic changes
N04.0	Diagnosis	ICD-10-CM	Nephrotic syndrome with minor glomerular abnormality
N04.1	Diagnosis	ICD-10-CM	Nephrotic syndrome with focal and segmental glomerular lesions
N04.2	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse membranous glomerulonephritis
N04.3	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis
N04.4	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis
N04.5	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis
N04.6	Diagnosis	ICD-10-CM	Nephrotic syndrome with dense deposit disease
N04.7	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse crescentic glomerulonephritis
N04.8	Diagnosis	ICD-10-CM	Nephrotic syndrome with other morphologic changes
N04.9	Diagnosis	ICD-10-CM	Nephrotic syndrome with unspecified morphologic changes
N05.0	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with minor glomerular abnormality
N05.1	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with focal and segmental glomerular lesions
N05.2	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with diffuse membranous glomerulonephritis
			Unspecified nephritic syndrome with diffuse mesangial proliferative
N05.3	Diagnosis	ICD-10-CM	glomerulonephritis
			Unspecified nephritic syndrome with diffuse endocapillary proliferative
N05.4	Diagnosis	ICD-10-CM	glomerulonephritis
N05.5	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis
N05.6	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with dense deposit disease
N05.7	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis
N05.8	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with other morphologic changes
N05.9	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with unspecified morphologic changes
N06.0	Diagnosis	ICD-10-CM	Isolated proteinuria with minor glomerular abnormality
N06.1	Diagnosis	ICD-10-CM	Isolated proteinuria with focal and segmental glomerular lesions
N06.2	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse membranous glomerulonephritis
N06.3	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis
N06.4	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis
N06.5	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis
N06.6	Diagnosis	ICD-10-CM	Isolated proteinuria with dense deposit disease
N06.7	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse crescentic glomerulonephritis
N06.8	Diagnosis	ICD-10-CM	Isolated proteinuria with other morphologic lesion
N06.9	Diagnosis	ICD-10-CM	Isolated proteinuria with unspecified morphologic lesion
N08	Diagnosis	ICD-10-CM	Glomerular disorders in diseases classified elsewhere
N15.8	Diagnosis	ICD-10-CM	Other specified renal tubulo-interstitial diseases
N15.9	Diagnosis	ICD-10-CM	Renal tubulo-interstitial disease, unspecified

cder_mpl1p_wp075 Page 180 of 369



Request			
Code	Code Category	Code Type	Description
N16	Diagnosis	ICD-10-CM	Renal tubulo-interstitial disorders in diseases classified elsewhere
N17.0	Diagnosis	ICD-10-CM	Acute kidney failure with tubular necrosis
N17.1	Diagnosis	ICD-10-CM	Acute kidney failure with acute cortical necrosis
N17.2	Diagnosis	ICD-10-CM	Acute kidney failure with medullary necrosis
N17.8	Diagnosis	ICD-10-CM	Other acute kidney failure
N17.9	Diagnosis	ICD-10-CM	Acute kidney failure, unspecified
N18.1	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 1
N18.2	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 2 (mild)
N18.3	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 3 (moderate)
N18.4	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 4 (severe)
N18.5	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 5
N18.6	Diagnosis	ICD-10-CM	End stage renal disease
N18.9	Diagnosis	ICD-10-CM	Chronic kidney disease, unspecified
N19	Diagnosis	ICD-10-CM	Unspecified kidney failure
N25.0	Diagnosis	ICD-10-CM	Renal osteodystrophy
N25.1	Diagnosis	ICD-10-CM	Nephrogenic diabetes insipidus
N25.81	Diagnosis	ICD-10-CM	Secondary hyperparathyroidism of renal origin
N25.89	Diagnosis	ICD-10-CM	Other disorders resulting from impaired renal tubular function
N25.9	Diagnosis	ICD-10-CM	Disorder resulting from impaired renal tubular function, unspecified
N26.1	Diagnosis	ICD-10-CM	Atrophy of kidney (terminal)
N26.9	Diagnosis	ICD-10-CM	Renal sclerosis, unspecified
N27.0	Diagnosis	ICD-10-CM	Small kidney, unilateral
N27.1	Diagnosis	ICD-10-CM	Small kidney, bilateral
N27.9	Diagnosis	ICD-10-CM	Small kidney, unspecified
N28.9	Diagnosis	ICD-10-CM	Disorder of kidney and ureter, unspecified
N29	Diagnosis	ICD-10-CM	Other disorders of kidney and ureter in diseases classified elsewhere
			Neuropathy
94	Diagnosis	ICD-9-CM	Tabes dorsalis
250.6	Diagnosis	ICD-9-CM	Diabetes with neurological manifestations
349.89	Diagnosis	ICD-9-CM	Other specified disorder of nervous system
353.5	Diagnosis	ICD-9-CM	Neuralgic amyotrophy
354	Diagnosis	ICD-9-CM	Carpal tunnel syndrome
354.1	Diagnosis	ICD-9-CM	Other lesion of median nerve
354.2	Diagnosis	ICD-9-CM	Lesion of ulnar nerve
354.3	Diagnosis	ICD-9-CM	Lesion of radial nerve
354.4	Diagnosis	ICD-9-CM	Causalgia of upper limb
354.5	Diagnosis	ICD-9-CM	Mononeuritis multiplex
355	Diagnosis	ICD-9-CM	Lesion of sciatic nerve
355.1	Diagnosis	ICD-9-CM	Meralgia paresthetica
355.2	Diagnosis	ICD-9-CM	Other lesion of femoral nerve
355.3	Diagnosis	ICD-9-CM	Lesion of lateral popliteal nerve
355.4	Diagnosis	ICD-9-CM	Lesion of medial popliteal nerve
355.5	Diagnosis	ICD-9-CM	Tarsal tunnel syndrome

cder_mpl1p_wp075 Page 181 of 369



7.6	equest			
	Code	Code Category		Description
	55.6	Diagnosis	ICD-9-CM	Lesion of plantar nerve
	55.7	Diagnosis	ICD-9-CM	Other mononeuritis of lower limb
	55.71	Diagnosis	ICD-9-CM	Causalgia of lower limb
	55.79	Diagnosis	ICD-9-CM	Other mononeuritis of lower limb
	8.1	Diagnosis	ICD-9-CM	Myasthenic syndromes in diseases classified elsewhere
71	.3.5	Diagnosis	ICD-9-CM	Arthropathy associated with neurological disorders
95	51	Diagnosis	ICD-9-CM	Injury to oculomotor nerve
95	51.1	Diagnosis	ICD-9-CM	Injury to trochlear nerve
95	51.3	Diagnosis	ICD-9-CM	Injury to abducens nerve
A5	52.16	Diagnosis	ICD-10-CM	Charcot's arthropathy (tabetic)
EC	8.610	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy
EC	9.610	Diagnosis	ICD-10-CM	Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy
E1	0.44	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic amyotrophy
E1	0.49	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic neurological complication
E1	0.610	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic neuropathic arthropathy
E1	1.44	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic amyotrophy
E1	1.49	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic neurological complication
E1	1.610	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E1	3.44	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with diabetic amyotrophy
E1	.3.49	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with other diabetic neurological complication
E1	3.610	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with diabetic neuropathic arthropathy
G5	56.00	Diagnosis	ICD-10-CM	Carpal tunnel syndrome, unspecified upper limb
G5	56.01	Diagnosis	ICD-10-CM	Carpal tunnel syndrome, right upper limb
G:	56.02	Diagnosis	ICD-10-CM	Carpal tunnel syndrome, left upper limb
G:	56.03	Diagnosis	ICD-10-CM	Carpal tunnel syndrome, bilateral upper limbs
G:	56.10	Diagnosis	ICD-10-CM	Other lesions of median nerve, unspecified upper limb
G:	56.11	Diagnosis	ICD-10-CM	Other lesions of median nerve, right upper limb
G5	56.12	Diagnosis	ICD-10-CM	Other lesions of median nerve, left upper limb
G:	56.13	Diagnosis	ICD-10-CM	Other lesions of median nerve, bilateral upper limbs
G:	56.20	Diagnosis	ICD-10-CM	Lesion of ulnar nerve, unspecified upper limb
G:	56.21	Diagnosis	ICD-10-CM	Lesion of ulnar nerve, right upper limb
G5	56.22	Diagnosis	ICD-10-CM	Lesion of ulnar nerve, left upper limb
G5	56.23	Diagnosis	ICD-10-CM	Lesion of ulnar nerve, bilateral upper limbs
G:	56.30	Diagnosis	ICD-10-CM	Lesion of radial nerve, unspecified upper limb
G:	56.31	Diagnosis	ICD-10-CM	Lesion of radial nerve, right upper limb
	56.32	Diagnosis	ICD-10-CM	Lesion of radial nerve, left upper limb
	56.33	Diagnosis	ICD-10-CM	Lesion of radial nerve, bilateral upper limbs
	56.40	Diagnosis	ICD-10-CM	Causalgia of unspecified upper limb
	56.41	Diagnosis	ICD-10-CM	Causalgia of right upper limb
	56.42	Diagnosis	ICD-10-CM	Causalgia of left upper limb
	56.43	Diagnosis	ICD-10-CM	Causalgia of bilateral upper limbs
	56.80	Diagnosis	ICD-10-CM	Other specified mononeuropathies of unspecified upper limb
	56.81	Diagnosis	ICD-10-CM	Other specified mononeuropathies of right upper limb
0.		= .5055.5	. 52 25 5111	The second secon

cder_mpl1p_wp075 Page 182 of 369



Request			
Code	Code Category	Code Type	Description
G56.82	Diagnosis	ICD-10-CM	Other specified mononeuropathies of left upper limb
G56.83	Diagnosis	ICD-10-CM	Other specified mononeuropathies of bilateral upper limbs
G57.00	Diagnosis	ICD-10-CM	Lesion of sciatic nerve, unspecified lower limb
G57.01	Diagnosis	ICD-10-CM	Lesion of sciatic nerve, right lower limb
G57.02	Diagnosis	ICD-10-CM	Lesion of sciatic nerve, left lower limb
G57.03	Diagnosis	ICD-10-CM	Lesion of sciatic nerve, bilateral lower limbs
G57.10	Diagnosis	ICD-10-CM	Meralgia paresthetica, unspecified lower limb
G57.11	Diagnosis	ICD-10-CM	Meralgia paresthetica, right lower limb
G57.12	Diagnosis	ICD-10-CM	Meralgia paresthetica, left lower limb
G57.13	Diagnosis	ICD-10-CM	Meralgia paresthetica, bilateral lower limbs
G57.20	Diagnosis	ICD-10-CM	Lesion of femoral nerve, unspecified lower limb
G57.21	Diagnosis	ICD-10-CM	Lesion of femoral nerve, right lower limb
G57.22	Diagnosis	ICD-10-CM	Lesion of femoral nerve, left lower limb
G57.23	Diagnosis	ICD-10-CM	Lesion of femoral nerve, bilateral lower limbs
G57.30	Diagnosis	ICD-10-CM	Lesion of lateral popliteal nerve, unspecified lower limb
G57.31	Diagnosis	ICD-10-CM	Lesion of lateral popliteal nerve, right lower limb
G57.32	Diagnosis	ICD-10-CM	Lesion of lateral popliteal nerve, left lower limb
G57.40	Diagnosis	ICD-10-CM	Lesion of medial popliteal nerve, unspecified lower limb
G57.41	Diagnosis	ICD-10-CM	Lesion of medial popliteal nerve, right lower limb
G57.42	Diagnosis	ICD-10-CM	Lesion of medial popliteal nerve, left lower limb
G57.43	Diagnosis	ICD-10-CM	Lesion of medial popliteal nerve, bilateral lower limbs
G57.50	Diagnosis	ICD-10-CM	Tarsal tunnel syndrome, unspecified lower limb
G57.51	Diagnosis	ICD-10-CM	Tarsal tunnel syndrome, right lower limb
G57.52	Diagnosis	ICD-10-CM	Tarsal tunnel syndrome, left lower limb
G57.53	Diagnosis	ICD-10-CM	Tarsal tunnel syndrome, bilateral lower limbs
G57.60	Diagnosis	ICD-10-CM	Lesion of plantar nerve, unspecified lower limb
G57.61	Diagnosis	ICD-10-CM	Lesion of plantar nerve, right lower limb
G57.62	Diagnosis	ICD-10-CM	Lesion of plantar nerve, left lower limb
G57.63	Diagnosis	ICD-10-CM	Lesion of plantar nerve, bilateral lower limbs
G57.70	Diagnosis	ICD-10-CM	Causalgia of unspecified lower limb
G57.71	Diagnosis	ICD-10-CM	Causalgia of right lower limb
G57.72	Diagnosis	ICD-10-CM	Causalgia of left lower limb
G57.73	Diagnosis	ICD-10-CM	Causalgia of bilateral lower limbs
G57.80	Diagnosis	ICD-10-CM	Other specified mononeuropathies of unspecified lower limb
G57.81	Diagnosis	ICD-10-CM	Other specified mononeuropathies of right lower limb
G57.82	Diagnosis	ICD-10-CM	Other specified mononeuropathies of left lower limb
G57.83	Diagnosis	ICD-10-CM	Other specified mononeuropathies of bilateral lower limbs
G58.7	Diagnosis	ICD-10-CM	Mononeuritis multiplex
G58.8	Diagnosis	ICD-10-CM	Other specified mononeuropathies
G73.3	Diagnosis	ICD-10-CM	Myasthenic syndromes in other diseases classified elsewhere
M14.60	Diagnosis	ICD-10-CM	Charcot's joint, unspecified site
M14.611	Diagnosis	ICD-10-CM	Charcot's joint, right shoulder
M14.612	Diagnosis	ICD-10-CM	Charcot's joint, left shoulder

cder_mpl1p_wp075 Page 183 of 369



request			
Code	Code Category	Code Type	Description
M14.619	Diagnosis	ICD-10-CM	Charcot's joint, unspecified shoulder
M14.621	Diagnosis	ICD-10-CM	Charcot's joint, right elbow
M14.622	Diagnosis	ICD-10-CM	Charcot's joint, left elbow
M14.629	Diagnosis	ICD-10-CM	Charcot's joint, unspecified elbow
M14.631	Diagnosis	ICD-10-CM	Charcot's joint, right wrist
M14.632	Diagnosis	ICD-10-CM	Charcot's joint, left wrist
M14.639	Diagnosis	ICD-10-CM	Charcot's joint, unspecified wrist
M14.641	Diagnosis	ICD-10-CM	Charcot's joint, right hand
M14.642	Diagnosis	ICD-10-CM	Charcot's joint, left hand
M14.649	Diagnosis	ICD-10-CM	Charcot's joint, unspecified hand
M14.651	Diagnosis	ICD-10-CM	Charcot's joint, right hip
M14.652	Diagnosis	ICD-10-CM	Charcot's joint, left hip
M14.659	Diagnosis	ICD-10-CM	Charcot's joint, unspecified hip
M14.661	Diagnosis	ICD-10-CM	Charcot's joint, right knee
M14.662	Diagnosis	ICD-10-CM	Charcot's joint, left knee
M14.669	Diagnosis	ICD-10-CM	Charcot's joint, unspecified knee
M14.671	Diagnosis	ICD-10-CM	Charcot's joint, right ankle and foot
M14.672	Diagnosis	ICD-10-CM	Charcot's joint, left ankle and foot
M14.679	Diagnosis	ICD-10-CM	Charcot's joint, unspecified ankle and foot
M14.68	Diagnosis	ICD-10-CM	Charcot's joint, vertebrae
M14.69	Diagnosis	ICD-10-CM	Charcot's joint, multiple sites
S04.10XA	Diagnosis	ICD-10-CM	Injury of oculomotor nerve, unspecified side, initial encounter
S04.11XA	Diagnosis	ICD-10-CM	Injury of oculomotor nerve, right side, initial encounter
S04.12XA	Diagnosis	ICD-10-CM	Injury of oculomotor nerve, left side, initial encounter
S04.20XA	Diagnosis	ICD-10-CM	Injury of trochlear nerve, unspecified side, initial encounter
S04.21XA	Diagnosis	ICD-10-CM	Injury of trochlear nerve, right side, initial encounter
S04.22XA	Diagnosis	ICD-10-CM	Injury of trochlear nerve, left side, initial encounter
S04.40XA	Diagnosis	ICD-10-CM	Injury of abducent nerve, unspecified side, initial encounter
S04.41XA	Diagnosis	ICD-10-CM	Injury of abducent nerve, right side, initial encounter
S04.42XA	Diagnosis	ICD-10-CM	Injury of abducent nerve, left side, initial encounter
			Psoriasis
L40	Diagnosis	ICD-10-CM	Psoriasis
L40.0	Diagnosis	ICD-10-CM	Psoriasis vulgaris
L40.1	Diagnosis	ICD-10-CM	Generalized pustular psoriasis
L40.4	Diagnosis	ICD-10-CM	Guttate psoriasis
L40.5	Diagnosis	ICD-10-CM	Arthropathic psoriasis
L40.50	Diagnosis	ICD-10-CM	Arthropathic psoriasis, unspecified
L40.8	Diagnosis	ICD-10-CM	Other psoriasis
L40.9	Diagnosis	ICD-10-CM	Psoriasis, unspecified
L41	Diagnosis	ICD-10-CM	Parapsoriasis
L41.3	Diagnosis	ICD-10-CM	Small plaque parapsoriasis
L41.4	Diagnosis	ICD-10-CM	Large plaque parapsoriasis
L41.5	Diagnosis	ICD-10-CM	Retiform parapsoriasis

cder_mpl1p_wp075 Page 184 of 369



Request			
Code	Code Category	Code Type	Description
L41.8	Diagnosis	ICD-10-CM	Other parapsoriasis
L41.9	Diagnosis	ICD-10-CM	Parapsoriasis, unspecified
694.3	Diagnosis	ICD-9-CM	Impetigo herpetiformis
696.1	Diagnosis	ICD-9-CM	Other psoriasis
696.2	Diagnosis	ICD-9-CM	Parapsoriasis
696	Diagnosis	ICD-9-CM	Psoriatic arthropathy
			Rheumatoid Arthritis
M05	Diagnosis	ICD-10-CM	Rheumatoid arthritis with rheumatoid factor
M05.1	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis
M05.10	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified site
M05.11	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of shoulder
M05.111	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right shoulder
M05.112	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left shoulder
M05.119	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder
M05.12	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of elbow
M05.121	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right elbow
M05.122	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left elbow
M05.129	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow
M05.13	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of wrist
M05.131	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right wrist
M05.132	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left wrist
M05.139	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist
M05.14	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of hand
M05.141	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right hand
M05.142	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left hand
M05.149	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand
M05.15	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of hip
M05.151	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right hip
M05.152	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left hip
M05.159	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip
M05.16	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of knee
M05.161	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right knee
M05.162	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left knee
M05.169	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee
M05.17	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of ankle and foot
M05.171	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot
M05.172	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot
M05.179	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot
M05.19	Diagnosis	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of multiple sites
M05.2	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis
M05.20	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site
M05.21	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of shoulder
M05.211	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder
		. 52 25 0111	The state of the s

cder_mpl1p_wp075 Page 185 of 369



Request			
Code	Code Category	Code Type	Description
M05.212	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder
M05.219	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder
M05.22	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of elbow
M05.221	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right elbow
M05.222	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left elbow
M05.229	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow
M05.23	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of wrist
M05.231	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right wrist
M05.232	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left wrist
M05.239	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist
M05.24	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of hand
M05.241	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right hand
M05.242	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left hand
M05.249	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand
M05.25	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of hip
M05.251	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right hip
M05.252	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left hip
M05.259	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip
M05.26	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of knee
M05.261	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right knee
M05.262	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left knee
M05.269	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee
M05.27	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of ankle and foot
M05.271	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot
M05.272	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot
M05.279	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot
M05.29	Diagnosis	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites
M05.3	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis
M05.30	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified site
M05.31	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of shoulder
M05.311	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right shoulder
M05.312	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left shoulder
M05.319	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder
M05.32	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of elbow
M05.321	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right elbow
M05.322	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left elbow
M05.329	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow
M05.33	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of wrist
M05.331	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right wrist
M05.332	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left wrist
M05.339	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist
M05.34	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of hand
M05.341	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right hand
	5		

cder_mpl1p_wp075 Page 186 of 369



Request			
Code	Code Category	Code Type	Description
M05.342	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left hand
M05.349	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand
M05.35	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of hip
M05.351	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right hip
M05.352	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left hip
M05.359	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip
M05.36	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of knee
M05.361	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right knee
M05.362	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left knee
M05.369	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee
M05.37	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of ankle and foot
M05.371	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot
M05.372	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot
M05.379	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot
M05.39	Diagnosis	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of multiple sites
M05.4	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis
M05.40	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified site
M05.41	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of shoulder
M05.411	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right shoulder
M05.412	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left shoulder
M05.419	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder
M05.42	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of elbow
M05.421	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right elbow
M05.422	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left elbow
M05.429	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow
M05.43	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of wrist
M05.431	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right wrist
M05.432	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left wrist
M05.439	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist
M05.44	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of hand
M05.441	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right hand
M05.442	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left hand
M05.449	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand
M05.45	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of hip
M05.451	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right hip
M05.452	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left hip
M05.459	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip
M05.46	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of knee
M05.461	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right knee
M05.462	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left knee
M05.469	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee
M05.47	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of ankle and foot
M05.471	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot

cder_mpl1p_wp075 Page 187 of 369



Request			
Code	Code Category	Code Type	Description
M05.472	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot
M05.479	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot
M05.49	Diagnosis	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of multiple sites
M05.5	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis
M05.50	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site
M05.51	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of shoulder
M05.511	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder
M05.512	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder
M05.519	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder
M05.52	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of elbow
M05.521	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow
M05.522	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow
M05.529	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow
M05.53	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of wrist
M05.531	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist
M05.532	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist
M05.539	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist
M05.54	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of hand
M05.541	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand
M05.542	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand
M05.549	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand
M05.55	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of hip
M05.551	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip
M05.552	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip
M05.559	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip
M05.56	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of knee
M05.561	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee
M05.562	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee
M05.569	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee
M05.57	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of ankle and foot
M05.571	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot
M05.572	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot
M05.579	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot
M05.59	Diagnosis	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites
M05.6	Diagnosis	ICD-10-CM	Rheumatoid arthritis with involvement of other organs and systems
M05.60	Diagnosis	ICD-10-CM	Rheumatoid arthritis of unspecified site with involvement of other organs and systems
M05.61	Diagnosis	ICD-10-CM	Rheumatoid arthritis of shoulder with involvement of other organs and systems
M05.611	Diagnosis	ICD-10-CM	Rheumatoid arthritis of right shoulder with involvement of other organs and systems
M05.612	Diagnosis	ICD-10-CM	Rheumatoid arthritis of left shoulder with involvement of other organs and systems
			Rheumatoid arthritis of unspecified shoulder with involvement of other organs and
M05.619	Diagnosis	ICD-10-CM	systems
M05.62	Diagnosis	ICD-10-CM	Rheumatoid arthritis of elbow with involvement of other organs and systems
M05.621	Diagnosis	ICD-10-CM	Rheumatoid arthritis of right elbow with involvement of other organs and systems
			- '

cder_mpl1p_wp075 Page 188 of 369



Request			
Code	Code Category	Code Type	Description
M05.622	Diagnosis	ICD-10-CM	Rheumatoid arthritis of left elbow with involvement of other organs and systems
			Rheumatoid arthritis of unspecified elbow with involvement of other organs and
M05.629	Diagnosis	ICD-10-CM	systems
M05.63	Diagnosis	ICD-10-CM	Rheumatoid arthritis of wrist with involvement of other organs and systems
M05.631	Diagnosis	ICD-10-CM	Rheumatoid arthritis of right wrist with involvement of other organs and systems
M05.632	Diagnosis	ICD-10-CM	Rheumatoid arthritis of left wrist with involvement of other organs and systems
			Rheumatoid arthritis of unspecified wrist with involvement of other organs and
M05.639	Diagnosis	ICD-10-CM	systems
M05.64	Diagnosis	ICD-10-CM	Rheumatoid arthritis of hand with involvement of other organs and systems
M05.641	Diagnosis	ICD-10-CM	Rheumatoid arthritis of right hand with involvement of other organs and systems
M05.642	Diagnosis	ICD-10-CM	Rheumatoid arthritis of left hand with involvement of other organs and systems
			Rheumatoid arthritis of unspecified hand with involvement of other organs and
M05.649	Diagnosis	ICD-10-CM	systems
M05.65	Diagnosis	ICD-10-CM	Rheumatoid arthritis of hip with involvement of other organs and systems
M05.651	Diagnosis	ICD-10-CM	Rheumatoid arthritis of right hip with involvement of other organs and systems
M05.652	Diagnosis	ICD-10-CM	Rheumatoid arthritis of left hip with involvement of other organs and systems
M05.659	Diagnosis	ICD-10-CM	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems
M05.66	Diagnosis	ICD-10-CM	Rheumatoid arthritis of knee with involvement of other organs and systems
M05.661	Diagnosis	ICD-10-CM	Rheumatoid arthritis of right knee with involvement of other organs and systems
M05.662	Diagnosis	ICD-10-CM	Rheumatoid arthritis of left knee with involvement of other organs and systems
			Rheumatoid arthritis of unspecified knee with involvement of other organs and
M05.669	Diagnosis	ICD-10-CM	systems
M05.67	Diagnosis	ICD-10-CM	Rheumatoid arthritis of ankle and foot with involvement of other organs and systems
			Rheumatoid arthritis of right ankle and foot with involvement of other organs and
M05.671	Diagnosis	ICD-10-CM	systems
			Rheumatoid arthritis of left ankle and foot with involvement of other organs and
M05.672	Diagnosis	ICD-10-CM	systems
			Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs
M05.679	Diagnosis	ICD-10-CM	and systems
M05.69	Diagnosis	ICD-10-CM	Rheumatoid arthritis of multiple sites with involvement of other organs and systems
M05.7	Diagnosis	ICD-10-CM	Rheumatoid arthritis with rheumatoid factor without organ or systems involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or
M05.70	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of shoulder without organ or systems
M05.71	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or
M05.711	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems
M05.712	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or
M05.719	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of elbow without organ or systems
M05.72	Diagnosis	ICD-10-CM	involvement

cder_mpl1p_wp075 Page 189 of 369



Request			
Code	Code Category	Code Type	Description
			Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems
M05.721	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems
M05.722	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or
M05.729	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of wrist without organ or systems
M05.73	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems
M05.731	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems
M05.732	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or
M05.739	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of hand without organ or systems
M05.74	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems
M05.741	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems
M05.742	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or
M05.749	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of hip without organ or systems
M05.75	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems
M05.751	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems
M05.752	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or
M05.759	Diagnosis	ICD-10-CM	systems involvement
		.== :	Rheumatoid arthritis with rheumatoid factor of knee without organ or systems
M05.76	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems
M05.761	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems
M05.762	Diagnosis	ICD-10-CM	involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or
M05.769	Diagnosis	ICD-10-CM	systems involvement
		.== :	Rheumatoid arthritis with rheumatoid factor of ankle and foot without organ or
M05.77	Diagnosis	ICD-10-CM	systems involvement
		.== :	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or
M05.771	Diagnosis	ICD-10-CM	systems involvement

cder_mpl1p_wp075 Page 190 of 369



Request	0.1.6:	0.1.	
Code	Code Category	Code Type	Description Classification and the state of
	. .	100 46 51 1	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or
M05.772	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without
M05.779	Diagnosis	ICD-10-CM	organ or systems involvement
			Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or
M05.79	Diagnosis	ICD-10-CM	systems involvement
			Rheumatoid arthritis with rheumatoid factor of other specified site without organ or
M05.7A	Diagnosis	ICD-10-CM	systems involvement
M05.8	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor
M05.80	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified site
M05.81	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of shoulder
M05.811	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right shoulder
M05.812	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left shoulder
M05.819	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder
M05.82	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of elbow
M05.821	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right elbow
M05.822	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left elbow
M05.829	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified elbow
M05.83	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of wrist
M05.831	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right wrist
M05.832	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left wrist
M05.839	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified wrist
M05.84	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of hand
M05.841	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right hand
M05.842	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left hand
M05.849	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified hand
M05.85	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of hip
M05.851	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right hip
M05.852	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left hip
M05.859	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified hip
M05.86	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of knee
M05.861	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right knee
M05.862	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left knee
M05.869	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified knee
M05.87	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of ankle and foot
M05.871	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot
M05.872	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot
M05.879	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot
M05.89	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of multiple sites
M05.8A	Diagnosis	ICD-10-CM	Other rheumatoid arthritis with rheumatoid factor of other specified site
M05.9	Diagnosis	ICD-10-CM	Rheumatoid arthritis with rheumatoid factor, unspecified
M06	Diagnosis	ICD-10-CM	Other rheumatoid arthritis
M06.0	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor
. 100.0	Diagnosis	ISD TO-CIVI	meanatora artificia without meanatora ractor

cder_mpl1p_wp075 Page 191 of 369



Request			
Code	Code Category	Code Type	Description
M06.00	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified site
M06.01	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, shoulder
M06.011	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right shoulder
M06.012	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left shoulder
M06.019	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified shoulder
M06.02	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, elbow
M06.021	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right elbow
M06.022	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left elbow
M06.029	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified elbow
M06.03	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, wrist
M06.031	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right wrist
M06.032	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left wrist
M06.039	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified wrist
M06.04	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, hand
M06.041	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right hand
M06.042	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left hand
M06.049	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified hand
M06.05	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, hip
M06.051	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right hip
M06.052	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left hip
M06.059	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified hip
M06.06	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, knee
M06.061	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right knee
M06.062	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left knee
M06.069	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified knee
M06.07	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, ankle and foot
M06.071	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, right ankle and foot
M06.072	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, left ankle and foot
M06.079	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot
M06.08	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, vertebrae
M06.09	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, multiple sites
M06.0A	Diagnosis	ICD-10-CM	Rheumatoid arthritis without rheumatoid factor, other specified site
M06.8	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis
M06.80	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified site
M06.81	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, shoulder
M06.811	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right shoulder
M06.812	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left shoulder
M06.819	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified shoulder
M06.82	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, elbow
M06.821	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right elbow
M06.822	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left elbow
M06.829	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified elbow
M06.83	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, wrist
	J		•

cder_mpl1p_wp075 Page 192 of 369



Request			
Code	Code Category	Code Type	Description
M06.831	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right wrist
M06.832	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left wrist
M06.839	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified wrist
M06.84	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, hand
M06.841	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right hand
M06.842	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left hand
M06.849	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified hand
M06.85	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, hip
M06.851	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right hip
M06.852	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left hip
M06.859	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified hip
M06.86	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, knee
M06.861	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right knee
M06.862	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left knee
M06.869	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified knee
M06.87	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, ankle and foot
M06.871	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, right ankle and foot
M06.872	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, left ankle and foot
M06.879	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, unspecified ankle and foot
M06.88	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, vertebrae
M06.89	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, multiple sites
M06.8A	Diagnosis	ICD-10-CM	Other specified rheumatoid arthritis, other specified site
M06.9	Diagnosis	ICD-10-CM	Rheumatoid arthritis, unspecified
714	Diagnosis	ICD-9-CM	Rheumatoid arthritis
714.2	Diagnosis	ICD-9-CM	Other rheumatoid arthritis with visceral or systemic involvement
714.3	Diagnosis	ICD-9-CM	Polyarticular juvenile rheumatoid arthritis, chronic or unspecified
714.32	Diagnosis	ICD-9-CM	Pauciarticular juvenile rheumatoid arthritis
714.33	Diagnosis	ICD-9-CM	Monoarticular juvenile rheumatoid arthritis
714.81	Diagnosis	ICD-9-CM	Rheumatoid lung
M06.372	Diagnosis	ICD-10-CM	Rheumatoid nodule, left ankle and foot
M06.322	Diagnosis	ICD-10-CM	Rheumatoid nodule, left elbow
M06.342	Diagnosis	ICD-10-CM	Rheumatoid nodule, left hand
M06.352	Diagnosis	ICD-10-CM	Rheumatoid nodule, left hip
M06.362	Diagnosis	ICD-10-CM	Rheumatoid nodule, left knee
M06.312	Diagnosis	ICD-10-CM	Rheumatoid nodule, left shoulder
M06.332	Diagnosis	ICD-10-CM	Rheumatoid nodule, left wrist
M06.39	Diagnosis	ICD-10-CM	Rheumatoid nodule, multiple sites
M06.371	Diagnosis	ICD-10-CM	Rheumatoid nodule, right ankle and foot
M06.321	Diagnosis	ICD-10-CM	Rheumatoid nodule, right elbow
M06.341	Diagnosis	ICD-10-CM	Rheumatoid nodule, right hand
M06.351	Diagnosis	ICD-10-CM	Rheumatoid nodule, right hip
M06.361	Diagnosis	ICD-10-CM	Rheumatoid nodule, right knee
M06.311	Diagnosis	ICD-10-CM	Rheumatoid nodule, right shoulder

cder_mpl1p_wp075 Page 193 of 369



Nequest			
Code	Code Category	Code Type	Description
M06.331	Diagnosis	ICD-10-CM	Rheumatoid nodule, right wrist
M06.379	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified ankle and foot
M06.329	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified elbow
M06.349	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified hand
M06.359	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified hip
M06.369	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified knee
M06.319	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified shoulder
M06.30	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified site
M06.339	Diagnosis	ICD-10-CM	Rheumatoid nodule, unspecified wrist
M06.38	Diagnosis	ICD-10-CM	Rheumatoid nodule, vertebrae
			Systemic Lupus Erythematosus
M32	Diagnosis	ICD-10-CM	Systemic lupus erythematosus (SLE)
M32.0	Diagnosis	ICD-10-CM	Drug-induced systemic lupus erythematosus
M32.1	Diagnosis	ICD-10-CM	Systemic lupus erythematosus with organ or system involvement
M32.10	Diagnosis	ICD-10-CM	Systemic lupus erythematosus, organ or system involvement unspecified
M32.11	Diagnosis	ICD-10-CM	Endocarditis in systemic lupus erythematosus
M32.12	Diagnosis	ICD-10-CM	Pericarditis in systemic lupus erythematosus
M32.13	Diagnosis	ICD-10-CM	Lung involvement in systemic lupus erythematosus
M32.14	Diagnosis	ICD-10-CM	Glomerular disease in systemic lupus erythematosus
M32.15	Diagnosis	ICD-10-CM	Tubulo-interstitial nephropathy in systemic lupus erythematosus
M32.19	Diagnosis	ICD-10-CM	Other organ or system involvement in systemic lupus erythematosus
M32.8	Diagnosis	ICD-10-CM	Other forms of systemic lupus erythematosus
M32.9	Diagnosis	ICD-10-CM	Systemic lupus erythematosus, unspecified
710	Diagnosis	ICD-9-CM	Systemic lupus erythematosus
			Sjogren Syndrome
M35.0	Diagnosis	ICD-10-CM	Sjogren syndrome
M35.00	Diagnosis	ICD-10-CM	Sjogren syndrome, unspecified
M35.01	Diagnosis	ICD-10-CM	Sjogren syndrome with keratoconjunctivitis
M35.02	Diagnosis	ICD-10-CM	Sjogren syndrome with lung involvement
M35.03	Diagnosis	ICD-10-CM	Sjogren syndrome with myopathy
M35.04	Diagnosis	ICD-10-CM	Sjogren syndrome with tubulo-interstitial nephropathy
M35.05	Diagnosis	ICD-10-CM	Sjogren syndrome with inflammatory arthritis
M35.06	Diagnosis	ICD-10-CM	Sjogren syndrome with peripheral nervous system involvement
M35.07	Diagnosis	ICD-10-CM	Sjogren syndrome with central nervous system involvement
M35.08	Diagnosis	ICD-10-CM	Sjogren syndrome with gastrointestinal involvement
M35.09	Diagnosis	ICD-10-CM	Sjogren syndrome with other organ involvement
M35.0A	Diagnosis	ICD-10-CM	Sjogren syndrome with glomerular disease
M35.0B	Diagnosis	ICD-10-CM	Sjogren syndrome with vasculitis
M35.0C	Diagnosis	ICD-10-CM	Sjogren syndrome with dental involvement
			Celiac Disease
K90.0	Diagnosis	ICD-10-CM	Celiac disease
579	Diagnosis	ICD-9-CM	Celiac disease
D69.0	Diagnosis	ICD-10-CM	Allergic purpura

cder_mpl1p_wp075 Page 194 of 369



Code	Code Category	Code Type	Description
M30.0	Diagnosis	ICD-10-CM	Polyarteritis nodosa
M31.7	Diagnosis	ICD-10-CM	Microscopic polyangiitis
M31.0	Diagnosis	ICD-10-CM	Hypersensitivity angiitis
M31.5	Diagnosis	ICD-10-CM	Giant cell arteritis with polymyalgia rheumatica
M31.6	Diagnosis	ICD-10-CM	Other giant cell arteritis
M31.4	Diagnosis	ICD-10-CM	Aortic arch syndrome [Takayasu]
M31.8	Diagnosis	ICD-10-CM	Other specified necrotizing vasculopathies
M31.9	Diagnosis	ICD-10-CM	Necrotizing vasculopathy, unspecified
M31.3	Diagnosis	ICD-10-CM	Wegener's granulomatosis
447.6	Diagnosis	ICD-9-CM	Unspecified arteritis
446.7	Diagnosis	ICD-9-CM	Takayasu's disease
446.5	Diagnosis	ICD-9-CM	Giant cell arteritis
446.4	Diagnosis	ICD-9-CM	Wegener's granulomatosis
446.2	Diagnosis	ICD-9-CM	Hypersensitivity angiitis
446	Diagnosis	ICD-9-CM	Polyarteritis nodosa
M35.2	Diagnosis	ICD-10-CM	Behcet's disease
136.1	Diagnosis	ICD-9-CM	Behcet's syndrome
711.2	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, site unspecified
711.21	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, shoulder region
711.22	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, upper arm
711.23	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, forearm
711.24	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, hand
711.25	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, pelvic region and thigh
711.26	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, lower leg
711.27	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, ankle and foot
711.28	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, other specified sites
711.29	Diagnosis	ICD-9-CM	Arthropathy in Behcet's syndrome, multiple sites
173.1	Diagnosis	ICD-10-CM	Thromboangiitis obliterans [Buerger's disease]
443.1	Diagnosis	ICD-9-CM	Thromboangiitis obliterans (Buerger's disease)
M30.1	Diagnosis	ICD-10-CM	Polyarteritis with lung involvement [Churg-Strauss]
D89.1	Diagnosis	ICD-10-CM	Cryoglobulinemia
M31.30	Diagnosis	ICD-10-CM	Wegener's granulomatosis without renal involvement
M31.31	Diagnosis	ICD-10-CM	Wegener's granulomatosis with renal involvement
L95	Diagnosis	ICD-10-CM	Vasculitis limited to skin, not elsewhere classified
287	Diagnosis	ICD-9-CM	Allergic purpura
M30.3	Diagnosis	ICD-10-CM	Mucocutaneous lymph node syndrome [Kawasaki]
446.1	Diagnosis	ICD-9-CM	Acute febrile mucocutaneous lymph node syndrome (MCLS)
			Esophagus Stomach and Duodenum Disease
530	Diagnosis	ICD-9-CM	Achalasia and cardiospasm
530.1	Diagnosis	ICD-9-CM	Unspecified esophagitis
530.11	Diagnosis	ICD-9-CM	Reflux esophagitis
530.12	Diagnosis	ICD-9-CM	Acute esophagitis
530.13	Diagnosis	ICD-9-CM	Eosinophilic esophagitis

cder_mpl1p_wp075 Page 195 of 369



Request			
Code	Code Category	Code Type	Description
530.19	Diagnosis	ICD-9-CM	Other esophagitis
530.2	Diagnosis	ICD-9-CM	Ulcer of esophagus without bleeding
530.21	Diagnosis	ICD-9-CM	Ulcer of esophagus with bleeding
530.3	Diagnosis	ICD-9-CM	Stricture and stenosis of esophagus
530.4	Diagnosis	ICD-9-CM	Perforation of esophagus
530.5	Diagnosis	ICD-9-CM	Dyskinesia of esophagus
530.6	Diagnosis	ICD-9-CM	Diverticulum of esophagus, acquired
530.7	Diagnosis	ICD-9-CM	Gastroesophageal laceration-hemorrhage syndrome
530.81	Diagnosis	ICD-9-CM	Esophageal reflux
530.82	Diagnosis	ICD-9-CM	Esophageal hemorrhage
530.83	Diagnosis	ICD-9-CM	Esophageal leukoplakia
530.85	Diagnosis	ICD-9-CM	Barrett's esophagus
530.89	Diagnosis	ICD-9-CM	Other specified disorder of the esophagus
530.9	Diagnosis	ICD-9-CM	Unspecified disorder of esophagus
533	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction
533.01	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with hemorrhage and obstruction
533.1	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with perforation, without mention of obstruction
533.11	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with perforation and obstruction
			Acute peptic ulcer, unspecified site, with hemorrhage and perforation, without
533.2	Diagnosis	ICD-9-CM	mention of obstruction
533.21	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction
			Acute peptic ulcer, unspecified site, without mention of hemorrhage, perforation, or
533.3	Diagnosis	ICD-9-CM	obstruction
			Acute peptic ulcer, unspecified site, without mention of hemorrhage and perforation,
533.31	Diagnosis	ICD-9-CM	with obstruction
			Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, without
533.4	Diagnosis	ICD-9-CM	mention of obstruction
533.41	Diagnosis	ICD-9-CM	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and obstruction
			Chronic or unspecified peptic ulcer, unspecified site, with perforation, without
533.5	Diagnosis	ICD-9-CM	mention of obstruction
533.51	Diagnosis	ICD-9-CM	Chronic or unspecified peptic ulcer, unspecified site, with perforation and obstruction
			Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation,
533.6	Diagnosis	ICD-9-CM	without mention of obstruction
			Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, perforation,
533.61	Diagnosis	ICD-9-CM	and obstruction
			Chronic peptic ulcer, unspecified site, without mention of hemorrhage, perforation, or
533.7	Diagnosis	ICD-9-CM	obstruction
			Chronic peptic ulcer of unspecified site without mention of hemorrhage or
533.71	Diagnosis	ICD-9-CM	perforation, with obstruction
			Peptic ulcer, unspecified site, unspecified as acute or chronic, without mention of
533.9	Diagnosis	ICD-9-CM	hemorrhage, perforation, or obstruction

cder_mpl1p_wp075 Page 196 of 369



Request			
Code	Code Category	Code Type	Description
			Peptic ulcer, unspecified site, unspecified as acute or chronic, without mention of
533.91	Diagnosis	ICD-9-CM	hemorrhage or perforation, with obstruction
			Peptic ulcer, unspecified site, unspecified as acute or chronic, without mention of
533.9	Diagnosis	ICD-9-CM	hemorrhage or perforation
533.7	Diagnosis	ICD-9-CM	Chronic peptic ulcer, unspecified site, without mention of hemorrhage or perforation
533.6	Diagnosis	ICD-9-CM	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation
533.5	Diagnosis	ICD-9-CM	Chronic or unspecified peptic ulcer, unspecified site, with perforation
533.4	Diagnosis	ICD-9-CM	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage
533.3	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, without mention of hemorrhage and perforation
533.2	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with hemorrhage and perforation
533.1	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with perforation
533	Diagnosis	ICD-9-CM	Acute peptic ulcer, unspecified site, with hemorrhage
533	Diagnosis	ICD-9-CM	Peptic ulcer, site unspecified
530.87	Diagnosis	ICD-9-CM	Mechanical complication of esophagostomy
530.86	Diagnosis	ICD-9-CM	Infection of esophagostomy
530.84	Diagnosis	ICD-9-CM	Tracheoesophageal fistula
530.8	Diagnosis	ICD-9-CM	Other specified disorders of esophagus
530.2	Diagnosis	ICD-9-CM	Ulcer of esophagus
530.1	Diagnosis	ICD-9-CM	Esophagitis
530	Diagnosis	ICD-9-CM	Diseases of esophagus
531	Diagnosis	ICD-9-CM	Acute gastric ulcer with hemorrhage, without mention of obstruction
531.01	Diagnosis	ICD-9-CM	Acute gastric ulcer with hemorrhage and obstruction
531.1	Diagnosis	ICD-9-CM	Acute gastric ulcer with perforation, without mention of obstruction
531.11	Diagnosis	ICD-9-CM	Acute gastric ulcer with perforation and obstruction
531.2	Diagnosis	ICD-9-CM	Acute gastric ulcer with hemorrhage and perforation, without mention of obstruction
531.21	Diagnosis	ICD-9-CM	Acute gastric ulcer with hemorrhage, perforation, and obstruction
531.3	Diagnosis	ICD-9-CM	Acute gastric ulcer without mention of hemorrhage, perforation, or obstruction
531.31	Diagnosis	ICD-9-CM	Acute gastric ulcer without mention of hemorrhage or perforation, with obstruction
531.4	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with hemorrhage, without mention of obstruction
531.41	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with hemorrhage and obstruction
531.5	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with perforation, without mention of obstruction
531.51	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with perforation and obstruction
			Chronic or unspecified gastric ulcer with hemorrhage and perforation, without
531.6	Diagnosis	ICD-9-CM	mention of obstruction
531.61	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with hemorrhage, perforation, and obstruction
	J		Chronic gastric ulcer without mention of hemorrhage, perforation, without mention of
531.7	Diagnosis	ICD-9-CM	obstruction
531.71	Diagnosis	ICD-9-CM	Chronic gastric ulcer without mention of hemorrhage or perforation, with obstruction
	Ç		Gastric ulcer, unspecified as acute or chronic, without mention of hemorrhage,
531.9	Diagnosis	ICD-9-CM	perforation, or obstruction
-	G ,		Gastric ulcer, unspecified as acute or chronic, without mention of hemorrhage or
531.91	Diagnosis	ICD-9-CM	perforation, with obstruction
302.31			p=

cder_mpl1p_wp075 Page 197 of 369



Request			
Code	Code Category		Description
532	Diagnosis	ICD-9-CM	Acute duodenal ulcer with hemorrhage, without mention of obstruction
532.01	Diagnosis	ICD-9-CM	Acute duodenal ulcer with hemorrhage and obstruction
532.1	Diagnosis	ICD-9-CM	Acute duodenal ulcer with perforation, without mention of obstruction
532.11	Diagnosis	ICD-9-CM	Acute duodenal ulcer with perforation and obstruction
			Acute duodenal ulcer with hemorrhage and perforation, without mention of
532.2	Diagnosis	ICD-9-CM	obstruction
532.21	Diagnosis	ICD-9-CM	Acute duodenal ulcer with hemorrhage, perforation, and obstruction
532.3	Diagnosis	ICD-9-CM	Acute duodenal ulcer without mention of hemorrhage, perforation, or obstruction
532.31	Diagnosis	ICD-9-CM	Acute duodenal ulcer without mention of hemorrhage or perforation, with obstruction
			Duodenal ulcer, chronic or unspecified, with hemorrhage, without mention of
532.4	Diagnosis	ICD-9-CM	obstruction
532.41	Diagnosis	ICD-9-CM	Chronic or unspecified duodenal ulcer with hemorrhage and obstruction
			Chronic or unspecified duodenal ulcer with perforation, without mention of
532.5	Diagnosis	ICD-9-CM	obstruction
532.51	Diagnosis	ICD-9-CM	Chronic or unspecified duodenal ulcer with perforation and obstruction
			Chronic or unspecified duodenal ulcer with hemorrhage and perforation, without
532.6	Diagnosis	ICD-9-CM	mention of obstruction
532.61	Diagnosis	ICD-9-CM	Chronic or unspecified duodenal ulcer with hemorrhage, perforation, and obstruction
532.7	Diagnosis	ICD-9-CM	Chronic duodenal ulcer without mention of hemorrhage, perforation, or obstruction
			Chronic duodenal ulcer without mention of hemorrhage or perforation, with
532.71	Diagnosis	ICD-9-CM	obstruction
			Duodenal ulcer, unspecified as acute or chronic, without hemorrhage, perforation, or
532.9	Diagnosis	ICD-9-CM	obstruction
			Duodenal ulcer, unspecified as acute or chronic, without mention of hemorrhage or
532.91	Diagnosis	ICD-9-CM	perforation, with obstruction
534	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with hemorrhage, without mention of obstruction
534.01	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer, with hemorrhage and obstruction
534.1	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with perforation, without mention of obstruction
534.11	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with perforation and obstruction
			Acute gastrojejunal ulcer with hemorrhage and perforation, without mention of
534.2	Diagnosis	ICD-9-CM	obstruction
534.21	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with hemorrhage, perforation, and obstruction
534.3	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer without mention of hemorrhage, perforation, or obstruction
			Acute gastrojejunal ulcer without mention of hemorrhage or perforation, with
534.31	Diagnosis	ICD-9-CM	obstruction
			Chronic or unspecified gastrojejunal ulcer with hemorrhage, without mention of
534.4	Diagnosis	ICD-9-CM	obstruction
534.41	Diagnosis	ICD-9-CM	Chronic or unspecified gastrojejunal ulcer, with hemorrhage and obstruction
			Chronic or unspecified gastrojejunal ulcer with perforation, without mention of
534.5	Diagnosis	ICD-9-CM	obstruction
534.51	Diagnosis	ICD-9-CM	Chronic or unspecified gastrojejunal ulcer with perforation and obstruction
			Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation, without
534.6	Diagnosis	ICD-9-CM	mention of obstruction

cder_mpl1p_wp075 Page 198 of 369



Code	Code Category	Code Type	Description
			Chronic or unspecified gastrojejunal ulcer with hemorrhage, perforation, and
534.61	Diagnosis	ICD-9-CM	obstruction
			Chronic gastrojejunal ulcer without mention of hemorrhage, perforation, or
534.7	Diagnosis	ICD-9-CM	obstruction
			Chronic gastrojejunal ulcer without mention of hemorrhage or perforation, with
534.71	Diagnosis	ICD-9-CM	obstruction
			Gastrojejunal ulcer, unspecified as acute or chronic, without mention of hemorrhage,
534.9	Diagnosis	ICD-9-CM	perforation, or obstruction
			Gastrojejunal ulcer, unspecified as acute or chronic, without mention of hemorrhage
534.91	Diagnosis	ICD-9-CM	or perforation, with obstruction
535	Diagnosis	ICD-9-CM	Acute gastritis without mention of hemorrhage
535.01	Diagnosis	ICD-9-CM	Acute gastritis with hemorrhage
535.1	Diagnosis	ICD-9-CM	Atrophic gastritis without mention of hemorrhage
535.11	Diagnosis	ICD-9-CM	Atrophic gastritis with hemorrhage
535.2	Diagnosis	ICD-9-CM	Gastric mucosal hypertrophy without mention of hemorrhage
535.21	Diagnosis	ICD-9-CM	Gastric mucosal hypertrophy with hemorrhage
535.3	Diagnosis	ICD-9-CM	Alcoholic gastritis without mention of hemorrhage
535.31	Diagnosis	ICD-9-CM	Alcoholic gastritis with hemorrhage
535.4	Diagnosis	ICD-9-CM	Other specified gastritis without mention of hemorrhage
535.41	Diagnosis	ICD-9-CM	Other specified gastritis with hemorrhage
535.5	Diagnosis	ICD-9-CM	Unspecified gastritis and gastroduodenitis without mention of hemorrhage
535.51	Diagnosis	ICD-9-CM	Unspecified gastritis and gastroduodenitis with hemorrhage
535.6	Diagnosis	ICD-9-CM	Duodenitis without mention of hemorrhage
535.61	Diagnosis	ICD-9-CM	Duodenitis with hemorrhage
536	Diagnosis	ICD-9-CM	Achlorhydria
536.1	Diagnosis	ICD-9-CM	Acute dilatation of stomach
536.3	Diagnosis	ICD-9-CM	Gastroparesis
536.8	Diagnosis	ICD-9-CM	Dyspepsia and other specified disorders of function of stomach
536.9	Diagnosis	ICD-9-CM	Unspecified functional disorder of stomach
537	Diagnosis	ICD-9-CM	Acquired hypertrophic pyloric stenosis
537.1	Diagnosis	ICD-9-CM	Gastric diverticulum
537.2	Diagnosis	ICD-9-CM	Chronic duodenal ileus
537.3	Diagnosis	ICD-9-CM	Other obstruction of duodenum
537.4	Diagnosis	ICD-9-CM	Fistula of stomach or duodenum
537.5	Diagnosis	ICD-9-CM	Gastroptosis
537.6	Diagnosis	ICD-9-CM	Hourglass stricture or stenosis of stomach
537.82	Diagnosis	ICD-9-CM	Angiodysplasia of stomach and duodenum (without mention of hemorrhage)
537.83	Diagnosis	ICD-9-CM	Angiodysplasia of stomach and duodenum with hemorrhage
537.84	Diagnosis	ICD-9-CM	Dieulafoy lesion (hemorrhagic) of stomach and duodenum
537.89	Diagnosis	ICD-9-CM	Other specified disorder of stomach and duodenum
537.9	Diagnosis	ICD-9-CM	Unspecified disorder of stomach and duodenum
539.89	Diagnosis	ICD-9-CM	Other complications of other bariatric procedure
539.81	Diagnosis	ICD-9-CM	Infection due to other bariatric procedure

cder_mpl1p_wp075 Page 199 of 369



Request			
Code	Code Category		Description
539.8	Diagnosis	ICD-9-CM	Complications of other bariatric procedure
539.09	Diagnosis	ICD-9-CM	Other complications of gastric band procedure
539.01	Diagnosis	ICD-9-CM	Infection due to gastric band procedure
539	Diagnosis	ICD-9-CM	Complications of gastric band procedure
539	Diagnosis	ICD-9-CM	Complications of bariatric procedures
538	Diagnosis	ICD-9-CM	Gastrointestinal mucositis (ulcerative)
537.8	Diagnosis	ICD-9-CM	Other specified disorders of stomach and duodenum
537	Diagnosis	ICD-9-CM	Other disorders of stomach and duodenum
536.49	Diagnosis	ICD-9-CM	Other gastrostomy complications
536.42	Diagnosis	ICD-9-CM	Mechanical complication of gastrostomy
536.41	Diagnosis	ICD-9-CM	Infection of gastrostomy
536.4	Diagnosis	ICD-9-CM	Unspecified gastrostomy complication
536.4	Diagnosis	ICD-9-CM	Gastrostomy complications
536.2	Diagnosis	ICD-9-CM	Persistent vomiting
536	Diagnosis	ICD-9-CM	Disorders of function of stomach
535.71	Diagnosis	ICD-9-CM	Eosinophilic gastritis with hemorrhage
535.7	Diagnosis	ICD-9-CM	Eosinophilic gastritis without mention of hemorrhage
535.7	Diagnosis	ICD-9-CM	Eosinophilic gastritis
535.6	Diagnosis	ICD-9-CM	Duodenitis
535.5	Diagnosis	ICD-9-CM	Unspecified gastritis and gastroduodenitis
535.4	Diagnosis	ICD-9-CM	Other specified gastritis
535.3	Diagnosis	ICD-9-CM	Alcoholic gastritis
535.2	Diagnosis	ICD-9-CM	Gastric mucosal hypertrophy
535.1	Diagnosis	ICD-9-CM	Atrophic gastritis
535	Diagnosis	ICD-9-CM	Acute gastritis
535	Diagnosis	ICD-9-CM	Gastritis and duodenitis
			Gastrojejunal ulcer, unspecified as acute or chronic, without mention of hemorrhage
534.9	Diagnosis	ICD-9-CM	or perforation
534.7	Diagnosis	ICD-9-CM	Chronic gastrojejunal ulcer without mention of hemorrhage or perforation
534.6	Diagnosis	ICD-9-CM	Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation
534.5	Diagnosis	ICD-9-CM	Chronic or unspecified gastrojejunal ulcer with perforation
534.4	Diagnosis	ICD-9-CM	Chronic or unspecified gastrojejunal ulcer with hemorrhage
534.3	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer without mention of hemorrhage or perforation
534.2	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with hemorrhage and perforation
534.1	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with perforation
534	Diagnosis	ICD-9-CM	Acute gastrojejunal ulcer with hemorrhage
534	Diagnosis	ICD-9-CM	Gastrojejunal ulcer
			Duodenal ulcer, unspecified as acute or chronic, without mention of hemorrhage or
532.9	Diagnosis	ICD-9-CM	perforation
532.7	Diagnosis	ICD-9-CM	Chronic duodenal ulcer without mention of hemorrhage or perforation
532.6	Diagnosis	ICD-9-CM	Chronic or unspecified duodenal ulcer with hemorrhage and perforation
532.5	Diagnosis	ICD-9-CM	Chronic or unspecified duodenal ulcer with perforation
532.4	Diagnosis	ICD-9-CM	Chronic or unspecified duodenal ulcer with hemorrhage
	-		

cder_mpl1p_wp075 Page 200 of 369



Request			
Code	Code Category	Code Type	Description
532.3	Diagnosis	ICD-9-CM	Acute duodenal ulcer without mention of hemorrhage or perforation
532.2	Diagnosis	ICD-9-CM	Acute duodenal ulcer with hemorrhage and perforation
532.1	Diagnosis	ICD-9-CM	Acute duodenal ulcer with perforation
532	Diagnosis	ICD-9-CM	Acute duodenal ulcer with hemorrhage
532	Diagnosis	ICD-9-CM	Duodenal ulcer
			Gastric ulcer, unspecified as acute or chronic, without mention of hemorrhage or
531.9	Diagnosis	ICD-9-CM	perforation
531.7	Diagnosis	ICD-9-CM	Chronic gastric ulcer without mention of hemorrhage or perforation
531.6	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with hemorrhage and perforation
531.5	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with perforation
531.4	Diagnosis	ICD-9-CM	Chronic or unspecified gastric ulcer with hemorrhage
531.3	Diagnosis	ICD-9-CM	Acute gastric ulcer without mention of hemorrhage or perforation
531.2	Diagnosis	ICD-9-CM	Acute gastric ulcer with hemorrhage and perforation
531.1	Diagnosis	ICD-9-CM	Acute gastric ulcer with perforation
531	Diagnosis	ICD-9-CM	Acute gastric ulcer with hemorrhage
531	Diagnosis	ICD-9-CM	Gastric ulcer
K20	Diagnosis	ICD-10-CM	Esophagitis
K20.0	Diagnosis	ICD-10-CM	Eosinophilic esophagitis
K20.8	Diagnosis	ICD-10-CM	Other esophagitis
K20.80	Diagnosis	ICD-10-CM	Other esophagitis without bleeding
K20.81	Diagnosis	ICD-10-CM	Other esophagitis with bleeding
K20.9	Diagnosis	ICD-10-CM	Esophagitis, unspecified
K20.90	Diagnosis	ICD-10-CM	Esophagitis, unspecified without bleeding
K20.91	Diagnosis	ICD-10-CM	Esophagitis, unspecified with bleeding
K21	Diagnosis	ICD-10-CM	Gastro-esophageal reflux disease
K21.0	Diagnosis	ICD-10-CM	Gastro-esophageal reflux disease with esophagitis
K21.00	Diagnosis	ICD-10-CM	Gastro-esophageal reflux disease with esophagitis, without bleeding
K21.01	Diagnosis	ICD-10-CM	Gastro-esophageal reflux disease with esophagitis, with bleeding
K21.9	Diagnosis	ICD-10-CM	Gastro-esophageal reflux disease without esophagitis
K22	Diagnosis	ICD-10-CM	Other diseases of esophagus
K22.0	Diagnosis	ICD-10-CM	Achalasia of cardia
K22.1	Diagnosis	ICD-10-CM	Ulcer of esophagus
K22.10	Diagnosis	ICD-10-CM	Ulcer of esophagus without bleeding
K22.11	Diagnosis	ICD-10-CM	Ulcer of esophagus with bleeding
K22.2	Diagnosis	ICD-10-CM	Esophageal obstruction
K22.3	Diagnosis	ICD-10-CM	Perforation of esophagus
K22.4	Diagnosis	ICD-10-CM	Dyskinesia of esophagus
K22.5	Diagnosis	ICD-10-CM	Diverticulum of esophagus, acquired
K22.6	Diagnosis	ICD-10-CM	Gastro-esophageal laceration-hemorrhage syndrome
K22.7	Diagnosis	ICD-10-CM	Barrett's esophagus
K22.70	Diagnosis	ICD-10-CM	Barrett's esophagus without dysplasia
K22.71	Diagnosis	ICD-10-CM	Barrett's esophagus with dysplasia
K22.710	Diagnosis	ICD-10-CM	Barrett's esophagus with low grade dysplasia

cder_mpl1p_wp075 Page 201 of 369



Request			
Code	Code Category		Description
K22.711	Diagnosis	ICD-10-CM	Barrett's esophagus with high grade dysplasia
K22.719	Diagnosis	ICD-10-CM	Barrett's esophagus with dysplasia, unspecified
K22.8	Diagnosis	ICD-10-CM	Other specified diseases of esophagus
K22.81	Diagnosis	ICD-10-CM	Esophageal polyp
K22.82	Diagnosis	ICD-10-CM	Esophagogastric junction polyp
K22.89	Diagnosis	ICD-10-CM	Other specified disease of esophagus
K22.9	Diagnosis	ICD-10-CM	Disease of esophagus, unspecified
K23	Diagnosis	ICD-10-CM	Disorders of esophagus in diseases classified elsewhere
K27	Diagnosis	ICD-10-CM	Peptic ulcer, site unspecified
K27.0	Diagnosis	ICD-10-CM	Acute peptic ulcer, site unspecified, with hemorrhage
K27.1	Diagnosis	ICD-10-CM	Acute peptic ulcer, site unspecified, with perforation
K27.2	Diagnosis	ICD-10-CM	Acute peptic ulcer, site unspecified, with both hemorrhage and perforation
K27.3	Diagnosis	ICD-10-CM	Acute peptic ulcer, site unspecified, without hemorrhage or perforation
K27.4	Diagnosis	ICD-10-CM	Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage
K27.5	Diagnosis	ICD-10-CM	Chronic or unspecified peptic ulcer, site unspecified, with perforation
			Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and
K27.6	Diagnosis	ICD-10-CM	perforation
K27.7	Diagnosis	ICD-10-CM	Chronic peptic ulcer, site unspecified, without hemorrhage or perforation
			Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or
K27.9	Diagnosis	ICD-10-CM	perforation
K28	Diagnosis	ICD-10-CM	Gastrojejunal ulcer
K28.0	Diagnosis	ICD-10-CM	Acute gastrojejunal ulcer with hemorrhage
K28.1	Diagnosis	ICD-10-CM	Acute gastrojejunal ulcer with perforation
K28.2	Diagnosis	ICD-10-CM	Acute gastrojejunal ulcer with both hemorrhage and perforation
K28.3	Diagnosis	ICD-10-CM	Acute gastrojejunal ulcer without hemorrhage or perforation
K28.4	Diagnosis	ICD-10-CM	Chronic or unspecified gastrojejunal ulcer with hemorrhage
K28.5	Diagnosis	ICD-10-CM	Chronic or unspecified gastrojejunal ulcer with perforation
K28.6	Diagnosis	ICD-10-CM	Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation
K28.7	Diagnosis	ICD-10-CM	Chronic gastrojejunal ulcer without hemorrhage or perforation
			Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or
K28.9	Diagnosis	ICD-10-CM	perforation
K25	Diagnosis	ICD-10-CM	Gastric ulcer
K25.0	Diagnosis	ICD-10-CM	Acute gastric ulcer with hemorrhage
K25.1	Diagnosis	ICD-10-CM	Acute gastric ulcer with perforation
K25.2	Diagnosis	ICD-10-CM	Acute gastric ulcer with both hemorrhage and perforation
K25.3	Diagnosis	ICD-10-CM	Acute gastric ulcer without hemorrhage or perforation
K25.4	Diagnosis	ICD-10-CM	Chronic or unspecified gastric ulcer with hemorrhage
K25.5	Diagnosis	ICD-10-CM	Chronic or unspecified gastric ulcer with perforation
K25.6	Diagnosis	ICD-10-CM	Chronic or unspecified gastric ulcer with both hemorrhage and perforation
K25.7	Diagnosis	ICD-10-CM	Chronic gastric ulcer without hemorrhage or perforation
K25.9	Diagnosis	ICD-10-CM	Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation
K26	Diagnosis	ICD-10-CM	Duodenal ulcer
K26.0	Diagnosis	ICD-10-CM	Acute duodenal ulcer with hemorrhage
	- 0		· · · · · · · · · · · · · · · · · · ·

cder_mpl1p_wp075 Page 202 of 369



Request			
Code	Code Category	Code Type	Description
K26.1	Diagnosis	ICD-10-CM	Acute duodenal ulcer with perforation
K26.2	Diagnosis	ICD-10-CM	Acute duodenal ulcer with both hemorrhage and perforation
K26.3	Diagnosis	ICD-10-CM	Acute duodenal ulcer without hemorrhage or perforation
K26.4	Diagnosis	ICD-10-CM	Chronic or unspecified duodenal ulcer with hemorrhage
K26.5	Diagnosis	ICD-10-CM	Chronic or unspecified duodenal ulcer with perforation
K26.6	Diagnosis	ICD-10-CM	Chronic or unspecified duodenal ulcer with both hemorrhage and perforation
K26.7	Diagnosis	ICD-10-CM	Chronic duodenal ulcer without hemorrhage or perforation
K26.9	Diagnosis	ICD-10-CM	Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation
K29	Diagnosis	ICD-10-CM	Gastritis and duodenitis
K29.0	Diagnosis	ICD-10-CM	Acute gastritis
K29.00	Diagnosis	ICD-10-CM	Acute gastritis without bleeding
K29.01	Diagnosis	ICD-10-CM	Acute gastritis with bleeding
K29.2	Diagnosis	ICD-10-CM	Alcoholic gastritis
K29.20	Diagnosis	ICD-10-CM	Alcoholic gastritis without bleeding
K29.21	Diagnosis	ICD-10-CM	Alcoholic gastritis with bleeding
K29.3	Diagnosis	ICD-10-CM	Chronic superficial gastritis
K29.30	Diagnosis	ICD-10-CM	Chronic superficial gastritis without bleeding
K29.31	Diagnosis	ICD-10-CM	Chronic superficial gastritis with bleeding
K29.4	Diagnosis	ICD-10-CM	Chronic atrophic gastritis
K29.40	Diagnosis	ICD-10-CM	Chronic atrophic gastritis without bleeding
K29.41	Diagnosis	ICD-10-CM	Chronic atrophic gastritis with bleeding
K29.5	Diagnosis	ICD-10-CM	Unspecified chronic gastritis
K29.50	Diagnosis	ICD-10-CM	Unspecified chronic gastritis without bleeding
K29.51	Diagnosis	ICD-10-CM	Unspecified chronic gastritis with bleeding
K29.6	Diagnosis	ICD-10-CM	Other gastritis
K29.60	Diagnosis	ICD-10-CM	Other gastritis without bleeding
K29.61	Diagnosis	ICD-10-CM	Other gastritis with bleeding
K29.7	Diagnosis	ICD-10-CM	Gastritis, unspecified
K29.70	Diagnosis	ICD-10-CM	Gastritis, unspecified, without bleeding
K29.71	Diagnosis	ICD-10-CM	Gastritis, unspecified, with bleeding
K29.8	Diagnosis	ICD-10-CM	Duodenitis
K29.80	Diagnosis	ICD-10-CM	Duodenitis without bleeding
K29.81	Diagnosis	ICD-10-CM	Duodenitis with bleeding
K29.9	Diagnosis	ICD-10-CM	Gastroduodenitis, unspecified
K29.90	Diagnosis	ICD-10-CM	Gastroduodenitis, unspecified, without bleeding
K29.91	Diagnosis	ICD-10-CM	Gastroduodenitis, unspecified, with bleeding
K30	Diagnosis	ICD-10-CM	Functional dyspepsia
K31	Diagnosis	ICD-10-CM	Other diseases of stomach and duodenum
K31.0	Diagnosis	ICD-10-CM	Acute dilatation of stomach
K31.1	Diagnosis	ICD-10-CM	Adult hypertrophic pyloric stenosis
K31.2	Diagnosis	ICD-10-CM	Hourglass stricture and stenosis of stomach
K31.4	Diagnosis	ICD-10-CM	Gastric diverticulum
K31.5	Diagnosis	ICD-10-CM	Obstruction of duodenum

cder_mpl1p_wp075 Page 203 of 369



Request			
Code	Code Category		Description
K31.6	Diagnosis	ICD-10-CM	Fistula of stomach and duodenum
K31.7	Diagnosis	ICD-10-CM	Polyp of stomach and duodenum
K31.8	Diagnosis	ICD-10-CM	Other specified diseases of stomach and duodenum
K31.81	Diagnosis	ICD-10-CM	Angiodysplasia of stomach and duodenum
K31.811	Diagnosis	ICD-10-CM	Angiodysplasia of stomach and duodenum with bleeding
K31.819	Diagnosis	ICD-10-CM	Angiodysplasia of stomach and duodenum without bleeding
K31.82	Diagnosis	ICD-10-CM	Dieulafoy lesion (hemorrhagic) of stomach and duodenum
K31.83	Diagnosis	ICD-10-CM	Achlorhydria
K31.84	Diagnosis	ICD-10-CM	Gastroparesis
K31.89	Diagnosis	ICD-10-CM	Other diseases of stomach and duodenum
K31.9	Diagnosis	ICD-10-CM	Disease of stomach and duodenum, unspecified
K31.A	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia
K31.A0	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia, unspecified
K31.A1	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia
K31.A11	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia, involving the antrum
K31.A12	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia, involving the body (corpus)
K31.A13	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia, involving the fundus
K31.A14	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia, involving the cardia
K31.A15	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia, involving multiple sites
K31.A19	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia without dysplasia, unspecified site
K31.A2	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia with dysplasia
K31.A21	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia with low grade dysplasia
K31.A22	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia with high grade dysplasia
K31.A29	Diagnosis	ICD-10-CM	Gastric intestinal metaplasia with dysplasia, unspecified
K52.81	Diagnosis	ICD-10-CM	Eosinophilic gastritis or gastroenteritis
K92.81	Diagnosis	ICD-10-CM	Gastrointestinal mucositis (ulcerative)
			Appendicitis
K35	Diagnosis	ICD-10-CM	Acute appendicitis
K35.2	Diagnosis	ICD-10-CM	Acute appendicitis with generalized peritonitis
K35.20	Diagnosis	ICD-10-CM	Acute appendicitis with generalized peritonitis, without abscess
K35.21	Diagnosis	ICD-10-CM	Acute appendicitis with generalized peritonitis, with abscess
K35.3	Diagnosis	ICD-10-CM	Acute appendicitis with localized peritonitis
K35.30	Diagnosis	ICD-10-CM	Acute appendicitis with localized peritonitis, without perforation or gangrene
K35.31	Diagnosis	ICD-10-CM	Acute appendicitis with localized peritonitis and gangrene, without perforation
			Acute appendicitis with perforation, localized peritonitis, and gangrene, without
K35.32	Diagnosis	ICD-10-CM	abscess
K35.33	Diagnosis	ICD-10-CM	Acute appendicitis with perforation, localized peritonitis, and gangrene, with abscess
K35.8	Diagnosis	ICD-10-CM	Other and unspecified acute appendicitis
K35.80	Diagnosis	ICD-10-CM	Unspecified acute appendicitis
K35.89	Diagnosis	ICD-10-CM	Other acute appendicitis
K35.890	Diagnosis	ICD-10-CM	Other acute appendicitis without perforation or gangrene
K35.891	Diagnosis	ICD-10-CM	Other acute appendicitis without perforation, with gangrene
K36	Diagnosis	ICD-10-CM	Other appendicitis

cder_mpl1p_wp075 Page 204 of 369



Request			
Code	Code Category	Code Type	Description
K37	Diagnosis	ICD-10-CM	Unspecified appendicitis
540	Diagnosis	ICD-9-CM	Acute appendicitis with generalized peritonitis
540.1	Diagnosis	ICD-9-CM	Acute appendicitis with peritoneal abscess
540.9	Diagnosis	ICD-9-CM	Acute appendicitis without mention of peritonitis
541	Diagnosis	ICD-9-CM	Appendicitis, unqualified
542	Diagnosis	ICD-9-CM	Other appendicitis
543.9	Diagnosis	ICD-9-CM	Other and unspecified diseases of appendix
543	Diagnosis	ICD-9-CM	Hyperplasia of appendix (lymphoid)
543	Diagnosis	ICD-9-CM	Other diseases of appendix
540	Diagnosis	ICD-9-CM	Acute appendicitis
K38.8	Diagnosis	ICD-10-CM	Other specified diseases of appendix
K38.9	Diagnosis	ICD-10-CM	Disease of appendix, unspecified
			Hernia of Abnormal Cavity
K45	Diagnosis	ICD-10-CM	Other abdominal hernia
K45.0	Diagnosis	ICD-10-CM	Other specified abdominal hernia with obstruction, without gangrene
K45.1	Diagnosis	ICD-10-CM	Other specified abdominal hernia with gangrene
K45.8	Diagnosis	ICD-10-CM	Other specified abdominal hernia without obstruction or gangrene
K46	Diagnosis	ICD-10-CM	Unspecified abdominal hernia
K46.0	Diagnosis	ICD-10-CM	Unspecified abdominal hernia with obstruction, without gangrene
K46.1	Diagnosis	ICD-10-CM	Unspecified abdominal hernia with gangrene
K46.9	Diagnosis	ICD-10-CM	Unspecified abdominal hernia without obstruction or gangrene
551.8	Diagnosis	ICD-9-CM	Hernia of other specified sites, with gangrene
551.9	Diagnosis	ICD-9-CM	Hernia of unspecified site, with gangrene
552.8	Diagnosis	ICD-9-CM	Hernia of other specified site, with obstruction
552.9	Diagnosis	ICD-9-CM	Hernia of unspecified site, with obstruction
553.29	Diagnosis	ICD-9-CM	Other ventral hernia without mention of obstruction or gangrene
			Hernia of other specified sites of abdominal cavity without mention of obstruction or
553.8	Diagnosis	ICD-9-CM	gangrene
			Hernia of unspecified site of abdominal cavity without mention of obstruction or
553.9	Diagnosis	ICD-9-CM	gangrene
553.3	Diagnosis	ICD-9-CM	Diaphragmatic hernia without mention of obstruction or gangrene
553.21	Diagnosis	ICD-9-CM	Incisional hernia without mention of obstruction or gangrene
553.2	Diagnosis	ICD-9-CM	Unspecified ventral hernia without mention of obstruction or gangrene
553.2	Diagnosis	ICD-9-CM	Ventral hernia without mention of obstruction or gangrene
553.1	Diagnosis	ICD-9-CM	Umbilical hernia without mention of obstruction or gangrene
553.03	Diagnosis	ICD-9-CM	Femoral hernia without mention of obstruction or gangrene, recurrent bilateral
553.02	Diagnosis	ICD-9-CM	Femoral hernia without mention of obstruction or gangrene, bilateral
			Femoral hernia without mention of obstruction or gangrene, recurrent unilateral or
553.01	Diagnosis	ICD-9-CM	unspecified
			Unilateral or unspecified femoral hernia without mention of obstruction or gangrene,
553	Diagnosis	ICD-9-CM	unilateral or unspecified
553	Diagnosis	ICD-9-CM	Femoral hernia without mention of obstruction or gangrene
553	Diagnosis	ICD-9-CM	Other hernia of abdominal cavity without mention of obstruction or gangrene

cder_mpl1p_wp075 Page 205 of 369



Request			
Code	Code Category	Code Type	Description
552.3	Diagnosis	ICD-9-CM	Diaphragmatic hernia with obstruction
552.29	Diagnosis	ICD-9-CM	Other ventral hernia with obstruction
552.21	Diagnosis	ICD-9-CM	Incisional hernia with obstruction
552.2	Diagnosis	ICD-9-CM	Unspecified ventral hernia with obstruction
552.2	Diagnosis	ICD-9-CM	Ventral hernia with obstruction
552.1	Diagnosis	ICD-9-CM	Umbilical hernia with obstruction
552.03	Diagnosis	ICD-9-CM	Recurrent bilateral femoral hernia with obstruction
552.02	Diagnosis	ICD-9-CM	Bilateral femoral hernia with obstruction
552.01	Diagnosis	ICD-9-CM	Recurrent unilateral or unspecified femoral hernia with obstruction
552	Diagnosis	ICD-9-CM	Unilateral or unspecified femoral hernia with obstruction
552	Diagnosis	ICD-9-CM	Femoral hernia with obstruction
552	Diagnosis	ICD-9-CM	Other hernia of abdominal cavity, with obstruction, but without mention of gangrene
551.3	Diagnosis	ICD-9-CM	Diaphragmatic hernia with gangrene
551.29	Diagnosis	ICD-9-CM	Other ventral hernia with gangrene
551.21	Diagnosis	ICD-9-CM	Incisional ventral hernia, with gangrene
551.2	Diagnosis	ICD-9-CM	Unspecified ventral hernia with gangrene
551.2	Diagnosis	ICD-9-CM	Ventral hernia with gangrene
551.1	Diagnosis	ICD-9-CM	Umbilical hernia with gangrene
551.03	Diagnosis	ICD-9-CM	Femoral hernia with gangrene, recurrent bilateral
551.02	Diagnosis	ICD-9-CM	Femoral hernia with gangrene, bilateral, (not specified as recurrent)
551.01	Diagnosis	ICD-9-CM	Femoral hernia with gangrene, recurrent unilateral or unspecified
551	Diagnosis	ICD-9-CM	Femoral hernia with gangrene, unilateral or unspecified (not specified as recurrent)
551	Diagnosis	ICD-9-CM	Femoral hernia with gangrene
551	Diagnosis	ICD-9-CM	Other hernia of abdominal cavity, with gangrene
550.93	Diagnosis	ICD-9-CM	Inguinal hernia without mention of obstruction or gangrene, recurrent bilateral
			Inguinal hernia without mention of obstruction or gangrene, bilateral, (not specified as
550.92	Diagnosis	ICD-9-CM	recurrent)
			Inguinal hernia without mention of obstruction or gangrene, recurrent unilateral or
550.91	Diagnosis	ICD-9-CM	unspecified
			Inguinal hernia without mention of obstruction or gangrene, unilateral or unspecified,
550.9	Diagnosis	ICD-9-CM	(not specified as recurrent)
550.9	Diagnosis	ICD-9-CM	Inguinal hernia, without mention of obstruction or gangrene
550.13	Diagnosis	ICD-9-CM	Inguinal hernia with obstruction, without mention of gangrene, recurrent bilateral
			Inguinal hernia with obstruction, without mention gangrene, bilateral, (not specified as
550.12	Diagnosis	ICD-9-CM	recurrent)
			Inguinal hernia with obstruction, without mention of gangrene, recurrent unilateral or
550.11	Diagnosis	ICD-9-CM	unspecified
			Inguinal hernia with obstruction, without mention of gangrene, unilateral or
550.1	Diagnosis	ICD-9-CM	unspecified, (not specified as recurrent)
550.1	Diagnosis	ICD-9-CM	Inguinal hernia, with obstruction, without mention of gangrene
550.03	Diagnosis	ICD-9-CM	Inguinal hernia with gangrene, recurrent bilateral
550.02	Diagnosis	ICD-9-CM	Inguinal hernia with gangrene, bilateral
550.01	Diagnosis	ICD-9-CM	Inguinal hernia with gangrene, recurrent unilateral or unspecified inguinal hernia

cder_mpl1p_wp075 Page 206 of 369



Code	Code Category	Code Type	Description
550	Diagnosis	ICD-9-CM	Inguinal hernia with gangrene, unilateral or unspecified, (not specified as recurrent)
550	Diagnosis	ICD-9-CM	Inguinal hernia, with gangrene
550	Diagnosis	ICD-9-CM	Inguinal hernia
K40.40	Diagnosis	ICD-10-CM	Unilateral inguinal hernia, with gangrene, not specified as recurrent
K40.41	Diagnosis	ICD-10-CM	Unilateral inguinal hernia, with gangrene, recurrent
K40.10	Diagnosis	ICD-10-CM	Bilateral inguinal hernia, with gangrene, not specified as recurrent
K40.11	Diagnosis	ICD-10-CM	Bilateral inguinal hernia, with gangrene, recurrent
	- 100		Unilateral inguinal hernia, with obstruction, without gangrene, not specified as
K40.30	Diagnosis	ICD-10-CM	recurrent
K40.31	Diagnosis	ICD-10-CM	Unilateral inguinal hernia, with obstruction, without gangrene, recurrent
			Bilateral inguinal hernia, with obstruction, without gangrene, not specified as
K40.00	Diagnosis	ICD-10-CM	recurrent
K40.01	Diagnosis	ICD-10-CM	Bilateral inguinal hernia, with obstruction, without gangrene, recurrent
K40.90	Diagnosis	ICD-10-CM	Unilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent
K40.91	Diagnosis	ICD-10-CM	Unilateral inguinal hernia, without obstruction or gangrene, recurrent
K40.20	Diagnosis	ICD-10-CM	Bilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent
K40.21	Diagnosis	ICD-10-CM	Bilateral inguinal hernia, without obstruction or gangrene, recurrent
K41.40	Diagnosis	ICD-10-CM	Unilateral femoral hernia, with gangrene, not specified as recurrent
K41.41	Diagnosis	ICD-10-CM	Unilateral femoral hernia, with gangrene, recurrent
K41.10	Diagnosis	ICD-10-CM	Bilateral femoral hernia, with gangrene, not specified as recurrent
K41.11	Diagnosis	ICD-10-CM	Bilateral femoral hernia, with gangrene, recurrent
K42.1	Diagnosis	ICD-10-CM	Umbilical hernia with gangrene
K43.7	Diagnosis	ICD-10-CM	Other and unspecified ventral hernia with gangrene
K43.1	Diagnosis	ICD-10-CM	Incisional hernia with gangrene
K43.4	Diagnosis	ICD-10-CM	Parastomal hernia with gangrene
K44.1	Diagnosis	ICD-10-CM	Diaphragmatic hernia with gangrene
			Unilateral femoral hernia, with obstruction, without gangrene, not specified as
K41.30	Diagnosis	ICD-10-CM	recurrent
K41.31	Diagnosis	ICD-10-CM	Unilateral femoral hernia, with obstruction, without gangrene, recurrent
			Bilateral femoral hernia, with obstruction, without gangrene, not specified as
K41.00	Diagnosis	ICD-10-CM	recurrent
K41.01	Diagnosis	ICD-10-CM	Bilateral femoral hernia, with obstruction, without gangrene, recurrent
K42.0	Diagnosis	ICD-10-CM	Umbilical hernia with obstruction, without gangrene
K43.6	Diagnosis	ICD-10-CM	Other and unspecified ventral hernia with obstruction, without gangrene
K43.0	Diagnosis	ICD-10-CM	Incisional hernia with obstruction, without gangrene
K43.3	Diagnosis	ICD-10-CM	Parastomal hernia with obstruction, without gangrene
K44.0	Diagnosis	ICD-10-CM	Diaphragmatic hernia with obstruction, without gangrene
K41.90	Diagnosis	ICD-10-CM	Unilateral femoral hernia, without obstruction or gangrene, not specified as recurrent
K41.91	Diagnosis	ICD-10-CM	Unilateral femoral hernia, without obstruction or gangrene, recurrent
K41.20	Diagnosis	ICD-10-CM	Bilateral femoral hernia, without obstruction or gangrene, not specified as recurrent
K41.21	Diagnosis	ICD-10-CM	Bilateral femoral hernia, without obstruction or gangrene, recurrent
K42.9	Diagnosis	ICD-10-CM	Umbilical hernia without obstruction or gangrene
K43.9	Diagnosis	ICD-10-CM	Ventral hernia without obstruction or gangrene

cder_mpl1p_wp075 Page 207 of 369



Request							
Code	Code Category	Code Type	Description				
K43.2	Diagnosis	ICD-10-CM	Incisional hernia without obstruction or gangrene				
K43.5	Diagnosis	ICD-10-CM	Parastomal hernia without obstruction or gangrene				
K44.9	Diagnosis	ICD-10-CM	Diaphragmatic hernia without obstruction or gangrene				
	Noninfective Enteritis and Colitis						
555	Diagnosis	ICD-9-CM	Regional enteritis of small intestine				
555.1	Diagnosis	ICD-9-CM	Regional enteritis of large intestine				
555.2	Diagnosis	ICD-9-CM	Regional enteritis of small intestine with large intestine				
555.9	Diagnosis	ICD-9-CM	Regional enteritis of unspecified site				
558.1	Diagnosis	ICD-9-CM	Gastroenteritis and colitis due to radiation				
558.2	Diagnosis	ICD-9-CM	Toxic gastroenteritis and colitis				
558.3	Diagnosis	ICD-9-CM	Gastroenteritis and colitis, allergic				
558.41	Diagnosis	ICD-9-CM	Eosinophilic gastroenteritis				
558.42	Diagnosis	ICD-9-CM	Eosinophilic colitis				
558.9	Diagnosis	ICD-9-CM	Other and unspecified noninfectious gastroenteritis and colitis				
557	Diagnosis	ICD-9-CM	Acute vascular insufficiency of intestine				
558.4	Diagnosis	ICD-9-CM	Eosinophilic gastroenteritis and colitis				
558	Diagnosis	ICD-9-CM	Other noninfectious gastroenteritis and colitis				
557.9	Diagnosis	ICD-9-CM	Unspecified vascular insufficiency of intestine				
557.1	Diagnosis	ICD-9-CM	Chronic vascular insufficiency of intestine				
557	Diagnosis	ICD-9-CM	Vascular insufficiency of intestine				
555	Diagnosis	ICD-9-CM	Regional enteritis				
K52	Diagnosis	ICD-10-CM	Other and unspecified noninfective gastroenteritis and colitis				
K52.0	Diagnosis	ICD-10-CM	Gastroenteritis and colitis due to radiation				
K52.1	Diagnosis	ICD-10-CM	Toxic gastroenteritis and colitis				
K52.2	Diagnosis	ICD-10-CM	Allergic and dietetic gastroenteritis and colitis				
K52.21	Diagnosis	ICD-10-CM	Food protein-induced enterocolitis syndrome				
K52.22	Diagnosis	ICD-10-CM	Food protein-induced enteropathy				
K52.29	Diagnosis	ICD-10-CM	Other allergic and dietetic gastroenteritis and colitis				
K52.8	Diagnosis	ICD-10-CM	Other specified noninfective gastroenteritis and colitis				
K52.81	Diagnosis	ICD-10-CM	Eosinophilic gastritis or gastroenteritis				
K52.82	Diagnosis	ICD-10-CM	Eosinophilic colitis				
K52.83	Diagnosis	ICD-10-CM	Microscopic colitis				
K52.831	Diagnosis	ICD-10-CM	Collagenous colitis				
K52.832	Diagnosis	ICD-10-CM	Lymphocytic colitis				
K52.838	Diagnosis	ICD-10-CM	Other microscopic colitis				
K52.839	Diagnosis	ICD-10-CM	Microscopic colitis, unspecified				
K52.89	Diagnosis	ICD-10-CM	Other specified noninfective gastroenteritis and colitis				
K52.9	Diagnosis	ICD-10-CM	Noninfective gastroenteritis and colitis, unspecified				
K55.011	Diagnosis	ICD-10-CM	Focal (segmental) acute (reversible) ischemia of small intestine				
K55.012	Diagnosis	ICD-10-CM	Diffuse acute (reversible) ischemia of small intestine				
K55.019	Diagnosis	ICD-10-CM	Acute (reversible) ischemia of small intestine, extent unspecified				
K55.021	Diagnosis	ICD-10-CM	Focal (segmental) acute infarction of small intestine				
K55.022	Diagnosis	ICD-10-CM	Diffuse acute infarction of small intestine				

cder_mpl1p_wp075 Page 208 of 369



Request			
Code	Code Category	Code Type	Description
K55.029	Diagnosis	ICD-10-CM	Acute infarction of small intestine, extent unspecified
K55.031	Diagnosis	ICD-10-CM	Focal (segmental) acute (reversible) ischemia of large intestine
K55.032	Diagnosis	ICD-10-CM	Diffuse acute (reversible) ischemia of large intestine
K55.039	Diagnosis	ICD-10-CM	Acute (reversible) ischemia of large intestine, extent unspecified
K55.041	Diagnosis	ICD-10-CM	Focal (segmental) acute infarction of large intestine
K55.042	Diagnosis	ICD-10-CM	Diffuse acute infarction of large intestine
K55.049	Diagnosis	ICD-10-CM	Acute infarction of large intestine, extent unspecified
K55.051	Diagnosis	ICD-10-CM	Focal (segmental) acute (reversible) ischemia of intestine, part unspecified
K55.052	Diagnosis	ICD-10-CM	Diffuse acute (reversible) ischemia of intestine, part unspecified
K55.059	Diagnosis	ICD-10-CM	Acute (reversible) ischemia of intestine, part and extent unspecified
K55.061	Diagnosis	ICD-10-CM	Focal (segmental) acute infarction of intestine, part unspecified
K55.062	Diagnosis	ICD-10-CM	Diffuse acute infarction of intestine, part unspecified
K55.069	Diagnosis	ICD-10-CM	Acute infarction of intestine, part and extent unspecified
K55.1	Diagnosis	ICD-10-CM	Chronic vascular disorders of intestine
K55.8	Diagnosis	ICD-10-CM	Other vascular disorders of intestine
K55.9	Diagnosis	ICD-10-CM	Vascular disorder of intestine, unspecified
			Other Diseases of Intestines and Peritoneum
560	Diagnosis	ICD-9-CM	Intussusception
560.1	Diagnosis	ICD-9-CM	Paralytic ileus
560.2	Diagnosis	ICD-9-CM	Volvulus
560.3	Diagnosis	ICD-9-CM	Unspecified impaction of intestine
560.31	Diagnosis	ICD-9-CM	Gallstone ileus
560.32	Diagnosis	ICD-9-CM	Fecal impaction
560.39	Diagnosis	ICD-9-CM	Impaction of intestine, other
560.81	Diagnosis	ICD-9-CM	Intestinal or peritoneal adhesions with obstruction (postoperative) (postinfection)
560.89	Diagnosis	ICD-9-CM	Other specified intestinal obstruction
560.9	Diagnosis	ICD-9-CM	Unspecified intestinal obstruction
562	Diagnosis	ICD-9-CM	Diverticulosis of small intestine (without mention of hemorrhage)
562.01	Diagnosis	ICD-9-CM	Diverticulitis of small intestine (without mention of hemorrhage)
562.02	Diagnosis	ICD-9-CM	Diverticulosis of small intestine with hemorrhage
562.03	Diagnosis	ICD-9-CM	Diverticulitis of small intestine with hemorrhage
562.1	Diagnosis	ICD-9-CM	Diverticulosis of colon (without mention of hemorrhage)
562.11	Diagnosis	ICD-9-CM	Diverticulitis of colon (without mention of hemorrhage)
562.12	Diagnosis	ICD-9-CM	Diverticulosis of colon with hemorrhage
562.13	Diagnosis	ICD-9-CM	Diverticulitis of colon with hemorrhage
564	Diagnosis	ICD-9-CM	Unspecified constipation
564.01	Diagnosis	ICD-9-CM	Slow transit constipation
564.02	Diagnosis	ICD-9-CM	Outlet dysfunction constipation
564.09	Diagnosis	ICD-9-CM	Other constipation
564.1	Diagnosis	ICD-9-CM	Irritable bowel syndrome
564.3	Diagnosis	ICD-9-CM	Vomiting following gastrointestinal surgery
564.5	Diagnosis	ICD-9-CM	Functional diarrhea
564.6	Diagnosis	ICD-9-CM	Anal spasm
22		y= 0 0	· -p

cder_mpl1p_wp075 Page 209 of 369



Request			
Code	Code Category	Code Type	Description
564.7	Diagnosis	ICD-9-CM	Megacolon, other than Hirschsprung's
564.81	Diagnosis	ICD-9-CM	Neurogenic bowel
564.89	Diagnosis	ICD-9-CM	Other functional disorders of intestine
564.9	Diagnosis	ICD-9-CM	Unspecified functional disorder of intestine
565	Diagnosis	ICD-9-CM	Anal fissure
565.1	Diagnosis	ICD-9-CM	Anal fistula
566	Diagnosis	ICD-9-CM	Abscess of anal and rectal regions
569	Diagnosis	ICD-9-CM	Anal and rectal polyp
569.1	Diagnosis	ICD-9-CM	Rectal prolapse
569.2	Diagnosis	ICD-9-CM	Stenosis of rectum and anus
569.3	Diagnosis	ICD-9-CM	Hemorrhage of rectum and anus
569.41	Diagnosis	ICD-9-CM	Ulcer of anus and rectum
569.42	Diagnosis	ICD-9-CM	Anal or rectal pain
569.43	Diagnosis	ICD-9-CM	Anal sphincter tear (healed) (old)
569.44	Diagnosis	ICD-9-CM	Dysplasia of anus
569.49	Diagnosis	ICD-9-CM	Other specified disorder of rectum and anus
569.5	Diagnosis	ICD-9-CM	Abscess of intestine
569.79	Diagnosis	ICD-9-CM	Other complications of intestinal pouch
569.81	Diagnosis	ICD-9-CM	Fistula of intestine, excluding rectum and anus
569.82	Diagnosis	ICD-9-CM	Ulceration of intestine
569.83	Diagnosis	ICD-9-CM	Perforation of intestine
569.84	Diagnosis	ICD-9-CM	Angiodysplasia of intestine (without mention of hemorrhage)
569.85	Diagnosis	ICD-9-CM	Angiodysplasia of intestine with hemorrhage
569.86	Diagnosis	ICD-9-CM	Dieulafoy lesion (hemorrhagic) of intestine
569.89	Diagnosis	ICD-9-CM	Other specified disorder of intestines
569.9	Diagnosis	ICD-9-CM	Unspecified disorder of intestine
567	Diagnosis	ICD-9-CM	Peritonitis in infectious diseases classified elsewhere
567.21	Diagnosis	ICD-9-CM	Peritonitis (acute) generalized
567.22	Diagnosis	ICD-9-CM	Peritoneal abscess
567.23	Diagnosis	ICD-9-CM	Spontaneous bacterial peritonitis
567.29	Diagnosis	ICD-9-CM	Other suppurative peritonitis
567.31	Diagnosis	ICD-9-CM	Psoas muscle abscess
567.38	Diagnosis	ICD-9-CM	Other retroperitoneal abscess
567.39	Diagnosis	ICD-9-CM	Other retroperitoneal infections
567.81	Diagnosis	ICD-9-CM	Choleperitonitis
567.82	Diagnosis	ICD-9-CM	Sclerosing mesenteritis
567.89	Diagnosis	ICD-9-CM	Other specified peritonitis
567.9	Diagnosis	ICD-9-CM	Unspecified peritonitis
568	Diagnosis	ICD-9-CM	Peritoneal adhesions (postoperative) (postinfection)
568.81	Diagnosis	ICD-9-CM	Hemoperitoneum (nontraumatic)
568.89	Diagnosis	ICD-9-CM	Other specified disorder of peritoneum
568.9	Diagnosis	ICD-9-CM	Unspecified disorder of peritoneum
567.1	Diagnosis	ICD-9-CM	Pneumococcal peritonitis

cder_mpl1p_wp075 Page 210 of 369



Request			
Code	Code Category	Code Type	Description
569.87	Diagnosis	ICD-9-CM	Vomiting of fecal matter
569.8	Diagnosis	ICD-9-CM	Other specified disorders of intestine
569.71	Diagnosis	ICD-9-CM	Pouchitis
569.7	Diagnosis	ICD-9-CM	Complications of intestinal pouch
569.69	Diagnosis	ICD-9-CM	Other complication of colostomy or enterostomy
569.62	Diagnosis	ICD-9-CM	Mechanical complication of colostomy and enterostomy
569.61	Diagnosis	ICD-9-CM	Infection of colostomy or enterostomy
569.6	Diagnosis	ICD-9-CM	Unspecified complication of colostomy or enterostomy
569.6	Diagnosis	ICD-9-CM	Colostomy and enterostomy complications
569.4	Diagnosis	ICD-9-CM	Other specified disorders of rectum and anus
569	Diagnosis	ICD-9-CM	Other disorders of intestine
568.82	Diagnosis	ICD-9-CM	Peritoneal effusion (chronic)
568.8	Diagnosis	ICD-9-CM	Other specified disorders of peritoneum
568	Diagnosis	ICD-9-CM	Other disorders of peritoneum
567.8	Diagnosis	ICD-9-CM	Other specified peritonitis
567.3	Diagnosis	ICD-9-CM	Retroperitoneal infections
567.2	Diagnosis	ICD-9-CM	Other suppurative peritonitis
567	Diagnosis	ICD-9-CM	Peritonitis and retroperitoneal infections
565	Diagnosis	ICD-9-CM	Anal fissure and fistula
564.8	Diagnosis	ICD-9-CM	Other specified functional disorders of intestine
564.4	Diagnosis	ICD-9-CM	Other postoperative functional disorders
564.2	Diagnosis	ICD-9-CM	Postgastric surgery syndromes
564	Diagnosis	ICD-9-CM	Constipation
564	Diagnosis	ICD-9-CM	Functional digestive disorders, not elsewhere classified
562.1	Diagnosis	ICD-9-CM	Diverticula of colon
562	Diagnosis	ICD-9-CM	Diverticula of small intestine
562	Diagnosis	ICD-9-CM	Diverticula of intestine
560.8	Diagnosis	ICD-9-CM	Other specified intestinal obstruction
560.3	Diagnosis	ICD-9-CM	Impaction of intestine
560	Diagnosis	ICD-9-CM	Intestinal obstruction without mention of hernia
K56	Diagnosis	ICD-10-CM	Paralytic ileus and intestinal obstruction without hernia
K56.0	Diagnosis	ICD-10-CM	Paralytic ileus
K56.1	Diagnosis	ICD-10-CM	Intussusception
K56.2	Diagnosis	ICD-10-CM	Volvulus
K56.3	Diagnosis	ICD-10-CM	Gallstone ileus
K56.4	Diagnosis	ICD-10-CM	Other impaction of intestine
K56.41	Diagnosis	ICD-10-CM	Fecal impaction
K56.49	Diagnosis	ICD-10-CM	Other impaction of intestine
K56.5	Diagnosis	ICD-10-CM	Intestinal adhesions [bands] with obstruction (postinfection)
K56.50	Diagnosis	ICD-10-CM	Intestinal adhesions [bands], unspecified as to partial versus complete obstruction
K56.51	Diagnosis	ICD-10-CM	Intestinal adhesions [bands], with partial obstruction
K56.52	Diagnosis	ICD-10-CM	Intestinal adhesions [bands] with complete obstruction
K56.6	Diagnosis	ICD-10-CM	Other and unspecified intestinal obstruction
-			rpro

cder_mpl1p_wp075 Page 211 of 369



Request			
Code	Code Category	Code Type	Description
K56.60	Diagnosis	ICD-10-CM	Unspecified intestinal obstruction
K56.600	Diagnosis	ICD-10-CM	Partial intestinal obstruction, unspecified as to cause
K56.601	Diagnosis	ICD-10-CM	Complete intestinal obstruction, unspecified as to cause
			Unspecified intestinal obstruction, unspecified as to partial versus complete
K56.609	Diagnosis	ICD-10-CM	obstruction
K56.69	Diagnosis	ICD-10-CM	Other intestinal obstruction
K56.690	Diagnosis	ICD-10-CM	Other partial intestinal obstruction
K56.691	Diagnosis	ICD-10-CM	Other complete intestinal obstruction
K56.699	Diagnosis	ICD-10-CM	Other intestinal obstruction unspecified as to partial versus complete obstruction
K56.7	Diagnosis	ICD-10-CM	Ileus, unspecified
K57	Diagnosis	ICD-10-CM	Diverticular disease of intestine
K57.0	Diagnosis	ICD-10-CM	Diverticulitis of small intestine with perforation and abscess
K57.00	Diagnosis	ICD-10-CM	Diverticulitis of small intestine with perforation and abscess without bleeding
K57.01	Diagnosis	ICD-10-CM	Diverticulitis of small intestine with perforation and abscess with bleeding
K57.1	Diagnosis	ICD-10-CM	Diverticular disease of small intestine without perforation or abscess
K57.10	Diagnosis	ICD-10-CM	Diverticulosis of small intestine without perforation or abscess without bleeding
K57.11	Diagnosis	ICD-10-CM	Diverticulosis of small intestine without perforation or abscess with bleeding
K57.12	Diagnosis	ICD-10-CM	Diverticulitis of small intestine without perforation or abscess without bleeding
K57.13	Diagnosis	ICD-10-CM	Diverticulitis of small intestine without perforation or abscess with bleeding
K57.2	Diagnosis	ICD-10-CM	Diverticulitis of large intestine with perforation and abscess
K57.20	Diagnosis	ICD-10-CM	Diverticulitis of large intestine with perforation and abscess without bleeding
K57.21	Diagnosis	ICD-10-CM	Diverticulitis of large intestine with perforation and abscess with bleeding
K57.3	Diagnosis	ICD-10-CM	Diverticular disease of large intestine without perforation or abscess
K57.30	Diagnosis	ICD-10-CM	Diverticulosis of large intestine without perforation or abscess without bleeding
K57.31	Diagnosis	ICD-10-CM	Diverticulosis of large intestine without perforation or abscess with bleeding
K57.32	Diagnosis	ICD-10-CM	Diverticulitis of large intestine without perforation or abscess without bleeding
K57.33	Diagnosis	ICD-10-CM	Diverticulitis of large intestine without perforation or abscess with bleeding
K57.4	Diagnosis	ICD-10-CM	Diverticulitis of both small and large intestine with perforation and abscess
			Diverticulitis of both small and large intestine with perforation and abscess without
K57.40	Diagnosis	ICD-10-CM	bleeding
			Diverticulitis of both small and large intestine with perforation and abscess with
K57.41	Diagnosis	ICD-10-CM	bleeding
K57.5	Diagnosis	ICD-10-CM	Diverticular disease of both small and large intestine without perforation or abscess
			Diverticulosis of both small and large intestine without perforation or abscess without
K57.50	Diagnosis	ICD-10-CM	bleeding
			Diverticulosis of both small and large intestine without perforation or abscess with
K57.51	Diagnosis	ICD-10-CM	bleeding
			Diverticulitis of both small and large intestine without perforation or abscess without
K57.52	Diagnosis	ICD-10-CM	bleeding
			Diverticulitis of both small and large intestine without perforation or abscess with
K57.53	Diagnosis	ICD-10-CM	bleeding
K57.8	Diagnosis	ICD-10-CM	Diverticulitis of intestine, part unspecified, with perforation and abscess

cder_mpl1p_wp075 Page 212 of 369



Request			
Code	Code Category	Code Type	Description
			Diverticulitis of intestine, part unspecified, with perforation and abscess without
K57.80	Diagnosis	ICD-10-CM	bleeding
K57.81	Diagnosis	ICD 10 CM	Diverticulitie of intecting part unspecified with perferation and absence with blooding
	Diagnosis	ICD-10-CM	Diverticular disease of intestine, part unspecified, with perforation and abscess with bleeding
K57.9	Diagnosis	ICD-10-CM	Diverticular disease of intestine, part unspecified, without perforation or abscess Diverticulosis of intestine, part unspecified, without perforation or abscess without
K57.90	Diagnosis	ICD-10-CM	bleeding
1.37.30	5105110313	105 10 0111	Diverticulosis of intestine, part unspecified, without perforation or abscess with
K57.91	Diagnosis	ICD-10-CM	bleeding
			Diverticulitis of intestine, part unspecified, without perforation or abscess without
K57.92	Diagnosis	ICD-10-CM	bleeding
			Diverticulitis of intestine, part unspecified, without perforation or abscess with
K57.93	Diagnosis	ICD-10-CM	bleeding
K58	Diagnosis	ICD-10-CM	Irritable bowel syndrome
K58.0	Diagnosis	ICD-10-CM	Irritable bowel syndrome with diarrhea
K58.1	Diagnosis	ICD-10-CM	Irritable bowel syndrome with constipation
K58.2	Diagnosis	ICD-10-CM	Mixed irritable bowel syndrome
K58.8	Diagnosis	ICD-10-CM	Other irritable bowel syndrome
K58.9	Diagnosis	ICD-10-CM	Irritable bowel syndrome without diarrhea
K59	Diagnosis	ICD-10-CM	Other functional intestinal disorders
K59.0	Diagnosis	ICD-10-CM	Constipation
K59.00	Diagnosis	ICD-10-CM	Constipation, unspecified
K59.01	Diagnosis	ICD-10-CM	Slow transit constipation
K59.02	Diagnosis	ICD-10-CM	Outlet dysfunction constipation
K59.03	Diagnosis	ICD-10-CM	Drug induced constipation
K59.04	Diagnosis	ICD-10-CM	Chronic idiopathic constipation
K59.09	Diagnosis	ICD-10-CM	Other constipation
K59.1	Diagnosis	ICD-10-CM	Functional diarrhea
K59.2	Diagnosis	ICD-10-CM	Neurogenic bowel, not elsewhere classified
K59.3	Diagnosis	ICD-10-CM	Megacolon, not elsewhere classified
K59.31	Diagnosis	ICD-10-CM	Toxic megacolon
K59.39	Diagnosis	ICD-10-CM	Other megacolon
K59.4	Diagnosis	ICD-10-CM	Anal spasm
K59.8	Diagnosis	ICD-10-CM	Other specified functional intestinal disorders
K59.81	Diagnosis	ICD-10-CM	Ogilvie syndrome
K59.89	Diagnosis	ICD-10-CM	Other specified functional intestinal disorders
K59.9	Diagnosis	ICD-10-CM	Functional intestinal disorder, unspecified
K60	Diagnosis	ICD-10-CM	Fissure and fistula of anal and rectal regions
K60.0	Diagnosis	ICD-10-CM	Acute anal fissure
K60.1	Diagnosis	ICD-10-CM	Chronic anal fissure
K60.2	Diagnosis	ICD-10-CM	Anal fissure, unspecified
K60.3	Diagnosis	ICD-10-CM	Anal fistula
K60.4	Diagnosis	ICD-10-CM	Rectal fistula

cder_mpl1p_wp075 Page 213 of 369



Request			
Code	Code Category		Description
K60.5	Diagnosis	ICD-10-CM	Anorectal fistula
K61	Diagnosis	ICD-10-CM	Abscess of anal and rectal regions
K61.0	Diagnosis	ICD-10-CM	Anal abscess
K61.1	Diagnosis	ICD-10-CM	Rectal abscess
K61.2	Diagnosis	ICD-10-CM	Anorectal abscess
K61.3	Diagnosis	ICD-10-CM	Ischiorectal abscess
K61.31	Diagnosis	ICD-10-CM	Horseshoe abscess
K61.39	Diagnosis	ICD-10-CM	Other ischiorectal abscess
K61.4	Diagnosis	ICD-10-CM	Intrasphincteric abscess
K61.5	Diagnosis	ICD-10-CM	Supralevator abscess
K62	Diagnosis	ICD-10-CM	Other diseases of anus and rectum
K62.0	Diagnosis	ICD-10-CM	Anal polyp
K62.1	Diagnosis	ICD-10-CM	Rectal polyp
K62.2	Diagnosis	ICD-10-CM	Anal prolapse
K62.3	Diagnosis	ICD-10-CM	Rectal prolapse
K62.4	Diagnosis	ICD-10-CM	Stenosis of anus and rectum
K62.5	Diagnosis	ICD-10-CM	Hemorrhage of anus and rectum
K62.6	Diagnosis	ICD-10-CM	Ulcer of anus and rectum
K62.7	Diagnosis	ICD-10-CM	Radiation proctitis
K62.8	Diagnosis	ICD-10-CM	Other specified diseases of anus and rectum
K62.81	Diagnosis	ICD-10-CM	Anal sphincter tear (healed) (nontraumatic) (old)
K62.82	Diagnosis	ICD-10-CM	Dysplasia of anus
K62.89	Diagnosis	ICD-10-CM	Other specified diseases of anus and rectum
K62.9	Diagnosis	ICD-10-CM	Disease of anus and rectum, unspecified
K63	Diagnosis	ICD-10-CM	Other diseases of intestine
K63.0	Diagnosis	ICD-10-CM	Abscess of intestine
K63.1	Diagnosis	ICD-10-CM	Perforation of intestine (nontraumatic)
K63.2	Diagnosis	ICD-10-CM	Fistula of intestine
K63.3	Diagnosis	ICD-10-CM	Ulcer of intestine
K63.4	Diagnosis	ICD-10-CM	Enteroptosis
K63.5	Diagnosis	ICD-10-CM	Polyp of colon
K63.8	Diagnosis	ICD-10-CM	Other specified diseases of intestine
K63.81	Diagnosis	ICD-10-CM	Dieulafoy lesion of intestine
K63.89	Diagnosis	ICD-10-CM	Other specified diseases of intestine
K63.9	Diagnosis	ICD-10-CM	Disease of intestine, unspecified
K91.0	Diagnosis	ICD-10-CM	Vomiting following gastrointestinal surgery
K91.3	Diagnosis	ICD-10-CM	Postprocedural intestinal obstruction
K91.30	Diagnosis	ICD-10-CM	Postprocedural intestinal obstruction, unspecified as to partial versus complete
K91.31	Diagnosis	ICD-10-CM	Postprocedural partial intestinal obstruction
K91.32	Diagnosis	ICD-10-CM	Postprocedural complete intestinal obstruction
K91.85	Diagnosis	ICD-10-CM	Complications of intestinal pouch
K91.858	Diagnosis	ICD-10-CM	Other complications of intestinal pouch
N32.1	Diagnosis	ICD-10-CM	Vesicointestinal fistula

cder_mpl1p_wp075 Page 214 of 369



Code	Codo Catagoria	Code Tune	Description
K65	Code Category	Code Type ICD-10-CM	Peritonitis Description
K65.0	Diagnosis	ICD-10-CM	
K65.1	Diagnosis Diagnosis	ICD-10-CIVI	Generalized (acute) peritonitis Peritoneal abscess
K65.1	Diagnosis	ICD-10-CIVI	Spontaneous bacterial peritonitis
K65.3	=		·
K65.4	Diagnosis	ICD-10-CM	Choleperitonitis Sclerosing mesontaritis
K65.4	Diagnosis Diagnosis	ICD-10-CM ICD-10-CM	Sclerosing mesenteritis Other peritorities
K65.9	Diagnosis		Other peritonitis
K66	•	ICD-10-CM	Peritonitis, unspecified Other disorders of peritonoum
K66.0	Diagnosis Diagnosis	ICD-10-CM	Other disorders of peritoneum Peritoneal adhesions (pertoreedural) (pestinfection)
	•	ICD-10-CM	Peritoneal adhesions (postprocedural) (postinfection)
K66.1 K66.8	Diagnosis	ICD-10-CM ICD-10-CM	Hemoperitoneum Other specified disorders of peritoneum
K66.9	Diagnosis	ICD-10-CIVI	Other specified disorders of peritoneum
	Diagnosis		Disorder of peritoneum, unspecified
K67	Diagnosis	ICD-10-CM	Disorders of peritoneum in infectious diseases classified elsewhere
K68	Diagnosis	ICD-10-CM	Disorders of retroperitoneum
K68.1	Diagnosis	ICD-10-CM	Retroperitoneal abscess
K68.11	Diagnosis	ICD-10-CM	Postprocedural retroperitoneal abscess
K68.12	Diagnosis	ICD-10-CM	Psoas muscle abscess
K68.19	Diagnosis	ICD-10-CM	Other retroperitoneal abscess
K68.9	Diagnosis	ICD-10-CM	Other disorders of retroperitoneum Other Diseases of Digestive System
570	Diagnosis	ICD-9-CM	Acute and subacute necrosis of liver
571	Diagnosis	ICD-9-CM	Alcoholic fatty liver
571.1	Diagnosis	ICD-9-CM	Acute alcoholic hepatitis
571.2	Diagnosis	ICD-9-CM	Alcoholic cirrhosis of liver
571.3	Diagnosis	ICD-9-CM	Unspecified alcoholic liver damage
571.4	Diagnosis	ICD-9-CM	Unspecified chronic hepatitis
571.41	Diagnosis	ICD-9-CM	Chronic persistent hepatitis
571.42	Diagnosis	ICD-9-CM	Autoimmune hepatitis
571.49	Diagnosis	ICD-9-CM	Other chronic hepatitis
571.5	Diagnosis	ICD-9-CM	Cirrhosis of liver without mention of alcohol
571.6	Diagnosis	ICD-9-CM	Biliary cirrhosis
571.8	Diagnosis	ICD-9-CIVI	Other chronic nonalcoholic liver disease
571.8	Diagnosis	ICD-9-CIVI	Unspecified chronic liver disease without mention of alcohol
572	Diagnosis	ICD-9-CIVI	Abscess of liver
572.1	Diagnosis	ICD-9-CIVI	Portal pyemia
572.1	Diagnosis	ICD-9-CIVI	Hepatic encephalopathy
572.3	Diagnosis	ICD-9-CIVI	Portal hypertension
572.4	Diagnosis	ICD-9-CIVI	Hepatorenal syndrome
572.4	Diagnosis	ICD-9-CIVI	Other sequelae of chronic liver disease
573	Diagnosis	ICD-9-CIVI	Chronic passive congestion of liver
573.1	Diagnosis	ICD-9-CIVI	Hepatitis in viral diseases classified elsewhere
573.2	Diagnosis	ICD-9-CIVI	Hepatitis in other infectious diseases classified elsewhere
J/J.Z	Piagilusis	ICD-3-CIVI	riepatitis in other infectious diseases classified elsewhere

cder_mpl1p_wp075 Page 215 of 369



Request			
Code	Code Category	Code Type	Description
573.3	Diagnosis	ICD-9-CM	Unspecified hepatitis
573.4	Diagnosis	ICD-9-CM	Hepatic infarction
573.5	Diagnosis	ICD-9-CM	Hepatopulmonary syndrome
573.8	Diagnosis	ICD-9-CM	Other specified disorders of liver
573.9	Diagnosis	ICD-9-CM	Unspecified disorder of liver
574	Diagnosis	ICD-9-CM	Calculus of gallbladder with acute cholecystitis, without mention of obstruction
574.01	Diagnosis	ICD-9-CM	Calculus of gallbladder with acute cholecystitis and obstruction
574.1	Diagnosis	ICD-9-CM	Calculus of gallbladder with other cholecystitis, without mention of obstruction
574.11	Diagnosis	ICD-9-CM	Calculus of gallbladder with other cholecystitis and obstruction
574.2	Diagnosis	ICD-9-CM	Calculus of gallbladder without mention of cholecystitis or obstruction
574.21	Diagnosis	ICD-9-CM	Calculus of gallbladder without mention of cholecystitis, with obstruction
574.3	Diagnosis	ICD-9-CM	Calculus of bile duct with acute cholecystitis without mention of obstruction
574.31	Diagnosis	ICD-9-CM	Calculus of bile duct with acute cholecystitis and obstruction
574.4	Diagnosis	ICD-9-CM	Calculus of bile duct with other cholecystitis, without mention of obstruction
574.41	Diagnosis	ICD-9-CM	Calculus of bile duct with other cholecystitis and obstruction
574.5	Diagnosis	ICD-9-CM	Calculus of bile duct without mention of cholecystitis or obstruction
574.51	Diagnosis	ICD-9-CM	Calculus of bile duct without mention of cholecystitis, with obstruction
			Calculus of gallbladder and bile duct with acute cholecystitis, without mention of
574.6	Diagnosis	ICD-9-CM	obstruction
574.61	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct with acute cholecystitis, with obstruction
			Calculus of gallbladder and bile duct with other cholecystitis, without mention of
574.7	Diagnosis	ICD-9-CM	obstruction
574.71	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct with other cholecystitis, with obstruction
			Calculus of gallbladder and bile duct with acute and chronic cholecystitis, without
574.8	Diagnosis	ICD-9-CM	mention of obstruction
			Calculus of gallbladder and bile duct with acute and chronic cholecystitis, with
574.81	Diagnosis	ICD-9-CM	obstruction
			Calculus of gallbladder and bile duct without cholecystitis, without mention of
574.9	Diagnosis	ICD-9-CM	obstruction
574.91	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct without cholecystitis, with obstruction
575	Diagnosis	ICD-9-CM	Acute cholecystitis
575.1	Diagnosis	ICD-9-CM	Cholecystitis, unspecified
575.11	Diagnosis	ICD-9-CM	Chronic cholecystitis
575.12	Diagnosis	ICD-9-CM	Acute and chronic cholecystitis
575.2	Diagnosis	ICD-9-CM	Obstruction of gallbladder
575.3	Diagnosis	ICD-9-CM	Hydrops of gallbladder
575.4	Diagnosis	ICD-9-CM	Perforation of gallbladder
575.5	Diagnosis	ICD-9-CM	Fistula of gallbladder
575.6	Diagnosis	ICD-9-CM	Cholesterolosis of gallbladder
575.8	Diagnosis	ICD-9-CM	Other specified disorder of gallbladder
575.9	Diagnosis	ICD-9-CM	Unspecified disorder of gallbladder
576	Diagnosis	ICD-9-CM	Postcholecystectomy syndrome
576.1	Diagnosis	ICD-9-CM	Cholangitis

cder_mpl1p_wp075 Page 216 of 369



Request			
Code	Code Category	Code Type	Description
576.2	Diagnosis	ICD-9-CM	Obstruction of bile duct
576.3	Diagnosis	ICD-9-CM	Perforation of bile duct
576.4	Diagnosis	ICD-9-CM	Fistula of bile duct
576.5	Diagnosis	ICD-9-CM	Spasm of sphincter of Oddi
576.8	Diagnosis	ICD-9-CM	Other specified disorders of biliary tract
576.9	Diagnosis	ICD-9-CM	Unspecified disorder of biliary tract
577	Diagnosis	ICD-9-CM	Acute pancreatitis
577.1	Diagnosis	ICD-9-CM	Chronic pancreatitis
577.2	Diagnosis	ICD-9-CM	Cyst and pseudocyst of pancreas
577.8	Diagnosis	ICD-9-CM	Other specified disease of pancreas
577.9	Diagnosis	ICD-9-CM	Unspecified disease of pancreas
578	Diagnosis	ICD-9-CM	Hematemesis
578.1	Diagnosis	ICD-9-CM	Blood in stool
578.9	Diagnosis	ICD-9-CM	Hemorrhage of gastrointestinal tract, unspecified
579	Diagnosis	ICD-9-CM	Celiac disease
579.1	Diagnosis	ICD-9-CM	Tropical sprue
579.2	Diagnosis	ICD-9-CM	Blind loop syndrome
579.3	Diagnosis	ICD-9-CM	Other and unspecified postsurgical nonabsorption
579.4	Diagnosis	ICD-9-CM	Pancreatic steatorrhea
579.8	Diagnosis	ICD-9-CM	Other specified intestinal malabsorption
579.9	Diagnosis	ICD-9-CM	Unspecified intestinal malabsorption
579	Diagnosis	ICD-9-CM	Intestinal malabsorption
578	Diagnosis	ICD-9-CM	Gastrointestinal hemorrhage
577	Diagnosis	ICD-9-CM	Diseases of pancreas
576	Diagnosis	ICD-9-CM	Other disorders of biliary tract
575.1	Diagnosis	ICD-9-CM	Other cholecystitis
575	Diagnosis	ICD-9-CM	Other disorders of gallbladder
574.9	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct without cholecystitis
574.8	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct with acute and chronic cholecystitis
574.7	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct with other cholecystitis
574.6	Diagnosis	ICD-9-CM	Calculus of gallbladder and bile duct with acute cholecystitis
574.5	Diagnosis	ICD-9-CM	Calculus of bile duct without mention of cholecystitis
574.4	Diagnosis	ICD-9-CM	Calculus of bile duct with other cholecystitis
574.3	Diagnosis	ICD-9-CM	Calculus of bile duct with acute cholecystitis
574.2	Diagnosis	ICD-9-CM	Calculus of gallbladder without mention of cholecystitis
574.1	Diagnosis	ICD-9-CM	Calculus of gallbladder with other cholecystitis
574	Diagnosis	ICD-9-CM	Calculus of gallbladder with acute cholecystitis
574	Diagnosis	ICD-9-CM	Cholelithiasis
573	Diagnosis	ICD-9-CM	Other disorders of liver
572	Diagnosis	ICD-9-CM	Liver abscess and sequelae of chronic liver disease
571.4	Diagnosis	ICD-9-CM	Chronic hepatitis
571	Diagnosis	ICD-9-CM	Chronic liver disease and cirrhosis
K70	Diagnosis	ICD-10-CM	Alcoholic liver disease

cder_mpl1p_wp075 Page 217 of 369



Request			
Code	Code Category	Code Type	Description
K70.0	Diagnosis	ICD-10-CM	Alcoholic fatty liver
K70.1	Diagnosis	ICD-10-CM	Alcoholic hepatitis
K70.10	Diagnosis	ICD-10-CM	Alcoholic hepatitis without ascites
K70.11	Diagnosis	ICD-10-CM	Alcoholic hepatitis with ascites
K70.2	Diagnosis	ICD-10-CM	Alcoholic fibrosis and sclerosis of liver
K70.3	Diagnosis	ICD-10-CM	Alcoholic cirrhosis of liver
K70.30	Diagnosis	ICD-10-CM	Alcoholic cirrhosis of liver without ascites
K70.31	Diagnosis	ICD-10-CM	Alcoholic cirrhosis of liver with ascites
K70.4	Diagnosis	ICD-10-CM	Alcoholic hepatic failure
K70.40	Diagnosis	ICD-10-CM	Alcoholic hepatic failure without coma
K70.41	Diagnosis	ICD-10-CM	Alcoholic hepatic failure with coma
K70.9	Diagnosis	ICD-10-CM	Alcoholic liver disease, unspecified
K71	Diagnosis	ICD-10-CM	Toxic liver disease
K71.0	Diagnosis	ICD-10-CM	Toxic liver disease with cholestasis
K71.1	Diagnosis	ICD-10-CM	Toxic liver disease with hepatic necrosis
K71.10	Diagnosis	ICD-10-CM	Toxic liver disease with hepatic necrosis, without coma
K71.11	Diagnosis	ICD-10-CM	Toxic liver disease with hepatic necrosis, with coma
K71.2	Diagnosis	ICD-10-CM	Toxic liver disease with acute hepatitis
K71.3	Diagnosis	ICD-10-CM	Toxic liver disease with chronic persistent hepatitis
K71.4	Diagnosis	ICD-10-CM	Toxic liver disease with chronic lobular hepatitis
K71.5	Diagnosis	ICD-10-CM	Toxic liver disease with chronic active hepatitis
K71.50	Diagnosis	ICD-10-CM	Toxic liver disease with chronic active hepatitis without ascites
K71.51	Diagnosis	ICD-10-CM	Toxic liver disease with chronic active hepatitis with ascites
K71.6	Diagnosis	ICD-10-CM	Toxic liver disease with hepatitis, not elsewhere classified
K71.7	Diagnosis	ICD-10-CM	Toxic liver disease with fibrosis and cirrhosis of liver
K71.8	Diagnosis	ICD-10-CM	Toxic liver disease with other disorders of liver
K71.9	Diagnosis	ICD-10-CM	Toxic liver disease, unspecified
K72	Diagnosis	ICD-10-CM	Hepatic failure, not elsewhere classified
K72.0	Diagnosis	ICD-10-CM	Acute and subacute hepatic failure
K72.00	Diagnosis	ICD-10-CM	Acute and subacute hepatic failure without coma
K72.01	Diagnosis	ICD-10-CM	Acute and subacute hepatic failure with coma
K72.1	Diagnosis	ICD-10-CM	Chronic hepatic failure
K72.10	Diagnosis	ICD-10-CM	Chronic hepatic failure without coma
K72.11	Diagnosis	ICD-10-CM	Chronic hepatic failure with coma
K72.9	Diagnosis	ICD-10-CM	Hepatic failure, unspecified
K72.90	Diagnosis	ICD-10-CM	Hepatic failure, unspecified without coma
K72.91	Diagnosis	ICD-10-CM	Hepatic failure, unspecified with coma
K73	Diagnosis	ICD-10-CM	Chronic hepatitis, not elsewhere classified
K73.0	Diagnosis	ICD-10-CM	Chronic persistent hepatitis, not elsewhere classified
K73.1	Diagnosis	ICD-10-CM	Chronic lobular hepatitis, not elsewhere classified
K73.2	Diagnosis	ICD-10-CM	Chronic active hepatitis, not elsewhere classified
K73.8	Diagnosis	ICD-10-CM	Other chronic hepatitis, not elsewhere classified
K73.9	Diagnosis	ICD-10-CM	Chronic hepatitis, unspecified
	-		

cder_mpl1p_wp075 Page 218 of 369



Request			5 1.1
Code	Code Category		Description
K74	Diagnosis	ICD-10-CM	Fibrosis and cirrhosis of liver
K74.0	Diagnosis	ICD-10-CM	Hepatic fibrosis
K74.00	Diagnosis	ICD-10-CM	Hepatic fibrosis, unspecified
K74.01	Diagnosis	ICD-10-CM	Hepatic fibrosis, early fibrosis
K74.02	Diagnosis	ICD-10-CM	Hepatic fibrosis, advanced fibrosis
K74.1	Diagnosis	ICD-10-CM	Hepatic sclerosis
K74.2	Diagnosis	ICD-10-CM	Hepatic fibrosis with hepatic sclerosis
K74.3	Diagnosis	ICD-10-CM	Primary biliary cirrhosis
K74.4	Diagnosis	ICD-10-CM	Secondary biliary cirrhosis
K74.5	Diagnosis	ICD-10-CM	Biliary cirrhosis, unspecified
K74.6	Diagnosis	ICD-10-CM	Other and unspecified cirrhosis of liver
K74.60	Diagnosis	ICD-10-CM	Unspecified cirrhosis of liver
K74.69	Diagnosis	ICD-10-CM	Other cirrhosis of liver
K75	Diagnosis	ICD-10-CM	Other inflammatory liver diseases
K75.0	Diagnosis	ICD-10-CM	Abscess of liver
K75.1	Diagnosis	ICD-10-CM	Phlebitis of portal vein
K75.2	Diagnosis	ICD-10-CM	Nonspecific reactive hepatitis
K75.3	Diagnosis	ICD-10-CM	Granulomatous hepatitis, not elsewhere classified
K75.4	Diagnosis	ICD-10-CM	Autoimmune hepatitis
K75.8	Diagnosis	ICD-10-CM	Other specified inflammatory liver diseases
K75.81	Diagnosis	ICD-10-CM	Nonalcoholic steatohepatitis (NASH)
K75.89	Diagnosis	ICD-10-CM	Other specified inflammatory liver diseases
K75.9	Diagnosis	ICD-10-CM	Inflammatory liver disease, unspecified
K76	Diagnosis	ICD-10-CM	Other diseases of liver
K76.0	Diagnosis	ICD-10-CM	Fatty (change of) liver, not elsewhere classified
K76.1	Diagnosis	ICD-10-CM	Chronic passive congestion of liver
K76.2	Diagnosis	ICD-10-CM	Central hemorrhagic necrosis of liver
K76.3	Diagnosis	ICD-10-CM	Infarction of liver
K76.4	Diagnosis	ICD-10-CM	Peliosis hepatis
K76.5	Diagnosis	ICD-10-CM	Hepatic veno-occlusive disease
K76.6	Diagnosis	ICD-10-CM	Portal hypertension
K76.7	Diagnosis	ICD-10-CM	Hepatorenal syndrome
K76.8	Diagnosis	ICD-10-CM	Other specified diseases of liver
K76.81	Diagnosis	ICD-10-CM	Hepatopulmonary syndrome
K76.89	Diagnosis	ICD-10-CM	Other specified diseases of liver
K76.9	Diagnosis	ICD-10-CM	Liver disease, unspecified
K77	Diagnosis	ICD-10-CM	Liver disorders in diseases classified elsewhere
K80	Diagnosis	ICD-10-CM	Cholelithiasis
K80.0	Diagnosis	ICD-10-CM	Calculus of gallbladder with acute cholecystitis
K80.00	Diagnosis	ICD-10-CM	Calculus of gallbladder with acute cholecystitis without obstruction
K80.01	Diagnosis	ICD-10-CM	Calculus of gallbladder with acute cholecystitis with obstruction
K80.1	Diagnosis	ICD-10-CM	Calculus of gallbladder with other cholecystitis
K80.10	Diagnosis	ICD-10-CM	Calculus of gallbladder with chronic cholecystitis without obstruction
	2146110313	.CD 10 CIVI	calculate of Sampladaci with emorite endicessities without obstituction

cder_mpl1p_wp075 Page 219 of 369



Request			
Code	Code Category	Code Type	Description
K80.11	Diagnosis	ICD-10-CM	Calculus of gallbladder with chronic cholecystitis with obstruction
K80.12	Diagnosis	ICD-10-CM	Calculus of gallbladder with acute and chronic cholecystitis without obstruction
K80.13	Diagnosis	ICD-10-CM	Calculus of gallbladder with acute and chronic cholecystitis with obstruction
K80.18	Diagnosis	ICD-10-CM	Calculus of gallbladder with other cholecystitis without obstruction
K80.19	Diagnosis	ICD-10-CM	Calculus of gallbladder with other cholecystitis with obstruction
K80.2	Diagnosis	ICD-10-CM	Calculus of gallbladder without cholecystitis
K80.20	Diagnosis	ICD-10-CM	Calculus of gallbladder without cholecystitis without obstruction
K80.21	Diagnosis	ICD-10-CM	Calculus of gallbladder without cholecystitis with obstruction
K80.3	Diagnosis	ICD-10-CM	Calculus of bile duct with cholangitis
K80.30	Diagnosis	ICD-10-CM	Calculus of bile duct with cholangitis, unspecified, without obstruction
K80.31	Diagnosis	ICD-10-CM	Calculus of bile duct with cholangitis, unspecified, with obstruction
K80.32	Diagnosis	ICD-10-CM	Calculus of bile duct with acute cholangitis without obstruction
K80.33	Diagnosis	ICD-10-CM	Calculus of bile duct with acute cholangitis with obstruction
K80.34	Diagnosis	ICD-10-CM	Calculus of bile duct with chronic cholangitis without obstruction
K80.35	Diagnosis	ICD-10-CM	Calculus of bile duct with chronic cholangitis with obstruction
K80.36	Diagnosis	ICD-10-CM	Calculus of bile duct with acute and chronic cholangitis without obstruction
K80.37	Diagnosis	ICD-10-CM	Calculus of bile duct with acute and chronic cholangitis with obstruction
K80.4	Diagnosis	ICD-10-CM	Calculus of bile duct with cholecystitis
K80.40	Diagnosis	ICD-10-CM	Calculus of bile duct with cholecystitis, unspecified, without obstruction
K80.41	Diagnosis	ICD-10-CM	Calculus of bile duct with cholecystitis, unspecified, with obstruction
K80.42	Diagnosis	ICD-10-CM	Calculus of bile duct with acute cholecystitis without obstruction
K80.43	Diagnosis	ICD-10-CM	Calculus of bile duct with acute cholecystitis with obstruction
K80.44	Diagnosis	ICD-10-CM	Calculus of bile duct with chronic cholecystitis without obstruction
K80.45	Diagnosis	ICD-10-CM	Calculus of bile duct with chronic cholecystitis with obstruction
K80.46	Diagnosis	ICD-10-CM	Calculus of bile duct with acute and chronic cholecystitis without obstruction
K80.47	Diagnosis	ICD-10-CM	Calculus of bile duct with acute and chronic cholecystitis with obstruction
K80.5	Diagnosis	ICD-10-CM	Calculus of bile duct without cholangitis or cholecystitis
K80.50	Diagnosis	ICD-10-CM	Calculus of bile duct without cholangitis or cholecystitis without obstruction
K80.51	Diagnosis	ICD-10-CM	Calculus of bile duct without cholangitis or cholecystitis with obstruction
K80.6	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct with cholecystitis
			Calculus of gallbladder and bile duct with cholecystitis, unspecified, without
K80.60	Diagnosis	ICD-10-CM	obstruction
K80.61	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct with cholecystitis, unspecified, with obstruction
K80.62	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct with acute cholecystitis without obstruction
K80.63	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct with acute cholecystitis with obstruction
K80.64	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct with chronic cholecystitis without obstruction
K80.65	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct with chronic cholecystitis with obstruction
			Calculus of gallbladder and bile duct with acute and chronic cholecystitis without
K80.66	Diagnosis	ICD-10-CM	obstruction
			Calculus of gallbladder and bile duct with acute and chronic cholecystitis with
K80.67	Diagnosis	ICD-10-CM	obstruction
K80.7	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct without cholecystitis
K80.70	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct without cholecystitis without obstruction

cder_mpl1p_wp075 Page 220 of 369



Request			
Code	Code Category	Code Type	Description
K80.71	Diagnosis	ICD-10-CM	Calculus of gallbladder and bile duct without cholecystitis with obstruction
K80.8	Diagnosis	ICD-10-CM	Other cholelithiasis
K80.80	Diagnosis	ICD-10-CM	Other cholelithiasis without obstruction
K80.81	Diagnosis	ICD-10-CM	Other cholelithiasis with obstruction
K81	Diagnosis	ICD-10-CM	Cholecystitis
K81.0	Diagnosis	ICD-10-CM	Acute cholecystitis
K81.1	Diagnosis	ICD-10-CM	Chronic cholecystitis
K81.2	Diagnosis	ICD-10-CM	Acute cholecystitis with chronic cholecystitis
K81.9	Diagnosis	ICD-10-CM	Cholecystitis, unspecified
K82	Diagnosis	ICD-10-CM	Other diseases of gallbladder
K82.0	Diagnosis	ICD-10-CM	Obstruction of gallbladder
K82.1	Diagnosis	ICD-10-CM	Hydrops of gallbladder
K82.2	Diagnosis	ICD-10-CM	Perforation of gallbladder
K82.3	Diagnosis	ICD-10-CM	Fistula of gallbladder
K82.4	Diagnosis	ICD-10-CM	Cholesterolosis of gallbladder
K82.8	Diagnosis	ICD-10-CM	Other specified diseases of gallbladder
K82.9	Diagnosis	ICD-10-CM	Disease of gallbladder, unspecified
K82.A	Diagnosis	ICD-10-CM	Disorders of gallbladder in diseases classified elsewhere
K82.A1	Diagnosis	ICD-10-CM	Gangrene of gallbladder in cholecystitis
K82.A2	Diagnosis	ICD-10-CM	Perforation of gallbladder in cholecystitis
K83	Diagnosis	ICD-10-CM	Other diseases of biliary tract
K83.0	Diagnosis	ICD-10-CM	Cholangitis
K83.01	Diagnosis	ICD-10-CM	Primary sclerosing cholangitis
K83.09	Diagnosis	ICD-10-CM	Other cholangitis
K83.1	Diagnosis	ICD-10-CM	Obstruction of bile duct
K83.2	Diagnosis	ICD-10-CM	Perforation of bile duct
K83.3	Diagnosis	ICD-10-CM	Fistula of bile duct
K83.4	Diagnosis	ICD-10-CM	Spasm of sphincter of Oddi
K83.5	Diagnosis	ICD-10-CM	Biliary cyst
K83.8	Diagnosis	ICD-10-CM	Other specified diseases of biliary tract
K83.9	Diagnosis	ICD-10-CM	Disease of biliary tract, unspecified
K85	Diagnosis	ICD-10-CM	Acute pancreatitis
K85.0	Diagnosis	ICD-10-CM	Idiopathic acute pancreatitis
K85.00	Diagnosis	ICD-10-CM	Idiopathic acute pancreatitis without necrosis or infection
K85.01	Diagnosis	ICD-10-CM	Idiopathic acute pancreatitis with uninfected necrosis
K85.02	Diagnosis	ICD-10-CM	Idiopathic acute pancreatitis with infected necrosis
K85.1	Diagnosis	ICD-10-CM	Biliary acute pancreatitis
K85.10	Diagnosis	ICD-10-CM	Biliary acute pancreatitis without necrosis or infection
K85.11	Diagnosis	ICD-10-CM	Biliary acute pancreatitis with uninfected necrosis
K85.12	Diagnosis	ICD-10-CM	Biliary acute pancreatitis with infected necrosis
K85.2	Diagnosis	ICD-10-CM	Alcohol induced acute pancreatitis
K85.20	Diagnosis	ICD-10-CM	Alcohol induced acute pancreatitis without necrosis or infection
K85.21	Diagnosis	ICD-10-CM	Alcohol induced acute pancreatitis with uninfected necrosis

cder_mpl1p_wp075 Page 221 of 369



Request			
Code	Code Category		Description
K85.22	Diagnosis	ICD-10-CM	Alcohol induced acute pancreatitis with infected necrosis
K85.3	Diagnosis	ICD-10-CM	Drug induced acute pancreatitis
K85.30	Diagnosis	ICD-10-CM	Drug induced acute pancreatitis without necrosis or infection
K85.31	Diagnosis	ICD-10-CM	Drug induced acute pancreatitis with uninfected necrosis
K85.32	Diagnosis	ICD-10-CM	Drug induced acute pancreatitis with infected necrosis
K85.8	Diagnosis	ICD-10-CM	Other acute pancreatitis
K85.80	Diagnosis	ICD-10-CM	Other acute pancreatitis without necrosis or infection
K85.81	Diagnosis	ICD-10-CM	Other acute pancreatitis with uninfected necrosis
K85.82	Diagnosis	ICD-10-CM	Other acute pancreatitis with infected necrosis
K85.9	Diagnosis	ICD-10-CM	Acute pancreatitis, unspecified
K85.90	Diagnosis	ICD-10-CM	Acute pancreatitis without necrosis or infection, unspecified
K85.91	Diagnosis	ICD-10-CM	Acute pancreatitis with uninfected necrosis, unspecified
K85.92	Diagnosis	ICD-10-CM	Acute pancreatitis with infected necrosis, unspecified
K86	Diagnosis	ICD-10-CM	Other diseases of pancreas
K86.0	Diagnosis	ICD-10-CM	Alcohol-induced chronic pancreatitis
K86.1	Diagnosis	ICD-10-CM	Other chronic pancreatitis
K86.2	Diagnosis	ICD-10-CM	Cyst of pancreas
K86.3	Diagnosis	ICD-10-CM	Pseudocyst of pancreas
K86.8	Diagnosis	ICD-10-CM	Other specified diseases of pancreas
K86.81	Diagnosis	ICD-10-CM	Exocrine pancreatic insufficiency
K86.89	Diagnosis	ICD-10-CM	Other specified diseases of pancreas
K86.9	Diagnosis	ICD-10-CM	Disease of pancreas, unspecified
K87	Diagnosis	ICD-10-CM	Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere
K90	Diagnosis	ICD-10-CM	Intestinal malabsorption
K90.0	Diagnosis	ICD-10-CM	Celiac disease
K90.1	Diagnosis	ICD-10-CM	Tropical sprue
K90.2	Diagnosis	ICD-10-CM	Blind loop syndrome, not elsewhere classified
K90.3	Diagnosis	ICD-10-CM	Pancreatic steatorrhea
K90.4	Diagnosis	ICD-10-CM	Other malabsorption due to intolerance
K90.41	Diagnosis	ICD-10-CM	Non-celiac gluten sensitivity
K90.49	Diagnosis	ICD-10-CM	Malabsorption due to intolerance, not elsewhere classified
K90.8	Diagnosis	ICD-10-CM	Other intestinal malabsorption
K90.81	Diagnosis	ICD-10-CM	Whipple's disease
K90.89	Diagnosis	ICD-10-CM	Other intestinal malabsorption
K90.9	Diagnosis	ICD-10-CM	Intestinal malabsorption, unspecified
K92	Diagnosis	ICD-10-CM	Other diseases of digestive system
K92.0	Diagnosis	ICD-10-CM	Hematemesis
K92.1	Diagnosis	ICD-10-CM	Melena
K92.2	Diagnosis	ICD-10-CM	Gastrointestinal hemorrhage, unspecified
K92.8	Diagnosis	ICD-10-CM	Other specified diseases of the digestive system
K92.81	Diagnosis	ICD-10-CM	Gastrointestinal mucositis (ulcerative)
K92.89	Diagnosis	ICD-10-CM	Other specified diseases of the digestive system
K92.9	Diagnosis	ICD-10-CM	Disease of digestive system, unspecified
-	5		· , , ,

cder_mpl1p_wp075 Page 222 of 369



Code	Code Category	Code Type	Description
			Hypertension
I10	Diagnosis	ICD-10-CM	Essential (primary) hypertension
I15.0	Diagnosis	ICD-10-CM	Renovascular hypertension
I15.1	Diagnosis	ICD-10-CM	Hypertension secondary to other renal disorders
115.2	Diagnosis	ICD-10-CM	Hypertension secondary to endocrine disorders
115.8	Diagnosis	ICD-10-CM	Other secondary hypertension
115.9	Diagnosis	ICD-10-CM	Secondary hypertension, unspecified
401	Diagnosis	ICD-9-CM	Essential hypertension, malignant
401.1	Diagnosis	ICD-9-CM	Essential hypertension, benign
401.9	Diagnosis	ICD-9-CM	Unspecified essential hypertension
405.01	Diagnosis	ICD-9-CM	Secondary renovascular hypertension, malignant
405.09	Diagnosis	ICD-9-CM	Other secondary hypertension, malignant
405.11	Diagnosis	ICD-9-CM	Secondary renovascular hypertension, benign
405.19	Diagnosis	ICD-9-CM	Other secondary hypertension, benign
405.91	Diagnosis	ICD-9-CM	Secondary renovascular hypertension, unspecified
405.99	Diagnosis	ICD-9-CM	Other secondary hypertension, unspecified
401	Diagnosis	ICD-9-CM	Essential hypertension
402	Diagnosis	ICD-9-CM	Hypertensive heart disease
402	Diagnosis	ICD-9-CM	Malignant hypertensive heart disease
402	Diagnosis	ICD-9-CM	Malignant hypertensive heart disease without heart failure
402.01	Diagnosis	ICD-9-CM	Malignant hypertensive heart disease with heart failure
402.1	Diagnosis	ICD-9-CM	Benign hypertensive heart disease
402.1	Diagnosis	ICD-9-CM	Benign hypertensive heart disease without heart failure
402.11	Diagnosis	ICD-9-CM	Benign hypertensive heart disease with heart failure
402.9	Diagnosis	ICD-9-CM	Unspecified hypertensive heart disease
402.9	Diagnosis	ICD-9-CM	Unspecified hypertensive heart disease without heart failure
402.91	Diagnosis	ICD-9-CM	Hypertensive heart disease, unspecified, with heart failure
403	Diagnosis	ICD-9-CM	Hypertensive chronic kidney disease
403	Diagnosis	ICD-9-CM	Hypertensive chronic kidney disease, malignant
			Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage I
403	Diagnosis	ICD-9-CM	through stage IV, or unspecified
			Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage V or
403.01	Diagnosis	ICD-9-CM	end stage renal disease
403.1	Diagnosis	ICD-9-CM	Hypertensive chronic kidney disease, benign
			Hypertensive chronic kidney disease, benign, with chronic kidney disease stage I
403.1	Diagnosis	ICD-9-CM	through stage IV, or unspecified
	_		Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or
403.11	Diagnosis	ICD-9-CM	end stage renal disease
403.9	Diagnosis	ICD-9-CM	Hypertensive chronic kidney disease, unspecified
	-		Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I
403.9	Diagnosis	ICD-9-CM	through stage IV, or unspecified
	-		Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage V
403.91	Diagnosis	ICD-9-CM	or end stage renal disease
	-		-

cder_mpl1p_wp075 Page 223 of 369



Code	Code Category	Code Type	Description
404	Diagnosis	ICD-9-CM	Hypertensive heart and chronic kidney disease
404	Diagnosis	ICD-9-CM	Hypertensive heart and chronic kidney disease, malignant
			Hypertensive heart and chronic kidney disease, malignant, without heart failure and
404	Diagnosis	ICD-9-CM	with chronic kidney disease stage I through stage IV, or unspecified
	G		Hypertensive heart and chronic kidney disease, malignant, with heart failure and with
404.01	Diagnosis	ICD-9-CM	chronic kidney disease stage I through stage IV, or unspecified
	J		Hypertensive heart and chronic kidney disease, malignant, without heart failure and
404.02	Diagnosis	ICD-9-CM	with chronic kidney disease stage V or end stage renal disease
	J		Hypertensive heart and chronic kidney disease, malignant, with heart failure and with
404.03	Diagnosis	ICD-9-CM	chronic kidney disease stage V or end stage renal disease
404.1	Diagnosis	ICD-9-CM	Hypertensive heart and chronic kidney disease, benign
			Hypertensive heart and chronic kidney disease, benign, without heart failure and with
404.1	Diagnosis	ICD-9-CM	chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, benign, with heart failure and with
404.11	Diagnosis	ICD-9-CM	chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, benign, without heart failure and with
404.12	Diagnosis	ICD-9-CM	chronic kidney disease stage V or end stage renal disease
			Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic
404.13	Diagnosis	ICD-9-CM	kidney disease stage V or end stage renal disease
404.9	Diagnosis	ICD-9-CM	Hypertensive heart and chronic kidney disease, unspecified
			Hypertensive heart and chronic kidney disease, unspecified, without heart failure and
404.9	Diagnosis	ICD-9-CM	with chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, unspecified, with heart failure and
404.91	Diagnosis	ICD-9-CM	with chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, unspecified, without heart failure and
404.92	Diagnosis	ICD-9-CM	with chronic kidney disease stage V or end stage renal disease
			Hypertensive heart and chronic kidney disease, unspecified, with heart failure and
404.93	Diagnosis	ICD-9-CM	chronic kidney disease stage V or end stage renal disease
405	Diagnosis	ICD-9-CM	Secondary hypertension
405	Diagnosis	ICD-9-CM	Secondary hypertension, malignant
111.0	Diagnosis	ICD-10-CM	Hypertensive heart disease with heart failure
I11.9	Diagnosis	ICD-10-CM	Hypertensive heart disease without heart failure
142.0	5	100 40 614	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage
I12.0	Diagnosis	ICD-10-CM	renal disease
142.0	5	100 40 614	Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney
112.9	Diagnosis	ICD-10-CM	disease, or unspecified chronic kidney disease
112.0	Diagnasia	ICD 10 CM	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through
I13.0	Diagnosis	ICD-10-CM	stage 4 chronic kidney disease, or unspecified chronic kidney disease
112 10	Diagnosis	ICD 10 CM	Hypertensive heart and chronic kidney disease without heart failure, with stage 1
I13.10	Diagnosis	ICD-10-CM	through stage 4 chronic kidney disease, or unspecified chronic kidney disease Hypertensive heart and chronic kidney disease without heart failure, with stage 5
l13.11	Diagnosis	ICD-10-CM	chronic kidney disease, or end stage renal disease
113.11	Diagnosis	ICD-TO-CIAI	cin offic kidney disease, of end stage renai disease

cder_mpl1p_wp075 Page 224 of 369



Request			
Code	Code Category	Code Type	Description
			Hypertensive heart and chronic kidney disease with heart failure and with stage 5
I13.2	Diagnosis	ICD-10-CM	chronic kidney disease, or end stage renal disease
N26.2	Diagnosis	ICD-10-CM	Page kidney
167.4	Diagnosis	ICD-10-CM	Hypertensive encephalopathy
H35.033	Diagnosis	ICD-10-CM	Hypertensive retinopathy, bilateral
H35.032	Diagnosis	ICD-10-CM	Hypertensive retinopathy, left eye
H35.031	Diagnosis	ICD-10-CM	Hypertensive retinopathy, right eye
H35.039	Diagnosis	ICD-10-CM	Hypertensive retinopathy, unspecified eye
437.2	Diagnosis	ICD-9-CM	Hypertensive encephalopathy
362.11	Diagnosis	ICD-9-CM	Hypertensive retinopathy
405.1	Diagnosis	ICD-9-CM	Secondary hypertension, benign
405.9	Diagnosis	ICD-9-CM	Unspecified secondary hypertension, unspecified
116.0	Diagnosis	ICD-10-CM	Hypertensive urgency
116.1	Diagnosis	ICD-10-CM	Hypertensive emergency
116.9	Diagnosis	ICD-10-CM	Hypertensive crisis, unspecified
459.3	Diagnosis	ICD-9-CM	Chronic venous hypertension without complications
459.31	Diagnosis	ICD-9-CM	Chronic venous hypertension with ulcer
459.32	Diagnosis	ICD-9-CM	Chronic venous hypertension with inflammation
459.33	Diagnosis	ICD-9-CM	Chronic venous hypertension with ulcer and inflammation
459.39	Diagnosis	ICD-9-CM	Chronic venous hypertension with other complication
572.3	Diagnosis	ICD-9-CM	Portal hypertension
997.91	Diagnosis	ICD-9-CM	Hypertension
G93.2	Diagnosis	ICD-10-CM	Benign intracranial hypertension
l15	Diagnosis	ICD-10-CM	Secondary hypertension
187.3	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic)
187.30	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) without complications
			Chronic venous hypertension (idiopathic) without complications of right lower
187.301	Diagnosis	ICD-10-CM	extremity
187.302	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) without complications of left lower extremity
			Chronic venous hypertension (idiopathic) without complications of bilateral lower
187.303	Diagnosis	ICD-10-CM	extremity
			Chronic venous hypertension (idiopathic) without complications of unspecified lower
187.309	Diagnosis	ICD-10-CM	extremity
187.31	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer
187.311	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer of right lower extremity
187.312	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer of left lower extremity
187.313	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer of bilateral lower extremity
187.319	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer of unspecified lower extremity
187.32	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with inflammation
187.321	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with inflammation of right lower extremity
187.322	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with inflammation of left lower extremity

cder_mpl1p_wp075 Page 225 of 369



Code	Code Category	Code Type	Description
Code	code Category	Code Type	·
107 222	Diamonia	ICD 10 CM	Chronic venous hypertension (idiopathic) with inflammation of bilateral lower
187.323	Diagnosis	ICD-10-CM	extremity Chronic vangus by portancian (idianathia) with inflammation of unspecified lawer
107 220	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with inflammation of unspecified lower
187.329	Diagnosis		extremity Chronic vangus by portonsion (idianathia) with ulass and inflammation
187.33	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer and inflammation
107 224	Diamania	ICD 40 CN4	Chronic venous hypertension (idiopathic) with ulcer and inflammation of right lower
187.331	Diagnosis	ICD-10-CM	extremity Characteristics and the first state of t
107.222	5	100 40 614	Chronic venous hypertension (idiopathic) with ulcer and inflammation of left lower
187.332	Diagnosis	ICD-10-CM	extremity Characteristics and the state of
107 222	Diamania	ICD 40 CN4	Chronic venous hypertension (idiopathic) with ulcer and inflammation of bilateral
187.333	Diagnosis	ICD-10-CM	lower extremity
107 220	Diamania	ICD 40 CN4	Chronic venous hypertension (idiopathic) with ulcer and inflammation of unspecified
187.339	Diagnosis	ICD-10-CM	lower extremity
187.39	Diagnosis	ICD-10-CM	Chronic venous hypertension (idiopathic) with other complications
107.204	5	100 40 614	Chronic venous hypertension (idiopathic) with other complications of right lower
187.391	Diagnosis	ICD-10-CM	extremity
	5	100 10 011	Chronic venous hypertension (idiopathic) with other complications of left lower
187.392	Diagnosis	ICD-10-CM	extremity
	. .	100 10 011	Chronic venous hypertension (idiopathic) with other complications of bilateral lower
187.393	Diagnosis	ICD-10-CM	extremity
	. .	100 10 011	Chronic venous hypertension (idiopathic) with other complications of unspecified
187.399	Diagnosis	ICD-10-CM	lower extremity
K76.6	Diagnosis	ICD-10-CM	Portal hypertension
272	Diamenia	ICD O CM	Dyslipidemia Dyslipidemia
272	Diagnosis	ICD-9-CM	Pure hypercholesterolemia
272.1	Diagnosis	ICD-9-CM	Pure hyperglyceridemia
272.2	Diagnosis	ICD-9-CM	Mixed hyperlipidemia
272.3	Diagnosis	ICD-9-CM	Hyperchylomicronemia Other and unpresified hyperlinidemia
272.4	Diagnosis	ICD-9-CM	Other and unspecified hyperlipidemia
E78.00	Diagnosis	ICD-10-CM	Pure hypercholesterolemia, unspecified
E78.01	Diagnosis	ICD-10-CM	Familial hypercholesterolemia
E78.1	Diagnosis	ICD-10-CM	Pure hyperglyceridemia
E78.2	Diagnosis	ICD-10-CM	Mixed hyperlipidemia
E78.3	Diagnosis	ICD-10-CM	Hyperchylomicronemia Other hyperlinidemia
E78.4	Diagnosis	ICD-10-CM	Other hyperlipidemia
E78.5	Diagnosis	ICD-10-CM	Hyperlipidemia, unspecified
E78.0	Diagnosis	ICD-10-CM	Elevated Lipoprotein(a)
E78.41	Diagnosis	ICD-10-CM	Other hyperlipidemia
E78.49	Diagnosis	ICD-10-CM	Pure hypercholesterolemia
120	Diagraph	ICD 40 C14	Coronary Artery Disease
120	Diagnosis	ICD-10-CM	Angina pectoris
120.0	Diagnosis	ICD-10-CM	Unstable angina
120.1	Diagnosis	ICD-10-CM	Angina pectoris with documented spasm

cder_mpl1p_wp075 Page 226 of 369



Request			
Code	Code Category	Code Type	Description
120.8	Diagnosis	ICD-10-CM	Other forms of angina pectoris
120.9	Diagnosis	ICD-10-CM	Angina pectoris, unspecified
123.7	Diagnosis	ICD-10-CM	Postinfarction angina
124	Diagnosis	ICD-10-CM	Other acute ischemic heart diseases
124.0	Diagnosis	ICD-10-CM	Acute coronary thrombosis not resulting in myocardial infarction
124.8	Diagnosis	ICD-10-CM	Other forms of acute ischemic heart disease
124.9	Diagnosis	ICD-10-CM	Acute ischemic heart disease, unspecified
146.2	Diagnosis	ICD-10-CM	Cardiac arrest due to underlying cardiac condition
146.8	Diagnosis	ICD-10-CM	Cardiac arrest due to other underlying condition
146.9	Diagnosis	ICD-10-CM	Cardiac arrest, cause unspecified
147.0	Diagnosis	ICD-10-CM	Re-entry ventricular arrhythmia
147.2	Diagnosis	ICD-10-CM	Ventricular tachycardia
Z95.1	Diagnosis	ICD-10-CM	Presence of aortocoronary bypass graft
Z95.5	Diagnosis	ICD-10-CM	Presence of coronary angioplasty implant and graft
125.112	Diagnosis	ICD-10-CM	Atherosclerosic heart disease of native coronary artery with refractory angina pectoris Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina
125.72	Diagnosis	ICD-10-CM	pectoris Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina
125.721	Diagnosis	ICD-10-CM	pectoris with documented spasm Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms
125.728	Diagnosis	ICD-10-CM	of angina pectoris
125.722	Diagnosis	ICD-10-CM	Atherosclerosis of autologous artery coronary artery bypass graft(s) with refractory angina pectoris
125.729	Diagnosis	ICD-10-CM	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris
123.723	5146110313	100 10 0111	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable
125.720	Diagnosis	ICD-10-CM	angina pectoris
125.71	Diagnosis	ICD-10-CM	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris
125.711	Diagnosis	ICD-10-CM	with documented spasm Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of
125.718	Diagnosis	ICD-10-CM	angina pectoris
125.712	Diagnosis	ICD-10-CM	Atherosclerosis of autologous vein coronary artery bypass graft(s) with refractory angina pectoris Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified
125.719	Diagnosis	ICD-10-CM	angina pectoris Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable
125.710	Diagnosis	ICD-10-CM	angina pectoris
125.76	Diagnosis	ICD-10-CM	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris

cder_mpl1p_wp075 Page 227 of 369



Request			
Code	Code Category	Code Type	Description
			Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina
125.761	Diagnosis	ICD-10-CM	pectoris with documented spasm
			Atherosclerosis of bypass graft of coronary artery of transplanted heart with other
125.768	Diagnosis	ICD-10-CM	forms of angina pectoris
			Atherosclerosis of bypass graft of coronary artery of transplanted heart with refractory
125.762	Diagnosis	ICD-10-CM	angina pectoris
			Atherosclerosis of bypass graft of coronary artery of transplanted heart with
125.769	Diagnosis	ICD-10-CM	unspecified angina pectoris
			Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable
125.760	Diagnosis	ICD-10-CM	angina
			Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina
125.812	Diagnosis	ICD-10-CM	pectoris
			Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted
125.7	Diagnosis	ICD-10-CM	heart with angina pectoris
125.810	Diagnosis	ICD-10-CM	Atherosclerosis of coronary artery bypass graft(s) without angina pectoris
125.70	Diagnosis	ICD-10-CM	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris
			Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris
125.701	Diagnosis	ICD-10-CM	with documented spasm
			Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of
125.708	Diagnosis	ICD-10-CM	angina pectoris
			Atherosclerosis of coronary artery bypass graft(s), unspecified, with refractory angina
125.702	Diagnosis	ICD-10-CM	pectoris
			Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina
125.709	Diagnosis	ICD-10-CM	pectoris
			Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina
125.700	Diagnosis	ICD-10-CM	pectoris
125.75	Diagnosis	ICD-10-CM	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris
105 754		100 10 011	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris
125.751	Diagnosis	ICD-10-CM	with documented spasm
125 750	5	100 40 614	Atherosclerosis of native coronary artery of transplanted heart with other forms of
125.758	Diagnosis	ICD-10-CM	angina pectoris
125 752	5	100 40 614	Atherosclerosis of native coronary artery of transplanted heart with refractory angina
125.752	Diagnosis	ICD-10-CM	pectoris
105 750		100 10 011	Atherosclerosis of native coronary artery of transplanted heart with unspecified angina
125.759	Diagnosis	ICD-10-CM	pectoris
125.750	Diagnosis	ICD-10-CM	Atherosclerosis of native coronary artery of transplanted heart with unstable angina
125 044	Diagnasia	ICD 40 CN4	Address allowed a firstly and a second of the second of th
125.811	Diagnosis	ICD-10-CM	Atherosclerosis of native coronary artery of transplanted heart without angina pectoris
125.72	Diames:	ICD 10 CM	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with
125.73	Diagnosis	ICD-10-CM	angina pectoris
125 724	Diames:	ICD 10 CM	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with
125.731	Diagnosis	ICD-10-CM	angina pectoris with documented spasm

cder_mpl1p_wp075 Page 228 of 369



Request			
Code	Code Category	Code Type	Description
			Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other
125.738	Diagnosis	ICD-10-CM	forms of angina pectoris
			Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with
125.732	Diagnosis	ICD-10-CM	refractory angina pectoris
			Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with
125.739	Diagnosis	ICD-10-CM	unspecified angina pectoris
			Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with
125.730	Diagnosis	ICD-10-CM	unstable angina pectoris
125.79	Diagnosis	ICD-10-CM	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris
			Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with
125.791	Diagnosis	ICD-10-CM	documented spasm
			Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina
125.798	Diagnosis	ICD-10-CM	pectoris
125 702	Diagnasis	ICD 10 CM	Athorocologosis of athor coronomy ortany by a constitution with refuse to make a constitution of the const
125.792	Diagnosis	ICD-10-CM	Atherosclerosis of other coronary artery bypass graft(s) with refractory angina pectoris
125 700	Diamania	ICD 40 CN4	Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina
125.799	Diagnosis	ICD-10-CM	pectoris
125.790	Diagnosis	ICD-10-CM	Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris
125.81	Diagnosis	ICD-10-CM	Atherosclerosis of other coronary vessels without angina pectoris
125.1	Diagnosis	ICD-10-CM	Atherosclerotic heart disease of native coronary artery
125.11	Diagnosis	ICD-10-CM	Atherosclerotic heart disease of native coronary artery with angina pectoris
125 444	5	100 40 614	Atherosclerotic heart disease of native coronary artery with angina pectoris with
125.111	Diagnosis	ICD-10-CM	documented spasm
125 440	5	100 40 614	Atherosclerotic heart disease of native coronary artery with other forms of angina
125.118	Diagnosis	ICD-10-CM	pectoris
105 440	. .	100 10 011	Atherosclerotic heart disease of native coronary artery with unspecified angina
125.119	Diagnosis	ICD-10-CM	pectoris
125.110	Diagnosis	ICD-10-CM	Atherosclerotic heart disease of native coronary artery with unstable angina pectoris
125.10	Diagnosis	ICD-10-CM	Atherosclerotic heart disease of native coronary artery without angina pectoris
125.9	Diagnosis	ICD-10-CM	Chronic ischemic heart disease, unspecified
125.82	Diagnosis	ICD-10-CM	Chronic total occlusion of coronary artery
125.84	Diagnosis	ICD-10-CM	Coronary atherosclerosis due to calcified coronary lesion
125.83	Diagnosis	ICD-10-CM	Coronary atherosclerosis due to lipid rich plaque
125.5	Diagnosis	ICD-10-CM	Ischemic cardiomyopathy
125.2	Diagnosis	ICD-10-CM	Old myocardial infarction
125.8	Diagnosis	ICD-10-CM	Other forms of chronic ischemic heart disease
125.89	Diagnosis	ICD-10-CM	Other forms of chronic ischemic heart disease
125.6	Diagnosis	ICD-10-CM	Silent myocardial ischemia
412	Diagnosis	ICD-9-CM	Old myocardial infarction
414	Diagnosis	ICD-9-CM	Coronary atherosclerosis of unspecified type of vessel, native or graft
414.01	Diagnosis	ICD-9-CM	Coronary atherosclerosis of native coronary artery
414.02	Diagnosis	ICD-9-CM	Coronary atherosclerosis of autologous vein bypass graft
414.03	Diagnosis	ICD-9-CM	Coronary atherosclerosis of nonautologous biological bypass graft

cder_mpl1p_wp075 Page 229 of 369



Request			
Code	Code Category	Code Type	Description
414.04	Diagnosis	ICD-9-CM	Coronary atherosclerosis of artery bypass graft
414.05	Diagnosis	ICD-9-CM	Coronary atherosclerosis of unspecified type of bypass graft
414.06	Diagnosis	ICD-9-CM	Coronary atherosclerosis, of native coronary artery of transplanted heart
414.07	Diagnosis	ICD-9-CM	Coronary atherosclerosis, of bypass graft (artery) (vein) of transplanted heart
414.2	Diagnosis	ICD-9-CM	Chronic total occlusion of coronary artery
414.3	Diagnosis	ICD-9-CM	Coronary atherosclerosis due to lipid rich plaque
414.4	Diagnosis	ICD-9-CM	Coronary atherosclerosis due to calcified coronary lesion
414.8	Diagnosis	ICD-9-CM	Other specified forms of chronic ischemic heart disease
414.9	Diagnosis	ICD-9-CM	Unspecified chronic ischemic heart disease
429.2	Diagnosis	ICD-9-CM	Unspecified cardiovascular disease
413.9	Diagnosis	ICD-9-CM	Other and unspecified angina pectoris
			Cerebrovascular Disease
167.81	Diagnosis	ICD-10-CM	Acute cerebrovascular insufficiency
169.320	Diagnosis	ICD-10-CM	Aphasia following cerebral infarction
169.120	Diagnosis	ICD-10-CM	Aphasia following nontraumatic intracerebral hemorrhage
169.020	Diagnosis	ICD-10-CM	Aphasia following nontraumatic subarachnoid hemorrhage
169.820	Diagnosis	ICD-10-CM	Aphasia following other cerebrovascular disease
169.220	Diagnosis	ICD-10-CM	Aphasia following other nontraumatic intracranial hemorrhage
169.920	Diagnosis	ICD-10-CM	Aphasia following unspecified cerebrovascular disease
169.390	Diagnosis	ICD-10-CM	Apraxia following cerebral infarction
169.190	Diagnosis	ICD-10-CM	Apraxia following nontraumatic intracerebral hemorrhage
169.090	Diagnosis	ICD-10-CM	Apraxia following nontraumatic subarachnoid hemorrhage
169.890	Diagnosis	ICD-10-CM	Apraxia following other cerebrovascular disease
169.290	Diagnosis	ICD-10-CM	Apraxia following other nontraumatic intracranial hemorrhage
169.990	Diagnosis	ICD-10-CM	Apraxia following unspecified cerebrovascular disease
169.393	Diagnosis	ICD-10-CM	Ataxia following cerebral infarction
169.193	Diagnosis	ICD-10-CM	Ataxia following nontraumatic intracerebral hemorrhage
169.093	Diagnosis	ICD-10-CM	Ataxia following nontraumatic subarachnoid hemorrhage
169.893	Diagnosis	ICD-10-CM	Ataxia following other cerebrovascular disease
169.293	Diagnosis	ICD-10-CM	Ataxia following other nontraumatic intracranial hemorrhage
169.993	Diagnosis	ICD-10-CM	Ataxia following unspecified cerebrovascular disease
169.310	Diagnosis	ICD-10-CM	Attention and concentration deficit following cerebral infarction
169.110	Diagnosis	ICD-10-CM	Attention and concentration deficit following nontraumatic intracerebral hemorrhage
169.010	Diagnosis	ICD-10-CM	Attention and concentration deficit following nontraumatic subarachnoid hemorrhage
169.810	Diagnosis	ICD-10-CM	Attention and concentration deficit following other cerebrovascular disease
			Attention and concentration deficit following other nontraumatic intracranial
169.210	Diagnosis	ICD-10-CM	hemorrhage
169.910	Diagnosis	ICD-10-CM	Attention and concentration deficit following unspecified cerebrovascular disease
168.0	Diagnosis	ICD-10-CM	Cerebral amyloid angiopathy
167.1	Diagnosis	ICD-10-CM	Cerebral aneurysm, nonruptured
168.2	Diagnosis	ICD-10-CM	Cerebral arteritis in other diseases classified elsewhere
167.7	Diagnosis	ICD-10-CM	Cerebral arteritis, not elsewhere classified
167.2	Diagnosis	ICD-10-CM	Cerebral atherosclerosis
	J		

cder_mpl1p_wp075 Page 230 of 369



Request			
Code	Code Category	Code Type	Description
			Cerebral autosomal dominant arteriopathy with subcortical infarcts and
167.850	Diagnosis	ICD-10-CM	leukoencephalopathy
163	Diagnosis	ICD-10-CM	Cerebral infarction
163.6	Diagnosis	ICD-10-CM	Cerebral infarction due to cerebral venous thrombosis, nonpyogenic
163.42	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of anterior cerebral artery
163.12	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of basilar artery
163.423	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of bilateral anterior cerebral arteries
163.133	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of bilateral carotid arteries
163.443	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of bilateral cerebellar arteries
163.413	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of bilateral middle cerebral arteries
163.433	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of bilateral posterior cerebral arteries
163.113	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of bilateral vertebral arteries
163.13	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of carotid artery
163.44	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of cerebellar artery
163.4	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of cerebral arteries
163.422	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of left anterior cerebral artery
163.132	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of left carotid artery
163.442	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of left cerebellar artery
163.412	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of left middle cerebral artery
163.432	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of left posterior cerebral artery
163.112	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of left vertebral artery
163.41	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of middle cerebral artery
163.49	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of other cerebral artery
163.19	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of other precerebral artery
163.43	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of posterior cerebral artery
163.1	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of precerebral arteries
163.421	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of right anterior cerebral artery
163.131	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of right carotid artery
163.441	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of right cerebellar artery
163.411	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of right middle cerebral artery
163.431	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of right posterior cerebral artery
163.111	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of right vertebral artery
163.429	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified anterior cerebral artery
163.139	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified carotid artery
163.449	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified cerebellar artery
163.40	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified cerebral artery
163.419	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified middle cerebral artery
163.439	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified posterior cerebral artery
163.10	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified precerebral artery
163.119	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of unspecified vertebral artery
163.11	Diagnosis	ICD-10-CM	Cerebral infarction due to embolism of vertebral artery
163.32	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of anterior cerebral artery
163.02	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of basilar artery
	=		·

cder_mpl1p_wp075 Page 231 of 369



	Request			
,	Code	Code Category	Code Type	Description
	163.323	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries
	163.033	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral carotid arteries
	163.343	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral cerebellar arteries
	163.313	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral middle cerebral arteries
	163.333	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries
	163.013	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral vertebral arteries
	163.03	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of carotid artery
	163.34	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of cerebellar artery
	163.3	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of cerebral arteries
	163.322	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of left anterior cerebral artery
	163.032	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of left carotid artery
	163.342	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of left cerebellar artery
	163.312	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of left middle cerebral artery
	163.332	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of left posterior cerebral artery
	163.012	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of left vertebral artery
	163.31	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of middle cerebral artery
	163.39	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of other cerebral artery
	163.09	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of other precerebral artery
	163.33	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of posterior cerebral artery
	163.0	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of precerebral arteries
	163.321	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of right anterior cerebral artery
	163.031	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of right carotid artery
	163.341	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of right cerebellar artery
	163.311	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of right middle cerebral artery
	163.331	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of right posterior cerebral artery
	163.011	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of right vertebral artery
	163.329	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified anterior cerebral artery
	163.039	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified carotid artery
	163.349	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified cerebellar artery
	163.30	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified cerebral artery
	163.319	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified middle cerebral artery
	163.339	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified posterior cerebral artery
	163.00	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified precerebral artery
	163.019	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified vertebral artery
	163.01	Diagnosis	ICD-10-CM	Cerebral infarction due to thrombosis of vertebral artery
	162.52	5	100 40 004	
	163.52	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of anterior cerebral artery
	163.22	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of basilar artery
			100 46 51 1	Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior
	163.523	Diagnosis	ICD-10-CM	cerebral arteries
	162 222	Diagnosis	ICD 10 CM	Corobral infarction due to unemocified acclusion or stangels of hilatoral acceptide attailer
	163.233	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries

cder_mpl1p_wp075 Page 232 of 369



Request		6.1.=	D
Code	Code Category	Code Type	Description (Control of the Control
160 5 15		100 46 51 1	Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar
163.543	Diagnosis	ICD-10-CM	arteries
160 515	5	100 46 51 6	Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral
163.513	Diagnosis	ICD-10-CM	arteries
150 500	5	100 10 011	Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior
163.533	Diagnosis	ICD-10-CM	cerebral arteries
150.040	5	100 10 011	Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral
163.213	Diagnosis	ICD-10-CM	arteries
163.23	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of carotid arteries
163.54	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of cerebellar artery
163.5	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries
			Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral
163.522	Diagnosis	ICD-10-CM	artery
163.232	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries
163.542	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery
			Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral
163.512	Diagnosis	ICD-10-CM	artery
			Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral
163.532	Diagnosis	ICD-10-CM	artery
163.212	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery
163.51	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of middle cerebral artery
163.59	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery
			Cerebral infarction due to unspecified occlusion or stenosis of other precerebral
163.29	Diagnosis	ICD-10-CM	arteries
163.53	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of posterior cerebral artery
163.2	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries
			Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral
163.521	Diagnosis	ICD-10-CM	artery
163.231	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries
163.541	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery
			Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral
163.511	Diagnosis	ICD-10-CM	artery
			Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral
163.531	Diagnosis	ICD-10-CM	artery
163.211	Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery
	_		Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior
163.529	Diagnosis	ICD-10-CM	cerebral artery
	_		Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid
163.239	Diagnosis	ICD-10-CM	artery
	-		Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar
163.549	Diagnosis	ICD-10-CM	artery
	J		•

cder_mpl1p_wp075 Page 233 of 369



Code Category	Code Type	Description
		Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral
Diagnosis	ICD-10-CM	artery
		Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle
Diagnosis	ICD-10-CM	cerebral artery
		Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior
Diagnosis	ICD-10-CM	cerebral artery
		Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral
Diagnosis	ICD-10-CM	arteries
		Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral
Diagnosis	ICD-10-CM	artery
Diagnosis	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of vertebral arteries
Diagnosis	ICD-10-CM	Cerebral infarction, unspecified
Diagnosis	ICD-10-CM	Cerebral ischemia
Diagnosis	ICD-10-CM	Cerebral vasospasm and vasoconstriction
Diagnosis	ICD-10-CM	Cerebrovascular disease, unspecified
Diagnosis	ICD-10-CM	Cerebrovascular disorders in diseases classified elsewhere
Diagnosis	ICD-10-CM	Cognitive deficits following cerebral infarction
Diagnosis	ICD-10-CM	Cognitive deficits following nontraumatic intracerebral hemorrhage
Diagnosis	ICD-10-CM	Cognitive deficits following nontraumatic subarachnoid hemorrhage
Diagnosis	ICD-10-CM	Cognitive deficits following other cerebrovascular disease
Diagnosis	ICD-10-CM	Cognitive deficits following other nontraumatic intracranial hemorrhage
Diagnosis	ICD-10-CM	Cognitive deficits following unspecified cerebrovascular disease
Diagnosis	ICD-10-CM	Cognitive social or emotional deficit following cerebral infarction
Diagnosis	ICD-10-CM	Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage
Diamenia	ICD 10 CM	
=		Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage
Diagnosis	ICD-10-CIVI	Cognitive social or emotional deficit following other cerebrovascular disease
Diagnosis	ICD 10 CM	Cognitive social or emotional deficit following other nontraumatic intracranial
		hemorrhage
=		Cognitive social or emotional deficit following unspecified cerebrovascular disease
=		Dissection of cerebral arteries, nonruptured
		Dysarthria following cerebral infarction
		Dysarthria following nontraumatic intracerebral hemorrhage
=		Dysarthria following nontraumatic subarachnoid hemorrhage
=		Dysarthria following other cerebrovascular disease
		Dysarthria following other nontraumatic intracranial hemorrhage
=		Dysarthria following unspecified cerebrovascular disease
=		Dysphagia following cerebral infarction
		Dysphagia following nontraumatic intracerebral hemorrhage
		Dysphagia following nontraumatic subarachnoid hemorrhage
=		Dysphagia following other cerebrovascular disease
Diagnosis	ICD-TO-CIAI	Dysphagia following other nontraumatic intracranial hemorrhage
	Diagnosis	Diagnosis ICD-10-CM Diagnosis ICD-10-CM

cder_mpl1p_wp075 Page 234 of 369



Request			
Code	Code Category	Code Type	Description
169.991	Diagnosis	ICD-10-CM	Dysphagia following unspecified cerebrovascular disease
169.321	Diagnosis	ICD-10-CM	Dysphasia following cerebral infarction
169.121	Diagnosis	ICD-10-CM	Dysphasia following nontraumatic intracerebral hemorrhage
169.021	Diagnosis	ICD-10-CM	Dysphasia following nontraumatic subarachnoid hemorrhage
169.821	Diagnosis	ICD-10-CM	Dysphasia following other cerebrovascular disease
169.221	Diagnosis	ICD-10-CM	Dysphasia following other nontraumatic intracranial hemorrhage
169.921	Diagnosis	ICD-10-CM	Dysphasia following unspecified cerebrovascular disease
169.392	Diagnosis	ICD-10-CM	Facial weakness following cerebral infarction
169.192	Diagnosis	ICD-10-CM	Facial weakness following nontraumatic intracerebral hemorrhage
169.092	Diagnosis	ICD-10-CM	Facial weakness following nontraumatic subarachnoid hemorrhage
169.892	Diagnosis	ICD-10-CM	Facial weakness following other cerebrovascular disease
169.292	Diagnosis	ICD-10-CM	Facial weakness following other nontraumatic intracranial hemorrhage
169.992	Diagnosis	ICD-10-CM	Facial weakness following unspecified cerebrovascular disease
169.323	Diagnosis	ICD-10-CM	Fluency disorder following cerebral infarction
169.123	Diagnosis	ICD-10-CM	Fluency disorder following nontraumatic intracerebral hemorrhage
169.023	Diagnosis	ICD-10-CM	Fluency disorder following nontraumatic subarachnoid hemorrhage
169.823	Diagnosis	ICD-10-CM	Fluency disorder following other cerebrovascular disease
169.223	Diagnosis	ICD-10-CM	Fluency disorder following other nontraumatic intracranial hemorrhage
169.923	Diagnosis	ICD-10-CM	Fluency disorder following unspecified cerebrovascular disease
169.314	Diagnosis	ICD-10-CM	Frontal lobe and executive function deficit following cerebral infarction
			Frontal lobe and executive function deficit following nontraumatic intracerebral
169.114	Diagnosis	ICD-10-CM	hemorrhage
			Frontal lobe and executive function deficit following nontraumatic subarachnoid
169.014	Diagnosis	ICD-10-CM	hemorrhage
169.814	Diagnosis	ICD-10-CM	Frontal lobe and executive function deficit following other cerebrovascular disease
			Frontal lobe and executive function deficit following other nontraumatic intracranial
169.214	Diagnosis	ICD-10-CM	hemorrhage
			Frontal lobe and executive function deficit following unspecified cerebrovascular
169.914	Diagnosis	ICD-10-CM	disease
169.35	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction
169.352	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side
			Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant
169.354	Diagnosis	ICD-10-CM	side
169.351	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side
			Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant
169.353	Diagnosis	ICD-10-CM	side
169.359	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side
169.15	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage
160.450	5	100 40 004	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage
169.152	Diagnosis	ICD-10-CM	affecting left dominant side
160.454	5	100 40 004	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage
169.154	Diagnosis	ICD-10-CM	affecting left non-dominant side

cder_mpl1p_wp075 Page 235 of 369



Request	- 1 -		
Code	Code Category	Code Type	Description
			Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage
169.151	Diagnosis	ICD-10-CM	affecting right dominant side
			Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage
169.153	Diagnosis	ICD-10-CM	affecting right non-dominant side
			Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage
169.159	Diagnosis	ICD-10-CM	affecting unspecified side
169.05	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage
			Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage
169.052	Diagnosis	ICD-10-CM	affecting left dominant side
			Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage
169.054	Diagnosis	ICD-10-CM	affecting left non-dominant side
			Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage
169.051	Diagnosis	ICD-10-CM	affecting right dominant side
			Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage
169.053	Diagnosis	ICD-10-CM	affecting right non-dominant side
			Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage
169.059	Diagnosis	ICD-10-CM	affecting unspecified side
169.85	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following other cerebrovascular disease
			Hemiplegia and hemiparesis following other cerebrovascular disease affecting left
169.852	Diagnosis	ICD-10-CM	dominant side
			Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-
169.854	Diagnosis	ICD-10-CM	dominant side
			Hemiplegia and hemiparesis following other cerebrovascular disease affecting right
169.851	Diagnosis	ICD-10-CM	dominant side
			Hemiplegia and hemiparesis following other cerebrovascular disease affecting right
169.853	Diagnosis	ICD-10-CM	non-dominant side
			Hemiplegia and hemiparesis following other cerebrovascular disease affecting
169.859	Diagnosis	ICD-10-CM	unspecified side
169.25	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage
			Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage
169.252	Diagnosis	ICD-10-CM	affecting left dominant side
			Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage
169.254	Diagnosis	ICD-10-CM	affecting left non-dominant side
			Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage
169.251	Diagnosis	ICD-10-CM	affecting right dominant side
160 252	5	100 40 004	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage
169.253	Diagnosis	ICD-10-CM	affecting right non-dominant side
160 250	5	100 40 004	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage
169.259	Diagnosis	ICD-10-CM	affecting unspecified side
169.95	Diagnosis	ICD-10-CM	Hemiplegia and hemiparesis following unspecified cerebrovascular disease
160.075	<u>.</u>	100 46 51 1	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting
169.952	Diagnosis	ICD-10-CM	left dominant side

cder_mpl1p_wp075 Page 236 of 369



Request			
Code	Code Category	Code Type	Description
			Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting
169.954	Diagnosis	ICD-10-CM	left non-dominant side
			Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting
169.951	Diagnosis	ICD-10-CM	right dominant side
			Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting
169.953	Diagnosis	ICD-10-CM	right non-dominant side
			Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting
169.959	Diagnosis	ICD-10-CM	unspecified side
167.85	Diagnosis	ICD-10-CM	Hereditary cerebrovascular diseases
167.4	Diagnosis	ICD-10-CM	Hypertensive encephalopathy
169.311	Diagnosis	ICD-10-CM	Memory deficit following cerebral infarction
169.111	Diagnosis	ICD-10-CM	Memory deficit following nontraumatic intracerebral hemorrhage
169.011	Diagnosis	ICD-10-CM	Memory deficit following nontraumatic subarachnoid hemorrhage
169.811	Diagnosis	ICD-10-CM	Memory deficit following other cerebrovascular disease
169.211	Diagnosis	ICD-10-CM	Memory deficit following other nontraumatic intracranial hemorrhage
169.911	Diagnosis	ICD-10-CM	Memory deficit following unspecified cerebrovascular disease
169.34	Diagnosis	ICD-10-CM	Monoplegia of lower limb following cerebral infarction
169.342	Diagnosis	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting left dominant side
			Monoplegia of lower limb following cerebral infarction affecting left non-dominant
169.344	Diagnosis	ICD-10-CM	side
169.341	Diagnosis	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting right dominant side
			Monoplegia of lower limb following cerebral infarction affecting right non-dominant
169.343	Diagnosis	ICD-10-CM	side
169.349	Diagnosis	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting unspecified side
169.14	Diagnosis	ICD-10-CM	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage
			Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting
169.142	Diagnosis	ICD-10-CM	left dominant side
			Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting
169.144	Diagnosis	ICD-10-CM	left non-dominant side
			Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting
169.141	Diagnosis	ICD-10-CM	right dominant side
			Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting
169.143	Diagnosis	ICD-10-CM	right non-dominant side
			Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting
169.149	Diagnosis	ICD-10-CM	unspecified side
169.04	Diagnosis	ICD-10-CM	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage
			Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting
169.042	Diagnosis	ICD-10-CM	left dominant side
			Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting
169.044	Diagnosis	ICD-10-CM	left non-dominant side
			Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting
169.041	Diagnosis	ICD-10-CM	right dominant side

cder_mpl1p_wp075 Page 237 of 369



Request			
Code	Code Category	Code Type	Description
			Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting
169.043	Diagnosis	ICD-10-CM	right non-dominant side
			Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting
169.049	Diagnosis	ICD-10-CM	unspecified side
169.84	Diagnosis	ICD-10-CM	Monoplegia of lower limb following other cerebrovascular disease
			Monoplegia of lower limb following other cerebrovascular disease affecting left
169.842	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of lower limb following other cerebrovascular disease affecting left non-
169.844	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of lower limb following other cerebrovascular disease affecting right
169.841	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of lower limb following other cerebrovascular disease affecting right non-
169.843	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of lower limb following other cerebrovascular disease affecting
169.849	Diagnosis	ICD-10-CM	unspecified side
169.24	Diagnosis	ICD-10-CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage
			Monoplegia of lower limb following other nontraumatic intracranial hemorrhage
169.242	Diagnosis	ICD-10-CM	affecting left dominant side
			Monoplegia of lower limb following other nontraumatic intracranial hemorrhage
169.244	Diagnosis	ICD-10-CM	affecting left non-dominant side
160 244	5	100 40 614	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage
169.241	Diagnosis	ICD-10-CM	affecting right dominant side
160 242	Diagnasia	ICD 40 CN4	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage
169.243	Diagnosis	ICD-10-CM	affecting right non-dominant side
160 240	Diagnosis	ICD 10 CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage
169.249	Diagnosis	ICD-10-CM	affecting unspecified side
169.94	Diagnosis	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease
169.942	Diagnosis	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side
105.542	Diagnosis	ICD-10-CIVI	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left
169.944	Diagnosis	ICD-10-CM	non-dominant side
105.544	Diagnosis	ICD-10-CIVI	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right
169.941	Diagnosis	ICD-10-CM	dominant side
103.541	Diagnosis	ICD 10 CIVI	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right
169.943	Diagnosis	ICD-10-CM	non-dominant side
103.545	Diagnosis	TED TO CIVI	Monoplegia of lower limb following unspecified cerebrovascular disease affecting
169.949	Diagnosis	ICD-10-CM	unspecified side
169.33	Diagnosis	ICD-10-CM	Monoplegia of upper limb following cerebral infarction
169.332	Diagnosis	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting left dominant side
	- 0		Monoplegia of upper limb following cerebral infarction affecting left non-dominant
169.334	Diagnosis	ICD-10-CM	side
169.331	Diagnosis	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting right dominant side
-			. 5

cder_mpl1p_wp075 Page 238 of 369



Request			
Code	Code Category	Code Type	Description
			Monoplegia of upper limb following cerebral infarction affecting right non-dominant
169.333	Diagnosis	ICD-10-CM	side
169.339	Diagnosis	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting unspecified side
169.13	Diagnosis	ICD-10-CM	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage
			Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting
169.132	Diagnosis	ICD-10-CM	left dominant side
			Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting
169.134	Diagnosis	ICD-10-CM	left non-dominant side
			Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting
169.131	Diagnosis	ICD-10-CM	right dominant side
			Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting
169.133	Diagnosis	ICD-10-CM	right non-dominant side
			Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting
169.139	Diagnosis	ICD-10-CM	unspecified side
169.03	Diagnosis	ICD-10-CM	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage
			Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting
169.032	Diagnosis	ICD-10-CM	left dominant side
	•		Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting
169.034	Diagnosis	ICD-10-CM	left non-dominant side
	J		Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting
169.031	Diagnosis	ICD-10-CM	right dominant side
			Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting
169.033	Diagnosis	ICD-10-CM	right non-dominant side
	•		Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting
169.039	Diagnosis	ICD-10-CM	unspecified side
169.83	Diagnosis	ICD-10-CM	Monoplegia of upper limb following other cerebrovascular disease
			Monoplegia of upper limb following other cerebrovascular disease affecting left
169.832	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of upper limb following other cerebrovascular disease affecting left non-
169.834	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of upper limb following other cerebrovascular disease affecting right
169.831	Diagnosis	ICD-10-CM	dominant side
	J		Monoplegia of upper limb following other cerebrovascular disease affecting right non-
169.833	Diagnosis	ICD-10-CM	dominant side
	G		Monoplegia of upper limb following other cerebrovascular disease affecting
169.839	Diagnosis	ICD-10-CM	unspecified side
169.23	Diagnosis	ICD-10-CM	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage
	G		Monoplegia of upper limb following other nontraumatic intracranial hemorrhage
169.232	Diagnosis	ICD-10-CM	affecting left dominant side
-	5		Monoplegia of upper limb following other nontraumatic intracranial hemorrhage
169.234	Diagnosis	ICD-10-CM	affecting left non-dominant side
			Monoplegia of upper limb following other nontraumatic intracranial hemorrhage
169.231	Diagnosis	ICD-10-CM	affecting right dominant side
.03.231	-105110313	.55 15 6141	and a strong to the state of th

cder_mpl1p_wp075 Page 239 of 369



Request			
Code	Code Category	Code Type	Description
			Monoplegia of upper limb following other nontraumatic intracranial hemorrhage
169.233	Diagnosis	ICD-10-CM	affecting right non-dominant side
			Monoplegia of upper limb following other nontraumatic intracranial hemorrhage
169.239	Diagnosis	ICD-10-CM	affecting unspecified side
169.93	Diagnosis	ICD-10-CM	Monoplegia of upper limb following unspecified cerebrovascular disease
			Monoplegia of upper limb following unspecified cerebrovascular disease affecting left
169.932	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of upper limb following unspecified cerebrovascular disease affecting left
169.934	Diagnosis	ICD-10-CM	non-dominant side
			Monoplegia of upper limb following unspecified cerebrovascular disease affecting right
169.931	Diagnosis	ICD-10-CM	dominant side
			Monoplegia of upper limb following unspecified cerebrovascular disease affecting right
169.933	Diagnosis	ICD-10-CM	non-dominant side
			Monoplegia of upper limb following unspecified cerebrovascular disease affecting
169.939	Diagnosis	ICD-10-CM	unspecified side
167.5	Diagnosis	ICD-10-CM	Moyamoya disease
167.6	Diagnosis	ICD-10-CM	Nonpyogenic thrombosis of intracranial venous system
162.01	Diagnosis	ICD-10-CM	Nontraumatic acute subdural hemorrhage
162.03	Diagnosis	ICD-10-CM	Nontraumatic chronic subdural hemorrhage
162.1	Diagnosis	ICD-10-CM	Nontraumatic extradural hemorrhage
161	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage
161.3	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage in brain stem
161.4	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage in cerebellum
161.1	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage in hemisphere, cortical
161.0	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage in hemisphere, subcortical
161.2	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage in hemisphere, unspecified
161.5	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage, intraventricular
161.6	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage, multiple localized
161.9	Diagnosis	ICD-10-CM	Nontraumatic intracerebral hemorrhage, unspecified
162.9	Diagnosis	ICD-10-CM	Nontraumatic intracranial hemorrhage, unspecified
162.02	Diagnosis	ICD-10-CM	Nontraumatic subacute subdural hemorrhage
160	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage
160.2	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from anterior communicating artery
160.4	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from basilar artery
160.0	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from carotid siphon and bifurcation
160.02	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation
160.12	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left middle cerebral artery
160.32	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left posterior communicating artery
160.52	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left vertebral artery
160.1	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from middle cerebral artery
160.6	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from other intracranial arteries
160.3	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from posterior communicating artery
160.01	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation

cder_mpl1p_wp075 Page 240 of 369



Request			
Code	Code Category	Code Type	Description
160.11	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right middle cerebral artery
160.31	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right posterior communicating artery
160.51	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right vertebral artery
			Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and
160.00	Diagnosis	ICD-10-CM	bifurcation
160.7	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery
160.10	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery
			Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating
160.30	Diagnosis	ICD-10-CM	artery
160.50	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery
160.5	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from vertebral artery
160.9	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage, unspecified
162.0	Diagnosis	ICD-10-CM	Nontraumatic subdural hemorrhage
162.00	Diagnosis	ICD-10-CM	Nontraumatic subdural hemorrhage, unspecified
166.1	Diagnosis	ICD-10-CM	Occlusion and stenosis of anterior cerebral artery
165.1	Diagnosis	ICD-10-CM	Occlusion and stenosis of basilar artery
166.13	Diagnosis	ICD-10-CM	Occlusion and stenosis of bilateral anterior cerebral arteries
165.23	Diagnosis	ICD-10-CM	Occlusion and stenosis of bilateral carotid arteries
166.03	Diagnosis	ICD-10-CM	Occlusion and stenosis of bilateral middle cerebral arteries
166.23	Diagnosis	ICD-10-CM	Occlusion and stenosis of bilateral posterior cerebral arteries
165.03	Diagnosis	ICD-10-CM	Occlusion and stenosis of bilateral vertebral arteries
165.2	Diagnosis	ICD-10-CM	Occlusion and stenosis of carotid artery
166.3	Diagnosis	ICD-10-CM	Occlusion and stenosis of cerebellar arteries
166	Diagnosis	ICD-10-CM	Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction
166.12	Diagnosis	ICD-10-CM	Occlusion and stenosis of left anterior cerebral artery
165.22	Diagnosis	ICD-10-CM	Occlusion and stenosis of left carotid artery
166.02	Diagnosis	ICD-10-CM	Occlusion and stenosis of left middle cerebral artery
166.22	Diagnosis	ICD-10-CM	Occlusion and stenosis of left posterior cerebral artery
165.02	Diagnosis	ICD-10-CM	Occlusion and stenosis of left vertebral artery
166.0	Diagnosis	ICD-10-CM	Occlusion and stenosis of middle cerebral artery
166.8	Diagnosis	ICD-10-CM	Occlusion and stenosis of other cerebral arteries
165.8	Diagnosis	ICD-10-CM	Occlusion and stenosis of other precerebral arteries
166.2	Diagnosis	ICD-10-CM	Occlusion and stenosis of posterior cerebral artery
165	Diagnosis	ICD-10-CM	Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction
166.11	Diagnosis	ICD-10-CM	Occlusion and stenosis of right anterior cerebral artery
165.21	Diagnosis	ICD-10-CM	Occlusion and stenosis of right carotid artery
166.01	Diagnosis	ICD-10-CM	Occlusion and stenosis of right middle cerebral artery
166.21	Diagnosis	ICD-10-CM	Occlusion and stenosis of right posterior cerebral artery
165.01	Diagnosis	ICD-10-CM	Occlusion and stenosis of right vertebral artery
166.19	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified anterior cerebral artery
165.29	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified carotid artery
166.9	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified cerebral artery
166.09	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified middle cerebral artery
	J		•

cder_mpl1p_wp075 Page 241 of 369



Request			
Code	Code Category	Code Type	Description
166.29	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified posterior cerebral artery
165.9	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified precerebral artery
165.09	Diagnosis	ICD-10-CM	Occlusion and stenosis of unspecified vertebral artery
165.0	Diagnosis	ICD-10-CM	Occlusion and stenosis of vertebral artery
162	Diagnosis	ICD-10-CM	Other and unspecified nontraumatic intracranial hemorrhage
163.8	Diagnosis	ICD-10-CM	Other cerebral infarction
163.89	Diagnosis	ICD-10-CM	Other cerebral infarction
163.81	Diagnosis	ICD-10-CM	Other cerebral infarction due to occlusion or stenosis of small artery
167.89	Diagnosis	ICD-10-CM	Other cerebrovascular disease
167	Diagnosis	ICD-10-CM	Other cerebrovascular diseases
168.8	Diagnosis	ICD-10-CM	Other cerebrovascular disorders in diseases classified elsewhere
167.848	Diagnosis	ICD-10-CM	Other cerebrovascular vasospasm and vasoconstriction
167.858	Diagnosis	ICD-10-CM	Other hereditary cerebrovascular disease
161.8	Diagnosis	ICD-10-CM	Other nontraumatic intracerebral hemorrhage
160.8	Diagnosis	ICD-10-CM	Other nontraumatic subarachnoid hemorrhage
169.36	Diagnosis	ICD-10-CM	Other paralytic syndrome following cerebral infarction
169.362	Diagnosis	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting left dominant side
			Other paralytic syndrome following cerebral infarction affecting left non-dominant
169.364	Diagnosis	ICD-10-CM	side
169.361	Diagnosis	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting right dominant side
			Other paralytic syndrome following cerebral infarction affecting right non-dominant
169.363	Diagnosis	ICD-10-CM	side
169.369	Diagnosis	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting unspecified side
169.365	Diagnosis	ICD-10-CM	Other paralytic syndrome following cerebral infarction, bilateral
169.16	Diagnosis	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage
			Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting
169.162	Diagnosis	ICD-10-CM	left dominant side
			Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting
169.164	Diagnosis	ICD-10-CM	left non-dominant side
			Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting
169.161	Diagnosis	ICD-10-CM	right dominant side
			Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting
169.163	Diagnosis	ICD-10-CM	right non-dominant side
			Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting
169.169	Diagnosis	ICD-10-CM	unspecified side
169.165	Diagnosis	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral
169.06	Diagnosis	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage
			Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting
169.062	Diagnosis	ICD-10-CM	left dominant side
			Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting
169.064	Diagnosis	ICD-10-CM	left non-dominant side
			Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting
169.061	Diagnosis	ICD-10-CM	right dominant side

cder_mpl1p_wp075 Page 242 of 369



Request			
Code	Code Category	Code Type	Description
			Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting
169.063	Diagnosis	ICD-10-CM	right non-dominant side
			Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting
169.069	Diagnosis	ICD-10-CM	unspecified side
150.055	<u>.</u>	100 10 011	
169.065	Diagnosis	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral
169.86	Diagnosis	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease
160.062	5	100 40 614	Other paralytic syndrome following other cerebrovascular disease affecting left
169.862	Diagnosis	ICD-10-CM	dominant side
100.004	Diamania	ICD 10 CM	Other paralytic syndrome following other cerebrovascular disease affecting left non-
169.864	Diagnosis	ICD-10-CM	dominant side Other paralytic syndrome following other carebrayassular disease affecting right
169.861	Diagnosis	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease affecting right dominant side
105.601	Diagnosis	ICD-10-CIVI	Other paralytic syndrome following other cerebrovascular disease affecting right non-
169.863	Diagnosis	ICD-10-CM	dominant side
103.803	Diagnosis	ICD-10-CIVI	Other paralytic syndrome following other cerebrovascular disease affecting
169.869	Diagnosis	ICD-10-CM	unspecified side
169.865	Diagnosis	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease, bilateral
169.26	Diagnosis	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage
103.20	2146116313	100 10 0111	Other paralytic syndrome following other nontraumatic intracranial hemorrhage
169.262	Diagnosis	ICD-10-CM	affecting left dominant side
	. 6		Other paralytic syndrome following other nontraumatic intracranial hemorrhage
169.264	Diagnosis	ICD-10-CM	affecting left non-dominant side
	J		Other paralytic syndrome following other nontraumatic intracranial hemorrhage
169.261	Diagnosis	ICD-10-CM	affecting right dominant side
	_		Other paralytic syndrome following other nontraumatic intracranial hemorrhage
169.263	Diagnosis	ICD-10-CM	affecting right non-dominant side
			Other paralytic syndrome following other nontraumatic intracranial hemorrhage
169.269	Diagnosis	ICD-10-CM	affecting unspecified side
			Other paralytic syndrome following other nontraumatic intracranial hemorrhage,
169.265	Diagnosis	ICD-10-CM	bilateral
169.96	Diagnosis	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease
			Other paralytic syndrome following unspecified cerebrovascular disease affecting left
169.962	Diagnosis	ICD-10-CM	dominant side
			Other paralytic syndrome following unspecified cerebrovascular disease affecting left
169.964	Diagnosis	ICD-10-CM	non-dominant side
			Other paralytic syndrome following unspecified cerebrovascular disease affecting right
169.961	Diagnosis	ICD-10-CM	dominant side
			Other paralytic syndrome following unspecified cerebrovascular disease affecting right
169.963	Diagnosis	ICD-10-CM	non-dominant side
			Other paralytic syndrome following unspecified cerebrovascular disease affecting
169.969	Diagnosis	ICD-10-CM	unspecified side
169.965	Diagnosis	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease, bilateral

cder_mpl1p_wp075 Page 243 of 369



Request			
Code	Code Category	Code Type	Description
169.098	Diagnosis	ICD-10-CM	Other sequelae following nontraumatic subarachnoid hemorrhage
169.998	Diagnosis	ICD-10-CM	Other sequelae following unspecified cerebrovascular disease
169.39	Diagnosis	ICD-10-CM	Other sequelae of cerebral infarction
169.398	Diagnosis	ICD-10-CM	Other sequelae of cerebral infarction
169.19	Diagnosis	ICD-10-CM	Other sequelae of nontraumatic intracerebral hemorrhage
169.198	Diagnosis	ICD-10-CM	Other sequelae of nontraumatic intracerebral hemorrhage
169.09	Diagnosis	ICD-10-CM	Other sequelae of nontraumatic subarachnoid hemorrhage
169.89	Diagnosis	ICD-10-CM	Other sequelae of other cerebrovascular disease
169.898	Diagnosis	ICD-10-CM	Other sequelae of other cerebrovascular disease
169.29	Diagnosis	ICD-10-CM	Other sequelae of other nontraumatic intracranial hemorrhage
169.298	Diagnosis	ICD-10-CM	Other sequelae of other nontraumatic intracranial hemorrhage
169.99	Diagnosis	ICD-10-CM	Other sequelae of unspecified cerebrovascular disease
167.8	Diagnosis	ICD-10-CM	Other specified cerebrovascular diseases
169.328	Diagnosis	ICD-10-CM	Other speech and language deficits following cerebral infarction
169.128	Diagnosis	ICD-10-CM	Other speech and language deficits following nontraumatic intracerebral hemorrhage
169.028	Diagnosis	ICD-10-CM	Other speech and language deficits following nontraumatic subarachnoid hemorrhage
169.828	Diagnosis	ICD-10-CM	Other speech and language deficits following other cerebrovascular disease
			Other speech and language deficits following other nontraumatic intracranial
169.228	Diagnosis	ICD-10-CM	hemorrhage
169.928	Diagnosis	ICD-10-CM	Other speech and language deficits following unspecified cerebrovascular disease
169.318	Diagnosis	ICD-10-CM	Other symptoms and signs involving cognitive functions following cerebral infarction
			Other symptoms and signs involving cognitive functions following nontraumatic
169.118	Diagnosis	ICD-10-CM	intracerebral hemorrhage
			Other symptoms and signs involving cognitive functions following nontraumatic
169.018	Diagnosis	ICD-10-CM	subarachnoid hemorrhage
			Other symptoms and signs involving cognitive functions following other
169.818	Diagnosis	ICD-10-CM	cerebrovascular disease
			Other symptoms and signs involving cognitive functions following other nontraumatic
169.218	Diagnosis	ICD-10-CM	intracranial hemorrhage
			Other symptoms and signs involving cognitive functions following unspecified
169.918	Diagnosis	ICD-10-CM	cerebrovascular disease
G46.8	Diagnosis	ICD-10-CM	Other vascular syndromes of brain in cerebrovascular diseases
167.83	Diagnosis	ICD-10-CM	Posterior reversible encephalopathy syndrome
169.313	Diagnosis	ICD-10-CM	Psychomotor deficit following cerebral infarction
169.113	Diagnosis	ICD-10-CM	Psychomotor deficit following nontraumatic intracerebral hemorrhage
169.013	Diagnosis	ICD-10-CM	Psychomotor deficit following nontraumatic subarachnoid hemorrhage
169.813	Diagnosis	ICD-10-CM	Psychomotor deficit following other cerebrovascular disease
169.213	Diagnosis	ICD-10-CM	Psychomotor deficit following other nontraumatic intracranial hemorrhage
169.913	Diagnosis	ICD-10-CM	Psychomotor deficit following unspecified cerebrovascular disease
167.841	Diagnosis	ICD-10-CM	Reversible cerebrovascular vasoconstriction syndrome
169.3	Diagnosis	ICD-10-CM	Sequelae of cerebral infarction
169	Diagnosis	ICD-10-CM	Sequelae of cerebrovascular disease

cder_mpl1p_wp075 Page 244 of 369



Request			
Code	Code Category		Description
169.1	Diagnosis	ICD-10-CM	Sequelae of nontraumatic intracerebral hemorrhage
169.0	Diagnosis	ICD-10-CM	Sequelae of nontraumatic subarachnoid hemorrhage
169.8	Diagnosis	ICD-10-CM	Sequelae of other cerebrovascular diseases
169.2	Diagnosis	ICD-10-CM	Sequelae of other nontraumatic intracranial hemorrhage
169.9	Diagnosis	ICD-10-CM	Sequelae of unspecified cerebrovascular diseases
169.32	Diagnosis	ICD-10-CM	Speech and language deficits following cerebral infarction
169.12	Diagnosis	ICD-10-CM	Speech and language deficits following nontraumatic intracerebral hemorrhage
169.02	Diagnosis	ICD-10-CM	Speech and language deficits following nontraumatic subarachnoid hemorrhage
169.82	Diagnosis	ICD-10-CM	Speech and language deficits following other cerebrovascular disease
169.22	Diagnosis	ICD-10-CM	Speech and language deficits following other nontraumatic intracranial hemorrhage
169.92	Diagnosis	ICD-10-CM	Speech and language deficits following unspecified cerebrovascular disease
169.30	Diagnosis	ICD-10-CM	Unspecified sequelae of cerebral infarction
169.10	Diagnosis	ICD-10-CM	Unspecified sequelae of nontraumatic intracerebral hemorrhage
169.00	Diagnosis	ICD-10-CM	Unspecified sequelae of nontraumatic subarachnoid hemorrhage
169.80	Diagnosis	ICD-10-CM	Unspecified sequelae of other cerebrovascular disease
169.20	Diagnosis	ICD-10-CM	Unspecified sequelae of other nontraumatic intracranial hemorrhage
169.90	Diagnosis	ICD-10-CM	Unspecified sequelae of unspecified cerebrovascular disease
			Unspecified symptoms and signs involving cognitive functions following cerebral
169.319	Diagnosis	ICD-10-CM	infarction
			Unspecified symptoms and signs involving cognitive functions following nontraumatic
169.119	Diagnosis	ICD-10-CM	intracerebral hemorrhage
			Unspecified symptoms and signs involving cognitive functions following nontraumatic
169.019	Diagnosis	ICD-10-CM	subarachnoid hemorrhage
			Unspecified symptoms and signs involving cognitive functions following other
169.819	Diagnosis	ICD-10-CM	cerebrovascular disease
			Unspecified symptoms and signs involving cognitive functions following other
169.219	Diagnosis	ICD-10-CM	nontraumatic intracranial hemorrhage
			Unspecified symptoms and signs involving cognitive functions following unspecified
169.919	Diagnosis	ICD-10-CM	cerebrovascular disease
G46	Diagnosis	ICD-10-CM	Vascular syndromes of brain in cerebrovascular diseases
169.312	Diagnosis	ICD-10-CM	Visuospatial deficit and spatial neglect following cerebral infarction
			Visuospatial deficit and spatial neglect following nontraumatic intracerebral
169.112	Diagnosis	ICD-10-CM	hemorrhage
			Visuospatial deficit and spatial neglect following nontraumatic subarachnoid
169.012	Diagnosis	ICD-10-CM	hemorrhage
169.812	Diagnosis	ICD-10-CM	Visuospatial deficit and spatial neglect following other cerebrovascular disease
			Visuospatial deficit and spatial neglect following other nontraumatic intracranial
169.212	Diagnosis	ICD-10-CM	hemorrhage
169.912	Diagnosis	ICD-10-CM	Visuospatial deficit and spatial neglect following unspecified cerebrovascular disease
348.39	Diagnosis	ICD-9-CM	Other encephalopathy
430	Diagnosis	ICD-9-CM	Subarachnoid hemorrhage
431	Diagnosis	ICD-9-CM	Intracerebral hemorrhage

cder_mpl1p_wp075 Page 245 of 369



Kequest	Code Catagorius	Code Ture	Description
Code	Code Category	Code Type	Description Nontrougatic outradural homograpse
432	Diagnosis	ICD-9-CM	Nontraumatic extradural hemorrhage
432.1	Diagnosis	ICD-9-CM	Subdural hemorrhage
432.9	Diagnosis	ICD-9-CM	Unspecified intracranial hemorrhage
433	Diagnosis	ICD-9-CM	Occlusion and stenosis of basilar artery without mention of cerebral infarction
433.01	Diagnosis	ICD-9-CM	Occlusion and stenosis of basilar artery with cerebral infarction
433.1	Diagnosis	ICD-9-CM	Occlusion and stenosis of carotid artery without mention of cerebral infarction
433.11	Diagnosis	ICD-9-CM	Occlusion and stenosis of carotid artery with cerebral infarction
433.2	Diagnosis	ICD-9-CM	Occlusion and stenosis of vertebral artery without mention of cerebral infarction
433.21	Diagnosis	ICD-9-CM	Occlusion and stenosis of vertebral artery with cerebral infarction
			Occlusion and stenosis of multiple and bilateral precerebral arteries without mention
433.3	Diagnosis	ICD-9-CM	of cerebral infarction
			Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral
433.31	Diagnosis	ICD-9-CM	infarction
			Occlusion and stenosis of other specified precerebral artery without mention of
433.8	Diagnosis	ICD-9-CM	cerebral infarction
433.81	Diagnosis	ICD-9-CM	Occlusion and stenosis of other specified precerebral artery with cerebral infarction
			Occlusion and stenosis of unspecified precerebral artery without mention of cerebral
433.9	Diagnosis	ICD-9-CM	infarction
433.91	Diagnosis	ICD-9-CM	Occlusion and stenosis of unspecified precerebral artery with cerebral infarction
434	Diagnosis	ICD-9-CM	Cerebral thrombosis without mention of cerebral infarction
434.01	Diagnosis	ICD-9-CM	Cerebral thrombosis with cerebral infarction
434.1	Diagnosis	ICD-9-CM	Cerebral embolism without mention of cerebral infarction
434.11	Diagnosis	ICD-9-CM	Cerebral embolism with cerebral infarction
434.9	Diagnosis	ICD-9-CM	Unspecified cerebral artery occlusion without mention of cerebral infarction
434.91	Diagnosis	ICD-9-CM	Unspecified cerebral artery occlusion with cerebral infarction
435.9	Diagnosis	ICD-9-CM	Unspecified transient cerebral ischemia
436	Diagnosis	ICD-9-CM	Acute, but ill-defined, cerebrovascular disease
437	Diagnosis	ICD-9-CM	Cerebral atherosclerosis
437.1	Diagnosis	ICD-9-CM	Other generalized ischemic cerebrovascular disease
437.2	Diagnosis	ICD-9-CM	Hypertensive encephalopathy
437.3	Diagnosis	ICD-9-CM	Cerebral aneurysm, nonruptured
437.4	Diagnosis	ICD-9-CM	Cerebral arteritis
437.5	Diagnosis	ICD-9-CM	Moyamoya disease
437.6	Diagnosis	ICD-9-CM	Nonpyogenic thrombosis of intracranial venous sinus
437.8	Diagnosis	ICD-9-CM	Other ill-defined cerebrovascular disease
437.9	Diagnosis	ICD-9-CM	Unspecified cerebrovascular disease
438	Diagnosis	ICD-9-CM	Cognitive deficits due to cerebrovascular disease
438.1	Diagnosis	ICD-9-CM	Unspecified speech and language deficit due to cerebrovascular disease
438.11	Diagnosis	ICD-9-CM	Aphasia due to cerebrovascular disease
438.12	Diagnosis	ICD-9-CM	Dysphasia due to cerebrovascular disease
438.13	Diagnosis	ICD-9-CM	Late effects of cerebrovascular disease, speech and language deficits, dysarthria
438.14	Diagnosis	ICD-9-CM	Late effects of cerebrovascular disease, speech and language deficits, fluency disorder
438.19	Diagnosis	ICD-9-CM	Other speech and language deficits due to cerebrovascular disease
		. 52 5 6	2p 2 2 2 61.16 161.10 666 0 6 61.1616 0 666 0 6 61.1616 0 1616 0 1616 0 1616 0 1616 0 1616 0 1616

cder_mpl1p_wp075 Page 246 of 369



Request			
Code	Code Category		Description
438.2	Diagnosis	ICD-9-CM	Hemiplegia affecting unspecified side due to cerebrovascular disease
438.21	Diagnosis	ICD-9-CM	Hemiplegia affecting dominant side due to cerebrovascular disease
438.22	Diagnosis	ICD-9-CM	Hemiplegia affecting nondominant side due to cerebrovascular disease
438.3	Diagnosis	ICD-9-CM	Monoplegia of upper limb affecting unspecified side due to cerebrovascular disease
438.31	Diagnosis	ICD-9-CM	Monoplegia of upper limb affecting dominant side due to cerebrovascular disease
438.32	Diagnosis	ICD-9-CM	Monoplegia of upper limb affecting nondominant side due to cerebrovascular disease
438.4	Diagnosis	ICD-9-CM	Monoplegia of lower limb affecting unspecified side due to cerebrovascular disease
438.41	Diagnosis	ICD-9-CM	Monoplegia of lower limb affecting dominant side due to cerebrovascular disease
438.42	Diagnosis	ICD-9-CM	Monoplegia of lower limb affecting nondominant side due to cerebrovascular disease
438.5	Diagnosis	ICD-9-CM	Other paralytic syndrome affecting unspecified side due to cerebrovascular disease
438.51	Diagnosis	ICD-9-CM	Other paralytic syndrome affecting dominant side due to cerebrovascular disease
438.52	Diagnosis	ICD-9-CM	Other paralytic syndrome affecting nondominant side due to cerebrovascular disease
438.6	Diagnosis	ICD-9-CM	Alteration of sensations as late effect of cerebrovascular disease
438.7	Diagnosis	ICD-9-CM	Disturbance of vision as late effect of cerebrovascular disease
438.81	Diagnosis	ICD-9-CM	Apraxia due to cerebrovascular disease
438.82	Diagnosis	ICD-9-CM	Dysphagia due to cerebrovascular disease
438.83	Diagnosis	ICD-9-CM	Facial weakness as late effect of cerebrovascular disease
438.84	Diagnosis	ICD-9-CM	Ataxia as late effect of cerebrovascular disease
438.85	Diagnosis	ICD-9-CM	Vertigo as late effect of cerebrovascular disease
438.89	Diagnosis	ICD-9-CM	Other late effects of cerebrovascular disease
438.9	Diagnosis	ICD-9-CM	Unspecified late effects of cerebrovascular disease due to cerebrovascular disease
437.3	Diagnosis	ICD-9-CM	Cerebral aneurysm, nonruptured
437.4	Diagnosis	ICD-9-CM	Cerebral arteritis
437.8	Diagnosis	ICD-9-CM	Other ill-defined cerebrovascular disease
437.9	Diagnosis	ICD-9-CM	Unspecified cerebrovascular disease
438.6	Diagnosis	ICD-9-CM	Alteration of sensations as late effect of cerebrovascular disease
438.7	Diagnosis	ICD-9-CM	Disturbance of vision as late effect of cerebrovascular disease
438.81	Diagnosis	ICD-9-CM	Apraxia due to cerebrovascular disease
438.82	Diagnosis	ICD-9-CM	Dysphagia due to cerebrovascular disease
438.83	Diagnosis	ICD-9-CM	Facial weakness as late effect of cerebrovascular disease
438.84	Diagnosis	ICD-9-CM	Ataxia as late effect of cerebrovascular disease
438.85	Diagnosis	ICD-9-CM	Vertigo as late effect of cerebrovascular disease
438.89	Diagnosis	ICD-9-CM	Other late effects of cerebrovascular disease
438.9	Diagnosis	ICD-9-CM	Unspecified late effects of cerebrovascular disease due to cerebrovascular disease
160.22	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left anterior communicating artery
160.21	Diagnosis	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right anterior communicating artery
	-		Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating
160.20	Diagnosis	ICD-10-CM	artery
			Peripheral Vascular Disease
173	Diagnosis	ICD-10-CM	Other peripheral vascular diseases
173.8	Diagnosis	ICD-10-CM	Other specified peripheral vascular diseases
173.89	Diagnosis	ICD-10-CM	Other specified peripheral vascular diseases
173.9	Diagnosis	ICD-10-CM	Peripheral vascular disease, unspecified

cder_mpl1p_wp075 Page 247 of 369



Request			
Code	Code Category	Code Type	Description
443.89	Diagnosis	ICD-9-CM	Other peripheral vascular disease
443.9	Diagnosis	ICD-9-CM	Unspecified peripheral vascular disease
443	Diagnosis	ICD-9-CM	Other peripheral vascular disease
443.8	Diagnosis	ICD-9-CM	Other specified peripheral vascular diseases
			Congestive Heart Failure
150.31	Diagnosis	ICD-10-CM	Acute diastolic (congestive) heart failure
150.21	Diagnosis	ICD-10-CM	Acute systolic (congestive) heart failure
150.32	Diagnosis	ICD-10-CM	Chronic diastolic (congestive) heart failure
150.22	Diagnosis	ICD-10-CM	Chronic systolic (congestive) heart failure
150.3	Diagnosis	ICD-10-CM	Diastolic (congestive) heart failure
150.2	Diagnosis	ICD-10-CM	Systolic (congestive) heart failure
150.30	Diagnosis	ICD-10-CM	Unspecified diastolic (congestive) heart failure
150.20	Diagnosis	ICD-10-CM	Unspecified systolic (congestive) heart failure
428	Diagnosis	ICD-9-CM	Congestive heart failure, unspecified
428.2	Diagnosis	ICD-9-CM	Unspecified systolic heart failure
428.21	Diagnosis	ICD-9-CM	Acute systolic heart failure
428.22	Diagnosis	ICD-9-CM	Chronic systolic heart failure
428.3	Diagnosis	ICD-9-CM	Unspecified diastolic heart failure
428.31	Diagnosis	ICD-9-CM	Acute diastolic heart failure
428.32	Diagnosis	ICD-9-CM	Chronic diastolic heart failure
			Chronic Obstructive Pulmonary Disease
J47.1	Diagnosis	ICD-10-CM	Bronchiectasis with (acute) exacerbation
J47.0	Diagnosis	ICD-10-CM	Bronchiectasis with acute lower respiratory infection
J47.9	Diagnosis	ICD-10-CM	Bronchiectasis, uncomplicated
J40	Diagnosis	ICD-10-CM	Bronchitis, not specified as acute or chronic
J43.2	Diagnosis	ICD-10-CM	Centrilobular emphysema
J44.1	Diagnosis	ICD-10-CM	Chronic obstructive pulmonary disease with (acute) exacerbation
J44.0	Diagnosis	ICD-10-CM	Chronic obstructive pulmonary disease with (acute) lower respiratory infection
J44.9	Diagnosis	ICD-10-CM	Chronic obstructive pulmonary disease, unspecified
J43.9	Diagnosis	ICD-10-CM	Emphysema, unspecified
J41.8	Diagnosis	ICD-10-CM	Mixed simple and mucopurulent chronic bronchitis
J41.1	Diagnosis	ICD-10-CM	Mucopurulent chronic bronchitis
J43.8	Diagnosis	ICD-10-CM	Other emphysema
J43.1	Diagnosis	ICD-10-CM	Panlobular emphysema
J41.0	Diagnosis	ICD-10-CM	Simple chronic bronchitis
J43.0	Diagnosis	ICD-10-CM	Unilateral pulmonary emphysema [MacLeod's syndrome]
J42	Diagnosis	ICD-10-CM	Unspecified chronic bronchitis
490	Diagnosis	ICD-9-CM	Bronchitis, not specified as acute or chronic
491	Diagnosis	ICD-9-CM	Simple chronic bronchitis
491.1	Diagnosis	ICD-9-CM	Mucopurulent chronic bronchitis
491.2	Diagnosis	ICD-9-CM	Obstructive chronic bronchitis, without exacerbation
491.21	Diagnosis	ICD-9-CM	Obstructive chronic bronchitis, with (acute) exacerbation
491.22	Diagnosis	ICD-9-CM	Obstructive chronic bronchitis with acute bronchitis

cder_mpl1p_wp075 Page 248 of 369



Request	0.1.0:		2 1 11
Code	Code Category	Code Type	Description Other shape in heavy hitis
491.8	Diagnosis	ICD-9-CM	Other chronic bronchitis
491.9	Diagnosis	ICD-9-CM	Unspecified chronic bronchitis
492	Diagnosis	ICD-9-CM	Emphysematous bleb
492.8	Diagnosis	ICD-9-CM	Other emphysema
494	Diagnosis	ICD-9-CM	Bronchiectasis without acute exacerbation
494.1	Diagnosis	ICD-9-CM	Bronchiectasis with acute exacerbation
496	Diagnosis	ICD-9-CM	Chronic airway obstruction, not elsewhere classified
491	Diagnosis	ICD-9-CM	Chronic bronchitis
491.2	Diagnosis	ICD-9-CM	Obstructive chronic bronchitis
492	Diagnosis	ICD-9-CM	Emphysema
494	Diagnosis	ICD-9-CM	Bronchiectasis
			Newly diagnosed chronic obstructive pulmonary disease (COPD) patient documented
G8093	Procedure	HCPCS	to have received smoking cessation intervention, within 3 months of diagnosis
			Newly diagnosed chronic obstructive pulmonary disease (COPD) patient not
			documented to have received smoking cessation intervention, within 3 months of
G8094	Procedure	HCPCS	diagnosis
			Depression
F43.21	Diagnosis	ICD-10-CM	Adjustment disorder with depressed mood
F43.23	Diagnosis	ICD-10-CM	Adjustment disorder with mixed anxiety and depressed mood
F31.31	Diagnosis	ICD-10-CM	Bipolar disorder, current episode depressed, mild
F31.30	Diagnosis	ICD-10-CM	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified
F31.32	Diagnosis	ICD-10-CM	Bipolar disorder, current episode depressed, moderate
F31.5	Diagnosis	ICD-10-CM	Bipolar disorder, current episode depressed, severe, with psychotic features
F31.4	Diagnosis	ICD-10-CM	Bipolar disorder, current episode depressed, severe, without psychotic features
F31.61	Diagnosis	ICD-10-CM	Bipolar disorder, current episode mixed, mild
F31.62	Diagnosis	ICD-10-CM	Bipolar disorder, current episode mixed, moderate
F31.64	Diagnosis	ICD-10-CM	Bipolar disorder, current episode mixed, severe, with psychotic features
F31.63	Diagnosis	ICD-10-CM	Bipolar disorder, current episode mixed, severe, without psychotic features
F31.60	Diagnosis	ICD-10-CM	Bipolar disorder, current episode mixed, unspecified
F31.76	Diagnosis	ICD-10-CM	Bipolar disorder, in full remission, most recent episode depressed
F31.78	Diagnosis	ICD-10-CM	Bipolar disorder, in full remission, most recent episode mixed
F31.75	Diagnosis	ICD-10-CM	Bipolar disorder, in partial remission, most recent episode depressed
F31.77	Diagnosis	ICD-10-CM	Bipolar disorder, in partial remission, most recent episode mixed
F31.81	Diagnosis	ICD-10-CM	Bipolar II disorder
F34.1	Diagnosis	ICD-10-CM	Dysthymic disorder
F33.2	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent severe without psychotic features
F33.42	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, in full remission
F33.41	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, in partial remission
F33.40	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, in remission, unspecified
F33.0	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, mild
F33.1	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, moderate
F33.3	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, severe with psychotic symptoms
F33.9	=		Major depressive disorder, recurrent, unspecified
F33.9	Diagnosis	ICD-10-CM	Major depressive disorder, recurrent, unspecified

cder_mpl1p_wp075 Page 249 of 369



Request			
Code	Code Category		Description
F32.5	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, in full remission
F32.4	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, in partial remission
F32.0	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, mild
F32.1	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, moderate
F32.3	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, severe with psychotic features
F32.2	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, severe without psychotic features
F32.9	Diagnosis	ICD-10-CM	Major depressive disorder, single episode, unspecified
F33.8	Diagnosis	ICD-10-CM	Other recurrent depressive disorders
296.2	Diagnosis	ICD-9-CM	Major depressive disorder, single episode, unspecified
296.21	Diagnosis	ICD-9-CM	Major depressive disorder, single episode, mild
296.22	Diagnosis	ICD-9-CM	Major depressive disorder, single episode, moderate
			Major depressive disorder, single episode, severe, without mention of psychotic
296.23	Diagnosis	ICD-9-CM	behavior
296.24	Diagnosis	ICD-9-CM	Major depressive disorder, single episode, severe, specified as with psychotic behavior
296.25	Diagnosis	ICD-9-CM	Major depressive disorder, single episode, in partial or unspecified remission
296.26	Diagnosis	ICD-9-CM	Major depressive disorder, single episode in full remission
296.3	Diagnosis	ICD-9-CM	Major depressive disorder, recurrent episode, unspecified
296.31	Diagnosis	ICD-9-CM	Major depressive disorder, recurrent episode, mild
296.32	Diagnosis	ICD-9-CM	Major depressive disorder, recurrent episode, moderate
			Major depressive disorder, recurrent episode, severe, without mention of psychotic
296.33	Diagnosis	ICD-9-CM	behavior
			Major depressive disorder, recurrent episode, severe, specified as with psychotic
296.34	Diagnosis	ICD-9-CM	behavior
296.35	Diagnosis	ICD-9-CM	Major depressive disorder, recurrent episode, in partial or unspecified remission
296.36	Diagnosis	ICD-9-CM	Major depressive disorder, recurrent episode, in full remission
296.51	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) depressed, mild
296.52	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) depressed, moderate
			Bipolar I disorder, most recent episode (or current) depressed, severe, without
296.53	Diagnosis	ICD-9-CM	mention of psychotic behavior
			Bipolar I disorder, most recent episode (or current) depressed, severe, specified as
296.54	Diagnosis	ICD-9-CM	with psychotic behavior
			Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified
296.55	Diagnosis	ICD-9-CM	remission
296.56	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) depressed, in full remission
296.6	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) mixed, unspecified
296.61	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) mixed, mild
296.62	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) mixed, moderate
			Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of
296.63	Diagnosis	ICD-9-CM	psychotic behavior
			Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with
296.64	Diagnosis	ICD-9-CM	psychotic behavior

cder_mpl1p_wp075 Page 250 of 369



Code	Code Category	Code Type	Description
			Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified
96.65	Diagnosis	ICD-9-CM	remission
96.66	Diagnosis	ICD-9-CM	Bipolar I disorder, most recent episode (or current) mixed, in full remission
96.89	Diagnosis	ICD-9-CM	Other and unspecified bipolar disorders
98	Diagnosis	ICD-9-CM	Depressive type psychosis
00.4	Diagnosis	ICD-9-CM	Dysthymic disorder
09.1	Diagnosis	ICD-9-CM	Prolonged depressive reaction as adjustment reaction
11	Diagnosis	ICD-9-CM	Depressive disorder, not elsewhere classified
			Cancer
73.12	Diagnosis	ICD-9-CM	Squamous cell carcinoma of eyelid, including canthus
73.22	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin of ear and external auditory canal
73.32	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin of other and unspecified parts of face
73.42	Diagnosis	ICD-9-CM	Squamous cell carcinoma of scalp and skin of neck
73.52	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin of trunk, except scrotum
73.62	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin of upper limb, including shoulder
73.72	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin of lower limb, including hip
73.82	Diagnosis	ICD-9-CM	Squamous cell carcinoma of other specified sites of skin
73.92	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin, site unspecified
44.121	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of unspecified eyelid, including canthus
44.122	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of right eyelid, including canthus
44.129	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of left eyelid, including canthus
44.221	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of unspecified ear and external auricular canal
44.222	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of right ear and external auricular canal
44.229	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of left ear and external auricular canal
44.320	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of unspecified parts of face
44.321	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of nose
44.329	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of other parts of face
44.42	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of scalp and neck
14.520	Diagnosis	ICD-10-CM	Squamous cell carcinoma of anal skin
44.521	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of breast
44.529	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of other part of trunk
44.621	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of unspecified upper limb, including shoulder
44.622	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of right upper limb, including shoulder
44.629	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of left upper limb, including shoulder
44.721	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of unspecified lower limb, including hip
44.722	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of right lower limb, including hip
44.729	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of left lower limb, including hip
44.82	Diagnosis	ICD-10-CM	Squamous cell carcinoma of overlapping sites of skin
44.92	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin, unspecified
73.11	Diagnosis	ICD-9-CM	Basal cell carcinoma of eyelid, including canthus
73.21	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin of ear and external auditory canal
73.31	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin of other and unspecified parts of face
73.41	Diagnosis	ICD-9-CM	Basal cell carcinoma of scalp and skin of neck

cder_mpl1p_wp075 Page 251 of 369



Request			
Code	Code Category	Code Type	Description
173.51	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin of trunk, except scrotum
173.61	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin of upper limb, including shoulder
173.71	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin of lower limb, including hip
173.81	Diagnosis	ICD-9-CM	Basal cell carcinoma of other specified sites of skin
173.91	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin, site unspecified
C44.111	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of unspecified eyelid, including canthus
C44.112	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of right eyelid, including canthus
C44.119	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of left eyelid, including canthus
C44.211	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of unspecified ear and external auricular canal
C44.212	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of right ear and external auricular canal
C44.219	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of left ear and external auricular canal
C44.310	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of unspecified parts of face
C44.311	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of nose
C44.319	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of other parts of face
C44.41	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of scalp and neck
C44.510	Diagnosis	ICD-10-CM	Basal cell carcinoma of anal skin
C44.511	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of breast
C44.519	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of other part of trunk
C44.611	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of unspecified upper limb, including shoulder
C44.612	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of right upper limb, including shoulder
C44.619	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of left upper limb, including shoulder
C44.711	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of unspecified lower limb, including hip
C44.712	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of right lower limb, including hip
C44.719	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of left lower limb, including hip
C44.81	Diagnosis	ICD-10-CM	Basal cell carcinoma of overlapping sites of skin
C44.91	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin, unspecified
140	Diagnosis	ICD-9-CM	Malignant neoplasm of lip
140	Diagnosis	ICD-9-CM	Malignant neoplasm of upper lip, vermilion border
140.1	Diagnosis	ICD-9-CM	Malignant neoplasm of lower lip, vermilion border
140.3	Diagnosis	ICD-9-CM	Malignant neoplasm of upper lip, inner aspect
140.4	Diagnosis	ICD-9-CM	Malignant neoplasm of lower lip, inner aspect
140.5	Diagnosis	ICD-9-CM	Malignant neoplasm of lip, inner aspect, unspecified as to upper or lower
140.6	Diagnosis	ICD-9-CM	Malignant neoplasm of commissure of lip
140.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of lip
140.9	Diagnosis	ICD-9-CM	Malignant neoplasm of lip, vermilion border, unspecified as to upper or lower
141	Diagnosis	ICD-9-CM	Malignant neoplasm of tongue
141	Diagnosis	ICD-9-CM	Malignant neoplasm of base of tongue
141.1	Diagnosis	ICD-9-CM	Malignant neoplasm of dorsal surface of tongue
141.2	Diagnosis	ICD-9-CM	Malignant neoplasm of tip and lateral border of tongue
141.3	Diagnosis	ICD-9-CM	Malignant neoplasm of ventral surface of tongue
141.4	Diagnosis	ICD-9-CM	Malignant neoplasm of anterior two-thirds of tongue, part unspecified
141.5	Diagnosis	ICD-9-CM	Malignant neoplasm of junctional zone of tongue
141.6	Diagnosis	ICD-9-CM	Malignant neoplasm of lingual tonsil

cder_mpl1p_wp075 Page 252 of 369



Request			
Code	Code Category		Description
141.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of tongue
141.9	Diagnosis	ICD-9-CM	Malignant neoplasm of tongue, unspecified site
142	Diagnosis	ICD-9-CM	Malignant neoplasm of major salivary glands
142	Diagnosis	ICD-9-CM	Malignant neoplasm of parotid gland
142.1	Diagnosis	ICD-9-CM	Malignant neoplasm of submandibular gland
142.2	Diagnosis	ICD-9-CM	Malignant neoplasm of sublingual gland
142.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other major salivary glands
142.9	Diagnosis	ICD-9-CM	Malignant neoplasm of salivary gland, unspecified
143	Diagnosis	ICD-9-CM	Malignant neoplasm of gum
143	Diagnosis	ICD-9-CM	Malignant neoplasm of upper gum
143.1	Diagnosis	ICD-9-CM	Malignant neoplasm of lower gum
143.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of gum
143.9	Diagnosis	ICD-9-CM	Malignant neoplasm of gum, unspecified site
144	Diagnosis	ICD-9-CM	Malignant neoplasm of floor of mouth
144	Diagnosis	ICD-9-CM	Malignant neoplasm of anterior portion of floor of mouth
144.1	Diagnosis	ICD-9-CM	Malignant neoplasm of lateral portion of floor of mouth
144.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of floor of mouth
144.9	Diagnosis	ICD-9-CM	Malignant neoplasm of floor of mouth, part unspecified
145	Diagnosis	ICD-9-CM	Malignant neoplasm of other and unspecified parts of mouth
145	Diagnosis	ICD-9-CM	Malignant neoplasm of cheek mucosa
145.1	Diagnosis	ICD-9-CM	Malignant neoplasm of vestibule of mouth
145.2	Diagnosis	ICD-9-CM	Malignant neoplasm of hard palate
145.3	Diagnosis	ICD-9-CM	Malignant neoplasm of soft palate
145.4	Diagnosis	ICD-9-CM	Malignant neoplasm of uvula
145.5	Diagnosis	ICD-9-CM	Malignant neoplasm of palate, unspecified
145.6	Diagnosis	ICD-9-CM	Malignant neoplasm of retromolar area
145.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified parts of mouth
145.9	Diagnosis	ICD-9-CM	Malignant neoplasm of mouth, unspecified site
146	Diagnosis	ICD-9-CM	Malignant neoplasm of oropharynx
146	Diagnosis	ICD-9-CM	Malignant neoplasm of tonsil
146.1	Diagnosis	ICD-9-CM	Malignant neoplasm of tonsillar fossa
146.2	Diagnosis	ICD-9-CM	Malignant neoplasm of tonsillar pillars (anterior) (posterior)
146.3	Diagnosis	ICD-9-CM	Malignant neoplasm of vallecula
146.4	Diagnosis	ICD-9-CM	Malignant neoplasm of anterior aspect of epiglottis
146.5	Diagnosis	ICD-9-CM	Malignant neoplasm of junctional region of oropharynx
146.6	Diagnosis	ICD-9-CM	Malignant neoplasm of lateral wall of oropharynx
146.7	Diagnosis	ICD-9-CM	Malignant neoplasm of posterior wall of oropharynx
146.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of oropharynx
146.9	Diagnosis	ICD-9-CM	Malignant neoplasm of oropharynx, unspecified site
147	Diagnosis	ICD-9-CM	Malignant neoplasm of nasopharynx
147	Diagnosis	ICD-9-CM	Malignant neoplasm of superior wall of nasopharynx
147.1	Diagnosis	ICD-9-CM	Malignant neoplasm of posterior wall of nasopharynx
147.2	Diagnosis	ICD-9-CM	Malignant neoplasm of lateral wall of nasopharynx
-	1.20.100.0	0 0	. O

cder_mpl1p_wp075 Page 253 of 369



Request			
Code	Code Category	Code Type	Description
147.3	Diagnosis	ICD-9-CM	Malignant neoplasm of anterior wall of nasopharynx
147.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of nasopharynx
147.9	Diagnosis	ICD-9-CM	Malignant neoplasm of nasopharynx, unspecified site
148	Diagnosis	ICD-9-CM	Malignant neoplasm of hypopharynx
148	Diagnosis	ICD-9-CM	Malignant neoplasm of postcricoid region of hypopharynx
148.1	Diagnosis	ICD-9-CM	Malignant neoplasm of pyriform sinus
148.2	Diagnosis	ICD-9-CM	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect
148.3	Diagnosis	ICD-9-CM	Malignant neoplasm of posterior hypopharyngeal wall
148.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of hypopharynx
148.9	Diagnosis	ICD-9-CM	Malignant neoplasm of hypopharynx, unspecified site
			Malignant neoplasm of other and ill-defined sites within the lip, oral cavity, and
149	Diagnosis	ICD-9-CM	pharynx
149	Diagnosis	ICD-9-CM	Malignant neoplasm of pharynx, unspecified
149.1	Diagnosis	ICD-9-CM	Malignant neoplasm of Waldeyer's ring
149.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites within the lip and oral cavity
149.9	Diagnosis	ICD-9-CM	Malignant neoplasm of ill-defined sites of lip and oral cavity
150	Diagnosis	ICD-9-CM	Malignant neoplasm of esophagus
150	Diagnosis	ICD-9-CM	Malignant neoplasm of cervical esophagus
150.1	Diagnosis	ICD-9-CM	Malignant neoplasm of thoracic esophagus
150.2	Diagnosis	ICD-9-CM	Malignant neoplasm of abdominal esophagus
150.3	Diagnosis	ICD-9-CM	Malignant neoplasm of upper third of esophagus
150.4	Diagnosis	ICD-9-CM	Malignant neoplasm of middle third of esophagus
150.5	Diagnosis	ICD-9-CM	Malignant neoplasm of lower third of esophagus
150.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified part of esophagus
150.9	Diagnosis	ICD-9-CM	Malignant neoplasm of esophagus, unspecified site
151	Diagnosis	ICD-9-CM	Malignant neoplasm of stomach
151	Diagnosis	ICD-9-CM	Malignant neoplasm of cardia
151.1	Diagnosis	ICD-9-CM	Malignant neoplasm of pylorus
151.2	Diagnosis	ICD-9-CM	Malignant neoplasm of pyloric antrum
151.3	Diagnosis	ICD-9-CM	Malignant neoplasm of fundus of stomach
151.4	Diagnosis	ICD-9-CM	Malignant neoplasm of body of stomach
151.5	Diagnosis	ICD-9-CM	Malignant neoplasm of lesser curvature of stomach, unspecified
151.6	Diagnosis	ICD-9-CM	Malignant neoplasm of greater curvature of stomach, unspecified
151.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of stomach
151.9	Diagnosis	ICD-9-CM	Malignant neoplasm of stomach, unspecified site
152	Diagnosis	ICD-9-CM	Malignant neoplasm of small intestine, including duodenum
152	Diagnosis	ICD-9-CM	Malignant neoplasm of duodenum
152.1	Diagnosis	ICD-9-CM	Malignant neoplasm of jejunum
152.2	Diagnosis	ICD-9-CM	Malignant neoplasm of ileum
152.3	Diagnosis	ICD-9-CM	Malignant neoplasm of Meckel's diverticulum
152.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of small intestine
152.9	Diagnosis	ICD-9-CM	Malignant neoplasm of small intestine, unspecified site
153	Diagnosis	ICD-9-CM	Malignant neoplasm of colon

cder_mpl1p_wp075 Page 254 of 369



Request			
Code	Code Category		Description
153	Diagnosis	ICD-9-CM	Malignant neoplasm of hepatic flexure
153.1	Diagnosis	ICD-9-CM	Malignant neoplasm of transverse colon
153.2	Diagnosis	ICD-9-CM	Malignant neoplasm of descending colon
153.3	Diagnosis	ICD-9-CM	Malignant neoplasm of sigmoid colon
153.4	Diagnosis	ICD-9-CM	Malignant neoplasm of cecum
153.5	Diagnosis	ICD-9-CM	Malignant neoplasm of appendix
153.6	Diagnosis	ICD-9-CM	Malignant neoplasm of ascending colon
153.7	Diagnosis	ICD-9-CM	Malignant neoplasm of splenic flexure
153.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of large intestine
153.9	Diagnosis	ICD-9-CM	Malignant neoplasm of colon, unspecified site
154	Diagnosis	ICD-9-CM	Malignant neoplasm of rectum, rectosigmoid junction, and anus
154	Diagnosis	ICD-9-CM	Malignant neoplasm of rectosigmoid junction
154.1	Diagnosis	ICD-9-CM	Malignant neoplasm of rectum
154.2	Diagnosis	ICD-9-CM	Malignant neoplasm of anal canal
154.3	Diagnosis	ICD-9-CM	Malignant neoplasm of anus, unspecified site
154.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of rectum, rectosigmoid junction, and anus
155	Diagnosis	ICD-9-CM	Malignant neoplasm of liver and intrahepatic bile ducts
155	Diagnosis	ICD-9-CM	Malignant neoplasm of liver, primary
155.1	Diagnosis	ICD-9-CM	Malignant neoplasm of intrahepatic bile ducts
155.2	Diagnosis	ICD-9-CM	Malignant neoplasm of liver, not specified as primary or secondary
156	Diagnosis	ICD-9-CM	Malignant neoplasm of gallbladder and extrahepatic bile ducts
156	Diagnosis	ICD-9-CM	Malignant neoplasm of gallbladder
156.1	Diagnosis	ICD-9-CM	Malignant neoplasm of extrahepatic bile ducts
156.2	Diagnosis	ICD-9-CM	Malignant neoplasm of ampulla of Vater
156.0	Diagnosis	ICD O CM	Malianant nagalasm of other specified sites of callbladder and outrobanatic bile dusts
156.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of gallbladder and extrahepatic bile ducts
156.9	Diagnosis	ICD-9-CM	Malignant neoplasm of biliary tract, part unspecified site
157	Diagnosis	ICD-9-CM	Malignant neoplasm of pancreas
157	Diagnosis	ICD-9-CM	Malignant neoplasm of head of pancreas
157.1	Diagnosis	ICD-9-CM	Malignant neoplasm of body of pancreas
157.2	Diagnosis	ICD-9-CM	Malignant neoplasm of tail of pancreas
157.3	Diagnosis	ICD-9-CM	Malignant neoplasm of pancreatic duct
157.4	Diagnosis	ICD-9-CM	Malignant neoplasm of islets of Langerhans
157.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of pancreas
157.9	Diagnosis	ICD-9-CM	Malignant neoplasm of pancreas, part unspecified
158	Diagnosis	ICD-9-CM	Malignant neoplasm of retroperitoneum and peritoneum
158	Diagnosis	ICD-9-CM	Malignant neoplasm of retroperitoneum
158.8	Diagnosis	ICD-9-CM	Malignant neoplasm of specified parts of peritoneum
158.9	Diagnosis	ICD-9-CM	Malignant neoplasm of peritoneum, unspecified
450	. .	100.0.00	Malignant neoplasm of other and ill-defined sites within the digestive organs and
159	Diagnosis	ICD-9-CM	peritoneum
159	Diagnosis	ICD-9-CM	Malignant neoplasm of intestinal tract, part unspecified
159.1	Diagnosis	ICD-9-CM	Malignant neoplasm of spleen, not elsewhere classified

cder_mpl1p_wp075 Page 255 of 369



Request			
Code	Code Category	Code Type	Description
159.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of digestive system and intra-abdominal organs
159.9	Diagnosis	ICD-9-CM	Malignant neoplasm of ill-defined sites of digestive organs and peritoneum
160	Diagnosis	ICD-9-CM	Malignant neoplasm of nasal cavities, middle ear, and accessory sinuses
160	Diagnosis	ICD-9-CM	Malignant neoplasm of nasal cavities
160.1	Diagnosis	ICD-9-CM	Malignant neoplasm of auditory tube, middle ear, and mastoid air cells
160.2	Diagnosis	ICD-9-CM	Malignant neoplasm of maxillary sinus
160.3	Diagnosis	ICD-9-CM	Malignant neoplasm of ethmoidal sinus
160.4	Diagnosis	ICD-9-CM	Malignant neoplasm of frontal sinus
160.5	Diagnosis	ICD-9-CM	Malignant neoplasm of sphenoidal sinus
160.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other sites of nasal cavities, middle ear, and accessory sinuses Malignant neoplasm of site of nasal cavities, middle ear, and accessory sinus,
160.9	Diagnosis	ICD-9-CM	unspecified site
161	Diagnosis	ICD-9-CM	Malignant neoplasm of larynx
161	Diagnosis	ICD-9-CM	Malignant neoplasm of glottis
161.1	Diagnosis	ICD-9-CM	Malignant neoplasm of supraglottis
161.2	Diagnosis	ICD-9-CM	Malignant neoplasm of subglottis
161.3	Diagnosis	ICD-9-CM	Malignant neoplasm of laryngeal cartilages
161.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of larynx
161.9	Diagnosis	ICD-9-CM	Malignant neoplasm of larynx, unspecified site
162	Diagnosis	ICD-9-CM	Malignant neoplasm of trachea, bronchus, and lung
162	Diagnosis	ICD-9-CM	Malignant neoplasm of trachea
162.2	Diagnosis	ICD-9-CM	Malignant neoplasm of main bronchus
162.3	Diagnosis	ICD-9-CM	Malignant neoplasm of upper lobe, bronchus, or lung
162.4	Diagnosis	ICD-9-CM	Malignant neoplasm of middle lobe, bronchus, or lung
162.5	Diagnosis	ICD-9-CM	Malignant neoplasm of lower lobe, bronchus, or lung
162.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other parts of bronchus or lung
162.9	Diagnosis	ICD-9-CM	Malignant neoplasm of bronchus and lung, unspecified site
163	Diagnosis	ICD-9-CM	Malignant neoplasm of pleura
163	Diagnosis	ICD-9-CM	Malignant neoplasm of parietal pleura
163.1	Diagnosis	ICD-9-CM	Malignant neoplasm of visceral pleura
163.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of pleura
163.9	Diagnosis	ICD-9-CM	Malignant neoplasm of pleura, unspecified site
164	Diagnosis	ICD-9-CM	Malignant neoplasm of thymus, heart, and mediastinum
164	Diagnosis	ICD-9-CM	Malignant neoplasm of thymus
164.1	Diagnosis	ICD-9-CM	Malignant neoplasm of heart
164.2	Diagnosis	ICD-9-CM	Malignant neoplasm of anterior mediastinum
164.3	Diagnosis	ICD-9-CM	Malignant neoplasm of posterior mediastinum
164.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other parts of mediastinum
164.9	Diagnosis	ICD-9-CM	Malignant neoplasm of mediastinum, part unspecified
	-		Malignant neoplasm of other and ill-defined sites within the respiratory system and
165	Diagnosis	ICD-9-CM	intrathoracic organs
165	Diagnosis	ICD-9-CM	Malignant neoplasm of upper respiratory tract, part unspecified
	Č		

cder_mpl1p_wp075 Page 256 of 369



Request			
Code	Code Category	Code Type	Description
			Malignant neoplasm of other sites within the respiratory system and intrathoracic
165.8	Diagnosis	ICD-9-CM	organs
165.9	Diagnosis	ICD-9-CM	Malignant neoplasm of ill-defined sites within the respiratory system
170	Diagnosis	ICD-9-CM	Malignant neoplasm of bone and articular cartilage
170	Diagnosis	ICD-9-CM	Malignant neoplasm of bones of skull and face, except mandible
170.1	Diagnosis	ICD-9-CM	Malignant neoplasm of mandible
170.2	Diagnosis	ICD-9-CM	Malignant neoplasm of vertebral column, excluding sacrum and coccyx
170.3	Diagnosis	ICD-9-CM	Malignant neoplasm of ribs, sternum, and clavicle
170.4	Diagnosis	ICD-9-CM	Malignant neoplasm of scapula and long bones of upper limb
170.5	Diagnosis	ICD-9-CM	Malignant neoplasm of short bones of upper limb
170.6	Diagnosis	ICD-9-CM	Malignant neoplasm of pelvic bones, sacrum, and coccyx
170.7	Diagnosis	ICD-9-CM	Malignant neoplasm of long bones of lower limb
170.8	Diagnosis	ICD-9-CM	Malignant neoplasm of short bones of lower limb
170.9	Diagnosis	ICD-9-CM	Malignant neoplasm of bone and articular cartilage, site unspecified
171	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue
171	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue of head, face, and neck
			Malignant neoplasm of connective and other soft tissue of upper limb, including
171.2	Diagnosis	ICD-9-CM	shoulder
171.3	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue of lower limb, including hip
171.4	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue of thorax
171.5	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue of abdomen
171.6	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue of pelvis
171.7	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue of trunk, unspecified site
171.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of connective and other soft tissue
171.9	Diagnosis	ICD-9-CM	Malignant neoplasm of connective and other soft tissue, site unspecified
172	Diagnosis	ICD-9-CM	Malignant melanoma of skin
172	Diagnosis	ICD-9-CM	Malignant melanoma of skin of lip
172.1	Diagnosis	ICD-9-CM	Malignant melanoma of skin of eyelid, including canthus
172.2	Diagnosis	ICD-9-CM	Malignant melanoma of skin of ear and external auditory canal
172.3	Diagnosis	ICD-9-CM	Malignant melanoma of skin of other and unspecified parts of face
172.4	Diagnosis	ICD-9-CM	Malignant melanoma of skin of scalp and neck
172.5	Diagnosis	ICD-9-CM	Malignant melanoma of skin of trunk, except scrotum
172.6	Diagnosis	ICD-9-CM	Malignant melanoma of skin of upper limb, including shoulder
172.7	Diagnosis	ICD-9-CM	Malignant melanoma of skin of lower limb, including hip
172.8	Diagnosis	ICD-9-CM	Malignant melanoma of other specified sites of skin
172.9	Diagnosis	ICD-9-CM	Melanoma of skin, site unspecified
173	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin
173	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin of lip
173	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin of lip
173.01	Diagnosis	ICD-9-CM	Basal cell carcinoma of skin of lip
173.02	Diagnosis	ICD-9-CM	Squamous cell carcinoma of skin of lip
173.09	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin of lip
173.1	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of eyelid, including canthus
	=		

cder_mpl1p_wp075 Page 257 of 369



Request			
Code	Code Category	Code Type	Description
173.1	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of eyelid, including canthus
173.19	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of eyelid, including canthus
173.2	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin of ear and external auditory canal
173.2	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin of ear and external auditory canal
173.29	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin of ear and external auditory canal
			Other and unspecified malignant neoplasm of skin of other and unspecified parts of
173.3	Diagnosis	ICD-9-CM	face
173.3	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin of other and unspecified parts of face
173.39	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin of other and unspecified parts of face
173.4	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of scalp and skin of neck
173.4	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of scalp and skin of neck
173.49	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of scalp and skin of neck
173.5	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin of trunk, except scrotum
173.5	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin of trunk, except scrotum
173.59	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin of trunk, except scrotum
173.6	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin of upper limb, including shoulder
173.6	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin of upper limb, including shoulder
173.69	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin of upper limb, including shoulder
173.7	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin of lower limb, including hip
173.7	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin of lower limb, including hip
173.79	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin of lower limb, including hip
173.8	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of other specified sites of skin
173.8	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of other specified sites of skin
173.89	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of other specified sites of skin
173.9	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasm of skin, site unspecified
173.9	Diagnosis	ICD-9-CM	Unspecified malignant neoplasm of skin, site unspecified
173.99	Diagnosis	ICD-9-CM	Other specified malignant neoplasm of skin, site unspecified
174	Diagnosis	ICD-9-CM	Malignant neoplasm of female breast
174	Diagnosis	ICD-9-CM	Malignant neoplasm of nipple and areola of female breast
174.1	Diagnosis	ICD-9-CM	Malignant neoplasm of central portion of female breast
174.2	Diagnosis	ICD-9-CM	Malignant neoplasm of upper-inner quadrant of female breast
174.3	Diagnosis	ICD-9-CM	Malignant neoplasm of lower-inner quadrant of female breast
174.4	Diagnosis	ICD-9-CM	Malignant neoplasm of upper-outer quadrant of female breast
174.5	Diagnosis	ICD-9-CM	Malignant neoplasm of lower-outer quadrant of female breast
174.6	Diagnosis	ICD-9-CM	Malignant neoplasm of axillary tail of female breast
174.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of female breast
174.9	Diagnosis	ICD-9-CM	Malignant neoplasm of breast (female), unspecified site
175	Diagnosis	ICD-9-CM	Malignant neoplasm of male breast
175	Diagnosis	ICD-9-CM	Malignant neoplasm of nipple and areola of male breast
175.9	Diagnosis	ICD-9-CM	Malignant neoplasm of other and unspecified sites of male breast
176	Diagnosis	ICD-9-CM	Kaposi's sarcoma
176	Diagnosis	ICD-9-CM	Kaposi's sarcoma of skin
176.1	Diagnosis	ICD-9-CM	Kaposi's sarcoma of soft tissue

cder_mpl1p_wp075 Page 258 of 369



Request			
Code	Code Category	Code Type	Description
176.2	Diagnosis	ICD-9-CM	Kaposi's sarcoma of palate
176.3	Diagnosis	ICD-9-CM	Kaposi's sarcoma of gastrointestinal sites
176.4	Diagnosis	ICD-9-CM	Kaposi's sarcoma of lung
176.5	Diagnosis	ICD-9-CM	Kaposi's sarcoma of lymph nodes
176.8	Diagnosis	ICD-9-CM	Kaposi's sarcoma of other specified sites
176.9	Diagnosis	ICD-9-CM	Kaposi's sarcoma of unspecified site
179	Diagnosis	ICD-9-CM	Malignant neoplasm of uterus, part unspecified
180	Diagnosis	ICD-9-CM	Malignant neoplasm of cervix uteri
180	Diagnosis	ICD-9-CM	Malignant neoplasm of endocervix
180.1	Diagnosis	ICD-9-CM	Malignant neoplasm of exocervix
180.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of cervix
180.9	Diagnosis	ICD-9-CM	Malignant neoplasm of cervix uteri, unspecified site
181	Diagnosis	ICD-9-CM	Malignant neoplasm of placenta
182	Diagnosis	ICD-9-CM	Malignant neoplasm of body of uterus
182	Diagnosis	ICD-9-CM	Malignant neoplasm of corpus uteri, except isthmus
182.1	Diagnosis	ICD-9-CM	Malignant neoplasm of isthmus
182.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of body of uterus
183	Diagnosis	ICD-9-CM	Malignant neoplasm of ovary and other uterine adnexa
183	Diagnosis	ICD-9-CM	Malignant neoplasm of ovary
183.2	Diagnosis	ICD-9-CM	Malignant neoplasm of fallopian tube
183.3	Diagnosis	ICD-9-CM	Malignant neoplasm of broad ligament of uterus
183.4	Diagnosis	ICD-9-CM	Malignant neoplasm of parametrium of uterus
183.5	Diagnosis	ICD-9-CM	Malignant neoplasm of round ligament of uterus
183.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of uterine adnexa
183.9	Diagnosis	ICD-9-CM	Malignant neoplasm of uterine adnexa, unspecified site
184	Diagnosis	ICD-9-CM	Malignant neoplasm of other and unspecified female genital organs
184	Diagnosis	ICD-9-CM	Malignant neoplasm of vagina
184.1	Diagnosis	ICD-9-CM	Malignant neoplasm of labia majora
184.2	Diagnosis	ICD-9-CM	Malignant neoplasm of labia minora
184.3	Diagnosis	ICD-9-CM	Malignant neoplasm of clitoris
184.4	Diagnosis	ICD-9-CM	Malignant neoplasm of vulva, unspecified site
184.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of female genital organs
184.9	Diagnosis	ICD-9-CM	Malignant neoplasm of female genital organ, site unspecified
185	Diagnosis	ICD-9-CM	Malignant neoplasm of prostate
186	Diagnosis	ICD-9-CM	Malignant neoplasm of testis
186	Diagnosis	ICD-9-CM	Malignant neoplasm of undescended testis
186.9	Diagnosis	ICD-9-CM	Malignant neoplasm of other and unspecified testis
187	Diagnosis	ICD-9-CM	Malignant neoplasm of penis and other male genital organs
187.1	Diagnosis	ICD-9-CM	Malignant neoplasm of prepuce
187.2	Diagnosis	ICD-9-CM	Malignant neoplasm of glans penis
187.3	Diagnosis	ICD-9-CM	Malignant neoplasm of body of penis
187.4	Diagnosis	ICD-9-CM	Malignant neoplasm of penis, part unspecified
187.5	Diagnosis	ICD-9-CM	Malignant neoplasm of epididymis
	-		- · · · · · · · · · · · · · · · · · · ·

cder_mpl1p_wp075 Page 259 of 369



Code	Code Category	Codo Tuno	Description
Code 187.6	Code Category Diagnosis	Code Type ICD-9-CM	Description Malignant neoplasm of spermatic cord
187.7	Diagnosis	ICD-9-CIVI	Malignant neoplasm of scrotum
187.7	Diagnosis	ICD-9-CIVI	Malignant neoplasm of other specified sites of male genital organs
187.8	Diagnosis	ICD-9-CIVI	Malignant neoplasm of other specified sites of male genital organs Malignant neoplasm of male genital organ, site unspecified
187.9	Diagnosis	ICD-9-CIVI	Malignant neoplasm of bladder
188	Diagnosis	ICD-9-CIVI	Malignant neoplasm of trigone of urinary bladder
188.1	Diagnosis	ICD-9-CIVI	Malignant neoplasm of dome of urinary bladder
188.2	Diagnosis	ICD-9-CIVI	Malignant neoplasm of dome of diffiary bladder Malignant neoplasm of lateral wall of urinary bladder
188.3	Diagnosis	ICD-9-CIVI	Malignant neoplasm of lateral wall of urinary bladder
188.4	Diagnosis	ICD-9-CIVI	Malignant neoplasm of anterior wall of urinary bladder
188.5	Diagnosis	ICD-9-CIVI	Malignant neoplasm of bladder neck
188.6	Diagnosis	ICD-9-CIVI	Malignant neoplasm of ureteric orifice
188.7	Diagnosis	ICD-9-CIVI	Malignant neoplasm of urachus
188.8	Diagnosis	ICD-9-CIVI	Malignant neoplasm of other specified sites of bladder
188.9	Diagnosis	ICD-9-CIVI	Malignant neoplasm of bladder, part unspecified
189	Diagnosis	ICD-9-CIVI	Malignant neoplasm of bladder, part dispectified Malignant neoplasm of kidney and other and unspecified urinary organs
189	Diagnosis	ICD-9-CIVI	Malignant neoplasm of kidney, except pelvis
189.1	Diagnosis	ICD-9-CIVI	Malignant neoplasm of kidney, except peivis Malignant neoplasm of renal pelvis
189.2	Diagnosis	ICD-9-CIVI	Malignant neoplasm of trettar pervis
189.3	Diagnosis	ICD-9-CIVI	Malignant neoplasm of urethra
189.4	Diagnosis	ICD-9-CIVI	Malignant neoplasm of paraurethral glands
189.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of urinary organs
189.9	Diagnosis	ICD-9-CM	Malignant neoplasm of urinary organ, site unspecified
190	Diagnosis	ICD-9-CM	Malignant neoplasm of eye
190	Diagnosis	ICD-9-CM	Malignant neoplasm of eyeball, except conjunctiva, cornea, retina, and choroid
190.1	Diagnosis	ICD-9-CM	Malignant neoplasm of orbit
190.2	Diagnosis	ICD-9-CM	Malignant neoplasm of lacrimal gland
190.3	Diagnosis	ICD-9-CM	Malignant neoplasm of conjunctiva
190.4	Diagnosis	ICD-9-CM	Malignant neoplasm of cornea
190.5	Diagnosis	ICD-9-CM	Malignant neoplasm of retina
190.6	Diagnosis	ICD-9-CM	Malignant neoplasm of choroid
190.7	Diagnosis	ICD-9-CM	Malignant neoplasm of lacrimal duct
190.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of eye
190.9	Diagnosis	ICD-9-CM	Malignant neoplasm of eye, part unspecified
191	Diagnosis	ICD-9-CM	Malignant neoplasm of brain
191	Diagnosis	ICD-9-CM	Malignant neoplasm of cerebrum, except lobes and ventricles
191.1	Diagnosis	ICD-9-CM	Malignant neoplasm of frontal lobe of brain
191.2	Diagnosis	ICD-9-CM	Malignant neoplasm of temporal lobe of brain
191.3	Diagnosis	ICD-9-CM	Malignant neoplasm of parietal lobe of brain
191.4	Diagnosis	ICD-9-CM	Malignant neoplasm of occipital lobe of brain
191.5	Diagnosis	ICD-9-CM	Malignant neoplasm of ventricles of brain
191.6	Diagnosis	ICD-9-CM	Malignant neoplasm of cerebellum NOS
191.7	Diagnosis	ICD-9-CM	Malignant neoplasm of brain stem

cder_mpl1p_wp075 Page 260 of 369



Request			
Code	Code Category	Code Type	Description
191.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other parts of brain
191.9	Diagnosis	ICD-9-CM	Malignant neoplasm of brain, unspecified site
192	Diagnosis	ICD-9-CM	Malignant neoplasm of other and unspecified parts of nervous system
192	Diagnosis	ICD-9-CM	Malignant neoplasm of cranial nerves
192.1	Diagnosis	ICD-9-CM	Malignant neoplasm of cerebral meninges
192.2	Diagnosis	ICD-9-CM	Malignant neoplasm of spinal cord
192.3	Diagnosis	ICD-9-CM	Malignant neoplasm of spinal meninges
192.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites of nervous system
192.9	Diagnosis	ICD-9-CM	Malignant neoplasm of nervous system, part unspecified
193	Diagnosis	ICD-9-CM	Malignant neoplasm of thyroid gland
194	Diagnosis	ICD-9-CM	Malignant neoplasm of other endocrine glands and related structures
194	Diagnosis	ICD-9-CM	Malignant neoplasm of adrenal gland
194.1	Diagnosis	ICD-9-CM	Malignant neoplasm of parathyroid gland
194.3	Diagnosis	ICD-9-CM	Malignant neoplasm of pituitary gland and craniopharyngeal duct
194.4	Diagnosis	ICD-9-CM	Malignant neoplasm of pineal gland
194.5	Diagnosis	ICD-9-CM	Malignant neoplasm of carotid body
194.6	Diagnosis	ICD-9-CM	Malignant neoplasm of aortic body and other paraganglia
194.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other endocrine glands and related structures
194.9	Diagnosis	ICD-9-CM	Malignant neoplasm of endocrine gland, site unspecified
195	Diagnosis	ICD-9-CM	Malignant neoplasm of other and ill-defined sites
195	Diagnosis	ICD-9-CM	Malignant neoplasm of head, face, and neck
195.1	Diagnosis	ICD-9-CM	Malignant neoplasm of thorax
195.2	Diagnosis	ICD-9-CM	Malignant neoplasm of abdomen
195.3	Diagnosis	ICD-9-CM	Malignant neoplasm of pelvis
195.4	Diagnosis	ICD-9-CM	Malignant neoplasm of upper limb
195.5	Diagnosis	ICD-9-CM	Malignant neoplasm of lower limb
195.8	Diagnosis	ICD-9-CM	Malignant neoplasm of other specified sites
196	Diagnosis	ICD-9-CM	Secondary and unspecified malignant neoplasm of lymph nodes
			Secondary and unspecified malignant neoplasm of lymph nodes of head, face, and
196	Diagnosis	ICD-9-CM	neck
196.1	Diagnosis	ICD-9-CM	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes
196.2	Diagnosis	ICD-9-CM	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes
			Secondary and unspecified malignant neoplasm of lymph nodes of axilla and upper
196.3	Diagnosis	ICD-9-CM	limb
			Secondary and unspecified malignant neoplasm of lymph nodes of inguinal region and
196.5	Diagnosis	ICD-9-CM	lower limb
196.6	Diagnosis	ICD-9-CM	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes
196.8	Diagnosis	ICD-9-CM	Secondary and unspecified malignant neoplasm of lymph nodes of multiple sites
196.9	Diagnosis	ICD-9-CM	Secondary and unspecified malignant neoplasm of lymph nodes, site unspecified
197	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of respiratory and digestive systems
197	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of lung
197.1	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of mediastinum
197.2	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of pleura
	5	-	, , ,

cder_mpl1p_wp075 Page 261 of 369



Request			
Code	Code Category	Code Type	Description
197.3	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other respiratory organs
197.4	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of small intestine including duodenum
197.5	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of large intestine and rectum
197.6	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of retroperitoneum and peritoneum
197.7	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of liver
197.8	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other digestive organs and spleen
198	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other specified sites
198	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of kidney
198.1	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other urinary organs
198.2	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of skin
198.3	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of brain and spinal cord
198.4	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other parts of nervous system
198.5	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of bone and bone marrow
198.6	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of ovary
198.7	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of adrenal gland
198.8	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other specified sites
198.81	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of breast
198.82	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of genital organs
198.89	Diagnosis	ICD-9-CM	Secondary malignant neoplasm of other specified sites
199	Diagnosis	ICD-9-CM	Malignant neoplasm without specification of site
199	Diagnosis	ICD-9-CM	Disseminated malignant neoplasm
199.1	Diagnosis	ICD-9-CM	Other malignant neoplasm of unspecified site
199.2	Diagnosis	ICD-9-CM	Malignant neoplasm associated with transplanted organ
			Lymphosarcoma and reticulosarcoma and other specified malignant tumors of
200	Diagnosis	ICD-9-CM	lymphatic tissue
200	Diagnosis	ICD-9-CM	Reticulosarcoma
200	Diagnosis	ICD-9-CM	Reticulosarcoma, unspecified site, extranodal and solid organ sites
200.01	Diagnosis	ICD-9-CM	Reticulosarcoma of lymph nodes of head, face, and neck
200.02	Diagnosis	ICD-9-CM	Reticulosarcoma of intrathoracic lymph nodes
200.03	Diagnosis	ICD-9-CM	Reticulosarcoma of intra-abdominal lymph nodes
200.04	Diagnosis	ICD-9-CM	Reticulosarcoma of lymph nodes of axilla and upper limb
200.05	Diagnosis	ICD-9-CM	Reticulosarcoma of lymph nodes of inguinal region and lower limb
200.06	Diagnosis	ICD-9-CM	Reticulosarcoma of intrapelvic lymph nodes
200.07	Diagnosis	ICD-9-CM	Reticulosarcoma of spleen
200.08	Diagnosis	ICD-9-CM	Reticulosarcoma of lymph nodes of multiple sites
200.1	Diagnosis	ICD-9-CM	Lymphosarcoma
200.1	Diagnosis	ICD-9-CM	Lymphosarcoma, unspecified site, extranodal and solid organ sites
200.11	Diagnosis	ICD-9-CM	Lymphosarcoma of lymph nodes of head, face, and neck
200.12	Diagnosis	ICD-9-CM	Lymphosarcoma of intrathoracic lymph nodes
200.13	Diagnosis	ICD-9-CM	Lymphosarcoma of intra-abdominal lymph nodes
200.14	Diagnosis	ICD-9-CM	Lymphosarcoma of lymph nodes of axilla and upper limb
200.15	Diagnosis	ICD-9-CM	Lymphosarcoma of lymph nodes of inguinal region and lower limb
200.16	Diagnosis	ICD-9-CM	Lymphosarcoma of intrapelvic lymph nodes

cder_mpl1p_wp075 Page 262 of 369



Request			
Code	Code Category	Code Type	Description
200.17	Diagnosis	ICD-9-CM	Lymphosarcoma of spleen
200.18	Diagnosis	ICD-9-CM	Lymphosarcoma of lymph nodes of multiple sites
200.2	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma
200.2	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma, unspecified site, extranodal and solid organ sites
200.21	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of lymph nodes of head, face, and neck
200.22	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of intrathoracic lymph nodes
200.23	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of intra-abdominal lymph nodes
200.24	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of lymph nodes of axilla and upper limb
200.25	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of lymph nodes of inguinal region and lower limb
200.26	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of intrapelvic lymph nodes
200.27	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of spleen
200.28	Diagnosis	ICD-9-CM	Burkitt's tumor or lymphoma of lymph nodes of multiple sites
200.3	Diagnosis	ICD-9-CM	Marginal zone lymphoma
200.3	Diagnosis	ICD-9-CM	Marginal zone lymphoma, unspecified site, extranodal and solid organ sites
200.31	Diagnosis	ICD-9-CM	Marginal zone lymphoma, lymph nodes of head, face, and neck
200.32	Diagnosis	ICD-9-CM	Marginal zone lymphoma, intrathoracic lymph nodes
200.33	Diagnosis	ICD-9-CM	Marginal zone lymphoma, intra-abdominal lymph nodes
200.34	Diagnosis	ICD-9-CM	Marginal zone lymphoma, lymph nodes of axilla and upper limb
200.35	Diagnosis	ICD-9-CM	Marginal zone lymphoma, lymph nodes of inguinal region and lower limb
200.36	Diagnosis	ICD-9-CM	Marginal zone lymphoma, intrapelvic lymph nodes
200.37	Diagnosis	ICD-9-CM	Marginal zone lymphoma, spleen
200.38	Diagnosis	ICD-9-CM	Marginal zone lymphoma, lymph nodes of multiple sites
200.4	Diagnosis	ICD-9-CM	Mantle cell lymphoma
200.4	Diagnosis	ICD-9-CM	Mantle cell lymphoma, unspecified site, extranodal and solid organ sites
200.41	Diagnosis	ICD-9-CM	Mantle cell lymphoma, lymph nodes of head, face, and neck
200.42	Diagnosis	ICD-9-CM	Mantle cell lymphoma, intrathoracic lymph nodes
200.43	Diagnosis	ICD-9-CM	Mantle cell lymphoma, intra-abdominal lymph nodes
200.44	Diagnosis	ICD-9-CM	Mantle cell lymphoma, lymph nodes of axilla and upper limb
200.45	Diagnosis	ICD-9-CM	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb
200.46	Diagnosis	ICD-9-CM	Mantle cell lymphoma, intrapelvic lymph nodes
200.47	Diagnosis	ICD-9-CM	Mantle cell lymphoma, spleen
200.48	Diagnosis	ICD-9-CM	Mantle cell lymphoma, lymph nodes of multiple sites
200.5	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma
			Primary central nervous system lymphoma, unspecified site, extranodal and solid
200.5	Diagnosis	ICD-9-CM	organ sites
200.51	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, lymph nodes of head, face, and neck
200.52	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, intrathoracic lymph nodes
200.53	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, intra-abdominal lymph nodes
200.54	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, lymph nodes of axilla and upper limb
			Primary central nervous system lymphoma, lymph nodes of inguinal region and lower
200.55	Diagnosis	ICD-9-CM	limb
200.56	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, intrapelvic lymph nodes
200.57	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, spleen

cder_mpl1p_wp075 Page 263 of 369



Request			
Code	Code Category	Code Type	Description
200.58	Diagnosis	ICD-9-CM	Primary central nervous system lymphoma, lymph nodes of multiple sites
200.6	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma
200.6	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, unspecified site, extranodal and solid organ sites
200.61	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, lymph nodes of head, face, and neck
200.62	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, intrathoracic lymph nodes
200.63	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, intra-abdominal lymph nodes
200.64	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, lymph nodes of axilla and upper limb
200.65	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, lymph nodes of inguinal region and lower limb
200.66	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, intrapelvic lymph nodes
200.67	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, spleen
200.68	Diagnosis	ICD-9-CM	Anaplastic large cell lymphoma, lymph nodes of multiple sites
200.7	Diagnosis	ICD-9-CM	Large cell lymphoma
200.7	Diagnosis	ICD-9-CM	Large cell lymphoma, unspecified site, extranodal and solid organ sites
200.71	Diagnosis	ICD-9-CM	Large cell lymphoma, lymph nodes of head, face, and neck
200.72	Diagnosis	ICD-9-CM	Large cell lymphoma, intrathoracic lymph nodes
200.73	Diagnosis	ICD-9-CM	Large cell lymphoma, intra-abdominal lymph nodes
200.74	Diagnosis	ICD-9-CM	Large cell lymphoma, lymph nodes of axilla and upper limb
200.75	Diagnosis	ICD-9-CM	Large cell lymphoma, lymph nodes of inguinal region and lower limb
200.76	Diagnosis	ICD-9-CM	Large cell lymphoma, intrapelvic lymph nodes
200.77	Diagnosis	ICD-9-CM	Large cell lymphoma, spleen
200.78	Diagnosis	ICD-9-CM	Large cell lymphoma, lymph nodes of multiple sites
200.8	Diagnosis	ICD-9-CM	Other named variants of lymphosarcoma and reticulosarcoma
200.8	Diagnosis	ICD-9-CM	Other named variants, unspecified site, extranodal and solid organ sites
			Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of head,
200.81	Diagnosis	ICD-9-CM	face, and neck
			Other named variants of lymphosarcoma and reticulosarcoma of intrathoracic lymph
200.82	Diagnosis	ICD-9-CM	nodes
			Other named variants of lymphosarcoma and reticulosarcoma of intra-abdominal
200.83	Diagnosis	ICD-9-CM	lymph nodes
			Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of axilla
200.84	Diagnosis	ICD-9-CM	and upper limb
			Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of
200.85	Diagnosis	ICD-9-CM	inguinal region and lower limb
			Other named variants of lymphosarcoma and reticulosarcoma of intrapelvic lymph
200.86	Diagnosis	ICD-9-CM	nodes
200.87	Diagnosis	ICD-9-CM	Other named variants of lymphosarcoma and reticulosarcoma of spleen
			Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of
200.88	Diagnosis	ICD-9-CM	multiple sites
201	Diagnosis	ICD-9-CM	Hodgkin's disease
201	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma
201	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma, unspecified site, extranodal and solid organ sites
201.01	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of lymph nodes of head, face, and neck
201.02	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of intrathoracic lymph nodes

cder_mpl1p_wp075 Page 264 of 369



Request			
Code	Code Category	Code Type	Description
201.03	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of intra-abdominal lymph nodes
201.04	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of lymph nodes of axilla and upper limb
201.05	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of lymph nodes of inguinal region and lower limb
201.06	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of intrapelvic lymph nodes
201.07	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of spleen
201.08	Diagnosis	ICD-9-CM	Hodgkin's paragranuloma of lymph nodes of multiple sites
201.1	Diagnosis	ICD-9-CM	Hodgkin's granuloma
201.1	Diagnosis	ICD-9-CM	Hodgkin's granuloma, unspecified site, extranodal and solid organ sites
201.11	Diagnosis	ICD-9-CM	Hodgkin's granuloma of lymph nodes of head, face, and neck
201.12	Diagnosis	ICD-9-CM	Hodgkin's granuloma of intrathoracic lymph nodes
201.13	Diagnosis	ICD-9-CM	Hodgkin's granuloma of intra-abdominal lymph nodes
201.14	Diagnosis	ICD-9-CM	Hodgkin's granuloma of lymph nodes of axilla and upper limb
201.15	Diagnosis	ICD-9-CM	Hodgkin's granuloma of lymph nodes of inguinal region and lower limb
201.16	Diagnosis	ICD-9-CM	Hodgkin's granuloma of intrapelvic lymph nodes
201.17	Diagnosis	ICD-9-CM	Hodgkin's granuloma of spleen
201.18	Diagnosis	ICD-9-CM	Hodgkin's granuloma of lymph nodes of multiple sites
201.2	Diagnosis	ICD-9-CM	Hodgkin's sarcoma
201.2	Diagnosis	ICD-9-CM	Hodgkin's sarcoma, unspecified site, extranodal and solid organ sites
201.21	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of lymph nodes of head, face, and neck
201.22	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of intrathoracic lymph nodes
201.23	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of intra-abdominal lymph nodes
201.24	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of lymph nodes of axilla and upper limb
201.25	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of lymph nodes of inguinal region and lower limb
201.26	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of intrapelvic lymph nodes
201.27	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of spleen
201.28	Diagnosis	ICD-9-CM	Hodgkin's sarcoma of lymph nodes of multiple sites
201.4	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic-histiocytic predominance
			Hodgkin's disease, lymphocytic-histiocytic predominance, unspecified site, extranodal
201.4	Diagnosis	ICD-9-CM	and solid organ sites
			Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of head,
201.41	Diagnosis	ICD-9-CM	face, and neck
201.42	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic-histiocytic predominance of intrathoracic lymph nodes
			Hodgkin's disease, lymphocytic-histiocytic predominance of intra-abdominal lymph
201.43	Diagnosis	ICD-9-CM	nodes
			Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of axilla and
201.44	Diagnosis	ICD-9-CM	upper limb
			Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of inguinal
201.45	Diagnosis	ICD-9-CM	region and lower limb
201.46	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic-histiocytic predominance of intrapelvic lymph nodes
201.47	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic-histiocytic predominance of spleen
			Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of multiple
201.48	Diagnosis	ICD-9-CM	sites
	-		

cder_mpl1p_wp075 Page 265 of 369



Request			
Code	Code Category	Code Type	Description
201.5	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis
201.5	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, unspecified site, extranodal and solid organ sites
201.51	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of lymph nodes of head, face, and neck
201.52	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of intrathoracic lymph nodes
201.53	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of intra-abdominal lymph nodes
201.54	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of lymph nodes of axilla and upper limb
201.55	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of lymph nodes of inguinal region and lower limb
201.56	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of intrapelvic lymph nodes
201.57	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of spleen
201.58	Diagnosis	ICD-9-CM	Hodgkin's disease, nodular sclerosis, of lymph nodes of multiple sites
201.6	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity
201 6	Diagnosis	ICD 0 CM	Hodgkin's disease mixed collularity unspecified site extrapodal and solid ergan sites
201.6	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, unspecified site, extranodal and solid organ sites
201.61	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, involving lymph nodes of head, face, and neck
201.62	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of intrathoracic lymph nodes
201.63	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of intra-abdominal lymph nodes
201.64	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of lymph nodes of axilla and upper limb
201.65	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of lymph nodes of inguinal region and lower limb
201.66	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of intrapelvic lymph nodes
201.67	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of spleen
201.68	Diagnosis	ICD-9-CM	Hodgkin's disease, mixed cellularity, of lymph nodes of multiple sites
201.7	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion
	S		Hodgkin's disease, lymphocytic depletion, unspecified site, extranodal and solid organ
201.7	Diagnosis	ICD-9-CM	sites
201.71	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of lymph nodes of head, face, and neck
201.72	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of intrathoracic lymph nodes
201.73	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of intra-abdominal lymph nodes
201.74	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of lymph nodes of axilla and upper limb
			Hodgkin's disease, lymphocytic depletion, of lymph nodes of inguinal region and lower
201.75	Diagnosis	ICD-9-CM	limb
201.76	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of intrapelvic lymph nodes
201.77	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of spleen
201.78	Diagnosis	ICD-9-CM	Hodgkin's disease, lymphocytic depletion, of lymph nodes of multiple sites
201.9	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type
201.9	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, unspecified site, extranodal and solid organ sites
201.91	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of lymph nodes of head, face, and neck
201.92	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of intrathoracic lymph nodes
201.93	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of intra-abdominal lymph nodes
201.94	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of lymph nodes of axilla and upper limb
201.95	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of lymph nodes of inguinal region and lower limb
	J		

cder_mpl1p_wp075 Page 266 of 369



Request			
Code	Code Category	Code Type	Description
201.96	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of intrapelvic lymph nodes
201.97	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of spleen
201.98	Diagnosis	ICD-9-CM	Hodgkin's disease, unspecified type, of lymph nodes of multiple sites
202	Diagnosis	ICD-9-CM	Other malignant neoplasms of lymphoid and histiocytic tissue
202	Diagnosis	ICD-9-CM	Nodular lymphoma
202	Diagnosis	ICD-9-CM	Nodular lymphoma, unspecified site, extranodal and solid organ sites
202.01	Diagnosis	ICD-9-CM	Nodular lymphoma of lymph nodes of head, face, and neck
202.02	Diagnosis	ICD-9-CM	Nodular lymphoma of intrathoracic lymph nodes
202.03	Diagnosis	ICD-9-CM	Nodular lymphoma of intra-abdominal lymph nodes
202.04	Diagnosis	ICD-9-CM	Nodular lymphoma of lymph nodes of axilla and upper limb
202.05	Diagnosis	ICD-9-CM	Nodular lymphoma of lymph nodes of inguinal region and lower limb
202.06	Diagnosis	ICD-9-CM	Nodular lymphoma of intrapelvic lymph nodes
202.07	Diagnosis	ICD-9-CM	Nodular lymphoma of spleen
202.08	Diagnosis	ICD-9-CM	Nodular lymphoma of lymph nodes of multiple sites
202.1	Diagnosis	ICD-9-CM	Mycosis fungoides
202.1	Diagnosis	ICD-9-CM	Mycosis fungoides, unspecified site, extranodal and solid organ sites
202.11	Diagnosis	ICD-9-CM	Mycosis fungoides of lymph nodes of head, face, and neck
202.12	Diagnosis	ICD-9-CM	Mycosis fungoides of intrathoracic lymph nodes
202.13	Diagnosis	ICD-9-CM	Mycosis fungoides of intra-abdominal lymph nodes
202.14	Diagnosis	ICD-9-CM	Mycosis fungoides of lymph nodes of axilla and upper limb
202.15	Diagnosis	ICD-9-CM	Mycosis fungoides of lymph nodes of inguinal region and lower limb
202.16	Diagnosis	ICD-9-CM	Mycosis fungoides of intrapelvic lymph nodes
202.17	Diagnosis	ICD-9-CM	Mycosis fungoides of spleen
202.18	Diagnosis	ICD-9-CM	Mycosis fungoides of lymph nodes of multiple sites
202.2	Diagnosis	ICD-9-CM	Sezary's disease
202.2	Diagnosis	ICD-9-CM	Sezary's disease, unspecified site, extranodal and solid organ sites
202.21	Diagnosis	ICD-9-CM	Sezary's disease of lymph nodes of head, face, and neck
202.22	Diagnosis	ICD-9-CM	Sezary's disease of intrathoracic lymph nodes
202.23	Diagnosis	ICD-9-CM	Sezary's disease of intra-abdominal lymph nodes
202.24	Diagnosis	ICD-9-CM	Sezary's disease of lymph nodes of axilla and upper limb
202.25	Diagnosis	ICD-9-CM	Sezary's disease of lymph nodes of inguinal region and lower limb
202.26	Diagnosis	ICD-9-CM	Sezary's disease of intrapelvic lymph nodes
202.27	Diagnosis	ICD-9-CM	Sezary's disease of spleen
202.28	Diagnosis	ICD-9-CM	Sezary's disease of lymph nodes of multiple sites
202.3	Diagnosis	ICD-9-CM	Malignant histiocytosis
202.3	Diagnosis	ICD-9-CM	Malignant histiocytosis, unspecified site, extranodal and solid organ sites
202.31	Diagnosis	ICD-9-CM	Malignant histiocytosis of lymph nodes of head, face, and neck
202.32	Diagnosis	ICD-9-CM	Malignant histiocytosis of intrathoracic lymph nodes
202.33	Diagnosis	ICD-9-CM	Malignant histiocytosis of intra-abdominal lymph nodes
202.34	Diagnosis	ICD-9-CM	Malignant histiocytosis of lymph nodes of axilla and upper limb
202.35	Diagnosis	ICD-9-CM	Malignant histiocytosis of lymph nodes of inguinal region and lower limb
202.36	Diagnosis	ICD-9-CM	Malignant histiocytosis of intrapelvic lymph nodes
202.37	Diagnosis	ICD-9-CM	Malignant histiocytosis of spleen

cder_mpl1p_wp075 Page 267 of 369



Request			
Code	Code Category	Code Type	Description
202.38	Diagnosis	ICD-9-CM	Malignant histiocytosis of lymph nodes of multiple sites
202.4	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis
202.4	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis, unspecified site, extranodal and solid organ sites
202.41	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of lymph nodes of head, face, and neck
202.42	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of intrathoracic lymph nodes
202.43	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of intra-abdominal lymph nodes
202.44	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of lymph nodes of axilla and upper limb
202.45	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of lymph nodes of inguinal region and lower limb
202.46	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of intrapelvic lymph nodes
202.47	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of spleen
202.48	Diagnosis	ICD-9-CM	Leukemic reticuloendotheliosis of lymph nodes of multiple sites
202.5	Diagnosis	ICD-9-CM	Letterer-Siwe disease
202.5	Diagnosis	ICD-9-CM	Letterer-Siwe disease, unspecified site, extranodal and solid organ sites
202.51	Diagnosis	ICD-9-CM	Letterer-Siwe disease of lymph nodes of head, face, and neck
202.52	Diagnosis	ICD-9-CM	Letterer-Siwe disease of intrathoracic lymph nodes
202.53	Diagnosis	ICD-9-CM	Letterer-Siwe disease of intra-abdominal lymph nodes
202.54	Diagnosis	ICD-9-CM	Letterer-Siwe disease of lymph nodes of axilla and upper limb
202.55	Diagnosis	ICD-9-CM	Letterer-Siwe disease of lymph nodes of inguinal region and lower limb
202.56	Diagnosis	ICD-9-CM	Letterer-Siwe disease of intrapelvic lymph nodes
202.57	Diagnosis	ICD-9-CM	Letterer-Siwe disease of spleen
202.58	Diagnosis	ICD-9-CM	Letterer-Siwe disease of lymph nodes of multiple sites
202.6	Diagnosis	ICD-9-CM	Malignant mast cell tumors
202.6	Diagnosis	ICD-9-CM	Malignant mast cell tumors, unspecified site, extranodal and solid organ sites
202.61	Diagnosis	ICD-9-CM	Malignant mast cell tumors of lymph nodes of head, face, and neck
202.62	Diagnosis	ICD-9-CM	Malignant mast cell tumors of intrathoracic lymph nodes
202.63	Diagnosis	ICD-9-CM	Malignant mast cell tumors of intra-abdominal lymph nodes
202.64	Diagnosis	ICD-9-CM	Malignant mast cell tumors of lymph nodes of axilla and upper limb
202.65	Diagnosis	ICD-9-CM	Malignant mast cell tumors of lymph nodes of inguinal region and lower limb
202.66	Diagnosis	ICD-9-CM	Malignant mast cell tumors of intrapelvic lymph nodes
202.67	Diagnosis	ICD-9-CM	Malignant mast cell tumors of spleen
202.68	Diagnosis	ICD-9-CM	Malignant mast cell tumors of lymph nodes of multiple sites
202.7	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma
202.7	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, unspecified site, extranodal and solid organ sites
202.71	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, lymph nodes of head, face, and neck
202.72	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, intrathoracic lymph nodes
202.73	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, intra-abdominal lymph nodes
202.74	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, lymph nodes of axilla and upper limb
202.75	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, lymph nodes of inguinal region and lower limb
202.76	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, intrapelvic lymph nodes
202.77	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, spleen
202.78	Diagnosis	ICD-9-CM	Peripheral T-cell lymphoma, lymph nodes of multiple sites
202.8	Diagnosis	ICD-9-CM	Other malignant lymphomas
202.8	Diagnosis	ICD-9-CM	Other malignant lymphomas, unspecified site, extranodal and solid organ sites

cder_mpl1p_wp075 Page 268 of 369



Request			
Code	Code Category	Code Type	Description
202.81	Diagnosis	ICD-9-CM	Other malignant lymphomas of lymph nodes of head, face, and neck
202.82	Diagnosis	ICD-9-CM	Other malignant lymphomas of intrathoracic lymph nodes
202.83	Diagnosis	ICD-9-CM	Other malignant lymphomas of intra-abdominal lymph nodes
202.84	Diagnosis	ICD-9-CM	Other malignant lymphomas of lymph nodes of axilla and upper limb
202.85	Diagnosis	ICD-9-CM	Other malignant lymphomas of lymph nodes of inguinal region and lower limb
202.86	Diagnosis	ICD-9-CM	Other malignant lymphomas of intrapelvic lymph nodes
202.87	Diagnosis	ICD-9-CM	Other malignant lymphomas of spleen
202.88	Diagnosis	ICD-9-CM	Other malignant lymphomas of lymph nodes of multiple sites
202.9	Diagnosis	ICD-9-CM	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue,
202.9	Diagnosis	ICD-9-CM	unspecified site, extranodal and solid organ sites
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.91	Diagnosis	ICD-9-CM	lymph nodes of head, face, and neck
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.92	Diagnosis	ICD-9-CM	intrathoracic lymph nodes
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intra-
202.93	Diagnosis	ICD-9-CM	abdominal lymph nodes
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.94	Diagnosis	ICD-9-CM	lymph nodes of axilla and upper limb
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.95	Diagnosis	ICD-9-CM	lymph nodes of inguinal region and lower limb
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.96	Diagnosis	ICD-9-CM	intrapelvic lymph nodes
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.97	Diagnosis	ICD-9-CM	spleen
			Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of
202.98	Diagnosis	ICD-9-CM	lymph nodes of multiple sites
203	Diagnosis	ICD-9-CM	Multiple myeloma and immunoproliferative neoplasms
203	Diagnosis	ICD-9-CM	Multiple myeloma
203	Diagnosis	ICD-9-CM	Multiple myeloma, without mention of having achieved remission
203.01	Diagnosis	ICD-9-CM	Multiple myeloma in remission
203.02	Diagnosis	ICD-9-CM	Multiple myeloma, in relapse
203.1	Diagnosis	ICD-9-CM	Plasma cell leukemia
203.1	Diagnosis	ICD-9-CM	Plasma cell leukemia, without mention of having achieved remission
203.11	Diagnosis	ICD-9-CM	Plasma cell leukemia in remission
203.12	Diagnosis	ICD-9-CM	Plasma cell leukemia, in relapse
203.8	Diagnosis	ICD-9-CM	Other immunoproliferative neoplasms
203.8	Diagnosis	ICD-9-CM	Other immunoproliferative neoplasms, without mention of having achieved remission
203.81	Diagnosis	ICD-9-CM	Other immunoproliferative neoplasms in remission
203.82	Diagnosis	ICD-9-CM	Other immunoproliferative neoplasms, in relapse
204	Diagnosis	ICD-9-CM	Lymphoid leukemia
204	Diagnosis	ICD-9-CM	Acute lymphoid leukemia
204	Diagnosis	ICD-9-CM	Acute lymphoid leukemia, without mention of having achieved remission
	J		

cder_mpl1p_wp075 Page 269 of 369



Request			
Code	Code Category	Code Type	Description
204.01	Diagnosis	ICD-9-CM	Acute lymphoid leukemia in remission
204.02	Diagnosis	ICD-9-CM	Acute lymphoid leukemia, in relapse
204.1	Diagnosis	ICD-9-CM	Chronic lymphoid leukemia
204.1	Diagnosis	ICD-9-CM	Chronic lymphoid leukemia, without mention of having achieved remission
204.11	Diagnosis	ICD-9-CM	Chronic lymphoid leukemia in remission
204.12	Diagnosis	ICD-9-CM	Chronic lymphoid leukemia, in relapse
204.2	Diagnosis	ICD-9-CM	Subacute lymphoid leukemia
204.2	Diagnosis	ICD-9-CM	Subacute lymphoid leukemia, without mention of having achieved remission
204.21	Diagnosis	ICD-9-CM	Subacute lymphoid leukemia in remission
204.22	Diagnosis	ICD-9-CM	Subacute lymphoid leukemia, in relapse
204.8	Diagnosis	ICD-9-CM	Other lymphoid leukemia
204.8	Diagnosis	ICD-9-CM	Other lymphoid leukemia, without mention of having achieved remission
204.81	Diagnosis	ICD-9-CM	Other lymphoid leukemia in remission
204.82	Diagnosis	ICD-9-CM	Other lymphoid leukemia, in relapse
204.9	Diagnosis	ICD-9-CM	Unspecified lymphoid leukemia
204.9	Diagnosis	ICD-9-CM	Unspecified lymphoid leukemia, without mention of having achieved remission
204.91	Diagnosis	ICD-9-CM	Unspecified lymphoid leukemia in remission
204.92	Diagnosis	ICD-9-CM	Unspecified lymphoid leukemia, in relapse
205	Diagnosis	ICD-9-CM	Myeloid leukemia
205	Diagnosis	ICD-9-CM	Acute myeloid leukemia
205	Diagnosis	ICD-9-CM	Acute myeloid leukemia, without mention of having achieved remission
205.01	Diagnosis	ICD-9-CM	Acute myeloid leukemia in remission
205.02	Diagnosis	ICD-9-CM	Acute myeloid leukemia, in relapse
205.1	Diagnosis	ICD-9-CM	Chronic myeloid leukemia
205.1	Diagnosis	ICD-9-CM	Chronic myeloid leukemia, without mention of having achieved remission
205.11	Diagnosis	ICD-9-CM	Chronic myeloid leukemia in remission
205.12	Diagnosis	ICD-9-CM	Chronic myeloid leukemia, in relapse
205.2	Diagnosis	ICD-9-CM	Subacute myeloid leukemia
205.2	Diagnosis	ICD-9-CM	Subacute myeloid leukemia, without mention of having achieved remission
205.21	Diagnosis	ICD-9-CM	Subacute myeloid leukemia in remission
205.22	Diagnosis	ICD-9-CM	Subacute myeloid leukemia, in relapse
205.3	Diagnosis	ICD-9-CM	Myeloid sarcoma
205.3	Diagnosis	ICD-9-CM	Myeloid sarcoma, without mention of having achieved remission
205.31	Diagnosis	ICD-9-CM	Myeloid sarcoma in remission
205.32	Diagnosis	ICD-9-CM	Myeloid sarcoma, in relapse
205.8	Diagnosis	ICD-9-CM	Other myeloid leukemia
205.8	Diagnosis	ICD-9-CM	Other myeloid leukemia, without mention of having achieved remission
205.81	Diagnosis	ICD-9-CM	Other myeloid leukemia in remission
205.82	Diagnosis	ICD-9-CM	Other myeloid leukemia, in relapse
205.9	Diagnosis	ICD-9-CM	Unspecified myeloid leukemia
205.9	Diagnosis	ICD-9-CM	Unspecified myeloid leukemia, without mention of having achieved remission
205.91	Diagnosis	ICD-9-CM	Unspecified myeloid leukemia in remission
205.92	Diagnosis	ICD-9-CM	Unspecified myeloid leukemia, in relapse

cder_mpl1p_wp075 Page 270 of 369



Request			
Code	Code Category		Description
206	Diagnosis	ICD-9-CM	Monocytic leukemia
206	Diagnosis	ICD-9-CM	Acute monocytic leukemia
206	Diagnosis	ICD-9-CM	Acute monocytic leukemia, without mention of having achieved remission
206.01	Diagnosis	ICD-9-CM	Acute monocytic leukemia in remission
206.02	Diagnosis	ICD-9-CM	Acute monocytic leukemia, in relapse
206.1	Diagnosis	ICD-9-CM	Chronic monocytic leukemia
206.1	Diagnosis	ICD-9-CM	Chronic monocytic leukemia, without mention of having achieved remission
206.11	Diagnosis	ICD-9-CM	Chronic monocytic leukemia in remission
206.12	Diagnosis	ICD-9-CM	Chronic monocytic leukemia, in relapse
206.2	Diagnosis	ICD-9-CM	Subacute monocytic leukemia
206.2	Diagnosis	ICD-9-CM	Subacute monocytic leukemia, without mention of having achieved remission
206.21	Diagnosis	ICD-9-CM	Subacute monocytic leukemia in remission
206.22	Diagnosis	ICD-9-CM	Subacute monocytic leukemia, in relapse
206.8	Diagnosis	ICD-9-CM	Other monocytic leukemia
206.8	Diagnosis	ICD-9-CM	Other monocytic leukemia, without mention of having achieved remission
206.81	Diagnosis	ICD-9-CM	Other monocytic leukemia in remission
206.82	Diagnosis	ICD-9-CM	Other monocytic leukemia, in relapse
206.9	Diagnosis	ICD-9-CM	Unspecified monocytic leukemia
206.9	Diagnosis	ICD-9-CM	Unspecified monocytic leukemia, without mention of having achieved remission
206.91	Diagnosis	ICD-9-CM	Unspecified monocytic leukemia in remission
206.92	Diagnosis	ICD-9-CM	Unspecified monocytic leukemia, in relapse
207	Diagnosis	ICD-9-CM	Other specified leukemia
207	Diagnosis	ICD-9-CM	Acute erythremia and erythroleukemia
207	Diagnosis	ICD-9-CM	Acute erythremia and erythroleukemia, without mention of having achieved remission
207.01	Diagnosis	ICD-9-CM	Acute erythremia and erythroleukemia in remission
207.02	Diagnosis	ICD-9-CM	Acute erythremia and erythroleukemia, in relapse
207.1	Diagnosis	ICD-9-CM	Chronic erythremia
207.1	Diagnosis	ICD-9-CM	Chronic erythremia, without mention of having achieved remission
207.11	Diagnosis	ICD-9-CM	Chronic erythremia in remission
207.12	Diagnosis	ICD-9-CM	Chronic erythremia, in relapse
207.2	Diagnosis	ICD-9-CM	Megakaryocytic leukemia
207.2	Diagnosis	ICD-9-CM	Megakaryocytic leukemia, without mention of having achieved remission
207.21	Diagnosis	ICD-9-CM	Megakaryocytic leukemia in remission
207.22	Diagnosis	ICD-9-CM	Megakaryocytic leukemia, in relapse
207.8	Diagnosis	ICD-9-CM	Other specified leukemia
207.8	Diagnosis	ICD-9-CM	Other specified leukemia, without mention of having achieved remission
207.81	Diagnosis	ICD-9-CM	Other specified leukemia in remission
207.82	Diagnosis	ICD-9-CM	Other specified leukemia, in relapse
208	Diagnosis	ICD-9-CM	Leukemia of unspecified cell type
208	Diagnosis	ICD-9-CM	Acute leukemia of unspecified cell type
208	Diagnosis	ICD-9-CM	Acute leukemia of unspecified cell type, without mention of having achieved remission
208.01	Diagnosis	ICD-9-CM	Acute leukemia of unspecified cell type in remission
208.02	Diagnosis	ICD-9-CM	Acute leukemia of unspecified cell type, in relapse
	. 0		· · · · · · · · · · · · · · · · · · ·

cder_mpl1p_wp075 Page 271 of 369



Request			
Code	Code Category	Code Type	Description
208.1	Diagnosis	ICD-9-CM	Chronic leukemia of unspecified cell type
			Chronic leukemia of unspecified cell type, without mention of having achieved
208.1	Diagnosis	ICD-9-CM	remission
208.11	Diagnosis	ICD-9-CM	Chronic leukemia of unspecified cell type in remission
208.12	Diagnosis	ICD-9-CM	Chronic leukemia of unspecified cell type, in relapse
208.2	Diagnosis	ICD-9-CM	Subacute leukemia of unspecified cell type
			Subacute leukemia of unspecified cell type, without mention of having achieved
208.2	Diagnosis	ICD-9-CM	remission
208.21	Diagnosis	ICD-9-CM	Subactue leukemia of unspecified cell type in remission
208.22	Diagnosis	ICD-9-CM	Subacute leukemia of unspecified cell type, in relapse
208.8	Diagnosis	ICD-9-CM	Other leukemia of unspecified cell type
208.8	Diagnosis	ICD-9-CM	Other leukemia of unspecified cell type, without mention of having achieved remission
208.81	Diagnosis	ICD-9-CM	Other leukemia of unspecified cell type in remission
208.82	Diagnosis	ICD-9-CM	Other leukemia of unspecified cell type, in relapse
208.9	Diagnosis	ICD-9-CM	Unspecified leukemia
208.9	Diagnosis	ICD-9-CM	Unspecified leukemia, without mention of having achieved remission
208.91	Diagnosis	ICD-9-CM	Unspecified leukemia in remission
208.92	Diagnosis	ICD-9-CM	Unspecified leukemia, in relapse
209	Diagnosis	ICD-9-CM	Neuroendocrine tumors
209	Diagnosis	ICD-9-CM	Malignant carcinoid tumors of the small intestine
209	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the small intestine, unspecified portion
209.01	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the duodenum
209.02	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the jejunum
209.03	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the ileum
209.1	Diagnosis	ICD-9-CM	Malignant carcinoid tumors of the appendix, large intestine, and rectum
209.1	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the large intestine, unspecified portion
209.11	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the appendix
209.12	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the cecum
209.13	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the ascending colon
209.14	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the transverse colon
209.15	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the descending colon
209.16	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the sigmoid colon
209.17	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the rectum
209.2	Diagnosis	ICD-9-CM	Malignant carcinoid tumors of other and unspecified sites
209.2	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of unknown primary site
209.21	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the bronchus and lung
209.22	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the thymus
209.23	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the stomach
209.24	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of the kidney
209.25	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of foregut, not otherwise specified
209.26	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of midgut, not otherwise specified
209.27	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of hindgut, not otherwise specified
209.29	Diagnosis	ICD-9-CM	Malignant carcinoid tumor of other sites
	J		-

cder_mpl1p_wp075 Page 272 of 369



Request			
Code	Code Category	Code Type	Description
209.3	Diagnosis	ICD-9-CM	Malignant poorly differentiated neuroendocrine tumors
209.3	Diagnosis	ICD-9-CM	Malignant poorly differentiated neuroendocrine carcinoma, any site
209.31	Diagnosis	ICD-9-CM	Merkel cell carcinoma of the face
209.32	Diagnosis	ICD-9-CM	Merkel cell carcinoma of the scalp and neck
209.33	Diagnosis	ICD-9-CM	Merkel cell carcinoma of the upper limb
209.34	Diagnosis	ICD-9-CM	Merkel cell carcinoma of the lower limb
209.35	Diagnosis	ICD-9-CM	Merkel cell carcinoma of the trunk
209.36	Diagnosis	ICD-9-CM	Merkel cell carcinoma of other sites
209.4	Diagnosis	ICD-9-CM	Benign carcinoid tumors of the small intestine
209.4	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the small intestine, unspecified portion
209.41	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the duodenum
209.42	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the jejunum
209.43	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the ileum
209.5	Diagnosis	ICD-9-CM	Benign carcinoid tumors of the appendix, large intestine, and rectum
209.5	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the large intestine, unspecified portion
209.51	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the appendix
209.52	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the cecum
209.53	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the ascending colon
209.54	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the transverse colon
209.55	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the descending colon
209.56	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the sigmoid colon
209.57	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the rectum
209.6	Diagnosis	ICD-9-CM	Benign carcinoid tumors of other and unspecified sites
209.6	Diagnosis	ICD-9-CM	Benign carcinoid tumor of unknown primary site
209.61	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the bronchus and lung
209.62	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the thymus
209.63	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the stomach
209.64	Diagnosis	ICD-9-CM	Benign carcinoid tumor of the kidney
209.65	Diagnosis	ICD-9-CM	Benign carcinoid tumor of foregut, not otherwise specified
209.66	Diagnosis	ICD-9-CM	Benign carcinoid tumor of midgut, not otherwise specified
209.67	Diagnosis	ICD-9-CM	Benign carcinoid tumor of hindgut, not otherwise specified
209.69	Diagnosis	ICD-9-CM	Benign carcinoid tumor of other sites
209.7	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumors
209.7	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumor, unspecified site
209.71	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumor of distant lymph nodes
209.72	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumor of liver
209.73	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumor of bone
209.74	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumor of peritoneum
209.75	Diagnosis	ICD-9-CM	Secondary Merkel cell carcinoma
209.79	Diagnosis	ICD-9-CM	Secondary neuroendocrine tumor of other sites
230	Diagnosis	ICD-9-CM	Carcinoma in situ of digestive organs
230	Diagnosis	ICD-9-CM	Carcinoma in situ of lip, oral cavity, and pharynx
230.1	Diagnosis	ICD-9-CM	Carcinoma in situ of esophagus

cder_mpl1p_wp075 Page 273 of 369



Request			
Code	Code Category	Code Type	Description
230.2	Diagnosis	ICD-9-CM	Carcinoma in situ of stomach
230.3	Diagnosis	ICD-9-CM	Carcinoma in situ of colon
230.4	Diagnosis	ICD-9-CM	Carcinoma in situ of rectum
230.5	Diagnosis	ICD-9-CM	Carcinoma in situ of anal canal
230.6	Diagnosis	ICD-9-CM	Carcinoma in situ of anus, unspecified
230.7	Diagnosis	ICD-9-CM	Carcinoma in situ of other and unspecified parts of intestine
230.8	Diagnosis	ICD-9-CM	Carcinoma in situ of liver and biliary system
230.9	Diagnosis	ICD-9-CM	Carcinoma in situ of other and unspecified digestive organs
231	Diagnosis	ICD-9-CM	Carcinoma in situ of respiratory system
231	Diagnosis	ICD-9-CM	Carcinoma in situ of larynx
231.1	Diagnosis	ICD-9-CM	Carcinoma in situ of trachea
231.2	Diagnosis	ICD-9-CM	Carcinoma in situ of bronchus and lung
231.8	Diagnosis	ICD-9-CM	Carcinoma in situ of other specified parts of respiratory system
231.9	Diagnosis	ICD-9-CM	Carcinoma in situ of respiratory system, part unspecified
232	Diagnosis	ICD-9-CM	Carcinoma in situ of skin
232	Diagnosis	ICD-9-CM	Carcinoma in situ of skin of lip
232.1	Diagnosis	ICD-9-CM	Carcinoma in situ of eyelid, including canthus
232.2	Diagnosis	ICD-9-CM	Carcinoma in situ of skin of ear and external auditory canal
232.3	Diagnosis	ICD-9-CM	Carcinoma in situ of skin of other and unspecified parts of face
232.4	Diagnosis	ICD-9-CM	Carcinoma in situ of scalp and skin of neck
232.5	Diagnosis	ICD-9-CM	Carcinoma in situ of skin of trunk, except scrotum
232.6	Diagnosis	ICD-9-CM	Carcinoma in situ of skin of upper limb, including shoulder
232.7	Diagnosis	ICD-9-CM	Carcinoma in situ of skin of lower limb, including hip
232.8	Diagnosis	ICD-9-CM	Carcinoma in situ of other specified sites of skin
232.9	Diagnosis	ICD-9-CM	Carcinoma in situ of skin, site unspecified
233	Diagnosis	ICD-9-CM	Carcinoma in situ of breast and genitourinary system
233	Diagnosis	ICD-9-CM	Carcinoma in situ of breast
233.1	Diagnosis	ICD-9-CM	Carcinoma in situ of cervix uteri
233.2	Diagnosis	ICD-9-CM	Carcinoma in situ of other and unspecified parts of uterus
233.3	Diagnosis	ICD-9-CM	Carcinoma in situ, other and unspecified female genital organs
233.3	Diagnosis	ICD-9-CM	Carcinoma in situ, unspecified female genital organ
233.31	Diagnosis	ICD-9-CM	Carcinoma in situ, vagina
233.32	Diagnosis	ICD-9-CM	Carcinoma in situ, vulva
233.39	Diagnosis	ICD-9-CM	Carcinoma in situ, other female genital organ
233.4	Diagnosis	ICD-9-CM	Carcinoma in situ of prostate
233.5	Diagnosis	ICD-9-CM	Carcinoma in situ of penis
233.6	Diagnosis	ICD-9-CM	Carcinoma in situ of other and unspecified male genital organs
233.7	Diagnosis	ICD-9-CM	Carcinoma in situ of bladder
233.9	Diagnosis	ICD-9-CM	Carcinoma in situ of other and unspecified urinary organs
234	Diagnosis	ICD-9-CM	Carcinoma in situ of other and unspecified sites
234	Diagnosis	ICD-9-CM	Carcinoma in situ of eye
234.8	Diagnosis	ICD-9-CM	Carcinoma in situ of other specified sites
234.9	Diagnosis	ICD-9-CM	Carcinoma in situ, site unspecified

cder_mpl1p_wp075 Page 274 of 369



Request	CI- C-+	Cada Tama	Description.
Code	Code Category		Description
235	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of digestive and respiratory systems
235	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of major salivary glands
235.1	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of lip, oral cavity, and pharynx
235.2	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of stomach, intestines, and rectum
235.3	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of liver and biliary passages
235.4	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of retroperitoneum and peritoneum
235.5	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified digestive organs
235.6	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of larynx
235.7	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of trachea, bronchus, and lung
235.8	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of pleura, thymus, and mediastinum
235.9	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified respiratory organs
236	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of genitourinary organs
236	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of uterus
236.1	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of placenta
236.2	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of ovary
236.3	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified female genital organs
236.4	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of testis
236.5	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of prostate
236.6	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified male genital organs
236.7	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of bladder
236.9	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified urinary organs
236.9	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of urinary organ, unspecified
236.91	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of kidney and ureter
236.99	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified urinary organs
237	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of endocrine glands and nervous system
237	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of pituitary gland and craniopharyngeal duct
237.1	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of pineal gland
237.2	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of adrenal gland
237.3	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of paraganglia
237.4	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified endocrine glands
237.5	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of brain and spinal cord
237.6	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of meninges
237.7	Diagnosis	ICD-9-CM	Neurofibromatosis
237.7	Diagnosis	ICD-9-CM	Neurofibromatosis, unspecified
237.71	Diagnosis	ICD-9-CM	Neurofibromatosis, Type 1 (von Recklinghausen's disease)
237.72	Diagnosis	ICD-9-CM	Neurofibromatosis, Type 2 (acoustic neurofibromatosis)
237.73	Diagnosis	ICD-9-CM	Schwannomatosis
237.79	Diagnosis	ICD-9-CM	Other neurofibromatosis
237.9	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified parts of nervous system
238	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other and unspecified sites and tissues
238	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of bone and articular cartilage
238.1	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of connective and other soft tissue
238.2	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of skin
250.2	2145110313	.CD J CIVI	1.00 p.as. or an oct and senation of skill

cder_mpl1p_wp075 Page 275 of 369



Request			5 1.1
Code	Code Category		Description
238.3	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of breast
238.4	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of polycythemia vera
238.5	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of histiocytic and mast cells
238.6	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of plasma cells
238.7	Diagnosis	ICD-9-CM	Other lymphatic and hematopoietic tissues
238.71	Diagnosis	ICD-9-CM	Essential thrombocythemia
238.72	Diagnosis	ICD-9-CM	Low grade myelodysplastic syndrome lesions
238.73	Diagnosis	ICD-9-CM	High grade myelodysplastic syndrome lesions
238.74	Diagnosis	ICD-9-CM	Myelodysplastic syndrome with 5q deletion
238.75	Diagnosis	ICD-9-CM	Myelodysplastic syndrome, unspecified
238.76	Diagnosis	ICD-9-CM	Myelofibrosis with myeloid metaplasia
238.77	Diagnosis	ICD-9-CM	Post-transplant lymphoproliferative disorder [PTLD]
238.79	Diagnosis	ICD-9-CM	Other lymphatic and hematopoietic tissues
238.8	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of other specified sites
238.9	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior, site unspecified
239	Diagnosis	ICD-9-CM	Neoplasms of unspecified nature
239	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of digestive system
239.1	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of respiratory system
239.2	Diagnosis	ICD-9-CM	Neoplasms of unspecified nature of bone, soft tissue, and skin
239.3	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of breast
239.4	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of bladder
239.5	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of other genitourinary organs
239.6	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of brain
			Neoplasm of unspecified nature of endocrine glands and other parts of nervous
239.7	Diagnosis	ICD-9-CM	system
239.8	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature of other specified sites
239.81	Diagnosis	ICD-9-CM	Neoplasms of unspecified nature, retina and choroid
239.89	Diagnosis	ICD-9-CM	Neoplasms of unspecified nature, other specified sites
239.9	Diagnosis	ICD-9-CM	Neoplasm of unspecified nature, site unspecified
C00.0	Diagnosis	ICD-10-CM	Malignant neoplasm of external upper lip
C00.1	Diagnosis	ICD-10-CM	Malignant neoplasm of external lower lip
C00.2	Diagnosis	ICD-10-CM	Malignant neoplasm of external lip, unspecified
C00.3	Diagnosis	ICD-10-CM	Malignant neoplasm of upper lip, inner aspect
C00.4	Diagnosis	ICD-10-CM	Malignant neoplasm of lower lip, inner aspect
C00.5	Diagnosis	ICD-10-CM	Malignant neoplasm of lip, unspecified, inner aspect
C00.6	Diagnosis	ICD-10-CM	Malignant neoplasm of commissure of lip, unspecified
C00.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of lip
C00.9	Diagnosis	ICD-10-CM	Malignant neoplasm of lip, unspecified
C01	Diagnosis	ICD-10-CM	Malignant neoplasm of base of tongue
C02.0	Diagnosis	ICD-10-CM	Malignant neoplasm of dorsal surface of tongue
C02.1	Diagnosis	ICD-10-CM	Malignant neoplasm of border of tongue
C02.2	Diagnosis	ICD-10-CM	Malignant neoplasm of ventral surface of tongue
C02.3	Diagnosis	ICD-10-CM	Malignant neoplasm of anterior two-thirds of tongue, part unspecified
-	5		5 O

cder_mpl1p_wp075 Page 276 of 369



Request			
Code	Code Category	Code Type	Description
C02.4	Diagnosis	ICD-10-CM	Malignant neoplasm of lingual tonsil
C02.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of tongue
C02.9	Diagnosis	ICD-10-CM	Malignant neoplasm of tongue, unspecified
C03.0	Diagnosis	ICD-10-CM	Malignant neoplasm of upper gum
C03.1	Diagnosis	ICD-10-CM	Malignant neoplasm of lower gum
C03.9	Diagnosis	ICD-10-CM	Malignant neoplasm of gum, unspecified
C04.0	Diagnosis	ICD-10-CM	Malignant neoplasm of anterior floor of mouth
C04.1	Diagnosis	ICD-10-CM	Malignant neoplasm of lateral floor of mouth
C04.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of floor of mouth
C04.9	Diagnosis	ICD-10-CM	Malignant neoplasm of floor of mouth, unspecified
C05.0	Diagnosis	ICD-10-CM	Malignant neoplasm of hard palate
C05.1	Diagnosis	ICD-10-CM	Malignant neoplasm of soft palate
C05.2	Diagnosis	ICD-10-CM	Malignant neoplasm of uvula
C05.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of palate
C05.9	Diagnosis	ICD-10-CM	Malignant neoplasm of palate, unspecified
C06.0	Diagnosis	ICD-10-CM	Malignant neoplasm of cheek mucosa
C06.1	Diagnosis	ICD-10-CM	Malignant neoplasm of vestibule of mouth
C06.2	Diagnosis	ICD-10-CM	Malignant neoplasm of retromolar area
C06.80	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of unspecified parts of mouth
C06.89	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of other parts of mouth
C06.9	Diagnosis	ICD-10-CM	Malignant neoplasm of mouth, unspecified
C07	Diagnosis	ICD-10-CM	Malignant neoplasm of parotid gland
C08.0	Diagnosis	ICD-10-CM	Malignant neoplasm of submandibular gland
C08.1	Diagnosis	ICD-10-CM	Malignant neoplasm of sublingual gland
C08.9	Diagnosis	ICD-10-CM	Malignant neoplasm of major salivary gland, unspecified
C09.0	Diagnosis	ICD-10-CM	Malignant neoplasm of tonsillar fossa
C09.1	Diagnosis	ICD-10-CM	Malignant neoplasm of tonsillar pillar (anterior) (posterior)
C09.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of tonsil
C09.9	Diagnosis	ICD-10-CM	Malignant neoplasm of tonsil, unspecified
C10.0	Diagnosis	ICD-10-CM	Malignant neoplasm of vallecula
C10.1	Diagnosis	ICD-10-CM	Malignant neoplasm of anterior surface of epiglottis
C10.2	Diagnosis	ICD-10-CM	Malignant neoplasm of lateral wall of oropharynx
C10.3	Diagnosis	ICD-10-CM	Malignant neoplasm of posterior wall of oropharynx
C10.4	Diagnosis	ICD-10-CM	Malignant neoplasm of branchial cleft
C10.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of oropharynx
C10.9	Diagnosis	ICD-10-CM	Malignant neoplasm of oropharynx, unspecified
C11.0	Diagnosis	ICD-10-CM	Malignant neoplasm of superior wall of nasopharynx
C11.1	Diagnosis	ICD-10-CM	Malignant neoplasm of posterior wall of nasopharynx
C11.2	Diagnosis	ICD-10-CM	Malignant neoplasm of lateral wall of nasopharynx
C11.3	Diagnosis	ICD-10-CM	Malignant neoplasm of anterior wall of nasopharynx
C11.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of nasopharynx
C11.9	Diagnosis	ICD-10-CM	Malignant neoplasm of nasopharynx, unspecified
C12	Diagnosis	ICD-10-CM	Malignant neoplasm of pyriform sinus

cder_mpl1p_wp075 Page 277 of 369



Request			
Code	Code Category	Code Type	Description
C13.0	Diagnosis	ICD-10-CM	Malignant neoplasm of postcricoid region
C13.1	Diagnosis	ICD-10-CM	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect
C13.2	Diagnosis	ICD-10-CM	Malignant neoplasm of posterior wall of hypopharynx
C13.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of hypopharynx
C13.9	Diagnosis	ICD-10-CM	Malignant neoplasm of hypopharynx, unspecified
C14.0	Diagnosis	ICD-10-CM	Malignant neoplasm of pharynx, unspecified
C14.2	Diagnosis	ICD-10-CM	Malignant neoplasm of Waldeyer's ring
C14.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx
C15.3	Diagnosis	ICD-10-CM	Malignant neoplasm of upper third of esophagus
C15.4	Diagnosis	ICD-10-CM	Malignant neoplasm of middle third of esophagus
C15.5	Diagnosis	ICD-10-CM	Malignant neoplasm of lower third of esophagus
C15.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of esophagus
C15.9	Diagnosis	ICD-10-CM	Malignant neoplasm of esophagus, unspecified
C16.0	Diagnosis	ICD-10-CM	Malignant neoplasm of cardia
C16.1	Diagnosis	ICD-10-CM	Malignant neoplasm of fundus of stomach
C16.2	Diagnosis	ICD-10-CM	Malignant neoplasm of body of stomach
C16.3	Diagnosis	ICD-10-CM	Malignant neoplasm of pyloric antrum
C16.4	Diagnosis	ICD-10-CM	Malignant neoplasm of pylorus
C16.5	Diagnosis	ICD-10-CM	Malignant neoplasm of lesser curvature of stomach, unspecified
C16.6	Diagnosis	ICD-10-CM	Malignant neoplasm of greater curvature of stomach, unspecified
C16.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of stomach
C16.9	Diagnosis	ICD-10-CM	Malignant neoplasm of stomach, unspecified
C17.0	Diagnosis	ICD-10-CM	Malignant neoplasm of duodenum
C17.1	Diagnosis	ICD-10-CM	Malignant neoplasm of jejunum
C17.2	Diagnosis	ICD-10-CM	Malignant neoplasm of ileum
C17.3	Diagnosis	ICD-10-CM	Meckel's diverticulum, malignant
C17.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of small intestine
C17.9	Diagnosis	ICD-10-CM	Malignant neoplasm of small intestine, unspecified
C18.0	Diagnosis	ICD-10-CM	Malignant neoplasm of cecum
C18.1	Diagnosis	ICD-10-CM	Malignant neoplasm of appendix
C18.2	Diagnosis	ICD-10-CM	Malignant neoplasm of ascending colon
C18.3	Diagnosis	ICD-10-CM	Malignant neoplasm of hepatic flexure
C18.4	Diagnosis	ICD-10-CM	Malignant neoplasm of transverse colon
C18.5	Diagnosis	ICD-10-CM	Malignant neoplasm of splenic flexure
C18.6	Diagnosis	ICD-10-CM	Malignant neoplasm of descending colon
C18.7	Diagnosis	ICD-10-CM	Malignant neoplasm of sigmoid colon
C18.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of colon
C18.9	Diagnosis	ICD-10-CM	Malignant neoplasm of colon, unspecified
C19	Diagnosis	ICD-10-CM	Malignant neoplasm of rectosigmoid junction
C20	Diagnosis	ICD-10-CM	Malignant neoplasm of rectum
C21.0	Diagnosis	ICD-10-CM	Malignant neoplasm of anus, unspecified
C21.1	Diagnosis	ICD-10-CM	Malignant neoplasm of anal canal
C21.2	Diagnosis	ICD-10-CM	Malignant neoplasm of cloacogenic zone

cder_mpl1p_wp075 Page 278 of 369



Request			
Code	Code Category	Code Type	Description
C21.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of rectum, anus and anal canal
C22.0	Diagnosis	ICD-10-CM	Liver cell carcinoma
C22.1	Diagnosis	ICD-10-CM	Intrahepatic bile duct carcinoma
C22.2	Diagnosis	ICD-10-CM	Hepatoblastoma
C22.3	Diagnosis	ICD-10-CM	Angiosarcoma of liver
C22.4	Diagnosis	ICD-10-CM	Other sarcomas of liver
C22.7	Diagnosis	ICD-10-CM	Other specified carcinomas of liver
C22.8	Diagnosis	ICD-10-CM	Malignant neoplasm of liver, primary, unspecified as to type
C22.9	Diagnosis	ICD-10-CM	Malignant neoplasm of liver, not specified as primary or secondary
C23	Diagnosis	ICD-10-CM	Malignant neoplasm of gallbladder
C24.0	Diagnosis	ICD-10-CM	Malignant neoplasm of extrahepatic bile duct
C24.1	Diagnosis	ICD-10-CM	Malignant neoplasm of ampulla of Vater
C24.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of biliary tract
C24.9	Diagnosis	ICD-10-CM	Malignant neoplasm of biliary tract, unspecified
C25.0	Diagnosis	ICD-10-CM	Malignant neoplasm of head of pancreas
C25.1	Diagnosis	ICD-10-CM	Malignant neoplasm of body of pancreas
C25.2	Diagnosis	ICD-10-CM	Malignant neoplasm of tail of pancreas
C25.3	Diagnosis	ICD-10-CM	Malignant neoplasm of pancreatic duct
C25.4	Diagnosis	ICD-10-CM	Malignant neoplasm of endocrine pancreas
C25.7	Diagnosis	ICD-10-CM	Malignant neoplasm of other parts of pancreas
C25.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of pancreas
C25.9	Diagnosis	ICD-10-CM	Malignant neoplasm of pancreas, unspecified
C26.0	Diagnosis	ICD-10-CM	Malignant neoplasm of intestinal tract, part unspecified
C26.1	Diagnosis	ICD-10-CM	Malignant neoplasm of spleen
C26.9	Diagnosis	ICD-10-CM	Malignant neoplasm of ill-defined sites within the digestive system
C30.0	Diagnosis	ICD-10-CM	Malignant neoplasm of nasal cavity
C30.1	Diagnosis	ICD-10-CM	Malignant neoplasm of middle ear
C31.0	Diagnosis	ICD-10-CM	Malignant neoplasm of maxillary sinus
C31.1	Diagnosis	ICD-10-CM	Malignant neoplasm of ethmoidal sinus
C31.2	Diagnosis	ICD-10-CM	Malignant neoplasm of frontal sinus
C31.3	Diagnosis	ICD-10-CM	Malignant neoplasm of sphenoid sinus
C31.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of accessory sinuses
C31.9	Diagnosis	ICD-10-CM	Malignant neoplasm of accessory sinus, unspecified
C32.0	Diagnosis	ICD-10-CM	Malignant neoplasm of glottis
C32.1	Diagnosis	ICD-10-CM	Malignant neoplasm of supraglottis
C32.2	Diagnosis	ICD-10-CM	Malignant neoplasm of subglottis
C32.3	Diagnosis	ICD-10-CM	Malignant neoplasm of laryngeal cartilage
C32.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of larynx
C32.9	Diagnosis	ICD-10-CM	Malignant neoplasm of larynx, unspecified
C33	Diagnosis	ICD-10-CM	Malignant neoplasm of trachea
C34.00	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified main bronchus
C34.01	Diagnosis	ICD-10-CM	Malignant neoplasm of right main bronchus
C34.02	Diagnosis	ICD-10-CM	Malignant neoplasm of left main bronchus

cder_mpl1p_wp075 Page 279 of 369



Request			
Code	Code Category	Code Type	Description
C34.10	Diagnosis	ICD-10-CM	Malignant neoplasm of upper lobe, unspecified bronchus or lung
C34.11	Diagnosis	ICD-10-CM	Malignant neoplasm of upper lobe, right bronchus or lung
C34.12	Diagnosis	ICD-10-CM	Malignant neoplasm of upper lobe, left bronchus or lung
C34.2	Diagnosis	ICD-10-CM	Malignant neoplasm of middle lobe, bronchus or lung
C34.30	Diagnosis	ICD-10-CM	Malignant neoplasm of lower lobe, unspecified bronchus or lung
C34.31	Diagnosis	ICD-10-CM	Malignant neoplasm of lower lobe, right bronchus or lung
C34.32	Diagnosis	ICD-10-CM	Malignant neoplasm of lower lobe, left bronchus or lung
C34.80	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
C34.81	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of right bronchus and lung
C34.82	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of left bronchus and lung
C34.90	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C34.91	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified part of left bronchus or lung
C37	Diagnosis	ICD-10-CM	Malignant neoplasm of thymus
C38.0	Diagnosis	ICD-10-CM	Malignant neoplasm of heart
C38.1	Diagnosis	ICD-10-CM	Malignant neoplasm of anterior mediastinum
C38.2	Diagnosis	ICD-10-CM	Malignant neoplasm of posterior mediastinum
C38.3	Diagnosis	ICD-10-CM	Malignant neoplasm of mediastinum, part unspecified
C38.4	Diagnosis	ICD-10-CM	Malignant neoplasm of pleura
C38.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of heart, mediastinum and pleura
C39.0	Diagnosis	ICD-10-CM	Malignant neoplasm of upper respiratory tract, part unspecified
C39.9	Diagnosis	ICD-10-CM	Malignant neoplasm of lower respiratory tract, part unspecified
C40.00	Diagnosis	ICD-10-CM	Malignant neoplasm of scapula and long bones of unspecified upper limb
C40.01	Diagnosis	ICD-10-CM	Malignant neoplasm of scapula and long bones of right upper limb
C40.02	Diagnosis	ICD-10-CM	Malignant neoplasm of scapula and long bones of left upper limb
C40.10	Diagnosis	ICD-10-CM	Malignant neoplasm of short bones of unspecified upper limb
C40.11	Diagnosis	ICD-10-CM	Malignant neoplasm of short bones of right upper limb
C40.12	Diagnosis	ICD-10-CM	Malignant neoplasm of short bones of left upper limb
C40.20	Diagnosis	ICD-10-CM	Malignant neoplasm of long bones of unspecified lower limb
C40.21	Diagnosis	ICD-10-CM	Malignant neoplasm of long bones of right lower limb
C40.22	Diagnosis	ICD-10-CM	Malignant neoplasm of long bones of left lower limb
C40.30	Diagnosis	ICD-10-CM	Malignant neoplasm of short bones of unspecified lower limb
C40.31	Diagnosis	ICD-10-CM	Malignant neoplasm of short bones of right lower limb
C40.32	Diagnosis	ICD-10-CM	Malignant neoplasm of short bones of left lower limb
			Malignant neoplasm of overlapping sites of bone and articular cartilage of unspecified
C40.80	Diagnosis	ICD-10-CM	limb
C40.81	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of bone and articular cartilage of right limb
C40.82	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of bone and articular cartilage of left limb
C40.90	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified bones and articular cartilage of unspecified limb
C40.91	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified bones and articular cartilage of right limb
C40.92	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified bones and articular cartilage of left limb
C41.0	Diagnosis	ICD-10-CM	Malignant neoplasm of bones of skull and face
C41.1	Diagnosis	ICD-10-CM	Malignant neoplasm of mandible

cder_mpl1p_wp075 Page 280 of 369



Request			
Code	Code Category	Code Type	Description
C41.2	Diagnosis	ICD-10-CM	Malignant neoplasm of vertebral column
C41.3	Diagnosis	ICD-10-CM	Malignant neoplasm of ribs, sternum and clavicle
C41.4	Diagnosis	ICD-10-CM	Malignant neoplasm of pelvic bones, sacrum and coccyx
C41.9	Diagnosis	ICD-10-CM	Malignant neoplasm of bone and articular cartilage, unspecified
C43.0	Diagnosis	ICD-10-CM	Malignant melanoma of lip
C43.10	Diagnosis	ICD-10-CM	Malignant melanoma of unspecified eyelid, including canthus
C43.11	Diagnosis	ICD-10-CM	Malignant melanoma of right eyelid, including canthus
C43.12	Diagnosis	ICD-10-CM	Malignant melanoma of left eyelid, including canthus
C43.20	Diagnosis	ICD-10-CM	Malignant melanoma of unspecified ear and external auricular canal
C43.21	Diagnosis	ICD-10-CM	Malignant melanoma of right ear and external auricular canal
C43.22	Diagnosis	ICD-10-CM	Malignant melanoma of left ear and external auricular canal
C43.30	Diagnosis	ICD-10-CM	Malignant melanoma of unspecified part of face
C43.31	Diagnosis	ICD-10-CM	Malignant melanoma of nose
C43.39	Diagnosis	ICD-10-CM	Malignant melanoma of other parts of face
C43.4	Diagnosis	ICD-10-CM	Malignant melanoma of scalp and neck
C43.51	Diagnosis	ICD-10-CM	Malignant melanoma of anal skin
C43.52	Diagnosis	ICD-10-CM	Malignant melanoma of skin of breast
C43.59	Diagnosis	ICD-10-CM	Malignant melanoma of other part of trunk
C43.60	Diagnosis	ICD-10-CM	Malignant melanoma of unspecified upper limb, including shoulder
C43.61	Diagnosis	ICD-10-CM	Malignant melanoma of right upper limb, including shoulder
C43.62	Diagnosis	ICD-10-CM	Malignant melanoma of left upper limb, including shoulder
C43.70	Diagnosis	ICD-10-CM	Malignant melanoma of unspecified lower limb, including hip
C43.71	Diagnosis	ICD-10-CM	Malignant melanoma of right lower limb, including hip
C43.72	Diagnosis	ICD-10-CM	Malignant melanoma of left lower limb, including hip
C43.8	Diagnosis	ICD-10-CM	Malignant melanoma of overlapping sites of skin
C43.9	Diagnosis	ICD-10-CM	Malignant melanoma of skin, unspecified
C44.00	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of lip
C44.01	Diagnosis	ICD-10-CM	Basal cell carcinoma of skin of lip
C44.02	Diagnosis	ICD-10-CM	Squamous cell carcinoma of skin of lip
C44.09	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of lip
C44.101	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of unspecified eyelid, including canthus
C44.102	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of right eyelid, including canthus
C44.109	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of left eyelid, including canthus
C44.191	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of unspecified eyelid, including canthus
C44.192	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of right eyelid, including canthus
C44.199	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of left eyelid, including canthus
C44.201	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of unspecified ear and external auricular canal
C44.202	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of right ear and external auricular canal
C44.209	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of left ear and external auricular canal Other specified malignant neoplasm of skin of unspecified ear and external auricular
C44.291	Diagnosis	ICD-10-CM	canal
C44.292	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of right ear and external auricular canal

cder_mpl1p_wp075 Page 281 of 369



Request			
Code	Code Category	Code Type	Description
C44.299	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of left ear and external auricular canal
C44.300	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of unspecified part of face
C44.301	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of nose
C44.309	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of other parts of face
C44.390	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of unspecified parts of face
C44.391	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of nose
C44.399	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of other parts of face
C44.40	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of scalp and neck
C44.49	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of scalp and neck
C44.500	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of anal skin
C44.501	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of breast
C44.509	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of other part of trunk
C44.590	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of anal skin
C44.591	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of breast
C44.599	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of other part of trunk
C44.601	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of unspecified upper limb, including shoulder
C44.602	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of right upper limb, including shoulder
C44.609	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of left upper limb, including shoulder
			Other specified malignant neoplasm of skin of unspecified upper limb, including
C44.691	Diagnosis	ICD-10-CM	shoulder
C44.692	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of right upper limb, including shoulder
C44.699	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of left upper limb, including shoulder
C44.701	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of unspecified lower limb, including hip
C44.702	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of right lower limb, including hip
C44.709	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin of left lower limb, including hip
C44.791	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of unspecified lower limb, including hip
C44.792	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of right lower limb, including hip
C44.799	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin of left lower limb, including hip
C44.80	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of overlapping sites of skin
C44.89	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of overlapping sites of skin
C44.90	Diagnosis	ICD-10-CM	Unspecified malignant neoplasm of skin, unspecified
C44.99	Diagnosis	ICD-10-CM	Other specified malignant neoplasm of skin, unspecified
C45.0	Diagnosis	ICD-10-CM	Mesothelioma of pleura
C45.1	Diagnosis	ICD-10-CM	Mesothelioma of peritoneum
C45.2	Diagnosis	ICD-10-CM	Mesothelioma of pericardium
C45.7	Diagnosis	ICD-10-CM	Mesothelioma of other sites
C45.9	Diagnosis	ICD-10-CM	Mesothelioma, unspecified
C46.0	Diagnosis	ICD-10-CM	Kaposi's sarcoma of skin
C46.1	Diagnosis	ICD-10-CM	Kaposi's sarcoma of soft tissue
C46.2	Diagnosis	ICD-10-CM	Kaposi's sarcoma of palate
C46.3	Diagnosis	ICD-10-CM	Kaposi's sarcoma of lymph nodes
C46.4	Diagnosis	ICD-10-CM	Kaposi's sarcoma of gastrointestinal sites

cder_mpl1p_wp075 Page 282 of 369



Request			
Code	Code Category	Code Type	Description
C46.50	Diagnosis	ICD-10-CM	Kaposi's sarcoma of unspecified lung
C46.51	Diagnosis	ICD-10-CM	Kaposi's sarcoma of right lung
C46.52	Diagnosis	ICD-10-CM	Kaposi's sarcoma of left lung
C46.7	Diagnosis	ICD-10-CM	Kaposi's sarcoma of other sites
C46.9	Diagnosis	ICD-10-CM	Kaposi's sarcoma, unspecified
C47.0	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of head, face and neck
C47.10	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder
C47.11	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of right upper limb, including shoulder
C47.12	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of left upper limb, including shoulder
C47.20	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip
C47.21	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of right lower limb, including hip
C47.22	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of left lower limb, including hip
C47.3	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of thorax
C47.4	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of abdomen
C47.5	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of pelvis
C47.6	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves of trunk, unspecified
			Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous
C47.8	Diagnosis	ICD-10-CM	system
C47.9	Diagnosis	ICD-10-CM	Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified
C48.0	Diagnosis	ICD-10-CM	Malignant neoplasm of retroperitoneum
C48.1	Diagnosis	ICD-10-CM	Malignant neoplasm of specified parts of peritoneum
C48.2	Diagnosis	ICD-10-CM	Malignant neoplasm of peritoneum, unspecified
C48.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum
C49.0	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of head, face and neck
			Malignant neoplasm of connective and soft tissue of unspecified upper limb, including
C49.10	Diagnosis	ICD-10-CM	shoulder
			Malignant neoplasm of connective and soft tissue of right upper limb, including
C49.11	Diagnosis	ICD-10-CM	shoulder
			Malignant neoplasm of connective and soft tissue of left upper limb, including
C49.12	Diagnosis	ICD-10-CM	shoulder
			Malignant neoplasm of connective and soft tissue of unspecified lower limb, including
C49.20	Diagnosis	ICD-10-CM	hip
C49.21	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of right lower limb, including hip
C49.22	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of left lower limb, including hip
C49.3	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of thorax
C49.4	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of abdomen
C49.5	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of pelvis
C49.6	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue of trunk, unspecified
C49.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of connective and soft tissue
C49.9	Diagnosis	ICD-10-CM	Malignant neoplasm of connective and soft tissue, unspecified
C49.A0	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor, unspecified site
C49.A1	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor of esophagus

cder_mpl1p_wp075 Page 283 of 369



Request			
Code	Code Category	Code Type	Description
C49.A2	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor of stomach
C49.A3	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor of small intestine
C49.A4	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor of large intestine
C49.A5	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor of rectum
C49.A9	Diagnosis	ICD-10-CM	Gastrointestinal stromal tumor of other sites
C4A.0	Diagnosis	ICD-10-CM	Merkel cell carcinoma of lip
C4A.10	Diagnosis	ICD-10-CM	Merkel cell carcinoma of unspecified eyelid, including canthus
C4A.11	Diagnosis	ICD-10-CM	Merkel cell carcinoma of right eyelid, including canthus
C4A.12	Diagnosis	ICD-10-CM	Merkel cell carcinoma of left eyelid, including canthus
C4A.20	Diagnosis	ICD-10-CM	Merkel cell carcinoma of unspecified ear and external auricular canal
C4A.21	Diagnosis	ICD-10-CM	Merkel cell carcinoma of right ear and external auricular canal
C4A.22	Diagnosis	ICD-10-CM	Merkel cell carcinoma of left ear and external auricular canal
C4A.30	Diagnosis	ICD-10-CM	Merkel cell carcinoma of unspecified part of face
C4A.31	Diagnosis	ICD-10-CM	Merkel cell carcinoma of nose
C4A.39	Diagnosis	ICD-10-CM	Merkel cell carcinoma of other parts of face
C4A.4	Diagnosis	ICD-10-CM	Merkel cell carcinoma of scalp and neck
C4A.51	Diagnosis	ICD-10-CM	Merkel cell carcinoma of anal skin
C4A.52	Diagnosis	ICD-10-CM	Merkel cell carcinoma of skin of breast
C4A.59	Diagnosis	ICD-10-CM	Merkel cell carcinoma of other part of trunk
C4A.60	Diagnosis	ICD-10-CM	Merkel cell carcinoma of unspecified upper limb, including shoulder
C4A.61	Diagnosis	ICD-10-CM	Merkel cell carcinoma of right upper limb, including shoulder
C4A.62	Diagnosis	ICD-10-CM	Merkel cell carcinoma of left upper limb, including shoulder
C4A.70	Diagnosis	ICD-10-CM	Merkel cell carcinoma of unspecified lower limb, including hip
C4A.71	Diagnosis	ICD-10-CM	Merkel cell carcinoma of right lower limb, including hip
C4A.72	Diagnosis	ICD-10-CM	Merkel cell carcinoma of left lower limb, including hip
C4A.8	Diagnosis	ICD-10-CM	Merkel cell carcinoma of overlapping sites
C4A.9	Diagnosis	ICD-10-CM	Merkel cell carcinoma, unspecified
C50.011	Diagnosis	ICD-10-CM	Malignant neoplasm of nipple and areola, right female breast
C50.012	Diagnosis	ICD-10-CM	Malignant neoplasm of nipple and areola, left female breast
C50.019	Diagnosis	ICD-10-CM	Malignant neoplasm of nipple and areola, unspecified female breast
C50.021	Diagnosis	ICD-10-CM	Malignant neoplasm of nipple and areola, right male breast
C50.022	Diagnosis	ICD-10-CM	Malignant neoplasm of nipple and areola, left male breast
C50.029	Diagnosis	ICD-10-CM	Malignant neoplasm of nipple and areola, unspecified male breast
C50.111	Diagnosis	ICD-10-CM	Malignant neoplasm of central portion of right female breast
C50.112	Diagnosis	ICD-10-CM	Malignant neoplasm of central portion of left female breast
C50.119	Diagnosis	ICD-10-CM	Malignant neoplasm of central portion of unspecified female breast
C50.121	Diagnosis	ICD-10-CM	Malignant neoplasm of central portion of right male breast
C50.122	Diagnosis	ICD-10-CM	Malignant neoplasm of central portion of left male breast
C50.129	Diagnosis	ICD-10-CM	Malignant neoplasm of central portion of unspecified male breast
C50.211	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-inner quadrant of right female breast
C50.212	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-inner quadrant of left female breast
C50.219	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-inner quadrant of unspecified female breast
C50.221	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-inner quadrant of right male breast

cder_mpl1p_wp075 Page 284 of 369



Request			
Code	Code Category	Code Type	Description
C50.222	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-inner quadrant of left male breast
C50.229	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-inner quadrant of unspecified male breast
C50.311	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-inner quadrant of right female breast
C50.312	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-inner quadrant of left female breast
C50.319	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-inner quadrant of unspecified female breast
C50.321	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-inner quadrant of right male breast
C50.322	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-inner quadrant of left male breast
C50.329	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-inner quadrant of unspecified male breast
C50.411	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-outer quadrant of right female breast
C50.412	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-outer quadrant of left female breast
C50.419	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-outer quadrant of unspecified female breast
C50.421	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-outer quadrant of right male breast
C50.422	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-outer quadrant of left male breast
C50.429	Diagnosis	ICD-10-CM	Malignant neoplasm of upper-outer quadrant of unspecified male breast
C50.511	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-outer quadrant of right female breast
C50.512	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-outer quadrant of left female breast
C50.519	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-outer quadrant of unspecified female breast
C50.521	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-outer quadrant of right male breast
C50.522	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-outer quadrant of left male breast
C50.529	Diagnosis	ICD-10-CM	Malignant neoplasm of lower-outer quadrant of unspecified male breast
C50.611	Diagnosis	ICD-10-CM	Malignant neoplasm of axillary tail of right female breast
C50.612	Diagnosis	ICD-10-CM	Malignant neoplasm of axillary tail of left female breast
C50.619	Diagnosis	ICD-10-CM	Malignant neoplasm of axillary tail of unspecified female breast
C50.621	Diagnosis	ICD-10-CM	Malignant neoplasm of axillary tail of right male breast
C50.622	Diagnosis	ICD-10-CM	Malignant neoplasm of axillary tail of left male breast
C50.629	Diagnosis	ICD-10-CM	Malignant neoplasm of axillary tail of unspecified male breast
C50.811	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of right female breast
C50.812	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of left female breast
C50.819	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of unspecified female breast
C50.821	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of right male breast
C50.822	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of left male breast
C50.829	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of unspecified male breast
C50.911	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of right female breast
C50.912	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of left female breast
C50.919	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of unspecified female breast
C50.921	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of right male breast
C50.922	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of left male breast
C50.929	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of unspecified male breast
C51.0	Diagnosis	ICD-10-CM	Malignant neoplasm of labium majus
C51.1	Diagnosis	ICD-10-CM	Malignant neoplasm of labium minus
C51.2	Diagnosis	ICD-10-CM	Malignant neoplasm of clitoris
C51.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of vulva
C51.9	Diagnosis	ICD-10-CM	Malignant neoplasm of vulva, unspecified

cder_mpl1p_wp075 Page 285 of 369



Request			
Code	Code Category	Code Type	Description
C52	Diagnosis	ICD-10-CM	Malignant neoplasm of vagina
C53.0	Diagnosis	ICD-10-CM	Malignant neoplasm of endocervix
C53.1	Diagnosis	ICD-10-CM	Malignant neoplasm of exocervix
C53.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of cervix uteri
C53.9	Diagnosis	ICD-10-CM	Malignant neoplasm of cervix uteri, unspecified
C54.0	Diagnosis	ICD-10-CM	Malignant neoplasm of isthmus uteri
C54.1	Diagnosis	ICD-10-CM	Malignant neoplasm of endometrium
C54.2	Diagnosis	ICD-10-CM	Malignant neoplasm of myometrium
C54.3	Diagnosis	ICD-10-CM	Malignant neoplasm of fundus uteri
C54.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of corpus uteri
C54.9	Diagnosis	ICD-10-CM	Malignant neoplasm of corpus uteri, unspecified
C55	Diagnosis	ICD-10-CM	Malignant neoplasm of uterus, part unspecified
C56.1	Diagnosis	ICD-10-CM	Malignant neoplasm of right ovary
C56.2	Diagnosis	ICD-10-CM	Malignant neoplasm of left ovary
C56.9	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified ovary
C57.00	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified fallopian tube
C57.01	Diagnosis	ICD-10-CM	Malignant neoplasm of right fallopian tube
C57.02	Diagnosis	ICD-10-CM	Malignant neoplasm of left fallopian tube
C57.10	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified broad ligament
C57.11	Diagnosis	ICD-10-CM	Malignant neoplasm of right broad ligament
C57.12	Diagnosis	ICD-10-CM	Malignant neoplasm of left broad ligament
C57.20	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified round ligament
C57.21	Diagnosis	ICD-10-CM	Malignant neoplasm of right round ligament
C57.22	Diagnosis	ICD-10-CM	Malignant neoplasm of left round ligament
C57.3	Diagnosis	ICD-10-CM	Malignant neoplasm of parametrium
C57.4	Diagnosis	ICD-10-CM	Malignant neoplasm of uterine adnexa, unspecified
C57.7	Diagnosis	ICD-10-CM	Malignant neoplasm of other specified female genital organs
C57.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of female genital organs
C57.9	Diagnosis	ICD-10-CM	Malignant neoplasm of female genital organ, unspecified
C58	Diagnosis	ICD-10-CM	Malignant neoplasm of placenta
C60.0	Diagnosis	ICD-10-CM	Malignant neoplasm of prepuce
C60.1	Diagnosis	ICD-10-CM	Malignant neoplasm of glans penis
C60.2	Diagnosis	ICD-10-CM	Malignant neoplasm of body of penis
C60.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of penis
C60.9	Diagnosis	ICD-10-CM	Malignant neoplasm of penis, unspecified
C61	Diagnosis	ICD-10-CM	Malignant neoplasm of prostate
C62.00	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified undescended testis
C62.01	Diagnosis	ICD-10-CM	Malignant neoplasm of undescended right testis
C62.02	Diagnosis	ICD-10-CM	Malignant neoplasm of undescended left testis
C62.10	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified descended testis
C62.11	Diagnosis	ICD-10-CM	Malignant neoplasm of descended right testis
C62.12	Diagnosis	ICD-10-CM	Malignant neoplasm of descended left testis

cder_mpl1p_wp075 Page 286 of 369



Request			
Code	Code Category	Code Type	Description
			Malignant neoplasm of unspecified testis, unspecified whether descended or
C62.90	Diagnosis	ICD-10-CM	undescended
C62.91	Diagnosis	ICD-10-CM	Malignant neoplasm of right testis, unspecified whether descended or undescended
C62.92	Diagnosis	ICD-10-CM	Malignant neoplasm of left testis, unspecified whether descended or undescended
C63.00	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified epididymis
C63.01	Diagnosis	ICD-10-CM	Malignant neoplasm of right epididymis
C63.02	Diagnosis	ICD-10-CM	Malignant neoplasm of left epididymis
C63.10	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified spermatic cord
C63.11	Diagnosis	ICD-10-CM	Malignant neoplasm of right spermatic cord
C63.12	Diagnosis	ICD-10-CM	Malignant neoplasm of left spermatic cord
C63.2	Diagnosis	ICD-10-CM	Malignant neoplasm of scrotum
C63.7	Diagnosis	ICD-10-CM	Malignant neoplasm of other specified male genital organs
C63.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of male genital organs
C63.9	Diagnosis	ICD-10-CM	Malignant neoplasm of male genital organ, unspecified
C64.1	Diagnosis	ICD-10-CM	Malignant neoplasm of right kidney, except renal pelvis
C64.2	Diagnosis	ICD-10-CM	Malignant neoplasm of left kidney, except renal pelvis
C64.9	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified kidney, except renal pelvis
C65.1	Diagnosis	ICD-10-CM	Malignant neoplasm of right renal pelvis
C65.2	Diagnosis	ICD-10-CM	Malignant neoplasm of left renal pelvis
C65.9	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified renal pelvis
C66.1	Diagnosis	ICD-10-CM	Malignant neoplasm of right ureter
C66.2	Diagnosis	ICD-10-CM	Malignant neoplasm of left ureter
C66.9	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified ureter
C67.0	Diagnosis	ICD-10-CM	Malignant neoplasm of trigone of bladder
C67.1	Diagnosis	ICD-10-CM	Malignant neoplasm of dome of bladder
C67.2	Diagnosis	ICD-10-CM	Malignant neoplasm of lateral wall of bladder
C67.3	Diagnosis	ICD-10-CM	Malignant neoplasm of anterior wall of bladder
C67.4	Diagnosis	ICD-10-CM	Malignant neoplasm of posterior wall of bladder
C67.5	Diagnosis	ICD-10-CM	Malignant neoplasm of bladder neck
C67.6	Diagnosis	ICD-10-CM	Malignant neoplasm of ureteric orifice
C67.7	Diagnosis	ICD-10-CM	Malignant neoplasm of urachus
C67.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of bladder
C67.9	Diagnosis	ICD-10-CM	Malignant neoplasm of bladder, unspecified
C68.0	Diagnosis	ICD-10-CM	Malignant neoplasm of urethra
C68.1	Diagnosis	ICD-10-CM	Malignant neoplasm of paraurethral glands
C68.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of urinary organs
C68.9	Diagnosis	ICD-10-CM	Malignant neoplasm of urinary organ, unspecified
C69.00	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified conjunctiva
C69.01	Diagnosis	ICD-10-CM	Malignant neoplasm of right conjunctiva
C69.02	Diagnosis	ICD-10-CM	Malignant neoplasm of left conjunctiva
C69.10	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified cornea
C69.11	Diagnosis	ICD-10-CM	Malignant neoplasm of right cornea
C69.12	Diagnosis	ICD-10-CM	Malignant neoplasm of left cornea

cder_mpl1p_wp075 Page 287 of 369



Request			
Code	Code Category	Code Type	Description
C69.20	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified retina
C69.21	Diagnosis	ICD-10-CM	Malignant neoplasm of right retina
C69.22	Diagnosis	ICD-10-CM	Malignant neoplasm of left retina
C69.30	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified choroid
C69.31	Diagnosis	ICD-10-CM	Malignant neoplasm of right choroid
C69.32	Diagnosis	ICD-10-CM	Malignant neoplasm of left choroid
C69.40	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified ciliary body
C69.41	Diagnosis	ICD-10-CM	Malignant neoplasm of right ciliary body
C69.42	Diagnosis	ICD-10-CM	Malignant neoplasm of left ciliary body
C69.50	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified lacrimal gland and duct
C69.51	Diagnosis	ICD-10-CM	Malignant neoplasm of right lacrimal gland and duct
C69.52	Diagnosis	ICD-10-CM	Malignant neoplasm of left lacrimal gland and duct
C69.60	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified orbit
C69.61	Diagnosis	ICD-10-CM	Malignant neoplasm of right orbit
C69.62	Diagnosis	ICD-10-CM	Malignant neoplasm of left orbit
C69.80	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of unspecified eye and adnexa
C69.81	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of right eye and adnexa
C69.82	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of left eye and adnexa
C69.90	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of unspecified eye
C69.91	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of right eye
C69.92	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified site of left eye
C70.0	Diagnosis	ICD-10-CM	Malignant neoplasm of cerebral meninges
C70.1	Diagnosis	ICD-10-CM	Malignant neoplasm of spinal meninges
C70.9	Diagnosis	ICD-10-CM	Malignant neoplasm of meninges, unspecified
C71.0	Diagnosis	ICD-10-CM	Malignant neoplasm of cerebrum, except lobes and ventricles
C71.1	Diagnosis	ICD-10-CM	Malignant neoplasm of frontal lobe
C71.2	Diagnosis	ICD-10-CM	Malignant neoplasm of temporal lobe
C71.3	Diagnosis	ICD-10-CM	Malignant neoplasm of parietal lobe
C71.4	Diagnosis	ICD-10-CM	Malignant neoplasm of occipital lobe
C71.5	Diagnosis	ICD-10-CM	Malignant neoplasm of cerebral ventricle
C71.6	Diagnosis	ICD-10-CM	Malignant neoplasm of cerebellum
C71.7	Diagnosis	ICD-10-CM	Malignant neoplasm of brain stem
C71.8	Diagnosis	ICD-10-CM	Malignant neoplasm of overlapping sites of brain
C71.9	Diagnosis	ICD-10-CM	Malignant neoplasm of brain, unspecified
C72.0	Diagnosis	ICD-10-CM	Malignant neoplasm of spinal cord
C72.1	Diagnosis	ICD-10-CM	Malignant neoplasm of cauda equina
C72.20	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified olfactory nerve
C72.21	Diagnosis	ICD-10-CM	Malignant neoplasm of right olfactory nerve
C72.22	Diagnosis	ICD-10-CM	Malignant neoplasm of left olfactory nerve
C72.30	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified optic nerve
C72.31	Diagnosis	ICD-10-CM	Malignant neoplasm of right optic nerve
C72.32	Diagnosis	ICD-10-CM	Malignant neoplasm of left optic nerve
C72.40	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified acoustic nerve

cder_mpl1p_wp075 Page 288 of 369



Code Category	Code Type	Description
Diagnosis	ICD-10-CM	Malignant neoplasm of right acoustic nerve
Diagnosis	ICD-10-CM	Malignant neoplasm of left acoustic nerve
Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified cranial nerve
Diagnosis	ICD-10-CM	Malignant neoplasm of other cranial nerves
Diagnosis	ICD-10-CM	Malignant neoplasm of central nervous system, unspecified
Diagnosis	ICD-10-CM	Malignant neoplasm of thyroid gland
Diagnosis	ICD-10-CM	Malignant neoplasm of cortex of unspecified adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of cortex of right adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of cortex of left adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of medulla of unspecified adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of medulla of right adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of medulla of left adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified part of unspecified adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified part of right adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified part of left adrenal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of parathyroid gland
Diagnosis	ICD-10-CM	Malignant neoplasm of pituitary gland
Diagnosis	ICD-10-CM	Malignant neoplasm of craniopharyngeal duct
Diagnosis	ICD-10-CM	Malignant neoplasm of pineal gland
Diagnosis	ICD-10-CM	Malignant neoplasm of carotid body
Diagnosis	ICD-10-CM	Malignant neoplasm of aortic body and other paraganglia
Diagnosis	ICD-10-CM	Malignant neoplasm with pluriglandular involvement, unspecified
Diagnosis	ICD-10-CM	Malignant neoplasm of endocrine gland, unspecified
Diagnosis	ICD-10-CM	Malignant neoplasm of head, face and neck
Diagnosis	ICD-10-CM	Malignant neoplasm of thorax
Diagnosis	ICD-10-CM	Malignant neoplasm of abdomen
Diagnosis	ICD-10-CM	Malignant neoplasm of pelvis
Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified upper limb
Diagnosis	ICD-10-CM	Malignant neoplasm of right upper limb
Diagnosis	ICD-10-CM	Malignant neoplasm of left upper limb
Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified lower limb
Diagnosis	ICD-10-CM	Malignant neoplasm of right lower limb
Diagnosis	ICD-10-CM	Malignant neoplasm of left lower limb
Diagnosis	ICD-10-CM	Malignant neoplasm of other specified ill-defined sites
Diagnosis	ICD-10-CM	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck
_	ICD-10-CM	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes
		Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes
=		Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes
-		Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph
Diagnosis	ICD-10-CM	nodes
Diagnosis	ICD-10-CM	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes
Diagnosis	ICD-10-CM	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions
	Diagnosis	Diagnosis ICD-10-CM

cder_mpl1p_wp075 Page 289 of 369



Request			
Code	Code Category	Code Type	Description
C77.9	Diagnosis	ICD-10-CM	Secondary and unspecified malignant neoplasm of lymph node, unspecified
C78.00	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified lung
C78.01	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of right lung
C78.02	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of left lung
C78.1	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of mediastinum
C78.2	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of pleura
C78.30	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified respiratory organ
C78.39	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of other respiratory organs
C78.4	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of small intestine
C78.5	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of large intestine and rectum
C78.6	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.7	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of liver and intrahepatic bile duct
C78.80	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified digestive organ
C78.89	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of other digestive organs
C79.00	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified kidney and renal pelvis
C79.01	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of right kidney and renal pelvis
C79.02	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of left kidney and renal pelvis
C79.10	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified urinary organs
C79.11	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of bladder
C79.19	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of other urinary organs
C79.2	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of skin
C79.31	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of brain
C79.32	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of cerebral meninges
C79.40	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified part of nervous system
C79.49	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of other parts of nervous system
C79.51	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of bone
C79.52	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of bone marrow
C79.60	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified ovary
C79.61	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of right ovary
C79.62	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of left ovary
C79.70	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified adrenal gland
C79.71	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of right adrenal gland
C79.72	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of left adrenal gland
C79.81	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of breast
C79.82	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of genital organs
C79.89	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of other specified sites
C79.9	Diagnosis	ICD-10-CM	Secondary malignant neoplasm of unspecified site
C7A.00	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of unspecified site
C7A.010	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the duodenum
C7A.011	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the jejunum
C7A.012	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the ileum
C7A.019	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the small intestine, unspecified portion
C7A.020	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the appendix

cder_mpl1p_wp075 Page 290 of 369



Request			
Code	Code Category	Code Type	Description
C7A.021	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the cecum
C7A.022	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the ascending colon
C7A.023	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the transverse colon
C7A.024	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the descending colon
C7A.025	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the sigmoid colon
C7A.026	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the rectum
C7A.029	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the large intestine, unspecified portion
C7A.090	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the bronchus and lung
C7A.091	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the thymus
C7A.092	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the stomach
C7A.093	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the kidney
C7A.094	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the foregut, unspecified
C7A.095	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the midgut, unspecified
C7A.096	Diagnosis	ICD-10-CM	Malignant carcinoid tumor of the hindgut, unspecified
C7A.098	Diagnosis	ICD-10-CM	Malignant carcinoid tumors of other sites
C7A.1	Diagnosis	ICD-10-CM	Malignant poorly differentiated neuroendocrine tumors
C7A.8	Diagnosis	ICD-10-CM	Other malignant neuroendocrine tumors
C7B.00	Diagnosis	ICD-10-CM	Secondary carcinoid tumors, unspecified site
C7B.01	Diagnosis	ICD-10-CM	Secondary carcinoid tumors of distant lymph nodes
C7B.02	Diagnosis	ICD-10-CM	Secondary carcinoid tumors of liver
C7B.03	Diagnosis	ICD-10-CM	Secondary carcinoid tumors of bone
C7B.04	Diagnosis	ICD-10-CM	Secondary carcinoid tumors of peritoneum
C7B.09	Diagnosis	ICD-10-CM	Secondary carcinoid tumors of other sites
C7B.1	Diagnosis	ICD-10-CM	Secondary Merkel cell carcinoma
C7B.8	Diagnosis	ICD-10-CM	Other secondary neuroendocrine tumors
C80.0	Diagnosis	ICD-10-CM	Disseminated malignant neoplasm, unspecified
C80.1	Diagnosis	ICD-10-CM	Malignant (primary) neoplasm, unspecified
C80.2	Diagnosis	ICD-10-CM	Malignant neoplasm associated with transplanted organ
C81.00	Diagnosis	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site
			Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and
C81.01	Diagnosis	ICD-10-CM	neck
C81.02	Diagnosis	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes
C81.03	Diagnosis	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes
			Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and
C81.04	Diagnosis	ICD-10-CM	upper limb
			Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region
C81.05	Diagnosis	ICD-10-CM	and lower limb
C81.06	Diagnosis	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes
C81.07	Diagnosis	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, spleen
C81.08	Diagnosis	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites
			Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ
C81.09	Diagnosis	ICD-10-CM	sites
C81.10	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, unspecified site

cder_mpl1p_wp075 Page 291 of 369



Request			
Code	Code Category	Code Type	Description
C81.11	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.12	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes
C81.13	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes
C81.14	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.15	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.16	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes
C81.17	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, spleen
C81.18	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites
C81.19	Diagnosis	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites
C81.20	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, unspecified site
C81.21	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.22	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes
C81.23	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes
C81.24	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.25	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.26	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes
C81.27	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, spleen
C81.28	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites
C81.29	Diagnosis	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites
C81.30	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, unspecified site
C81.31	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.32	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes
C81.33	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes
C81.34	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb
			Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower
C81.35	Diagnosis	ICD-10-CM	limb
C81.36	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes
C81.37	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, spleen
C81.38	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites
C81.39	Diagnosis	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites
C81.40	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, unspecified site
C81.41	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.42	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes
C81.43	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes
C81.44	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.45	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.46	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes
C81.47	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, spleen
C81.48	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites
C81.49	Diagnosis	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites
C81.70	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, unspecified site
C81.71	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.72	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, intrathoracic lymph nodes

cder_mpl1p_wp075 Page 292 of 369



Request			
Code	Code Category	Code Type	Description
C81.73	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, intra-abdominal lymph nodes
C81.74	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.75	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.76	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, intrapelvic lymph nodes
C81.77	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, spleen
C81.78	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of multiple sites
C81.79	Diagnosis	ICD-10-CM	Other Hodgkin lymphoma, extranodal and solid organ sites
C81.90	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, unspecified site
C81.91	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck
C81.92	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, intrathoracic lymph nodes
C81.93	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes
C81.94	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb
C81.95	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb
C81.96	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, intrapelvic lymph nodes
C81.97	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, spleen
C81.98	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of multiple sites
C81.99	Diagnosis	ICD-10-CM	Hodgkin lymphoma, unspecified, extranodal and solid organ sites
C82.00	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, unspecified site
C82.01	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of head, face, and neck
C82.02	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, intrathoracic lymph nodes
C82.03	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, intra-abdominal lymph nodes
C82.04	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of axilla and upper limb
C82.05	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb
C82.06	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, intrapelvic lymph nodes
C82.07	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, spleen
C82.08	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of multiple sites
C82.09	Diagnosis	ICD-10-CM	Follicular lymphoma grade I, extranodal and solid organ sites
C82.10	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, unspecified site
C82.11	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of head, face, and neck
C82.12	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, intrathoracic lymph nodes
C82.13	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, intra-abdominal lymph nodes
C82.14	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of axilla and upper limb
C82.15	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb
C82.16	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, intrapelvic lymph nodes
C82.17	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, spleen
C82.18	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of multiple sites
C82.19	Diagnosis	ICD-10-CM	Follicular lymphoma grade II, extranodal and solid organ sites
C82.20	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, unspecified site
C82.21	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck
C82.22	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes
C82.23	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes
C82.24	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb

cder_mpl1p_wp075 Page 293 of 369



Request	0 1 0 1		
Code	Code Category	Code Type	Description (Control of the Control
		100 10 011	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower
C82.25	Diagnosis	ICD-10-CM	limb
C82.26	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes
C82.27	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, spleen
C82.28	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites
C82.29	Diagnosis	ICD-10-CM	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites
C82.30	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, unspecified site
C82.31	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck
C82.32	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, intrathoracic lymph nodes
C82.33	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes
C82.34	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb
C82.35	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb
C82.36	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, intrapelvic lymph nodes
C82.37	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, spleen
C82.38	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of multiple sites
C82.39	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIa, extranodal and solid organ sites
C82.40	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, unspecified site
C82.41	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck
C82.42	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, intrathoracic lymph nodes
C82.43	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes
C82.44	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb
C82.45	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb
C82.46	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, intrapelvic lymph nodes
C82.47	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, spleen
C82.48	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of multiple sites
C82.49	Diagnosis	ICD-10-CM	Follicular lymphoma grade IIIb, extranodal and solid organ sites
C82.50	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, unspecified site
C82.51	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of head, face, and neck
C82.52	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, intrathoracic lymph nodes
C82.53	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, intra-abdominal lymph nodes
C82.54	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb
C82.55	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.56	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, intrapelvic lymph nodes
C82.57	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, spleen
C82.58	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of multiple sites
C82.59	Diagnosis	ICD-10-CM	Diffuse follicle center lymphoma, extranodal and solid organ sites
C82.60	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, unspecified site
C82.61	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck
C82.62	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, intrathoracic lymph nodes
C82.63	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes
C82.64	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb
C82.65	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.66	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, intrapelvic lymph nodes
552.00	05.15	. 52 25 0111	The state of the s

cder_mpl1p_wp075 Page 294 of 369



Request			
Code	Code Category		Description
C82.67	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, spleen
C82.68	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of multiple sites
C82.69	Diagnosis	ICD-10-CM	Cutaneous follicle center lymphoma, extranodal and solid organ sites
C82.80	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, unspecified site
C82.81	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of head, face, and neck
C82.82	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, intrathoracic lymph nodes
C82.83	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, intra-abdominal lymph nodes
C82.84	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of axilla and upper limb
C82.85	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb
C82.86	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, intrapelvic lymph nodes
C82.87	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, spleen
C82.88	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of multiple sites
C82.89	Diagnosis	ICD-10-CM	Other types of follicular lymphoma, extranodal and solid organ sites
C82.90	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, unspecified site
C82.91	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of head, face, and neck
C82.92	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, intrathoracic lymph nodes
C82.93	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, intra-abdominal lymph nodes
C82.94	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb
C82.95	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb
C82.96	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, intrapelvic lymph nodes
C82.97	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, spleen
C82.98	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of multiple sites
C82.99	Diagnosis	ICD-10-CM	Follicular lymphoma, unspecified, extranodal and solid organ sites
C83.00	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, unspecified site
C83.01	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of head, face, and neck
C83.02	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, intrathoracic lymph nodes
C83.03	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, intra-abdominal lymph nodes
C83.04	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb
C83.05	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.06	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, intrapelvic lymph nodes
C83.07	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, spleen
C83.08	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of multiple sites
C83.09	Diagnosis	ICD-10-CM	Small cell B-cell lymphoma, extranodal and solid organ sites
C83.10	Diagnosis	ICD-10-CM	Mantle cell lymphoma, unspecified site
C83.11	Diagnosis	ICD-10-CM	Mantle cell lymphoma, lymph nodes of head, face, and neck
C83.12	Diagnosis	ICD-10-CM	Mantle cell lymphoma, intrathoracic lymph nodes
C83.13	Diagnosis	ICD-10-CM	Mantle cell lymphoma, intra-abdominal lymph nodes
C83.14	Diagnosis	ICD-10-CM	Mantle cell lymphoma, lymph nodes of axilla and upper limb
C83.15	Diagnosis	ICD-10-CM	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb
C83.16	Diagnosis	ICD-10-CM	Mantle cell lymphoma, intrapelvic lymph nodes
C83.17	Diagnosis	ICD-10-CM	Mantle cell lymphoma, spleen
C83.18	Diagnosis	ICD-10-CM	Mantle cell lymphoma, lymph nodes of multiple sites
C83.19	Diagnosis	ICD-10-CM	Mantle cell lymphoma, extranodal and solid organ sites
	<u>-</u>		· · · · · · · · · · · · · · · · · · ·

cder_mpl1p_wp075 Page 295 of 369



Request			
Code	Code Category	Code Type	Description
C83.30	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, unspecified site
C83.31	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck
C83.32	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, intrathoracic lymph nodes
C83.33	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes
C83.34	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb
C83.35	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.36	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, intrapelvic lymph nodes
C83.37	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, spleen
C83.38	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of multiple sites
C83.39	Diagnosis	ICD-10-CM	Diffuse large B-cell lymphoma, extranodal and solid organ sites
C83.50	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, unspecified site
C83.51	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck
C83.52	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes
C83.53	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes
C83.54	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb
C83.55	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb
C83.56	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes
C83.57	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, spleen
C83.58	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites
C83.59	Diagnosis	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites
C83.70	Diagnosis	ICD-10-CM	Burkitt lymphoma, unspecified site
C83.71	Diagnosis	ICD-10-CM	Burkitt lymphoma, lymph nodes of head, face, and neck
C83.72	Diagnosis	ICD-10-CM	Burkitt lymphoma, intrathoracic lymph nodes
C83.73	Diagnosis	ICD-10-CM	Burkitt lymphoma, intra-abdominal lymph nodes
C83.74	Diagnosis	ICD-10-CM	Burkitt lymphoma, lymph nodes of axilla and upper limb
C83.75	Diagnosis	ICD-10-CM	Burkitt lymphoma, lymph nodes of inguinal region and lower limb
C83.76	Diagnosis	ICD-10-CM	Burkitt lymphoma, intrapelvic lymph nodes
C83.77	Diagnosis	ICD-10-CM	Burkitt lymphoma, spleen
C83.78	Diagnosis	ICD-10-CM	Burkitt lymphoma, lymph nodes of multiple sites
C83.79	Diagnosis	ICD-10-CM	Burkitt lymphoma, extranodal and solid organ sites
C83.80	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, unspecified site
C83.81	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of head, face, and neck
C83.82	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, intrathoracic lymph nodes
C83.83	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, intra-abdominal lymph nodes
C83.84	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of axilla and upper limb
C83.85	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb
C83.86	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, intrapelvic lymph nodes
C83.87	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, spleen
C83.88	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of multiple sites
C83.89	Diagnosis	ICD-10-CM	Other non-follicular lymphoma, extranodal and solid organ sites
C83.90	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, unspecified site
C83.91	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck
C83.92	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes

cder_mpl1p_wp075 Page 296 of 369



Request			
Code	Code Category		Description
C83.93	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes
C83.94	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb
			Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and
C83.95	Diagnosis	ICD-10-CM	lower limb
C83.96	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes
C83.97	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, spleen
C83.98	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites
C83.99	Diagnosis	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites
C84.00	Diagnosis	ICD-10-CM	Mycosis fungoides, unspecified site
C84.01	Diagnosis	ICD-10-CM	Mycosis fungoides, lymph nodes of head, face, and neck
C84.02	Diagnosis	ICD-10-CM	Mycosis fungoides, intrathoracic lymph nodes
C84.03	Diagnosis	ICD-10-CM	Mycosis fungoides, intra-abdominal lymph nodes
C84.04	Diagnosis	ICD-10-CM	Mycosis fungoides, lymph nodes of axilla and upper limb
C84.05	Diagnosis	ICD-10-CM	Mycosis fungoides, lymph nodes of inguinal region and lower limb
C84.06	Diagnosis	ICD-10-CM	Mycosis fungoides, intrapelvic lymph nodes
C84.07	Diagnosis	ICD-10-CM	Mycosis fungoides, spleen
C84.08	Diagnosis	ICD-10-CM	Mycosis fungoides, lymph nodes of multiple sites
C84.09	Diagnosis	ICD-10-CM	Mycosis fungoides, extranodal and solid organ sites
C84.10	Diagnosis	ICD-10-CM	Sezary disease, unspecified site
C84.11	Diagnosis	ICD-10-CM	Sezary disease, lymph nodes of head, face, and neck
C84.12	Diagnosis	ICD-10-CM	Sezary disease, intrathoracic lymph nodes
C84.13	Diagnosis	ICD-10-CM	Sezary disease, intra-abdominal lymph nodes
C84.14	Diagnosis	ICD-10-CM	Sezary disease, lymph nodes of axilla and upper limb
C84.15	Diagnosis	ICD-10-CM	Sezary disease, lymph nodes of inguinal region and lower limb
C84.16	Diagnosis	ICD-10-CM	Sezary disease, intrapelvic lymph nodes
C84.17	Diagnosis	ICD-10-CM	Sezary disease, spleen
C84.18	Diagnosis	ICD-10-CM	Sezary disease, lymph nodes of multiple sites
C84.19	Diagnosis	ICD-10-CM	Sezary disease, extranodal and solid organ sites
C84.40	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, unspecified site
C84.41	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck
C84.42	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes
C84.43	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes
C84.44	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb
			Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower
C84.45	Diagnosis	ICD-10-CM	limb
C84.46	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes
C84.47	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, spleen
C84.48	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites
C84.49	Diagnosis	ICD-10-CM	Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites
C84.60	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, unspecified site
C84.61	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck
C84.62	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes
C84.63	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes
	=		

cder_mpl1p_wp075 Page 297 of 369



Appendix F.1. List of Current Procedural Terminology, Second Edition (CPT-2), Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Ninth Revision, Procedural Coding System (ICD-9-PCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define Characteristics in this Request

Request	Cada Catanami	Codo Turo	Description
Code C84.64	Code Category	Code Type ICD-10-CM	Description
C84.64	Diagnosis	ICD-10-CIVI	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb
C04 6F	Diagnosis	ICD 10 CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb
C84.65	Diagnosis Diagnosis	ICD-10-CM	
C84.66	•	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes
C84.67	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, spleen
C84.68	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites
C84.69	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites
C84.70	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, unspecified site
C84.71	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck
C84.72	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes
C84.73	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes
C84.74	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb
C04.75	Diamonia	ICD 10 CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and
C84.75	Diagnosis	ICD-10-CM	lower limb
C84.76	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes
C84.77	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, spleen
C84.78	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites
C84.79	Diagnosis	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites
C84.90	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, unspecified site
C84.91	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck
C84.92	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes
C84.93	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes
C84.94	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb
004.05	<u>.</u>	100 10 011	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower
C84.95	Diagnosis	ICD-10-CM	limb
C84.96	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes
C84.97	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, spleen
C84.98	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites
C84.99	Diagnosis	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites
C84.A0	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, unspecified site
C84.A1	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck
C84.A2	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes
C84.A3	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes
C84.A4	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb
			Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower
C84.A5	Diagnosis	ICD-10-CM	limb
C84.A6	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes
C84.A7	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, spleen
C84.A8	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites
C84.A9	Diagnosis	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites
C84.Z0	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, unspecified site
C84.Z1	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck
C84.Z2	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes

cder_mpl1p_wp075 Page 298 of 369



Request			
Code	Code Category	Code Type	Description
C84.Z3	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes
C84.Z4	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb
C84.Z5	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb
C84.Z6	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes
C84.Z7	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, spleen
C84.Z8	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites
C84.Z9	Diagnosis	ICD-10-CM	Other mature T/NK-cell lymphomas, extranodal and solid organ sites
C85.10	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, unspecified site
C85.11	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck
C85.12	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, intrathoracic lymph nodes
C85.13	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, intra-abdominal lymph nodes
C85.14	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb
C85.15	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb
C85.16	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, intrapelvic lymph nodes
C85.17	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, spleen
C85.18	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of multiple sites
C85.19	Diagnosis	ICD-10-CM	Unspecified B-cell lymphoma, extranodal and solid organ sites
C85.20	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, unspecified site
C85.21	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck
C85.22	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes
C85.23	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes
C85.24	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb
			Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower
C85.25	Diagnosis	ICD-10-CM	limb
C85.26	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes
C85.27	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, spleen
C85.28	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites
C85.29	Diagnosis	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites
C85.80	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, unspecified site
C85.81	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck
C85.82	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes
C85.83	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes
C85.84	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb
			Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and
C85.85	Diagnosis	ICD-10-CM	lower limb
C85.86	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes
C85.87	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, spleen
C85.88	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites
C85.89	Diagnosis	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites
C85.90	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, unspecified site
C85.91	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck
C85.92	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes

cder_mpl1p_wp075 Page 299 of 369



Request			
Code	Code Category	Code Type	Description
C85.93	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes
C85.94	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb
C85.95	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb
C85.96	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes
C85.97	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, spleen
C85.98	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites
C85.99	Diagnosis	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites
C86.0	Diagnosis	ICD-10-CM	Extranodal NK/T-cell lymphoma, nasal type
C86.1	Diagnosis	ICD-10-CM	Hepatosplenic T-cell lymphoma
C86.2	Diagnosis	ICD-10-CM	Enteropathy-type (intestinal) T-cell lymphoma
C86.3	Diagnosis	ICD-10-CM	Subcutaneous panniculitis-like T-cell lymphoma
C86.4	Diagnosis	ICD-10-CM	Blastic NK-cell lymphoma
C86.5	Diagnosis	ICD-10-CM	Angioimmunoblastic T-cell lymphoma
C86.6	Diagnosis	ICD-10-CM	Primary cutaneous CD30-positive T-cell proliferations
C88.2	Diagnosis	ICD-10-CM	Heavy chain disease
C88.3	Diagnosis	ICD-10-CM	Immunoproliferative small intestinal disease
			Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue
C88.4	Diagnosis	ICD-10-CM	[MALT-lymphoma]
C88.8	Diagnosis	ICD-10-CM	Other malignant immunoproliferative diseases
C88.9	Diagnosis	ICD-10-CM	Malignant immunoproliferative disease, unspecified
C90.00	Diagnosis	ICD-10-CM	Multiple myeloma not having achieved remission
C90.01	Diagnosis	ICD-10-CM	Multiple myeloma in remission
C90.02	Diagnosis	ICD-10-CM	Multiple myeloma in relapse
C90.10	Diagnosis	ICD-10-CM	Plasma cell leukemia not having achieved remission
C90.11	Diagnosis	ICD-10-CM	Plasma cell leukemia in remission
C90.12	Diagnosis	ICD-10-CM	Plasma cell leukemia in relapse
C90.20	Diagnosis	ICD-10-CM	Extramedullary plasmacytoma not having achieved remission
C90.21	Diagnosis	ICD-10-CM	Extramedullary plasmacytoma in remission
C90.22	Diagnosis	ICD-10-CM	Extramedullary plasmacytoma in relapse
C90.30	Diagnosis	ICD-10-CM	Solitary plasmacytoma not having achieved remission
C90.31	Diagnosis	ICD-10-CM	Solitary plasmacytoma in remission
C90.32	Diagnosis	ICD-10-CM	Solitary plasmacytoma in relapse
C91.00	Diagnosis	ICD-10-CM	Acute lymphoblastic leukemia not having achieved remission
C91.01	Diagnosis	ICD-10-CM	Acute lymphoblastic leukemia, in remission
C91.02	Diagnosis	ICD-10-CM	Acute lymphoblastic leukemia, in relapse
C91.10	Diagnosis	ICD-10-CM	Chronic lymphocytic leukemia of B-cell type not having achieved remission
C91.11	Diagnosis	ICD-10-CM	Chronic lymphocytic leukemia of B-cell type in remission
C91.12	Diagnosis	ICD-10-CM	Chronic lymphocytic leukemia of B-cell type in relapse
C91.30	Diagnosis	ICD-10-CM	Prolymphocytic leukemia of B-cell type not having achieved remission
C91.31	Diagnosis	ICD-10-CM	Prolymphocytic leukemia of B-cell type, in remission
C91.32	Diagnosis	ICD-10-CM	Prolymphocytic leukemia of B-cell type, in relapse
C91.40	Diagnosis	ICD-10-CM	Hairy cell leukemia not having achieved remission
C91.41	Diagnosis	ICD-10-CM	Hairy cell leukemia, in remission

cder_mpl1p_wp075 Page 300 of 369



Request			
Code	Code Category	Code Type	Description
C91.42	Diagnosis	ICD-10-CM	Hairy cell leukemia, in relapse
C91.50	Diagnosis	ICD-10-CM	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission
C91.51	Diagnosis	ICD-10-CM	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission
C91.52	Diagnosis	ICD-10-CM	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse
C91.60	Diagnosis	ICD-10-CM	Prolymphocytic leukemia of T-cell type not having achieved remission
C91.61	Diagnosis	ICD-10-CM	Prolymphocytic leukemia of T-cell type, in remission
C91.62	Diagnosis	ICD-10-CM	Prolymphocytic leukemia of T-cell type, in relapse
C91.90	Diagnosis	ICD-10-CM	Lymphoid leukemia, unspecified not having achieved remission
C91.91	Diagnosis	ICD-10-CM	Lymphoid leukemia, unspecified, in remission
C91.92	Diagnosis	ICD-10-CM	Lymphoid leukemia, unspecified, in relapse
C91.A0	Diagnosis	ICD-10-CM	Mature B-cell leukemia Burkitt-type not having achieved remission
C91.A1	Diagnosis	ICD-10-CM	Mature B-cell leukemia Burkitt-type, in remission
C91.A2	Diagnosis	ICD-10-CM	Mature B-cell leukemia Burkitt-type, in relapse
C91.Z0	Diagnosis	ICD-10-CM	Other lymphoid leukemia not having achieved remission
C91.Z1	Diagnosis	ICD-10-CM	Other lymphoid leukemia, in remission
C91.Z2	Diagnosis	ICD-10-CM	Other lymphoid leukemia, in relapse
C92.00	Diagnosis	ICD-10-CM	Acute myeloblastic leukemia, not having achieved remission
C92.01	Diagnosis	ICD-10-CM	Acute myeloblastic leukemia, in remission
C92.02	Diagnosis	ICD-10-CM	Acute myeloblastic leukemia, in relapse
C92.10	Diagnosis	ICD-10-CM	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission
C92.11	Diagnosis	ICD-10-CM	Chronic myeloid leukemia, BCR/ABL-positive, in remission
C92.12	Diagnosis	ICD-10-CM	Chronic myeloid leukemia, BCR/ABL-positive, in relapse
C92.20	Diagnosis	ICD-10-CM	Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission
C92.21	Diagnosis	ICD-10-CM	Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission
C92.22	Diagnosis	ICD-10-CM	Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse
C92.30	Diagnosis	ICD-10-CM	Myeloid sarcoma, not having achieved remission
C92.31	Diagnosis	ICD-10-CM	Myeloid sarcoma, in remission
C92.32	Diagnosis	ICD-10-CM	Myeloid sarcoma, in relapse
C92.40	Diagnosis	ICD-10-CM	Acute promyelocytic leukemia, not having achieved remission
C92.41	Diagnosis	ICD-10-CM	Acute promyelocytic leukemia, in remission
C92.42	Diagnosis	ICD-10-CM	Acute promyelocytic leukemia, in relapse
C92.50	Diagnosis	ICD-10-CM	Acute myelomonocytic leukemia, not having achieved remission
C92.51	Diagnosis	ICD-10-CM	Acute myelomonocytic leukemia, in remission
C92.52	Diagnosis	ICD-10-CM	Acute myelomonocytic leukemia, in relapse
C92.60	Diagnosis	ICD-10-CM	Acute myeloid leukemia with 11q23-abnormality not having achieved remission
C92.61	Diagnosis	ICD-10-CM	Acute myeloid leukemia with 11q23-abnormality in remission
C92.62	Diagnosis	ICD-10-CM	Acute myeloid leukemia with 11q23-abnormality in relapse
C92.90	Diagnosis	ICD-10-CM	Myeloid leukemia, unspecified, not having achieved remission
C92.91	Diagnosis	ICD-10-CM	Myeloid leukemia, unspecified in remission
C92.92	Diagnosis	ICD-10-CM	Myeloid leukemia, unspecified in relapse
C92.A0	Diagnosis	ICD-10-CM	Acute myeloid leukemia with multilineage dysplasia, not having achieved remission
C92.A1	Diagnosis	ICD-10-CM	Acute myeloid leukemia with multilineage dysplasia, in remission
C92.A2	Diagnosis	ICD-10-CM	Acute myeloid leukemia with multilineage dysplasia, in relapse

cder_mpl1p_wp075 Page 301 of 369



Request			
Code	Code Category	Code Type	Description
C92.Z0	Diagnosis	ICD-10-CM	Other myeloid leukemia not having achieved remission
C92.Z1	Diagnosis	ICD-10-CM	Other myeloid leukemia, in remission
C92.Z2	Diagnosis	ICD-10-CM	Other myeloid leukemia, in relapse
C93.00	Diagnosis	ICD-10-CM	Acute monoblastic/monocytic leukemia, not having achieved remission
C93.01	Diagnosis	ICD-10-CM	Acute monoblastic/monocytic leukemia, in remission
C93.02	Diagnosis	ICD-10-CM	Acute monoblastic/monocytic leukemia, in relapse
C93.10	Diagnosis	ICD-10-CM	Chronic myelomonocytic leukemia not having achieved remission
C93.11	Diagnosis	ICD-10-CM	Chronic myelomonocytic leukemia, in remission
C93.12	Diagnosis	ICD-10-CM	Chronic myelomonocytic leukemia, in relapse
C93.30	Diagnosis	ICD-10-CM	Juvenile myelomonocytic leukemia, not having achieved remission
C93.31	Diagnosis	ICD-10-CM	Juvenile myelomonocytic leukemia, in remission
C93.32	Diagnosis	ICD-10-CM	Juvenile myelomonocytic leukemia, in relapse
C93.90	Diagnosis	ICD-10-CM	Monocytic leukemia, unspecified, not having achieved remission
C93.91	Diagnosis	ICD-10-CM	Monocytic leukemia, unspecified in remission
C93.92	Diagnosis	ICD-10-CM	Monocytic leukemia, unspecified in relapse
C93.Z0	Diagnosis	ICD-10-CM	Other monocytic leukemia, not having achieved remission
C93.Z1	Diagnosis	ICD-10-CM	Other monocytic leukemia, in remission
C93.Z2	Diagnosis	ICD-10-CM	Other monocytic leukemia, in relapse
C94.00	Diagnosis	ICD-10-CM	Acute erythroid leukemia, not having achieved remission
C94.01	Diagnosis	ICD-10-CM	Acute erythroid leukemia, in remission
C94.02	Diagnosis	ICD-10-CM	Acute erythroid leukemia, in relapse
C94.20	Diagnosis	ICD-10-CM	Acute megakaryoblastic leukemia not having achieved remission
C94.21	Diagnosis	ICD-10-CM	Acute megakaryoblastic leukemia, in remission
C94.22	Diagnosis	ICD-10-CM	Acute megakaryoblastic leukemia, in relapse
C94.30	Diagnosis	ICD-10-CM	Mast cell leukemia not having achieved remission
C94.31	Diagnosis	ICD-10-CM	Mast cell leukemia, in remission
C94.32	Diagnosis	ICD-10-CM	Mast cell leukemia, in relapse
C94.40	Diagnosis	ICD-10-CM	Acute panmyelosis with myelofibrosis not having achieved remission
C94.41	Diagnosis	ICD-10-CM	Acute panmyelosis with myelofibrosis, in remission
C94.42	Diagnosis	ICD-10-CM	Acute panmyelosis with myelofibrosis, in relapse
C94.6	Diagnosis	ICD-10-CM	Myelodysplastic disease, not classified
C94.80	Diagnosis	ICD-10-CM	Other specified leukemias not having achieved remission
C94.81	Diagnosis	ICD-10-CM	Other specified leukemias, in remission
C94.82	Diagnosis	ICD-10-CM	Other specified leukemias, in relapse
C95.00	Diagnosis	ICD-10-CM	Acute leukemia of unspecified cell type not having achieved remission
C95.01	Diagnosis	ICD-10-CM	Acute leukemia of unspecified cell type, in remission
C95.02	Diagnosis	ICD-10-CM	Acute leukemia of unspecified cell type, in relapse
C95.10	Diagnosis	ICD-10-CM	Chronic leukemia of unspecified cell type not having achieved remission
C95.11	Diagnosis	ICD-10-CM	Chronic leukemia of unspecified cell type, in remission
C95.12	Diagnosis	ICD-10-CM	Chronic leukemia of unspecified cell type, in relapse
C95.90	Diagnosis	ICD-10-CM	Leukemia, unspecified not having achieved remission
C95.91	Diagnosis	ICD-10-CM	Leukemia, unspecified, in remission
C95.92	Diagnosis	ICD-10-CM	Leukemia, unspecified, in relapse

cder_mpl1p_wp075 Page 302 of 369



Request			
Code	Code Category		Description
C96.0	Diagnosis	ICD-10-CM	Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis
C96.20	Diagnosis	ICD-10-CM	Malignant mast cell neoplasm, unspecified
C96.21	Diagnosis	ICD-10-CM	Aggressive systemic mastocytosis
C96.22	Diagnosis	ICD-10-CM	Mast cell sarcoma
C96.29	Diagnosis	ICD-10-CM	Other malignant mast cell neoplasm
C96.4	Diagnosis	ICD-10-CM	Sarcoma of dendritic cells (accessory cells)
C96.9	Diagnosis	ICD-10-CM	Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified
C96.A	Diagnosis	ICD-10-CM	Histiocytic sarcoma
C96.Z	Diagnosis	ICD-10-CM	Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue
D00.00	Diagnosis	ICD-10-CM	Carcinoma in situ of oral cavity, unspecified site
D00.01	Diagnosis	ICD-10-CM	Carcinoma in situ of labial mucosa and vermilion border
D00.02	Diagnosis	ICD-10-CM	Carcinoma in situ of buccal mucosa
D00.03	Diagnosis	ICD-10-CM	Carcinoma in situ of gingiva and edentulous alveolar ridge
D00.04	Diagnosis	ICD-10-CM	Carcinoma in situ of soft palate
D00.05	Diagnosis	ICD-10-CM	Carcinoma in situ of hard palate
D00.06	Diagnosis	ICD-10-CM	Carcinoma in situ of floor of mouth
D00.07	Diagnosis	ICD-10-CM	Carcinoma in situ of tongue
D00.08	Diagnosis	ICD-10-CM	Carcinoma in situ of pharynx
D00.1	Diagnosis	ICD-10-CM	Carcinoma in situ of esophagus
D00.2	Diagnosis	ICD-10-CM	Carcinoma in situ of stomach
D01.0	Diagnosis	ICD-10-CM	Carcinoma in situ of colon
D01.1	Diagnosis	ICD-10-CM	Carcinoma in situ of rectosigmoid junction
D01.2	Diagnosis	ICD-10-CM	Carcinoma in situ of rectum
D01.3	Diagnosis	ICD-10-CM	Carcinoma in situ of anus and anal canal
D01.40	Diagnosis	ICD-10-CM	Carcinoma in situ of unspecified part of intestine
D01.49	Diagnosis	ICD-10-CM	Carcinoma in situ of other parts of intestine
D01.5	Diagnosis	ICD-10-CM	Carcinoma in situ of liver, gallbladder and bile ducts
D01.7	Diagnosis	ICD-10-CM	Carcinoma in situ of other specified digestive organs
D01.9	Diagnosis	ICD-10-CM	Carcinoma in situ of digestive organ, unspecified
D02.0	Diagnosis	ICD-10-CM	Carcinoma in situ of larynx
D02.1	Diagnosis	ICD-10-CM	Carcinoma in situ of trachea
D02.20	Diagnosis	ICD-10-CM	Carcinoma in situ of unspecified bronchus and lung
D02.21	Diagnosis	ICD-10-CM	Carcinoma in situ of right bronchus and lung
D02.22	Diagnosis	ICD-10-CM	Carcinoma in situ of left bronchus and lung
D02.3	Diagnosis	ICD-10-CM	Carcinoma in situ of other parts of respiratory system
D02.4	Diagnosis	ICD-10-CM	Carcinoma in situ of respiratory system, unspecified
D03.0	Diagnosis	ICD-10-CM	Melanoma in situ of lip
D03.10	Diagnosis	ICD-10-CM	Melanoma in situ of unspecified eyelid, including canthus
D03.11	Diagnosis	ICD-10-CM	Melanoma in situ of right eyelid, including canthus
D03.12	Diagnosis	ICD-10-CM	Melanoma in situ of left eyelid, including canthus
D03.20	Diagnosis	ICD-10-CM	Melanoma in situ of unspecified ear and external auricular canal
D03.21	Diagnosis	ICD-10-CM	Melanoma in situ of right ear and external auricular canal
D03.22	Diagnosis	ICD-10-CM	Melanoma in situ of left ear and external auricular canal

cder_mpl1p_wp075 Page 303 of 369



Request			
Code	Code Category	Code Type	Description
D03.30	Diagnosis	ICD-10-CM	Melanoma in situ of unspecified part of face
D03.39	Diagnosis	ICD-10-CM	Melanoma in situ of other parts of face
D03.4	Diagnosis	ICD-10-CM	Melanoma in situ of scalp and neck
D03.51	Diagnosis	ICD-10-CM	Melanoma in situ of anal skin
D03.52	Diagnosis	ICD-10-CM	Melanoma in situ of breast (skin) (soft tissue)
D03.59	Diagnosis	ICD-10-CM	Melanoma in situ of other part of trunk
D03.60	Diagnosis	ICD-10-CM	Melanoma in situ of unspecified upper limb, including shoulder
D03.61	Diagnosis	ICD-10-CM	Melanoma in situ of right upper limb, including shoulder
D03.62	Diagnosis	ICD-10-CM	Melanoma in situ of left upper limb, including shoulder
D03.70	Diagnosis	ICD-10-CM	Melanoma in situ of unspecified lower limb, including hip
D03.71	Diagnosis	ICD-10-CM	Melanoma in situ of right lower limb, including hip
D03.72	Diagnosis	ICD-10-CM	Melanoma in situ of left lower limb, including hip
D03.8	Diagnosis	ICD-10-CM	Melanoma in situ of other sites
D03.9	Diagnosis	ICD-10-CM	Melanoma in situ, unspecified
D04.0	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of lip
D04.10	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of unspecified eyelid, including canthus
D04.11	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of right eyelid, including canthus
D04.12	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of left eyelid, including canthus
D04.20	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of unspecified ear and external auricular canal
D04.21	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of right ear and external auricular canal
D04.22	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of left ear and external auricular canal
D04.30	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of unspecified part of face
D04.39	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of other parts of face
D04.4	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of scalp and neck
D04.5	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of trunk
D04.60	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of unspecified upper limb, including shoulder
D04.61	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of right upper limb, including shoulder
D04.62	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of left upper limb, including shoulder
D04.70	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of unspecified lower limb, including hip
D04.71	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of right lower limb, including hip
D04.72	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of left lower limb, including hip
D04.8	Diagnosis	ICD-10-CM	Carcinoma in situ of skin of other sites
D04.9	Diagnosis	ICD-10-CM	Carcinoma in situ of skin, unspecified
D05.00	Diagnosis	ICD-10-CM	Lobular carcinoma in situ of unspecified breast
D05.01	Diagnosis	ICD-10-CM	Lobular carcinoma in situ of right breast
D05.02	Diagnosis	ICD-10-CM	Lobular carcinoma in situ of left breast
D05.10	Diagnosis	ICD-10-CM	Intraductal carcinoma in situ of unspecified breast
D05.11	Diagnosis	ICD-10-CM	Intraductal carcinoma in situ of right breast
D05.12	Diagnosis	ICD-10-CM	Intraductal carcinoma in situ of left breast
D05.80	Diagnosis	ICD-10-CM	Other specified type of carcinoma in situ of unspecified breast
D05.81	Diagnosis	ICD-10-CM	Other specified type of carcinoma in situ of right breast
D05.82	Diagnosis	ICD-10-CM	Other specified type of carcinoma in situ of left breast
D05.90	Diagnosis	ICD-10-CM	Unspecified type of carcinoma in situ of unspecified breast

cder_mpl1p_wp075 Page 304 of 369



	Request			
,	Code	Code Category	Code Type	Description
	D05.91	Diagnosis	ICD-10-CM	Unspecified type of carcinoma in situ of right breast
	D05.92	Diagnosis	ICD-10-CM	Unspecified type of carcinoma in situ of left breast
	D06.0	Diagnosis	ICD-10-CM	Carcinoma in situ of endocervix
	D06.1	Diagnosis	ICD-10-CM	Carcinoma in situ of exocervix
	D06.7	Diagnosis	ICD-10-CM	Carcinoma in situ of other parts of cervix
	D06.9	Diagnosis	ICD-10-CM	Carcinoma in situ of cervix, unspecified
	D07.0	Diagnosis	ICD-10-CM	Carcinoma in situ of endometrium
	D07.1	Diagnosis	ICD-10-CM	Carcinoma in situ of vulva
	D07.2	Diagnosis	ICD-10-CM	Carcinoma in situ of vagina
	D07.30	Diagnosis	ICD-10-CM	Carcinoma in situ of unspecified female genital organs
	D07.39	Diagnosis	ICD-10-CM	Carcinoma in situ of other female genital organs
	D07.4	Diagnosis	ICD-10-CM	Carcinoma in situ of penis
	D07.5	Diagnosis	ICD-10-CM	Carcinoma in situ of prostate
	D07.60	Diagnosis	ICD-10-CM	Carcinoma in situ of unspecified male genital organs
	D07.61	Diagnosis	ICD-10-CM	Carcinoma in situ of scrotum
	D07.69	Diagnosis	ICD-10-CM	Carcinoma in situ of other male genital organs
	D09.0	Diagnosis	ICD-10-CM	Carcinoma in situ of bladder
	D09.10	Diagnosis	ICD-10-CM	Carcinoma in situ of unspecified urinary organ
	D09.19	Diagnosis	ICD-10-CM	Carcinoma in situ of other urinary organs
	D09.20	Diagnosis	ICD-10-CM	Carcinoma in situ of unspecified eye
	D09.21	Diagnosis	ICD-10-CM	Carcinoma in situ of right eye
	D09.22	Diagnosis	ICD-10-CM	Carcinoma in situ of left eye
	D09.3	Diagnosis	ICD-10-CM	Carcinoma in situ of thyroid and other endocrine glands
	D09.8	Diagnosis	ICD-10-CM	Carcinoma in situ of other specified sites
	D09.9	Diagnosis	ICD-10-CM	Carcinoma in situ, unspecified
	D25.0	Diagnosis	ICD-10-CM	Submucous leiomyoma of uterus
	D25.1	Diagnosis	ICD-10-CM	Intramural leiomyoma of uterus
	D25.2	Diagnosis	ICD-10-CM	Subserosal leiomyoma of uterus
	D25.9	Diagnosis	ICD-10-CM	Leiomyoma of uterus, unspecified
	D37.01	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of lip
	D37.02	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of tongue
	D37.030	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of the parotid salivary glands
	D37.031	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of the sublingual salivary glands
	D37.032	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of the submandibular salivary glands
	D37.039	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of the major salivary glands, unspecified
	D37.04	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of the minor salivary glands
	D37.05	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of pharynx
	D37.09	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified sites of the oral cavity
	D37.1	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of stomach
	D37.2	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of small intestine
	D37.3	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of appendix
	D37.4	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of colon
	D37.5	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of rectum

cder_mpl1p_wp075 Page 305 of 369



Request			
Code	Code Category	Code Type	Description
D37.6	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of liver, gallbladder and bile ducts
D37.8	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified digestive organs
D37.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of digestive organ, unspecified
D38.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of larynx
D38.1	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of trachea, bronchus and lung
D38.2	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of pleura
D38.3	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of mediastinum
D38.4	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of thymus
D38.5	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other respiratory organs
D38.6	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of respiratory organ, unspecified
D39.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of uterus
D39.10	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified ovary
D39.11	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right ovary
D39.12	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left ovary
D39.2	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of placenta
D39.8	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified female genital organs
D39.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of female genital organ, unspecified
D3A.00	Diagnosis	ICD-10-CM	Benign carcinoid tumor of unspecified site
D3A.010	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the duodenum
D3A.011	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the jejunum
D3A.012	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the ileum
D3A.019	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the small intestine, unspecified portion
D3A.020	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the appendix
D3A.021	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the cecum
D3A.022	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the ascending colon
D3A.023	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the transverse colon
D3A.024	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the descending colon
D3A.025	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the sigmoid colon
D3A.026	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the rectum
D3A.029	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the large intestine, unspecified portion
D3A.090	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the bronchus and lung
D3A.091	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the thymus
D3A.092	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the stomach
D3A.093	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the kidney
D3A.094	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the foregut, unspecified
D3A.095	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the midgut, unspecified
D3A.096	Diagnosis	ICD-10-CM	Benign carcinoid tumor of the hindgut, unspecified
D3A.098	Diagnosis	ICD-10-CM	Benign carcinoid tumors of other sites
D3A.8	Diagnosis	ICD-10-CM	Other benign neuroendocrine tumors
D40.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of prostate
D40.10	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified testis
D40.11	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right testis
D40.12	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left testis

cder_mpl1p_wp075 Page 306 of 369



Request			
Code	Code Category	Code Type	Description
D40.8	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified male genital organs
D40.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of male genital organ, unspecified
D41.00	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified kidney
D41.01	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right kidney
D41.02	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left kidney
D41.10	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified renal pelvis
D41.11	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right renal pelvis
D41.12	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left renal pelvis
D41.20	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified ureter
D41.21	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right ureter
D41.22	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left ureter
D41.3	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of urethra
D41.4	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of bladder
D41.8	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified urinary organs
D41.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified urinary organ
D42.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of cerebral meninges
D42.1	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of spinal meninges
D42.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of meninges, unspecified
D43.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of brain, supratentorial
D43.1	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of brain, infratentorial
D43.2	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of brain, unspecified
D43.3	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of cranial nerves
D43.4	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of spinal cord
D43.8	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified parts of central nervous system
D43.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of central nervous system, unspecified
D44.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of thyroid gland
D44.10	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified adrenal gland
D44.11	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right adrenal gland
D44.12	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left adrenal gland
D44.2	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of parathyroid gland
D44.3	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of pituitary gland
D44.4	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of craniopharyngeal duct
D44.5	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of pineal gland
D44.6	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of carotid body
D44.7	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of aortic body and other paraganglia
D44.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified endocrine gland
D45	Diagnosis	ICD-10-CM	Polycythemia vera
D46.0	Diagnosis	ICD-10-CM	Refractory anemia without ring sideroblasts, so stated
D46.1	Diagnosis	ICD-10-CM	Refractory anemia with ring sideroblasts
D46.20	Diagnosis	ICD-10-CM	Refractory anemia with excess of blasts, unspecified
D46.21	Diagnosis	ICD-10-CM	Refractory anemia with excess of blasts 1
D46.22	Diagnosis	ICD-10-CM	Refractory anemia with excess of blasts 2
D46.4	Diagnosis	ICD-10-CM	Refractory anemia, unspecified
	5		, , ,

cder_mpl1p_wp075 Page 307 of 369



Request			
Code	Code Category	Code Type	Description
D46.9	Diagnosis	ICD-10-CM	Myelodysplastic syndrome, unspecified
D46.A	Diagnosis	ICD-10-CM	Refractory cytopenia with multilineage dysplasia
D46.B	Diagnosis	ICD-10-CM	Refractory cytopenia with multilineage dysplasia and ring sideroblasts
D46.C	Diagnosis	ICD-10-CM	Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality
D46.Z	Diagnosis	ICD-10-CM	Other myelodysplastic syndromes
D47.01	Diagnosis	ICD-10-CM	Cutaneous mastocytosis
D47.02	Diagnosis	ICD-10-CM	Systemic mastocytosis
D47.09	Diagnosis	ICD-10-CM	Other mast cell neoplasms of uncertain behavior
D47.1	Diagnosis	ICD-10-CM	Chronic myeloproliferative disease
D47.3	Diagnosis	ICD-10-CM	Essential (hemorrhagic) thrombocythemia
			Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue,
D47.9	Diagnosis	ICD-10-CM	unspecified
D47.Z1	Diagnosis	ICD-10-CM	Post-transplant lymphoproliferative disorder (PTLD)
D47.Z2	Diagnosis	ICD-10-CM	Castleman disease
			Other specified neoplasms of uncertain behavior of lymphoid, hematopoietic and
D47.Z9	Diagnosis	ICD-10-CM	related tissue
D48.0	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of bone and articular cartilage
D48.1	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of connective and other soft tissue
D48.2	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of peripheral nerves and autonomic nervous system
D48.3	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of retroperitoneum
D48.4	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of peritoneum
D48.5	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of skin
D48.60	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified breast
D48.61	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right breast
D48.62	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left breast
D48.7	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of other specified sites
D48.9	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior, unspecified
D49.0	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of digestive system
D49.1	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of respiratory system
D49.2	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of bone, soft tissue, and skin
D49.3	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of breast
D49.4	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of bladder
D49.511	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of right kidney
D49.512	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of left kidney
D49.519	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of unspecified kidney
D49.59	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of other genitourinary organ
D49.6	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of brain
			Neoplasm of unspecified behavior of endocrine glands and other parts of nervous
D49.7	Diagnosis	ICD-10-CM	system
D49.81	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of retina and choroid
D49.89	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of other specified sites
D49.9	Diagnosis	ICD-10-CM	Neoplasm of unspecified behavior of unspecified site
Q85.00	Diagnosis	ICD-10-CM	Neurofibromatosis, unspecified

cder_mpl1p_wp075 Page 308 of 369



Code	Code Cotago	Codo Trus	Description
Code	Code Category	Code Type	Description Nourofibromatoris type 1
Q85.01	Diagnosis	ICD-10-CM	Neurofibromatoris, type 1
Q85.02	Diagnosis	ICD-10-CM	Neurofibromatosis, type 2
Q85.03	Diagnosis	ICD-10-CM	Schwannomatosis Other neurofileromateris
Q85.09	Diagnosis	ICD-10-CM	Other neurofibromatosis
FF0F0	Dunandous	CDT 4	Transperineal placement of needles or catheters into prostate for interstitial
55859	Procedure	CPT-4	radioelement application, with or without cystoscopy
55860	Procedure	CPT-4	Exposure of prostate, any approach, for insertion of radioactive substance; Exposure of prostate, any approach, for insertion of radioactive substance; with lymph
55862	Procedure	CPT-4	node biopsy(s) (limited pelvic lymphadenectomy)
			Exposure of prostate, any approach, for insertion of radioactive substance; with
			bilateral pelvic lymphadenectomy, including external iliac, hypogastric and obturator
55865	Procedure	CPT-4	nodes
			Transperineal placement of needles or catheters into prostate for interstitial
55875	Procedure	CPT-4	radioelement application, with or without cystoscopy
76950	Procedure	CPT-4	Ultrasonic guidance for placement of radiation therapy fields
			Ultrasonic guidance for placement of radiation therapy fields, except for B-scan
76960	Procedure	CPT-4	echography
77280	Procedure	CPT-4	Therapeutic radiology simulation-aided field setting; simple
77285	Procedure	CPT-4	Therapeutic radiology simulation-aided field setting; intermediate
77290	Procedure	CPT-4	Therapeutic radiology simulation-aided field setting; complex
77295	Procedure	CPT-4	3-dimensional radiotherapy plan, including dose-volume histograms
77299	Procedure	CPT-4	Unlisted procedure, therapeutic radiology clinical treatment planning
			Basic radiation dosimetry calculation, central axis depth dose calculation, TDF, NSD,
			gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non-
			ionizing radiation surface and depth dose, as required during course of treatment, only
77300	Procedure	CPT-4	when prescribed by the treating physician
			Teletherapy, isodose plan (whether hand or computer calculated); simple (1 or 2
77305	Procedure	CPT-4	parallel opposed unmodified ports directed to a single area of interest)
			Teletherapy, isodose plan (whether hand or computer calculated); intermediate (3 or
77310	Procedure	CPT-4	more treatment ports directed to a single area of interest)
			Teletherapy, isodose plan (whether hand or computer calculated); complex (mantle or
			inverted Y, tangential ports, the use of wedges, compensators, complex blocking,
77315	Procedure	CPT-4	rotational beam, or special beam considerations)
77321	Procedure	CPT-4	Special teletherapy port plan, particles, hemibody, total body
			Brachytherapy isodose plan; simple (calculation made from single plane, 1 to 4
77326	Procedure	CPT-4	sources/ribbon application, remote afterloading brachytherapy, 1 to 8 sources)
			Durach, the agency leaders when intermediate / worlding have the control of the c
77227	Dracadura	CDT 4	Brachytherapy isodose plan; intermediate (multiplane dosage calculations, application involving 5 to 10 sources /ribbons, romato afterloading brachytherapy, 0 to 13 sources)
77327	Procedure	CPT-4	involving 5 to 10 sources/ribbons, remote afterloading brachytherapy, 9 to 12 sources)
			Brachytherapy isodose plan; complex (multiplane isodose plan, volume implant
77220	Drocodura	CDT 4	calculations, over 10 sources/ribbons used, special spatial reconstruction, remote
77328	Procedure	CPT-4	afterloading brachytherapy, over 12 sources)
77401	Procedure	CPT-4	Radiation treatment delivery, superficial and/or ortho voltage, per day

cder_mpl1p_wp075 Page 309 of 369



Code	Code Category	Code Type	Description
77402	Procedure Procedure	CPT-4	Radiation treatment delivery,=>1 MeV; simple
	. roccaure	J	Radiation treatment delivery, single treatment area, single port or parallel opposed
77403	Procedure	CPT-4	ports, simple blocks or no blocks; 6-10 MeV
77 100	rioccaare	C	Radiation treatment delivery, single treatment area, single port or parallel opposed
77404	Procedure	CPT-4	ports, simple blocks or no blocks; 11-19 MeV
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Radiation treatment delivery, single treatment area, single port or parallel opposed
77406	Procedure	CPT-4	ports, simple blocks or no blocks; 20 MeV or greater
77407	Procedure	CPT-4	Radiation treatment delivery, =>1 MeV; intermediate
			Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single
77408	Procedure	CPT-4	treatment area, use of multiple blocks; 6-10 MeV
,,,,,,			Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single
77409	Procedure	CPT-4	treatment area, use of multiple blocks; 11-19 MeV
			Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single
77411	Procedure	CPT-4	treatment area, use of multiple blocks; 20 MeV or greater
77412	Procedure	CPT-4	Radiation treatment delivery, =>1 MeV; complex
			Radiation treatment delivery, 3 or more separate treatment areas, custom blocking,
77413	Procedure	CPT-4	tangential ports, wedges, rotational beam, compensators, electron beam; 6-10 MeV
			Radiation treatment delivery, 3 or more separate treatment areas, custom blocking,
77414	Procedure	CPT-4	tangential ports, wedges, rotational beam, compensators, electron beam; 11-19 MeV
			Radiation treatment delivery, 3 or more separate treatment areas, custom blocking,
			tangential ports, wedges, rotational beam, compensators, electron beam; 20 MeV or
77416	Procedure	CPT-4	greater
77427	Procedure	CPT-4	Radiation treatment management, 5 treatments
			Stereotactic radiation treatment management of cranial lesion(s) (complete course of
77432	Procedure	CPT-4	treatment consisting of 1 session)
77469	Procedure	CPT-4	Intraoperative radiation treatment management
			Special treatment procedure (eg, total body irradiation, hemibody radiation, per oral
77470	Procedure	CPT-4	or endocavitary irradiation)
77499	Procedure	CPT-4	Unlisted procedure, therapeutic radiology treatment management
77750	Procedure	CPT-4	Infusion or instillation of radioelement solution (includes 3-month follow-up care)
77761	Procedure	CPT-4	Intracavitary radiation source application; simple
77762	Procedure	CPT-4	Intracavitary radiation source application; intermediate
77763	Procedure	CPT-4	Intracavitary radiation source application; complex
77776	Procedure	CPT-4	Interstitial radiation source application; simple
77777	Procedure	CPT-4	Interstitial radiation source application; intermediate
77778	Procedure	CPT-4	Interstitial radiation source application; complex
77781	Procedure	CPT-4	Remote afterloading high intensity brachytherapy; 1-4 source positions or catheters
77782	Procedure	CPT-4	Remote afterloading high intensity brachytherapy; 5-8 source positions or catheters
77783	Procedure	CPT-4	Remote afterloading high intensity brachytherapy; 9-12 source positions or catheters
			Remote afterloading high intensity brachytherapy; over 12 source positions or
77784	Procedure	CPT-4	catheters
77785	Procedure	CPT-4	Remote afterloading high dose rate radionuclide brachytherapy; 1 channel
77786	Procedure	CPT-4	Remote afterloading high dose rate radionuclide brachytherapy; 2-12 channels

cder_mpl1p_wp075 Page 310 of 369



Request			
Code	Code Category	Code Type	Description
77787	Procedure	CPT-4	Remote afterloading high dose rate radionuclide brachytherapy; over 12 channels
77789	Procedure	CPT-4	Surface application of low dose rate radionuclide source
77799	Procedure	CPT-4	Unlisted procedure, clinical brachytherapy
79005	Procedure	CPT-4	Radiopharmaceutical therapy, by oral administration
79101	Procedure	CPT-4	Radiopharmaceutical therapy, by intravenous administration
79200	Procedure	CPT-4	Radiopharmaceutical therapy, by intracavitary administration
79300	Procedure	CPT-4	Radiopharmaceutical therapy, by interstitial radioactive colloid administration
79400	Procedure	CPT-4	Radiopharmaceutical therapy, nonthyroid, nonhematologic by intervenous injection
			Radiopharmaceutical therapy, radiolabeled monoclonal antibody by intravenous
79403	Procedure	CPT-4	infusion
79420	Procedure	CPT-4	Intravascular radiopharmaceutical therapy, particulate
79440	Procedure	CPT-4	Radiopharmaceutical therapy, by intra-articular administration
79900	Procedure	CPT-4	Provision of therapeutic radiopharmaceutical(s)
79999	Procedure	CPT-4	Radiopharmaceutical therapy, unlisted procedure
			Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 0.5
11600	Procedure	CPT-4	cm or less
			Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 0.6
11601	Procedure	CPT-4	to 1.0 cm
			Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 1.1
11602	Procedure	CPT-4	to 2.0 cm
			Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 2.1
11603	Procedure	CPT-4	to 3.0 cm
			Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 3.1
11604	Procedure	CPT-4	to 4.0 cm
			Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter
11606	Procedure	CPT-4	over 4.0 cm
			Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised
11620	Procedure	CPT-4	diameter 0.5 cm or less
			Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised
11621	Procedure	CPT-4	diameter 0.6 to 1.0 cm
			Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised
11622	Procedure	CPT-4	diameter 1.1 to 2.0 cm
			Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised
11623	Procedure	CPT-4	diameter 2.1 to 3.0 cm
			Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised
11624	Procedure	CPT-4	diameter 3.1 to 4.0 cm
			Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised
11626	Procedure	CPT-4	diameter over 4.0 cm
			Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised
11640	Procedure	CPT-4	diameter 0.5 cm or less
			Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised
11641	Procedure	CPT-4	diameter 0.6 to 1.0 cm

cder_mpl1p_wp075 Page 311 of 369



Request			
Code	Code Category	Code Type	Description
			Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised
11642	Procedure	CPT-4	diameter 1.1 to 2.0 cm
			Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised
11643	Procedure	CPT-4	diameter 2.1 to 3.0 cm
			Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised
11644	Procedure	CPT-4	diameter 3.1 to 4.0 cm
			Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised
11646	Procedure	CPT-4	diameter over 4.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), trunk, arms or legs; lesion diameter 0.5 cm or
17260	Procedure	CPT-4	less
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
17261	Procedure	CPT-4	chemosurgery, surgical curettement), trunk, arms or legs; lesion diameter 0.6 to 1.0
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
17262	Procedure	CPT-4	chemosurgery, surgical curettement), trunk, arms or legs; lesion diameter 1.1 to 2.0
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
17263	Procedure	CPT-4	chemosurgery, surgical curettement), trunk, arms or legs; lesion diameter 2.1 to 3.0
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
17264	Procedure	CPT-4	chemosurgery, surgical curettement), trunk, arms or legs; lesion diameter 3.1 to 4.0
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
17266	Procedure	CPT-4	chemosurgery, surgical curettement), trunk, arms or legs; lesion diameter over 4.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), scalp, neck, hands, feet, genitalia; lesion
17270	Procedure	CPT-4	diameter 0.5 cm or less
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), scalp, neck, hands, feet, genitalia; lesion
17271	Procedure	CPT-4	diameter 0.6 to 1.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), scalp, neck, hands, feet, genitalia; lesion
17272	Procedure	CPT-4	diameter 1.1 to 2.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), scalp, neck, hands, feet, genitalia; lesion
17273	Procedure	CPT-4	diameter 2.1 to 3.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), scalp, neck, hands, feet, genitalia; lesion
17274	Procedure	CPT-4	diameter 3.1 to 4.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), scalp, neck, hands, feet, genitalia; lesion
17276	Procedure	CPT-4	diameter over 4.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), face, ears, eyelids, nose, lips, mucous
17280	Procedure	CPT-4	membrane; lesion diameter 0.5 cm or less

cder_mpl1p_wp075 Page 312 of 369



Code	Code Category	Code Type	Description
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), face, ears, eyelids, nose, lips, mucous
17281	Procedure	CPT-4	membrane; lesion diameter 0.6 to 1.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), face, ears, eyelids, nose, lips, mucous
17282	Procedure	CPT-4	membrane; lesion diameter 1.1 to 2.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), face, ears, eyelids, nose, lips, mucous
17283	Procedure	CPT-4	membrane; lesion diameter 2.1 to 3.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), face, ears, eyelids, nose, lips, mucous
17284	Procedure	CPT-4	membrane; lesion diameter 3.1 to 4.0 cm
			Destruction, malignant lesion (eg, laser surgery, electrosurgery, cryosurgery,
			chemosurgery, surgical curettement), face, ears, eyelids, nose, lips, mucous
17286	Procedure	CPT-4	membrane; lesion diameter over 4.0 cm
			Chemosurgery (Mohs micrographic technique), including removal of all gross tumor,
			surgical excision of tissue specimens, mapping, color coding of specimens, microscopic
			examination of specimens by the surgeon, and complete histopathologic preparation
	_		including the first routine stain (eg, hematoxylin and eosin, toluidine blue); first stage,
17304	Procedure	CPT-4	fresh tissue technique, up to 5 specimens
			Chemosurgery (Mohs micrographic technique), including removal of all gross tumor,
			surgical excision of tissue specimens, mapping, color coding of specimens, microscopic
			examination of specimens by the surgeon, and complete histopathologic preparation
17305	Duc I	CDT 4	including the first routine stain (eg, hematoxylin and eosin, toluidine blue); second
17305	Procedure	CPT-4	stage, fixed or fresh tissue, up to 5 specimens
			Chemosurgery (Mohs micrographic technique), including removal of all gross tumor,
			surgical excision of tissue specimens, mapping, color coding of specimens, microscopic
			examination of specimens by the surgeon, and complete histopathologic preparation
17206	Drocodura	CDT 4	including the first routine stain (eg, hematoxylin and eosin, toluidine blue); third stage,
17306	Procedure	CPT-4	fixed or fresh tissue, up to 5 specimens Chamcurgary (Mahs micrographic technique), including removal of all gross tumor
			Chemosurgery (Mohs micrographic technique), including removal of all gross tumor,
			surgical excision of tissue specimens, mapping, color coding of specimens, microscopic
			examination of specimens by the surgeon, and complete histopathologic preparation
17207	Drocodura	CDT 4	including the first routine stain (eg, hematoxylin and eosin, toluidine blue); additional
17307	Procedure	CPT-4	stage(s), up to 5 specimens, each stage Chemosurgery (Mohs micrographic technique), including removal of all gross tumor,
			chemosurgery (Mons micrographic technique), including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic
			examination of specimens by the surgeon, and complete histopathologic preparation
			including the first routine stain (eg, hematoxylin and eosin, toluidine blue); each
17210	Procedure	CDT 4	additional specimen, after the first 5 specimens, fixed or fresh tissue, any stage (List
17310	Procedure	CPT-4	separately in addition to code for primary procedure)

cder_mpl1p_wp075 Page 313 of 369



Request			
Code	Code Category	Code Type	Description
17211	Procedure	CPT-4	Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), head, neck, hands, feet, genitalia, or any location with surgery directly involving muscle, cartilage, bone, tendon, major nerves, or vessels; first stage, up to 5 tissue blocks.
17311	Procedure	CP1-4	or vessels; first stage, up to 5 tissue blocks Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), head, neck, hands, feet, genitalia, or any location with surgery directly involving muscle, cartilage, bone, tendon, major nerves, or vessels; each additional stage after the first stage, up to 5 tissue blocks (List
17312	Procedure	CPT-4	separately in addition to code for primary procedure) Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), of the trunk, arms, or legs; first stage, up
17313	Procedure	CPT-4	to 5 tissue blocks Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), of the trunk, arms, or legs; each additional stage after the first stage, up to 5 tissue blocks (List separately in addition to code for
17314	Procedure	CPT-4	primary procedure) Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), each additional block after the first 5
17315	Procedure	CPT-4	tissue blocks, any stage (List separately in addition to code for primary procedure)
			Chronic Kidney Disease
R94.4	Diagnosis	ICD-10-CM	Abnormal results of kidney function studies
N17.1	Diagnosis	ICD-10-CM	Acute kidney failure with acute cortical necrosis
N17.2	Diagnosis	ICD-10-CM	Acute kidney failure with medullary necrosis
N17.0	Diagnosis	ICD-10-CM	Acute kidney failure with tubular necrosis
N17.9	Diagnosis	ICD-10-CM	Acute kidney failure, unspecified
N00.6	Diagnosis	ICD-10-CM	Acute nephritic syndrome with dense deposit disease
N00.7	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse crescentic glomerulonephritis
N00.4	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis
N00.2	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse membranous glomerulonephritis
N00.3	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse mesangial proliferative glomerulonephritis
N00.5	Diagnosis	ICD-10-CM	Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis
N00.1 N00.0	Diagnosis Diagnosis	ICD-10-CM ICD-10-CM	Acute nephritic syndrome with focal and segmental glomerular lesions Acute nephritic syndrome with minor glomerular abnormality

cder_mpl1p_wp075 Page 314 of 369



Request			
Code	Code Category	Code Type	Description
N00.8	Diagnosis	ICD-10-CM	Acute nephritic syndrome with other morphologic changes
N00.9	Diagnosis	ICD-10-CM	Acute nephritic syndrome with unspecified morphologic changes
N14.0	Diagnosis	ICD-10-CM	Analgesic nephropathy
172.2	Diagnosis	ICD-10-CM	Aneurysm of renal artery
170.1	Diagnosis	ICD-10-CM	Atherosclerosis of renal artery
N26.1	Diagnosis	ICD-10-CM	Atrophy of kidney (terminal)
N15.0	Diagnosis	ICD-10-CM	Balkan nephropathy
D30.02	Diagnosis	ICD-10-CM	Benign neoplasm of left kidney
D30.01	Diagnosis	ICD-10-CM	Benign neoplasm of right kidney
D30.00	Diagnosis	ICD-10-CM	Benign neoplasm of unspecified kidney
Q62.32	Diagnosis	ICD-10-CM	Cecoureterocele
N18.1	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 1
N18.2	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 2 (mild)
N18.3	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 3 (moderate)
N18.4	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 4 (severe)
N18.5	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 5
N18.9	Diagnosis	ICD-10-CM	Chronic kidney disease, unspecified
N03.6	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with dense deposit disease
N03.7	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse crescentic glomerulonephritis
N03.4	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis
N03.2	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse membranous glomerulonephritis
N03.3	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis
N03.5	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis
N03.1	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with focal and segmental glomerular lesions
N03.0	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with minor glomerular abnormality
N03.8	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with other morphologic changes
N03.9	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with unspecified morphologic changes
Q62.0	Diagnosis	ICD-10-CM	Congenital hydronephrosis
Q62.2	Diagnosis	ICD-10-CM	Congenital megaureter
Q61.02	Diagnosis	ICD-10-CM	Congenital multiple renal cysts
Q62.10	Diagnosis	ICD-10-CM	Congenital occlusion of ureter, unspecified
Q62.11	Diagnosis	ICD-10-CM	Congenital occlusion of ureteropelvic junction
Q62.12	Diagnosis	ICD-10-CM	Congenital occlusion of ureterovesical orifice
Q62.31	Diagnosis	ICD-10-CM	Congenital ureterocele, orthotopic
Q61.11	Diagnosis	ICD-10-CM	Cystic dilatation of collecting ducts
E08.22	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic chronic kidney disease
E08.21	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic nephropathy
E08.65	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with hyperglycemia
E08.29	Diagnosis	ICD-10-CM	Diabetes mellitus due to underlying condition with other diabetic kidney complication
N25.9	Diagnosis	ICD-10-CM	Disorder resulting from impaired renal tubular function, unspecified
E09.22	Diagnosis	ICD-10-CM	Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease
E09.21	Diagnosis	ICD-10-CM	Drug or chemical induced diabetes mellitus with diabetic nephropathy

cder_mpl1p_wp075 Page 315 of 369



Request			
Code	Code Category	Code Type	Description
E09.29	Diagnosis	ICD-10-CM	Drug or chemical induced diabetes mellitus with other diabetic kidney complication
N18.6	Diagnosis	ICD-10-CM	End stage renal disease
M32.14	Diagnosis	ICD-10-CM	Glomerular disease in systemic lupus erythematosus
N08	Diagnosis	ICD-10-CM	Glomerular disorders in diseases classified elsewhere
M10.372	Diagnosis	ICD-10-CM	Gout due to renal impairment, left ankle and foot
M10.322	Diagnosis	ICD-10-CM	Gout due to renal impairment, left elbow
M10.342	Diagnosis	ICD-10-CM	Gout due to renal impairment, left hand
M10.352	Diagnosis	ICD-10-CM	Gout due to renal impairment, left hip
M10.362	Diagnosis	ICD-10-CM	Gout due to renal impairment, left knee
M10.312	Diagnosis	ICD-10-CM	Gout due to renal impairment, left shoulder
M10.332	Diagnosis	ICD-10-CM	Gout due to renal impairment, left wrist
M10.39	Diagnosis	ICD-10-CM	Gout due to renal impairment, multiple sites
M10.371	Diagnosis	ICD-10-CM	Gout due to renal impairment, right ankle and foot
M10.321	Diagnosis	ICD-10-CM	Gout due to renal impairment, right elbow
M10.341	Diagnosis	ICD-10-CM	Gout due to renal impairment, right hand
M10.351	Diagnosis	ICD-10-CM	Gout due to renal impairment, right hip
M10.361	Diagnosis	ICD-10-CM	Gout due to renal impairment, right knee
M10.311	Diagnosis	ICD-10-CM	Gout due to renal impairment, right shoulder
M10.331	Diagnosis	ICD-10-CM	Gout due to renal impairment, right wrist
M10.379	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified ankle and foot
M10.329	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified elbow
M10.349	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified hand
M10.359	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified hip
M10.369	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified knee
M10.319	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified shoulder
M10.30	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified site
M10.339	Diagnosis	ICD-10-CM	Gout due to renal impairment, unspecified wrist
M10.38	Diagnosis	ICD-10-CM	Gout due to renal impairment, vertebrae
D59.3	Diagnosis	ICD-10-CM	Hemolytic-uremic syndrome
K76.7	Diagnosis	ICD-10-CM	Hepatorenal syndrome
N07.6	Diagnosis	ICD-10-CM	Hereditary nephropathy, not elsewhere classified with dense deposit disease
			Hereditary nephropathy, not elsewhere classified with diffuse crescentic
N07.7	Diagnosis	ICD-10-CM	glomerulonephritis
			Hereditary nephropathy, not elsewhere classified with diffuse endocapillary
N07.4	Diagnosis	ICD-10-CM	proliferative glomerulonephritis
			Hereditary nephropathy, not elsewhere classified with diffuse membranous
N07.2	Diagnosis	ICD-10-CM	glomerulonephritis
			Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative
N07.3	Diagnosis	ICD-10-CM	glomerulonephritis
			Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary
N07.5	Diagnosis	ICD-10-CM	glomerulonephritis
			Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular
N07.1	Diagnosis	ICD-10-CM	lesions
	-		

cder_mpl1p_wp075 Page 316 of 369



Code	Code Category	Code Type	Description
N07.0	Diagnosis	ICD-10-CM	Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality
N07.8	Diagnosis	ICD-10-CM	Hereditary nephropathy, not elsewhere classified with other morphologic lesions
	G		, , , , , , , , , , , , , , , , , , , ,
N07.9	Diagnosis	ICD-10-CM	Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions
N13.2	Diagnosis	ICD-10-CM	Hydronephrosis with renal and ureteral calculous obstruction
N13.1	Diagnosis	ICD-10-CM	Hydronephrosis with ureteral stricture, not elsewhere classified
			Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney
112.9	Diagnosis	ICD-10-CM	disease, or unspecified chronic kidney disease
			Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage
112.0	Diagnosis	ICD-10-CM	renal disease
			Hypertensive heart and chronic kidney disease with heart failure and stage 1 through
I13.0	Diagnosis	ICD-10-CM	stage 4 chronic kidney disease, or unspecified chronic kidney disease
			Hypertensive heart and chronic kidney disease with heart failure and with stage 5
113.2	Diagnosis	ICD-10-CM	chronic kidney disease, or end stage renal disease
			Hypertensive heart and chronic kidney disease without heart failure, with stage 1
113.10	Diagnosis	ICD-10-CM	through stage 4 chronic kidney disease, or unspecified chronic kidney disease
			Hypertensive heart and chronic kidney disease without heart failure, with stage 5
113.11	Diagnosis	ICD-10-CM	chronic kidney disease, or end stage renal disease
N06.6	Diagnosis	ICD-10-CM	Isolated proteinuria with dense deposit disease
N06.7	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse crescentic glomerulonephritis
N06.4	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis
N06.2	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse membranous glomerulonephritis
N06.3	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis
N06.5	Diagnosis	ICD-10-CM	Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis
N06.1	Diagnosis	ICD-10-CM	Isolated proteinuria with focal and segmental glomerular lesions
N06.0	Diagnosis	ICD-10-CM	Isolated proteinuria with minor glomerular abnormality
N06.8	Diagnosis	ICD-10-CM	Isolated proteinuria with other morphologic lesion
N06.9	Diagnosis	ICD-10-CM	Isolated proteinuria with unspecified morphologic lesion
C64.2	Diagnosis	ICD-10-CM	Malignant neoplasm of left kidney, except renal pelvis
C64.1	Diagnosis	ICD-10-CM	Malignant neoplasm of right kidney, except renal pelvis
C64.9	Diagnosis	ICD-10-CM	Malignant neoplasm of unspecified kidney, except renal pelvis
C68.9	Diagnosis	ICD-10-CM	Malignant neoplasm of urinary organ, unspecified
Q61.5	Diagnosis	ICD-10-CM	Medullary cystic kidney
D41.02	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left kidney
D41.12	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left renal pelvis
D41.22	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of left ureter
D41.01	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right kidney
D41.11	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right renal pelvis
D41.21	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of right ureter
D41.00	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified kidney
D41.10	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified renal pelvis
D41.20	Diagnosis	ICD-10-CM	Neoplasm of uncertain behavior of unspecified ureter
N25.1	Diagnosis	ICD-10-CM	Nephrogenic diabetes insipidus

cder_mpl1p_wp075 Page 317 of 369



Request			
Code	Code Category	Code Type	Description
N14.3	Diagnosis	ICD-10-CM	Nephropathy induced by heavy metals
N14.1	Diagnosis	ICD-10-CM	Nephropathy induced by other drugs, medicaments and biological substances
N14.2	Diagnosis	ICD-10-CM	Nephropathy induced by unspecified drug, medicament or biological substance
N04.6	Diagnosis	ICD-10-CM	Nephrotic syndrome with dense deposit disease
N04.7	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse crescentic glomerulonephritis
N04.4	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis
N04.2	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse membranous glomerulonephritis
N04.3	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis
N04.5	Diagnosis	ICD-10-CM	Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis
N04.1	Diagnosis	ICD-10-CM	Nephrotic syndrome with focal and segmental glomerular lesions
N04.0	Diagnosis	ICD-10-CM	Nephrotic syndrome with minor glomerular abnormality
N04.8	Diagnosis	ICD-10-CM	Nephrotic syndrome with other morphologic changes
N04.9	Diagnosis	ICD-10-CM	Nephrotic syndrome with unspecified morphologic changes
N17.8	Diagnosis	ICD-10-CM	Other acute kidney failure
Q61.8	Diagnosis	ICD-10-CM	Other cystic kidney diseases
N25.89	Diagnosis	ICD-10-CM	Other disorders resulting from impaired renal tubular function
N13.39	Diagnosis	ICD-10-CM	Other hydronephrosis
Q62.39	Diagnosis	ICD-10-CM	Other obstructive defects of renal pelvis and ureter
Q61.19	Diagnosis	ICD-10-CM	Other polycystic kidney, infantile type
E13.22	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with diabetic chronic kidney disease
E13.21	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with diabetic nephropathy
E13.29	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with other diabetic kidney complication
E74.8	Diagnosis	ICD-10-CM	Other specified disorders of carbohydrate metabolism
N15.8	Diagnosis	ICD-10-CM	Other specified renal tubulo-interstitial diseases
B52.0	Diagnosis	ICD-10-CM	Plasmodium malariae malaria with nephropathy
Q61.2	Diagnosis	ICD-10-CM	Polycystic kidney, adult type
Q61.3	Diagnosis	ICD-10-CM	Polycystic kidney, unspecified
N01.6	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with dense deposit disease
N01.7	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis
			Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative
N01.4	Diagnosis	ICD-10-CM	glomerulonephritis
N01.2	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis
			Rapidly progressive nephritic syndrome with diffuse mesangial proliferative
N01.3	Diagnosis	ICD-10-CM	glomerulonephritis
			Rapidly progressive nephritic syndrome with diffuse mesangiocapillary
N01.5	Diagnosis	ICD-10-CM	glomerulonephritis
N01.1	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions
N01.0	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with minor glomerular abnormality
N01.8	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with other morphologic changes
N01.9	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with unspecified morphologic changes
N02.6	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with dense deposit disease
N02.7	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis

cder_mpl1p_wp075 Page 318 of 369



Request			
Code	Code Category	Code Type	Description
			Recurrent and persistent hematuria with diffuse endocapillary proliferative
N02.4	Diagnosis	ICD-10-CM	glomerulonephritis
N02.2	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with diffuse membranous glomerulonephritis
			Recurrent and persistent hematuria with diffuse mesangial proliferative
N02.3	Diagnosis	ICD-10-CM	glomerulonephritis
N02.5	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis
N02.1	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with focal and segmental glomerular lesions
N02.0	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with minor glomerular abnormality
N02.8	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with other morphologic changes
N02.9	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with unspecified morphologic changes
Q61.4	Diagnosis	ICD-10-CM	Renal dysplasia
N25.0	Diagnosis	ICD-10-CM	Renal osteodystrophy
N26.9	Diagnosis	ICD-10-CM	Renal sclerosis, unspecified
N15.9	Diagnosis	ICD-10-CM	Renal tubulo-interstitial disease, unspecified
N16	Diagnosis	ICD-10-CM	Renal tubulo-interstitial disorders in diseases classified elsewhere
N25.81	Diagnosis	ICD-10-CM	Secondary hyperparathyroidism of renal origin
M35.04	Diagnosis	ICD-10-CM	Sjogren syndrome with tubulo-interstitial nephropathy
A52.75	Diagnosis	ICD-10-CM	Syphilis of kidney and ureter
N14.4	Diagnosis	ICD-10-CM	Toxic nephropathy, not elsewhere classified
A18.11	Diagnosis	ICD-10-CM	Tuberculosis of kidney and ureter
M32.15	Diagnosis	ICD-10-CM	Tubulo-interstitial nephropathy in systemic lupus erythematosus
E10.22	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic chronic kidney disease
E10.21	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with diabetic nephropathy
E10.65	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hyperglycemia
E10.29	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other diabetic kidney complication
E11.22	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic chronic kidney disease
E11.21	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with diabetic nephropathy
E11.65	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hyperglycemia
E11.29	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with other diabetic kidney complication
N13.30	Diagnosis	ICD-10-CM	Unspecified hydronephrosis
N19	Diagnosis	ICD-10-CM	Unspecified kidney failure
N05.6	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with dense deposit disease
N05.7	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis
			Unspecified nephritic syndrome with diffuse endocapillary proliferative
N05.4	Diagnosis	ICD-10-CM	glomerulonephritis
N05.2	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with diffuse membranous glomerulonephritis
	-		Unspecified nephritic syndrome with diffuse mesangial proliferative
N05.3	Diagnosis	ICD-10-CM	glomerulonephritis
N05.5	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis
N05.1	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with focal and segmental glomerular lesions
N05.0	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with minor glomerular abnormality
N05.8	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with other morphologic changes
		····	

cder_mpl1p_wp075 Page 319 of 369



Request			
Code	Code Category	Code Type	Description
N05.9	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with unspecified morphologic changes
95.4	Diagnosis	ICD-9-CM	Syphilis of kidney
189	Diagnosis	ICD-9-CM	Malignant neoplasm of kidney, except pelvis
189.9	Diagnosis	ICD-9-CM	Malignant neoplasm of urinary organ, site unspecified
223	Diagnosis	ICD-9-CM	Benign neoplasm of kidney, except pelvis
236.91	Diagnosis	ICD-9-CM	Neoplasm of uncertain behavior of kidney and ureter
271.4	Diagnosis	ICD-9-CM	Renal glycosuria
274.1	Diagnosis	ICD-9-CM	Gouty nephropathy, unspecified
283.11	Diagnosis	ICD-9-CM	Hemolytic-uremic syndrome
			Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage I
403	Diagnosis	ICD-9-CM	through stage IV, or unspecified
			Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage V or
403.01	Diagnosis	ICD-9-CM	end stage renal disease
			Hypertensive chronic kidney disease, benign, with chronic kidney disease stage I
403.1	Diagnosis	ICD-9-CM	through stage IV, or unspecified
			Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or
403.11	Diagnosis	ICD-9-CM	end stage renal disease
			Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I
403.9	Diagnosis	ICD-9-CM	through stage IV, or unspecified
			Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage V
403.91	Diagnosis	ICD-9-CM	or end stage renal disease
			Hypertensive heart and chronic kidney disease, malignant, without heart failure and
404	Diagnosis	ICD-9-CM	with chronic kidney disease stage I through stage IV, or unspecified
N18.30	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 3 unspecified
N18.31	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 3a
N18.32	Diagnosis	ICD-10-CM	Chronic kidney disease, stage 3b
N00.A	Diagnosis	ICD-10-CM	Acute nephritic syndrome with C3 glomerulonephritis
N03.A	Diagnosis	ICD-10-CM	Chronic nephritic syndrome with C3 glomerulonephritis
			Hypertensive heart and chronic kidney disease, malignant, with heart failure and with
404.01	Diagnosis	ICD-9-CM	chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, malignant, without heart failure and
404.02	Diagnosis	ICD-9-CM	with chronic kidney disease stage V or end stage renal disease
			Hypertensive heart and chronic kidney disease, malignant, with heart failure and with
404.03	Diagnosis	ICD-9-CM	chronic kidney disease stage V or end stage renal disease
			Hypertensive heart and chronic kidney disease, benign, without heart failure and with
404.1	Diagnosis	ICD-9-CM	chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, benign, with heart failure and with
404.11	Diagnosis	ICD-9-CM	chronic kidney disease stage I through stage IV, or unspecified
			Hypertensive heart and chronic kidney disease, benign, without heart failure and with
404.12	Diagnosis	ICD-9-CM	chronic kidney disease stage V or end stage renal disease
			Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic
404.13	Diagnosis	ICD-9-CM	kidney disease stage V or end stage renal disease

cder_mpl1p_wp075 Page 320 of 369



Code	Codo Cotogo	Code Turns	Description
Code	Code Category	Code Type	Description Hypertensive heart and chronic kidney disease unspecified, without heart failure and
404.0	Diagnosis	ICD 0 CN4	Hypertensive heart and chronic kidney disease, unspecified, without heart failure and
404.9	Diagnosis	ICD-9-CM	with chronic kidney disease stage I through stage IV, or unspecified
404.01	Diagrapia	ICD O CM	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and
404.91	Diagnosis	ICD-9-CM	with chronic kidney disease stage I through stage IV, or unspecified
404.02	Diamonia	100 0 014	Hypertensive heart and chronic kidney disease, unspecified, without heart failure and
404.92	Diagnosis	ICD-9-CM	with chronic kidney disease stage V or end stage renal disease
404.02	Diamonia	100 0 014	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and
404.93	Diagnosis	ICD-9-CM	chronic kidney disease stage V or end stage renal disease
440.1	Diagnosis	ICD-9-CM	Atherosclerosis of renal artery
442.1	Diagnosis	ICD-9-CM	Aneurysm of renal artery
572.4	Diagnosis	ICD-9-CM	Hepatorenal syndrome
581	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of proliferative glomerulonephritis
581.1	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of membranous glomerulonephritis
581.2	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of membranoproliferative glomerulonephritis
581.3	Diagnosis	ICD-9-CM	Nephrotic syndrome with lesion of minimal change glomerulonephritis
504.04			Nephrotic syndrome with other specified pathological lesion in kidney in diseases
581.81	Diagnosis	ICD-9-CM	classified elsewhere
581.89	Diagnosis	ICD-9-CM	Other nephrotic syndrome with specified pathological lesion in kidney
581.9	Diagnosis	ICD-9-CM	Nephrotic syndrome with unspecified pathological lesion in kidney
582	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of proliferative glomerulonephritis
582.1	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of membranous glomerulonephritis
582.2	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of membranoproliferative glomerulonephritis
582.4	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with lesion of rapidly progressive glomerulonephritis
			Chronic glomerulonephritis with other specified pathological lesion in kidney in
582.81	Diagnosis	ICD-9-CM	diseases classified elsewhere
582.89	Diagnosis	ICD-9-CM	Other chronic glomerulonephritis with specified pathological lesion in kidney
582.9	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with unspecified pathological lesion in kidney
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of
583	Diagnosis	ICD-9-CM	proliferative glomerulonephritis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of
583.1	Diagnosis	ICD-9-CM	membranous glomerulonephritis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of
583.2	Diagnosis	ICD-9-CM	membranoproliferative glomerulonephritis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of rapidly
583.4	Diagnosis	ICD-9-CM	progressive glomerulonephritis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of renal
583.6	Diagnosis	ICD-9-CM	cortical necrosis
			Nephritis and nephropathy, not specified as acute or chronic, with lesion of renal
583.7	Diagnosis	ICD-9-CM	medullary necrosis
			Nephritis and nephropathy, not specified as acute or chronic, with other specified
583.81	Diagnosis	ICD-9-CM	pathological lesion in kidney, in diseases classified elsewhere
N07.A	Diagnosis	ICD-10-CM	Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis

cder_mpl1p_wp075 Page 321 of 369



Request			
Code	Code Category	Code Type	Description
			Other nephritis and nephropathy, not specified as acute or chronic, with specified
583.89	Diagnosis	ICD-9-CM	pathological lesion in kidney
N06.A	Diagnosis	ICD-10-CM	Isolated proteinuria with C3 glomerulonephritis
			Nephritis and nephropathy, not specified as acute or chronic, with unspecified
583.9	Diagnosis	ICD-9-CM	pathological lesion in kidney
N04.A	Diagnosis	ICD-10-CM	Nephrotic syndrome with C3 glomerulonephritis
N01.A	Diagnosis	ICD-10-CM	Rapidly progressive nephritic syndrome with C3 glomerulonephritis
N02.A	Diagnosis	ICD-10-CM	Recurrent and persistent hematuria with C3 glomerulonephritis
N05.A	Diagnosis	ICD-10-CM	Unspecified nephritic syndrome with C3 glomerulonephritis
N17	Diagnosis	ICD-10-CM	Acute kidney failure
N18	Diagnosis	ICD-10-CM	Chronic kidney disease (CKD)
l12	Diagnosis	ICD-10-CM	Hypertensive chronic kidney disease
l13	Diagnosis	ICD-10-CM	Hypertensive heart and chronic kidney disease
I13.1	Diagnosis	ICD-10-CM	Hypertensive heart and chronic kidney disease without heart failure
584.5	Diagnosis	ICD-9-CM	Acute kidney failure with lesion of tubular necrosis
584.6	Diagnosis	ICD-9-CM	Acute kidney failure with lesion of renal cortical necrosis
584.7	Diagnosis	ICD-9-CM	Acute kidney failure with lesion of medullary [papillary] necrosis
584.8	Diagnosis	ICD-9-CM	Acute kidney failure with other specified pathological lesion in kidney
584.9	Diagnosis	ICD-9-CM	Acute kidney failure, unspecified
585.1	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage I
585.2	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage II (mild)
585.3	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage III (moderate)
585.4	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage IV (severe)
585.5	Diagnosis	ICD-9-CM	Chronic kidney disease, Stage V
585.6	Diagnosis	ICD-9-CM	End stage renal disease
585.9	Diagnosis	ICD-9-CM	Chronic kidney disease, unspecified
586	Diagnosis	ICD-9-CM	Unspecified renal failure
587	Diagnosis	ICD-9-CM	Unspecified renal sclerosis
588	Diagnosis	ICD-9-CM	Renal osteodystrophy
588.1	Diagnosis	ICD-9-CM	Nephrogenic diabetes insipidus
588.81	Diagnosis	ICD-9-CM	Secondary hyperparathyroidism (of renal origin)
588.89	Diagnosis	ICD-9-CM	Other specified disorders resulting from impaired renal function
588.9	Diagnosis	ICD-9-CM	Unspecified disorder resulting from impaired renal function
591	Diagnosis	ICD-9-CM	Hydronephrosis
753.12	Diagnosis	ICD-9-CM	Congenital polycystic kidney, unspecified type
753.13	Diagnosis	ICD-9-CM	Congenital polycystic kidney, autosomal dominant
753.14	Diagnosis	ICD-9-CM	Congenital polycystic kidney, autosomal recessive
753.15	Diagnosis	ICD-9-CM	Congenital renal dysplasia
753.16	Diagnosis	ICD-9-CM	Congenital medullary cystic kidney
753.17	Diagnosis	ICD-9-CM	Congenital medullary sponge kidney
753.19	Diagnosis	ICD-9-CM	Other specified congenital cystic kidney disease
753.2	Diagnosis	ICD-9-CM	Unspecified obstructive defect of renal pelvis and ureter
794.4	Diagnosis	ICD-9-CM	Nonspecific abnormal results of kidney function study
			·

cder_mpl1p_wp075 Page 322 of 369



Request			
Code	Code Category	Code Type	Description
16	Diagnosis	ICD-9-CM	Tuberculosis of kidney
274.1	Diagnosis	ICD-9-CM	Gouty nephropathy
403	Diagnosis	ICD-9-CM	Hypertensive chronic kidney disease
404	Diagnosis	ICD-9-CM	Hypertensive heart and chronic kidney disease
581	Diagnosis	ICD-9-CM	Nephrotic syndrome
581.8	Diagnosis	ICD-9-CM	Nephrotic syndrome with other specified pathological lesion in kidney
582	Diagnosis	ICD-9-CM	Chronic glomerulonephritis
582.8	Diagnosis	ICD-9-CM	Chronic glomerulonephritis with other specified pathological lesion in kidney
583	Diagnosis	ICD-9-CM	Nephritis and nephropathy, not specified as acute or chronic
			Nephritis and nephropathy, not specified as acute or chronic, with other specified
583.8	Diagnosis	ICD-9-CM	pathological lesion in kidney
584	Diagnosis	ICD-9-CM	Acute kidney failure
585	Diagnosis	ICD-9-CM	Chronic kidney disease (CKD)
588	Diagnosis	ICD-9-CM	Disorders resulting from impaired renal function
588.8	Diagnosis	ICD-9-CM	Other specified disorder resulting from impaired renal function
753.2	Diagnosis	ICD-9-CM	Congenital obstructive defects of renal pelvis and ureter
16	Diagnosis	ICD-9-CM	Tuberculosis of kidney, confirmation unspecified
16.01	Diagnosis	ICD-9-CM	Tuberculosis of kidney, bacteriological or histological examination not done
			Tuberculosis of kidney, bacteriological or histological examination unknown (at
16.02	Diagnosis	ICD-9-CM	present)
16.03	Diagnosis	ICD-9-CM	Tuberculosis of kidney, tubercle bacilli found (in sputum) by microscopy
			Tuberculosis of kidney, tubercle bacilli not found (in sputum) by microscopy, but found
16.04	Diagnosis	ICD-9-CM	by bacterial culture
			Tuberculosis of kidney, tubercle bacilli not found by bacteriological examination, but
16.05	Diagnosis	ICD-9-CM	tuberculosis confirmed histologically
			Tuberculosis of kidney, tubercle bacilli not found by bacteriological or histological
16.06	Diagnosis	ICD-9-CM	examination, but tuberculosis confirmed by other methods [inoculation of animals]
274.19	Diagnosis	ICD-9-CM	Other gouty nephropathy
			Short or Rapid Acting Insulin
S5550	Procedure	HCPCS	Insulin, rapid onset, 5 units
S5551	Procedure	HCPCS	Insulin, most rapid onset (Lispro or Aspart); 5 units
			Angiotension II Receptor Blockers
C9482	Procedure	HCPCS	Injection, sotalol HCl, 1 mg
J1800	Procedure	HCPCS	Injection, propranolol HCl, up to 1 mg
C9248	Procedure	HCPCS	Injection, clevidipine butyrate, 1 mg
J3265	Procedure	HCPCS	Injection, torsemide, 10 mg/ml
J1940	Procedure	HCPCS	Injection, furosemide, up to 20 mg
S0171	Procedure	HCPCS	Injection, bumetanide, 0.5 mg
C9488	Procedure	HCPCS	Injection, conivaptan HCl, 1 mg
J1120	Procedure	HCPCS	Injection, acetazolamide sodium, up to 500 mg
J1205	Procedure	HCPCS	Injection, chlorothiazide sodium, per 500 mg
J2150	Procedure	HCPCS	Injection, mannitol, 25% in 50 ml
J7665	Procedure	HCPCS	Mannitol, administered through an inhaler, 5 mg
			- · · · · · · · · · · · · · · · · · · ·

cder_mpl1p_wp075 Page 323 of 369



Request			
Code	Code Category		Description
C9059	Procedure	HCPCS	Injection, meloxicam, 1 mg
C9279	Procedure	HCPCS	Injection, ibuprofen, 100 mg
J1130	Procedure	HCPCS	Injection, diclofenac sodium, 0.5 mg
J1738	Procedure	HCPCS	Injection, meloxicam, 1 mg
J1741	Procedure	HCPCS	Injection, ibuprofen, 100 mg
J1885	Procedure	HCPCS	Injection, ketorolac tromethamine, per 15 mg
			Diabetes mellitus without mention of complication, type II or unspecified type,
250.02	Diagnosis	ICD-9-CM	uncontrolled
250.03	Diagnosis	ICD-9-CM	Diabetes mellitus without mention of complication, type I [juvenile type], uncontrolled
250.1	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis
250.1	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled
250.11	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type I [juvenile type], not stated as uncontrolled
250.12	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type II or unspecified type, uncontrolled
250.13	Diagnosis	ICD-9-CM	Diabetes with ketoacidosis, type I [juvenile type], uncontrolled
250.2	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity
250.2	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled
250.21	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type I [juvenile type], not stated as uncontrolled
250.22	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled
250.23	Diagnosis	ICD-9-CM	Diabetes with hyperosmolarity, type I [juvenile type], uncontrolled
250.3	Diagnosis	ICD-9-CM	Diabetes with other coma
250.3	Diagnosis	ICD-9-CM	Diabetes with other coma, type II or unspecified type, not stated as uncontrolled
250.31	Diagnosis	ICD-9-CM	Diabetes with other coma, type I [juvenile type], not stated as uncontrolled
250.32	Diagnosis	ICD-9-CM	Diabetes with other coma, type II or unspecified type, uncontrolled
250.33	Diagnosis	ICD-9-CM	Diabetes with other coma, type I [juvenile type], uncontrolled
E10.10	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with ketoacidosis without coma
E10.11	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with ketoacidosis with coma
E10.641	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hypoglycemia with coma
E10.65	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with hyperglycemia
E10.69	Diagnosis	ICD-10-CM	Type 1 diabetes mellitus with other specified complication
			Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-
E11.00	Diagnosis	ICD-10-CM	hyperosmolar coma (NKHHC)
E11.01	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with hyperosmolarity with coma
E11.10	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with ketoacidosis without coma
E11.11	Diagnosis	ICD-10-CM	Type 2 diabetes mellitus with ketoacidosis with coma
			Other specified diabetes mellitus with hyperosmolarity without nonketotic
E13.00	Diagnosis	ICD-10-CM	hyperglycemic-hyperosmolar coma (NKHHC)
E13.01	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with hyperosmolarity with coma
E13.10	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with ketoacidosis without coma
E13.11	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with ketoacidosis with coma
E13.641	Diagnosis	ICD-10-CM	Other specified diabetes mellitus with hypoglycemia with coma
649	Diagnosis	ICD-9-CM	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium
F17	Diagnosis	ICD-10-CM	Nicotine dependence
F17.2	Diagnosis	ICD-10-CM	Nicotine dependence
	-		,

cder_mpl1p_wp075 Page 324 of 369



Request			
Code	Code Category	Code Type	Description
F17.20	Diagnosis	ICD-10-CM	Nicotine dependence, unspecified
F17.21	Diagnosis	ICD-10-CM	Nicotine dependence, cigarettes
099.33	Diagnosis	ICD-10-CM	Tobacco use disorder complicating pregnancy, childbirth, and the puerperium
1034F	Procedure	CPT-2	Current tobacco smoker (CAD, CAP, COPD, PV) (DM)
1035F	Procedure	CPT-2	Current smokeless tobacco user (eg, chew, snuff) (PV)
4000F	Procedure	CPT-2	Tobacco use cessation intervention, counseling (COPD, CAP, CAD, Asthma) (DM) (PV)
			Tobacco use cessation intervention, pharmacologic therapy (COPD, CAD, CAP, PV,
4001F	Procedure	CPT-2	Asthma) (DM) (PV)
			Patient screened for tobacco use and received tobacco cessation intervention
4004F	Procedure	CPT-2	(counseling, pharmacotherapy, or both), if identified as a tobacco user (PV, CAD)
83887	Procedure	CPT-4	Nicotine
S4990	Procedure	HCPCS	Nicotine patches, legend
S4991	Procedure	HCPCS	Nicotine patches, nonlegend
S4995	Procedure	HCPCS	Smoking cessation gum
S9075	Procedure	HCPCS	Smoking cessation treatment
S9453	Procedure	HCPCS	Smoking cessation classes, nonphysician provider, per session
			Tobacco use disorder complicating pregnancy, childbirth, or the puerperium,
649	Diagnosis	ICD-9-CM	unspecified as to episode of care or not applicable
	_		Tobacco use disorder complicating pregnancy, childbirth, or the puerperium,
649.01	Diagnosis	ICD-9-CM	delivered, with or without mention of antepartum condition
	-		Tobacco use disorder complicating pregnancy, childbirth, or the puerperium,
649.02	Diagnosis	ICD-9-CM	delivered, with mention of postpartum complication
			Tobacco use disorder complicating pregnancy, childbirth, or the puerperium,
649.03	Diagnosis	ICD-9-CM	antepartum condition or complication
			Tobacco use disorder complicating pregnancy, childbirth, or the puerperium,
649.04	Diagnosis	ICD-9-CM	postpartum condition or complication
099.330	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating pregnancy, unspecified trimester
099.331	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating pregnancy, first trimester
099.332	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating pregnancy, second trimester
099.333	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating pregnancy, third trimester
099.334	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating childbirth
099.335	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating the puerperium
Z72.0	Diagnosis	ICD-10-CM	Tobacco use
305.1	Diagnosis	ICD-9-CM	Nondependent tobacco use disorder
989.84	Diagnosis	ICD-9-CM	Toxic effect of tobacco
F17.203	Diagnosis	ICD-10-CM	Nicotine dependence unspecified, with withdrawal
F17.208	Diagnosis	ICD-10-CM	Nicotine dependence, unspecified, with other nicotine-induced disorders
F17.209	Diagnosis	ICD-10-CM	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
F17.213	Diagnosis	ICD-10-CM	Nicotine dependence, cigarettes, with withdrawal
F17.218	Diagnosis	ICD-10-CM	Nicotine dependence, cigarettes, with other nicotine-induced disorders
F17.219	Diagnosis	ICD-10-CM	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
F17.223	Diagnosis	ICD-10-CM	Nicotine dependence, chewing tobacco, with withdrawal
F17.228	Diagnosis	ICD-10-CM	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders

cder_mpl1p_wp075 Page 325 of 369



Request			
Code	Code Category	Code Type	Description
F17.229	Diagnosis	ICD-10-CM	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders
F17.293	Diagnosis	ICD-10-CM	Nicotine dependence, other tobacco product, with withdrawal
F17.298	Diagnosis	ICD-10-CM	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
			Nicotine dependence, other tobacco product, with unspecified nicotine-induced
F17.299	Diagnosis	ICD-10-CM	disorders
T65.211	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, accidental (unintentional)
T65.211A	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, accidental (unintentional), initial encounter
T65.212	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, intentional self-harm
T65.212A	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, intentional self-harm, initial encounter
T65.213	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, assault
T65.213A	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, assault, initial encounter
T65.214	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, undetermined
T65.214A	Diagnosis	ICD-10-CM	Toxic effect of chewing tobacco, undetermined, initial encounter
T65.221	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, accidental (unintentional)
T65.221A	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter
T65.222	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, intentional self-harm
T65.222A	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter
T65.223	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, assault
T65.223A	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, assault, initial encounter
T65.224	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, undetermined
T65.224A	Diagnosis	ICD-10-CM	Toxic effect of tobacco cigarettes, undetermined, initial encounter
T65.291	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, accidental (unintentional)
T65.291A	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter
T65.292	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, intentional self-harm
T65.292A	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter
T65.293	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, assault
T65.293A	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, assault, initial encounter
T65.294	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, undetermined
T65.294A	Diagnosis	ICD-10-CM	Toxic effect of other tobacco and nicotine, undetermined, initial encounter
			Smoking and tobacco use cessation counseling visit; intermediate, greater than 3
99406	Procedure	CPT-4	minutes up to 10 minutes
99407	Procedure	CPT-4	Smaking and tabassa usa sossation counseling visits intensive greater than 10 minutes
99407	Procedure	CP1-4	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes
C0001	Dunnanduun	HCDCC	Smoking and tobacco cessation counseling visit for the asymptomatic patient;
C9801	Procedure	HCPCS	intermediate, greater than 3 minutes, up to 10 minutes
C0003	Donasalous	HCDCC	Smoking and tobacco cessation counseling visit for the asymptomatic patient;
C9802	Procedure	HCPCS	intensive, greater than 10 minutes
D1320	Procedure	HCPCS	tobacco counseling for the control and prevention of oral disease
C0275	Dun and	HCDCC	Smoking and tobacco use cessation counseling visit; intermediate, greater than 3
G0375	Procedure	HCPCS	minutes up to 10 minutes
G0276	Procedure	HCDCs	Smaking and tohacco use coscation counseling visits intensive, greater than 10 minutes
G0376	Procedure	HCPCS	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes

cder_mpl1p_wp075 Page 326 of 369



Request			
Code	Code Category	Code Type	Description
			Smoking and tobacco cessation counseling visit for the asymptomatic patient;
G0436	Procedure	HCPCS	intermediate, greater than 3 minutes, up to 10 minutes
			Smoking and tobacco cessation counseling visit for the asymptomatic patient;
G0437	Procedure	HCPCS	intensive, greater than 10 minutes
			Newly diagnosed chronic obstructive pulmonary disease (COPD) patient documented
G8093	Procedure	HCPCS	to have received smoking cessation intervention, within 3 months of diagnosis
			Newly diagnosed chronic obstructive pulmonary disease (COPD) patient not
			documented to have received smoking cessation intervention, within 3 months of
G8094	Procedure	HCPCS	diagnosis
G8402	Procedure	HCPCS	Tobacco (smoke) use cessation intervention, counseling
G8403	Procedure	HCPCS	Tobacco (smoke) use cessation intervention not counseled
G8453	Procedure	HCPCS	Tobacco use cessation intervention, counseling
G8454	Procedure	HCPCS	Tobacco use cessation intervention not counseled, reason not specified
G8455	Procedure	HCPCS	Current tobacco smoker
G8456	Procedure	HCPCS	Current smokeless tobacco user
			Currently a smokeless tobacco user (e.g., chew, snuff) and no exposure to secondhand
G8688	Procedure	HCPCS	smoke
G8690	Procedure	HCPCS	Current tobacco smoker or current exposure to secondhand smoke
			Current smokeless tobacco user (e.g., chew, snuff) and no exposure to secondhand
G8692	Procedure	HCPCS	smoke
			Smoking cessation counseling, individual, in the absence of or in addition to any other
			evaluation and management service, per session (6-10 minutes) [demo project code
G9016	Procedure	HCPCS	only]
G9276	Procedure	HCPCS	Documentation that patient is a current tobacco user
			Patient documented as tobacco user and received tobacco cessation intervention
			(must include at least one of the following: advice given to quit smoking or tobacco
			use, counseling on the benefits of quitting smoking or tobacco use, assistance with or
			referral to external smoking or tobacco cessation support programs, or current
			enrollment in smoking or tobacco use cessation program) if identified as a tobacco
G9458	Procedure	HCPCS	user
F17.200	Diagnosis	ICD-10-CM	Nicotine dependence, unspecified, uncomplicated
F17.201	Diagnosis	ICD-10-CM	Nicotine dependence, unspecified, in remission
F17.210	Diagnosis	ICD-10-CM	Nicotine dependence, cigarettes, uncomplicated
F17.211	Diagnosis	ICD-10-CM	Nicotine dependence, cigarettes, in remission
F17.220	Diagnosis	ICD-10-CM	Nicotine dependence, chewing tobacco, uncomplicated
F17.221	Diagnosis	ICD-10-CM	Nicotine dependence, chewing tobacco, in remission
F17.290	Diagnosis	ICD-10-CM	Nicotine dependence, other tobacco product, uncomplicated
F17.291	Diagnosis	ICD-10-CM	Nicotine dependence, other tobacco product, in remission
Z81.2	Diagnosis	ICD-10-CM	Family history of tobacco abuse and dependence
Z87.891	Diagnosis	ICD-10-CM	Personal history of nicotine dependence
V15.82	Diagnosis	ICD-9-CM	Personal history of tobacco use, presenting hazards to health
44950	Procedure	CPT-4	Appendectomy;

cder_mpl1p_wp075 Page 327 of 369



Code	Code Category	Code Type	Description
			Appendectomy; when done for indicated purpose at time of other major procedure
44955	Procedure	CPT-4	(not as separate procedure) (List separately in addition to code for primary procedure)
44960	Procedure	CPT-4	Appendectomy; for ruptured appendix with abscess or generalized peritonitis
44970	Procedure	CPT-4	Laparoscopy, surgical, appendectomy
49315	Procedure	CPT-4	LAPARSCOPY SURGICAL APPENDECTOMY
56315	Procedure	CPT-4	LAP SURG; APPENDECTOMY
47	Procedure	ICD-9-PCS	Appendectomy
47.1	Procedure	ICD-9-PCS	Incidental appendectomy
47.01	Procedure	ICD-9-PCS	Laparoscopic appendectomy
47.11	Procedure	ICD-9-PCS	Laparoscopic incidental appendectomy
47.09	Procedure	ICD-9-PCS	Other appendectomy
47.19	Procedure	ICD-9-PCS	Other incidental appendectomy
90653	Procedure	CPT-4	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90663	Procedure	CPT-4	Influenza virus vaccine, pandemic formulation, H1N1
			Influenza virus vaccine (IIV), pandemic formulation, split virus, preservative free, for
90666	Procedure	CPT-4	intramuscular use
			Patient received an influenza vaccine on or between July 1 of the year prior to the
G2163	Procedure	HCPCS	measurement period and June 30 of the measurement period
			Administration of infuenza vaccine to Medicare beneficiaries by participating
Q0034	Procedure	HCPCS	demonstration sites
			Influenza vaccine, recombinant hemagglutinin antigens, for intramuscular use
Q2033	Procedure	HCPCS	(Flublok)
3E01340	Procedure	ICD-10-PCS	Introduction of Influenza Vaccine into Subcutaneous Tissue, Percutaneous Approach
3E02340	Procedure	ICD-10-PCS	Introduction of Influenza Vaccine into Muscle, Percutaneous Approach
99.52	Procedure	ICD-9-PCS	Prophylactic vaccination against influenza

cder_mpl1p_wp075 Page 328 of 369



Appendix G. Technical Specifications for this Request (Exposure)

The purpose of the request is to evaluate the incidence rate of inflammatory bowel disease (IBD), Crohn's disease (CD), and ulcerative colitis (UC) among Dipetidyl-peptidase-4 inhibitors (DPP4i), Sodium-glucose Cotransporter-2 Inhibitors (SGLT2i), and Sulfonylureas (SU) users as a feasibility analysis for a effectiveness study comparing DPP4i vs;. SGLT2i and DPP4i vs. SU users.

Query period: 1/1/2008 - 12/31/2022

Coverage requirement: Medical & Drug Coverage

Pre-index enrollment requirement: 365 days

Post-index requirement: 0 days

ost-episode requirement for Type 2 analyses: 0

Enrollment gap: 45 days

Age groups: 18-49, 50-59, 60-69, 70+

Stratifications: Age group, Sex

Follow-up time categorization: 0-364, 365-730, 731-1095, 1096+ days

Envelope macro: No reclassification **Features:** Follow-up time table

Freeze data: Yes

Notes: Default stockpiling specifications will be used; stockpiling will be done by generic name only

Drug/Exposure

Scen o	ari Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?	Exposur e episode gap	•	episode	Minimum days supplied	Maximum episode duration	Minimum Dispensing s	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
1	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
2	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

cder_mpl1p_wp075 Page 329 of 369



								Drug/	Exposure							
Scenari o	Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?			Minimum episode duration	Minimum days supplied		Minimum Dispensing s	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
3	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
4	•	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i
5	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
6	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

cder_mpl1p_wp075 Page 330 of 369



								Drug/	Exposure							
Scenari o	Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?		Exposure extensio n period	Minimum episode duration	Minimum days supplied	Maximum episode duration	Minimum Dispensing s	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
7	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
8	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i
9	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
10	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

cder_mpl1p_wp075 Page 331 of 369



								Drug/	Exposure							
Scenari o	Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?		Exposure extensio n period	Minimum episode duration	Minimum days supplied	Maximum episode duration	Minimum Dispensing s	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
11	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
12	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i
13	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
14	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

cder_mpl1p_wp075 Page 332 of 369



								Drug/	Exposure							
Scenari o	Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?		Exposure extensio n period	episode	Minimum days supplied	Maximum episode duration	Minimum Dispensing s	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
15	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
16	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i
17	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
18	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

cder_mpl1p_wp075 Page 333 of 369



								Drug/	Exposure							
Scenari o	Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?		Exposure extensio n period	Minimum episode duration	Minimum days supplied	Maximum episode duration	Minimum Dispensing s	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
19	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
20	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i
21	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
22	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

cder_mpl1p_wp075 Page 334 of 369



Scenari o	Index Exposure	Code Details (type, days supply, etc.)	Care Setting	Washout (days)		Cohort definition	Prevalent cohort creation?	Exposur e	•	episode	Minimum days supplied		Minimum Dispensing S	Minimum Days Between Dispensings	Create Baseline Table?	Censor treatment episode at evidence of:
23	DPP4i (excluding DPP4i/ sulfonylurea combination medications)	Dispensings (Dispensings table only), native days supply	Any	ever	N/A	01	No	30 days	30 days	1 day	1 day	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, SU
24	SU (excluding DPP4i/ sulfonylurea combination medications)	(Dispensings table only), native days	Any	ever	N/A	01	No	30 days	30 days	N/A	N/A	N/A	2	1	Yes	Death, Disenrollment, DP end date, Event, DPP-4i

Page 335 of 369 cder_mpl1p_wp075

Appendix G. Technical Specifications for this Request (Inclusion/Exclusion)

The purpose of the request is to evaluate the incidence rate of inflammatory bowel disease (IBD), Crohn's disease (CD), and ulcerative colitis (UC) among Dipetidyl-peptidase-4 inhibitors (DPP4i), Sodium-glucose Cotransporter-2 Inhibitors (SGLT2i), and Sulfonylureas (SU) users as a feasibility analysis for a effectiveness study comparing DPP4i vs;. SGLT2i and DPP4i vs. SU users.

Query period: 1/1/2008 - 12/31/2022

Coverage requirement: Medical & Drug Coverage

Pre-index enrollment requirement: 365 days

Post-index requirement: 0 days

Post-episode requirement for Type 2 analyses: 0

Enrollment gap: 45 days

Age groups: 18-49, 50-59, 60-69, 70+

Stratifications: Age group, Sex

Follow-up time categorization: 0-364, 365-730, 731-1095, 1096+ days

Envelope macro: No reclassification **Features:** Follow-up time table

Freeze data: Yes

Notes: Default stockpiling specifications will be used; stockpiling will be done by generic name only

Inclusion/Exclusion Criteria

Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	ū	Evaluation period start	Evaluation period		Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 336 of 369

	_		Inclus	sion/Exclu	sion Criteria	э				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
1	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 337 of 369

	_		Inclus	ion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
2	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 338 of 369

			Inclus	sion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
3	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 339 of 369

			Inclus	sion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
4	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 340 of 369

			Inclus	sion/Exclu	sion Criteria	э				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
5	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 341 of 369

			Inclus	sion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
6	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 342 of 369

			Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
7	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 343 of 369

			Inclus	sion/Exclu	sion Criteria	э				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
8	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 344 of 369

			Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
9	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 345 of 369

			Inclus	sion/Exclu	sion Criteria	а				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
10	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 346 of 369

			Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
11	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 347 of 369

	i 		Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A
12	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 348 of 369

			Inclus	sion/Exclu	sion Criteria	а				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
13	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 349 of 369

			Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
14	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 350 of 369

			Inclus	sion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	-	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
15	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 351 of 369

			Inclus	sion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	-	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
16	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 352 of 369

			Inclus	sion/Exclu	sion Criteria	а				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
17	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 353 of 369

			Inclus	sion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	-	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
18	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 354 of 369

			Inclus	ion/Exclu	sion Criteria	9				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	-	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
19	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 355 of 369

			Inclus	ion/Exclu	sion Criteria	3				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	-	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
20	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 356 of 369

			Inclus	ion/Exclu	sion Criteria	3				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	-	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
21	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 357 of 369

	-		Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
22	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 358 of 369

			Inclus	sion/Exclu	sion Criteria	a				
Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	period	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
23	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	SU (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A
	Inclusion	Type 2 Diabetes	Dispensing (RX) codes	Any	N/A	-365	-1	No	1	N/A
	Inclusion	Any oral antidiabetic drug	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Type 1 Diabetes	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Any IBD, including indeterminate	Dispensing (RX) codes	Any	N/A	-365	180	No	1	N/A

cder_mpl1p_wp075 Page 359 of 369

Scenario	Inclusion/ Exclusion group	Condition	Code Details (type, days supply, etc.)	Care Setting	_	Evaluation period start	Evaluation period end	Exclude evidence of days supply if inclusion/exclusion evaluation period includes dispensings	Number of instances the criteria should be found in evaluation period	Forced supply to attach to dispensings
24	Exclusion	Any IBD treatment prescription (aminosalicylates, corticosteroid, immunosuppressive/immunoregulatory agents, JAK inhibitor, S1P receptor agonist, anti-TNF, anti-integrin, anti-IL-23/12, tacrolimus)	Diagnosis (DX) codes	Any	N/A	-365	180	No	1	N/A
	Exclusion	History of diverticulitis or colitis (ischemic colitis, pseudo-membranous colitis, microscopic colitis, eosinophilic colitis, eosinophilic gastroenteritis, eosinophilic gastritis, eosinophilic enteritis, or unspecific colitis)	Diagnosis (DX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Colectomy, Colostomy, ileostomy	Procedure (PX)	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Receipt of Ostomy Supplies	Procedure (PX) codes	Any	N/A	-365	-1	No	1	N/A
	Exclusion	Endoscopy (colonoscopy, sigmoidoscopy) under 50 years	Procedure (PX) codes	Any	N/A	Ever in enrollment history	-1	No	1	N/A
	Exclusion	DPP4i (and combination drugs)	Dispensing (RX) codes	Any	N/A	Ever in enrollment history	0	No	1	N/A

ICD-9, ICD-10, HCPCS, and CPT codes are provided by Optum360.

NDC codes are checked against First Data Bank's FDB MedKnowledge®.

cder_mpl1p_wp075 Page 360 of 369



Appendix G. Technical Specifications for this Request (Event Outcome)

The purpose of the request is to evaluate the incidence rate of inflammatory bowel disease (IBD), Crohn's disease (CD), and ulcerative colitis (UC) among Dipetidyl-peptidase-4 inhibitors (DPP4i), Sodium-glucose Cotransporter-2 Inhibitors (SGLT2i), and Sulfonylureas (SU) users as a feasibility analysis for a effectiveness study comparing DPP4i vs;. SGLT2i and DPP4i vs. SU users.

Query period: 1/1/2008 - 12/31/2022

Coverage requirement: Medical & Drug Coverage

Pre-index enrollment requirement: 365 days

Post-index requirement: 0 days

Post-episode requirement for Type 2 analyses: 0

Enrollment gap: 45 days

Age groups: 18-49, 50-59, 60-69, 70+

Stratifications: Age group, Sex

Follow-up time categorization: 0-364, 365-730, 731-1095, 1096+ days

Envelope macro: No reclassification

Features: Follow-up time table

Freeze data: Yes

Notes: Default stockpiling specifications will be used; stockpiling will be done by generic name only

Event Outcome

Scenario	Event	Code Details (type, days supply, etc.)	Incident event washout period	Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start
1	IBD (including indeterminate) with endoscopy and biopsy in 30 days prior to IBD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
2	IBD (including indeterminate) with endoscopy and biopsy in 30 days prior to IBD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0

cder_mpl1p_wp075 Page 361 of 369



				Event O	utcome					
Scenario	Event	Code Details (type, days supply, etc.)	Incident event washout period	Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start
3	UC with endoscopy and biopsy in 30 days prior to UC diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
4	UC with endoscopy and biopsy in 30 days prior to UC diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
5	CD with endoscopy and biopsy in 30 days prior to CD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
6	CD with endoscopy and biopsy in 30 days prior to CD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
7	IBD (including indeterminate) with IBD treatment in 30 days after IBD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0

cder_mpl1p_wp075 Page 362 of 369



				Event O	utcome					
Scenario	Event	Code Details (type, days supply, etc.)	Incident event washout period	Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start
8	IBD (including indeterminate) with IBD treatment in 30 days after IBD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
9	UC with IBD treatment in 30 days after UC diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
10	UC with IBD treatment in 30 days after UC diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
11	CD with IBD treatment in 30 days after CD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
12	CD with IBD treatment in 30 days after CD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
13	2 IBD (including indeterminate) diagnosis within 90 days	Diagnosis (DX) codes	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
14	2 IBD (including indeterminate) diagnosis within 90 days	Diagnosis (DX) codes	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0

cder_mpl1p_wp075 Page 363 of 369



			Event O	utcome					
Scenario	Event	Code Details (type, Incident event washou days supply, etc.) period	t Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start
15	2 UC diagnosis within 90 days	Diagnosis (DX) codes N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
16	2 UC diagnosis within 90 days	Diagnosis (DX) codes N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
17	2 CD diagnosis within 90 days	Diagnosis (DX) codes N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
18	2 CD diagnosis within 90 days	Diagnosis (DX) codes N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0

cder_mpl1p_wp075 Page 364 of 369



		Event Outcome									
Scenario	Event	Code Details (type, days supply, etc.)	Incident event washout period	Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start	
19	IBD diagnosis (including indeterminate) AND Endoscopy + Biopsy within 30 days before IBD diagnosis AND Dispensing of IBD treatment within 30 days after IBD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0	
20	IBD diagnosis (including indeterminate) AND Endoscopy + Biopsy within 30 days before IBD diagnosis AND Dispensing of IBD treatment within 30 days after IBD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0	

cder_mpl1p_wp075 Page 365 of 369



				Event O	utcome					
Scena	nrio Event	Code Details (type, days supply, etc.)	Incident event washout period	Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start
21	UC diagnosis AND Endoscopy + Biopsy within 30 days before UC diagnosis AND Dispensing of IBD treatment within 30 days after UC diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
22	UC diagnosis AND Endoscopy + Biopsy within 30 days before UC diagnosis AND Dispensing of IBD treatment within 30 days after UC diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0

cder_mpl1p_wp075 Page 366 of 369




				Event O	utcome					
Scenario	Event	Code Details (type, days supply, etc.)	Incident event washout period	Incident event with respect to	Care setting	Exclude evidence of days supply if event washout includes dispensings	Event de- duplication	Forced supply to attach to dispensings	Blackout period	Risk Window Interval Start
23	CD diagnosis AND Endoscopy + Biopsy within 30 days before CD diagnosis AND Dispensing of IBD treatment within 30 days after CD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
24	CD diagnosis AND Endoscopy + Biopsy within 30 days before CD diagnosis AND Dispensing of IBD treatment within 30 days after CD diagnosis	Combo	N/A	N/A	Any	No	De-duplicates occurrences of the same event group on the same day	N/A	0 days	Day 0
		Codes are provided I								
MDC code	s are checked agains	st First Data Bank's FD	b ivieuknowieage".							

cder_mpl1p_wp075 Page 367 of 369



Appendix H. Design Diagram for this Request

Figure 1. Design Diagram of Cohort Entry Requirements, Index Exposure, and Event Outcome Assessment




cder_mpl1p_wp075 Page 368 of 369



Appendix H. Design Diagram for this Request

Figure 2. Inclusion / Exclusion Diagram



cder_mpl1p_wp075 Page 369 of 369