

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelsystem.org.



Overview

Date Run: April 19, 2017

<u>Request Description</u>: The purpose of this report was to compare the frequency of diagnoses for poisoning using International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) versus International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes. ICD-10-CM code definitions were determined by mapping from ICD-9-CM code definitions using the Centers for Medicare and Medicaid Services (CMS) General Equivalence Mappings (GEMs). Simple forward mapping (SFM) and forward-backward mapping (FBM) were used to map ICD-9-CM to ICD-10-CM codes.¹

Sentinel Modular Program Tool Used: Cohort Identification and Descriptive Analysis (CIDA) tool, version 3.3.6

Data Source: This request was run against data from 11 Data Partners contributing to the Sentinel Distributed Database (SDD). Data from October 1, 2010 to June 30, 2016 were included in this report. The report includes three separate time periods: 1) October 1, 2010 to June 30, 2016; 2) January 1, 2015 to March 31, 2015; and 3) January 1, 2016 to March 31, 2016. This request was distributed to Data Partners on April 19, 2017. See Appendix A for a list of dates of available data for each Data Partner.

<u>Study Design</u>: We examined the incidence of poisoning across the ICD-9-CM era (October 2010 - September 2015) and ICD-10-CM era (October 2015 - June 2016), and additionally from January 2015 to March 2015, and from January 2016 to March 2016 in the United States. See Appendix B for specific codes used to define poisoning in this request.

<u>Cohort Eligibility Criteria</u>: Members included in the cohort were required to be continuously enrolled in health plans with medical and drug coverage for at least six months (183 days) before their diagnosis date, during which gaps in coverage of up to 45 days were allowed. Incident poisonings were defined as no previous poisoning diagnosis in the 183 days preceding the index date with respect to ICD-9-CM and ICD-10-CM codes. The following age groups were included in the cohort: 2-17, 18-44, 45-64, and 65+ years.

Please see Appendix C for detailed specifications of parameters used in the analyses for this request.

<u>Limitations</u>: Algorithms used to define outcomes are imperfect; thus, it is possible that there may be misclassification. Therefore, data should be interpreted with this limitation in mind.

<u>Notes:</u> Please contact the Sentinel Operations Center (info@sentinelsystem.org) for questions and to provide comments/suggestions for future enhancements to this document.

¹Fung, K. W., et al. (2016). "Preparing for the ICD-10-CM Transition: Automated Methods for Translating ICD Codes in Clinical Phenotype Definitions." EGEMS (Wash DC) 4(1): 1211.



| | Table of Contents |
|-------------------|--|
| <u>Glossary</u> | List of Terms Found in this Report and their Definitions |
| <u>Table 1</u> | Comparison of Incident Poisoning Diagnoses in the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Eras (January 1, 2015 - March 31, 2015 and January 1, 2016 - March 31, 2016) |
| <u>Figure 1</u> | Incidence of Poisoning Diagnoses per 1,000 Eligible Members from October 2010 - June 2016 by Code Type, 183-Day Washout |
| <u>Appendix A</u> | Dates of Available Data for Each Data Partner as of Request Distribution Date (April 19, 2017) |
| <u>Appendix B</u> | List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Poisoning |
| <u>Appendix C</u> | Specifications for Parameters for this Request |



Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Tool*

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator, forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the MP algorithm: 0: Counts all occurrences of an HOI during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions days are added after any episode gaps have been bridged



Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*all terms may not be used in this report



 Table 1. Comparison of Incident* Poisoning Diagnoses in the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Eras (January 1, 2015 - March 31, 2015 and January 1, 2016 - March 31, 2016)

| | Members with Diagnosis | Eligible Members | Members with Diagnosis per 1,000 Eligible Members |
|--|------------------------------|---------------------|--|
| Poisoning | | | |
| ICD-9-CM: January 1, 2015 - March 31, 2015 | | | |
| | 29,200 | 31,225,534 | 0.94 |
| ICD-10-CM: Simple Forward Mapping: January 1, 2016 - March 31, 2016 | | | |
| | 28,175 | 31,974,813 | 0.88 |
| ICD-10-CM: Forward-Backward Mapping: January 1, 2016 - March 31, 201 | 6 | | |
| | 35,778 | 31,974,169 | 1.12 |

*Incidence defined by a 90 day washout









Appendix A. Dates of Available Data for Each Data Partner as of Request Distribution Date (April 19, 2017)

| DP ID | Start Date ¹ | End Date ¹ |
|-------|-------------------------|-----------------------|
| DP001 | 10/1/2010 | 11/30/2016 |
| DP002 | 10/1/2010 | 7/31/2016 |
| DP003 | 10/1/2010 | 9/30/2016 |
| DP004 | 10/1/2010 | 6/30/2016 |
| DP005 | 10/1/2010 | 7/31/2016 |
| DP006 | 10/1/2010 | 11/30/2016 |
| DP007 | 10/1/2010 | 7/31/2016 |
| DP008 | 10/1/2010 | 10/31/2016 |
| DP009 | 10/1/2010 | 11/30/2016 |
| DP010 | 10/1/2010 | 12/31/2016 |
| DP011 | 10/1/2010 | 3/31/2016 |

¹The start and end dates are based on the minimum and maximum dates within each DP. The month with the maximum date must have at least 80% of the number of records in the previous month.



| Code | Description | Code Type |
|-------|---|-----------|
| | ICD-9-CM | |
| 960 | Poisoning by antibiotics | ICD-9-CM |
| 960.0 | Poisoning by penicillins | ICD-9-CM |
| 960.1 | Poisoning by antifungal antibiotics | ICD-9-CM |
| 960.2 | Poisoning by chloramphenicol group | ICD-9-CM |
| 960.3 | Poisoning by erythromycin and other macrolides | ICD-9-CM |
| 960.4 | Poisoning by tetracycline group | ICD-9-CM |
| 60.5 | Poisoning of cephalosporin group | ICD-9-CM |
| 960.6 | Poisoning of antimycobacterial antibiotics | ICD-9-CM |
| 960.7 | Poisoning by antineoplastic antibiotics | ICD-9-CM |
| 60.8 | Poisoning by other specified antibiotics | ICD-9-CM |
| 960.9 | Poisoning by unspecified antibiotic | ICD-9-CM |
| 961 | Poisoning by other anti-infectives | ICD-9-CM |
| 961.0 | Poisoning by sulfonamides | ICD-9-CM |
| 961.1 | Poisoning by arsenical anti-infectives | ICD-9-CM |
| 961.2 | Poisoning by heavy metal anti-infectives | ICD-9-CM |
| 961.3 | Poisoning by quinoline and hydroxyquinoline derivatives | ICD-9-CM |
| 61.4 | Poisoning by antimalarials and drugs acting on other blood protozoa | ICD-9-CM |
| 61.5 | Poisoning by other antiprotozoal drugs | ICD-9-CM |
| 61.6 | Poisoning by anthelmintics | ICD-9-CM |
| 61.7 | Poisoning by antiviral drugs | ICD-9-CM |
| 61.8 | Poisoning by other antimycobacterial drugs | ICD-9-CM |
| 61.9 | Poisoning by other and unspecified anti-infectives | ICD-9-CM |
| 962 | Poisoning by hormones and synthetic substitutes | ICD-9-CM |
| 62.0 | Poisoning by adrenal cortical steroids | ICD-9-CM |
| 62.1 | Poisoning by androgens and anabolic congeners | ICD-9-CM |
| 62.2 | Poisoning by ovarian hormones and synthetic substitutes | ICD-9-CM |
| 62.3 | Poisoning by insulins and antidiabetic agents | ICD-9-CM |
| 62.4 | Poisoning by anterior pituitary hormones | ICD-9-CM |
| 62.5 | Poisoning by posterior pituitary hormones | ICD-9-CM |
| 62.6 | Poisoning by parathyroid and parathyroid derivatives | ICD-9-CM |
| 62.7 | Poisoning by thyroid and thyroid derivatives | ICD-9-CM |
| 62.8 | Poisoning by antithyroid agents | ICD-9-CM |
| 62.9 | Poisoning by other and unspecified hormones and synthetic substitutes | ICD-9-CM |
| 63 | Poisoning by primarily systemic agents | ICD-9-CM |
| 63.0 | Poisoning by antiallergic and antiemetic drugs | ICD-9-CM |
| 63.1 | Poisoning by antineoplastic and immunosuppressive drugs | ICD-9-CM |
| 63.2 | Poisoning by acidifying agents | ICD-9-CM |
| 63.3 | Poisoning by alkalizing agents | ICD-9-CM |
| 63.4 | Poisoning by enzymes, not elsewhere classified | ICD-9-CM |
| 63.5 | Poisoning by vitamins, not elsewhere classified | ICD-9-CM |



| Code | Description | Code Type |
|--------|--|-----------|
| 963.8 | Poisoning by other specified systemic agents | ICD-9-CM |
| 963.9 | Poisoning by unspecified systemic agent | ICD-9-CM |
| 964 | Poisoning by agents primarily affecting blood constituents | ICD-9-CM |
| 964.0 | Poisoning by iron and its compounds | ICD-9-CM |
| 964.1 | Poisoning by liver preparations and other antianemic agents | ICD-9-CM |
| 964.2 | Poisoning by anticoagulants | ICD-9-CM |
| 964.3 | Poisoning by vitamin K (phytonadione) | ICD-9-CM |
| 964.4 | Poisoning by fibrinolysis-affecting drugs | ICD-9-CM |
| 964.5 | Poisoning by anticoagulant antagonists and other coagulants | ICD-9-CM |
| 964.6 | Poisoning by gamma globulin | ICD-9-CM |
| 964.7 | Poisoning by natural blood and blood products | ICD-9-CM |
| 964.8 | Poisoning by other specified agents affecting blood constituents | ICD-9-CM |
| 964.9 | Poisoning by unspecified agent affecting blood constituents | ICD-9-CM |
| 965 | Poisoning by analgesics, antipyretics, and antirheumatics | ICD-9-CM |
| 965.0 | Poisoning by opiates and related narcotics | ICD-9-CM |
| 965.00 | Poisoning by opium (alkaloids), unspecified | ICD-9-CM |
| 965.01 | Poisoning by heroin | ICD-9-CM |
| 65.02 | Poisoning by methadone | ICD-9-CM |
| 65.09 | Poisoning by opiates and related narcotics, other | ICD-9-CM |
| 965.1 | Poisoning by salicylates | ICD-9-CM |
| 965.4 | Poisoning by aromatic analgesics, not elsewhere classified | ICD-9-CM |
| 965.5 | Poisoning by pyrazole derivatives | ICD-9-CM |
| 965.6 | Poisoning by antirheumatics (antiphlogistics) | ICD-9-CM |
| 965.61 | Poisoning by propionic acid derivatives | ICD-9-CM |
| 965.69 | Poisoning by other antirheumatics | ICD-9-CM |
| 965.7 | Poisoning by other non-narcotic analgesics | ICD-9-CM |
| 965.8 | Poisoning by other specified analgesics and antipyretics | ICD-9-CM |
| 965.9 | Poisoning by unspecified analgesic and antipyretic | ICD-9-CM |
| 966 | Poisoning by anticonvulsants and anti-Parkinsonism drugs | ICD-9-CM |
| 966.0 | Poisoning by oxazolidine derivatives | ICD-9-CM |
| 966.1 | Poisoning by hydantoin derivatives | ICD-9-CM |
| 966.2 | Poisoning by succinimides | ICD-9-CM |
| 966.3 | Poisoning by other and unspecified anticonvulsants | ICD-9-CM |
| 966.4 | Poisoning by anti-Parkinsonism drugs | ICD-9-CM |
| 967 | Poisoning by sedatives and hypnotics | ICD-9-CM |
| 967.0 | Poisoning by barbiturates | ICD-9-CM |
| 967.1 | Poisoning by chloral hydrate group | ICD-9-CM |
| 967.2 | Poisoning by paraldehyde | ICD-9-CM |
| 967.3 | Poisoning by bromine compounds | ICD-9-CM |
| 967.4 | Poisoning by methaqualone compounds | ICD-9-CM |
| 967.5 | Poisoning by glutethimide group | ICD-9-CM |



| Code | Description | Code Type |
|-------|---|-----------|
| 967.6 | Poisoning by mixed sedatives, not elsewhere classified | ICD-9-CM |
| 67.8 | Poisoning by other sedatives and hypnotics | ICD-9-CM |
| 67.9 | Poisoning by unspecified sedative or hypnotic | ICD-9-CM |
| 68 | Poisoning by other central nervous system depressants and anesthetics | ICD-9-CM |
| 68.0 | Poisoning by central nervous system muscle-tone depressants | ICD-9-CM |
| 68.1 | Poisoning by halothane | ICD-9-CM |
| 68.2 | Poisoning by other gaseous anesthetics | ICD-9-CM |
| 68.3 | Poisoning by intravenous anesthetics | ICD-9-CM |
| 68.4 | Poisoning by other and unspecified general anesthetics | ICD-9-CM |
| 68.5 | Poisoning by other central nervous system depressants and anesthetics, Surface (topical) and infiltration anesthetics | ICD-9-CM |
| 68.6 | Poisoning by peripheral nerve- and plexus-blocking anesthetics | ICD-9-CM |
| 68.7 | Poisoning by spinal anesthetics | ICD-9-CM |
| 68.9 | Poisoning by other and unspecified local anesthetics | ICD-9-CM |
| 69 | Poisoning by psychotropic agents | ICD-9-CM |
| 69.0 | Poisoning by antidepressants | ICD-9-CM |
| 69.00 | Poisoning by antidepressant, unspecified | ICD-9-CM |
| 69.01 | Poisoning by monoamine oxidase inhibitors | ICD-9-CM |
| 69.02 | Poisoning by selective serotonin and norepinephrine reuptake inhibitors | ICD-9-CM |
| 69.03 | Poisoning by selective serotonin reuptake inhibitors | ICD-9-CM |
| 69.04 | Poisoning by tetracyclic antidepressants | ICD-9-CM |
| 69.05 | Poisoning by tricyclic antidepressants | ICD-9-CM |
| 69.09 | Poisoning by other antidepressants | ICD-9-CM |
| 69.1 | Poisoning by phenothiazine-based tranquilizers | ICD-9-CM |
| 69.2 | Poisoning by butyrophenone-based tranquilizers | ICD-9-CM |
| 69.3 | Poisoning by other antipsychotics, neuroleptics, and major tranquilizers | ICD-9-CM |
| 69.4 | Poisoning by benzodiazepine-based tranquilizers | ICD-9-CM |
| 69.5 | Poisoning by other tranquilizers | ICD-9-CM |
| 69.6 | Poisoning by psychodysleptics (hallucinogens) | ICD-9-CM |
| 69.7 | Poisoning by psychostimulants | ICD-9-CM |
| 69.70 | Poisoning by psychostimulant, unspecified | ICD-9-CM |
| 69.71 | Poisoning by caffeine | ICD-9-CM |
| 69.72 | Poisoning by amphetamines | ICD-9-CM |
| 69.73 | Poisoning by methylphenidate | ICD-9-CM |
| 69.79 | Poisoning by other psychostimulants | ICD-9-CM |
| 69.8 | Poisoning by other specified psychotropic agents | ICD-9-CM |
| 69.9 | Poisoning by unspecified psychotropic agent | ICD-9-CM |
| 70 | Poisoning by central nervous system stimulants | ICD-9-CM |
| 70.0 | Poisoning by analeptics | ICD-9-CM |
| 70.1 | Poisoning by opiate antagonists | ICD-9-CM |
| 70.8 | Poisoning by other specified central nervous system stimulants | ICD-9-CM |



| Code | Description | Code Type |
|--------|---|-----------|
| 970.81 | Poisoning by cocaine | ICD-9-CM |
| 970.89 | Poisoning by other central nervous system stimulants | ICD-9-CM |
| 970.9 | Poisoning by unspecified central nervous system stimulant | ICD-9-CM |
| 971 | Poisoning by drugs primarily affecting the autonomic nervous system | ICD-9-CM |
| 971.0 | Poisoning by parasympathomimetics (cholinergics) | ICD-9-CM |
| 971.1 | Poisoning by parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics | ICD-9-CM |
| 971.2 | Poisoning by sympathomimetics (adrenergics) | ICD-9-CM |
| 971.3 | Poisoning by sympatholytics (antiadrenergics) | ICD-9-CM |
| 71.9 | Poisoning by unspecified drug primarily affecting autonomic nervous system | ICD-9-CM |
| 72 | Poisoning by agents primarily affecting the cardiovascular system | ICD-9-CM |
| 72.0 | Poisoning by cardiac rhythm regulators | ICD-9-CM |
| 72.1 | Poisoning by cardiotonic glycosides and drugs of similar action | ICD-9-CM |
| 72.2 | Poisoning by antilipemic and antiarteriosclerotic drugs | ICD-9-CM |
| 72.3 | Poisoning by ganglion-blocking agents | ICD-9-CM |
| 72.4 | Poisoning by coronary vasodilators | ICD-9-CM |
| 72.5 | Poisoning by other vasodilators | ICD-9-CM |
| 72.6 | Poisoning by other antihypertensive agents | ICD-9-CM |
| 72.7 | Poisoning by antivaricose drugs, including sclerosing agents | ICD-9-CM |
| 72.8 | Poisoning by capillary-active drugs | ICD-9-CM |
| 72.9 | Poisoning by other and unspecified agents primarily affecting the cardiovascular system | ICD-9-CM |
| 973 | Poisoning by agents primarily affecting the gastrointestinal system | ICD-9-CM |
| 73.0 | Poisoning by antacids and antigastric secretion drugs | ICD-9-CM |
| 73.1 | Poisoning by irritant cathartics | ICD-9-CM |
| 73.2 | Poisoning by emollient cathartics | ICD-9-CM |
| 73.3 | Poisoning by other cathartics, including intestinal atonia drugs | ICD-9-CM |
| 73.4 | Poisoning by digestants | ICD-9-CM |
| 73.5 | Poisoning by antidiarrheal drugs | ICD-9-CM |
| 73.6 | Poisoning by emetics | ICD-9-CM |
| 73.8 | Poisoning by other specified agents primarily affecting the gastrointestinal system | ICD-9-CM |
| 73.9 | Poisoning by unspecified agent primarily affecting the gastrointestinal system | ICD-9-CM |
| 74 | Poisoning by water, mineral, and uric acid metabolism drugs | ICD-9-CM |
| 74.0 | Poisoning by mercurial diuretics | ICD-9-CM |
| 74.1 | Poisoning by purine derivative diuretics | ICD-9-CM |
| 74.2 | Poisoning by carbonic acid anhydrase inhibitors | ICD-9-CM |
| 74.3 | Poisoning by saluretics | ICD-9-CM |
| 74.4 | Poisoning by other diuretics | ICD-9-CM |
| 74.5 | Poisoning by electrolytic, caloric, and water-balance agents | ICD-9-CM |
| 74.6 | Poisoning by other mineral salts, not elsewhere classified | ICD-9-CM |
| 74.7 | Poisoning by uric acid metabolism drugs | ICD-9-CM |



| Code | Description | Code Type |
|-------|--|-----------|
| 975 | Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory | ICD-9-CM |
| | system | |
| 975.0 | Poisoning by oxytocic agents | ICD-9-CM |
| 975.1 | Poisoning by smooth muscle relaxants | ICD-9-CM |
| 975.2 | Poisoning by skeletal muscle relaxants | ICD-9-CM |
| 975.3 | Poisoning by other and unspecified drugs acting on muscles | ICD-9-CM |
| 975.4 | Poisoning by antitussives | ICD-9-CM |
| 975.5 | Poisoning by expectorants | ICD-9-CM |
| 975.6 | Poisoning by anti-common cold drugs | ICD-9-CM |
| 975.7 | Poisoning by antiasthmatics | ICD-9-CM |
| 75.8 | Poisoning by other and unspecified respiratory drugs | ICD-9-CM |
| 976 | Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological, and dental drugs | ICD-9-CM |
| 976.0 | Poisoning by local anti-infectives and anti-inflammatory drugs | ICD-9-CM |
| 976.1 | Poisoning by antipruritics | ICD-9-CM |
| 976.2 | Poisoning by local astringents and local detergents | ICD-9-CM |
| 976.3 | Poisoning by emollients, demulcents, and protectants | ICD-9-CM |
| 976.4 | Poisoning by keratolytics, keratoplastics, other hair treatment drugs and preparations | ICD-9-CM |
| 76.5 | Poisoning by eye anti-infectives and other eye drugs | ICD-9-CM |
| 76.6 | Poisoning by anti-infectives and other drugs and preparations for ear, nose, and throat | ICD-9-CM |
| 76.7 | Poisoning by dental drugs topically applied | ICD-9-CM |
| 76.8 | Poisoning by other agents primarily affecting skin and mucous membrane | ICD-9-CM |
| 76.9 | Poisoning by unspecified agent primarily affecting skin and mucous membrane | ICD-9-CM |
| 77 | Poisoning by other and unspecified drugs and medicinal substances | ICD-9-CM |
| 77.0 | Poisoning by dietetics | ICD-9-CM |
| 977.1 | Poisoning by lipotropic drugs | ICD-9-CM |
| 77.2 | Poisoning by antidotes and chelating agents, not elsewhere classified | ICD-9-CM |
| 977.3 | Poisoning by alcohol deterrents | ICD-9-CM |
| 977.4 | Poisoning by pharmaceutical excipients | ICD-9-CM |
| 77.8 | Poisoning by other specified drugs and medicinal substances | ICD-9-CM |
| 77.9 | Poisoning by unspecified drug or medicinal substance | ICD-9-CM |
| 978 | Poisoning by bacterial vaccines | ICD-9-CM |
| 978.0 | Poisoning by BCG vaccine | ICD-9-CM |
| 78.1 | Poisoning by typhoid and paratyphoid vaccine | ICD-9-CM |
| 78.2 | Poisoning by cholera vaccine | ICD-9-CM |
| 78.3 | Poisoning by plague vaccine | ICD-9-CM |
| 78.4 | Poisoning by tetanus vaccine | ICD-9-CM |
| 978.5 | Poisoning by diphtheria vaccine | ICD-9-CM |
| 978.6 | Poisoning by pertussis vaccine, including combinations with pertussis component | ICD-9-CM |
| 78.8 | Poisoning by other and unspecified bacterial vaccines | ICD-9-CM |
| 978.9 | Poisoning by mixed bacterial vaccines, except combinations with pertussis component | ICD-9-CM |



| Code | Description | Code Type |
|-------|---|-----------|
| 979 | Poisoning by other vaccines and biological substances | ICD-9-CM |
| 979.0 | Poisoning by smallpox vaccine | ICD-9-CM |
| 979.1 | Poisoning by rabies vaccine | ICD-9-CM |
| 979.2 | Poisoning by typhus vaccine | ICD-9-CM |
| 979.3 | Poisoning by yellow fever vaccine | ICD-9-CM |
| 979.4 | Poisoning by measles vaccine | ICD-9-CM |
| 979.5 | Poisoning by poliomyelitis vaccine | ICD-9-CM |
| 979.6 | Poisoning by other and unspecified viral and rickettsial vaccines | ICD-9-CM |
| 979.7 | Poisoning by mixed viral-rickettsial and bacterial vaccines, except combinations with pertussis component | ICD-9-CM |
| 979.9 | Poisoning by other and unspecified vaccines and biological substances | ICD-9-CM |
| 980 | Toxic effect of alcohol | ICD-9-CM |
| 980.0 | Toxic effect of ethyl alcohol | ICD-9-CM |
| 980.1 | Toxic effect of methyl alcohol | ICD-9-CM |
| 980.2 | Toxic effect of isopropyl alcohol | ICD-9-CM |
| 980.3 | Toxic effect of fusel oil | ICD-9-CM |
| 980.8 | Toxic effect of other specified alcohols | ICD-9-CM |
| 980.9 | Toxic effect of unspecified alcohol | ICD-9-CM |
| 981 | Toxic effect of petroleum products | ICD-9-CM |
| 982 | Toxic effect of solvents other than petroleum-based | ICD-9-CM |
| 982.0 | Toxic effect of benzene and homologues | ICD-9-CM |
| 982.1 | Toxic effect of carbon tetrachloride | ICD-9-CM |
| 982.2 | Toxic effect of carbon disulfide | ICD-9-CM |
| 982.3 | Toxic effect of other chlorinated hydrocarbon solvents | ICD-9-CM |
| 982.4 | Toxic effect of nitroglycol | ICD-9-CM |
| 982.8 | Toxic effect of other nonpetroleum-based solvents | ICD-9-CM |
| 983 | Toxic effect of corrosive aromatics, acids, and caustic alkalis | ICD-9-CM |
| 983.0 | Toxic effect of corrosive aromatics | ICD-9-CM |
| 983.1 | Toxic effect of acids | ICD-9-CM |
| 983.2 | Toxic effect of caustic alkalis | ICD-9-CM |
| 983.9 | Toxic effect of caustic, unspecified | ICD-9-CM |
| 984 | Toxic effect of lead and its compounds (including fumes) | ICD-9-CM |
| 984.0 | Toxic effect of inorganic lead compounds | ICD-9-CM |
| 984.1 | Toxic effect of organic lead compounds | ICD-9-CM |
| 984.8 | Toxic effect of other lead compounds | ICD-9-CM |
| 984.9 | Toxic effect of unspecified lead compound | ICD-9-CM |
| 985 | Toxic effect of other metals | ICD-9-CM |
| 985.0 | Toxic effect of mercury and its compounds | ICD-9-CM |
| 985.1 | Toxic effect of arsenic and its compounds | ICD-9-CM |
| 985.2 | Toxic effect of manganese and its compounds | ICD-9-CM |
| 985.3 | Toxic effect of beryllium and its compounds | ICD-9-CM |



| Code | Description | Code Type |
|--------|--|-----------|
| 985.4 | Toxic effect of antimony and its compounds | ICD-9-CM |
| 985.5 | Toxic effect of cadmium and its compounds | ICD-9-CM |
| 985.6 | Toxic effect of chromium | ICD-9-CM |
| 985.8 | Toxic effect of other specified metals | ICD-9-CM |
| 985.9 | Toxic effect of unspecified metal | ICD-9-CM |
| 986 | Toxic effect of carbon monoxide | ICD-9-CM |
| 987 | Toxic effect of other gases, fumes, or vapors | ICD-9-CM |
| 987.0 | Toxic effect of liquefied petroleum gases | ICD-9-CM |
| 987.1 | Toxic effect of other hydrocarbon gas | ICD-9-CM |
| 987.2 | Toxic effect of nitrogen oxides | ICD-9-CM |
| 987.3 | Toxic effect of sulfur dioxide | ICD-9-CM |
| 987.4 | Toxic effect of freon | ICD-9-CM |
| 987.5 | Toxic effect of lacrimogenic gas | ICD-9-CM |
| 987.6 | Toxic effect of chlorine gas | ICD-9-CM |
| 987.7 | Toxic effect of hydrocyanic acid gas | ICD-9-CM |
| 987.8 | Toxic effect of other specified gases, fumes, or vapors | ICD-9-CM |
| 987.9 | Toxic effect of unspecified gas, fume, or vapor | ICD-9-CM |
| 988 | Toxic effect of noxious substances eaten as food | ICD-9-CM |
| 988.0 | Toxic effect of fish and shellfish | ICD-9-CM |
| 988.1 | Toxic effect of mushrooms | ICD-9-CM |
| 988.2 | Toxic effect of berries and other plants | ICD-9-CM |
| 988.8 | Toxic effect of other specified noxious substances | ICD-9-CM |
| 988.9 | Toxic effect of unspecified noxious substance | ICD-9-CM |
| 989 | Toxic effect of other substances, chiefly nonmedicinal as to source | ICD-9-CM |
| 989.0 | Toxic effect of hydrocyanic acid and cyanides | ICD-9-CM |
| 989.1 | Toxic effect of strychnine and salts | ICD-9-CM |
| 989.2 | Toxic effect of chlorinated hydrocarbons | ICD-9-CM |
| 989.3 | Toxic effect of organophosphate and carbamate | ICD-9-CM |
| 989.4 | Toxic effect of other pesticides, not elsewhere classified | ICD-9-CM |
| 989.5 | Toxic effect of venom | ICD-9-CM |
| 989.6 | Toxic effect of soaps and detergents | ICD-9-CM |
| 989.7 | Toxic effect of aflatoxin and other mycotoxin (food contaminants) | ICD-9-CM |
| 989.8 | Toxic effect of other substances, chiefly nonmedicinal as to source | ICD-9-CM |
| 989.81 | Toxic effect of asbestos | ICD-9-CM |
| 989.82 | Toxic effect of latex | ICD-9-CM |
| 989.83 | Toxic effect of silicone | ICD-9-CM |
| 989.84 | Toxic effect of tobacco | ICD-9-CM |
| 989.89 | Toxic effect of other substances | ICD-9-CM |
| 989.9 | Toxic effect of unspecified substance, chiefly nonmedicinal as to source | ICD-9-CM |
| E850 | Accidental poisoning by analgesics, antipyretics, and antirheumatics | ICD-9-CM |
| E850.0 | Accidental poisoning by heroin | ICD-9-CM |



| Code | Description | Code Type |
|--------|--|-----------|
| E850.1 | Accidental poisoning by methadone | ICD-9-CM |
| E850.2 | Accidental poisoning by other opiates and related narcotics | ICD-9-CM |
| E850.3 | Accidental poisoning by salicylates | ICD-9-CM |
| E850.4 | Accidental poisoning by aromatic analgesics, not elsewhere classified | ICD-9-CM |
| E850.5 | Accidental poisoning by pyrazole derivatives | ICD-9-CM |
| E850.6 | Accidental poisoning by antirheumatics (antiphlogistics) | ICD-9-CM |
| E850.7 | Accidental poisoning by other non-narcotic analgesics | ICD-9-CM |
| E850.8 | Accidental poisoning by other specified analgesics and antipyretics | ICD-9-CM |
| E850.9 | Accidental poisoning by unspecified analgesic or antipyretic | ICD-9-CM |
| E851 | Accidental poisoning by barbiturates | ICD-9-CM |
| E852 | Accidental poisoning by other sedatives and hypnotics | ICD-9-CM |
| E852.0 | Accidental poisoning by chloral hydrate group | ICD-9-CM |
| E852.1 | Accidental poisoning by paraldehyde | ICD-9-CM |
| E852.2 | Accidental poisoning by bromine compounds | ICD-9-CM |
| E852.3 | Accidental poisoning by methaqualone compounds | ICD-9-CM |
| E852.4 | Accidental poisoning by glutethimide group | ICD-9-CM |
| E852.5 | Accidental poisoning by mixed sedatives, not elsewhere classified | ICD-9-CM |
| E852.8 | Accidental poisoning by other specified sedative and hypnotic | ICD-9-CM |
| E852.9 | Accidental poisoning by unspecified sedative or hypnotic | ICD-9-CM |
| E853 | Accidental poisoning by tranquilizers | ICD-9-CM |
| E853.0 | Accidental poisoning by phenothiazine-based tranquilizers | ICD-9-CM |
| E853.1 | Accidental poisoning by butyrophenone-based tranquilizers | ICD-9-CM |
| E853.2 | Accidental poisoning by benzodiazepine-based tranquilizers | ICD-9-CM |
| E853.8 | Accidental poisoning by other specified tranquilizers | ICD-9-CM |
| E853.9 | Accidental poisoning by unspecified tranquilizer | ICD-9-CM |
| E854 | Accidental poisoning by other psychotropic agents | ICD-9-CM |
| E854.0 | Accidental poisoning by antidepressants | ICD-9-CM |
| E854.1 | Accidental poisoning by psychodysleptics (hallucinogens) | ICD-9-CM |
| E854.2 | Accidental poisoning by psychostimulants | ICD-9-CM |
| E854.3 | Accidental poisoning by central nervous system stimulants | ICD-9-CM |
| E854.8 | Accidental poisoning by other psychotropic agents | ICD-9-CM |
| E855 | Accidental poisoning by other drugs acting on central and autonomic nervous system | ICD-9-CM |
| E855.0 | Accidental poisoning by anticonvulsant and anti-Parkinsonism drugs | ICD-9-CM |
| E855.1 | Accidental poisoning by other central nervous system depressants | ICD-9-CM |
| E855.2 | Accidental poisoning by local anesthetics | ICD-9-CM |
| E855.3 | Accidental poisoning by parasympathomimetics (cholinergics) | ICD-9-CM |
| E855.4 | Accidental poisoning by parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics | ICD-9-CM |
| E855.5 | Accidental poisoning by sympathomimetics (adrenergics) | ICD-9-CM |
| E855.6 | Accidental poisoning by sympatholytics (antiadrenergics) | ICD-9-CM |



| Code | Description | Code Type |
|--------|---|-----------|
| E855.8 | Accidental poisoning by other specified drugs acting on central and autonomic nervous | ICD-9-CM |
| | systems | |
| E855.9 | Accidental poisoning by unspecified drug acting on central and autonomic nervous | ICD-9-CM |
| | systems | |
| E856 | Accidental poisoning by antibiotics | ICD-9-CM |
| E857 | Accidental poisoning by other anti-infectives | ICD-9-CM |
| E858 | Accidental poisoning by other drugs | ICD-9-CM |
| E858.0 | Accidental poisoning by hormones and synthetic substitutes | ICD-9-CM |
| E858.1 | Accidental poisoning by primarily systemic agents | ICD-9-CM |
| E858.2 | Accidental poisoning by agents primarily affecting blood constituents | ICD-9-CM |
| E858.3 | Accidental poisoning by agents primarily affecting cardiovascular system | ICD-9-CM |
| E858.4 | Accidental poisoning by agents primarily affecting gastrointestinal system | ICD-9-CM |
| E858.5 | Accidental poisoning by water, mineral, and uric acid metabolism drugs | ICD-9-CM |
| E858.6 | Accidental poisoning by agents primarily acting on the smooth and skeletal muscles and | ICD-9-CM |
| | respiratory system | |
| E858.7 | Accidental poisoning by agents primarily affecting skin and mucous membrane, | ICD-9-CM |
| | ophthalmological, otorhinolaryngological, and dental drugs | |
| E858.8 | Accidental poisoning by other specified drugs | ICD-9-CM |
| E858.9 | Accidental poisoning by unspecified drug | ICD-9-CM |
| E860 | Accidental poisoning by alcohol, not elsewhere classified | ICD-9-CM |
| E860.0 | Accidental poisoning by alcoholic beverages | ICD-9-CM |
| E860.1 | Accidental poisoning by other and unspecified ethyl alcohol and its products | ICD-9-CM |
| E860.2 | Accidental poisoning by methyl alcohol | ICD-9-CM |
| E860.3 | Accidental poisoning by isopropyl alcohol | ICD-9-CM |
| E860.4 | Accidental poisoning by fusel oil | ICD-9-CM |
| E860.8 | Accidental poisoning by other specified alcohols | ICD-9-CM |
| E860.9 | Accidental poisoning by unspecified alcohol | ICD-9-CM |
| E861 | Accidental poisoning by cleansing and polishing agents, disinfectants, paints, and varnishes | ICD-9-CM |
| E861.0 | Accidental poisoning by synthetic detergents and shampoos | ICD-9-CM |
| E861.1 | Accidental poisoning by soap products | ICD-9-CM |
| E861.2 | Accidental poisoning by polishes | ICD-9-CM |
| E861.3 | Accidental poisoning by other cleansing and polishing agents | ICD-9-CM |
| E861.4 | Accidental poisoning by disinfectants | ICD-9-CM |
| E861.5 | Accidental poisoning by lead paints | ICD-9-CM |
| E861.6 | Accidental poisoning by other paints and varnishes | ICD-9-CM |
| E861.9 | Accidental poisonings by unspecified cleansing and polishing agents, disinfectants, paints, and varnishes | ICD-9-CM |
| E862 | Accidental poisoning by petroleum products, other solvents and their vapors, not elsewhere classified | ICD-9-CM |
| E862.0 | Accidental poisoning by petroleum solvents | ICD-9-CM |



| 286.2.2Accidental poisoning by lubricating oilsICD-9-CM286.2.3Accidental poisoning by petroleum solidsICD-9-CM286.2.4Accidental poisoning by unspecified solventsICD-9-CM286.2.5Accidental poisoning by agricultural and horticultural chemical and pharmaceuticalICD-9-CM286.3Accidental poisoning by agricultural and horticultural chemical and pharmaceuticalICD-9-CM286.3Accidental poisoning by insecticides of organophosphorus compoundsICD-9-CM286.3Accidental poisoning by carbamatesICD-9-CM286.3.1Accidental poisoning by carbamatesICD-9-CM286.3.3Accidental poisoning by carbamatesICD-9-CM286.3.4Accidental poisoning by carbamatesICD-9-CM286.3.5Accidental poisoning by herbicidesICD-9-CM286.3.6Accidental poisoning by fungicitesICD-9-CM286.3.7Accidental poisoning by fungigatesICD-9-CM286.3.8Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM286.4Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by carbarse and caustics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by carbarse and caustics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by other specified corrosives and caustics not elsewhere classi | Code | Description | Code Type |
|--|--------|--|-----------|
| 3862.3Accidental poisoning by petroleum solidsICD 9-CM3862.4Accidental poisoning by other specified solventsICD 9-CM3862.9Accidental poisoning by unspecified solventICD 9-CM3863.0Accidental poisoning by insecticides of organochlorine compoundsICD 9-CM3863.1Accidental poisoning by insecticides of organochlorine compoundsICD 9-CM3863.1Accidental poisoning by insecticides of organophosphorus compoundsICD 9-CM3863.1Accidental poisoning by insecticides of organophosphorus compoundsICD 9-CM3863.2Accidental poisoning by mixtures of insecticidesICD 9-CM3863.3Accidental poisoning by other and unspecified insecticidesICD 9-CM3863.6Accidental poisoning by redenticidesICD 9-CM3863.7Accidental poisoning by redenticidesICD 9-CM3863.8Accidental poisoning by redenticidesICD 9-CM3863.9Accidental poisoning by redenticidesICD 9-CM3864.0Accidental poisoning by corrosive and caustics, not elsewhere classifiedICD 9-CM3864.1Accidental poisoning by corrosive and caustics, not elsewhere classifiedICD 9-CM3864.2Accidental poisoning by corrosive and caustics not elsewhere classifiedICD 9-CM3864.4Accidental poisoning by corrosive and caustics not elsewhere classifiedICD 9-CM3864.4Accidental poisoning by corrosive and caustics not elsewhere classifiedICD 9-CM3864.1Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD 9-CM <t< td=""><td>E862.1</td><td>Accidental poisoning by petroleum fuels and cleaners</td><td>ICD-9-CM</td></t<> | E862.1 | Accidental poisoning by petroleum fuels and cleaners | ICD-9-CM |
| 282.4Accidental poisoning by other specified solventsICD-9-CM282.9Accidental poisoning by unspecified solventICD-9-CM286.3Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM286.3.0Accidental poisoning by insecticides of organophosphorus compoundsICD-9-CM286.3.1Accidental poisoning by insecticides of organophosphorus compoundsICD-9-CM286.3.2Accidental poisoning by other and unspecified insecticidesICD-9-CM286.3.4Accidental poisoning by other and unspecified insecticidesICD-9-CM286.3.5Accidental poisoning by other and unspecified agricultural and horticultural chemicalICD-9-CM286.3.6Accidental poisoning by fumigidesICD-9-CM286.3.7Accidental poisoning by fumigidtsICD-9-CM286.3.8Accidental poisoning by fumigantsICD-9-CM286.4Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM286.4Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM286.4Accidental poisoning by corrosives and caustics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by corrosives and caustics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by corrosives and caustics not elsewhere classifiedICD-9-CM286.4Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM286.5Accidental poisoning by other specified corrosives and c | E862.2 | Accidental poisoning by lubricating oils | ICD-9-CM |
| 882.9Accidental poisoning by unspecified solventICD-9-CM883Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM883.0Accidental poisoning by insecticides of organochlorine compoundsICD-9-CM883.1Accidental poisoning by carbamatesICD-9-CM883.3Accidental poisoning by mixtures of insecticidesICD-9-CM883.4Accidental poisoning by other and unspecified insecticidesICD-9-CM883.5Accidental poisoning by fungicidesICD-9-CM883.6Accidental poisoning by fungicidesICD-9-CM883.7Accidental poisoning by fungicidesICD-9-CM883.8Accidental poisoning by fungicidesICD-9-CM883.9Accidental poisoning by fungicidesICD-9-CM884.1Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM884.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM884.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM884.2Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM884.3Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM884.4Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM884.3Accidental poisoning by corrosives and caustics not elsewhere classifiedICD-9-CM884.4Accidental poisoning by class not elsewhere classifiedICD-9-CM885.5 </td <td>E862.3</td> <td>Accidental poisoning by petroleum solids</td> <td>ICD-9-CM</td> | E862.3 | Accidental poisoning by petroleum solids | ICD-9-CM |
| 883Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM883.0Accidental poisoning by insecticides of organophosphorus compoundsICD-9-CM883.1Accidental poisoning by carbamatesICD-9-CM883.3Accidental poisoning by other and unspecified insecticidesICD-9-CM883.4Accidental poisoning by other and unspecified insecticidesICD-9-CM883.5Accidental poisoning by therbicidesICD-9-CM883.6Accidental poisoning by fungicidesICD-9-CM883.7Accidental poisoning by fungicidesICD-9-CM883.8Accidental poisoning by fungiantsICD-9-CM883.9Accidental poisoning by fungiantsICD-9-CM883.9Accidental poisoning by fungiantsICD-9-CM884.4Accidental poisoning by corrosive and caustics, not elsewhere classifiedICD-9-CM884.1Accidental poisoning by corrosive and caustics, not elsewhere classifiedICD-9-CM884.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM884.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM885.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM886.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM886.5Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM886.4Accidental poisoning for mother fishICD-9-C | E862.4 | Accidental poisoning by other specified solvents | ICD-9-CM |
| preparations other than plant foods and fertilizers2863.0Accidental poisoning by insecticides of organochlorine compoundsICD-9-CMI2863.1Accidental poisoning by carbamatesICD-9-CMI2863.2Accidental poisoning by carbamatesICD-9-CMI2863.3Accidental poisoning by entures of insecticidesICD-9-CMI2863.4Accidental poisoning by ther and unspecified insecticidesICD-9-CMI2863.5Accidental poisoning by therbiclesICD-9-CMI2863.6Accidental poisoning by fungicidesICD-9-CMI2863.7Accidental poisoning by fungicidesICD-9-CMI2863.8Accidental poisoning by fungigantsICD-9-CMI2863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CMI2864.0Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CMI2864.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CMI2864.2Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CMI2864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CMI2864.4Accidental poisoning by acatis not elsewhere classifiedICD-9-CMI2865.5Accidental poisoning by meatICD-9-CMI2864.4Accidental poisoning by meatICD-9-CMI2865.5Accidental poisoning by meatICD-9-CMI2865.6Accidental poisoning from other specified foodsICD-9-CMI2 | E862.9 | Accidental poisoning by unspecified solvent | ICD-9-CM |
| 8863.0Accidental poisoning by insecticides of organophosphorus compoundsICD-9-CM8863.1Accidental poisoning by carbamatesICD-9-CM8863.3Accidental poisoning by orthar and unspecified insecticidesICD-9-CM8863.4Accidental poisoning by other and unspecified insecticidesICD-9-CM8863.5Accidental poisoning by they ingicidesICD-9-CM8863.6Accidental poisoning by fungicidesICD-9-CM8863.7Accidental poisoning by fungicidesICD-9-CM8863.8Accidental poisoning by fungiantsICD-9-CM8863.9Accidental poisoning by fungiantsICD-9-CM8864.0Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.1Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by acids not elsewhere classifiedICD-9-CM8865.0Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.1Accidental poisoning by meatICD-9-CM8865.2Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.3Accidental poisoning from other specified plantsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified plantsICD-9-C | E863 | Accidental poisoning by agricultural and horticultural chemical and pharmaceutical | ICD-9-CM |
| 2863.1Accidental poisoning by insecticides of organophosphorus compoundsICD-9-CM2863.2Accidental poisoning by carbamatesICD-9-CM2863.3Accidental poisoning by other and unspecified insecticidesICD-9-CM2863.4Accidental poisoning by other and unspecified insecticidesICD-9-CM2863.5Accidental poisoning by therbicidesICD-9-CM2863.6Accidental poisoning by rodenticidesICD-9-CM2863.7Accidental poisoning by fungicidesICD-9-CM2863.8Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM2864.0Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM2864.1Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM2864.2Accidental poisoning by corrosives and caustics not elsewhere classifiedICD-9-CM2864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM2864.4Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM2865.4Accidental poisoning by meatICD-9-CM2865.5Accidental poisoning by meatICD-9-CM2865.6Accidental poisoning from other specified oplastsICD-9-CM2865.7Accidental poisoning from other specified plantsICD-9-CM2865.8Accidental poisoning from other specified plantsICD-9-CM2865.9Accidental poisoning from other specified foodstuff or poisonous plantICD-9-CM | | preparations other than plant foods and fertilizers | |
| 8863.2Accidental poisoning by carbamatesICD-9-CM8863.3Accidental poisoning by mixtures of insecticidesICD-9-CM8863.4Accidental poisoning by other and unspecified insecticidesICD-9-CM8863.5Accidental poisoning by therpicidesICD-9-CM8863.6Accidental poisoning by fungicidesICD-9-CM8863.7Accidental poisoning by fungidesICD-9-CM8863.8Accidental poisoning by fungiantsICD-9-CM8863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM8864Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM8864.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.4Accidental poisoning by meatICD-9-CM8865.5Accidental poisoning tow meatICD-9-CM8865.6Accidental poisoning from other specified plantsICD-9-CM8865.7Accidental poisoning from other specified plantsICD-9-CM8865.8Accidental poisoning from other specified polsICD-9-CM8865.9 </td <td>E863.0</td> <td>Accidental poisoning by insecticides of organochlorine compounds</td> <td>ICD-9-CM</td> | E863.0 | Accidental poisoning by insecticides of organochlorine compounds | ICD-9-CM |
| 3863.3Accidental poisoning by mixtures of insecticidesICD-9-CM3863.4Accidental poisoning by other and unspecified insecticidesICD-9-CM3863.5Accidental poisoning by therbicidesICD-9-CM3863.6Accidental poisoning by fungicidesICD-9-CM3863.7Accidental poisoning by fungiantsICD-9-CM3863.8Accidental poisoning by fungiantsICD-9-CM3863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM3864.0Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM3864.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM3864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3864.4Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3865.0Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3865.1Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM3865.2Accidental poisoning from other fishICD-9-CM3865.3Accidental poisoning from other specified plantsICD-9-CM3865.4Accidental poisoning from other specified plantsICD-9-CM3865.5Accidental poisoning from other specified foodsICD-9-CM3865.6Accidental poisoning from unspecified foodsuff or poisonous plant< | E863.1 | Accidental poisoning by insecticides of organophosphorus compounds | ICD-9-CM |
| 2863.4Accidental poisoning by other and unspecified insecticidesICD-9-CM2863.5Accidental poisoning by fungicidesICD-9-CM2863.6Accidental poisoning by fungicidesICD-9-CM2863.7Accidental poisoning by fungicidesICD-9-CM2863.8Accidental poisoning by fungigantsICD-9-CM2863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM2864.4Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM2864.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM2864.2Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM2864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM2864.4Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM2865.5Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM2865.6Accidental poisoning form poisonous foodstuffs and poisonous plantsICD-9-CM2865.7Accidental poisoning from other fishICD-9-CM2865.8Accidental poisoning from other specified plantsICD-9-CM2865.9Accidental poisoning from other specified plantsICD-9-CM2865.9Accidental poisoning from other specified foodsICD-9-CM2865.9Accidental poisoning from ther specified foodsICD-9-CM2865.9Accidental poisoning from ther specified foo | E863.2 | Accidental poisoning by carbamates | ICD-9-CM |
| 3863.5Accidental poisoning by herbicidesICD-9-CM3863.6Accidental poisoning by fungicidesICD-9-CM3863.7Accidental poisoning by rodenticidesICD-9-CM3863.8Accidental poisoning by fungigantsICD-9-CM3863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM3864Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM3864.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM3864.1Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3865.4Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM3865.5Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM3865.4Accidental poisoning from other fishICD-9-CM3865.5Accidental poisoning from other specified plantsICD-9-CM3865.6Accidental poisoning from other specified plantsICD-9-CM3865.7Accidental poisoning from other specified plantsICD-9-CM3865.8Accidental poisoning from other specified foodsICD-9-CM3865.9Accidental poisoning from ther specified foodsICD-9-CM3865.9Accidental poisoning from ther specified foodsICD-9-CM <t< td=""><td>E863.3</td><td>Accidental poisoning by mixtures of insecticides</td><td>ICD-9-CM</td></t<> | E863.3 | Accidental poisoning by mixtures of insecticides | ICD-9-CM |
| 883.6Accidental poisoning by fungicidesICD-9-CM883.7Accidental poisoning by fumigantsICD-9-CM883.8Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM884Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM885.4Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM886.1Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM886.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM886.4Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM886.4Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM886.4Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM886.5Accidental poisoning by matICD-9-CM886.5Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM886.5Accidental poisoning from other fishICD-9-CM886.5Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from ther specified foodsICD-9-CM886.5Accidental poisoning from ther specified foodsICD-9-CM886.5Accidental poisoning from ther spe | E863.4 | Accidental poisoning by other and unspecified insecticides | ICD-9-CM |
| 3863.7Accidental poisoning by rodenticidesICD-9-CM3863.8Accidental poisoning by fumigantsICD-9-CM3863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM3864.0Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM3864.1Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM3864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM3864.3Accidental poisoning by cursosive aromatics not elsewhere classifiedICD-9-CM3864.4Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM3865.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM3865.6Accidental poisoning by meatICD-9-CM3865.7Accidental poisoning by meatICD-9-CM3865.8Accidental poisoning from other fishICD-9-CM3865.4Accidental poisoning from other specified plantsICD-9-CM3865.5Accidental poisoning from other specified plantsICD-9-CM3865.4Accidental poisoning from ther specified foodsICD-9-CM3865.5Accidental poisoning from ther specified foodsICD-9-CM3865.6Accidental poisoning from ther specified foodsICD-9-CM3865.7Accidental poisoning from ther specified foodsICD-9-CM3865.8Accidental poisoning from ther specified foodsICD-9-CM< | E863.5 | Accidental poisoning by herbicides | ICD-9-CM |
| 8863.8Accidental poisoning by fumigantsICD-9-CM8863.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM8864Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM8864.1Accidental poisoning by acids not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.4Accidental poisoning by meatICD-9-CM8865.5Accidental poisoning by meatICD-9-CM8865.6Accidental poisoning by meatICD-9-CM8865.7Accidental poisoning from other fishICD-9-CM8865.8Accidental poisoning from other specified plantsICD-9-CM8865.9Accidental poisoning from other specified plantsICD-9-CM8866.0Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from other specified foodsICD-9-CM8866.0Accidental poisoning from ther specified foodsICD-9-CM8865.9Accidental poisoning from ther specified foodsICD-9-CM8866.1Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.1< | E863.6 | Accidental poisoning by fungicides | ICD-9-CM |
| 883.9Accidental poisoning by other and unspecified agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizersICD-9-CM884Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM886.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM886.1Accidental poisoning by acids not elsewhere classifiedICD-9-CM886.2Accidental poisoning by acids not elsewhere classifiedICD-9-CM886.3Accidental poisoning by custic alkalis not elsewhere classifiedICD-9-CM886.4Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM886.4Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM886.5Accidental poisoning by meatICD-9-CM886.6Accidental poisoning by shellfishICD-9-CM886.7Accidental poisoning from other fishICD-9-CM886.8Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from other specified foodsICD-9-CM886.6Accidental poisoning from other specified foods and fungiICD-9-CM886.7Accidental poisoning from other specified foodsICD-9-CM886.8Accidental poisoning from other specified foodsICD-9-CM886.9Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM886.9Accidental poisoning by other and unspecified | E863.7 | Accidental poisoning by rodenticides | ICD-9-CM |
| and pharmaceutical preparations other than plant foods and fertilizers8864Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM8864.1Accidental poisoning by acids not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.4Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.6Accidental poisoning by meatICD-9-CM8865.7Accidental poisoning from other fishICD-9-CM8865.8Accidental poisoning from other fishICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified plantsICD-9-CM8865.4Accidental poisoning from ther specified foodsICD-9-CM8865.5Accidental poisoning from ther specified foodstuff or poisonous plantICD-9-CM8865.6Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM8865.9Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fume | E863.8 | Accidental poisoning by fumigants | ICD-9-CM |
| 8864Accidental poisoning by corrosives and caustics, not elsewhere classifiedICD-9-CM8864.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM8864.1Accidental poisoning by acids not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.4Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.0Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning from other fishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from other specified plantsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified foodsICD-9-CM8865.6Accidental poisoning from other specified foodsICD-9-CM8865.7Accidental poisoning from unspecified foods and liquid substancesICD-9-CM8865.9Accidental poisoning by ther and unspecified solid and liquid substancesICD-9-CM8866.0Accidental poisoning by lead and its compounds and fumesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.3Accidental poisoning by asenic and its compounds and fumesICD-9-CM </td <td>E863.9</td> <td>Accidental poisoning by other and unspecified agricultural and horticultural chemical</td> <td>ICD-9-CM</td> | E863.9 | Accidental poisoning by other and unspecified agricultural and horticultural chemical | ICD-9-CM |
| 8864.0Accidental poisoning by corrosive aromatics not elsewhere classifiedICD-9-CM8864.1Accidental poisoning by acids not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865.6Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning by shellfishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from other specified plantsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified foodsICD-9-CM8865.6Accidental poisoning from other specified foodsICD-9-CM8865.7Accidental poisoning from unspecified foodsICD-9-CM8865.8Accidental poisoning from unspecified solid and liquid substancesICD-9-CM8866.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by aterner and its compounds and fumesICD-9-CM | | and pharmaceutical preparations other than plant foods and fertilizers | |
| 8864.1Accidental poisoning by acids not elsewhere classifiedICD-9-CM8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.0Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning from other fishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from other specified plantsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified foodsICD-9-CM8865.6Accidental poisoning from other specified foodsICD-9-CM8865.7Accidental poisoning from other specified plantsICD-9-CM8865.8Accidental poisoning from unspecified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodsICD-9-CM8866.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metal | E864 | Accidental poisoning by corrosives and caustics, not elsewhere classified | ICD-9-CM |
| 8864.2Accidental poisoning by caustic alkalis not elsewhere classifiedICD-9-CM8864.3Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM886.5Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM886.5Accidental poisoning by meatICD-9-CM886.7Accidental poisoning by meatICD-9-CM886.8Accidental poisoning by shellfishICD-9-CM886.7Accidental poisoning from other fishICD-9-CM886.8Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from other specified plantsICD-9-CM886.5Accidental poisoning from unsprooffed foodsICD-9-CM886.7Accidental poisoning from unspecified foodsICD-9-CM886.8Accidental poisoning from unspecified foods and liquid substancesICD-9-CM886.9Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM886.0Accidental poisoning by mercury and its compounds and fumesICD-9-CM886.1Accidental poisoning by antimony and its compounds and fumesICD-9-CM886.3Accidental poisoning by atsenic and its compounds and fumesICD-9-CM886.4Accidental poisoning by atternetals and their compounds and fumesICD-9-CM886.3Accidental poisoning by atternetals and their compounds and fumesICD-9-CM886.4Accidenta | E864.0 | Accidental poisoning by corrosive aromatics not elsewhere classified | ICD-9-CM |
| 8864.3Accidental poisoning by other specified corrosives and caustics not elsewhere classifiedICD-9-CM8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.0Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning by shellfishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from other fishICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified plantsICD-9-CM8865.9Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodsICD-9-CM8866.0Accidental poisoning from unspecified solid and liquid substancesICD-9-CM8866.1Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.2Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.3Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E864.1 | Accidental poisoning by acids not elsewhere classified | ICD-9-CM |
| 8864.4Accidental poisoning by unspecified corrosives and caustics not elsewhere classifiedICD-9-CM8865Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.0Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning by shellfishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from other specified plantsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified foodsICD-9-CM8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodsICD-9-CM8865.9Accidental poisoning from unspecified foods and liquid substancesICD-9-CM8866.0Accidental poisoning by elad and its compounds and fumesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.3Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poiso | E864.2 | Accidental poisoning by caustic alkalis not elsewhere classified | ICD-9-CM |
| 8865Accidental poisoning from poisonous foodstuffs and poisonous plantsICD-9-CM8865.0Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning by shellfishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from berries and seedsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified plantsICD-9-CM8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from other specified foodsICD-9-CM8866.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by artimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.5Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.5Accidental poisoning by plant foods and fertilizersICD- | E864.3 | Accidental poisoning by other specified corrosives and caustics not elsewhere classified | ICD-9-CM |
| 8865.0Accidental poisoning by meatICD-9-CM8865.1Accidental poisoning by shellfishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from berries and seedsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified plantsICD-9-CM8865.8Accidental poisoning from mushrooms and other fungiICD-9-CM8865.9Accidental poisoning from other specified foodsICD-9-CM8866.0Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM8866.1Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.2Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.3Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM | E864.4 | Accidental poisoning by unspecified corrosives and caustics not elsewhere classified | ICD-9-CM |
| 8865.1Accidental poisoning by shellfishICD-9-CM8865.2Accidental poisoning from other fishICD-9-CM8865.3Accidental poisoning from berries and seedsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from other specified plantsICD-9-CM8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from other specified foodsICD-9-CM886.0Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM886.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM886.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM886.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM886.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM886.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM886.5Accidental poisoning by other metals and fumesICD-9-CM886.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM886.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E865 | Accidental poisoning from poisonous foodstuffs and poisonous plants | ICD-9-CM |
| 2865.2Accidental poisoning from other fishICD-9-CM2865.3Accidental poisoning from berries and seedsICD-9-CM2865.4Accidental poisoning from other specified plantsICD-9-CM2865.5Accidental poisoning from mushrooms and other fungiICD-9-CM2865.8Accidental poisoning from other specified foodsICD-9-CM2865.9Accidental poisoning from other specified foodsICD-9-CM2866Accidental poisoning from unspecified foods uff or poisonous plantICD-9-CM2866.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM2866.1Accidental poisoning by lead and its compounds and fumesICD-9-CM2866.2Accidental poisoning by mercury and its compounds and fumesICD-9-CM2866.3Accidental poisoning by antimony and its compounds and fumesICD-9-CM2866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM2866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM2866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM2866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM2866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E865.0 | Accidental poisoning by meat | ICD-9-CM |
| 8865.3Accidental poisoning from berries and seedsICD-9-CM8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from mushrooms and other fungiICD-9-CM8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodsuff or poisonous plantICD-9-CM8866.0Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and fertilizersICD-9-CM | E865.1 | Accidental poisoning by shellfish | ICD-9-CM |
| 8865.4Accidental poisoning from other specified plantsICD-9-CM8865.5Accidental poisoning from mushrooms and other fungiICD-9-CM8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM8866Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.0Accidental poisoning by lead and its compounds and fumesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and fertilizersICD-9-CM | E865.2 | Accidental poisoning from other fish | ICD-9-CM |
| 8865.5Accidental poisoning from mushrooms and other fungiICD-9-CM8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM8866Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.0Accidental poisoning by lead and its compounds and fumesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and fertilizersICD-9-CM | E865.3 | Accidental poisoning from berries and seeds | ICD-9-CM |
| 8865.8Accidental poisoning from other specified foodsICD-9-CM8865.9Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM8866Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM8866.0Accidental poisoning by lead and its compounds and fumesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and fumesICD-9-CM | E865.4 | Accidental poisoning from other specified plants | ICD-9-CM |
| 885.9Accidental poisoning from unspecified foodstuff or poisonous plantICD-9-CM886Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM886.0Accidental poisoning by lead and its compounds and fumesICD-9-CM886.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM886.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM886.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM886.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM886.5Accidental poisoning by other metals and fumesICD-9-CM886.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E865.5 | Accidental poisoning from mushrooms and other fungi | ICD-9-CM |
| 866Accidental poisoning by other and unspecified solid and liquid substancesICD-9-CM866.0Accidental poisoning by lead and its compounds and fumesICD-9-CM866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E865.8 | Accidental poisoning from other specified foods | ICD-9-CM |
| 8866.0Accidental poisoning by lead and its compounds and fumesICD-9-CM8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E865.9 | Accidental poisoning from unspecified foodstuff or poisonous plant | ICD-9-CM |
| 8866.1Accidental poisoning by mercury and its compounds and fumesICD-9-CM8866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM8866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM8866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E866 | Accidental poisoning by other and unspecified solid and liquid substances | ICD-9-CM |
| 866.2Accidental poisoning by antimony and its compounds and fumesICD-9-CM866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM8866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E866.0 | Accidental poisoning by lead and its compounds and fumes | ICD-9-CM |
| 866.3Accidental poisoning by arsenic and its compounds and fumesICD-9-CM866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CM866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E866.1 | Accidental poisoning by mercury and its compounds and fumes | ICD-9-CM |
| E866.4Accidental poisoning by other metals and their compounds and fumesICD-9-CME866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E866.2 | Accidental poisoning by antimony and its compounds and fumes | ICD-9-CM |
| 866.5Accidental poisoning by plant foods and fertilizersICD-9-CM | E866.3 | Accidental poisoning by arsenic and its compounds and fumes | ICD-9-CM |
| | E866.4 | Accidental poisoning by other metals and their compounds and fumes | ICD-9-CM |
| 866.6Accidental poisoning by glues and adhesivesICD-9-CM | E866.5 | Accidental poisoning by plant foods and fertilizers | ICD-9-CM |
| | E866.6 | Accidental poisoning by glues and adhesives | ICD-9-CM |



| Code | Description | Code Type |
|-------|--|-----------|
| 866.7 | Accidental poisoning by cosmetics | ICD-9-CM |
| 866.8 | Accidental poisoning by other specified solid or liquid substances | ICD-9-CM |
| 866.9 | Accidental poisoning by unspecified solid or liquid substance | ICD-9-CM |
| 867 | Accidental poisoning by gas distributed by pipeline | ICD-9-CM |
| 868 | Accidental poisoning by other utility gas and other carbon monoxide | ICD-9-CM |
| 868.0 | Accidental poisoning by liquefied petroleum gas distributed in mobile containers | ICD-9-CM |
| 868.1 | Accidental poisoning by other and unspecified utility gas | ICD-9-CM |
| 868.2 | Accidental poisoning by motor vehicle exhaust gas | ICD-9-CM |
| 868.3 | Accidental poisoning by carbon monoxide from incomplete combustion of other domestic fuels | ICD-9-CM |
| 868.8 | Accidental poisoning by carbon monoxide from other sources | ICD-9-CM |
| 868.9 | Accidental poisoning by unspecified carbon monoxide | ICD-9-CM |
| 869 | Accidental poisoning by other gases and vapors | ICD-9-CM |
| 869.0 | Accidental poisoning by nitrogen oxides | ICD-9-CM |
| 869.1 | Accidental poisoning by sulfur dioxide | ICD-9-CM |
| 869.2 | Accidental poisoning by freon | ICD-9-CM |
| 869.3 | Accidental poisoning by lacrimogenic gas (tear gas) | ICD-9-CM |
| 869.4 | Accidental poisoning by second-hand tobacco smoke | ICD-9-CM |
| 869.8 | Accidental poisoning by other specified gases and vapors | ICD-9-CM |
| 869.9 | Accidental poisoning by unspecified gases and vapors | ICD-9-CM |
| 950 | Suicide and self-inflicted poisoning by solid or liquid substances | ICD-9-CM |
| 950.0 | Suicide and self-inflicted poisoning by analgesics, antipyretics, and antirheumatics | ICD-9-CM |
| 950.1 | Suicide and self-inflicted poisoning by barbiturates | ICD-9-CM |
| 950.2 | Suicide and self-inflicted poisoning by other sedatives and hypnotics | ICD-9-CM |
| 950.3 | Suicide and self-inflicted poisoning by tranquilizers and other psychotropic agents | ICD-9-CM |
| 950.4 | Suicide and self-inflicted poisoning by other specified drugs and medicinal substances | ICD-9-CM |
| 950.5 | Suicide and self-inflicted poisoning by unspecified drug or medicinal substance | ICD-9-CM |
| 950.6 | Suicide and self-inflicted poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers | ICD-9-CM |
| 950.7 | Suicide and self-inflicted poisoning by corrosive and caustic substances | ICD-9-CM |
| 950.8 | Suicide and self-inflicted poisoning by arsenic and its compounds | ICD-9-CM |
| 950.9 | Suicide and self-inflicted poisoning by other and unspecified solid and liquid substances | ICD-9-CM |
| 951 | Suicide and self-inflicted poisoning by gases in domestic use | ICD-9-CM |
| 951.0 | Suicide and self-inflicted poisoning by gas distributed by pipeline | ICD-9-CM |
| 951.1 | Suicide and self-inflicted poisoning by liquefied petroleum gas distributed in mobile containers | ICD-9-CM |
| 951.8 | Suicide and self-inflicted poisoning by other utility gas | ICD-9-CM |
| 952 | Suicide and self-inflicted poisoning by other gases and vapors | ICD-9-CM |
| 952.0 | Suicide and self-inflicted poisoning by motor vehicle exhaust gas | ICD-9-CM |
| 952.1 | Suicide and self-inflicted poisoning by other carbon monoxide | ICD-9-CM |



| Code | Description | Code Type |
|--------|---|-----------|
| E952.8 | Suicide and self-inflicted poisoning by other specified gases and vapors | ICD-9-CM |
| E952.9 | Suicide and self-inflicted poisoning by unspecified gases and vapors | ICD-9-CM |
| E962 | Assault by poisoning | ICD-9-CM |
| E962.0 | Assault by drugs and medicinal substances | ICD-9-CM |
| E962.1 | Assault by other solid and liquid substances | ICD-9-CM |
| E962.2 | Assault by other gases and vapors | ICD-9-CM |
| E962.9 | Assault by unspecified poisoning | ICD-9-CM |
| E972 | Injury due to legal intervention by gas | ICD-9-CM |
| E975 | Injury due to legal intervention by other specified means | ICD-9-CM |
| E976 | Injury due to legal intervention by unspecified means | ICD-9-CM |
| E980 | Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.0 | Poisoning by analgesics, antipyretics, and antirheumatics, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.1 | Poisoning by barbiturates, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.2 | Poisoning by other sedatives and hypnotics, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.3 | Poisoning by tranquilizers and other psychotropic agents, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.4 | Poisoning by other specified drugs and medicinal substances, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.5 | Poisoning by unspecified drug or medicinal substance, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.6 | Poisoning by corrosive and caustic substances, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.7 | Poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.8 | Poisoning by arsenic and its compounds, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E980.9 | Poisoning by other and unspecified solid and liquid substances, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E981 | Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E981.0 | Poisoning by gas distributed by pipeline, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E981.1 | Poisoning by liquefied petroleum gas distributed in mobile containers, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E981.8 | Poisoning by other utility gas, undetermined whether accidentally or purposely inflicted | ICD-9-CM |
| E982 | Poisoning by other gases, undetermined whether accidentally or purposely inflicted | ICD-9-CM |



| E982.0 Poisoning by motor vehicle exhaust gas, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.1 Poisoning by other carbon monoxide, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.8 Poisoning by other specified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.9 Poisoning by unspecified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-10-CM M1A.10X1 Lead-induced chronic gout, unspecified site, with tophus (tophi) ICD-10-CM T36.0XAP Poisoning by penicillins, accidental (unintentional), initial encounter ICD-10-CM T36.0XAP Poisoning by penicillins, intentional self-harm, initial encounter ICD-10-CM T36.0XAP Poisoning by penicillins, undetermined, initial encounter ICD-10-CM T36.0XAP Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounter ICD-10-CM T36.1XAP Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter ICD-10-CM T36.1XAP Poisoning by chloramphenicol group, intentional self-harm, initial encounter ICD-10-CM T36.2XAP Poisoning by chloramphenicol group, accidental (unintentional), initial encounter <t< th=""><th>Code</th><th>Description</th><th>Code Type</th></t<> | Code | Description | Code Type |
|--|----------|---|-----------|
| E982.1 Poisoning by other carbon monoxide, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.8 Poisoning by other specified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.9 Poisoning by unspecified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.9 Poisoning by unspecified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-10-CM M1A.10X1 Lead-induced chronic gout, unspecified site, with tophus (tophi) ICD-10-CM T36.0XA Poisoning by penicillins, intentional self-harm, initial encounter ICD-10-CM T36.0XA Poisoning by penicillins, intentional self-harm, initial encounter ICD-10-CM T36.0XA Poisoning by penicillins, undetermined, initial encounter ICD-10-CM T36.1XA Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter ICD-10-CM T36.1XA Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter ICD-10-CM T36.1XA Poisoning by chloramphenicol group, accidental (unintentional), initial encounter ICD-10-CM T36.1XA Poisoning by chloramphenicol group, unettermined, initial encounter ICD-10-CM | E982.0 | | ICD-9-CM |
| E982.8 Poisoning by other specified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-9-CM E982.9 Poisoning by unspecified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-9-CM M1A.10X1 Lead-induced chronic gout, unspecified site, with tophus (toph)i ICD-10-CM T36.0X2A Poisoning by penicillins, accidental (unintentional), initial encounter ICD-10-CM T36.0X2A Poisoning by penicillins, undetermined, initial encounter ICD-10-CM T36.0X2A Poisoning by penicillins, undetermined, initial encounter ICD-10-CM T36.0X4A Poisoning by penicillins, undetermined, initial encounter ICD-10-CM T36.1X4A Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounter ICD-10-CM T36.1X2A Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter ICD-10-CM T36.1X4A Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter ICD-10-CM T36.2X4A Poisoning by chloramphenicol group, accidental (unintentional), initial encounter ICD-10-CM T36.2X4A Poisoning by chloramphenicol group, udetermined, initial encounter ICD-10-CM <t< td=""><td>E982.1</td><td>Poisoning by other carbon monoxide, undetermined whether accidentally or purposely</td><td>ICD-9-CM</td></t<> | E982.1 | Poisoning by other carbon monoxide, undetermined whether accidentally or purposely | ICD-9-CM |
| E982.9 Poisoning by unspecified gases and vapors, undetermined whether accidentally or purposely inflicted ICD-9-CM M1A.10X1 Lead-induced chronic gout, unspecified site, with tophus (tophi) ICD-10-CM T36.0X1A Poisoning by penicillins, accidental (unintentional), initial encounter ICD-10-CM T36.0X2A Poisoning by penicillins, accidental encounter ICD-10-CM T36.0X3A Poisoning by penicillins, accidental encounter ICD-10-CM T36.0X3A Poisoning by cephalosporins and other beta-lactam antibiotics, accidental ICD-10-CM T36.1X1A Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter ICD-10-CM T36.1X2A Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter ICD-10-CM T36.1X4A Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter ICD-10-CM T36.1X4A Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter ICD-10-CM T36.2X1A Poisoning by chloramphenicol group, accidental (unintentional), initial encounter ICD-10-CM T36.2X2A Poisoning by chloramphenicol group, assault, initial encounter ICD-10-CM T36.2X3A <t< td=""><td>E982.8</td><td>Poisoning by other specified gases and vapors, undetermined whether accidentally or</td><td>ICD-9-CM</td></t<> | E982.8 | Poisoning by other specified gases and vapors, undetermined whether accidentally or | ICD-9-CM |
| ICD-10-CM Single Forward Mapping M1A.10X1 Lead-induced chronic gout, unspecified site, with tophus (tophi) ICD-10-CM T36.0X1A Poisoning by penicillins, accidental (unintentional), initial encounter ICD-10-CM T36.0X2A Poisoning by penicillins, accidental (unintentional), initial encounter ICD-10-CM T36.0X3A Poisoning by penicillins, assault, initial encounter ICD-10-CM T36.0X4A Poisoning by penicillins, undetermined, initial encounter ICD-10-CM T36.0X4A Poisoning by cephalosporins and other beta-lactam antibiotics, accidental ICD-10-CM T36.1X1A Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter ICD-10-CM T36.1X2A Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter ICD-10-CM T36.1X4A Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial ICD-10-CM T36.1X4A Poisoning by chloramphenicol group, accidental (unintentional), initial encounter ICD-10-CM T36.2X1A Poisoning by chloramphenicol group, undetermined, initial encounter ICD-10-CM T36.2X2A Poisoning by chloramphenicol group, undetermined, initial encounter ICD-10-CM | E982.9 | Poisoning by unspecified gases and vapors, undetermined whether accidentally or | ICD-9-CM |
| T36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CMT36.0X3APoisoning by penicillins, assaut, initial encounterICD-10-CMT36.0X4APoisoning by cephalosporins and other beta-lactam antibiotics, accidentalICD-10-CMT36.1X1APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X2APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, assauti, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, acsauti, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, assauti, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, assauti, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CM | | | |
| T36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CMT36.0X3APoisoning by penicillins, assault, initial encounterICD-10-CMT36.0X4APoisoning by penicillins, undetermined, initial encounterICD-10-CMT36.1X1APoisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounterICD-10-CMT36.1X2APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, intentional self-harm, initial encou | M1A.10X1 | Lead-induced chronic gout, unspecified site, with tophus (tophi) | ICD-10-CM |
| T36.0X3APoisoning by penicillins, assault, initial encounterICD-10-CMT36.0X4APoisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounterICD-10-CMT36.1X1APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X2APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by clolramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X4APoisoning by macrolides, ascidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, intentional se | T36.0X1A | Poisoning by penicillins, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.0X4APoisoning by penicillins, undetermined, initial encounterICD-10-CMT36.1X1APoisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounterICD-10-CMT36.1X2APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X3APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, acci | T36.0X2A | Poisoning by penicillins, intentional self-harm, initial encounter | ICD-10-CM |
| T36.1X1APoisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounterICD-10-CMT36.1X2APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, actidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, actidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CM< | T36.0X3A | Poisoning by penicillins, assault, initial encounter | ICD-10-CM |
| (unintentional), initial encounterT36.1X2APoisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounterICD-10-CMT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X3APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X1APoisoning by tetracycline | T36.0X4A | Poisoning by penicillins, undetermined, initial encounter | ICD-10-CM |
| initial encounterT36.1X3APoisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounterICD-10-CMT36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, intentional self-harm, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X4APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X4APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by aminoglycosides, | T36.1X1A | | ICD-10-CM |
| T36.1X4APoisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounterICD-10-CMT36.2X1APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, intentional self-harm, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X4APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encount | T36.1X2A | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, | ICD-10-CM |
| encounterT36.2X1APoisoning by chloramphenicol group, accidental (unintentional), initial encounterICD-10-CMT36.2X2APoisoning by chloramphenicol group, intentional self-harm, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.2X4APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, | T36.1X3A | Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter | ICD-10-CM |
| T36.2X2APoisoning by chloramphenicol group, intentional self-harm, initial encounterICD-10-CMT36.2X3APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X4APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.5X1APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4A </td <td>T36.1X4A</td> <td></td> <td>ICD-10-CM</td> | T36.1X4A | | ICD-10-CM |
| T36.2X3APoisoning by chloramphenicol group, assault, initial encounterICD-10-CMT36.2X4APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, in | T36.2X1A | Poisoning by chloramphenicol group, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.2X4APoisoning by chloramphenicol group, undetermined, initial encounterICD-10-CMT36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by rifampicins, accidental (unintentio | T36.2X2A | Poisoning by chloramphenicol group, intentional self-harm, initial encounter | ICD-10-CM |
| T36.3X1APoisoning by macrolides, accidental (unintentional), initial encounterICD-10-CMT36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.5X1APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (u | T36.2X3A | Poisoning by chloramphenicol group, assault, initial encounter | ICD-10-CM |
| T36.3X2APoisoning by macrolides, intentional self-harm, initial encounterICD-10-CMT36.3X3APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.5X1APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.5X4APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.5X4APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional sel | T36.2X4A | Poisoning by chloramphenicol group, undetermined, initial encounter | ICD-10-CM |
| T36.3X3APoisoning by macrolides, assault, initial encounterICD-10-CMT36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.3X1A | Poisoning by macrolides, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.3X4APoisoning by macrolides, undetermined, initial encounterICD-10-CMT36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.5X1APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.3X2A | Poisoning by macrolides, intentional self-harm, initial encounter | ICD-10-CM |
| T36.4X1APoisoning by tetracyclines, accidental (unintentional), initial encounterICD-10-CMT36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.3X3A | Poisoning by macrolides, assault, initial encounter | ICD-10-CM |
| T36.4X2APoisoning by tetracyclines, intentional self-harm, initial encounterICD-10-CMT36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.3X4A | Poisoning by macrolides, undetermined, initial encounter | ICD-10-CM |
| T36.4X3APoisoning by tetracyclines, assault, initial encounterICD-10-CMT36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.4X1A | Poisoning by tetracyclines, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.4X4APoisoning by tetracyclines, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.4X2A | Poisoning by tetracyclines, intentional self-harm, initial encounter | ICD-10-CM |
| T36.5X1APoisoning by aminoglycosides, accidental (unintentional), initial encounterICD-10-CMT36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.5X1APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.4X3A | Poisoning by tetracyclines, assault, initial encounter | ICD-10-CM |
| T36.5X2APoisoning by aminoglycosides, intentional self-harm, initial encounterICD-10-CMT36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.4X4A | Poisoning by tetracyclines, undetermined, initial encounter | ICD-10-CM |
| T36.5X3APoisoning by aminoglycosides, assault, initial encounterICD-10-CMT36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.5X1A | Poisoning by aminoglycosides, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.5X4APoisoning by aminoglycosides, undetermined, initial encounterICD-10-CMT36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.5X2A | Poisoning by aminoglycosides, intentional self-harm, initial encounter | ICD-10-CM |
| T36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.5X3A | Poisoning by aminoglycosides, assault, initial encounter | ICD-10-CM |
| T36.6X1APoisoning by rifampicins, accidental (unintentional), initial encounterICD-10-CMT36.6X2APoisoning by rifampicins, intentional self-harm, initial encounterICD-10-CM | T36.5X4A | Poisoning by aminoglycosides, undetermined, initial encounter | ICD-10-CM |
| T36.6X2A Poisoning by rifampicins, intentional self-harm, initial encounter ICD-10-CM | T36.6X1A | | ICD-10-CM |
| | T36.6X2A | | ICD-10-CM |
| | T36.6X3A | | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| Г36.6X4A | Poisoning by rifampicins, undetermined, initial encounter | ICD-10-CM |
| T36.7X1A | Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), initial encounter | ICD-10-CM |
| Г36.7Х2А | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter | ICD-10-CM |
| Г36.7X3A | Poisoning by antifungal antibiotics, systemically used, assault, initial encounter | ICD-10-CM |
| Г36.7Х4А | Poisoning by antifungal antibiotics, systemically used, undetermined, initial encounter | ICD-10-CM |
| F36.8X1A | Poisoning by other systemic antibiotics, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.8X2A | Poisoning by other systemic antibiotics, intentional self-harm, initial encounter | ICD-10-CM |
| Г36.8X3A | Poisoning by other systemic antibiotics, assault, initial encounter | ICD-10-CM |
| 36.8X4A | Poisoning by other systemic antibiotics, undetermined, initial encounter | ICD-10-CM |
| Г36.91XA | Poisoning by unspecified systemic antibiotic, accidental (unintentional), initial encounter | ICD-10-CM |
| Г36.92XA | Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter | ICD-10-CM |
| Г36.93XA | Poisoning by unspecified systemic antibiotic, assault, initial encounter | ICD-10-CM |
| Г36.94XA | Poisoning by unspecified systemic antibiotic, undetermined, initial encounter | ICD-10-CM |
| [37.0X1A | Poisoning by sulfonamides, accidental (unintentional), initial encounter | ICD-10-CM |
| 37.0X2A | Poisoning by sulfonamides, intentional self-harm, initial encounter | ICD-10-CM |
| 37.0X3A | Poisoning by sulfonamides, assault, initial encounter | ICD-10-CM |
| 37.0X4A | Poisoning by sulfonamides, undetermined, initial encounter | ICD-10-CM |
| 37.1X1A | Poisoning by antimycobacterial drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| 37.1X2A | Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter | ICD-10-CM |
| 37.1X3A | Poisoning by antimycobacterial drugs, assault, initial encounter | ICD-10-CM |
| 37.1X4A | Poisoning by antimycobacterial drugs, undetermined, initial encounter | ICD-10-CM |
| 37.2X1A | Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), initial encounter | ICD-10-CM |
| 37.2X2A | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self- harm, initial encounter | ICD-10-CM |
| r37.2X3A | Poisoning by antimalarials and drugs acting on other blood protozoa, assault, initial encounter | ICD-10-CM |
| 37.2X4A | Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, initial encounter | ICD-10-CM |
| 37.3X1A | Poisoning by other antiprotozoal drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| 37.3X2A | Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter | ICD-10-CM |
| 37.3X3A | Poisoning by other antiprotozoal drugs, assault, initial encounter | ICD-10-CM |
| 37.3X4A | Poisoning by other antiprotozoal drugs, undetermined, initial encounter | ICD-10-CM |
| 37.4X1A | Poisoning by anthelminthics, accidental (unintentional), initial encounter | ICD-10-CM |
| 37.4X2A | Poisoning by anthelminthics, intentional self-harm, initial encounter | ICD-10-CM |
| 37.4X3A | Poisoning by anthelminthics, assault, initial encounter | ICD-10-CM |
| 37.4X4A | Poisoning by anthelminthics, undetermined, initial encounter | ICD-10-CM |
| 37.5X1A | Poisoning by antiviral drugs, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T37.5X2A | Poisoning by antiviral drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T37.5X3A | Poisoning by antiviral drugs, assault, initial encounter | ICD-10-CM |
| T37.5X4A | Poisoning by antiviral drugs, undetermined, initial encounter | ICD-10-CM |
| T37.8X1A | Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.8X2A | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self- harm, initial encounter | ICD-10-CM |
| T37.8X3A | Poisoning by other specified systemic anti-infectives and antiparasitics, assault, initial encounter | ICD-10-CM |
| T37.8X4A | Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, initial encounter | ICD-10-CM |
| T37.91XA | Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.92XA | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter | ICD-10-CM |
| T37.93XA | Poisoning by unspecified systemic anti-infective and antiparasitics, assault, initial encounter | ICD-10-CM |
| T37.94XA | Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, initial encounter | ICD-10-CM |
| T38.0X1A | Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.0X2A | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter | ICD-10-CM |
| T38.0X3A | Poisoning by glucocorticoids and synthetic analogues, assault, initial encounter | ICD-10-CM |
| T38.0X4A | Poisoning by glucocorticoids and synthetic analogues, undetermined, initial encounter | ICD-10-CM |
| T38.1X1A | Poisoning by thyroid hormones and substitutes, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.1X2A | Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter | ICD-10-CM |
| T38.1X3A | Poisoning by thyroid hormones and substitutes, assault, initial encounter | ICD-10-CM |
| T38.1X4A | Poisoning by thyroid hormones and substitutes, undetermined, initial encounter | ICD-10-CM |
| T38.2X1A | Poisoning by antithyroid drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.2X2A | Poisoning by antithyroid drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T38.2X3A | Poisoning by antithyroid drugs, assault, initial encounter | ICD-10-CM |
| T38.2X4A | Poisoning by antithyroid drugs, undetermined, initial encounter | ICD-10-CM |
| T38.3X1A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.3X2A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T38.3X3A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T38.3X4A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, initial | ICD-10-CM |
| | encounter | |
| T38.4X1A | Poisoning by oral contraceptives, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.4X2A | Poisoning by oral contraceptives, intentional self-harm, initial encounter | ICD-10-CM |
| T38.4X3A | Poisoning by oral contraceptives, assault, initial encounter | ICD-10-CM |
| T38.4X4A | Poisoning by oral contraceptives, undetermined, initial encounter | ICD-10-CM |
| T38.5X1A | Poisoning by other estrogens and progestogens, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.5X2A | Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter | ICD-10-CM |
| T38.5X3A | Poisoning by other estrogens and progestogens, assault, initial encounter | ICD-10-CM |
| T38.5X4A | Poisoning by other estrogens and progestogens, undetermined, initial encounter | ICD-10-CM |
| T38.6X1A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.6X2A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM |
| T38.6X3A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T38.6X4A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, initial encounter | ICD-10-CM |
| T38.7X1A | Poisoning by androgens and anabolic congeners, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.7X2A | Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter | ICD-10-CM |
| T38.7X3A | Poisoning by androgens and anabolic congeners, assault, initial encounter | ICD-10-CM |
| T38.7X4A | Poisoning by androgens and anabolic congeners, undetermined, initial encounter | ICD-10-CM |
| T38.801A | Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.802A | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter | ICD-10-CM |
| T38.803A | Poisoning by unspecified hormones and synthetic substitutes, assault, initial encounter | ICD-10-CM |
| T38.804A | Poisoning by unspecified hormones and synthetic substitutes, undetermined, initial encounter | ICD-10-CM |
| T38.811A | Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.812A | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter | ICD-10-CM |
| T38.813A | Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, initial encounter | ICD-10-CM |
| T38.814A | Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T38.891A | Poisoning by other hormones and synthetic substitutes, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.892A | Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter | ICD-10-CM |
| T38.893A | Poisoning by other hormones and synthetic substitutes, assault, initial encounter | ICD-10-CM |
| T38.894A | Poisoning by other hormones and synthetic substitutes, undetermined, initial encounter | ICD-10-CM |
| T38.901A | Poisoning by unspecified hormone antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.902A | Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T38.903A | Poisoning by unspecified hormone antagonists, assault, initial encounter | ICD-10-CM |
| T38.904A | Poisoning by unspecified hormone antagonists, undetermined, initial encounter | ICD-10-CM |
| T38.991A | Poisoning by other hormone antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.992A | Poisoning by other hormone antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T38.993A | Poisoning by other hormone antagonists, assault, initial encounter | ICD-10-CM |
| T38.994A | Poisoning by other hormone antagonists, undetermined, initial encounter | ICD-10-CM |
| T39.011A | Poisoning by aspirin, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.012A | Poisoning by aspirin, intentional self-harm, initial encounter | ICD-10-CM |
| T39.013A | Poisoning by aspirin, assault, initial encounter | ICD-10-CM |
| T39.014A | Poisoning by aspirin, undetermined, initial encounter | ICD-10-CM |
| T39.091A | Poisoning by salicylates, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.092A | Poisoning by salicylates, intentional self-harm, initial encounter | ICD-10-CM |
| T39.093A | Poisoning by salicylates, assault, initial encounter | ICD-10-CM |
| T39.094A | Poisoning by salicylates, undetermined, initial encounter | ICD-10-CM |
| T39.1X1A | Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.1X2A | Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T39.1X3A | Poisoning by 4-Aminophenol derivatives, assault, initial encounter | ICD-10-CM |
| T39.1X4A | Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter | ICD-10-CM |
| T39.2X1A | Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.2X2A | Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T39.2X3A | Poisoning by pyrazolone derivatives, assault, initial encounter | ICD-10-CM |
| T39.2X4A | Poisoning by pyrazolone derivatives, undetermined, initial encounter | ICD-10-CM |
| T39.311A | Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.312A | Poisoning by propionic acid derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T39.313A | Poisoning by propionic acid derivatives, assault, initial encounter | ICD-10-CM |
| T39.314A | Poisoning by propionic acid derivatives, undetermined, initial encounter | ICD-10-CM |
| T39.391A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter | ICD-10-CM |
| T39.392A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T39.393A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial | ICD-10-CM |
| | encounter | |
| T39.394A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial | ICD-10-CM |
| | encounter | |
| T39.4X1A | Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.4X2A | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM |
| T39.4X3A | Poisoning by antirheumatics, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T39.4X4A | Poisoning by antirheumatics, not elsewhere classified, undetermined, initial encounter | ICD-10-CM |
| T39.8X1A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.8X2A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM |
| T39.8X3A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T39.8X4A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, initial encounter | ICD-10-CM |
| T39.91XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.92XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter | ICD-10-CM |
| T39.93XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, initial encounter | ICD-10-CM |
| T39.94XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, initial encounter | ICD-10-CM |
| T40.0X1A | Poisoning by opium, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.0X2A | Poisoning by opium, intentional self-harm, initial encounter | ICD-10-CM |
| T40.0X3A | Poisoning by opium, assault, initial encounter | ICD-10-CM |
| T40.0X4A | Poisoning by opium, undetermined, initial encounter | ICD-10-CM |
| T40.1X1A | Poisoning by heroin, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.1X2A | Poisoning by heroin, intentional self-harm, initial encounter | ICD-10-CM |
| T40.1X3A | Poisoning by heroin, assault, initial encounter | ICD-10-CM |
| T40.1X4A | Poisoning by heroin, undetermined, initial encounter | ICD-10-CM |
| T40.2X1A | Poisoning by other opioids, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.2X2A | Poisoning by other opioids, intentional self-harm, initial encounter | ICD-10-CM |
| T40.2X3A | Poisoning by other opioids, assault, initial encounter | ICD-10-CM |
| T40.2X4A | Poisoning by other opioids, undetermined, initial encounter | ICD-10-CM |
| T40.3X1A | Poisoning by methadone, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.3X2A | Poisoning by methadone, intentional self-harm, initial encounter | ICD-10-CM |
| T40.3X3A | Poisoning by methadone, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T40.3X4A | Poisoning by methadone, undetermined, initial encounter | ICD-10-CM |
| 40.4X1A | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter | ICD-10-CM |
| 40.4X2A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter | ICD-10-CM |
| 40.4X3A | Poisoning by other synthetic narcotics, assault, initial encounter | ICD-10-CM |
| 40.4X4A | Poisoning by other synthetic narcotics, undetermined, initial encounter | ICD-10-CM |
| 40.5X1A | Poisoning by cocaine, accidental (unintentional), initial encounter | ICD-10-CM |
| 40.5X2A | Poisoning by cocaine, intentional self-harm, initial encounter | ICD-10-CM |
| 40.5X3A | Poisoning by cocaine, assault, initial encounter | ICD-10-CM |
| 40.5X4A | Poisoning by cocaine, undetermined, initial encounter | ICD-10-CM |
| 40.601A | Poisoning by unspecified narcotics, accidental (unintentional), initial encounter | ICD-10-CM |
| 40.602A | Poisoning by unspecified narcotics, intentional self-harm, initial encounter | ICD-10-CM |
| 40.603A | Poisoning by unspecified narcotics, assault, initial encounter | ICD-10-CM |
| 40.604A | Poisoning by unspecified narcotics, undetermined, initial encounter | ICD-10-CM |
| 40.691A | Poisoning by other narcotics, accidental (unintentional), initial encounter | ICD-10-CM |
| 40.692A | Poisoning by other narcotics, intentional self-harm, initial encounter | ICD-10-CM |
| 40.693A | Poisoning by other narcotics, assault, initial encounter | ICD-10-CM |
| 40.694A | Poisoning by other narcotics, undetermined, initial encounter | ICD-10-CM |
| 40.7X1A | Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter | ICD-10-CM |
| 40.7X2A | Poisoning by cannabis (derivatives), intentional self-harm, initial encounter | ICD-10-CM |
| 40.7X3A | Poisoning by cannabis (derivatives), assault, initial encounter | ICD-10-CM |
| 40.7X4A | Poisoning by cannabis (derivatives), undetermined, initial encounter | ICD-10-CM |
| 40.8X2A | Poisoning by lysergide [LSD], intentional self-harm, initial encounter | ICD-10-CM |
| 40.8X3A | Poisoning by lysergide [LSD], assault, initial encounter | ICD-10-CM |
| 40.8X4A | Poisoning by lysergide [LSD], undetermined, initial encounter | ICD-10-CM |
| 40.901A | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter | ICD-10-CM |
| 40.902A | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter | ICD-10-CM |
| 40.903A | Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter | ICD-10-CM |
| 40.904A | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter | ICD-10-CM |
| 40.991A | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter | ICD-10-CM |
| 40.992A | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter | ICD-10-CM |
| 40.993A | Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter | ICD-10-CM |
| 40.994A | Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter | ICD-10-CM |
| 41.0X1A | Poisoning by inhaled anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| 41.0X2A | Poisoning by inhaled anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| 41.0X3A | Poisoning by inhaled anesthetics, assault, initial encounter | ICD-10-CM |
| 41.0X4A | Poisoning by inhaled anesthetics, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T41.1X1A | Poisoning by intravenous anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| T41.1X2A | Poisoning by intravenous anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| T41.1X3A | Poisoning by intravenous anesthetics, assault, initial encounter | ICD-10-CM |
| T41.1X4A | Poisoning by intravenous anesthetics, undetermined, initial encounter | ICD-10-CM |
| T41.201A | Poisoning by unspecified general anesthetics, accidental (unintentional), initial | ICD-10-CM |
| T41 2024 | encounter | |
| T41.202A | Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| T41.203A | Poisoning by unspecified general anesthetics, assault, initial encounter | ICD-10-CM |
| T41.204A | Poisoning by unspecified general anesthetics, undetermined, initial encounter | ICD-10-CM |
| T41.291A | Poisoning by other general anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| T41.292A | Poisoning by other general anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| T41.293A | Poisoning by other general anesthetics, assault, initial encounter | ICD-10-CM |
| T41.294A | Poisoning by other general anesthetics, undetermined, initial encounter | ICD-10-CM |
| T41.3X1A | Poisoning by local anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| T41.3X2A | Poisoning by local anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| T41.3X3A | Poisoning by local anesthetics, assault, initial encounter | ICD-10-CM |
| T41.3X4A | Poisoning by local anesthetics, undetermined, initial encounter | ICD-10-CM |
| T41.41XA | Poisoning by unspecified anesthetic, accidental (unintentional), initial encounter | ICD-10-CM |
| T41.42XA | Poisoning by unspecified anesthetic, intentional self-harm, initial encounter | ICD-10-CM |
| T41.43XA | Poisoning by unspecified anesthetic, assault, initial encounter | ICD-10-CM |
| T41.44XA | Poisoning by unspecified anesthetic, undetermined, initial encounter | ICD-10-CM |
| T41.5X1A | Poisoning by therapeutic gases, accidental (unintentional), initial encounter | ICD-10-CM |
| T41.5X2A | Poisoning by therapeutic gases, intentional self-harm, initial encounter | ICD-10-CM |
| T41.5X3A | Poisoning by therapeutic gases, assault, initial encounter | ICD-10-CM |
| T41.5X4A | Poisoning by therapeutic gases, undetermined, initial encounter | ICD-10-CM |
| T42.0X1A | Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.0X2A | Poisoning by hydantoin derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T42.0X3A | Poisoning by hydantoin derivatives, assault, initial encounter | ICD-10-CM |
| T42.0X4A | Poisoning by hydantoin derivatives, undetermined, initial encounter | ICD-10-CM |
| T42.1X1A | Poisoning by iminostilbenes, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.1X2A | Poisoning by iminostilbenes, intentional self-harm, initial encounter | ICD-10-CM |
| T42.1X3A | Poisoning by iminostilbenes, assault, initial encounter | ICD-10-CM |
| T42.1X4A | Poisoning by iminostilbenes, undetermined, initial encounter | ICD-10-CM |
| T42.2X1A | Poisoning by succinimides and oxazolidinediones, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.2X2A | Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter | ICD-10-CM |
| T42.2X3A | Poisoning by succinimides and oxazolidinediones, assault, initial encounter | ICD-10-CM |
| T42.2X4A | Poisoning by succinimides and oxazolidinediones, undetermined, initial encounter | ICD-10-CM |
| T42.3X1A | Poisoning by barbiturates, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.3X2A | Poisoning by barbiturates, intentional self-harm, initial encounter | ICD-10-CM |
| | | |



| Code | Description | Code Type |
|----------|--|-----------|
| T42.3X3A | Poisoning by barbiturates, assault, initial encounter | ICD-10-CM |
| T42.3X4A | Poisoning by barbiturates, undetermined, initial encounter | ICD-10-CM |
| T42.4X1A | Poisoning by benzodiazepines, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.4X2A | Poisoning by benzodiazepines, intentional self-harm, initial encounter | ICD-10-CM |
| T42.4X3A | Poisoning by benzodiazepines, assault, initial encounter | ICD-10-CM |
| T42.4X4A | Poisoning by benzodiazepines, undetermined, initial encounter | ICD-10-CM |
| T42.5X1A | Poisoning by mixed antiepileptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.5X2A | Poisoning by mixed antiepileptics, intentional self-harm, initial encounter | ICD-10-CM |
| T42.5X3A | Poisoning by mixed antiepileptics, assault, initial encounter | ICD-10-CM |
| T42.5X4A | Poisoning by mixed antiepileptics, undetermined, initial encounter | ICD-10-CM |
| T42.6X1A | Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.6X2A | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T42.6X3A | Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter | ICD-10-CM |
| T42.6X4A | Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter | ICD-10-CM |
| T42.71XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.72XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self- harm, initial encounter | ICD-10-CM |
| T42.73XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter | ICD-10-CM |
| T42.74XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter | ICD-10-CM |
| T42.8X1A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.8X2A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter | ICD-10-CM |
| T42.8X3A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, initial encounter | ICD-10-CM |
| T42.8X4A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, initial encounter | ICD-10-CM |
| T43.011A | Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.012A | Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.013A | Poisoning by tricyclic antidepressants, assault, initial encounter | ICD-10-CM |
| T43.014A | Poisoning by tricyclic antidepressants, undetermined, initial encounter | ICD-10-CM |
| T43.021A | Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.022A | Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.023A | Poisoning by tetracyclic antidepressants, assault, initial encounter | ICD-10-CM |
| T43.024A | Poisoning by tetracyclic antidepressants, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T43.1X1A | Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), | ICD-10-CM |
| | initial encounter | |
| T43.1X2A | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T43.1X3A | Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter | ICD-10-CM |
| T43.1X4A | Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter | ICD-10-CM |
| T43.201A | Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.202A | Poisoning by unspecified antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.203A | Poisoning by unspecified antidepressants, assault, initial encounter | ICD-10-CM |
| T43.204A | Poisoning by unspecified antidepressants, undetermined, initial encounter | ICD-10-CM |
| T43.211A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.212A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self- harm, initial encounter | ICD-10-CM |
| T43.213A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter | ICD-10-CM |
| T43.214A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter | ICD-10-CM |
| T43.221A | Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.222A | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter | ICD-10-CM |
| T43.223A | Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter | ICD-10-CM |
| T43.224A | Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter | ICD-10-CM |
| T43.291A | Poisoning by other antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.292A | Poisoning by other antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.293A | Poisoning by other antidepressants, assault, initial encounter | ICD-10-CM |
| T43.294A | Poisoning by other antidepressants, undetermined, initial encounter | ICD-10-CM |
| T43.3X1A | Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.3X2A | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter | ICD-10-CM |
| T43.3X3A | Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.3X4A | Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter | ICD-10-CM |
| T43.4X1A | Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.4X2A | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter | ICD-10-CM |
| T43.4X3A | Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T43.4X4A | Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial | ICD-10-CM |
| | encounter | |
| T43.501A | Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), | ICD-10-CM |
| | initial encounter | |
| T43.502A | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T43.503A | Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.504A | Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial | ICD-10-CM |
| | encounter | |
| T43.591A | Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T43.592A | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T43.593A | Poisoning by other antipsychotics and neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.594A | Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter | ICD-10-CM |
| T43.601A | Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.602A | Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.603A | Poisoning by unspecified psychostimulants, assault, initial encounter | ICD-10-CM |
| T43.604A | Poisoning by unspecified psychostimulants, undetermined, initial encounter | ICD-10-CM |
| T43.611A | Poisoning by caffeine, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.612A | Poisoning by caffeine, intentional self-harm, initial encounter | ICD-10-CM |
| T43.613A | Poisoning by caffeine, assault, initial encounter | ICD-10-CM |
| T43.614A | Poisoning by caffeine, undetermined, initial encounter | ICD-10-CM |
| T43.621A | Poisoning by amphetamines, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.622A | Poisoning by amphetamines, intentional self-harm, initial encounter | ICD-10-CM |
| T43.623A | Poisoning by amphetamines, assault, initial encounter | ICD-10-CM |
| T43.624A | Poisoning by amphetamines, undetermined, initial encounter | ICD-10-CM |
| T43.631A | Poisoning by methylphenidate, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.632A | Poisoning by methylphenidate, intentional self-harm, initial encounter | ICD-10-CM |
| T43.633A | Poisoning by methylphenidate, assault, initial encounter | ICD-10-CM |
| T43.634A | Poisoning by methylphenidate, undetermined, initial encounter | ICD-10-CM |
| T43.691A | Poisoning by other psychostimulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.692A | Poisoning by other psychostimulants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.693A | Poisoning by other psychostimulants, assault, initial encounter | ICD-10-CM |
| T43.694A | Poisoning by other psychostimulants, undetermined, initial encounter | ICD-10-CM |
| T43.8X1A | Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.8X2A | Poisoning by other psychotropic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T43.8X3A | Poisoning by other psychotropic drugs, assault, initial encounter | ICD-10-CM |
| T43.8X4A | Poisoning by other psychotropic drugs, undetermined, initial encounter | ICD-10-CM |
| T43.91XA | Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T43.92XA | Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter | ICD-10-CM |
| T43.93XA | Poisoning by unspecified psychotropic drug, assault, initial encounter | ICD-10-CM |
| T43.94XA | Poisoning by unspecified psychotropic drug, undetermined, initial encounter | ICD-10-CM |
| T44.0X1A | Poisoning by anticholinesterase agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.0X2A | Poisoning by anticholinesterase agents, intentional self-harm, initial encounter | ICD-10-CM |
| T44.0X3A | Poisoning by anticholinesterase agents, assault, initial encounter | ICD-10-CM |
| T44.0X4A | Poisoning by anticholinesterase agents, undetermined, initial encounter | ICD-10-CM |
| T44.1X1A | Poisoning by other parasympathomimetics [cholinergics], accidental (unintentional), initial encounter | ICD-10-CM |
| T44.1X2A | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter | ICD-10-CM |
| T44.1X3A | Poisoning by other parasympathomimetics [cholinergics], assault, initial encounter | ICD-10-CM |
| T44.1X4A | Poisoning by other parasympathomimetics [cholinergics], undetermined, initial encounter | ICD-10-CM |
| T44.2X1A | Poisoning by ganglionic blocking drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.2X2A | Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T44.2X3A | Poisoning by ganglionic blocking drugs, assault, initial encounter | ICD-10-CM |
| T44.2X4A | Poisoning by ganglionic blocking drugs, undetermined, initial encounter | ICD-10-CM |
| T44.3X1A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.3X2A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter | ICD-10-CM |
| T44.3X3A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault, initial encounter | ICD-10-CM |
| T44.3X4A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined, initial encounter | ICD-10-CM |
| T44.4X1A | Poisoning by predominantly alpha-adrenoreceptor agonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.4X2A | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter | ICD-10-CM |
| T44.4X3A | Poisoning by predominantly alpha-adrenoreceptor agonists, assault, initial encounter | ICD-10-CM |
| T44.4X4A | Poisoning by predominantly alpha-adrenoreceptor agonists, undetermined, initial encounter | ICD-10-CM |
| T44.5X1A | Poisoning by predominantly beta-adrenoreceptor agonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.5X2A | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter | ICD-10-CM |
| T44.5X3A | Poisoning by predominantly beta-adrenoreceptor agonists, assault, initial encounter | ICD-10-CM |
| T44.5X4A | Poisoning by predominantly beta-adrenoreceptor agonists, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T44.6X1A | Poisoning by alpha-adrenoreceptor antagonists, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T44.6X2A | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T44.6X3A | Poisoning by alpha-adrenoreceptor antagonists, assault, initial encounter | ICD-10-CM |
| T44.6X4A | Poisoning by alpha-adrenoreceptor antagonists, undetermined, initial encounter | ICD-10-CM |
| T44.7X1A | Poisoning by beta-adrenoreceptor antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.7X2A | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T44.7X3A | Poisoning by beta-adrenoreceptor antagonists, assault, initial encounter | ICD-10-CM |
| T44.7X4A | Poisoning by beta-adrenoreceptor antagonists, undetermined, initial encounter | ICD-10-CM |
| T44.8X1A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.8X2A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self- harm, initial encounter | ICD-10-CM |
| T44.8X3A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, assault, initial encounter | ICD-10-CM |
| T44.8X4A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, undetermined, initial encounter | ICD-10-CM |
| T44.901A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, | ICD-10-CM |
| T44.902A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter | ICD-10-CM |
| T44.903A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, assault, initial encounter | ICD-10-CM |
| T44.904A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, undetermined, initial encounter | ICD-10-CM |
| T44.991A | Poisoning by other drug primarily affecting the autonomic nervous system, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.992A | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter | ICD-10-CM |
| T44.993A | Poisoning by other drug primarily affecting the autonomic nervous system, assault, initial encounter | ICD-10-CM |
| T44.994A | Poisoning by other drug primarily affecting the autonomic nervous system, undetermined, initial encounter | ICD-10-CM |
| T45.0X1A | Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.0X2A | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.0X3A | Poisoning by antiallergic and antiemetic drugs, assault, initial encounter | ICD-10-CM |
| T45.0X4A | Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter | ICD-10-CM |
| T45.1X1A | Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T45.1X2A | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| Г45.1X3A | Poisoning by antineoplastic and immunosuppressive drugs, assault, initial encounter | ICD-10-CM |
| Г45.1X4A | Poisoning by antineoplastic and immunosuppressive drugs, undetermined, initial | ICD-10-CM |
| | encounter | |
| T45.2X1A | Poisoning by vitamins, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.2X2A | Poisoning by vitamins, intentional self-harm, initial encounter | ICD-10-CM |
| T45.2X3A | Poisoning by vitamins, assault, initial encounter | ICD-10-CM |
| T45.2X4A | Poisoning by vitamins, undetermined, initial encounter | ICD-10-CM |
| T45.3X1A | Poisoning by enzymes, accidental (unintentional), initial encounter | ICD-10-CM |
| Г45.3X2A | Poisoning by enzymes, intentional self-harm, initial encounter | ICD-10-CM |
| Г45.3X3A | Poisoning by enzymes, assault, initial encounter | ICD-10-CM |
| T45.3X4A | Poisoning by enzymes, undetermined, initial encounter | ICD-10-CM |
| T45.4X1A | Poisoning by iron and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.4X2A | Poisoning by iron and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| T45.4X3A | Poisoning by iron and its compounds, assault, initial encounter | ICD-10-CM |
| T45.4X4A | Poisoning by iron and its compounds, undetermined, initial encounter | ICD-10-CM |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter | ICD-10-CM |
| Г45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter | ICD-10-CM |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter | ICD-10-CM |
| Г45.514A | Poisoning by anticoagulants, undetermined, initial encounter | ICD-10-CM |
| Г45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| Г45.523A | Poisoning by antithrombotic drugs, assault, initial encounter | ICD-10-CM |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter | ICD-10-CM |
| T45.601A | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.602A | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter | ICD-10-CM |
| Г45.603A | Poisoning by unspecified fibrinolysis-affecting drugs, assault, initial encounter | ICD-10-CM |
| Г45.604A | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, initial encounter | ICD-10-CM |
| T45.611A | Poisoning by thrombolytic drug, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.612A | Poisoning by thrombolytic drug, intentional self-harm, initial encounter | ICD-10-CM |
| T45.613A | Poisoning by thrombolytic drug, assault, initial encounter | ICD-10-CM |
| Г45.614A | Poisoning by thrombolytic drug, undetermined, initial encounter | ICD-10-CM |
| Г45.621A | Poisoning by hemostatic drug, accidental (unintentional), initial encounter | ICD-10-CM |
| Г45.622A | Poisoning by hemostatic drug, intentional self-harm, initial encounter | ICD-10-CM |
| Г45.623A | Poisoning by hemostatic drug, assault, initial encounter | ICD-10-CM |
| T45.624A | Poisoning by hemostatic drug, undetermined, initial encounter | ICD-10-CM |
| T45.691A | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |



| Code | Description | Code Type |
|----------|---|-----------|
| T45.692A | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.693A | Poisoning by other fibrinolysis-affecting drugs, assault, initial encounter | ICD-10-CM |
| T45.694A | Poisoning by other fibrinolysis-affecting drugs, undetermined, initial encounter | ICD-10-CM |
| T45.7X1A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.7X2A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self- harm, initial encounter | ICD-10-CM |
| T45.7X3A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter | ICD-10-CM |
| T45.7X4A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter | ICD-10-CM |
| T45.8X1A | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.8X2A | Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter | ICD-10-CM |
| T45.8X3A | Poisoning by other primarily systemic and hematological agents, assault, initial encounter | ICD-10-CM |
| T45.8X4A | Poisoning by other primarily systemic and hematological agents, undetermined, initial encounter | ICD-10-CM |
| T45.91XA | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.92XA | Poisoning by unspecified primarily systemic and hematological agent, intentional self- harm, initial encounter | ICD-10-CM |
| T45.93XA | Poisoning by unspecified primarily systemic and hematological agent, assault, initial encounter | ICD-10-CM |
| T45.94XA | Poisoning by unspecified primarily systemic and hematological agent, undetermined, initial encounter | ICD-10-CM |
| T46.0X1A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.0X2A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self- harm, initial encounter | ICD-10-CM |
| T46.0X3A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter | ICD-10-CM |
| T46.0X4A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter | ICD-10-CM |
| T46.1X1A | Poisoning by calcium-channel blockers, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.1X2A | Poisoning by calcium-channel blockers, intentional self-harm, initial encounter | ICD-10-CM |
| T46.1X3A | Poisoning by calcium-channel blockers, assault, initial encounter | ICD-10-CM |
| T46.1X4A | Poisoning by calcium-channel blockers, undetermined, initial encounter | ICD-10-CM |
| T46.2X1A | Poisoning by other antidysrhythmic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.2X2A | Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T46.2X3A | Poisoning by other antidysrhythmic drugs, assault, initial encounter | ICD-10-CM |
| T46.2X4A | Poisoning by other antidysrhythmic drugs, undetermined, initial encounter | ICD-10-CM |
| T46.3X1A | Poisoning by coronary vasodilators, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.3X2A | Poisoning by coronary vasodilators, intentional self-harm, initial encounter | ICD-10-CM |
| T46.3X3A | Poisoning by coronary vasodilators, assault, initial encounter | ICD-10-CM |
| T46.3X4A | Poisoning by coronary vasodilators, undetermined, initial encounter | ICD-10-CM |
| T46.4X1A | Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.4X2A | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter | ICD-10-CM |
| T46.4X3A | Poisoning by angiotensin-converting-enzyme inhibitors, assault, initial encounter | ICD-10-CM |
| T46.4X4A | Poisoning by angiotensin-converting-enzyme inhibitors, undetermined, initial encounter | ICD-10-CM |
| T46.5X1A | Poisoning by other antihypertensive drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.5X2A | Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T46.5X3A | Poisoning by other antihypertensive drugs, assault, initial encounter | ICD-10-CM |
| T46.5X4A | Poisoning by other antihypertensive drugs, undetermined, initial encounter | ICD-10-CM |
| T46.6X1A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.6X2A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T46.6X3A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, assault, initial encounter | ICD-10-CM |
| T46.6X4A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, undetermined, initial encounter | ICD-10-CM |
| T46.7X1A | Poisoning by peripheral vasodilators, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.7X2A | Poisoning by peripheral vasodilators, intentional self-harm, initial encounter | ICD-10-CM |
| T46.7X3A | Poisoning by peripheral vasodilators, assault, initial encounter | ICD-10-CM |
| T46.7X4A | Poisoning by peripheral vasodilators, undetermined, initial encounter | ICD-10-CM |
| T46.8X1A | Poisoning by antivaricose drugs, including sclerosing agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.8X2A | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter | ICD-10-CM |
| T46.8X3A | Poisoning by antivaricose drugs, including sclerosing agents, assault, initial encounter | ICD-10-CM |
| T46.8X4A | Poisoning by antivaricose drugs, including sclerosing agents, undetermined, initial encounter | ICD-10-CM |
| T46.901A | Poisoning by unspecified agents primarily affecting the cardiovascular system, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.902A | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter | ICD-10-CM |


| Code | Description | |
|----------|--|------------------------|
| T46.903A | Poisoning by unspecified agents primarily affecting the cardiovascular system, assault, | Code Type ICD-10-CM |
| 140.505A | initial encounter | |
| T46.904A | Poisoning by unspecified agents primarily affecting the cardiovascular system, undetermined, initial encounter | ICD-10-CM |
| T46.991A | Poisoning by other agents primarily affecting the cardiovascular system, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.992A | Poisoning by other agents primarily affecting the cardiovascular system, intentional self- harm, initial encounter | ICD-10-CM |
| T46.993A | Poisoning by other agents primarily affecting the cardiovascular system, assault, initial encounter | ICD-10-CM |
| T46.994A | Poisoning by other agents primarily affecting the cardiovascular system, undetermined, initial encounter | ICD-10-CM |
| T47.0X1A | Poisoning by histamine H2-receptor blockers, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.0X2A | Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter | ICD-10-CM |
| T47.0X3A | Poisoning by histamine H2-receptor blockers, assault, initial encounter | ICD-10-CM |
| T47.0X4A | Poisoning by histamine H2-receptor blockers, undetermined, initial encounter | ICD-10-CM |
| T47.1X1A | Poisoning by other antacids and anti-gastric-secretion drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.1X2A | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T47.1X3A | Poisoning by other antacids and anti-gastric-secretion drugs, assault, initial encounter | ICD-10-CM |
| T47.1X4A | Poisoning by other antacids and anti-gastric-secretion drugs, undetermined, initial encounter | ICD-10-CM |
| T47.2X1A | Poisoning by stimulant laxatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.2X2A | Poisoning by stimulant laxatives, intentional self-harm, initial encounter | ICD-10-CM |
| T47.2X3A | Poisoning by stimulant laxatives, assault, initial encounter | ICD-10-CM |
| T47.2X4A | Poisoning by stimulant laxatives, undetermined, initial encounter | ICD-10-CM |
| T47.3X1A | Poisoning by saline and osmotic laxatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.3X2A | Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter | ICD-10-CM |
| T47.3X3A | Poisoning by saline and osmotic laxatives, assault, initial encounter | ICD-10-CM |
| T47.3X4A | Poisoning by saline and osmotic laxatives, undetermined, initial encounter | ICD-10-CM |
| T47.4X1A | Poisoning by other laxatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.4X2A | Poisoning by other laxatives, intentional self-harm, initial encounter | ICD-10-CM |
| T47.4X3A | Poisoning by other laxatives, assault, initial encounter | ICD-10-CM |
| T47.4X4A | Poisoning by other laxatives, undetermined, initial encounter | ICD-10-CM |
| T47.5X1A | Poisoning by digestants, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.5X2A | Poisoning by digestants, intentional self-harm, initial encounter | ICD-10-CM |
| T47.5X3A | Poisoning by digestants, assault, initial encounter | ICD-10-CM |
| T47.5X4A | Poisoning by digestants, undetermined, initial encounter | ICD-10-CM |
| T47.6X1A | Poisoning by antidiarrheal drugs, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T47.6X2A | Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T47.6X3A | Poisoning by antidiarrheal drugs, assault, initial encounter | ICD-10-CM |
| T47.6X4A | Poisoning by antidiarrheal drugs, undetermined, initial encounter | ICD-10-CM |
| T47.7X1A | Poisoning by emetics, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.7X2A | Poisoning by emetics, intentional self-harm, initial encounter | ICD-10-CM |
| T47.7X3A | Poisoning by emetics, assault, initial encounter | ICD-10-CM |
| T47.7X4A | Poisoning by emetics, undetermined, initial encounter | ICD-10-CM |
| T47.8X1A | Poisoning by other agents primarily affecting gastrointestinal system, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.8X2A | Poisoning by other agents primarily affecting gastrointestinal system, intentional self- harm, initial encounter | ICD-10-CM |
| T47.8X3A | Poisoning by other agents primarily affecting gastrointestinal system, assault, initial encounter | ICD-10-CM |
| T47.8X4A | Poisoning by other agents primarily affecting gastrointestinal system, undetermined, initial encounter | ICD-10-CM |
| T47.91XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.92XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter | ICD-10-CM |
| T47.93XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, assault, initial encounter | ICD-10-CM |
| T47.94XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, undetermined, initial encounter | ICD-10-CM |
| T48.0X1A | Poisoning by oxytocic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.0X2A | Poisoning by oxytocic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T48.0X3A | Poisoning by oxytocic drugs, assault, initial encounter | ICD-10-CM |
| T48.0X4A | Poisoning by oxytocic drugs, undetermined, initial encounter | ICD-10-CM |
| T48.1X1A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional), initial encounter | ICD-10-CM |
| T48.1X2A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self- harm, initial encounter | ICD-10-CM |
| T48.1X3A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault, initial encounter | ICD-10-CM |
| T48.1X4A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined, initial encounter | ICD-10-CM |
| T48.201A | Poisoning by unspecified drugs acting on muscles, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.202A | Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter | ICD-10-CM |
| T48.203A | Poisoning by unspecified drugs acting on muscles, assault, initial encounter | ICD-10-CM |
| T48.204A | Poisoning by unspecified drugs acting on muscles, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T48.291A | Poisoning by other drugs acting on muscles, accidental (unintentional), initial encounter | ICD-10-CM |
| | | |
| T48.292A | Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter | ICD-10-CM |
| T48.293A | Poisoning by other drugs acting on muscles, assault, initial encounter | ICD-10-CM |
| T48.294A | Poisoning by other drugs acting on muscles, undetermined, initial encounter | ICD-10-CM |
| T48.3X1A | Poisoning by antitussives, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.3X2A | Poisoning by antitussives, intentional self-harm, initial encounter | ICD-10-CM |
| T48.3X3A | Poisoning by antitussives, assault, initial encounter | ICD-10-CM |
| T48.3X4A | Poisoning by antitussives, undetermined, initial encounter | ICD-10-CM |
| T48.4X1A | Poisoning by expectorants, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.4X2A | Poisoning by expectorants, intentional self-harm, initial encounter | ICD-10-CM |
| T48.4X3A | Poisoning by expectorants, assault, initial encounter | ICD-10-CM |
| T48.4X4A | Poisoning by expectorants, undetermined, initial encounter | ICD-10-CM |
| T48.5X1A | Poisoning by other anti-common-cold drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| | | |
| T48.5X2A | Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T48.5X3A | Poisoning by other anti-common-cold drugs, assault, initial encounter | ICD-10-CM |
| T48.5X4A | Poisoning by other anti-common-cold drugs, undetermined, initial encounter | ICD-10-CM |
| T48.6X1A | Poisoning by antiasthmatics, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.6X2A | Poisoning by antiasthmatics, intentional self-harm, initial encounter | ICD-10-CM |
| T48.6X3A | Poisoning by antiasthmatics, assault, initial encounter | ICD-10-CM |
| T48.6X4A | Poisoning by antiasthmatics, undetermined, initial encounter | ICD-10-CM |
| T48.901A | Poisoning by unspecified agents primarily acting on the respiratory system, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.902A | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter | ICD-10-CM |
| T48.903A | Poisoning by unspecified agents primarily acting on the respiratory system, assault, initial encounter | ICD-10-CM |
| T48.904A | Poisoning by unspecified agents primarily acting on the respiratory system, undetermined, initial encounter | ICD-10-CM |
| T48.991A | Poisoning by other agents primarily acting on the respiratory system, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.992A | Poisoning by other agents primarily acting on the respiratory system, intentional self- harm, initial encounter | ICD-10-CM |
| T48.993A | Poisoning by other agents primarily acting on the respiratory system, assault, initial encounter | ICD-10-CM |
| T48.994A | Poisoning by other agents primarily acting on the respiratory system, undetermined, initial encounter | ICD-10-CM |
| T49.0X1A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T49.0X2A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self- harm, initial encounter | ICD-10-CM |
| T49.0X3A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, assault, initial encounter | ICD-10-CM |
| T49.0X4A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, undetermined, initial encounter | ICD-10-CM |
| F49.1X1A | Poisoning by antipruritics, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.1X2A | Poisoning by antipruritics, intentional self-harm, initial encounter | ICD-10-CM |
| F49.1X3A | Poisoning by antipruritics, assault, initial encounter | ICD-10-CM |
| T49.1X4A | Poisoning by antipruritics, undetermined, initial encounter | ICD-10-CM |
| Г49.2X1A | Poisoning by local astringents and local detergents, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.2X2A | Poisoning by local astringents and local detergents, intentional self-harm, initial encounter | ICD-10-CM |
| T49.2X3A | Poisoning by local astringents and local detergents, assault, initial encounter | ICD-10-CM |
| T49.2X4A | Poisoning by local astringents and local detergents, undetermined, initial encounter | ICD-10-CM |
| T49.3X1A | Poisoning by emollients, demulcents and protectants, accidental (unintentional), initial encounter | ICD-10-CM |
| Г49.3X2A | Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter | ICD-10-CM |
| 49.3X3A | Poisoning by emollients, demulcents and protectants, assault, initial encounter | ICD-10-CM |
| 49.3X4A | Poisoning by emollients, demulcents and protectants, undetermined, initial encounter | ICD-10-CM |
| T49.4X1A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, accidental (unintentional), initial encounter | ICD-10-CM |
| Г49.4X2A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter | ICD-10-CM |
| Г49.4X3A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, assault, initial encounter | ICD-10-CM |
| Г49.4Х4А | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, undetermined, initial encounter | ICD-10-CM |
| Г49.5X1A | Poisoning by ophthalmological drugs and preparations, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.5X2A | Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter | ICD-10-CM |
| 49.5X3A | Poisoning by ophthalmological drugs and preparations, assault, initial encounter | ICD-10-CM |
| Г49.5X4A | Poisoning by ophthalmological drugs and preparations, undetermined, initial encounter | ICD-10-CM |
| Г49.6X1A | Poisoning by otorhinolaryngological drugs and preparations, accidental (unintentional), initial encounter | ICD-10-CM |
| Г49.6X2A | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T49.6X3A | Poisoning by otorhinolaryngological drugs and preparations, assault, initial encounter | ICD-10-CM |
| T49.6X4A | Poisoning by otorhinolaryngological drugs and preparations, undetermined, initial encounter | ICD-10-CM |
| T49.7X1A | Poisoning by dental drugs, topically applied, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.7X2A | Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter | ICD-10-CM |
| T49.7X3A | Poisoning by dental drugs, topically applied, assault, initial encounter | ICD-10-CM |
| T49.7X4A | Poisoning by dental drugs, topically applied, undetermined, initial encounter | ICD-10-CM |
| T49.8X1A | Poisoning by other topical agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.8X2A | Poisoning by other topical agents, intentional self-harm, initial encounter | ICD-10-CM |
| F49.8X3A | Poisoning by other topical agents, assault, initial encounter | ICD-10-CM |
| T49.8X4A | Poisoning by other topical agents, undetermined, initial encounter | ICD-10-CM |
| T49.91XA | Poisoning by unspecified topical agent, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.92XA | Poisoning by unspecified topical agent, intentional self-harm, initial encounter | ICD-10-CM |
| F49.93XA | Poisoning by unspecified topical agent, assault, initial encounter | ICD-10-CM |
| Г49.94XA | Poisoning by unspecified topical agent, undetermined, initial encounter | ICD-10-CM |
| Г50.0X1A | Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| r50.0X2A | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.0X3A | Poisoning by mineralocorticoids and their antagonists, assault, initial encounter | ICD-10-CM |
| Г50.0X4A | Poisoning by mineralocorticoids and their antagonists, undetermined, initial encounter | ICD-10-CM |
| Г50.1X1A | Poisoning by loop [high-ceiling] diuretics, accidental (unintentional), initial encounter | ICD-10-CM |
| Г50.1X2A | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter | ICD-10-CM |
| T50.1X3A | Poisoning by loop [high-ceiling] diuretics, assault, initial encounter | ICD-10-CM |
| Г50.1X4A | Poisoning by loop [high-ceiling] diuretics, undetermined, initial encounter | ICD-10-CM |
| Г50.2X1A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional), initial encounter | ICD-10-CM |
| Г50.2X2A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.2X3A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault, initial encounter | ICD-10-CM |
| T50.2X4A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined, initial encounter | ICD-10-CM |
| T50.3X1A | Poisoning by electrolytic, caloric and water-balance agents, accidental (unintentional), initial encounter | ICD-10-CM |
| r50.3X2A | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.3X3A | Poisoning by electrolytic, caloric and water-balance agents, assault, initial encounter | ICD-10-CM |
| T50.3X4A | Poisoning by electrolytic, caloric and water-balance agents, undetermined, initial encounter encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T50.4X1A | Poisoning by drugs affecting uric acid metabolism, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T50.4X2A | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T50.4X3A | Poisoning by drugs affecting uric acid metabolism, assault, initial encounter | ICD-10-CM |
| T50.4X4A | Poisoning by drugs affecting uric acid metabolism, undetermined, initial encounter | ICD-10-CM |
| T50.5X1A | Poisoning by appetite depressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.5X2A | Poisoning by appetite depressants, intentional self-harm, initial encounter | ICD-10-CM |
| T50.5X3A | Poisoning by appetite depressants, assault, initial encounter | ICD-10-CM |
| T50.5X4A | Poisoning by appetite depressants, undetermined, initial encounter | ICD-10-CM |
| T50.6X1A | Poisoning by antidotes and chelating agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.6X2A | Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter | ICD-10-CM |
| T50.6X3A | Poisoning by antidotes and chelating agents, assault, initial encounter | ICD-10-CM |
| T50.6X4A | Poisoning by antidotes and chelating agents, undetermined, initial encounter | ICD-10-CM |
| T50.7X1A | Poisoning by analeptics and opioid receptor antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| r50.7X2A | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T50.7X3A | Poisoning by analeptics and opioid receptor antagonists, assault, initial encounter | ICD-10-CM |
| T50.7X4A | Poisoning by analeptics and opioid receptor antagonists, undetermined, initial encounter | ICD-10-CM |
| T50.8X1A | Poisoning by diagnostic agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.8X2A | Poisoning by diagnostic agents, intentional self-harm, initial encounter | ICD-10-CM |
| T50.8X3A | Poisoning by diagnostic agents, assault, initial encounter | ICD-10-CM |
| T50.8X4A | Poisoning by diagnostic agents, undetermined, initial encounter | ICD-10-CM |
| T50.901A | Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.902A | Poisoning by unspecified drugs, medicaments and biological substances, intentional self- harm, initial encounter | ICD-10-CM |
| Г50.903A | Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter | ICD-10-CM |
| r50.904A | Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter | ICD-10-CM |
| Г50.991A | Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.992A | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter | ICD-10-CM |
| T50.993A | Poisoning by other drugs, medicaments and biological substances, assault, initial encounter | ICD-10-CM |



| Carla | Description | Cada Tura |
|-------------------------|--|------------------------|
| Code T50.994A | Poisoning by other drugs, medicaments and biological substances, undetermined, initial | Code Type ICD-10-CM |
| 130.994A | encounter | |
| T50.A11A | Poisoning by pertussis vaccine, including combinations with a pertussis component, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.A12A | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter | ICD-10-CM |
| T50.A13A | Poisoning by pertussis vaccine, including combinations with a pertussis component, assault, initial encounter | ICD-10-CM |
| T50.A14A | Poisoning by pertussis vaccine, including combinations with a pertussis component, undetermined, initial encounter | ICD-10-CM |
| T50.A21A | Poisoning by mixed bacterial vaccines without a pertussis component, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.A22A | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self- harm, initial encounter | ICD-10-CM |
| T50.A23A | Poisoning by mixed bacterial vaccines without a pertussis component, assault, initial encounter | ICD-10-CM |
| T50.A24A | Poisoning by mixed bacterial vaccines without a pertussis component, undetermined, initial encounter | ICD-10-CM |
| T50.A91A | Poisoning by other bacterial vaccines, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.A92A | Poisoning by other bacterial vaccines, intentional self-harm, initial encounter | ICD-10-CM |
| T50.A93A | Poisoning by other bacterial vaccines, assault, initial encounter | ICD-10-CM |
| T50.A94A | Poisoning by other bacterial vaccines, undetermined, initial encounter | ICD-10-CM |
| T50.B11A | Poisoning by smallpox vaccines, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.B12A | Poisoning by smallpox vaccines, intentional self-harm, initial encounter | ICD-10-CM |
| T50.B13A | Poisoning by smallpox vaccines, assault, initial encounter | ICD-10-CM |
| T50.B14A | Poisoning by smallpox vaccines, undetermined, initial encounter | ICD-10-CM |
| T50.B91A | Poisoning by other viral vaccines, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.B92A | Poisoning by other viral vaccines, intentional self-harm, initial encounter | ICD-10-CM |
| T50.B93A | Poisoning by other viral vaccines, assault, initial encounter | ICD-10-CM |
| T50.B94A | Poisoning by other viral vaccines, undetermined, initial encounter | ICD-10-CM |
| T50.Z11A | Poisoning by immunoglobulin, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.Z12A | Poisoning by immunoglobulin, intentional self-harm, initial encounter | ICD-10-CM |
| T50.Z13A | Poisoning by immunoglobulin, assault, initial encounter | ICD-10-CM |
| T50.Z14A | Poisoning by immunoglobulin, undetermined, initial encounter | ICD-10-CM |
| T50.Z91A | Poisoning by other vaccines and biological substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.Z92A | Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter | ICD-10-CM |
| T50.Z93A | Poisoning by other vaccines and biological substances, assault, initial encounter | ICD-10-CM |
| T50.Z94A | Poisoning by other vaccines and biological substances, undetermined, initial encounter | ICD-10-CM |
| T51.0X1A | Toxic effect of ethanol, accidental (unintentional), initial encounter | ICD-10-CM |



| T51.0X3AToxic effect of ethanol, assault, initial encounterICD-10-CMT51.0X4AToxic effect of ethanol, undetermined, initial encounterICD-10-CMT51.1X1AToxic effect of methanol, accidental (unintentional), initial encounterICD-10-CMT51.1X2AToxic effect of methanol, intentional self-harm, initial encounterICD-10-CMT51.1X3AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X1AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, intentional self-harm, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, indetermined, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, sasault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, sasault, initial encounterICD-10-CM <tr< th=""><th>Code</th><th>Description</th><th>Code Type</th></tr<> | Code | Description | Code Type |
|--|----------|--|-----------|
| T51.0X4AToxic effect of ethanol, undetermined, initial encounterICD-10-CMT51.1X1AToxic effect of methanol, accidental (unintentional), initial encounterICD-10-CMT51.1X2AToxic effect of methanol, assault, initial encounterICD-10-CMT51.1X4AToxic effect of methanol, sasult, initial encounterICD-10-CMT51.1X4AToxic effect of methanol, assault, initial encounterICD-10-CMT51.2X1AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X3AToxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of outpacefied alcohol, assault, initial encounterICD-10-CMT51.9XAAToxic effect of unspecified alcohol, assault, initial encounter </td <td>T51.0X2A</td> <td>Toxic effect of ethanol, intentional self-harm, initial encounter</td> <td>ICD-10-CM</td> | T51.0X2A | Toxic effect of ethanol, intentional self-harm, initial encounter | ICD-10-CM |
| T51.1X1AToxic effect of methanol, accidental (unintentional), initial encounterICD-10-CMT51.1X2AToxic effect of methanol, assault, initial encounterICD-10-CMT51.1X3AToxic effect of methanol, undetermined, initial encounterICD-10-CMT51.1X4AToxic effect of acthanol, assault, initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X4AToxic effect of Lsel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, ascault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.9X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.9X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.9X4AToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.9X4ATox | T51.0X3A | Toxic effect of ethanol, assault, initial encounter | ICD-10-CM |
| T51.1X2AToxic effect of methanol, intentional self-harm, initial encounterICD-10-CMT51.1X3AToxic effect of methanol, assault, initial encounterICD-10-CMT51.2X1AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X2AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X3AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X3AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X3AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, ascidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, ascidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, ascidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect | T51.0X4A | Toxic effect of ethanol, undetermined, initial encounter | ICD-10-CM |
| T51.1XAToxic effect of methanol, assault, initial encounterICD-10-CMT51.1XAToxic effect of methanol, undetermined, initial encounterICD-10-CMT51.2X1Toxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X3Toxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X4Toxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.2X4Toxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.3X4Toxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.8X4Toxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4Toxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4Toxic effect of other alcohols, assault, initial encounterICD-10-CMT51.9X4Toxic effect of unspecified alcohol, acsidental (unintentional), initial encounterICD-10-CMT51.9X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT52.0X1AToxi | T51.1X1A | Toxic effect of methanol, accidental (unintentional), initial encounter | ICD-10-CM |
| T51.1X4AToxic effect of methanol, undetermined, initial encounterICD-10-CMT51.2X1AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X2AToxic effect of 2-Propanol, accidental (unintentional)Initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.2X4AToxic effect of 1 sel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.92XAToxic effect of petroleum products, assault, initial encounterICD-10-CMT51.92XAToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0XAAToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0XAAToxic effect of petroleum products, sasault, initial encounterICD-10-CM <tr< td=""><td>T51.1X2A</td><td>Toxic effect of methanol, intentional self-harm, initial encounter</td><td>ICD-10-CM</td></tr<> | T51.1X2A | Toxic effect of methanol, intentional self-harm, initial encounter | ICD-10-CM |
| T51.2X1AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.2X2AToxic effect of 2-Propanol, intentional self-harm, initial encounterICD-10-CMT51.2X3AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, accidental (unintentional), initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X2AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.9X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, undetermined, initi | T51.1X3A | Toxic effect of methanol, assault, initial encounter | ICD-10-CM |
| T51.2X2AToxic effect of 2-Propanol, intentional self-harm, initial encounterICD-10-CMT51.2X3AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, intentional self-harm, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.9X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9X4AToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X3AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X4AToxic effect of benzene, accidental (unintentional), initial en | T51.1X4A | Toxic effect of methanol, undetermined, initial encounter | ICD-10-CM |
| T51.2X3AToxic effect of 2-Propanol, assault, initial encounterICD-10-CMT51.2X4AToxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X2AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), in | T51.2X1A | Toxic effect of 2-Propanol, accidental (unintentional), initial encounter | ICD-10-CM |
| T51.2X4AToxic effect of 2-Propanol, undetermined, initial encounterICD-10-CMT51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X2AToxic effect of fusel oil, accidental self-harm, initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAAToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.9XAAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0XAAToxic effect of petroleum products, audit, initial encounterICD-10-CMT52.0XAAToxic effect of petroleum products, audit, initial encounterICD-10-CMT52.0XAAToxic effect of petroleum products, audit, initial encounterICD-10-CMT52.0XAAToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1XAAToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CM </td <td>T51.2X2A</td> <td>Toxic effect of 2-Propanol, intentional self-harm, initial encounter</td> <td>ICD-10-CM</td> | T51.2X2A | Toxic effect of 2-Propanol, intentional self-harm, initial encounter | ICD-10-CM |
| T51.3X1AToxic effect of fusel oil, accidental (unintentional), initial encounterICD-10-CMT51.3X2AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of benzene, accidental (unintentional), initial encounter </td <td>T51.2X3A</td> <td>Toxic effect of 2-Propanol, assault, initial encounter</td> <td>ICD-10-CM</td> | T51.2X3A | Toxic effect of 2-Propanol, assault, initial encounter | ICD-10-CM |
| T51.3X2AToxic effect of fusel oil, intentional self-harm, initial encounterICD-10-CMT51.3X3AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, intentional self-harm, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect of puspecified alcohol, assault, initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0XAToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0XAToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of benzene, acciden | T51.2X4A | Toxic effect of 2-Propanol, undetermined, initial encounter | ICD-10-CM |
| T51.3X3AToxic effect of fusel oil, assault, initial encounterICD-10-CMT51.3X4AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, intentional self-harm, initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.9XAToxic effect of puspecified alcohol, undetermined, initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0XAToxic effect of petroleum products, sasault, initial encounterICD-10-CMT52.0XAToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.0XAToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1XAToxic effect of benzene, assault, initial encounterICD-10-CM <t< td=""><td>T51.3X1A</td><td>Toxic effect of fusel oil, accidental (unintentional), initial encounter</td><td>ICD-10-CM</td></t<> | T51.3X1A | Toxic effect of fusel oil, accidental (unintentional), initial encounter | ICD-10-CM |
| T51.3X4AToxic effect of fusel oil, undetermined, initial encounterICD-10-CMT51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.9X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93X4Toxic effect of puspecified alcohol, undetermined, initial encounterICD-10-CMT51.93X4Toxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X3A <td< td=""><td>T51.3X2A</td><td>Toxic effect of fusel oil, intentional self-harm, initial encounter</td><td>ICD-10-CM</td></td<> | T51.3X2A | Toxic effect of fusel oil, intentional self-harm, initial encounter | ICD-10-CM |
| T51.8X1AToxic effect of other alcohols, accidental (unintentional), initial encounterICD-10-CMT51.8X2AToxic effect of other alcohols, intentional self-harm, initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X2AToxic effect of peroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of peroleum products, assault, initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of homologues of benzene, accidental (uninte | T51.3X3A | Toxic effect of fusel oil, assault, initial encounter | ICD-10-CM |
| T51.8X2AToxic effect of other alcohols, intentional self-harm, initial encounterICD-10-CMT51.8X3AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT51.94XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X3AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, accidental (unintentional), initial encounterI | T51.3X4A | Toxic effect of fusel oil, undetermined, initial encounter | ICD-10-CM |
| T51.8X3AToxic effect of other alcohols, assault, initial encounterICD-10-CMT51.8X4AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3 | T51.8X1A | Toxic effect of other alcohols, accidental (unintentional), initial encounter | ICD-10-CM |
| T51.8X4AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounter | T51.8X2A | Toxic effect of other alcohols, intentional self-harm, initial encounter | ICD-10-CM |
| T51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.2X1AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X3AToxic effect of plycols, accidental (unintentional), initial enc | T51.8X3A | Toxic effect of other alcohols, assault, initial encounter | ICD-10-CM |
| T51.92XAToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X3AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CM< | T51.8X4A | Toxic effect of other alcohols, undetermined, initial encounter | ICD-10-CM |
| T51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X3AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52. | T51.91XA | Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter | ICD-10-CM |
| T51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.2X1AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.2X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols | T51.92XA | Toxic effect of unspecified alcohol, intentional self-harm, initial encounter | ICD-10-CM |
| T52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X2AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glyco | T51.93XA | Toxic effect of unspecified alcohol, assault, initial encounter | ICD-10-CM |
| T52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, ini | T51.94XA | Toxic effect of unspecified alcohol, undetermined, initial encounter | ICD-10-CM |
| T52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounter </td <td>T52.0X1A</td> <td>Toxic effect of petroleum products, accidental (unintentional), initial encounter</td> <td>ICD-10-CM</td> | T52.0X1A | Toxic effect of petroleum products, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.0X2A | Toxic effect of petroleum products, intentional self-harm, initial encounter | ICD-10-CM |
| T52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encou | T52.0X3A | Toxic effect of petroleum products, assault, initial encounter | ICD-10-CM |
| T52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.0X4A | Toxic effect of petroleum products, undetermined, initial encounter | ICD-10-CM |
| T52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of glycols, undetermined, initial encounterICD-10-CM | T52.1X1A | Toxic effect of benzene, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.1X2A | Toxic effect of benzene, intentional self-harm, initial encounter | ICD-10-CM |
| T52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.1X3A | Toxic effect of benzene, assault, initial encounter | ICD-10-CM |
| T52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.1X4A | Toxic effect of benzene, undetermined, initial encounter | ICD-10-CM |
| T52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of glycols, undetermined, initial encounterICD-10-CM | | | ICD-10-CM |
| T52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CM | T52.2X2A | Toxic effect of homologues of benzene, intentional self-harm, initial encounter | ICD-10-CM |
| T52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CM | T52.2X3A | Toxic effect of homologues of benzene, assault, initial encounter | ICD-10-CM |
| T52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.2X4A | Toxic effect of homologues of benzene, undetermined, initial encounter | ICD-10-CM |
| T52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.3X1A | Toxic effect of glycols, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.3X2A | Toxic effect of glycols, intentional self-harm, initial encounter | ICD-10-CM |
| T52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CM | T52.3X3A | | ICD-10-CM |
| T52.4X1A Toxic effect of ketones, accidental (unintentional), initial encounter ICD-10-CM | T52.3X4A | | ICD-10-CM |
| | T52.4X1A | | |
| | | Toxic effect of ketones, intentional self-harm, initial encounter | |



| Code | Description | Code Type |
|----------|--|-----------|
| T52.4X3A | Toxic effect of ketones, assault, initial encounter | ICD-10-CM |
| T52.4X4A | Toxic effect of ketones, undetermined, initial encounter | ICD-10-CM |
| T52.8X1A | Toxic effect of other organic solvents, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.8X2A | Toxic effect of other organic solvents, intentional self-harm, initial encounter | ICD-10-CM |
| T52.8X3A | Toxic effect of other organic solvents, assault, initial encounter | ICD-10-CM |
| T52.8X4A | Toxic effect of other organic solvents, undetermined, initial encounter | ICD-10-CM |
| T52.91XA | Toxic effect of unspecified organic solvent, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.92XA | Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter | ICD-10-CM |
| T52.93XA | Toxic effect of unspecified organic solvent, assault, initial encounter | ICD-10-CM |
| T52.94XA | Toxic effect of unspecified organic solvent, undetermined, initial encounter | ICD-10-CM |
| T53.0X1A | Toxic effect of carbon tetrachloride, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.0X2A | Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter | ICD-10-CM |
| T53.0X3A | Toxic effect of carbon tetrachloride, assault, initial encounter | ICD-10-CM |
| T53.0X4A | Toxic effect of carbon tetrachloride, undetermined, initial encounter | ICD-10-CM |
| T53.1X1A | Toxic effect of chloroform, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.1X2A | Toxic effect of chloroform, intentional self-harm, initial encounter | ICD-10-CM |
| T53.1X3A | Toxic effect of chloroform, assault, initial encounter | ICD-10-CM |
| T53.1X4A | Toxic effect of chloroform, undetermined, initial encounter | ICD-10-CM |
| T53.2X1A | Toxic effect of trichloroethylene, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.2X2A | Toxic effect of trichloroethylene, intentional self-harm, initial encounter | ICD-10-CM |
| T53.2X3A | Toxic effect of trichloroethylene, assault, initial encounter | ICD-10-CM |
| T53.2X4A | Toxic effect of trichloroethylene, undetermined, initial encounter | ICD-10-CM |
| T53.3X1A | Toxic effect of tetrachloroethylene, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.3X2A | Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter | ICD-10-CM |
| T53.3X3A | Toxic effect of tetrachloroethylene, assault, initial encounter | ICD-10-CM |
| T53.3X4A | Toxic effect of tetrachloroethylene, undetermined, initial encounter | ICD-10-CM |
| T53.4X1A | Toxic effect of dichloromethane, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.4X2A | Toxic effect of dichloromethane, intentional self-harm, initial encounter | ICD-10-CM |
| T53.4X3A | Toxic effect of dichloromethane, assault, initial encounter | ICD-10-CM |
| T53.4X4A | Toxic effect of dichloromethane, undetermined, initial encounter | ICD-10-CM |
| T53.5X1A | Toxic effect of chlorofluorocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.5X2A | Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter | ICD-10-CM |
| T53.5X3A | Toxic effect of chlorofluorocarbons, assault, initial encounter | ICD-10-CM |
| T53.5X4A | Toxic effect of chlorofluorocarbons, undetermined, initial encounter | ICD-10-CM |
| T53.6X1A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.6X2A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self- harm, initial encounter | ICD-10-CM |
| T53.6X3A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------------------|---|------------------------|
| T53.6X4A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, initial | ICD-10-CM |
| | encounter | |
| T53.7X1A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental | ICD-10-CM |
| | (unintentional), initial encounter | |
| T53.7X2A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self- | ICD-10-CM |
| | harm, initial encounter | |
| T53.7X3A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, initial | ICD-10-CM |
| | encounter | |
| T53.7X4A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, initial encounter | ICD-10-CM |
| T53.91XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.92XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter | ICD-10-CM |
| T53.93XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, | ICD-10-CM |
| 133.3374 | assault, initial encounter | |
| T53.94XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, | ICD-10-CM |
| | undetermined, initial encounter | |
| T54.0X1A | Toxic effect of phenol and phenol homologues, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T54.0X2A | Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter | ICD-10-CM |
| T54.0X3A | Toxic effect of phenol and phenol homologues, assault, initial encounter | ICD-10-CM |
| T54.0X4A | Toxic effect of phenol and phenol homologues, undetermined, initial encounter | ICD-10-CM |
| T54.1X1A | Toxic effect of other corrosive organic compounds, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T54.1X2A | Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter | ICD-10-CM |
| | | |
| T54.1X3A T54.1X4A | Toxic effect of other corrosive organic compounds, assault, initial encounter Toxic effect of other corrosive organic compounds, undetermined, initial encounter | ICD-10-CM ICD-10-CM |
| T54.1X4A | Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), initial | ICD-10-CM |
| 134.2718 | encounter | |
| T54.2X2A | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial | ICD-10-CM |
| 10 | encounter | |
| T54.2X3A | Toxic effect of corrosive acids and acid-like substances, assault, initial encounter | ICD-10-CM |
| T54.2X4A | Toxic effect of corrosive acids and acid-like substances, undetermined, initial encounter | ICD-10-CM |
| 137.2/177 | | |
| T54.3X1A | Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), | ICD-10-CM |
| | initial encounter | |
| T54.3X2A | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter | ICD-10-CM |
| T54.3X3A | Toxic effect of corrosive alkalis and alkali-like substances, assault, initial encounter | ICD-10-CM |
| | , | - |



| Code | Description | Code Type |
|---------|---|-----------|
| 54.3X4A | Toxic effect of corrosive alkalis and alkali-like substances, undetermined, initial | ICD-10-CM |
| | encounter | |
| 54.91XA | Toxic effect of unspecified corrosive substance, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| 54.92XA | Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter | ICD-10-CM |
| 54.93XA | Toxic effect of unspecified corrosive substance, assault, initial encounter | ICD-10-CN |
| 54.94XA | Toxic effect of unspecified corrosive substance, undetermined, initial encounter | ICD-10-CM |
| 55.0X1A | Toxic effect of soaps, accidental (unintentional), initial encounter | ICD-10-CM |
| 55.0X2A | Toxic effect of soaps, intentional self-harm, initial encounter | ICD-10-CM |
| 55.0X3A | Toxic effect of soaps, assault, initial encounter | ICD-10-CM |
| 55.0X4A | Toxic effect of soaps, undetermined, initial encounter | ICD-10-CM |
| 55.1X1A | Toxic effect of detergents, accidental (unintentional), initial encounter | ICD-10-CN |
| 55.1X2A | Toxic effect of detergents, intentional self-harm, initial encounter | ICD-10-CN |
| 55.1X3A | Toxic effect of detergents, assault, initial encounter | ICD-10-CN |
| 55.1X4A | Toxic effect of detergents, undetermined, initial encounter | ICD-10-CN |
| 56.0X1A | Toxic effect of lead and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.0X2A | Toxic effect of lead and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.0X3A | Toxic effect of lead and its compounds, assault, initial encounter | ICD-10-CN |
| 56.0X4A | Toxic effect of lead and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.1X1A | Toxic effect of mercury and its compounds, accidental (unintentional), initial encounter | ICD-10-CN |
| 56.1X2A | Toxic effect of mercury and its compounds, intentional self-harm, initial encounter | ICD-10-CN |
| 56.1X3A | Toxic effect of mercury and its compounds, assault, initial encounter | ICD-10-CM |
| 56.1X4A | Toxic effect of mercury and its compounds, undetermined, initial encounter | ICD-10-CN |
| 56.2X1A | Toxic effect of chromium and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.2X2A | Toxic effect of chromium and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.2X3A | Toxic effect of chromium and its compounds, assault, initial encounter | ICD-10-CM |
| 56.2X4A | Toxic effect of chromium and its compounds, undetermined, initial encounter | ICD-10-CN |
| 56.3X1A | Toxic effect of cadmium and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.3X2A | Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.3X3A | Toxic effect of cadmium and its compounds, assault, initial encounter | ICD-10-CM |
| 56.3X4A | Toxic effect of cadmium and its compounds, undetermined, initial encounter | ICD-10-CN |
| 56.4X1A | Toxic effect of copper and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.4X2A | Toxic effect of copper and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.4X3A | Toxic effect of copper and its compounds, assault, initial encounter | ICD-10-CM |
| 56.4X4A | Toxic effect of copper and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.5X1A | Toxic effect of zinc and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.5X2A | Toxic effect of zinc and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.5X3A | Toxic effect of zinc and its compounds, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T56.5X4A | Toxic effect of zinc and its compounds, undetermined, initial encounter | ICD-10-CM |
| T56.6X1A | Toxic effect of tin and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| T56.6X2A | Toxic effect of tin and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| T56.6X3A | Toxic effect of tin and its compounds, assault, initial encounter | ICD-10-CM |
| T56.6X4A | Toxic effect of tin and its compounds, undetermined, initial encounter | ICD-10-CM |
| T56.7X1A | Toxic effect of beryllium and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| Г56.7X2А | Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| Г56.7X3A | Toxic effect of beryllium and its compounds, assault, initial encounter | ICD-10-CM |
| r56.7X4A | Toxic effect of beryllium and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.891A | Toxic effect of other metals, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.892A | Toxic effect of other metals, intentional self-harm, initial encounter | ICD-10-CM |
| 56.893A | Toxic effect of other metals, assault, initial encounter | ICD-10-CM |
| 56.894A | Toxic effect of other metals, undetermined, initial encounter | ICD-10-CM |
| 56.91XA | Toxic effect of unspecified metal, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.92XA | Toxic effect of unspecified metal, intentional self-harm, initial encounter | ICD-10-CM |
| 56.93XA | Toxic effect of unspecified metal, assault, initial encounter | ICD-10-CM |
| 56.94XA | Toxic effect of unspecified metal, undetermined, initial encounter | ICD-10-CM |
| 57.0X1A | Toxic effect of arsenic and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.0X2A | Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 57.0X3A | Toxic effect of arsenic and its compounds, assault, initial encounter | ICD-10-CM |
| 57.0X4A | Toxic effect of arsenic and its compounds, undetermined, initial encounter | ICD-10-CM |
| 57.1X1A | Toxic effect of phosphorus and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.1X2A | Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 57.1X2A | Toxic effect of phosphorus and its compounds, assault, initial encounter | ICD-10-CM |
| 57.1X3A | Toxic effect of phosphorus and its compounds, undetermined, initial encounter | ICD-10-CM |
| 57.2X1A | Toxic effect of manganese and its compounds, accidental (unintentional), initial encounter encounter | ICD-10-CM |
| 57.2X2A | Toxic effect of manganese and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 57.2X3A | Toxic effect of manganese and its compounds, assault, initial encounter | ICD-10-CM |
| 57.2X4A | Toxic effect of manganese and its compounds, undetermined, initial encounter | ICD-10-CM |
| 57.3X1A | Toxic effect of hydrogen cyanide, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.3X2A | Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter | ICD-10-CM |
| 57.3X3A | Toxic effect of hydrogen cyanide, assault, initial encounter | ICD-10-CM |
| 57.3X4A | Toxic effect of hydrogen cyanide, undetermined, initial encounter | ICD-10-CM |
| 57.8X1A | Toxic effect of other specified inorganic substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T57.8X2A | Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter | ICD-10-CM |
| r57.8X3A | Toxic effect of other specified inorganic substances, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T57.91XA | Toxic effect of unspecified inorganic substance, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T57.92XA | Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter | ICD-10-CM |
| T57.93XA | Toxic effect of unspecified inorganic substance, assault, initial encounter | ICD-10-CM |
| T57.94XA | Toxic effect of unspecified inorganic substance, undetermined, initial encounter | ICD-10-CM |
| T58.01XA | Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.02XA | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter | ICD-10-CM |
| T58.03XA | Toxic effect of carbon monoxide from motor vehicle exhaust, assault, initial encounter | ICD-10-CM |
| T58.04XA | Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, initial encounter | ICD-10-CM |
| T58.11XA | Toxic effect of carbon monoxide from utility gas, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.12XA | Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter | ICD-10-CM |
| T58.13XA | Toxic effect of carbon monoxide from utility gas, assault, initial encounter | ICD-10-CM |
| Г58.14XA | Toxic effect of carbon monoxide from utility gas, undetermined, initial encounter | ICD-10-CM |
| T58.2X1A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.2X2A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, | ICD-10-CM |
| T58.2X3A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, initial encounter | ICD-10-CM |
| T58.2X4A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, initial encounter | ICD-10-CM |
| T58.8X1A | Toxic effect of carbon monoxide from other source, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.8X2A | Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter | ICD-10-CM |
| r58.8X3A | Toxic effect of carbon monoxide from other source, assault, initial encounter | ICD-10-CM |
| r58.8X4A | Toxic effect of carbon monoxide from other source, undetermined, initial encounter | ICD-10-CM |
| T58.91XA | Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), initial encounter | ICD-10-CM |
| Г58.92XA | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter | ICD-10-CM |
| T58.93XA | Toxic effect of carbon monoxide from unspecified source, assault, initial encounter | ICD-10-CM |
| T58.94XA | Toxic effect of carbon monoxide from unspecified source, undetermined, initial encounter | ICD-10-CM |
| T59.0X1A | Toxic effect of nitrogen oxides, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.0X2A | Toxic effect of nitrogen oxides, intentional self-harm, initial encounter | ICD-10-CM |
| T59.0X3A | Toxic effect of nitrogen oxides, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T59.0X4A | Toxic effect of nitrogen oxides, undetermined, initial encounter | ICD-10-CM |
| T59.1X1A | Toxic effect of sulfur dioxide, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.1X2A | Toxic effect of sulfur dioxide, intentional self-harm, initial encounter | ICD-10-CM |
| T59.1X3A | Toxic effect of sulfur dioxide, assault, initial encounter | ICD-10-CM |
| T59.1X4A | Toxic effect of sulfur dioxide, undetermined, initial encounter | ICD-10-CM |
| T59.2X1A | Toxic effect of formaldehyde, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.2X2A | Toxic effect of formaldehyde, intentional self-harm, initial encounter | ICD-10-CM |
| T59.2X3A | Toxic effect of formaldehyde, assault, initial encounter | ICD-10-CM |
| T59.2X4A | Toxic effect of formaldehyde, undetermined, initial encounter | ICD-10-CM |
| T59.3X1A | Toxic effect of lacrimogenic gas, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.3X2A | Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter | ICD-10-CM |
| T59.3X3A | Toxic effect of lacrimogenic gas, assault, initial encounter | ICD-10-CM |
| T59.3X4A | Toxic effect of lacrimogenic gas, undetermined, initial encounter | ICD-10-CM |
| T59.4X1A | Toxic effect of chlorine gas, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.4X2A | Toxic effect of chlorine gas, intentional self-harm, initial encounter | ICD-10-CM |
| T59.4X3A | Toxic effect of chlorine gas, assault, initial encounter | ICD-10-CM |
| T59.4X4A | Toxic effect of chlorine gas, undetermined, initial encounter | ICD-10-CM |
| T59.5X1A | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T59.5X2A | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter | ICD-10-CM |
| T59.5X3A | Toxic effect of fluorine gas and hydrogen fluoride, assault, initial encounter | ICD-10-CM |
| T59.5X4A | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, initial encounter | ICD-10-CM |
| T59.6X1A | Toxic effect of hydrogen sulfide, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.6X2A | Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter | ICD-10-CM |
| T59.6X3A | Toxic effect of hydrogen sulfide, assault, initial encounter | ICD-10-CM |
| T59.6X4A | Toxic effect of hydrogen sulfide, undetermined, initial encounter | ICD-10-CM |
| T59.7X1A | Toxic effect of carbon dioxide, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.7X2A | Toxic effect of carbon dioxide, intentional self-harm, initial encounter | ICD-10-CM |
| T59.7X3A | Toxic effect of carbon dioxide, assault, initial encounter | ICD-10-CM |
| T59.7X4A | Toxic effect of carbon dioxide, undetermined, initial encounter | ICD-10-CM |
| T59.811A | Toxic effect of smoke, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.812A | Toxic effect of smoke, intentional self-harm, initial encounter | ICD-10-CM |
| T59.813A | Toxic effect of smoke, assault, initial encounter | ICD-10-CM |
| T59.814A | Toxic effect of smoke, undetermined, initial encounter | ICD-10-CM |
| T59.891A | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.892A | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter | ICD-10-CM |
| T59.893A | Toxic effect of other specified gases, fumes and vapors, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T59.894A | Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter | ICD-10-CM |
| T59.91XA | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial | ICD-10-CM |
| T59.92XA | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter | ICD-10-CM |
| T59.93XA | Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter | ICD-10-CM |
| T59.94XA | Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter | ICD-10-CM |
| T60.0X1A | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.0X2A | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter | ICD-10-CM |
| Г60.0X3A | Toxic effect of organophosphate and carbamate insecticides, assault, initial encounter | ICD-10-CM |
| T60.0X4A | Toxic effect of organophosphate and carbamate insecticides, undetermined, initial encounter | ICD-10-CM |
| T60.1X1A | Toxic effect of halogenated insecticides, accidental (unintentional), initial encounter | ICD-10-CM |
| Г60.1X2A | Toxic effect of halogenated insecticides, intentional self-harm, initial encounter | ICD-10-CM |
| F60.1X3A | Toxic effect of halogenated insecticides, assault, initial encounter | ICD-10-CM |
| 60.1X4A | Toxic effect of halogenated insecticides, undetermined, initial encounter | ICD-10-CM |
| 60.2X1A | Toxic effect of other insecticides, accidental (unintentional), initial encounter | ICD-10-CM |
| 60.2X2A | Toxic effect of other insecticides, intentional self-harm, initial encounter | ICD-10-CM |
| 60.2X3A | Toxic effect of other insecticides, assault, initial encounter | ICD-10-CM |
| 60.2X4A | Toxic effect of other insecticides, undetermined, initial encounter | ICD-10-CM |
| Г60.3X1A | Toxic effect of herbicides and fungicides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.3X2A | Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter | ICD-10-CM |
| Г60.3X3A | Toxic effect of herbicides and fungicides, assault, initial encounter | ICD-10-CM |
| T60.3X4A | Toxic effect of herbicides and fungicides, undetermined, initial encounter | ICD-10-CM |
| ۲60.4X1A | Toxic effect of rodenticides, accidental (unintentional), initial encounter | ICD-10-CM |
| Г60.4X2A | Toxic effect of rodenticides, intentional self-harm, initial encounter | ICD-10-CM |
| Г60.4X3A | Toxic effect of rodenticides, assault, initial encounter | ICD-10-CM |
| T60.4X4A | Toxic effect of rodenticides, undetermined, initial encounter | ICD-10-CM |
| F60.8X1A | Toxic effect of other pesticides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.8X2A | Toxic effect of other pesticides, intentional self-harm, initial encounter | ICD-10-CM |
| Г60.8X3A | Toxic effect of other pesticides, assault, initial encounter | ICD-10-CM |
| T60.8X4A | Toxic effect of other pesticides, undetermined, initial encounter | ICD-10-CM |
| T60.91XA | Toxic effect of unspecified pesticide, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.92XA | Toxic effect of unspecified pesticide, intentional self-harm, initial encounter | ICD-10-CM |
| T60.93XA | Toxic effect of unspecified pesticide, assault, initial encounter | ICD-10-CM |
| T60.94XA | Toxic effect of unspecified pesticide, undetermined, initial encounter | ICD-10-CM |
| T61.01XA | Ciguatera fish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| F61.02XA | Ciguatera fish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.03XA | Ciguatera fish poisoning, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T61.04XA | Ciguatera fish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.11XA | Scombroid fish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.12XA | Scombroid fish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.13XA | Scombroid fish poisoning, assault, initial encounter | ICD-10-CM |
| T61.14XA | Scombroid fish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.771A | Other fish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.772A | Other fish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.773A | Other fish poisoning, assault, initial encounter | ICD-10-CM |
| T61.774A | Other fish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.781A | Other shellfish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.782A | Other shellfish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.783A | Other shellfish poisoning, assault, initial encounter | ICD-10-CM |
| T61.784A | Other shellfish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.8X1A | Toxic effect of other seafood, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.8X2A | Toxic effect of other seafood, intentional self-harm, initial encounter | ICD-10-CM |
| T61.8X3A | Toxic effect of other seafood, assault, initial encounter | ICD-10-CM |
| T61.8X4A | Toxic effect of other seafood, undetermined, initial encounter | ICD-10-CM |
| T61.91XA | Toxic effect of unspecified seafood, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.92XA | Toxic effect of unspecified seafood, intentional self-harm, initial encounter | ICD-10-CM |
| T61.93XA | Toxic effect of unspecified seafood, assault, initial encounter | ICD-10-CM |
| T61.94XA | Toxic effect of unspecified seafood, undetermined, initial encounter | ICD-10-CM |
| T62.0X1A | Toxic effect of ingested mushrooms, accidental (unintentional), initial encounter | ICD-10-CM |
| T62.0X2A | Toxic effect of ingested mushrooms, intentional self-harm, initial encounter | ICD-10-CM |
| T62.0X3A | Toxic effect of ingested mushrooms, assault, initial encounter | ICD-10-CM |
| T62.0X4A | Toxic effect of ingested mushrooms, undetermined, initial encounter | ICD-10-CM |
| T62.1X1A | Toxic effect of ingested berries, accidental (unintentional), initial encounter | ICD-10-CM |
| T62.1X2A | Toxic effect of ingested berries, intentional self-harm, initial encounter | ICD-10-CM |
| T62.1X3A | Toxic effect of ingested berries, assault, initial encounter | ICD-10-CM |
| T62.1X4A | Toxic effect of ingested berries, undetermined, initial encounter | ICD-10-CM |
| T62.2X1A | Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), initial encounter | ICD-10-CM |
| T62.2X2A | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter | ICD-10-CM |
| T62.2X3A | Toxic effect of other ingested (parts of) plant(s), assault, initial encounter | ICD-10-CM |
| T62.2X4A | Toxic effect of other ingested (parts of) plant(s), undetermined, initial encounter | ICD-10-CM |
| T62.8X1A | Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), initial encounter | ICD-10-CM |
| T62.8X2A | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter | ICD-10-CM |
| T62.8X3A | Toxic effect of other specified noxious substances eaten as food, assault, initial encounter | ICD-10-CM |



| | Description | Code Type |
|-------------|---|-----------|
| r62.8X4A | Toxic effect of other specified noxious substances eaten as food, undetermined, initial | ICD-10-CM |
| | encounter | |
| 62.91XA | Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), | ICD-10-CM |
| | initial encounter | |
| 62.92XA | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| 62.93XA | Toxic effect of unspecified noxious substance eaten as food, assault, initial encounter | ICD-10-CM |
| 62.94XA | Toxic effect of unspecified noxious substance eaten as food, undetermined, initial | ICD-10-CM |
| | encounter | |
| 63.001A | Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.002A | Toxic effect of unspecified snake venom, intentional self-harm, initial encounter | ICD-10-CM |
| 63.003A | Toxic effect of unspecified snake venom, assault, initial encounter | ICD-10-CM |
| 63.004A | Toxic effect of unspecified snake venom, undetermined, initial encounter | ICD-10-CM |
| 63.011A | Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.012A | Toxic effect of rattlesnake venom, intentional self-harm, initial encounter | ICD-10-CM |
| 63.013A | Toxic effect of rattlesnake venom, assault, initial encounter | ICD-10-CM |
| 63.014A | Toxic effect of rattlesnake venom, undetermined, initial encounter | ICD-10-CM |
| 63.021A | Toxic effect of coral snake venom, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.022A | Toxic effect of coral snake venom, intentional self-harm, initial encounter | ICD-10-CM |
| 63.023A | Toxic effect of coral snake venom, assault, initial encounter | ICD-10-CM |
| 63.024A | Toxic effect of coral snake venom, undetermined, initial encounter | ICD-10-CM |
| 63.031A | Toxic effect of taipan venom, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.032A | Toxic effect of taipan venom, intentional self-harm, initial encounter | ICD-10-CM |
| 63.033A | Toxic effect of taipan venom, assault, initial encounter | ICD-10-CM |
| 63.034A | Toxic effect of taipan venom, undetermined, initial encounter | ICD-10-CM |
| 63.041A | Toxic effect of cobra venom, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.042A | Toxic effect of cobra venom, intentional self-harm, initial encounter | ICD-10-CM |
| 63.043A | Toxic effect of cobra venom, assault, initial encounter | ICD-10-CM |
| 63.044A | Toxic effect of cobra venom, undetermined, initial encounter | ICD-10-CM |
| 63.061A | Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.062A | Toxic effect of venom of other North and South American snake, intentional self-harm, | ICD-10-CM |
| | initial encounter | |
| 63.063A | Toxic effect of venom of other North and South American snake, assault, initial encounter | ICD-10-CM |
| 63.064A | Toxic effect of venom of other North and South American snake, undetermined, initial encounter | ICD-10-CM |
| 63.071A | Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.072A | Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter | ICD-10-CM |
| 0 1 1 / / 4 | | |



| Code | Description | Code Type |
|----------|---|-----------|
| T63.074A | Toxic effect of venom of other Australian snake, undetermined, initial encounter | ICD-10-CM |
| T63.081A | Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.082A | Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter | ICD-10-CM |
| T63.083A | Toxic effect of venom of other African and Asian snake, assault, initial encounter | ICD-10-CM |
| T63.084A | Toxic effect of venom of other African and Asian snake, undetermined, initial encounter | ICD-10-CM |
| T63.091A | Toxic effect of venom of other snake, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.092A | Toxic effect of venom of other snake, intentional self-harm, initial encounter | ICD-10-CM |
| T63.093A | Toxic effect of venom of other snake, assault, initial encounter | ICD-10-CM |
| T63.094A | Toxic effect of venom of other snake, undetermined, initial encounter | ICD-10-CM |
| T63.111A | Toxic effect of venom of gila monster, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.112A | Toxic effect of venom of gila monster, intentional self-harm, initial encounter | ICD-10-CM |
| T63.113A | Toxic effect of venom of gila monster, assault, initial encounter | ICD-10-CM |
| T63.114A | Toxic effect of venom of gila monster, undetermined, initial encounter | ICD-10-CM |
| T63.121A | Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.122A | Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter | ICD-10-CM |
| T63.123A | Toxic effect of venom of other venomous lizard, assault, initial encounter | ICD-10-CM |
| T63.124A | Toxic effect of venom of other venomous lizard, undetermined, initial encounter | ICD-10-CM |
| T63.191A | Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.192A | Toxic effect of venom of other reptiles, intentional self-harm, initial encounter | ICD-10-CM |
| T63.193A | Toxic effect of venom of other reptiles, assault, initial encounter | ICD-10-CM |
| T63.194A | Toxic effect of venom of other reptiles, undetermined, initial encounter | ICD-10-CM |
| T63.2X1A | Toxic effect of venom of scorpion, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.2X2A | Toxic effect of venom of scorpion, intentional self-harm, initial encounter | ICD-10-CM |
| T63.2X3A | Toxic effect of venom of scorpion, assault, initial encounter | ICD-10-CM |
| T63.2X4A | Toxic effect of venom of scorpion, undetermined, initial encounter | ICD-10-CM |
| T63.301A | Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.302A | Toxic effect of unspecified spider venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.303A | Toxic effect of unspecified spider venom, assault, initial encounter | ICD-10-CM |
| T63.304A | Toxic effect of unspecified spider venom, undetermined, initial encounter | ICD-10-CM |
| T63.311A | Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.312A | Toxic effect of venom of black widow spider, intentional self-harm, initial encounter | ICD-10-CM |
| T63.313A | Toxic effect of venom of black widow spider, assault, initial encounter | ICD-10-CM |
| T63.314A | Toxic effect of venom of black widow spider, undetermined, initial encounter | ICD-10-CM |
| T63.321A | Toxic effect of venom of tarantula, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.322A | Toxic effect of venom of tarantula, intentional self-harm, initial encounter | ICD-10-CM |
| T63.323A | Toxic effect of venom of tarantula, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T63.324A | Toxic effect of venom of tarantula, undetermined, initial encounter | ICD-10-CM |
| T63.331A | Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.332A | Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter | ICD-10-CM |
| T63.333A | Toxic effect of venom of brown recluse spider, assault, initial encounter | ICD-10-CM |
| T63.334A | Toxic effect of venom of brown recluse spider, undetermined, initial encounter | ICD-10-CM |
| T63.391A | Toxic effect of venom of other spider, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.392A | Toxic effect of venom of other spider, intentional self-harm, initial encounter | ICD-10-CM |
| T63.393A | Toxic effect of venom of other spider, assault, initial encounter | ICD-10-CM |
| T63.394A | Toxic effect of venom of other spider, undetermined, initial encounter | ICD-10-CM |
| Г63.411А | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.412A | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter | ICD-10-CM |
| Г63.413A | Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter | ICD-10-CM |
| T63.414A | Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter | ICD-10-CM |
| Г63.421A | Toxic effect of venom of ants, accidental (unintentional), initial encounter | ICD-10-CM |
| Г63.422A | Toxic effect of venom of ants, intentional self-harm, initial encounter | ICD-10-CM |
| Г63.423A | Toxic effect of venom of ants, assault, initial encounter | ICD-10-CM |
| Г63.424A | Toxic effect of venom of ants, undetermined, initial encounter | ICD-10-CM |
| T63.431A | Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.432A | Toxic effect of venom of caterpillars, intentional self-harm, initial encounter | ICD-10-CM |
| T63.433A | Toxic effect of venom of caterpillars, assault, initial encounter | ICD-10-CM |
| T63.434A | Toxic effect of venom of caterpillars, undetermined, initial encounter | ICD-10-CM |
| Г63.441A | Toxic effect of venom of bees, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.442A | Toxic effect of venom of bees, intentional self-harm, initial encounter | ICD-10-CM |
| T63.443A | Toxic effect of venom of bees, assault, initial encounter | ICD-10-CM |
| T63.444A | Toxic effect of venom of bees, undetermined, initial encounter | ICD-10-CM |
| T63.451A | Toxic effect of venom of hornets, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.452A | Toxic effect of venom of hornets, intentional self-harm, initial encounter | ICD-10-CM |
| T63.453A | Toxic effect of venom of hornets, assault, initial encounter | ICD-10-CM |
| T63.454A | Toxic effect of venom of hornets, undetermined, initial encounter | ICD-10-CM |
| T63.461A | Toxic effect of venom of wasps, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.462A | Toxic effect of venom of wasps, intentional self-harm, initial encounter | ICD-10-CM |
| T63.463A | Toxic effect of venom of wasps, assault, initial encounter | ICD-10-CM |
| T63.464A | Toxic effect of venom of wasps, undetermined, initial encounter | ICD-10-CM |
| T63.481A | Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.482A | Toxic effect of venom of other arthropod, intentional self-harm, initial encounter | ICD-10-CM |
| T63.483A | Toxic effect of venom of other arthropod, assault, initial encounter | ICD-10-CM |
| | | |



| Code | Description | Code Type |
|----------|---|-----------|
| T63.484A | Toxic effect of venom of other arthropod, undetermined, initial encounter | ICD-10-CM |
| T63.511A | Toxic effect of contact with stingray, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.512A | Toxic effect of contact with stingray, intentional self-harm, initial encounter | ICD-10-CM |
| T63.513A | Toxic effect of contact with stingray, assault, initial encounter | ICD-10-CM |
| T63.514A | Toxic effect of contact with stingray, undetermined, initial encounter | ICD-10-CM |
| T63.591A | Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter | ICD-10-CM |
| r63.592A | Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter | ICD-10-CM |
| r63.593A | Toxic effect of contact with other venomous fish, assault, initial encounter | ICD-10-CM |
| r63.594A | Toxic effect of contact with other venomous fish, undetermined, initial encounter | ICD-10-CM |
| T63.611A | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.612A | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter | ICD-10-CM |
| Г63.613A | Toxic effect of contact with Portugese Man-o-war, assault, initial encounter | ICD-10-CM |
| 63.614A | Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter | ICD-10-CM |
| 63.621A | Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.622A | Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter | ICD-10-CM |
| 63.623A | Toxic effect of contact with other jellyfish, assault, initial encounter | ICD-10-CM |
| 63.624A | Toxic effect of contact with other jellyfish, undetermined, initial encounter | ICD-10-CM |
| 63.631A | Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter | ICD-10-CM |
| 63.632A | Toxic effect of contact with sea anemone, intentional self-harm, initial encounter | ICD-10-CM |
| 63.633A | Toxic effect of contact with sea anemone, assault, initial encounter | ICD-10-CM |
| 63.634A | Toxic effect of contact with sea anemone, undetermined, initial encounter | ICD-10-CM |
| Г63.691A | Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter | ICD-10-CM |
| Г63.692A | Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter | ICD-10-CM |
| 63.693A | Toxic effect of contact with other venomous marine animals, assault, initial encounter | ICD-10-CM |
| T63.694A | Toxic effect of contact with other venomous marine animals, undetermined, initial encounter | ICD-10-CM |
| r63.711A | Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter | ICD-10-CM |
| Г63.712A | Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter | ICD-10-CM |
| r63.713A | Toxic effect of contact with venomous marine plant, assault, initial encounter | ICD-10-CM |
| 63.714A | Toxic effect of contact with venomous marine plant, undetermined, initial encounter | ICD-10-CM |
| T63.791A | Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | |
|------------|---|------------------------|
| T63.792A | Toxic effect of contact with other venomous plant, intentional self-harm, initial | Code Type ICD-10-CM |
| 105.7524 | encounter | |
| T63.793A | Toxic effect of contact with other venomous plant, assault, initial encounter | ICD-10-CM |
| T63.794A | Toxic effect of contact with other venomous plant, undetermined, initial encounter | ICD-10-CM |
| T63.811A | Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.812A | Toxic effect of contact with venomous frog, intentional self-harm, initial encounter | ICD-10-CM |
| T63.813A | Toxic effect of contact with venomous frog, assault, initial encounter | ICD-10-CM |
| T63.814A | Toxic effect of contact with venomous frog, undetermined, initial encounter | ICD-10-CM |
| T63.821A | Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter | ICD-10-CM |
| | | |
| T63.822A | Toxic effect of contact with venomous toad, intentional self-harm, initial encounter | ICD-10-CM |
| T63.823A | Toxic effect of contact with venomous toad, assault, initial encounter | ICD-10-CM |
| T63.824A | Toxic effect of contact with venomous toad, undetermined, initial encounter | ICD-10-CM |
| T63.831A | Toxic effect of contact with other venomous amphibian, accidental (unintentional), | ICD-10-CM |
| | initial encounter | |
| T63.832A | Toxic effect of contact with other venomous amphibian, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T63.833A | Toxic effect of contact with other venomous amphibian, assault, initial encounter | ICD-10-CM |
| T63.834A | Toxic effect of contact with other venomous amphibian, undetermined, initial encounter | ICD-10-CM |
| | Tavia offect of contect with other warman and an anidental (which with well) initial | |
| T63.891A | Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.892A | Toxic effect of contact with other venomous animals, intentional self-harm, initial | ICD-10-CM |
| 105.052/1 | encounter | |
| T63.893A | Toxic effect of contact with other venomous animals, assault, initial encounter | ICD-10-CM |
| T63.894A | Toxic effect of contact with other venomous animals, undetermined, initial encounter | ICD-10-CM |
| T63.91XA | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), | ICD-10-CM |
| | initial encounter | |
| T63.92XA | Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T63.93XA | Toxic effect of contact with unspecified venomous animal, assault, initial encounter | ICD-10-CM |
| T63.94XA | Toxic effect of contact with unspecified venomous animal, undetermined, initial | ICD-10-CM |
| | encounter | |
| T64.01XA | Toxic effect of aflatoxin, accidental (unintentional), initial encounter | ICD-10-CM |
| T64.02XA | Toxic effect of aflatoxin, intentional self-harm, initial encounter | ICD-10-CM |
| T64.03XA | Toxic effect of aflatoxin, assault, initial encounter | ICD-10-CM |
| T64.04XA | Toxic effect of aflatoxin, undetermined, initial encounter | ICD-10-CM |
| T64.81XA | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), initial | ICD-10-CM |
| TC 4 001/1 | encounter | |
| T64.82XA | Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial | ICD-10-CM |
| | encounter | |



| Code | Description | Code Type |
|----------|---|-----------|
| T64.83XA | Toxic effect of other mycotoxin food contaminants, assault, initial encounter | ICD-10-CM |
| 64.84XA | Toxic effect of other mycotoxin food contaminants, undetermined, initial encounter | ICD-10-CM |
| 65.0X1A | Toxic effect of cyanides, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.0X2A | Toxic effect of cyanides, intentional self-harm, initial encounter | ICD-10-CM |
| 65.0X3A | Toxic effect of cyanides, assault, initial encounter | ICD-10-CM |
| 65.0X4A | Toxic effect of cyanides, undetermined, initial encounter | ICD-10-CM |
| 65.1X1A | Toxic effect of strychnine and its salts, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.1X2A | Toxic effect of strychnine and its salts, intentional self-harm, initial encounter | ICD-10-CM |
| 65.1X3A | Toxic effect of strychnine and its salts, assault, initial encounter | ICD-10-CM |
| r65.1X4A | Toxic effect of strychnine and its salts, undetermined, initial encounter | ICD-10-CM |
| 65.211A | Toxic effect of chewing tobacco, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.212A | Toxic effect of chewing tobacco, intentional self-harm, initial encounter | ICD-10-CM |
| 65.213A | Toxic effect of chewing tobacco, assault, initial encounter | ICD-10-CM |
| 65.214A | Toxic effect of chewing tobacco, undetermined, initial encounter | ICD-10-CM |
| 65.221A | Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.222A | Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter | ICD-10-CM |
| 65.223A | Toxic effect of tobacco cigarettes, assault, initial encounter | ICD-10-CM |
| 65.224A | Toxic effect of tobacco cigarettes, undetermined, initial encounter | ICD-10-CM |
| 65.291A | Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.292A | Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter | ICD-10-CM |
| 65.293A | Toxic effect of other tobacco and nicotine, assault, initial encounter | ICD-10-CM |
| 65.294A | Toxic effect of other tobacco and nicotine, undetermined, initial encounter | ICD-10-CM |
| 65.3X1A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, | ICD-10-CM |
| | accidental (unintentional), initial encounter | |
| Г65.3X2A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter | ICD-10-CM |
| 65.3X3A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, initial encounter | ICD-10-CM |
| 65.3X4A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, initial encounter | ICD-10-CM |
| 65.4X1A | Toxic effect of carbon disulfide, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.4X2A | Toxic effect of carbon disulfide, intentional self-harm, initial encounter | ICD-10-CM |
| 65.4X3A | Toxic effect of carbon disulfide, assault, initial encounter | ICD-10-CM |
| 65.4X4A | Toxic effect of carbon disulfide, undetermined, initial encounter | ICD-10-CM |
| 65.5X1A | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), initial encounter | ICD-10-CM |
| 65.5X2A | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter | ICD-10-CM |
| 65.5X3A | Toxic effect of nitroglycerin and other nitric acids and esters, assault, initial encounter | ICD-10-CM |
| 65.5X4A | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|------------|--|-----------|
| T65.6X1A | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), | ICD-10-CM |
| 10010/11/1 | initial encounter | |
| T65.6X2A | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T65.6X3A | Toxic effect of paints and dyes, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T65.6X4A | Toxic effect of paints and dyes, not elsewhere classified, undetermined, initial encounter | ICD-10-CM |
| T65.811A | Toxic effect of latex, accidental (unintentional), initial encounter | ICD-10-CM |
| T65.812A | Toxic effect of latex, intentional self-harm, initial encounter | ICD-10-CM |
| T65.813A | Toxic effect of latex, assault, initial encounter | ICD-10-CM |
| T65.814A | Toxic effect of latex, undetermined, initial encounter | ICD-10-CM |
| T65.821A | Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T65.822A | Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter | ICD-10-CM |
| T65.823A | Toxic effect of harmful algae and algae toxins, assault, initial encounter | ICD-10-CM |
| T65.824A | Toxic effect of harmful algae and algae toxins, undetermined, initial encounter | ICD-10-CM |
| T65.831A | Toxic effect of fiberglass, accidental (unintentional), initial encounter | ICD-10-CM |
| T65.832A | Toxic effect of fiberglass, intentional self-harm, initial encounter | ICD-10-CM |
| T65.833A | Toxic effect of fiberglass, assault, initial encounter | ICD-10-CM |
| T65.834A | Toxic effect of fiberglass, undetermined, initial encounter | ICD-10-CM |
| T65.891A | Toxic effect of other specified substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T65.892A | Toxic effect of other specified substances, intentional self-harm, initial encounter | ICD-10-CM |
| T65.893A | Toxic effect of other specified substances, assault, initial encounter | ICD-10-CM |
| T65.894A | Toxic effect of other specified substances, undetermined, initial encounter | ICD-10-CM |
| T65.91XA | Toxic effect of unspecified substance, accidental (unintentional), initial encounter | ICD-10-CM |
| T65.92XA | Toxic effect of unspecified substance, intentional self-harm, initial encounter | ICD-10-CM |
| T65.93XA | Toxic effect of unspecified substance, assault, initial encounter | ICD-10-CM |
| T65.94XA | Toxic effect of unspecified substance, undetermined, initial encounter | ICD-10-CM |
| Y35.203A | Legal intervention involving unspecified gas, suspect injured, initial encounter | ICD-10-CM |
| Y35.893A | Legal intervention involving other specified means, suspect injured, initial encounter | ICD-10-CM |
| Y35.93XA | Legal intervention, means unspecified, suspect injured, initial encounter | ICD-10-CM |
| | ICD-10-CM Forward-Backward Mapping | |
| M1A.10X0 | Lead-induced chronic gout, unspecified site, without tophus (tophi) | ICD-10-CM |
| M1A.10X1 | Lead-induced chronic gout, unspecified site, with tophus (tophi) | ICD-10-CM |
| M1A.1110 | Lead-induced chronic gout, right shoulder, without tophus (tophi) | ICD-10-CM |
| M1A.1111 | Lead-induced chronic gout, right shoulder, with tophus (tophi) | ICD-10-CM |
| M1A.1120 | Lead-induced chronic gout, left shoulder, without tophus (tophi) | ICD-10-CM |
| M1A.1121 | Lead-induced chronic gout, left shoulder, with tophus (tophi) | ICD-10-CM |
| M1A.1190 | Lead-induced chronic gout, unspecified shoulder, without tophus (tophi) | ICD-10-CM |
| M1A.1191 | Lead-induced chronic gout, unspecified shoulder, with tophus (tophi) | ICD-10-CM |
| M1A.1210 | Lead-induced chronic gout, right elbow, without tophus (tophi) | ICD-10-CM |
| M1A.1211 | Lead-induced chronic gout, right elbow, with tophus (tophi) | ICD-10-CM |



| M1A.1220Lead-induced chronic gout, left elbow, with tophus (tophi)ICD-10-CMM1A.1221Lead-induced chronic gout, unspecified elbow, with tophus (tophi)ICD-10-CMM1A.1231Lead-induced chronic gout, unspecified elbow, with tophus (tophi)ICD-10-CMM1A.1231Lead-induced chronic gout, right wrist, without tophus (tophi)ICD-10-CMM1A.1311Lead-induced chronic gout, right wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, left wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, left wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, right hip, withophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, withophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, withophus (tophi)ICD-10-CM | Code | Description | Code Type |
|---|----------|---|-----------|
| M1A.1290Lead-induced chronic gout, unspecified elbow, without tophus (tophi)ICD-10-CMM1A.1211Lead-induced chronic gout, right wrist, without tophus (tophi)ICD-10-CMM1A.1311Lead-induced chronic gout, right wrist, without tophus (tophi)ICD-10-CMM1A.1312Lead-induced chronic gout, left wrist, with tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, left wrist, with tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, with out popus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, with out popus (tophi)ICD-10-CMM1A.1410Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, with tophus (toph | M1A.1220 | Lead-induced chronic gout, left elbow, without tophus (tophi) | ICD-10-CM |
| M1A.1291Lead-induced chronic gout, unspecified elbow, with tophus (tophi)ICD-10-CMM1A.1310Lead-induced chronic gout, right wrist, without tophus (tophi)ICD-10-CMM1A.1311Lead-induced chronic gout, right wrist, with tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, left wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1431Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hi | M1A.1221 | Lead-induced chronic gout, left elbow, with tophus (tophi) | ICD-10-CM |
| M1A.1310Lead-induced chronic gout, right wrist, without tophus (tophi)ICD-10-CMM1A.1311Lead-induced chronic gout, left wrist, with tophus (tophi)ICD-10-CMM1A.1322Lead-induced chronic gout, left wrist, with tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1312Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1311Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, with tophus (tophi)ICD-10-CMM1A.1412Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1431Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1513Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1514Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1515Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1514Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CM< | M1A.1290 | Lead-induced chronic gout, unspecified elbow, without tophus (tophi) | ICD-10-CM |
| M1A.1311Lead-induced chronic gout, right wrist, with tophus (tophi)ICD-10-CMM1A.1320Lead-induced chronic gout, left wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1391Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1410Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophu | M1A.1291 | Lead-induced chronic gout, unspecified elbow, with tophus (tophi) | ICD-10-CM |
| M1A.1320Lead-induced chronic gout, left wrist, without tophus (tophi)ICD-10-CMM1A.1321Lead-induced chronic gout, unspecified wrist, without tophus (tophi)ICD-10-CMM1A.1301Lead-induced chronic gout, unspecified wrist, without tophus (tophi)ICD-10-CMM1A.1410Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right knee, without t | M1A.1310 | Lead-induced chronic gout, right wrist, without tophus (tophi) | ICD-10-CM |
| M1A.1321Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1391Lead-induced chronic gout, unspecified wrist, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1431Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1431Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right knee, withophus (tophi)ICD-10-CMM1A.1513Lead-induced chronic gout, right knee, withophus (tophi)ICD-10-CMM1A.1514Lead-induced chronic gout, right knee, withophus (tophi)ICD-10-CMM1A.1515Lead-induced chronic gout, right knee, withophus (tophi)< | M1A.1311 | Lead-induced chronic gout, right wrist, with tophus (tophi) | ICD-10-CM |
| M1A.1390Lead-induced chronic gout, unspecified wrist, without tophus (tophi)ICD-10-CMM1A.1311Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1412Lead-induced chronic gout, left hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1430Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1431Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1531Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1531Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1541Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1551Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1561Lead-induced chronic gout, right knee, with otphus (tophi)ICD-10-CMM1A.1561Lead-induced chronic gout, unspecified knee, with otphus (to | M1A.1320 | Lead-induced chronic gout, left wrist, without tophus (tophi) | ICD-10-CM |
| M1A.1391Lead-induced chronic gout, unspecified wrist, with tophus (tophi)ICD-10-CMM1A.1410Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, right hand, with tophus (tophi)ICD-10-CMM1A.1422Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1431Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1513Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1524Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1525Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1526Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1527Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1528Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1529Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified knee, withou | M1A.1321 | Lead-induced chronic gout, left wrist, with tophus (tophi) | ICD-10-CM |
| M1A.1410Lead-induced chronic gout, right hand, without tophus (tophi)ICD-10-CMM1A.1411Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1490Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1491Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1513Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1514Lead-induced chronic gout, unspecified knee, without tophus (tophi) | M1A.1390 | Lead-induced chronic gout, unspecified wrist, without tophus (tophi) | ICD-10-CM |
| M1A.1411Lead-induced chronic gout, right hand, with tophus (tophi)ICD-10-CMM1A.1420Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, with tophus (tophi)< | M1A.1391 | Lead-induced chronic gout, unspecified wrist, with tophus (tophi) | ICD-10-CM |
| M1A.1420Lead-induced chronic gout, left hand, without tophus (tophi)ICD-10-CMM1A.1421Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1491Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1491Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1513Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1514Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1515Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified knee, without tophus (t | M1A.1410 | Lead-induced chronic gout, right hand, without tophus (tophi) | ICD-10-CM |
| M1A.1421Lead-induced chronic gout, left hand, with tophus (tophi)ICD-10-CMM1A.1490Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1491Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, uspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, uspecified hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1612Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1613Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1624Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1625Lead-induced chronic gout, uspecified knee, without tophus (tophi)ICD-10-CMM1A.1639Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and f | M1A.1411 | Lead-induced chronic gout, right hand, with tophus (tophi) | ICD-10-CM |
| M1A.1490Lead-induced chronic gout, unspecified hand, without tophus (tophi)ICD-10-CMM1A.1491Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, unspecified hip, with out bop us (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, unspecified hip, with out pohus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1620Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankl | M1A.1420 | Lead-induced chronic gout, left hand, without tophus (tophi) | ICD-10-CM |
| M1A.1491Lead-induced chronic gout, unspecified hand, with tophus (tophi)ICD-10-CMM1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1620Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1631Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1641Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1651Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, unspe | M1A.1421 | Lead-induced chronic gout, left hand, with tophus (tophi) | ICD-10-CM |
| M1A.1510Lead-induced chronic gout, right hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, uspecified hip, without tophus (tophi)ICD-10-CMM1A.1590Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1512Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, uspecified and foot, without tophus (tophi)ICD-10-CMM1A.1722Lead-induced chronic gout, uspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspe | M1A.1490 | Lead-induced chronic gout, unspecified hand, without tophus (tophi) | ICD-10-CM |
| M1A.1511Lead-induced chronic gout, right hip, with tophus (tophi)ICD-10-CMM1A.1520Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1590Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1620Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1731Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1731Lead-in | M1A.1491 | Lead-induced chronic gout, unspecified hand, with tophus (tophi) | ICD-10-CM |
| M1A.1520Lead-induced chronic gout, left hip, without tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1521Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1511Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1630Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1641Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1731Lead-indu | M1A.1510 | Lead-induced chronic gout, right hip, without tophus (tophi) | ICD-10-CM |
| M1A.1521Lead-induced chronic gout, left hip, with tophus (tophi)ICD-10-CMM1A.1590Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1731Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1741Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CM | M1A.1511 | Lead-induced chronic gout, right hip, with tophus (tophi) | ICD-10-CM |
| M1A.1590Lead-induced chronic gout, unspecified hip, without tophus (tophi)ICD-10-CMM1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1631Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1731Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1741Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1751Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1751Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CM | M1A.1520 | Lead-induced chronic gout, left hip, without tophus (tophi) | ICD-10-CM |
| M1A.1591Lead-induced chronic gout, unspecified hip, with tophus (tophi)ICD-10-CMM1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1620Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1830 | M1A.1521 | Lead-induced chronic gout, left hip, with tophus (tophi) | ICD-10-CM |
| M1A.1610Lead-induced chronic gout, right knee, without tophus (tophi)ICD-10-CMM1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1620Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1690Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1791 </td <td>M1A.1590</td> <td>Lead-induced chronic gout, unspecified hip, without tophus (tophi)</td> <td>ICD-10-CM</td> | M1A.1590 | Lead-induced chronic gout, unspecified hip, without tophus (tophi) | ICD-10-CM |
| M1A.1611Lead-induced chronic gout, right knee, with tophus (tophi)ICD-10-CMM1A.1620Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1690Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1790Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1880Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1881Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1881Lead-induced chronic gout, wertebrae, without tophus (tophi)ICD-10-CMM1A.1991Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CM <t< td=""><td>M1A.1591</td><td>Lead-induced chronic gout, unspecified hip, with tophus (tophi)</td><td>ICD-10-CM</td></t<> | M1A.1591 | Lead-induced chronic gout, unspecified hip, with tophus (tophi) | ICD-10-CM |
| M1A.1620Lead-induced chronic gout, left knee, without tophus (tophi)ICD-10-CMM1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1690Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1701Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, wertebrae, with tophus (tophi)ICD-10-CMM1A.1991Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.1914Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.1924Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CM | M1A.1610 | Lead-induced chronic gout, right knee, without tophus (tophi) | ICD-10-CM |
| M1A.1621Lead-induced chronic gout, left knee, with tophus (tophi)ICD-10-CMM1A.1690Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1800Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1811Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.1920Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.1921Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.1921Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.1921Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CM <t< td=""><td>M1A.1611</td><td>Lead-induced chronic gout, right knee, with tophus (tophi)</td><td>ICD-10-CM</td></t<> | M1A.1611 | Lead-induced chronic gout, right knee, with tophus (tophi) | ICD-10-CM |
| M1A.1690Lead-induced chronic gout, unspecified knee, without tophus (tophi)ICD-10-CMM1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, with tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1790Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1800Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1811Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1920Lead-induced chronic gout, wertebrae, without tophus (tophi)ICD-10-CMM1A.1921Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.1921 | M1A.1620 | Lead-induced chronic gout, left knee, without tophus (tophi) | ICD-10-CM |
| M1A.1691Lead-induced chronic gout, unspecified knee, with tophus (tophi)ICD-10-CMM1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, with tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1790Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1800Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1811Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.1920Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.1931Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.1931Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0 | M1A.1621 | Lead-induced chronic gout, left knee, with tophus (tophi) | ICD-10-CM |
| M1A.1710Lead-induced chronic gout, right ankle and foot, without tophus (tophi)ICD-10-CMM1A.1711Lead-induced chronic gout, right ankle and foot, with tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X2Poisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1690 | Lead-induced chronic gout, unspecified knee, without tophus (tophi) | ICD-10-CM |
| M1A.1711Lead-induced chronic gout, right ankle and foot, with tophus (tophi)ICD-10-CMM1A.1720Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X1Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X2Poisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1691 | Lead-induced chronic gout, unspecified knee, with tophus (tophi) | ICD-10-CM |
| M1A.1720Lead-induced chronic gout, left ankle and foot, without tophus (tophi)ICD-10-CMM1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1790Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X1Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1710 | Lead-induced chronic gout, right ankle and foot, without tophus (tophi) | ICD-10-CM |
| M1A.1721Lead-induced chronic gout, left ankle and foot, with tophus (tophi)ICD-10-CMM1A.1790Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X1Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X2Poisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1711 | Lead-induced chronic gout, right ankle and foot, with tophus (tophi) | ICD-10-CM |
| M1A.1790Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)ICD-10-CMM1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X1Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1720 | Lead-induced chronic gout, left ankle and foot, without tophus (tophi) | ICD-10-CM |
| M1A.1791Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)ICD-10-CMM1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X1Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1721 | Lead-induced chronic gout, left ankle and foot, with tophus (tophi) | ICD-10-CM |
| M1A.18X0Lead-induced chronic gout, vertebrae, without tophus (tophi)ICD-10-CMM1A.18X1Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMM1A.19X1Poisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1790 | Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi) | ICD-10-CM |
| M1A.18X1Lead-induced chronic gout, vertebrae, with tophus (tophi)ICD-10-CMM1A.19X0Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.1791 | Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi) | ICD-10-CM |
| M1A.19X0Lead-induced chronic gout, multiple sites, without tophus (tophi)ICD-10-CMM1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.18X0 | Lead-induced chronic gout, vertebrae, without tophus (tophi) | ICD-10-CM |
| M1A.19X1Lead-induced chronic gout, multiple sites, with tophus (tophi)ICD-10-CMT36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.18X1 | Lead-induced chronic gout, vertebrae, with tophus (tophi) | ICD-10-CM |
| T36.0X1APoisoning by penicillins, accidental (unintentional), initial encounterICD-10-CMT36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.19X0 | Lead-induced chronic gout, multiple sites, without tophus (tophi) | ICD-10-CM |
| T36.0X2APoisoning by penicillins, intentional self-harm, initial encounterICD-10-CM | M1A.19X1 | Lead-induced chronic gout, multiple sites, with tophus (tophi) | ICD-10-CM |
| | T36.0X1A | Poisoning by penicillins, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.0X3APoisoning by penicillins, assault, initial encounterICD-10-CM | T36.0X2A | Poisoning by penicillins, intentional self-harm, initial encounter | ICD-10-CM |
| | T36.0X3A | Poisoning by penicillins, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T36.0X4A | Poisoning by penicillins, undetermined, initial encounter | ICD-10-CM |
| T36.1X1A | Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.1X2A | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter | ICD-10-CM |
| T36.1X3A | Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter | ICD-10-CM |
| T36.1X4A | Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter | ICD-10-CM |
| T36.2X1A | Poisoning by chloramphenicol group, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.2X2A | Poisoning by chloramphenicol group, intentional self-harm, initial encounter | ICD-10-CM |
| T36.2X3A | Poisoning by chloramphenicol group, assault, initial encounter | ICD-10-CM |
| T36.2X4A | Poisoning by chloramphenicol group, undetermined, initial encounter | ICD-10-CM |
| T36.3X1A | Poisoning by macrolides, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.3X2A | Poisoning by macrolides, intentional self-harm, initial encounter | ICD-10-CM |
| T36.3X3A | Poisoning by macrolides, assault, initial encounter | ICD-10-CM |
| T36.3X4A | Poisoning by macrolides, undetermined, initial encounter | ICD-10-CM |
| T36.4X1A | Poisoning by tetracyclines, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.4X2A | Poisoning by tetracyclines, intentional self-harm, initial encounter | ICD-10-CM |
| T36.4X3A | Poisoning by tetracyclines, assault, initial encounter | ICD-10-CM |
| T36.4X4A | Poisoning by tetracyclines, undetermined, initial encounter | ICD-10-CM |
| T36.5X1A | Poisoning by aminoglycosides, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.5X2A | Poisoning by aminoglycosides, intentional self-harm, initial encounter | ICD-10-CM |
| T36.5X3A | Poisoning by aminoglycosides, assault, initial encounter | ICD-10-CM |
| T36.5X4A | Poisoning by aminoglycosides, undetermined, initial encounter | ICD-10-CM |
| T36.6X1A | Poisoning by rifampicins, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.6X2A | Poisoning by rifampicins, intentional self-harm, initial encounter | ICD-10-CM |
| T36.6X3A | Poisoning by rifampicins, assault, initial encounter | ICD-10-CM |
| T36.6X4A | Poisoning by rifampicins, undetermined, initial encounter | ICD-10-CM |
| T36.7X1A | Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.7X2A | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter | ICD-10-CM |
| T36.7X3A | Poisoning by antifungal antibiotics, systemically used, assault, initial encounter | ICD-10-CM |
| T36.7X4A | Poisoning by antifungal antibiotics, systemically used, undetermined, initial encounter | ICD-10-CM |
| T36.8X1A | Poisoning by other systemic antibiotics, accidental (unintentional), initial encounter | ICD-10-CM |
| T36.8X2A | Poisoning by other systemic antibiotics, intentional self-harm, initial encounter | ICD-10-CM |
| T36.8X3A | Poisoning by other systemic antibiotics, assault, initial encounter | ICD-10-CM |
| T36.8X4A | Poisoning by other systemic antibiotics, undetermined, initial encounter | ICD-10-CM |
| T36.91XA | Poisoning by unspecified systemic antibiotic, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T36.92XA | Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter | ICD-10-CM |
| T36.93XA | Poisoning by unspecified systemic antibiotic, assault, initial encounter | ICD-10-CM |
| T36.94XA | Poisoning by unspecified systemic antibiotic, undetermined, initial encounter | ICD-10-CM |
| T37.0X1A | Poisoning by sulfonamides, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.0X2A | Poisoning by sulfonamides, intentional self-harm, initial encounter | ICD-10-CM |
| T37.0X3A | Poisoning by sulfonamides, assault, initial encounter | ICD-10-CM |
| T37.0X4A | Poisoning by sulfonamides, undetermined, initial encounter | ICD-10-CM |
| T37.1X1A | Poisoning by antimycobacterial drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.1X2A | Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T37.1X3A | Poisoning by antimycobacterial drugs, assault, initial encounter | ICD-10-CM |
| T37.1X4A | Poisoning by antimycobacterial drugs, undetermined, initial encounter | ICD-10-CM |
| T37.2X1A | Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.2X2A | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self- harm, initial encounter | ICD-10-CM |
| T37.2X3A | Poisoning by antimalarials and drugs acting on other blood protozoa, assault, initial encounter | ICD-10-CM |
| T37.2X4A | Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, initial encounter | ICD-10-CM |
| T37.3X1A | Poisoning by other antiprotozoal drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.3X2A | Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T37.3X3A | Poisoning by other antiprotozoal drugs, assault, initial encounter | ICD-10-CM |
| T37.3X4A | Poisoning by other antiprotozoal drugs, undetermined, initial encounter | ICD-10-CM |
| T37.4X1A | Poisoning by anthelminthics, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.4X2A | Poisoning by anthelminthics, intentional self-harm, initial encounter | ICD-10-CM |
| T37.4X3A | Poisoning by anthelminthics, assault, initial encounter | ICD-10-CM |
| T37.4X4A | Poisoning by anthelminthics, undetermined, initial encounter | ICD-10-CM |
| T37.5X1A | Poisoning by antiviral drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.5X2A | Poisoning by antiviral drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T37.5X3A | Poisoning by antiviral drugs, assault, initial encounter | ICD-10-CM |
| T37.5X4A | Poisoning by antiviral drugs, undetermined, initial encounter | ICD-10-CM |
| T37.8X1A | Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), initial encounter | ICD-10-CM |
| T37.8X2A | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self- harm, initial encounter | ICD-10-CM |
| T37.8X3A | Poisoning by other specified systemic anti-infectives and antiparasitics, assault, initial encounter | ICD-10-CM |
| T37.8X4A | Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, initial encounter | ICD-10-CM |
| T37.91XA | Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|------------|--|-----------|
| T37.92XA | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, | ICD-10-CM |
| 107.192701 | initial encounter | |
| T37.93XA | Poisoning by unspecified systemic anti-infective and antiparasitics, assault, initial | ICD-10-CM |
| | encounter | |
| T37.94XA | Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, initial | ICD-10-CM |
| | encounter | |
| T38.0X1A | Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T38.0X2A | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter | ICD-10-CM |
| T38.0X3A | Poisoning by glucocorticoids and synthetic analogues, assault, initial encounter | ICD-10-CM |
| T38.0X4A | Poisoning by glucocorticoids and synthetic analogues, undetermined, initial encounter | ICD-10-CM |
| T38.1X1A | Poisoning by thyroid hormones and substitutes, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.1X2A | Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter | ICD-10-CM |
| T38.1X3A | Poisoning by thyroid hormones and substitutes, assault, initial encounter | ICD-10-CM |
| T38.1X4A | Poisoning by thyroid hormones and substitutes, undetermined, initial encounter | ICD-10-CM |
| T38.2X1A | Poisoning by antithyroid drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.2X2A | Poisoning by antithyroid drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T38.2X3A | Poisoning by antithyroid drugs, assault, initial encounter | ICD-10-CM |
| T38.2X4A | Poisoning by antithyroid drugs, undetermined, initial encounter | ICD-10-CM |
| T38.3X1A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.3X2A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T38.3X3A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, initial encounter | ICD-10-CM |
| T38.3X4A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, initial encounter | ICD-10-CM |
| T38.4X1A | Poisoning by oral contraceptives, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.4X2A | Poisoning by oral contraceptives, intentional self-harm, initial encounter | ICD-10-CM |
| T38.4X3A | Poisoning by oral contraceptives, assault, initial encounter | ICD-10-CM |
| T38.4X4A | Poisoning by oral contraceptives, undetermined, initial encounter | ICD-10-CM |
| T38.5X1A | Poisoning by other estrogens and progestogens, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.5X2A | Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter | ICD-10-CM |
| T38.5X3A | Poisoning by other estrogens and progestogens, assault, initial encounter | ICD-10-CM |
| T38.5X4A | Poisoning by other estrogens and progestogens, undetermined, initial encounter | ICD-10-CM |
| T38.6X1A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T38.6X2A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM |
| T38.6X3A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T38.6X4A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, initial encounter | ICD-10-CM |
| T38.7X1A | Poisoning by androgens and anabolic congeners, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.7X2A | Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter | ICD-10-CM |
| T38.7X3A | Poisoning by androgens and anabolic congeners, assault, initial encounter | ICD-10-CM |
| T38.7X4A | Poisoning by androgens and anabolic congeners, undetermined, initial encounter | ICD-10-CM |
| T38.801A | Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.802A | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter | ICD-10-CM |
| T38.803A | Poisoning by unspecified hormones and synthetic substitutes, assault, initial encounter | ICD-10-CM |
| T38.804A | Poisoning by unspecified hormones and synthetic substitutes, undetermined, initial encounter | ICD-10-CM |
| T38.811A | Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.812A | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter | ICD-10-CM |
| T38.813A | Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, initial encounter | ICD-10-CM |
| T38.814A | Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, initial encounter | ICD-10-CM |
| T38.891A | Poisoning by other hormones and synthetic substitutes, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.892A | Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter | ICD-10-CM |
| T38.893A | Poisoning by other hormones and synthetic substitutes, assault, initial encounter | ICD-10-CM |
| T38.894A | Poisoning by other hormones and synthetic substitutes, undetermined, initial encounter | ICD-10-CM |
| T38.901A | Poisoning by unspecified hormone antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.902A | Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T38.903A | Poisoning by unspecified hormone antagonists, assault, initial encounter | ICD-10-CM |
| T38.904A | Poisoning by unspecified hormone antagonists, undetermined, initial encounter | ICD-10-CM |
| T38.991A | Poisoning by other hormone antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T38.992A | Poisoning by other hormone antagonists, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T38.993A | Poisoning by other hormone antagonists, assault, initial encounter | ICD-10-CM |
| T38.994A | Poisoning by other hormone antagonists, undetermined, initial encounter | ICD-10-CM |
| T39.011A | Poisoning by aspirin, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.012A | Poisoning by aspirin, intentional self-harm, initial encounter | ICD-10-CM |
| T39.013A | Poisoning by aspirin, assault, initial encounter | ICD-10-CM |
| T39.014A | Poisoning by aspirin, undetermined, initial encounter | ICD-10-CM |
| T39.091A | Poisoning by salicylates, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.092A | Poisoning by salicylates, intentional self-harm, initial encounter | ICD-10-CM |
| T39.093A | Poisoning by salicylates, assault, initial encounter | ICD-10-CM |
| T39.094A | Poisoning by salicylates, undetermined, initial encounter | ICD-10-CM |
| T39.1X1A | Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.1X2A | Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T39.1X3A | Poisoning by 4-Aminophenol derivatives, assault, initial encounter | ICD-10-CM |
| T39.1X4A | Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter | ICD-10-CM |
| T39.2X1A | Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.2X2A | Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T39.2X3A | Poisoning by pyrazolone derivatives, assault, initial encounter | ICD-10-CM |
| T39.2X4A | Poisoning by pyrazolone derivatives, undetermined, initial encounter | ICD-10-CM |
| T39.311A | Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.312A | Poisoning by propionic acid derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| T39.313A | Poisoning by propionic acid derivatives, assault, initial encounter | ICD-10-CM |
| T39.314A | Poisoning by propionic acid derivatives, undetermined, initial encounter | ICD-10-CM |
| T39.391A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter | ICD-10-CM |
| T39.392A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter | ICD-10-CM |
| T39.393A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter | ICD-10-CM |
| T39.394A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter | ICD-10-CM |
| T39.4X1A | Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM |
| Г39.4X2A | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM |
| T39.4X3A | Poisoning by antirheumatics, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T39.4X4A | Poisoning by antirheumatics, not elsewhere classified, undetermined, initial encounter | ICD-10-CM |
| T39.8X1A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM |
| T39.8X2A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM |



| | Description | |
|----------|--|-----------|
| Code | Description | Code Type |
| T39.8X3A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, initial encounter | ICD-10-CM |
| T39.8X4A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, | ICD-10-CM |
| | undetermined, initial encounter | |
| T39.91XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental | ICD-10-CM |
| | (unintentional), initial encounter | |
| T39.92XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional | ICD-10-CM |
| | self-harm, initial encounter | |
| T39.93XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, | ICD-10-CM |
| | initial encounter | |
| T39.94XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, initial encounter | ICD-10-CM |
| T40.0X1A | Poisoning by opium, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.0X2A | Poisoning by opium, intentional self-harm, initial encounter | ICD-10-CM |
| T40.0X3A | Poisoning by opium, assault, initial encounter | ICD-10-CM |
| T40.0X4A | Poisoning by opium, undetermined, initial encounter | ICD-10-CM |
| T40.1X1A | Poisoning by heroin, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.1X2A | Poisoning by heroin, intentional self-harm, initial encounter | ICD-10-CM |
| T40.1X3A | Poisoning by heroin, assault, initial encounter | ICD-10-CM |
| T40.1X4A | Poisoning by heroin, undetermined, initial encounter | ICD-10-CM |
| T40.2X1A | Poisoning by other opioids, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.2X2A | Poisoning by other opioids, intentional self-harm, initial encounter | ICD-10-CM |
| T40.2X3A | Poisoning by other opioids, assault, initial encounter | ICD-10-CM |
| T40.2X4A | Poisoning by other opioids, undetermined, initial encounter | ICD-10-CM |
| T40.3X1A | Poisoning by methadone, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.3X2A | Poisoning by methadone, intentional self-harm, initial encounter | ICD-10-CM |
| T40.3X3A | Poisoning by methadone, assault, initial encounter | ICD-10-CM |
| T40.3X4A | Poisoning by methadone, undetermined, initial encounter | ICD-10-CM |
| T40.4X1A | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.4X2A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter | ICD-10-CM |
| T40.4X3A | Poisoning by other synthetic narcotics, assault, initial encounter | ICD-10-CM |
| T40.4X4A | Poisoning by other synthetic narcotics, undetermined, initial encounter | ICD-10-CM |
| T40.5X1A | Poisoning by cocaine, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.5X2A | Poisoning by cocaine, intentional self-harm, initial encounter | ICD-10-CM |
| T40.5X3A | Poisoning by cocaine, assault, initial encounter | ICD-10-CM |
| T40.5X4A | Poisoning by cocaine, undetermined, initial encounter | ICD-10-CM |
| T40.601A | Poisoning by unspecified narcotics, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.602A | Poisoning by unspecified narcotics, intentional self-harm, initial encounter | ICD-10-CM |
| T40.603A | Poisoning by unspecified narcotics, assault, initial encounter | ICD-10-CM |
| T40.604A | Poisoning by unspecified narcotics, undetermined, initial encounter | ICD-10-CM |
| T40.691A | Poisoning by other narcotics, accidental (unintentional), initial encounter | ICD-10-CM |
| T40.692A | Poisoning by other narcotics, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T40.693A | Poisoning by other narcotics, assault, initial encounter | ICD-10-CM |
| 40.694A | Poisoning by other narcotics, undetermined, initial encounter | ICD-10-CM |
| 40.7X1A | Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter | ICD-10-CM |
| 40.7X2A | Poisoning by cannabis (derivatives), intentional self-harm, initial encounter | ICD-10-CM |
| r40.7X3A | Poisoning by cannabis (derivatives), assault, initial encounter | ICD-10-CM |
| 40.7X4A | Poisoning by cannabis (derivatives), undetermined, initial encounter | ICD-10-CM |
| 40.8X1A | Poisoning by lysergide [LSD], accidental (unintentional), initial encounter | ICD-10-CM |
| 40.8X2A | Poisoning by lysergide [LSD], intentional self-harm, initial encounter | ICD-10-CM |
| 40.8X3A | Poisoning by lysergide [LSD], assault, initial encounter | ICD-10-CM |
| 40.8X4A | Poisoning by lysergide [LSD], undetermined, initial encounter | ICD-10-CM |
| r40.901A | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter | ICD-10-CM |
| 40.902A | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter | ICD-10-CM |
| 40.903A | Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter | ICD-10-CM |
| 740.904A | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter | ICD-10-CM |
| 40.991A | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter | ICD-10-CM |
| 40.992A | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter | ICD-10-CM |
| 40.993A | Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter | ICD-10-CM |
| 40.994A | Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter | ICD-10-CM |
| 41.0X1A | Poisoning by inhaled anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| 41.0X2A | Poisoning by inhaled anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| 41.0X3A | Poisoning by inhaled anesthetics, assault, initial encounter | ICD-10-CM |
| 41.0X4A | Poisoning by inhaled anesthetics, undetermined, initial encounter | ICD-10-CM |
| 41.1X1A | Poisoning by intravenous anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| 41.1X2A | Poisoning by intravenous anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| 41.1X3A | Poisoning by intravenous anesthetics, assault, initial encounter | ICD-10-CM |
| 41.1X4A | Poisoning by intravenous anesthetics, undetermined, initial encounter | ICD-10-CM |
| 41.201A | Poisoning by unspecified general anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| 41.202A | Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| 41.203A | Poisoning by unspecified general anesthetics, assault, initial encounter | ICD-10-CM |
| 41.204A | Poisoning by unspecified general anesthetics, undetermined, initial encounter | ICD-10-CM |
| 41.291A | Poisoning by other general anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |
| 41.292A | Poisoning by other general anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| 41.293A | Poisoning by other general anesthetics, assault, initial encounter | ICD-10-CM |
| 41.294A | Poisoning by other general anesthetics, undetermined, initial encounter | ICD-10-CM |
| 41.3X1A | Poisoning by local anesthetics, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T41.3X2A | Poisoning by local anesthetics, intentional self-harm, initial encounter | ICD-10-CM |
| T41.3X3A | Poisoning by local anesthetics, assault, initial encounter | ICD-10-CM |
| T41.3X4A | Poisoning by local anesthetics, undetermined, initial encounter | ICD-10-CM |
| Г41.41ХА | Poisoning by unspecified anesthetic, accidental (unintentional), initial encounter | ICD-10-CM |
| Г41.42XA | Poisoning by unspecified anesthetic, intentional self-harm, initial encounter | ICD-10-CM |
| 41.43XA | Poisoning by unspecified anesthetic, assault, initial encounter | ICD-10-CM |
| 41.44XA | Poisoning by unspecified anesthetic, undetermined, initial encounter | ICD-10-CM |
| 41.5X1A | Poisoning by therapeutic gases, accidental (unintentional), initial encounter | ICD-10-CM |
| 41.5X2A | Poisoning by therapeutic gases, intentional self-harm, initial encounter | ICD-10-CM |
| F41.5X3A | Poisoning by therapeutic gases, assault, initial encounter | ICD-10-CM |
| 41.5X4A | Poisoning by therapeutic gases, undetermined, initial encounter | ICD-10-CM |
| 42.0X1A | Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.0X2A | Poisoning by hydantoin derivatives, intentional self-harm, initial encounter | ICD-10-CM |
| 42.0X3A | Poisoning by hydantoin derivatives, assault, initial encounter | ICD-10-CM |
| 42.0X4A | Poisoning by hydantoin derivatives, undetermined, initial encounter | ICD-10-CM |
| 42.1X1A | Poisoning by iminostilbenes, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.1X2A | Poisoning by iminostilbenes, intentional self-harm, initial encounter | ICD-10-CM |
| 42.1X3A | Poisoning by iminostilbenes, assault, initial encounter | ICD-10-CM |
| 42.1X4A | Poisoning by iminostilbenes, undetermined, initial encounter | ICD-10-CM |
| 42.2X1A | Poisoning by succinimides and oxazolidinediones, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.2X2A | Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter | ICD-10-CM |
| 42.2X3A | Poisoning by succinimides and oxazolidinediones, assault, initial encounter | ICD-10-CM |
| 42.2X4A | Poisoning by succinimides and oxazolidinediones, undetermined, initial encounter | ICD-10-CM |
| 42.3X1A | Poisoning by barbiturates, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.3X2A | Poisoning by barbiturates, intentional self-harm, initial encounter | ICD-10-CM |
| 42.3X3A | Poisoning by barbiturates, assault, initial encounter | ICD-10-CM |
| 42.3X4A | Poisoning by barbiturates, undetermined, initial encounter | ICD-10-CM |
| 42.4X1A | Poisoning by benzodiazepines, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.4X2A | Poisoning by benzodiazepines, intentional self-harm, initial encounter | ICD-10-CM |
| 42.4X3A | Poisoning by benzodiazepines, assault, initial encounter | ICD-10-CM |
| 42.4X4A | Poisoning by benzodiazepines, undetermined, initial encounter | ICD-10-CM |
| 42.5X1A | Poisoning by mixed antiepileptics, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.5X2A | Poisoning by mixed antiepileptics, intentional self-harm, initial encounter | ICD-10-CM |
| 42.5X3A | Poisoning by mixed antiepileptics, assault, initial encounter | ICD-10-CM |
| 42.5X4A | Poisoning by mixed antiepileptics, undetermined, initial encounter | ICD-10-CM |
| 42.6X1A | Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| 42.6X2A | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T42.6X3A | Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter | ICD-10-CM |
| T42.6X4A | Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter | ICD-10-CM |
| T42.71XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.72XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self- harm, initial encounter | ICD-10-CM |
| T42.73XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter | ICD-10-CM |
| T42.74XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter | ICD-10-CM |
| T42.8X1A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T42.8X2A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter | ICD-10-CM |
| T42.8X3A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, initial encounter | ICD-10-CM |
| Г42.8X4A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, initial encounter | ICD-10-CM |
| Г43.011A | Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| 43.012A | Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| ۲43.013A | Poisoning by tricyclic antidepressants, assault, initial encounter | ICD-10-CM |
| 43.014A | Poisoning by tricyclic antidepressants, undetermined, initial encounter | ICD-10-CM |
| 43.021A | Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| 43.022A | Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| 43.023A | Poisoning by tetracyclic antidepressants, assault, initial encounter | ICD-10-CM |
| 43.024A | Poisoning by tetracyclic antidepressants, undetermined, initial encounter | ICD-10-CM |
| 43.1X1A | Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| Г43.1X2A | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| 43.1X3A | Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter | ICD-10-CM |
| Г43.1X4A | Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter | ICD-10-CM |
| 43.201A | Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| 43.202A | Poisoning by unspecified antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| 43.203A | Poisoning by unspecified antidepressants, assault, initial encounter | ICD-10-CM |
| 43.204A | Poisoning by unspecified antidepressants, undetermined, initial encounter | ICD-10-CM |
| r43.211A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T43.212A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self- harm, initial encounter | ICD-10-CM |
| T43.213A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter | ICD-10-CM |
| T43.214A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter | ICD-10-CM |
| T43.221A | Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.222A | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter | ICD-10-CM |
| T43.223A | Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter | ICD-10-CM |
| T43.224A | Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter | ICD-10-CM |
| T43.291A | Poisoning by other antidepressants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.292A | Poisoning by other antidepressants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.293A | Poisoning by other antidepressants, assault, initial encounter | ICD-10-CM |
| T43.294A | Poisoning by other antidepressants, undetermined, initial encounter | ICD-10-CM |
| T43.3X1A | Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.3X2A | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter | ICD-10-CM |
| T43.3X3A | Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.3X4A | Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter | ICD-10-CM |
| T43.4X1A | Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.4X2A | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter | ICD-10-CM |
| T43.4X3A | Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.4X4A | Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter | ICD-10-CM |
| T43.501A | Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.502A | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter | ICD-10-CM |
| T43.503A | Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.504A | Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter | ICD-10-CM |
| T43.591A | Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.592A | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T43.593A | Poisoning by other antipsychotics and neuroleptics, assault, initial encounter | ICD-10-CM |
| T43.594A | Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter | ICD-10-CM |
| T43.601A | Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.602A | Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.603A | Poisoning by unspecified psychostimulants, assault, initial encounter | ICD-10-CM |
| T43.604A | Poisoning by unspecified psychostimulants, undetermined, initial encounter | ICD-10-CM |
| T43.611A | Poisoning by caffeine, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.612A | Poisoning by caffeine, intentional self-harm, initial encounter | ICD-10-CM |
| T43.613A | Poisoning by caffeine, assault, initial encounter | ICD-10-CM |
| T43.614A | Poisoning by caffeine, undetermined, initial encounter | ICD-10-CM |
| T43.621A | Poisoning by amphetamines, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.622A | Poisoning by amphetamines, intentional self-harm, initial encounter | ICD-10-CM |
| T43.623A | Poisoning by amphetamines, assault, initial encounter | ICD-10-CM |
| T43.624A | Poisoning by amphetamines, undetermined, initial encounter | ICD-10-CM |
| T43.631A | Poisoning by methylphenidate, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.632A | Poisoning by methylphenidate, intentional self-harm, initial encounter | ICD-10-CM |
| T43.633A | Poisoning by methylphenidate, assault, initial encounter | ICD-10-CM |
| T43.634A | Poisoning by methylphenidate, undetermined, initial encounter | ICD-10-CM |
| T43.691A | Poisoning by other psychostimulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.692A | Poisoning by other psychostimulants, intentional self-harm, initial encounter | ICD-10-CM |
| T43.693A | Poisoning by other psychostimulants, assault, initial encounter | ICD-10-CM |
| T43.694A | Poisoning by other psychostimulants, undetermined, initial encounter | ICD-10-CM |
| T43.8X1A | Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.8X2A | Poisoning by other psychotropic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T43.8X3A | Poisoning by other psychotropic drugs, assault, initial encounter | ICD-10-CM |
| T43.8X4A | Poisoning by other psychotropic drugs, undetermined, initial encounter | ICD-10-CM |
| T43.91XA | Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter | ICD-10-CM |
| T43.92XA | Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter | ICD-10-CM |
| T43.93XA | Poisoning by unspecified psychotropic drug, assault, initial encounter | ICD-10-CM |
| T43.94XA | Poisoning by unspecified psychotropic drug, undetermined, initial encounter | ICD-10-CM |
| T44.0X1A | Poisoning by anticholinesterase agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.0X2A | Poisoning by anticholinesterase agents, intentional self-harm, initial encounter | ICD-10-CM |
| T44.0X3A | Poisoning by anticholinesterase agents, assault, initial encounter | ICD-10-CM |
| T44.0X4A | Poisoning by anticholinesterase agents, undetermined, initial encounter | ICD-10-CM |
| T44.1X1A | Poisoning by other parasympathomimetics [cholinergics], accidental (unintentional), initial encounter | ICD-10-CM |
| T44.1X2A | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter | ICD-10-CM |
| T44.1X3A | Poisoning by other parasympathomimetics [cholinergics], assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T44.1X4A | Poisoning by other parasympathomimetics [cholinergics], undetermined, initial | ICD-10-CM |
| | encounter | |
| T44.2X1A | Poisoning by ganglionic blocking drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.2X2A | Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T44.2X3A | Poisoning by ganglionic blocking drugs, assault, initial encounter | ICD-10-CM |
| T44.2X4A | Poisoning by ganglionic blocking drugs, undetermined, initial encounter | ICD-10-CM |
| T44.3X1A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.3X2A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter | ICD-10-CM |
| T44.3X3A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault, initial encounter | ICD-10-CM |
| T44.3X4A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined, initial encounter | ICD-10-CM |
| Г44.4Х1А | Poisoning by predominantly alpha-adrenoreceptor agonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.4X2A | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter | ICD-10-CM |
| Г44.4X3A | Poisoning by predominantly alpha-adrenoreceptor agonists, assault, initial encounter | ICD-10-CM |
| Г44.4Х4А | Poisoning by predominantly alpha-adrenoreceptor agonists, undetermined, initial encounter | ICD-10-CM |
| T44.5X1A | Poisoning by predominantly beta-adrenoreceptor agonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.5X2A | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter | ICD-10-CM |
| F44.5X3A | Poisoning by predominantly beta-adrenoreceptor agonists, assault, initial encounter | ICD-10-CM |
| T44.5X4A | Poisoning by predominantly beta-adrenoreceptor agonists, undetermined, initial encounter | ICD-10-CM |
| T44.6X1A | Poisoning by alpha-adrenoreceptor antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| 44.6X2A | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| Г44.6X3A | Poisoning by alpha-adrenoreceptor antagonists, assault, initial encounter | ICD-10-CM |
| 44.6X4A | Poisoning by alpha-adrenoreceptor antagonists, undetermined, initial encounter | ICD-10-CM |
| 44.7X1A | Poisoning by beta-adrenoreceptor antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| [44.7X2A | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| 44.7X3A | Poisoning by beta-adrenoreceptor antagonists, assault, initial encounter | ICD-10-CM |
| 44.7X4A | Poisoning by beta-adrenoreceptor antagonists, undetermined, initial encounter | ICD-10-CM |
| T44.8X1A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, accidental (unintentional), initial encounter | ICD-10-CM |


| Code | Description | Code Type |
|----------|--|-----------|
| T44.8X2A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self- harm, initial encounter | ICD-10-CM |
| T44.8X3A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, assault, initial encounter | ICD-10-CM |
| T44.8X4A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, undetermined, initial encounter | ICD-10-CM |
| T44.901A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.902A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter | ICD-10-CM |
| T44.903A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, assault, initial encounter | ICD-10-CM |
| T44.904A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, undetermined, initial encounter | ICD-10-CM |
| T44.991A | Poisoning by other drug primarily affecting the autonomic nervous system, accidental (unintentional), initial encounter | ICD-10-CM |
| T44.992A | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter | ICD-10-CM |
| T44.993A | Poisoning by other drug primarily affecting the autonomic nervous system, assault, initial encounter | ICD-10-CM |
| T44.994A | Poisoning by other drug primarily affecting the autonomic nervous system, undetermined, initial encounter | ICD-10-CM |
| T45.0X1A | Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.0X2A | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.0X3A | Poisoning by antiallergic and antiemetic drugs, assault, initial encounter | ICD-10-CM |
| T45.0X4A | Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter | ICD-10-CM |
| T45.1X1A | Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.1X2A | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.1X3A | Poisoning by antineoplastic and immunosuppressive drugs, assault, initial encounter | ICD-10-CM |
| T45.1X4A | Poisoning by antineoplastic and immunosuppressive drugs, undetermined, initial encounter | ICD-10-CM |
| T45.2X1A | Poisoning by vitamins, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.2X2A | Poisoning by vitamins, intentional self-harm, initial encounter | ICD-10-CM |
| T45.2X3A | Poisoning by vitamins, assault, initial encounter | ICD-10-CM |
| T45.2X4A | Poisoning by vitamins, undetermined, initial encounter | ICD-10-CM |
| T45.3X1A | Poisoning by enzymes, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.3X2A | Poisoning by enzymes, intentional self-harm, initial encounter | ICD-10-CM |
| T45.3X3A | Poisoning by enzymes, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T45.3X4A | Poisoning by enzymes, undetermined, initial encounter | ICD-10-CM |
| T45.4X1A | Poisoning by iron and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.4X2A | Poisoning by iron and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| T45.4X3A | Poisoning by iron and its compounds, assault, initial encounter | ICD-10-CM |
| T45.4X4A | Poisoning by iron and its compounds, undetermined, initial encounter | ICD-10-CM |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter | ICD-10-CM |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter | ICD-10-CM |
| T45.514A | Poisoning by anticoagulants, undetermined, initial encounter | ICD-10-CM |
| T45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.523A | Poisoning by antithrombotic drugs, assault, initial encounter | ICD-10-CM |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter | ICD-10-CM |
| T45.601A | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.602A | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.603A | Poisoning by unspecified fibrinolysis-affecting drugs, assault, initial encounter | ICD-10-CM |
| T45.604A | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, initial encounter | ICD-10-CM |
| T45.611A | Poisoning by thrombolytic drug, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.612A | Poisoning by thrombolytic drug, intentional self-harm, initial encounter | ICD-10-CM |
| T45.613A | Poisoning by thrombolytic drug, assault, initial encounter | ICD-10-CM |
| T45.614A | Poisoning by thrombolytic drug, undetermined, initial encounter | ICD-10-CM |
| T45.621A | Poisoning by hemostatic drug, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.622A | Poisoning by hemostatic drug, intentional self-harm, initial encounter | ICD-10-CM |
| T45.623A | Poisoning by hemostatic drug, assault, initial encounter | ICD-10-CM |
| T45.624A | Poisoning by hemostatic drug, undetermined, initial encounter | ICD-10-CM |
| T45.691A | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.692A | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T45.693A | Poisoning by other fibrinolysis-affecting drugs, assault, initial encounter | ICD-10-CM |
| T45.694A | Poisoning by other fibrinolysis-affecting drugs, undetermined, initial encounter | ICD-10-CM |
| T45.7X1A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.7X2A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self- harm, initial encounter | ICD-10-CM |
| T45.7X3A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter | ICD-10-CM |
| T45.7X4A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter | ICD-10-CM |
| T45.8X1A | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T45.8X2A | Poisoning by other primarily systemic and hematological agents, intentional self-harm, | ICD-10-CM |
| | initial encounter | |
| T45.8X3A | Poisoning by other primarily systemic and hematological agents, assault, initial encounter | ICD-10-CM |
| T45.8X4A | Poisoning by other primarily systemic and hematological agents, undetermined, initial encounter | ICD-10-CM |
| T45.91XA | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), initial encounter | ICD-10-CM |
| T45.92XA | Poisoning by unspecified primarily systemic and hematological agent, intentional self- harm, initial encounter | ICD-10-CM |
| T45.93XA | Poisoning by unspecified primarily systemic and hematological agent, assault, initial encounter | ICD-10-CM |
| T45.94XA | Poisoning by unspecified primarily systemic and hematological agent, undetermined, initial encounter | ICD-10-CM |
| T46.0X1A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.0X2A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self- harm, initial encounter | ICD-10-CM |
| T46.0X3A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter | ICD-10-CM |
| T46.0X4A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter | ICD-10-CM |
| T46.1X1A | Poisoning by calcium-channel blockers, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.1X2A | Poisoning by calcium-channel blockers, intentional self-harm, initial encounter | ICD-10-CM |
| T46.1X3A | Poisoning by calcium-channel blockers, assault, initial encounter | ICD-10-CM |
| T46.1X4A | Poisoning by calcium-channel blockers, undetermined, initial encounter | ICD-10-CM |
| T46.2X1A | Poisoning by other antidysrhythmic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.2X2A | Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T46.2X3A | Poisoning by other antidysrhythmic drugs, assault, initial encounter | ICD-10-CM |
| T46.2X4A | Poisoning by other antidysrhythmic drugs, undetermined, initial encounter | ICD-10-CM |
| T46.3X1A | Poisoning by coronary vasodilators, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.3X2A | Poisoning by coronary vasodilators, intentional self-harm, initial encounter | ICD-10-CM |
| T46.3X3A | Poisoning by coronary vasodilators, assault, initial encounter | ICD-10-CM |
| T46.3X4A | Poisoning by coronary vasodilators, undetermined, initial encounter | ICD-10-CM |
| T46.4X1A | Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.4X2A | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter | ICD-10-CM |
| T46.4X3A | Poisoning by angiotensin-converting-enzyme inhibitors, assault, initial encounter | ICD-10-CM |
| T46.4X4A | Poisoning by angiotensin-converting-enzyme inhibitors, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T46.5X1A | Poisoning by other antihypertensive drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.5X2A | Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T46.5X3A | Poisoning by other antihypertensive drugs, assault, initial encounter | ICD-10-CM |
| T46.5X4A | Poisoning by other antihypertensive drugs, undetermined, initial encounter | ICD-10-CM |
| T46.6X1A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.6X2A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T46.6X3A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, assault, initial encounter | ICD-10-CM |
| T46.6X4A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, undetermined, initial encounter | ICD-10-CM |
| T46.7X1A | Poisoning by peripheral vasodilators, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.7X2A | Poisoning by peripheral vasodilators, intentional self-harm, initial encounter | ICD-10-CM |
| F46.7X3A | Poisoning by peripheral vasodilators, assault, initial encounter | ICD-10-CM |
| 46.7X4A | Poisoning by peripheral vasodilators, undetermined, initial encounter | ICD-10-CM |
| T46.8X1A | Poisoning by antivaricose drugs, including sclerosing agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.8X2A | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter | ICD-10-CM |
| r46.8X3A | Poisoning by antivaricose drugs, including sclerosing agents, assault, initial encounter | ICD-10-CM |
| Г46.8X4A | Poisoning by antivaricose drugs, including sclerosing agents, undetermined, initial encounter | ICD-10-CM |
| T46.901A | Poisoning by unspecified agents primarily affecting the cardiovascular system, accidental (unintentional), initial encounter | ICD-10-CM |
| T46.902A | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter | ICD-10-CM |
| T46.903A | Poisoning by unspecified agents primarily affecting the cardiovascular system, assault, initial encounter | ICD-10-CM |
| T46.904A | Poisoning by unspecified agents primarily affecting the cardiovascular system, undetermined, initial encounter | ICD-10-CM |
| Г46.991А | Poisoning by other agents primarily affecting the cardiovascular system, accidental (unintentional), initial encounter | ICD-10-CM |
| Г46.992A | Poisoning by other agents primarily affecting the cardiovascular system, intentional self- harm, initial encounter | ICD-10-CM |
| T46.993A | Poisoning by other agents primarily affecting the cardiovascular system, assault, initial encounter | ICD-10-CM |
| T46.994A | Poisoning by other agents primarily affecting the cardiovascular system, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T47.0X1A | Poisoning by histamine H2-receptor blockers, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T47.0X2A | Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter | ICD-10-CM |
| T47.0X3A | Poisoning by histamine H2-receptor blockers, assault, initial encounter | ICD-10-CM |
| Г47.0X4A | Poisoning by histamine H2-receptor blockers, undetermined, initial encounter | ICD-10-CM |
| T47.1X1A | Poisoning by other antacids and anti-gastric-secretion drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| Г47.1X2A | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T47.1X3A | Poisoning by other antacids and anti-gastric-secretion drugs, assault, initial encounter | ICD-10-CM |
| Г47.1X4A | Poisoning by other antacids and anti-gastric-secretion drugs, undetermined, initial encounter | ICD-10-CM |
| 47.2X1A | Poisoning by stimulant laxatives, accidental (unintentional), initial encounter | ICD-10-CM |
| 47.2X2A | Poisoning by stimulant laxatives, intentional self-harm, initial encounter | ICD-10-CM |
| 47.2X3A | Poisoning by stimulant laxatives, assault, initial encounter | ICD-10-CM |
| 47.2X4A | Poisoning by stimulant laxatives, undetermined, initial encounter | ICD-10-CM |
| 47.3X1A | Poisoning by saline and osmotic laxatives, accidental (unintentional), initial encounter | ICD-10-CM |
| 47.3X2A | Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter | ICD-10-CM |
| 47.3X3A | Poisoning by saline and osmotic laxatives, assault, initial encounter | ICD-10-CM |
| 47.3X4A | Poisoning by saline and osmotic laxatives, undetermined, initial encounter | ICD-10-CM |
| 47.4X1A | Poisoning by other laxatives, accidental (unintentional), initial encounter | ICD-10-CM |
| 47.4X2A | Poisoning by other laxatives, intentional self-harm, initial encounter | ICD-10-CM |
| 47.4X3A | Poisoning by other laxatives, assault, initial encounter | ICD-10-CM |
| 47.4X4A | Poisoning by other laxatives, undetermined, initial encounter | ICD-10-CM |
| 47.5X1A | Poisoning by digestants, accidental (unintentional), initial encounter | ICD-10-CM |
| 47.5X2A | Poisoning by digestants, intentional self-harm, initial encounter | ICD-10-CM |
| 47.5X3A | Poisoning by digestants, assault, initial encounter | ICD-10-CM |
| 47.5X4A | Poisoning by digestants, undetermined, initial encounter | ICD-10-CM |
| 47.6X1A | Poisoning by antidiarrheal drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| 47.6X2A | Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter | ICD-10-CM |
| 47.6X3A | Poisoning by antidiarrheal drugs, assault, initial encounter | ICD-10-CM |
| 47.6X4A | Poisoning by antidiarrheal drugs, undetermined, initial encounter | ICD-10-CM |
| 47.7X1A | Poisoning by emetics, accidental (unintentional), initial encounter | ICD-10-CM |
| [47.7X2A | Poisoning by emetics, intentional self-harm, initial encounter | ICD-10-CM |
| 47.7X3A | Poisoning by emetics, assault, initial encounter | ICD-10-CM |
| 47.7X4A | Poisoning by emetics, undetermined, initial encounter | ICD-10-CM |
| Г47.8X1A | Poisoning by other agents primarily affecting gastrointestinal system, accidental (unintentional), initial encounter | ICD-10-CM |
| Г47.8X2A | Poisoning by other agents primarily affecting gastrointestinal system, intentional self- harm, initial encounter | ICD-10-CM |
| T47.8X3A | Poisoning by other agents primarily affecting gastrointestinal system, assault, initial encounter | ICD-10-CM |



| | Description | |
|----------|--|-----------|
| Code | Description | Code Type |
| T47.8X4A | Poisoning by other agents primarily affecting gastrointestinal system, undetermined, initial encounter | ICD-10-CM |
| T47.91XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, accidental (unintentional), initial encounter | ICD-10-CM |
| T47.92XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter | ICD-10-CM |
| T47.93XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, assault, initial encounter | ICD-10-CM |
| T47.94XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, undetermined, initial encounter | ICD-10-CM |
| T48.0X1A | Poisoning by oxytocic drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.0X2A | Poisoning by oxytocic drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T48.0X3A | Poisoning by oxytocic drugs, assault, initial encounter | ICD-10-CM |
| T48.0X4A | Poisoning by oxytocic drugs, undetermined, initial encounter | ICD-10-CM |
| T48.1X1A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional), initial encounter | ICD-10-CM |
| T48.1X2A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self- harm, initial encounter | ICD-10-CM |
| T48.1X3A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault, initial encounter | ICD-10-CM |
| T48.1X4A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined, initial encounter | ICD-10-CM |
| T48.201A | Poisoning by unspecified drugs acting on muscles, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.202A | Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter | ICD-10-CM |
| T48.203A | Poisoning by unspecified drugs acting on muscles, assault, initial encounter | ICD-10-CM |
| T48.204A | Poisoning by unspecified drugs acting on muscles, undetermined, initial encounter | ICD-10-CM |
| T48.291A | Poisoning by other drugs acting on muscles, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.292A | Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter | ICD-10-CM |
| T48.293A | Poisoning by other drugs acting on muscles, assault, initial encounter | ICD-10-CM |
| T48.294A | Poisoning by other drugs acting on muscles, undetermined, initial encounter | ICD-10-CM |
| T48.3X1A | Poisoning by antitussives, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.3X2A | Poisoning by antitussives, intentional self-harm, initial encounter | ICD-10-CM |
| T48.3X3A | Poisoning by antitussives, assault, initial encounter | ICD-10-CM |
| T48.3X4A | Poisoning by antitussives, undetermined, initial encounter | ICD-10-CM |
| T48.4X1A | Poisoning by expectorants, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.4X2A | Poisoning by expectorants, intentional self-harm, initial encounter | ICD-10-CM |
| T48.4X3A | Poisoning by expectorants, assault, initial encounter | ICD-10-CM |
| T48.4X4A | Poisoning by expectorants, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T48.5X1A | Poisoning by other anti-common-cold drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| | | |
| T48.5X2A | Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter | ICD-10-CM |
| T48.5X3A | Poisoning by other anti-common-cold drugs, assault, initial encounter | ICD-10-CM |
| T48.5X4A | Poisoning by other anti-common-cold drugs, undetermined, initial encounter | ICD-10-CM |
| T48.6X1A | Poisoning by antiasthmatics, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.6X2A | Poisoning by antiasthmatics, intentional self-harm, initial encounter | ICD-10-CM |
| T48.6X3A | Poisoning by antiasthmatics, assault, initial encounter | ICD-10-CM |
| T48.6X4A | Poisoning by antiasthmatics, undetermined, initial encounter | ICD-10-CM |
| T48.901A | Poisoning by unspecified agents primarily acting on the respiratory system, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.902A | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter | ICD-10-CM |
| T48.903A | Poisoning by unspecified agents primarily acting on the respiratory system, assault, initial encounter | ICD-10-CM |
| T48.904A | Poisoning by unspecified agents primarily acting on the respiratory system, undetermined, initial encounter | ICD-10-CM |
| T48.991A | Poisoning by other agents primarily acting on the respiratory system, accidental (unintentional), initial encounter | ICD-10-CM |
| T48.992A | Poisoning by other agents primarily acting on the respiratory system, intentional self- harm, initial encounter | ICD-10-CM |
| T48.993A | Poisoning by other agents primarily acting on the respiratory system, assault, initial encounter | ICD-10-CM |
| T48.994A | Poisoning by other agents primarily acting on the respiratory system, undetermined, initial encounter | ICD-10-CM |
| T49.0X1A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.0X2A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self- harm, initial encounter | ICD-10-CM |
| T49.0X3A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, assault, initial encounter | ICD-10-CM |
| T49.0X4A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, undetermined, initial encounter | ICD-10-CM |
| T49.1X1A | Poisoning by antipruritics, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.1X2A | Poisoning by antipruritics, intentional self-harm, initial encounter | ICD-10-CM |
| T49.1X3A | Poisoning by antipruritics, assault, initial encounter | ICD-10-CM |
| T49.1X4A | Poisoning by antipruritics, undetermined, initial encounter | ICD-10-CM |
| T49.2X1A | Poisoning by local astringents and local detergents, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.2X2A | Poisoning by local astringents and local detergents, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T49.2X3A | Poisoning by local astringents and local detergents, assault, initial encounter | ICD-10-CM |
| T49.2X4A | Poisoning by local astringents and local detergents, undetermined, initial encounter | ICD-10-CM |
| T49.3X1A | Poisoning by emollients, demulcents and protectants, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.3X2A | Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter | ICD-10-CM |
| T49.3X3A | Poisoning by emollients, demulcents and protectants, assault, initial encounter | ICD-10-CM |
| T49.3X4A | Poisoning by emollients, demulcents and protectants, undetermined, initial encounter | ICD-10-CM |
| F49.4X1A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, accidental (unintentional), initial encounter | ICD-10-CM |
| Г49.4X2A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter | ICD-10-CM |
| Г49.4ХЗА | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, assault, initial encounter | ICD-10-CM |
| T49.4X4A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, undetermined, initial encounter | ICD-10-CM |
| T49.5X1A | Poisoning by ophthalmological drugs and preparations, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.5X2A | Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter | ICD-10-CM |
| T49.5X3A | Poisoning by ophthalmological drugs and preparations, assault, initial encounter | ICD-10-CM |
| T49.5X4A | Poisoning by ophthalmological drugs and preparations, undetermined, initial encounter | ICD-10-CM |
| T49.6X1A | Poisoning by otorhinolaryngological drugs and preparations, accidental (unintentional), initial encounter | ICD-10-CM |
| T49.6X2A | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter | ICD-10-CM |
| T49.6X3A | Poisoning by otorhinolaryngological drugs and preparations, assault, initial encounter | ICD-10-CM |
| T49.6X4A | Poisoning by otorhinolaryngological drugs and preparations, undetermined, initial encounter | ICD-10-CM |
| F49.7X1A | Poisoning by dental drugs, topically applied, accidental (unintentional), initial encounter | ICD-10-CM |
| Г49.7X2A | Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter | ICD-10-CM |
| r49.7X3A | Poisoning by dental drugs, topically applied, assault, initial encounter | ICD-10-CM |
| 49.7X4A | Poisoning by dental drugs, topically applied, undetermined, initial encounter | ICD-10-CM |
| 49.8X1A | Poisoning by other topical agents, accidental (unintentional), initial encounter | ICD-10-CM |
| 49.8X2A | Poisoning by other topical agents, intentional self-harm, initial encounter | ICD-10-CM |
| Г49.8X3A | Poisoning by other topical agents, assault, initial encounter | ICD-10-CM |
| 749.8X4A | Poisoning by other topical agents, undetermined, initial encounter | ICD-10-CM |
| Г49.91XA | Poisoning by unspecified topical agent, accidental (unintentional), initial encounter | ICD-10-CM |
| Г49.92XA | Poisoning by unspecified topical agent, intentional self-harm, initial encounter | ICD-10-CM |
| T49.93XA | Poisoning by unspecified topical agent, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T49.94XA | Poisoning by unspecified topical agent, undetermined, initial encounter | ICD-10-CM |
| T50.0X1A | Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.0X2A | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T50.0X3A | Poisoning by mineralocorticoids and their antagonists, assault, initial encounter | ICD-10-CM |
| T50.0X4A | Poisoning by mineralocorticoids and their antagonists, undetermined, initial encounter | ICD-10-CM |
| 50.1X1A | Poisoning by loop [high-ceiling] diuretics, accidental (unintentional), initial encounter | ICD-10-CM |
| 50.1X2A | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.1X3A | Poisoning by loop [high-ceiling] diuretics, assault, initial encounter | ICD-10-CM |
| 50.1X4A | Poisoning by loop [high-ceiling] diuretics, undetermined, initial encounter | ICD-10-CM |
| Г50.2X1A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional), initial encounter | ICD-10-CM |
| Г50.2X2A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.2X3A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault, initial encounter | ICD-10-CM |
| Г50.2X4A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined, initial encounter | ICD-10-CM |
| F50.3X1A | Poisoning by electrolytic, caloric and water-balance agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.3X2A | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.3X3A | Poisoning by electrolytic, caloric and water-balance agents, assault, initial encounter | ICD-10-CM |
| T50.3X4A | Poisoning by electrolytic, caloric and water-balance agents, undetermined, initial encounter | ICD-10-CM |
| T50.4X1A | Poisoning by drugs affecting uric acid metabolism, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.4X2A | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.4X3A | Poisoning by drugs affecting uric acid metabolism, assault, initial encounter | ICD-10-CM |
| Г50.4X4A | Poisoning by drugs affecting uric acid metabolism, undetermined, initial encounter | ICD-10-CM |
| Г50.5X1A | Poisoning by appetite depressants, accidental (unintentional), initial encounter | ICD-10-CM |
| 50.5X2A | Poisoning by appetite depressants, intentional self-harm, initial encounter | ICD-10-CM |
| 50.5X3A | Poisoning by appetite depressants, assault, initial encounter | ICD-10-CM |
| 50.5X4A | Poisoning by appetite depressants, undetermined, initial encounter | ICD-10-CM |
| r50.6X1A | Poisoning by antidotes and chelating agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.6X2A | Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter | ICD-10-CM |
| T50.6X3A | Poisoning by antidotes and chelating agents, assault, initial encounter | ICD-10-CM |
| T50.6X4A | Poisoning by antidotes and chelating agents, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T50.7X1A | Poisoning by analeptics and opioid receptor antagonists, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.7X2A | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter | ICD-10-CM |
| T50.7X3A | Poisoning by analeptics and opioid receptor antagonists, assault, initial encounter | ICD-10-CM |
| T50.7X4A | Poisoning by analeptics and opioid receptor antagonists, undetermined, initial encounter | ICD-10-CM |
| T50.8X1A | Poisoning by diagnostic agents, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.8X2A | Poisoning by diagnostic agents, intentional self-harm, initial encounter | ICD-10-CM |
| T50.8X3A | Poisoning by diagnostic agents, assault, initial encounter | ICD-10-CM |
| T50.8X4A | Poisoning by diagnostic agents, undetermined, initial encounter | ICD-10-CM |
| T50.901A | Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.902A | Poisoning by unspecified drugs, medicaments and biological substances, intentional self- harm, initial encounter | ICD-10-CM |
| T50.903A | Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter | ICD-10-CM |
| T50.904A | Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter | ICD-10-CM |
| T50.991A | Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.992A | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter | ICD-10-CM |
| T50.993A | Poisoning by other drugs, medicaments and biological substances, assault, initial encounter | ICD-10-CM |
| T50.994A | Poisoning by other drugs, medicaments and biological substances, undetermined, initial encounter | ICD-10-CM |
| T50.A11A | Poisoning by pertussis vaccine, including combinations with a pertussis component, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.A12A | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter | ICD-10-CM |
| T50.A13A | Poisoning by pertussis vaccine, including combinations with a pertussis component, assault, initial encounter | ICD-10-CM |
| T50.A14A | Poisoning by pertussis vaccine, including combinations with a pertussis component, undetermined, initial encounter | ICD-10-CM |
| T50.A21A | Poisoning by mixed bacterial vaccines without a pertussis component, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.A22A | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self- harm, initial encounter | ICD-10-CM |
| T50.A23A | Poisoning by mixed bacterial vaccines without a pertussis component, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T50.A24A | Poisoning by mixed bacterial vaccines without a pertussis component, undetermined, | ICD-10-CM |
| | initial encounter | |
| T50.A91A | Poisoning by other bacterial vaccines, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.A92A | Poisoning by other bacterial vaccines, intentional self-harm, initial encounter | ICD-10-CM |
| T50.A93A | Poisoning by other bacterial vaccines, assault, initial encounter | ICD-10-CM |
| T50.A94A | Poisoning by other bacterial vaccines, undetermined, initial encounter | ICD-10-CM |
| Г50.B11A | Poisoning by smallpox vaccines, accidental (unintentional), initial encounter | ICD-10-CM |
| Г50.B12A | Poisoning by smallpox vaccines, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.B13A | Poisoning by smallpox vaccines, assault, initial encounter | ICD-10-CM |
| Г50.B14A | Poisoning by smallpox vaccines, undetermined, initial encounter | ICD-10-CM |
| 50.B91A | Poisoning by other viral vaccines, accidental (unintentional), initial encounter | ICD-10-CM |
| Г50.B92A | Poisoning by other viral vaccines, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.B93A | Poisoning by other viral vaccines, assault, initial encounter | ICD-10-CM |
| Г50.B94A | Poisoning by other viral vaccines, undetermined, initial encounter | ICD-10-CM |
| 50.Z11A | Poisoning by immunoglobulin, accidental (unintentional), initial encounter | ICD-10-CM |
| Г50.Z12A | Poisoning by immunoglobulin, intentional self-harm, initial encounter | ICD-10-CM |
| Г50.Z13A | Poisoning by immunoglobulin, assault, initial encounter | ICD-10-CM |
| 50.Z14A | Poisoning by immunoglobulin, undetermined, initial encounter | ICD-10-CM |
| Г50.Z91A | Poisoning by other vaccines and biological substances, accidental (unintentional), initial encounter | ICD-10-CM |
| T50.Z92A | Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter | ICD-10-CM |
| 50.Z93A | Poisoning by other vaccines and biological substances, assault, initial encounter | ICD-10-CM |
| Г50.Z94A | Poisoning by other vaccines and biological substances, undetermined, initial encounter | ICD-10-CM |
| 51.0X1A | Toxic effect of ethanol, accidental (unintentional), initial encounter | ICD-10-CM |
| 51.0X2A | Toxic effect of ethanol, intentional self-harm, initial encounter | ICD-10-CM |
| 51.0X3A | Toxic effect of ethanol, assault, initial encounter | ICD-10-CM |
| 51.0X4A | Toxic effect of ethanol, undetermined, initial encounter | ICD-10-CM |
| 51.1X1A | Toxic effect of methanol, accidental (unintentional), initial encounter | ICD-10-CM |
| 51.1X2A | Toxic effect of methanol, intentional self-harm, initial encounter | ICD-10-CM |
| r51.1X3A | Toxic effect of methanol, assault, initial encounter | ICD-10-CM |
| ۲51.1X4A | Toxic effect of methanol, undetermined, initial encounter | ICD-10-CM |
| 51.2X1A | Toxic effect of 2-Propanol, accidental (unintentional), initial encounter | ICD-10-CM |
| 51.2X2A | Toxic effect of 2-Propanol, intentional self-harm, initial encounter | ICD-10-CM |
| 51.2X3A | Toxic effect of 2-Propanol, assault, initial encounter | ICD-10-CM |
| 51.2X4A | Toxic effect of 2-Propanol, undetermined, initial encounter | ICD-10-CM |
| 51.3X1A | Toxic effect of fusel oil, accidental (unintentional), initial encounter | ICD-10-CM |
| r51.3X2A | Toxic effect of fusel oil, intentional self-harm, initial encounter | ICD-10-CM |
| T51.3X3A | Toxic effect of fusel oil, assault, initial encounter | ICD-10-CM |
| r51.3X4A | Toxic effect of fusel oil, undetermined, initial encounter | ICD-10-CM |
| r51.8X1A | Toxic effect of other alcohols, accidental (unintentional), initial encounter | ICD-10-CM |



| T51.82A Toxic effect of other alcohols, intentional self-harm, initial encounter ICD-10-CM T51.83A Toxic effect of other alcohols, sasult, initial encounter ICD-10-CM T51.91XA Toxic effect of other alcohols, accidental (unintentional), initial encounter ICD-10-CM T51.91XA Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter ICD-10-CM T51.91XA Toxic effect of unspecified alcohol, ascidental (unintentional), initial encounter ICD-10-CM T51.91XA Toxic effect of perioleum products, accidental (unintentional), initial encounter ICD-10-CM T52.01X1 Toxic effect of perioleum products, ascidental (unintentional), initial encounter ICD-10-CM T52.01X2 Toxic effect of benzene, accidental (unintentional), initial encounter ICD-10-CM T52.01X1 Toxic effect of benzene, actidental (unintentional), initial encounter ICD-10-CM T52.11X1 Toxic effect of benzene, assault, initial encounter ICD-10-CM T52.11X2 Toxic effect of benzene, assault, initial encounter ICD-10-CM T52.11X4 Toxic effect of benzene, assault, initial encounter ICD-10-CM T52.11X4 Toxic effect of homologues of benzene, accidental (unintentional), initial encounter ICD-10-CM T52.21X4 | Code | Description | Code Type |
|--|----------|--|-----------|
| T51.8X4AToxic effect of other alcohols, undetermined, initial encounterICD-10-CMT51.91X4Toxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.93X4Toxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X24Toxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X24Toxic effect of petroleum products, assault, initial encounterICD-10-CMT52.1X14Toxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X24Toxic effect of benzene, actidental (unintentional), initial encounterICD-10-CMT52.1X24Toxic effect of benzene, actidental (unintentional), initial encounterICD-10-CMT52.1X24Toxic effect of benzene, actidental (unintentional), initial encounterICD-10-CMT52.2X24Toxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X24Toxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X34Toxic effect of phycols, accidental (unintentional), initial encounterICD-10-CMT52.2X42Toxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X43Toxic effect of phycols, accidental (unintentional), initial encounterICD-10-CMT52.2X44Toxic effect of glycols, accidental (unin | T51.8X2A | Toxic effect of other alcohols, intentional self-harm, initial encounter | ICD-10-CM |
| T51.91XAToxic effect of unspecified alcohol, accidental (unintentional), initial encounterICD-10-CMT51.92XAToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.03X1Toxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.03X2Toxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.03X4Toxic effect of petroleum products, sintentional self-harm, initial encounterICD-10-CMT52.03X4Toxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X4Toxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X4Toxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X4Toxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4Toxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X4Toxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X4Toxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X4Toxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X4Toxic effect of homologues of benzene, uscult, initial encounterICD-10-CMT52.2X4Toxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4Toxic effect of glycols, undetermined, ini | T51.8X3A | Toxic effect of other alcohols, assault, initial encounter | ICD-10-CM |
| T51.92XAToxic effect of unspecified alcohol, intentional self-harm, initial encounterICD-10-CMT51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of petroleum products, ascidental (unintentional), initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X3AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, accidental (unintentional), initial encount | T51.8X4A | Toxic effect of other alcohols, undetermined, initial encounter | ICD-10-CM |
| T51.93XAToxic effect of unspecified alcohol, assault, initial encounterICD-10-CMT51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X3AToxic effect of ketone | T51.91XA | Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter | ICD-10-CM |
| T51.94XAToxic effect of unspecified alcohol, undetermined, initial encounterICD-10-CMT52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, sasault, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, sasault, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, sasault, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effe | T51.92XA | Toxic effect of unspecified alcohol, intentional self-harm, initial encounter | ICD-10-CM |
| T52.0X1AToxic effect of petroleum products, accidental (unintentional), initial encounterICD-10-CMT52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X3AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, sasault, initial encounterICD-10-CMT52.4X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, sasault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of ketones, accidental (unintentional), initial | T51.93XA | Toxic effect of unspecified alcohol, assault, initial encounter | ICD-10-CM |
| T52.0X2AToxic effect of petroleum products, intentional self-harm, initial encounterICD-10-CMT52.0X3AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.0X4AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X1AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, acsidental (unintentional), initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, acadental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, acadental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4ATo | T51.94XA | Toxic effect of unspecified alcohol, undetermined, initial encounter | ICD-10-CM |
| T52.0X3AToxic effect of petroleum products, assault, initial encounterICD-10-CMT52.0X4AToxic effect of betroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, assault, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X2AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X3AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X3AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect o | T52.0X1A | Toxic effect of petroleum products, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.0X4AToxic effect of petroleum products, undetermined, initial encounterICD-10-CMT52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X3AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, ascult, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.4X1AToxic effect of glycols, assault, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X1AToxic effect of other organic s | T52.0X2A | Toxic effect of petroleum products, intentional self-harm, initial encounter | ICD-10-CM |
| T52.1X1AToxic effect of benzene, accidental (unintentional), initial encounterICD-10-CMT52.1X2AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of bonzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X2AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initia | T52.0X3A | Toxic effect of petroleum products, assault, initial encounter | ICD-10-CM |
| T52.1X2AToxic effect of benzene, intentional self-harm, initial encounterICD-10-CMT52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of phomologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CM< | T52.0X4A | Toxic effect of petroleum products, undetermined, initial encounter | ICD-10-CM |
| T52.1X3AToxic effect of benzene, assault, initial encounterICD-10-CMT52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.4X1AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X2AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of other organic solvents, ascult nitial encounterICD-10-CMT52.4X2AToxic effect of other organic solvents, ascult nitial encounterICD-10-CMT52.4X2AToxic effect of other organic solvents, ascult nitial encounterICD-10-CMT52.8X2 | T52.1X1A | Toxic effect of benzene, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.1X4AToxic effect of benzene, undetermined, initial encounterICD-10-CMT52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X3AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X2AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X2AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effe | T52.1X2A | Toxic effect of benzene, intentional self-harm, initial encounter | ICD-10-CM |
| T52.2X1AToxic effect of homologues of benzene, accidental (unintentional), initial encounterICD-10-CMT52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect of unspecified organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect | T52.1X3A | Toxic effect of benzene, assault, initial encounter | ICD-10-CM |
| T52.2X2AToxic effect of homologues of benzene, intentional self-harm, initial encounterICD-10-CMT52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, instantional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of thetones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.8X3AToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAA< | T52.1X4A | Toxic effect of benzene, undetermined, initial encounter | ICD-10-CM |
| T52.2X3AToxic effect of homologues of benzene, assault, initial encounterICD-10-CMT52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X3AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of tectones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.8X4AToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.8X4AToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, assault, initial encounter | T52.2X1A | Toxic effect of homologues of benzene, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.2X4AToxic effect of homologues of benzene, undetermined, initial encounterICD-10-CMT52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.4X4AToxic effect of the organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, assault, initial encounter <td< td=""><td>T52.2X2A</td><td>Toxic effect of homologues of benzene, intentional self-harm, initial encounter</td><td>ICD-10-CM</td></td<> | T52.2X2A | Toxic effect of homologues of benzene, intentional self-harm, initial encounter | ICD-10-CM |
| T52.3X1AToxic effect of glycols, accidental (unintentional), initial encounterICD-10-CMT52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X2AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-1 | T52.2X3A | Toxic effect of homologues of benzene, assault, initial encounter | ICD-10-CM |
| T52.3X2AToxic effect of glycols, intentional self-harm, initial encounterICD-10-CMT52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.9X4AToxic effect of unspecified organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.9X4AToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9X4AToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9X4AToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9X4AToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9X4AToxic effect of carbon tetrachloride, accidental (uninte | T52.2X4A | Toxic effect of homologues of benzene, undetermined, initial encounter | ICD-10-CM |
| T52.3X3AToxic effect of glycols, assault, initial encounterICD-10-CMT52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT53.0XAAToxic effect of carbon tetrachloride, accidental (unintentio | T52.3X1A | Toxic effect of glycols, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.3X4AToxic effect of glycols, undetermined, initial encounterICD-10-CMT52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.9XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0XAToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0XAToxic effect of carbon tetrachloride, assault, initial | T52.3X2A | Toxic effect of glycols, intentional self-harm, initial encounter | ICD-10-CM |
| T52.4X1AToxic effect of ketones, accidental (unintentional), initial encounterICD-10-CMT52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of hetones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT52.93XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of c | T52.3X3A | Toxic effect of glycols, assault, initial encounter | ICD-10-CM |
| T52.4X2AToxic effect of ketones, intentional self-harm, initial encounterICD-10-CMT52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT52.93XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0XAAToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0XAAToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0XAAToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0XAAToxic effect o | T52.3X4A | Toxic effect of glycols, undetermined, initial encounter | ICD-10-CM |
| T52.4X3AToxic effect of ketones, assault, initial encounterICD-10-CMT52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.8X4AToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic e | T52.4X1A | Toxic effect of ketones, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.4X4AToxic effect of ketones, undetermined, initial encounterICD-10-CMT52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT52.93XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxi | T52.4X2A | Toxic effect of ketones, intentional self-harm, initial encounter | ICD-10-CM |
| T52.8X1AToxic effect of other organic solvents, accidental (unintentional), initial encounterICD-10-CMT52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT52.93XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxic effect of chloroform, accidental (unintentional), initial encounte | T52.4X3A | Toxic effect of ketones, assault, initial encounter | ICD-10-CM |
| T52.8X2AToxic effect of other organic solvents, intentional self-harm, initial encounterICD-10-CMT52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.94XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.1X1AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.4X4A | Toxic effect of ketones, undetermined, initial encounter | ICD-10-CM |
| T52.8X3AToxic effect of other organic solvents, assault, initial encounterICD-10-CMT52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT52.93XAToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.8X1A | Toxic effect of other organic solvents, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.8X4AToxic effect of other organic solvents, undetermined, initial encounterICD-10-CMT52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.8X2A | Toxic effect of other organic solvents, intentional self-harm, initial encounter | ICD-10-CM |
| T52.91XAToxic effect of unspecified organic solvent, accidental (unintentional), initial encounterICD-10-CMT52.92XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.94XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.94XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.8X3A | Toxic effect of other organic solvents, assault, initial encounter | ICD-10-CM |
| T52.92XAToxic effect of unspecified organic solvent, intentional self-harm, initial encounterICD-10-CMT52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.94XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CM | T52.8X4A | Toxic effect of other organic solvents, undetermined, initial encounter | ICD-10-CM |
| T52.93XAToxic effect of unspecified organic solvent, assault, initial encounterICD-10-CMT52.94XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.91XA | Toxic effect of unspecified organic solvent, accidental (unintentional), initial encounter | ICD-10-CM |
| T52.94XAToxic effect of unspecified organic solvent, undetermined, initial encounterICD-10-CMT53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.92XA | Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter | ICD-10-CM |
| T53.0X1AToxic effect of carbon tetrachloride, accidental (unintentional), initial encounterICD-10-CMT53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.93XA | Toxic effect of unspecified organic solvent, assault, initial encounter | ICD-10-CM |
| T53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T52.94XA | Toxic effect of unspecified organic solvent, undetermined, initial encounter | ICD-10-CM |
| T53.0X2AToxic effect of carbon tetrachloride, intentional self-harm, initial encounterICD-10-CMT53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | T53.0X1A | Toxic effect of carbon tetrachloride, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.0X3AToxic effect of carbon tetrachloride, assault, initial encounterICD-10-CMT53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | | | |
| T53.0X4AToxic effect of carbon tetrachloride, undetermined, initial encounterICD-10-CMT53.1X1AToxic effect of chloroform, accidental (unintentional), initial encounterICD-10-CM | | | |
| T53.1X1A Toxic effect of chloroform, accidental (unintentional), initial encounter ICD-10-CM | | | ICD-10-CM |
| | T53.1X1A | | |
| | T53.1X2A | | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T53.1X3A | Toxic effect of chloroform, assault, initial encounter | ICD-10-CM |
| T53.1X4A | Toxic effect of chloroform, undetermined, initial encounter | ICD-10-CM |
| T53.2X1A | Toxic effect of trichloroethylene, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.2X2A | Toxic effect of trichloroethylene, intentional self-harm, initial encounter | ICD-10-CM |
| T53.2X3A | Toxic effect of trichloroethylene, assault, initial encounter | ICD-10-CM |
| T53.2X4A | Toxic effect of trichloroethylene, undetermined, initial encounter | ICD-10-CM |
| T53.3X1A | Toxic effect of tetrachloroethylene, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.3X2A | Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter | ICD-10-CM |
| T53.3X3A | Toxic effect of tetrachloroethylene, assault, initial encounter | ICD-10-CM |
| T53.3X4A | Toxic effect of tetrachloroethylene, undetermined, initial encounter | ICD-10-CM |
| T53.4X1A | Toxic effect of dichloromethane, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.4X2A | Toxic effect of dichloromethane, intentional self-harm, initial encounter | ICD-10-CM |
| T53.4X3A | Toxic effect of dichloromethane, assault, initial encounter | ICD-10-CM |
| T53.4X4A | Toxic effect of dichloromethane, undetermined, initial encounter | ICD-10-CM |
| T53.5X1A | Toxic effect of chlorofluorocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.5X2A | Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter | ICD-10-CM |
| T53.5X3A | Toxic effect of chlorofluorocarbons, assault, initial encounter | ICD-10-CM |
| T53.5X4A | Toxic effect of chlorofluorocarbons, undetermined, initial encounter | ICD-10-CM |
| T53.6X1A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.6X2A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self- harm, initial encounter | ICD-10-CM |
| T53.6X3A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, initial encounter | ICD-10-CM |
| T53.6X4A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, initial encounter | ICD-10-CM |
| T53.7X1A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.7X2A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self- harm, initial encounter | ICD-10-CM |
| T53.7X3A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, initial encounter | ICD-10-CM |
| T53.7X4A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, initial encounter | ICD-10-CM |
| T53.91XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), initial encounter | ICD-10-CM |
| T53.92XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter | ICD-10-CM |
| T53.93XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| Г53.94XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, initial encounter | ICD-10-CM |
| 54.0X1A | Toxic effect of phenol and phenol homologues, accidental (unintentional), initial encounter | ICD-10-CM |
| 54.0X2A | Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter | ICD-10-CM |
| 54.0X3A | Toxic effect of phenol and phenol homologues, assault, initial encounter | ICD-10-CM |
| 54.0X4A | Toxic effect of phenol and phenol homologues, undetermined, initial encounter | ICD-10-CM |
| 54.1X1A | Toxic effect of other corrosive organic compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 54.1X2A | Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 54.1X3A | Toxic effect of other corrosive organic compounds, assault, initial encounter | ICD-10-CM |
| 54.1X4A | Toxic effect of other corrosive organic compounds, undetermined, initial encounter | ICD-10-CM |
| 54.2X1A | Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), initial encounter | ICD-10-CM |
| 54.2X2A | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter | ICD-10-CM |
| 54.2X3A | Toxic effect of corrosive acids and acid-like substances, assault, initial encounter | ICD-10-CM |
| 54.2X4A | Toxic effect of corrosive acids and acid-like substances, undetermined, initial encounter | ICD-10-CM |
| 54.3X1A | Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), initial encounter | ICD-10-CM |
| 54.3X2A | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter | ICD-10-CM |
| 54.3X3A | Toxic effect of corrosive alkalis and alkali-like substances, assault, initial encounter | ICD-10-CM |
| 54.3X4A | Toxic effect of corrosive alkalis and alkali-like substances, undetermined, initial encounter | ICD-10-CM |
| 54.91XA | Toxic effect of unspecified corrosive substance, accidental (unintentional), initial encounter | ICD-10-CM |
| 54.92XA | Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter | ICD-10-CM |
| 54.93XA | Toxic effect of unspecified corrosive substance, assault, initial encounter | ICD-10-CM |
| 54.94XA | Toxic effect of unspecified corrosive substance, undetermined, initial encounter | ICD-10-CM |
| 55.0X1A | Toxic effect of soaps, accidental (unintentional), initial encounter | ICD-10-CM |
| 55.0X2A | Toxic effect of soaps, intentional self-harm, initial encounter | ICD-10-CM |
| 55.0X3A | Toxic effect of soaps, assault, initial encounter | ICD-10-CM |
| 55.0X4A | Toxic effect of soaps, undetermined, initial encounter | ICD-10-CM |
| 55.1X1A | Toxic effect of detergents, accidental (unintentional), initial encounter | ICD-10-CM |
| 55.1X2A | Toxic effect of detergents, intentional self-harm, initial encounter | ICD-10-CM |
| 55.1X3A | Toxic effect of detergents, assault, initial encounter | ICD-10-CM |
| 55.1X4A | Toxic effect of detergents, undetermined, initial encounter | ICD-10-CM |
| 56.0X1A | Toxic effect of lead and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| | | |



| Code | Description | Code Type |
|----------|--|-----------|
| T56.0X2A | Toxic effect of lead and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| r56.0X3A | Toxic effect of lead and its compounds, assault, initial encounter | ICD-10-CM |
| Г56.0X4A | Toxic effect of lead and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.1X1A | Toxic effect of mercury and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.1X2A | Toxic effect of mercury and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| Г56.1X3A | Toxic effect of mercury and its compounds, assault, initial encounter | ICD-10-CM |
| T56.1X4A | Toxic effect of mercury and its compounds, undetermined, initial encounter | ICD-10-CM |
| Г56.2X1A | Toxic effect of chromium and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.2X2A | Toxic effect of chromium and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.2X3A | Toxic effect of chromium and its compounds, assault, initial encounter | ICD-10-CM |
| r56.2X4A | Toxic effect of chromium and its compounds, undetermined, initial encounter | ICD-10-CM |
| T56.3X1A | Toxic effect of cadmium and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| T56.3X2A | Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| r56.3X3A | Toxic effect of cadmium and its compounds, assault, initial encounter | ICD-10-CM |
| r56.3X4A | Toxic effect of cadmium and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.4X1A | Toxic effect of copper and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.4X2A | Toxic effect of copper and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.4X3A | Toxic effect of copper and its compounds, assault, initial encounter | ICD-10-CM |
| 56.4X4A | Toxic effect of copper and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.5X1A | Toxic effect of zinc and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.5X2A | Toxic effect of zinc and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.5X3A | Toxic effect of zinc and its compounds, assault, initial encounter | ICD-10-CM |
| r56.5X4A | Toxic effect of zinc and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.6X1A | Toxic effect of tin and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.6X2A | Toxic effect of tin and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 56.6X3A | Toxic effect of tin and its compounds, assault, initial encounter | ICD-10-CM |
| 56.6X4A | Toxic effect of tin and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.7X1A | Toxic effect of beryllium and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| r56.7X2A | Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| r56.7X3A | Toxic effect of beryllium and its compounds, assault, initial encounter | ICD-10-CM |
| 56.7X4A | Toxic effect of beryllium and its compounds, undetermined, initial encounter | ICD-10-CM |
| 56.811A | Toxic effect of thallium, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.812A | Toxic effect of thallium, intentional self-harm, initial encounter | ICD-10-CM |
| r56.813A | Toxic effect of thallium, assault, initial encounter | ICD-10-CM |
| r56.814A | Toxic effect of thallium, undetermined, initial encounter | ICD-10-CM |
| r56.891A | Toxic effect of other metals, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.892A | Toxic effect of other metals, intentional self-harm, initial encounter | ICD-10-CM |
| 56.893A | Toxic effect of other metals, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| r56.894A | Toxic effect of other metals, undetermined, initial encounter | ICD-10-CM |
| 56.91XA | Toxic effect of unspecified metal, accidental (unintentional), initial encounter | ICD-10-CM |
| 56.92XA | Toxic effect of unspecified metal, intentional self-harm, initial encounter | ICD-10-CM |
| 56.93XA | Toxic effect of unspecified metal, assault, initial encounter | ICD-10-CM |
| 56.94XA | Toxic effect of unspecified metal, undetermined, initial encounter | ICD-10-CM |
| 57.0X1A | Toxic effect of arsenic and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.0X2A | Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 57.0X3A | Toxic effect of arsenic and its compounds, assault, initial encounter | ICD-10-CM |
| 57.0X4A | Toxic effect of arsenic and its compounds, undetermined, initial encounter | ICD-10-CM |
| 57.1X1A | Toxic effect of phosphorus and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.1X2A | Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 57.1X3A | Toxic effect of phosphorus and its compounds, assault, initial encounter | ICD-10-CM |
| 57.1X4A | Toxic effect of phosphorus and its compounds, undetermined, initial encounter | ICD-10-CM |
| 57.2X1A | Toxic effect of manganese and its compounds, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.2X2A | Toxic effect of manganese and its compounds, intentional self-harm, initial encounter | ICD-10-CM |
| 57.2X3A | Toxic effect of manganese and its compounds, assault, initial encounter | ICD-10-CM |
| 57.2X4A | Toxic effect of manganese and its compounds, undetermined, initial encounter | ICD-10-CM |
| 57.3X1A | Toxic effect of hydrogen cyanide, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.3X2A | Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter | ICD-10-CM |
| 57.3X3A | Toxic effect of hydrogen cyanide, assault, initial encounter | ICD-10-CM |
| 57.3X4A | Toxic effect of hydrogen cyanide, undetermined, initial encounter | ICD-10-CM |
| 57.8X1A | Toxic effect of other specified inorganic substances, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.8X2A | Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter | ICD-10-CM |
| 57.8X3A | Toxic effect of other specified inorganic substances, assault, initial encounter | ICD-10-CM |
| 57.8X4A | Toxic effect of other specified inorganic substances, undetermined, initial encounter | ICD-10-CM |
| 57.91XA | Toxic effect of unspecified inorganic substance, accidental (unintentional), initial encounter | ICD-10-CM |
| 57.92XA | Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter | ICD-10-CM |
| 57.93XA | Toxic effect of unspecified inorganic substance, assault, initial encounter | ICD-10-CM |
| 57.94XA | Toxic effect of unspecified inorganic substance, undetermined, initial encounter | ICD-10-CM |
| 58.01XA | Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), initial encounter | ICD-10-CM |
| 58.02XA | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter | ICD-10-CM |
| 58.03XA | Toxic effect of carbon monoxide from motor vehicle exhaust, assault, initial encounter | ICD-10-CM |
| 58.04XA | Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T58.11XA | Toxic effect of carbon monoxide from utility gas, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T58.12XA | Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter | ICD-10-CM |
| T58.13XA | Toxic effect of carbon monoxide from utility gas, assault, initial encounter | ICD-10-CM |
| T58.14XA | Toxic effect of carbon monoxide from utility gas, undetermined, initial encounter | ICD-10-CM |
| T58.2X1A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.2X2A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter | ICD-10-CM |
| T58.2X3A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, initial encounter | ICD-10-CM |
| T58.2X4A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, initial encounter | ICD-10-CM |
| T58.8X1A | Toxic effect of carbon monoxide from other source, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.8X2A | Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter | ICD-10-CM |
| T58.8X3A | Toxic effect of carbon monoxide from other source, assault, initial encounter | ICD-10-CM |
| T58.8X4A | Toxic effect of carbon monoxide from other source, undetermined, initial encounter | ICD-10-CM |
| T58.91XA | Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), initial encounter | ICD-10-CM |
| T58.92XA | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter | ICD-10-CM |
| T58.93XA | Toxic effect of carbon monoxide from unspecified source, assault, initial encounter | ICD-10-CM |
| T58.94XA | Toxic effect of carbon monoxide from unspecified source, undetermined, initial encounter | ICD-10-CM |
| T59.0X1A | Toxic effect of nitrogen oxides, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.0X2A | Toxic effect of nitrogen oxides, intentional self-harm, initial encounter | ICD-10-CM |
| T59.0X3A | Toxic effect of nitrogen oxides, assault, initial encounter | ICD-10-CM |
| T59.0X4A | Toxic effect of nitrogen oxides, undetermined, initial encounter | ICD-10-CM |
| T59.1X1A | Toxic effect of sulfur dioxide, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.1X2A | Toxic effect of sulfur dioxide, intentional self-harm, initial encounter | ICD-10-CM |
| T59.1X3A | Toxic effect of sulfur dioxide, assault, initial encounter | ICD-10-CM |
| T59.1X4A | Toxic effect of sulfur dioxide, undetermined, initial encounter | ICD-10-CM |
| T59.2X1A | Toxic effect of formaldehyde, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.2X2A | Toxic effect of formaldehyde, intentional self-harm, initial encounter | ICD-10-CM |
| T59.2X3A | Toxic effect of formaldehyde, assault, initial encounter | ICD-10-CM |
| T59.2X4A | Toxic effect of formaldehyde, undetermined, initial encounter | ICD-10-CM |
| T59.3X1A | Toxic effect of lacrimogenic gas, accidental (unintentional), initial encounter | ICD-10-CM |
| T59.3X2A | Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|---------|---|-----------|
| 59.3X3A | Toxic effect of lacrimogenic gas, assault, initial encounter | ICD-10-CM |
| 59.3X4A | Toxic effect of lacrimogenic gas, undetermined, initial encounter | ICD-10-CM |
| 59.4X1A | Toxic effect of chlorine gas, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.4X2A | Toxic effect of chlorine gas, intentional self-harm, initial encounter | ICD-10-CM |
| 59.4X3A | Toxic effect of chlorine gas, assault, initial encounter | ICD-10-CM |
| 59.4X4A | Toxic effect of chlorine gas, undetermined, initial encounter | ICD-10-CM |
| 59.5X1A | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.5X2A | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter | ICD-10-CM |
| 59.5X3A | Toxic effect of fluorine gas and hydrogen fluoride, assault, initial encounter | ICD-10-CM |
| 59.5X4A | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, initial encounter | ICD-10-CM |
| 59.6X1A | Toxic effect of hydrogen sulfide, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.6X2A | Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter | ICD-10-CM |
| 59.6X3A | Toxic effect of hydrogen sulfide, assault, initial encounter | ICD-10-CM |
| 59.6X4A | Toxic effect of hydrogen sulfide, undetermined, initial encounter | ICD-10-CM |
| 59.7X1A | Toxic effect of carbon dioxide, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.7X2A | Toxic effect of carbon dioxide, intentional self-harm, initial encounter | ICD-10-CM |
| 59.7X3A | Toxic effect of carbon dioxide, assault, initial encounter | ICD-10-CM |
| 59.7X4A | Toxic effect of carbon dioxide, undetermined, initial encounter | ICD-10-CM |
| 59.811A | Toxic effect of smoke, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.812A | Toxic effect of smoke, intentional self-harm, initial encounter | ICD-10-CM |
| 59.813A | Toxic effect of smoke, assault, initial encounter | ICD-10-CM |
| 59.814A | Toxic effect of smoke, undetermined, initial encounter | ICD-10-CM |
| 59.891A | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.892A | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter | ICD-10-CM |
| 59.893A | Toxic effect of other specified gases, fumes and vapors, assault, initial encounter | ICD-10-CM |
| 59.894A | Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter | ICD-10-CM |
| 59.91XA | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial encounter | ICD-10-CM |
| 59.92XA | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter | ICD-10-CM |
| 59.93XA | Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter | ICD-10-CM |
| 59.94XA | Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter | ICD-10-CM |
| 50.0X1A | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), initial encounter | ICD-10-CM |
| 60.0X2A | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T60.0X3A | Toxic effect of organophosphate and carbamate insecticides, assault, initial encounter | ICD-10-CM |
| T60.0X4A | Toxic effect of organophosphate and carbamate insecticides, undetermined, initial | ICD-10-CM |
| | encounter | |
| T60.1X1A | Toxic effect of halogenated insecticides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.1X2A | Toxic effect of halogenated insecticides, intentional self-harm, initial encounter | ICD-10-CM |
| T60.1X3A | Toxic effect of halogenated insecticides, assault, initial encounter | ICD-10-CM |
| T60.1X4A | Toxic effect of halogenated insecticides, undetermined, initial encounter | ICD-10-CM |
| T60.2X1A | Toxic effect of other insecticides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.2X2A | Toxic effect of other insecticides, intentional self-harm, initial encounter | ICD-10-CM |
| T60.2X3A | Toxic effect of other insecticides, assault, initial encounter | ICD-10-CM |
| T60.2X4A | Toxic effect of other insecticides, undetermined, initial encounter | ICD-10-CM |
| T60.3X1A | Toxic effect of herbicides and fungicides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.3X2A | Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter | ICD-10-CM |
| T60.3X3A | Toxic effect of herbicides and fungicides, assault, initial encounter | ICD-10-CM |
| T60.3X4A | Toxic effect of herbicides and fungicides, undetermined, initial encounter | ICD-10-CM |
| T60.4X1A | Toxic effect of rodenticides, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.4X2A | Toxic effect of rodenticides, intentional self-harm, initial encounter | ICD-10-CM |
| Г60.4X3A | Toxic effect of rodenticides, assault, initial encounter | ICD-10-CM |
| Г60.4X4A | Toxic effect of rodenticides, undetermined, initial encounter | ICD-10-CM |
| F60.8X1A | Toxic effect of other pesticides, accidental (unintentional), initial encounter | ICD-10-CM |
| Г60.8X2A | Toxic effect of other pesticides, intentional self-harm, initial encounter | ICD-10-CM |
| 60.8X3A | Toxic effect of other pesticides, assault, initial encounter | ICD-10-CM |
| T60.8X4A | Toxic effect of other pesticides, undetermined, initial encounter | ICD-10-CM |
| T60.91XA | Toxic effect of unspecified pesticide, accidental (unintentional), initial encounter | ICD-10-CM |
| T60.92XA | Toxic effect of unspecified pesticide, intentional self-harm, initial encounter | ICD-10-CM |
| Г60.93XA | Toxic effect of unspecified pesticide, assault, initial encounter | ICD-10-CM |
| Г60.94XA | Toxic effect of unspecified pesticide, undetermined, initial encounter | ICD-10-CM |
| F61.01XA | Ciguatera fish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.02XA | Ciguatera fish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.03XA | Ciguatera fish poisoning, assault, initial encounter | ICD-10-CM |
| T61.04XA | Ciguatera fish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.11XA | Scombroid fish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.12XA | Scombroid fish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.13XA | Scombroid fish poisoning, assault, initial encounter | ICD-10-CM |
| T61.14XA | Scombroid fish poisoning, undetermined, initial encounter | ICD-10-CM |
| Г61.771A | Other fish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.772A | Other fish poisoning, intentional self-harm, initial encounter | ICD-10-CM |
| T61.773A | Other fish poisoning, assault, initial encounter | ICD-10-CM |
| T61.774A | Other fish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.781A | Other shellfish poisoning, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.782A | Other shellfish poisoning, intentional self-harm, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|--------------------|--|------------------------|
| T61.783A | Other shellfish poisoning, assault, initial encounter | ICD-10-CM |
| T61.784A | Other shellfish poisoning, undetermined, initial encounter | ICD-10-CM |
| T61.8X1A | Toxic effect of other seafood, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.8X2A | Toxic effect of other seafood, intentional self-harm, initial encounter | ICD-10-CM |
| T61.8X3A | Toxic effect of other seafood, assault, initial encounter | ICD-10-CM |
| T61.8X4A | Toxic effect of other seafood, undetermined, initial encounter | ICD-10-CM |
| T61.91XA | Toxic effect of unspecified seafood, accidental (unintentional), initial encounter | ICD-10-CM |
| T61.92XA | Toxic effect of unspecified seafood, intentional self-harm, initial encounter | ICD-10-CM |
| T61.93XA | Toxic effect of unspecified seafood, assault, initial encounter | ICD-10-CM |
| T61.94XA | Toxic effect of unspecified seafood, undetermined, initial encounter | ICD-10-CM |
| T62.0X1A | Toxic effect of ingested mushrooms, accidental (unintentional), initial encounter | ICD-10-CM |
| T62.0X2A | Toxic effect of ingested mushrooms, intentional self-harm, initial encounter | ICD-10-CM |
| T62.0X3A | Toxic effect of ingested mushrooms, assault, initial encounter | ICD-10-CM |
| T62.0X4A | Toxic effect of ingested mushrooms, undetermined, initial encounter | ICD-10-CM |
| F62.1X1A | Toxic effect of ingested berries, accidental (unintentional), initial encounter | ICD-10-CM |
| T62.1X2A | Toxic effect of ingested berries, intentional self-harm, initial encounter | ICD-10-CM |
| F62.1X3A | Toxic effect of ingested berries, assault, initial encounter | ICD-10-CM |
| 62.1X4A | Toxic effect of ingested berries, undetermined, initial encounter | ICD-10-CM |
| Г62.2X1A | Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), initial encounter | ICD-10-CM |
| Г62.2X2A | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter | ICD-10-CM |
| Г62.2X3A | Toxic effect of other ingested (parts of) plant(s), assault, initial encounter | ICD-10-CM |
| Г62.2X4А | Toxic effect of other ingested (parts of) plant(s), undetermined, initial encounter | ICD-10-CM |
| F62.8X1A | Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), initial encounter | ICD-10-CM |
| Г62.8X2A | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter | ICD-10-CM |
| Г62.8X3A | Toxic effect of other specified noxious substances eaten as food, assault, initial encounter | ICD-10-CM |
| r62.8X4A | Toxic effect of other specified noxious substances eaten as food, undetermined, initial encounter | ICD-10-CM |
| r62.91XA | Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), initial encounter | ICD-10-CM |
| r62.92XA | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter | ICD-10-CM |
| 62.93XA 62.94XA | Toxic effect of unspecified noxious substance eaten as food, assault, initial encounter Toxic effect of unspecified noxious substance eaten as food, undetermined, initial encounter | ICD-10-CM ICD-10-CM |
| 63.001A | Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter | ICD-10-CM |
| r63.002A | Toxic effect of unspecified snake venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.003A | Toxic effect of unspecified snake venom, assault, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T63.004A | Toxic effect of unspecified snake venom, undetermined, initial encounter | ICD-10-CM |
| T63.011A | Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.012A | Toxic effect of rattlesnake venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.013A | Toxic effect of rattlesnake venom, assault, initial encounter | ICD-10-CM |
| T63.014A | Toxic effect of rattlesnake venom, undetermined, initial encounter | ICD-10-CM |
| T63.021A | Toxic effect of coral snake venom, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.022A | Toxic effect of coral snake venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.023A | Toxic effect of coral snake venom, assault, initial encounter | ICD-10-CM |
| T63.024A | Toxic effect of coral snake venom, undetermined, initial encounter | ICD-10-CM |
| T63.031A | Toxic effect of taipan venom, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.032A | Toxic effect of taipan venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.033A | Toxic effect of taipan venom, assault, initial encounter | ICD-10-CM |
| T63.034A | Toxic effect of taipan venom, undetermined, initial encounter | ICD-10-CM |
| T63.041A | Toxic effect of cobra venom, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.042A | Toxic effect of cobra venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.043A | Toxic effect of cobra venom, assault, initial encounter | ICD-10-CM |
| T63.044A | Toxic effect of cobra venom, undetermined, initial encounter | ICD-10-CM |
| T63.061A | Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.062A | Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter | ICD-10-CM |
| T63.063A | Toxic effect of venom of other North and South American snake, assault, initial encounter | ICD-10-CM |
| T63.064A | Toxic effect of venom of other North and South American snake, undetermined, initial encounter | ICD-10-CM |
| T63.071A | Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.072A | Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter | ICD-10-CM |
| T63.073A | Toxic effect of venom of other Australian snake, assault, initial encounter | ICD-10-CM |
| T63.074A | Toxic effect of venom of other Australian snake, undetermined, initial encounter | ICD-10-CM |
| T63.081A | Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.082A | Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter | ICD-10-CM |
| T63.083A | Toxic effect of venom of other African and Asian snake, assault, initial encounter | ICD-10-CM |
| T63.084A | Toxic effect of venom of other African and Asian snake, undetermined, initial encounter | ICD-10-CM |
| T63.091A | Toxic effect of venom of other snake, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.092A | Toxic effect of venom of other snake, intentional self-harm, initial encounter | ICD-10-CM |
| T63.093A | Toxic effect of venom of other snake, assault, initial encounter | ICD-10-CM |
| T63.094A | Toxic effect of venom of other snake, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|--|-----------|
| T63.111A | Toxic effect of venom of gila monster, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.112A | Toxic effect of venom of gila monster, intentional self-harm, initial encounter | ICD-10-CM |
| T63.113A | Toxic effect of venom of gila monster, assault, initial encounter | ICD-10-CM |
| T63.114A | Toxic effect of venom of gila monster, undetermined, initial encounter | ICD-10-CM |
| T63.121A | Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.122A | Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter | ICD-10-CM |
| T63.123A | Toxic effect of venom of other venomous lizard, assault, initial encounter | ICD-10-CM |
| T63.124A | Toxic effect of venom of other venomous lizard, undetermined, initial encounter | ICD-10-CM |
| T63.191A | Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.192A | Toxic effect of venom of other reptiles, intentional self-harm, initial encounter | ICD-10-CM |
| T63.193A | Toxic effect of venom of other reptiles, assault, initial encounter | ICD-10-CM |
| T63.194A | Toxic effect of venom of other reptiles, undetermined, initial encounter | ICD-10-CM |
| T63.2X1A | Toxic effect of venom of scorpion, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.2X2A | Toxic effect of venom of scorpion, intentional self-harm, initial encounter | ICD-10-CM |
| T63.2X3A | Toxic effect of venom of scorpion, assault, initial encounter | ICD-10-CM |
| T63.2X4A | Toxic effect of venom of scorpion, undetermined, initial encounter | ICD-10-CM |
| T63.301A | Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.302A | Toxic effect of unspecified spider venom, intentional self-harm, initial encounter | ICD-10-CM |
| T63.303A | Toxic effect of unspecified spider venom, assault, initial encounter | ICD-10-CM |
| Г63.304A | Toxic effect of unspecified spider venom, undetermined, initial encounter | ICD-10-CM |
| T63.311A | Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.312A | Toxic effect of venom of black widow spider, intentional self-harm, initial encounter | ICD-10-CM |
| T63.313A | Toxic effect of venom of black widow spider, assault, initial encounter | ICD-10-CM |
| T63.314A | Toxic effect of venom of black widow spider, undetermined, initial encounter | ICD-10-CM |
| T63.321A | Toxic effect of venom of tarantula, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.322A | Toxic effect of venom of tarantula, intentional self-harm, initial encounter | ICD-10-CM |
| T63.323A | Toxic effect of venom of tarantula, assault, initial encounter | ICD-10-CM |
| T63.324A | Toxic effect of venom of tarantula, undetermined, initial encounter | ICD-10-CM |
| T63.331A | Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.332A | Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter | ICD-10-CM |
| T63.333A | Toxic effect of venom of brown recluse spider, assault, initial encounter | ICD-10-CM |
| T63.334A | Toxic effect of venom of brown recluse spider, undetermined, initial encounter | ICD-10-CM |
| T63.391A | Toxic effect of venom of other spider, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.392A | Toxic effect of venom of other spider, intentional self-harm, initial encounter | ICD-10-CM |
| T63.393A | Toxic effect of venom of other spider, assault, initial encounter | ICD-10-CM |
| T63.394A | Toxic effect of venom of other spider, undetermined, initial encounter | ICD-10-CM |
| T63.411A | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T63.412A | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, | ICD-10-CM |
| | initial encounter | |
| T63.413A | Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter | ICD-10-CM |
| T63.414A | Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter | ICD-10-CM |
| T63.421A | Toxic effect of venom of ants, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.422A | Toxic effect of venom of ants, intentional self-harm, initial encounter | ICD-10-CM |
| T63.423A | Toxic effect of venom of ants, assault, initial encounter | ICD-10-CM |
| T63.424A | Toxic effect of venom of ants, undetermined, initial encounter | ICD-10-CM |
| T63.431A | Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.432A | Toxic effect of venom of caterpillars, intentional self-harm, initial encounter | ICD-10-CM |
| T63.433A | Toxic effect of venom of caterpillars, assault, initial encounter | ICD-10-CM |
| T63.434A | Toxic effect of venom of caterpillars, undetermined, initial encounter | ICD-10-CM |
| T63.441A | Toxic effect of venom of bees, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.442A | Toxic effect of venom of bees, intentional self-harm, initial encounter | ICD-10-CM |
| T63.443A | Toxic effect of venom of bees, assault, initial encounter | ICD-10-CM |
| T63.444A | Toxic effect of venom of bees, undetermined, initial encounter | ICD-10-CM |
| T63.451A | Toxic effect of venom of hornets, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.452A | Toxic effect of venom of hornets, intentional self-harm, initial encounter | ICD-10-CM |
| T63.453A | Toxic effect of venom of hornets, assault, initial encounter | ICD-10-CM |
| T63.454A | Toxic effect of venom of hornets, undetermined, initial encounter | ICD-10-CM |
| T63.461A | Toxic effect of venom of wasps, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.462A | Toxic effect of venom of wasps, intentional self-harm, initial encounter | ICD-10-CM |
| T63.463A | Toxic effect of venom of wasps, assault, initial encounter | ICD-10-CM |
| T63.464A | Toxic effect of venom of wasps, undetermined, initial encounter | ICD-10-CM |
| T63.481A | Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.482A | Toxic effect of venom of other arthropod, intentional self-harm, initial encounter | ICD-10-CM |
| T63.483A | Toxic effect of venom of other arthropod, assault, initial encounter | ICD-10-CM |
| T63.484A | Toxic effect of venom of other arthropod, undetermined, initial encounter | ICD-10-CM |
| T63.511A | Toxic effect of contact with stingray, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.512A | Toxic effect of contact with stingray, intentional self-harm, initial encounter | ICD-10-CM |
| T63.513A | Toxic effect of contact with stingray, assault, initial encounter | ICD-10-CM |
| T63.514A | Toxic effect of contact with stingray, undetermined, initial encounter | ICD-10-CM |
| T63.591A | Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.592A | Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter | ICD-10-CM |
| T63.593A | Toxic effect of contact with other venomous fish, assault, initial encounter | ICD-10-CM |
| T63.594A | Toxic effect of contact with other venomous fish, undetermined, initial encounter | ICD-10-CM |



| Code | Description | Code Type |
|----------|---|-----------|
| T63.611A | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial | ICD-10-CM |
| | encounter | |
| T63.612A | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial | ICD-10-CM |
| | encounter | |
| T63.613A | Toxic effect of contact with Portugese Man-o-war, assault, initial encounter | ICD-10-CM |
| T63.614A | Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter | ICD-10-CM |
| T63.621A | Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.622A | Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter | ICD-10-CM |
| T63.623A | Toxic effect of contact with other jellyfish, assault, initial encounter | ICD-10-CM |
| T63.624A | Toxic effect of contact with other jellyfish, undetermined, initial encounter | ICD-10-CM |
| T63.631A | Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.632A | Toxic effect of contact with sea anemone, intentional self-harm, initial encounter | ICD-10-CM |
| T63.633A | Toxic effect of contact with sea anemone, assault, initial encounter | ICD-10-CM |
| T63.634A | Toxic effect of contact with sea anemone, undetermined, initial encounter | ICD-10-CM |
| T63.691A | Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.692A | Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter | ICD-10-CM |
| T63.693A | Toxic effect of contact with other venomous marine animals, assault, initial encounter | ICD-10-CM |
| T63.694A | Toxic effect of contact with other venomous marine animals, undetermined, initial encounter | ICD-10-CM |
| T63.711A | Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.712A | Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter | ICD-10-CM |
| T63.713A | Toxic effect of contact with venomous marine plant, assault, initial encounter | ICD-10-CM |
| T63.714A | Toxic effect of contact with venomous marine plant, undetermined, initial encounter | ICD-10-CM |
| T63.791A | Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.792A | Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter | ICD-10-CM |
| T63.793A | Toxic effect of contact with other venomous plant, assault, initial encounter | ICD-10-CM |
| T63.794A | Toxic effect of contact with other venomous plant, undetermined, initial encounter | ICD-10-CM |
| T63.811A | Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.812A | Toxic effect of contact with venomous frog, intentional self-harm, initial encounter | ICD-10-CM |
| T63.813A | Toxic effect of contact with venomous frog, assault, initial encounter | ICD-10-CM |
| T63.814A | Toxic effect of contact with venomous frog, undetermined, initial encounter | ICD-10-CM |
| T63.821A | Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter | ICD-10-CM |
| T63.822A | Toxic effect of contact with venomous toad, intentional self-harm, initial encounter | ICD-10-CM |
| T63.823A | Toxic effect of contact with venomous toad, assault, initial encounter | ICD-10-CM |



| Code | Description | | | | |
|----------|---|------------------------|--|--|--|
| T63.824A | Toxic effect of contact with venomous toad, undetermined, initial encounter | Code Type ICD-10-CM | | | |
| T63.831A | Toxic effect of contact with other venomous amphibian, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T63.832A | Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T63.833A | Toxic effect of contact with other venomous amphibian, assault, initial encounter | ICD-10-CM | | | |
| T63.834A | Toxic effect of contact with other venomous amphibian, undetermined, initial encounter | ICD-10-CM | | | |
| T63.891A | Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T63.892A | Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T63.893A | Toxic effect of contact with other venomous animals, assault, initial encounter | ICD-10-CM | | | |
| T63.894A | Toxic effect of contact with other venomous animals, undetermined, initial encounter | ICD-10-CM | | | |
| T63.91XA | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T63.92XA | Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T63.93XA | Toxic effect of contact with unspecified venomous animal, assault, initial encounter | ICD-10-CM | | | |
| T63.94XA | Toxic effect of contact with unspecified venomous animal, undetermined, initial encounter | ICD-10-CM | | | |
| T64.01XA | Toxic effect of aflatoxin, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T64.02XA | Toxic effect of aflatoxin, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T64.03XA | Toxic effect of aflatoxin, assault, initial encounter | ICD-10-CM | | | |
| T64.04XA | Toxic effect of aflatoxin, undetermined, initial encounter | ICD-10-CM | | | |
| T64.81XA | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T64.82XA | Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T64.83XA | Toxic effect of other mycotoxin food contaminants, assault, initial encounter | ICD-10-CM | | | |
| T64.84XA | Toxic effect of other mycotoxin food contaminants, undetermined, initial encounter | ICD-10-CM | | | |
| T65.0X1A | Toxic effect of cyanides, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.0X2A | Toxic effect of cyanides, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.0X3A | Toxic effect of cyanides, assault, initial encounter | ICD-10-CM | | | |
| T65.0X4A | Toxic effect of cyanides, undetermined, initial encounter | ICD-10-CM | | | |
| T65.1X1A | Toxic effect of strychnine and its salts, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.1X2A | Toxic effect of strychnine and its salts, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.1X3A | Toxic effect of strychnine and its salts, assault, initial encounter | ICD-10-CM | | | |
| T65.1X4A | Toxic effect of strychnine and its salts, undetermined, initial encounter | ICD-10-CM | | | |
| T65.211A | Toxic effect of chewing tobacco, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.212A | Toxic effect of chewing tobacco, intentional self-harm, initial encounter | ICD-10-CM | | | |



| Code | Description | | | | |
|----------|--|-----------|--|--|--|
| T65.213A | Toxic effect of chewing tobacco, assault, initial encounter | ICD-10-CM | | | |
| T65.214A | Toxic effect of chewing tobacco, undetermined, initial encounter | ICD-10-CM | | | |
| T65.221A | Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.222A | Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.223A | Toxic effect of tobacco cigarettes, assault, initial encounter | | | | |
| T65.224A | Toxic effect of tobacco cigarettes, undetermined, initial encounter | | | | |
| T65.291A | Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter | | | | |
| T65.292A | Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.293A | Toxic effect of other tobacco and nicotine, assault, initial encounter | ICD-10-CM | | | |
| T65.294A | Toxic effect of other tobacco and nicotine, undetermined, initial encounter | ICD-10-CM | | | |
| T65.3X1A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.3X2A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.3X3A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, initial encounter | ICD-10-CM | | | |
| T65.3X4A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, initial encounter | ICD-10-CM | | | |
| T65.4X1A | Toxic effect of carbon disulfide, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.4X2A | Toxic effect of carbon disulfide, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.4X3A | Toxic effect of carbon disulfide, assault, initial encounter | ICD-10-CM | | | |
| T65.4X4A | Toxic effect of carbon disulfide, undetermined, initial encounter | ICD-10-CM | | | |
| T65.5X1A | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.5X2A | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.5X3A | Toxic effect of nitroglycerin and other nitric acids and esters, assault, initial encounter | ICD-10-CM | | | |
| T65.5X4A | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, initial encounter | ICD-10-CM | | | |
| T65.6X1A | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.6X2A | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.6X3A | Toxic effect of paints and dyes, not elsewhere classified, assault, initial encounter | ICD-10-CM | | | |
| T65.6X4A | Toxic effect of paints and dyes, not elsewhere classified, undetermined, initial encounter | ICD-10-CM | | | |
| T65.811A | Toxic effect of latex, accidental (unintentional), initial encounter | ICD-10-CM | | | |
| T65.812A | Toxic effect of latex, intentional self-harm, initial encounter | ICD-10-CM | | | |
| T65.813A | Toxic effect of latex, assault, initial encounter | ICD-10-CM | | | |
| T65.814A | Toxic effect of latex, undetermined, initial encounter | ICD-10-CM | | | |



| Code | Description | Code Type | | |
|----------|---|-----------|--|--|
| T65.821A | Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial | | | |
| | encounter | | | |
| T65.822A | Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter | | | |
| T65.823A | Toxic effect of harmful algae and algae toxins, assault, initial encounter | | | |
| T65.824A | Toxic effect of harmful algae and algae toxins, undetermined, initial encounter | | | |
| T65.831A | Toxic effect of fiberglass, accidental (unintentional), initial encounter | | | |
| T65.832A | Toxic effect of fiberglass, intentional self-harm, initial encounter | | | |
| T65.833A | Toxic effect of fiberglass, assault, initial encounter | | | |
| r65.834A | Toxic effect of fiberglass, undetermined, initial encounter | ICD-10-CM | | |
| T65.891A | Toxic effect of other specified substances, accidental (unintentional), initial encounter | | | |
| r65.892A | Toxic effect of other specified substances, intentional self-harm, initial encounter | | | |
| r65.893A | Toxic effect of other specified substances, assault, initial encounter | ICD-10-CM | | |
| r65.894A | Toxic effect of other specified substances, undetermined, initial encounter | ICD-10-CM | | |
| T65.91XA | Toxic effect of unspecified substance, accidental (unintentional), initial encounter | | | |
| Г65.92XA | Toxic effect of unspecified substance, intentional self-harm, initial encounter | ICD-10-CM | | |
| r65.93XA | Toxic effect of unspecified substance, assault, initial encounter | ICD-10-CM | | |
| T65.94XA | Toxic effect of unspecified substance, undetermined, initial encounter | ICD-10-CM | | |
| 78.1XXA | Other adverse food reactions, not elsewhere classified, initial encounter | ICD-10-CM | | |
| (35.201A | Legal intervention involving unspecified gas, law enforcement official injured, initial | ICD-10-CM | | |
| | encounter | | | |
| Y35.201D | Legal intervention involving unspecified gas, law enforcement official injured, | ICD-10-CM | | |
| | subsequent encounter | | | |
| Y35.202A | Legal intervention involving unspecified gas, bystander injured, initial encounter | ICD-10-CM | | |
| (35.202D | Legal intervention involving unspecified gas, bystander injured, subsequent encounter | ICD-10-CM | | |
| /35.203A | Legal intervention involving unspecified gas, suspect injured, initial encounter | ICD-10-CM | | |
| (35.203D | Legal intervention involving unspecified gas, suspect injured, subsequent encounter | ICD-10-CM | | |
| Y35.211A | Legal intervention involving injury by tear gas, law enforcement official injured, initial | ICD-10-CM | | |
| | encounter | | | |
| Y35.211D | Legal intervention involving injury by tear gas, law enforcement official injured, | ICD-10-CM | | |
| | subsequent encounter | | | |
| Y35.212A | Legal intervention involving injury by tear gas, bystander injured, initial encounter | ICD-10-CM | | |
| Y35.212D | Legal intervention involving injury by tear gas, bystander injured, subsequent encounter | ICD-10-CM | | |
| | | | | |
| Y35.213A | Legal intervention involving injury by tear gas, suspect injured, initial encounter | ICD-10-CM | | |
| (35.213D | Legal intervention involving injury by tear gas, suspect injured, subsequent encounter | ICD-10-CM | | |
| (35.291A | Legal intervention involving other gas, law enforcement official injured, initial encounter | ICD-10-CM | | |
| | | | | |
| Y35.291D | Legal intervention involving other gas, law enforcement official injured, subsequent | ICD-10-CM | | |
| | encounter | | | |
| ′35.292A | Legal intervention involving other gas, bystander injured, initial encounter | ICD-10-CM | | |
| Y35.292D | Legal intervention involving other gas, bystander injured, subsequent encounter | ICD-10-CM | | |
| | | | | |



| Code | Description Legal intervention involving other gas, suspect injured, initial encounter | | | | |
|----------|--|-----------|--|--|--|
| (35.293A | | | | | |
| (35.293D | Legal intervention involving other gas, suspect injured, subsequent encounter | ICD-10-CM | | | |
| /35.811A | Legal intervention involving manhandling, law enforcement official injured, initial encounter | ICD-10-CM | | | |
| (35.811D | Legal intervention involving manhandling, law enforcement official injured, subsequent encounter | | | | |
| /35.812A | Legal intervention involving manhandling, bystander injured, initial encounter | | | | |
| /35.812D | Legal intervention involving manhandling, bystander injured, subsequent encounter | ICD-10-CM | | | |
| /35.813A | Legal intervention involving manhandling, suspect injured, initial encounter | ICD-10-CM | | | |
| (35.813D | Legal intervention involving manhandling, suspect injured, subsequent encounter | ICD-10-CM | | | |
| /35.891A | Legal intervention involving other specified means, law enforcement official injured, initial encounter | ICD-10-CM | | | |
| ′35.891D | Legal intervention involving other specified means, law enforcement official injured, subsequent encounter | ICD-10-CM | | | |
| /35.892A | Legal intervention involving other specified means, bystander injured, initial encounter | ICD-10-CM | | | |
| (35.892D | Legal intervention involving other specified means, bystander injured, subsequent encounter | ICD-10-CM | | | |
| (35.893A | Legal intervention involving other specified means, suspect injured, initial encounter | ICD-10-CM | | | |
| /35.893D | Legal intervention involving other specified means, suspect injured, subsequent encounter | ICD-10-CM | | | |
| /35.91XA | Legal intervention, means unspecified, law enforcement official injured, initial encounter | ICD-10-CM | | | |
| /35.91XD | Legal intervention, means unspecified, law enforcement official injured, subsequent encounter | ICD-10-CM | | | |
| /35.92XA | Legal intervention, means unspecified, bystander injured, initial encounter | ICD-10-CM | | | |
| (35.92XD | Legal intervention, means unspecified, bystander injured, subsequent encounter | ICD-10-CM | | | |
| ′35.93XA | Legal intervention, means unspecified, suspect injured, initial encounter | ICD-10-CM | | | |
| ′35.93XD | Legal intervention, means unspecified, suspect injured, subsequent encounter | ICD-10-CM | | | |



Appendix C. Specifications for Parameters for this Request

Sentinel's Cohort Identification and Descriptive Analysis (CIDA) tool version 3.3.6 was used to compare the frequency of diagnoses for poisoning using International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes.

| Enrollment Gap: 45 days Age Groups: 2-17, 18-44, 45-64, 65+ years Enrollment Requirement: 183 days Coverage Requirement: Medical and drug coverage | | | | | | | | |
|--|---------------------|-------------------|-----------|--------------------|---|-------------------|---------------------------|-----------------|
| | Event | | | | | | 1 | |
| Scenario | Query Start Date | Query End Date | Event | Event Code Type | Incident with Respect To: | Washout (days) | Cohort Definition | Care Setting |
| 1 | 1/1/2015 | 3/31/2015 | Poisoning | ICD-9-CM | ICD-9-CM | 90 | First valid event only | Any |
| 2 | 1/1/2016 | 3/31/2016 | Poisoning | ICD-10-CM | ICD-10-CM Simple Forward Mapping (SFM) | 90 | First valid event only | Any |
| 3 | 1/1/2016 | 3/31/2016 | Poisoning | ICD-10-CM | ICD-10-CM Forward- Backward Mapping (FBM) | 90 | First valid event only | Any |
| 4 | 10/1/2010 | 6/30/2016 | Poisoning | ICD-9-CM | ICD-9-CM or ICD-10-CM SFM | 183 | First valid event only | Any |
| 5 | 10/1/2010 | 6/30/2016 | Poisoning | ICD-9-CM | ICD-9-CM or ICD-10-CM FBM | 183 | First valid event only | Any |
| 6 | 10/1/2010 | 6/30/2016 | Poisoning | ICD-10-CM SFM | ICD-9-CM or ICD-10-CM SFM | 183 | First valid event only | Any |
| 7 | 10/1/2010 | 6/30/2016 | Poisoning | ICD-10-CM FBM | ICD-9-CM or ICD-10-CM FBM | 183 | First valid event only | Any |
| ICD-9-CM and ICD-10-CM are provided by Optum360. ICD-10-CM codes were mapped from ICD-9-CM codes using the Centers for Medicare and Medicaid Services General Equivalence Mappings. | | | | | | | | |