

Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the

[Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#) guidance document provided by the FDA.

Overview

Title	Major Extracranial Bleeding Algorithm Defined in "Thromboembolic Stroke, Intracranial Hemorrhage, Gastrointestinal Bleeding, and Major Extracranial Bleeding following Dabigatran, Rivaroxaban, and Apixaban Use in Patients with Atrial Fibrillation: A Propensity Score Matched Analysis"
Request ID	cder_mpl2p_wp025
Description	<p>This report lists International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) diagnosis codes, Current Procedural Terminology, Fourth Edition (CPT-4) procedure codes, and algorithms used to define major extracranial bleeding in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposures of interest in the inferential analysis, see the analysis page here: https://www.sentinelinitiative.org/assessments/drugs/thromboembolic-stroke-intracranial-hemorrhage-gastrointestinal-bleeding-and-major</p>
Outcome	Major extracranial bleeding
Algorithm to Define Outcome	The major extracranial bleeding (MEB) outcome is defined as either 1) one ICD-9-CM or ICD-10-CM diagnosis code from Code List 1 that is the primary diagnosis from an inpatient encounter AND no code from the Code List 3 for trauma exclusion on the same day OR 2) one ICD-9-CM or ICD-10-CM diagnosis code from Code List 2 that is the primary diagnosis from an inpatient encounter AND one code from Code List 1 that is the secondary or unspecified diagnosis from an inpatient encounter on the same day AND no code from Code List 3 for trauma exclusion on the same day.
Query Period	October 19, 2010 - February 29, 2020
Request Send Date	September 1, 2020

Glossary

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

Outcome - outcome of interest (either primary or secondary)

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest

Request Send Date - date the request was sent to Sentinel Data Partners

Code List 1. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
423.0	Hemopericardium	ICD-9-CM	Diagnosis
455.2	Internal hemorrhoids with other complication	ICD-9-CM	Diagnosis
455.5	External hemorrhoids with other complication	ICD-9-CM	Diagnosis
455.8	Unspecified hemorrhoids with other complication	ICD-9-CM	Diagnosis
456.0	Esophageal varices with bleeding	ICD-9-CM	Diagnosis
456.20	Esophageal varices with bleeding in diseases classified elsewhere	ICD-9-CM	Diagnosis
459.0	Unspecified hemorrhage	ICD-9-CM	Diagnosis
530.7	Gastroesophageal laceration-hemorrhage syndrome	ICD-9-CM	Diagnosis
530.82	Esophageal hemorrhage	ICD-9-CM	Diagnosis
531.0	Acute gastric ulcer with hemorrhage	ICD-9-CM	Diagnosis
531.00	Acute gastric ulcer with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
531.01	Acute gastric ulcer with hemorrhage and obstruction	ICD-9-CM	Diagnosis
531.2	Acute gastric ulcer with hemorrhage and perforation	ICD-9-CM	Diagnosis
531.20	Acute gastric ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
531.21	Acute gastric ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
531.4	Chronic or unspecified gastric ulcer with hemorrhage	ICD-9-CM	Diagnosis
531.40	Chronic or unspecified gastric ulcer with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
531.41	Chronic or unspecified gastric ulcer with hemorrhage and obstruction	ICD-9-CM	Diagnosis
531.6	Chronic or unspecified gastric ulcer with hemorrhage and perforation	ICD-9-CM	Diagnosis
531.60	Chronic or unspecified gastric ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
531.61	Chronic or unspecified gastric ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
532.0	Acute duodenal ulcer with hemorrhage	ICD-9-CM	Diagnosis
532.00	Acute duodenal ulcer with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
532.01	Acute duodenal ulcer with hemorrhage and obstruction	ICD-9-CM	Diagnosis
532.2	Acute duodenal ulcer with hemorrhage and perforation	ICD-9-CM	Diagnosis
532.20	Acute duodenal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
532.21	Acute duodenal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
532.4	Chronic or unspecified duodenal ulcer with hemorrhage	ICD-9-CM	Diagnosis
532.40	Duodenal ulcer, chronic or unspecified, with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
532.41	Chronic or unspecified duodenal ulcer with hemorrhage and obstruction	ICD-9-CM	Diagnosis
532.6	Chronic or unspecified duodenal ulcer with hemorrhage and perforation	ICD-9-CM	Diagnosis
532.60	Chronic or unspecified duodenal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
532.61	Chronic or unspecified duodenal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
533.0	Acute peptic ulcer, unspecified site, with hemorrhage	ICD-9-CM	Diagnosis
533.00	Acute peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
533.01	Acute peptic ulcer, unspecified site, with hemorrhage and obstruction	ICD-9-CM	Diagnosis
533.2	Acute peptic ulcer, unspecified site, with hemorrhage and perforation	ICD-9-CM	Diagnosis
533.20	Acute peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
533.21	Acute peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
533.4	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage	ICD-9-CM	Diagnosis

Code List 1. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
533.40	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
533.41	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and obstruction	ICD-9-CM	Diagnosis
533.6	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation	ICD-9-CM	Diagnosis
533.60	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
533.61	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
534.0	Acute gastrojejunal ulcer with hemorrhage	ICD-9-CM	Diagnosis
534.00	Acute gastrojejunal ulcer with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
534.01	Acute gastrojejunal ulcer, with hemorrhage and obstruction	ICD-9-CM	Diagnosis
534.2	Acute gastrojejunal ulcer with hemorrhage and perforation	ICD-9-CM	Diagnosis
534.20	Acute gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
534.21	Acute gastrojejunal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
534.4	Chronic or unspecified gastrojejunal ulcer with hemorrhage	ICD-9-CM	Diagnosis
534.40	Chronic or unspecified gastrojejunal ulcer with hemorrhage, without mention of obstruction	ICD-9-CM	Diagnosis
534.41	Chronic or unspecified gastrojejunal ulcer, with hemorrhage and obstruction	ICD-9-CM	Diagnosis
534.6	Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation	ICD-9-CM	Diagnosis
534.60	Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM	Diagnosis
534.61	Chronic or unspecified gastrojejunal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM	Diagnosis
535.01	Acute gastritis with hemorrhage	ICD-9-CM	Diagnosis
535.11	Atrophic gastritis with hemorrhage	ICD-9-CM	Diagnosis
535.21	Gastric mucosal hypertrophy with hemorrhage	ICD-9-CM	Diagnosis
535.31	Alcoholic gastritis with hemorrhage	ICD-9-CM	Diagnosis
535.41	Other specified gastritis with hemorrhage	ICD-9-CM	Diagnosis
535.51	Unspecified gastritis and gastroduodenitis with hemorrhage	ICD-9-CM	Diagnosis
535.61	Duodenitis with hemorrhage	ICD-9-CM	Diagnosis
537.83	Angiodysplasia of stomach and duodenum with hemorrhage	ICD-9-CM	Diagnosis
562.02	Diverticulosis of small intestine with hemorrhage	ICD-9-CM	Diagnosis
562.03	Diverticulitis of small intestine with hemorrhage	ICD-9-CM	Diagnosis
562.12	Diverticulosis of colon with hemorrhage	ICD-9-CM	Diagnosis
562.13	Diverticulitis of colon with hemorrhage	ICD-9-CM	Diagnosis
568.81	Hemoperitoneum (nontraumatic)	ICD-9-CM	Diagnosis
569.3	Hemorrhage of rectum and anus	ICD-9-CM	Diagnosis
569.85	Angiodysplasia of intestine with hemorrhage	ICD-9-CM	Diagnosis
578.0	Hematemesis	ICD-9-CM	Diagnosis
578.1	Blood in stool	ICD-9-CM	Diagnosis
578.9	Hemorrhage of gastrointestinal tract, unspecified	ICD-9-CM	Diagnosis
593.81	Vascular disorders of kidney	ICD-9-CM	Diagnosis
599.7	Hematuria	ICD-9-CM	Diagnosis

Code List 1. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
623.8	Other specified noninflammatory disorder of vagina	ICD-9-CM	Diagnosis
626.2	Excessive or frequent menstruation	ICD-9-CM	Diagnosis
626.6	Metrorrhagia	ICD-9-CM	Diagnosis
719.1	Hemarthrosis	ICD-9-CM	Diagnosis
719.10	Hemarthrosis, site unspecified	ICD-9-CM	Diagnosis
719.11	Hemarthrosis, shoulder region	ICD-9-CM	Diagnosis
719.12	Hemarthrosis, upper arm	ICD-9-CM	Diagnosis
719.13	Hemarthrosis, forearm	ICD-9-CM	Diagnosis
719.14	Hemarthrosis, hand	ICD-9-CM	Diagnosis
719.15	Hemarthrosis, pelvic region and thigh	ICD-9-CM	Diagnosis
719.16	Hemarthrosis, lower leg	ICD-9-CM	Diagnosis
719.17	Hemarthrosis, ankle and foot	ICD-9-CM	Diagnosis
719.18	Hemarthrosis, other specified site	ICD-9-CM	Diagnosis
719.19	Hemarthrosis, multiple sites	ICD-9-CM	Diagnosis
784.7	Epistaxis	ICD-9-CM	Diagnosis
784.8	Hemorrhage from throat	ICD-9-CM	Diagnosis
786.3	Hemoptysis	ICD-9-CM	Diagnosis
I31.2	Hemopericardium, not elsewhere classified	ICD-10-CM	Diagnosis
I85.01	Esophageal varices with bleeding	ICD-10-CM	Diagnosis
I85.11	Secondary esophageal varices with bleeding	ICD-10-CM	Diagnosis
K22.6	Gastro-esophageal laceration-hemorrhage syndrome	ICD-10-CM	Diagnosis
K22.8	Other specified diseases of esophagus	ICD-10-CM	Diagnosis
K25.0	Acute gastric ulcer with hemorrhage	ICD-10-CM	Diagnosis
K25.2	Acute gastric ulcer with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K25.4	Chronic or unspecified gastric ulcer with hemorrhage	ICD-10-CM	Diagnosis
K25.6	Chronic or unspecified gastric ulcer with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K26.0	Acute duodenal ulcer with hemorrhage	ICD-10-CM	Diagnosis
K26.2	Acute duodenal ulcer with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K26.4	Chronic or unspecified duodenal ulcer with hemorrhage	ICD-10-CM	Diagnosis
K26.6	Chronic or unspecified duodenal ulcer with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K27.0	Acute peptic ulcer, site unspecified, with hemorrhage	ICD-10-CM	Diagnosis
K27.2	Acute peptic ulcer, site unspecified, with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K27.4	Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage	ICD-10-CM	Diagnosis
K27.6	Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K28.0	Acute gastrojejunal ulcer with hemorrhage	ICD-10-CM	Diagnosis
K28.2	Acute gastrojejunal ulcer with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K28.4	Chronic or unspecified gastrojejunal ulcer with hemorrhage	ICD-10-CM	Diagnosis
K28.6	Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation	ICD-10-CM	Diagnosis
K29.01	Acute gastritis with bleeding	ICD-10-CM	Diagnosis
K29.21	Alcoholic gastritis with bleeding	ICD-10-CM	Diagnosis
K29.31	Chronic superficial gastritis with bleeding	ICD-10-CM	Diagnosis
K29.41	Chronic atrophic gastritis with bleeding	ICD-10-CM	Diagnosis
K29.51	Unspecified chronic gastritis with bleeding	ICD-10-CM	Diagnosis

Code List 1. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
K29.61	Other gastritis with bleeding	ICD-10-CM	Diagnosis
K29.71	Gastritis, unspecified, with bleeding	ICD-10-CM	Diagnosis
K29.81	Duodenitis with bleeding	ICD-10-CM	Diagnosis
K29.91	Gastroduodenitis, unspecified, with bleeding	ICD-10-CM	Diagnosis
K31.811	Angiodysplasia of stomach and duodenum with bleeding	ICD-10-CM	Diagnosis
K55.21	Angiodysplasia of colon with hemorrhage	ICD-10-CM	Diagnosis
K56.699	Other intestinal obstruction unspecified as to partial versus complete obstruction	ICD-10-CM	Diagnosis
K57.01	Diverticulitis of small intestine with perforation and abscess with bleeding	ICD-10-CM	Diagnosis
K57.11	Diverticulosis of small intestine without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.13	Diverticulitis of small intestine without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.21	Diverticulitis of large intestine with perforation and abscess with bleeding	ICD-10-CM	Diagnosis
K57.31	Diverticulosis of large intestine without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.33	Diverticulitis of large intestine without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.41	Diverticulitis of both small and large intestine with perforation and abscess with bleeding	ICD-10-CM	Diagnosis
K57.51	Diverticulosis of both small and large intestine without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.53	Diverticulitis of both small and large intestine without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.81	Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding	ICD-10-CM	Diagnosis
K57.91	Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K57.93	Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding	ICD-10-CM	Diagnosis
K62.5	Hemorrhage of anus and rectum	ICD-10-CM	Diagnosis
K64.0	First degree hemorrhoids	ICD-10-CM	Diagnosis
K64.1	Second degree hemorrhoids	ICD-10-CM	Diagnosis
K64.2	Third degree hemorrhoids	ICD-10-CM	Diagnosis
K64.3	Fourth degree hemorrhoids	ICD-10-CM	Diagnosis
K64.4	Residual hemorrhoidal skin tags	ICD-10-CM	Diagnosis
K64.8	Other hemorrhoids	ICD-10-CM	Diagnosis
K66.1	Hemoperitoneum	ICD-10-CM	Diagnosis
K92.0	Hematemesis	ICD-10-CM	Diagnosis
K92.1	Melena	ICD-10-CM	Diagnosis
K92.2	Gastrointestinal hemorrhage, unspecified	ICD-10-CM	Diagnosis
M25.00	Hemarthrosis, unspecified joint	ICD-10-CM	Diagnosis
M25.011	Hemarthrosis, right shoulder	ICD-10-CM	Diagnosis
M25.012	Hemarthrosis, left shoulder	ICD-10-CM	Diagnosis
M25.019	Hemarthrosis, unspecified shoulder	ICD-10-CM	Diagnosis
M25.021	Hemarthrosis, right elbow	ICD-10-CM	Diagnosis
M25.022	Hemarthrosis, left elbow	ICD-10-CM	Diagnosis
M25.029	Hemarthrosis, unspecified elbow	ICD-10-CM	Diagnosis
M25.031	Hemarthrosis, right wrist	ICD-10-CM	Diagnosis
M25.032	Hemarthrosis, left wrist	ICD-10-CM	Diagnosis
M25.039	Hemarthrosis, unspecified wrist	ICD-10-CM	Diagnosis
M25.041	Hemarthrosis, right hand	ICD-10-CM	Diagnosis

Code List 1. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
M25.042	Hemarthrosis, left hand	ICD-10-CM	Diagnosis
M25.049	Hemarthrosis, unspecified hand	ICD-10-CM	Diagnosis
M25.051	Hemarthrosis, right hip	ICD-10-CM	Diagnosis
M25.052	Hemarthrosis, left hip	ICD-10-CM	Diagnosis
M25.059	Hemarthrosis, unspecified hip	ICD-10-CM	Diagnosis
M25.061	Hemarthrosis, right knee	ICD-10-CM	Diagnosis
M25.062	Hemarthrosis, left knee	ICD-10-CM	Diagnosis
M25.069	Hemarthrosis, unspecified knee	ICD-10-CM	Diagnosis
M25.071	Hemarthrosis, right ankle	ICD-10-CM	Diagnosis
M25.072	Hemarthrosis, left ankle	ICD-10-CM	Diagnosis
M25.073	Hemarthrosis, unspecified ankle	ICD-10-CM	Diagnosis
M25.074	Hemarthrosis, right foot	ICD-10-CM	Diagnosis
M25.075	Hemarthrosis, left foot	ICD-10-CM	Diagnosis
M25.076	Hemarthrosis, unspecified foot	ICD-10-CM	Diagnosis
M25.08	Hemarthrosis, other specified site	ICD-10-CM	Diagnosis
N28.0	Ischemia and infarction of kidney	ICD-10-CM	Diagnosis
N89.8	Other specified noninflammatory disorders of vagina	ICD-10-CM	Diagnosis
N92.0	Excessive and frequent menstruation with regular cycle	ICD-10-CM	Diagnosis
N92.1	Excessive and frequent menstruation with irregular cycle	ICD-10-CM	Diagnosis
R04.0	Epistaxis	ICD-10-CM	Diagnosis
R04.1	Hemorrhage from throat	ICD-10-CM	Diagnosis
R58	Hemorrhage, not elsewhere classified	ICD-10-CM	Diagnosis
531.60	Chronic or unspecified gastric ulcer with hemorrhage and perforation	ICD-10-CM	Diagnosis

Code List 2. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
280.0	Iron deficiency anemia secondary to blood loss (chronic)	ICD-9-CM	Diagnosis
285.1	Acute posthemorrhagic anemia	ICD-9-CM	Diagnosis
285.9	Unspecified anemia	ICD-9-CM	Diagnosis
455.0	Internal hemorrhoids without mention of complication	ICD-9-CM	Diagnosis
455.1	Internal thrombosed hemorrhoids	ICD-9-CM	Diagnosis
455.2	Internal hemorrhoids with other complication	ICD-9-CM	Diagnosis
455.3	External hemorrhoids without mention of complication	ICD-9-CM	Diagnosis
455.4	External thrombosed hemorrhoids	ICD-9-CM	Diagnosis
455.5	External hemorrhoids with other complication	ICD-9-CM	Diagnosis
455.6	Unspecified hemorrhoids without mention of complication	ICD-9-CM	Diagnosis
455.7	Unspecified thrombosed hemorrhoids	ICD-9-CM	Diagnosis
455.8	Unspecified hemorrhoids with other complication	ICD-9-CM	Diagnosis
455.9	Residual hemorrhoidal skin tags	ICD-9-CM	Diagnosis
530.1	Esophagitis	ICD-9-CM	Diagnosis
531.1	Acute gastric ulcer with perforation	ICD-9-CM	Diagnosis
531.3	Acute gastric ulcer without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
531.5	Chronic or unspecified gastric ulcer with perforation	ICD-9-CM	Diagnosis
531.7	Chronic gastric ulcer without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
531.9	Gastric ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
532.1	Acute duodenal ulcer with perforation	ICD-9-CM	Diagnosis
532.3	Acute duodenal ulcer without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
532.5	Chronic or unspecified duodenal ulcer with perforation	ICD-9-CM	Diagnosis
532.7	Chronic duodenal ulcer without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
532.9	Duodenal ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
533.1	Acute peptic ulcer, unspecified site, with perforation	ICD-9-CM	Diagnosis
533.3	Acute peptic ulcer, unspecified site, without mention of hemorrhage and perforation	ICD-9-CM	Diagnosis
533.5	Chronic or unspecified peptic ulcer, unspecified site, with perforation	ICD-9-CM	Diagnosis
533.7	Chronic peptic ulcer, unspecified site, without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
533.9	Peptic ulcer, unspecified site, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
534.1	Acute gastrojejunal ulcer with perforation	ICD-9-CM	Diagnosis
534.3	Acute gastrojejunal ulcer without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
534.5	Chronic or unspecified gastrojejunal ulcer with perforation	ICD-9-CM	Diagnosis
534.7	Chronic gastrojejunal ulcer without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
534.9	Gastrojejunal ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM	Diagnosis
535.00	Acute gastritis without mention of hemorrhage	ICD-9-CM	Diagnosis
535.10	Atrophic gastritis without mention of hemorrhage	ICD-9-CM	Diagnosis
535.20	Gastric mucosal hypertrophy without mention of hemorrhage	ICD-9-CM	Diagnosis
535.30	Alcoholic gastritis without mention of hemorrhage	ICD-9-CM	Diagnosis
535.40	Other specified gastritis without mention of hemorrhage	ICD-9-CM	Diagnosis
535.50	Unspecified gastritis and gastroduodenitis without mention of hemorrhage	ICD-9-CM	Diagnosis
535.60	Duodenitis without mention of hemorrhage	ICD-9-CM	Diagnosis

Code List 2. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type	Code Category
562.00	Diverticulosis of small intestine (without mention of hemorrhage)	ICD-9-CM	Diagnosis
562.01	Diverticulitis of small intestine (without mention of hemorrhage)	ICD-9-CM	Diagnosis
562.10	Diverticulosis of colon (without mention of hemorrhage)	ICD-9-CM	Diagnosis
562.11	Diverticulitis of colon (without mention of hemorrhage)	ICD-9-CM	Diagnosis
790.92	Abnormal coagulation profile	ICD-9-CM	Diagnosis
D50.0	Iron deficiency anemia secondary to blood loss (chronic)	ICD-10-CM	Diagnosis
D62	Acute posthemorrhagic anemia	ICD-10-CM	Diagnosis
D64.9	Anemia, unspecified	ICD-10-CM	Diagnosis
K29.00	Acute gastritis without bleeding	ICD-10-CM	Diagnosis
K29.20	Alcoholic gastritis without bleeding	ICD-10-CM	Diagnosis
K29.30	Chronic superficial gastritis without bleeding	ICD-10-CM	Diagnosis
K29.40	Chronic atrophic gastritis without bleeding	ICD-10-CM	Diagnosis
K29.50	Unspecified chronic gastritis without bleeding	ICD-10-CM	Diagnosis
K29.60	Other gastritis without bleeding	ICD-10-CM	Diagnosis
K29.70	Gastritis, unspecified, without bleeding	ICD-10-CM	Diagnosis
K29.80	Duodenitis without bleeding	ICD-10-CM	Diagnosis
K29.90	Gastroduodenitis, unspecified, without bleeding	ICD-10-CM	Diagnosis
K57.00	Diverticulitis of small intestine with perforation and abscess without bleeding	ICD-10-CM	Diagnosis
K57.10	Diverticulosis of small intestine without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.12	Diverticulitis of small intestine without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.20	Diverticulitis of large intestine with perforation and abscess without bleeding	ICD-10-CM	Diagnosis
K57.30	Diverticulosis of large intestine without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.32	Diverticulitis of large intestine without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.40	Diverticulitis of both small and large intestine with perforation and abscess without bleeding	ICD-10-CM	Diagnosis
K57.50	Diverticulosis of both small and large intestine without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.52	Diverticulitis of both small and large intestine without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.80	Diverticulitis of intestine, part unspecified, with perforation and abscess without bleeding	ICD-10-CM	Diagnosis
K57.90	Diverticulosis of intestine, part unspecified, without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K57.92	Diverticulitis of intestine, part unspecified, without perforation or abscess without bleeding	ICD-10-CM	Diagnosis
K64.0	First degree hemorrhoids	ICD-10-CM	Diagnosis
K64.1	Second degree hemorrhoids	ICD-10-CM	Diagnosis
K64.2	Third degree hemorrhoids	ICD-10-CM	Diagnosis
K64.3	Fourth degree hemorrhoids	ICD-10-CM	Diagnosis
K64.4	Residual hemorrhoidal skin tags	ICD-10-CM	Diagnosis
K64.5	Perianal venous thrombosis	ICD-10-CM	Diagnosis
K64.8	Other hemorrhoids	ICD-10-CM	Diagnosis
K64.9	Unspecified hemorrhoids	ICD-10-CM	Diagnosis
R79.1	Abnormal coagulation profile	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
62000	Elevation of depressed skull fracture; simple, extradural	CPT-4	Procedure
62005	Elevation of depressed skull fracture; compound or comminuted, extradural	CPT-4	Procedure
62010	Elevation of depressed skull fracture; with repair of dura and/or debridement of brain	CPT-4	Procedure
800	Fracture of vault of skull	ICD-9-CM	Diagnosis
800.0	Closed fracture of vault of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
800.00	Closed fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.01	Closed fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.02	Closed fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.03	Closed fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.04	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.05	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.06	Closed fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.09	Closed fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.1	Closed fracture of vault of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
800.10	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.11	Closed fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
800.12	Closed fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.13	Closed fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.14	Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.15	Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.16	Closed fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.19	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
800.2	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
800.20	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.21	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.22	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.23	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.24	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.25	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.26	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.29	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.3	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
800.30	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.31	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.32	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.33	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.34	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.35	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.36	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.39	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.4	Closed fracture of vault of skull with intercranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
800.40	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.41	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
800.42	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.43	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.44	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.45	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.46	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.49	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
800.5	Open fracture of vault of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
800.50	Open fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.51	Open fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.52	Open fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.53	Open fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.54	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.55	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.56	Open fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.59	Open fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.6	Open fracture of vault of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
800.60	Open fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.61	Open fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
800.62	Open fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.63	Open fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.64	Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.65	Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.66	Open fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.69	Open fracture of vault of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.7	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
800.70	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.71	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.72	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.73	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.74	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.75	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.76	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.79	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.8	Open fracture of vault of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
800.80	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.81	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.82	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.83	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.84	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.85	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.86	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.89	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.9	Open fracture of vault of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
800.90	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.91	Open fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
800.92	Open fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.93	Open fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.94	Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.95	Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.96	Open fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.99	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
801	Fracture of base of skull	ICD-9-CM	Diagnosis
801.0	Closed fracture of base of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
801.00	Closed fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.01	Closed fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.02	Closed fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.03	Closed fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.04	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.05	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.06	Closed fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.09	Closed fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.1	Closed fracture of base of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
801.10	Closed fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.11	Closed fracture of base of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
801.12	Closed fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.13	Closed fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.14	Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.15	Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.16	Closed fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.19	Closed fracture of base of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
801.2	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
801.20	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.21	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.22	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.23	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.24	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.25	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.26	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.29	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.3	Closed fracture of base of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
801.30	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.31	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.32	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.33	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.34	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.35	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.36	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.39	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.4	Closed fracture of base of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
801.40	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.41	Closed fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
801.42	Closed fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.43	Closed fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.44	Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.45	Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.46	Closed fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.49	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
801.5	Open fracture of base of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
801.50	Open fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.51	Open fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.52	Open fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.53	Open fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.54	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.55	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.56	Open fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.59	Open fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.6	Open fracture of base of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
801.60	Open fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.61	Open fracture of base of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
801.62	Open fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.63	Open fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.64	Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.65	Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.66	Open fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.69	Open fracture of base of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
801.7	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
801.70	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.71	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.72	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.73	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.74	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.75	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.76	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.79	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.8	Open fracture of base of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
801.80	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.81	Open fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.82	Open fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.83	Open fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.84	Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.85	Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.86	Open fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.89	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.9	Open fracture of base of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
801.90	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.91	Open fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
801.92	Open fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.93	Open fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.94	Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.95	Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.96	Open fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.99	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
802	Fracture of face bones	ICD-9-CM	Diagnosis
802.0	Nasal bones, closed fracture	ICD-9-CM	Diagnosis
802.1	Nasal bones, open fracture	ICD-9-CM	Diagnosis
802.2	Mandible, closed fracture	ICD-9-CM	Diagnosis
802.20	Closed fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.21	Closed fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.22	Closed fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.23	Closed fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.24	Closed fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.25	Closed fracture of angle of jaw	ICD-9-CM	Diagnosis
802.26	Closed fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.27	Closed fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.28	Closed fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.29	Closed fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.3	Mandible, open fracture	ICD-9-CM	Diagnosis
802.30	Open fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.31	Open fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.32	Open fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.33	Open fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.34	Open fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.35	Open fracture of angle of jaw	ICD-9-CM	Diagnosis
802.36	Open fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.37	Open fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.38	Open fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.39	Open fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.4	Malar and maxillary bones, closed fracture	ICD-9-CM	Diagnosis
802.5	Malar and maxillary bones, open fracture	ICD-9-CM	Diagnosis
802.6	Orbital floor (blow-out), closed fracture	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
802.7	Orbital floor (blow-out), open fracture	ICD-9-CM	Diagnosis
802.8	Other facial bones, closed fracture	ICD-9-CM	Diagnosis
802.9	Other facial bones, open fracture	ICD-9-CM	Diagnosis
803	Other and unqualified skull fractures	ICD-9-CM	Diagnosis
803.0	Other closed skull fracture without mention of intracranial injury	ICD-9-CM	Diagnosis
803.00	Other closed skull fracture without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.01	Other closed skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.02	Other closed skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.03	Other closed skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.04	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.05	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.06	Other closed skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.09	Other closed skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.1	Other closed skull fracture with cerebral laceration and contusion	ICD-9-CM	Diagnosis
803.10	Other closed skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.11	Other closed skull fracture with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
803.12	Other closed skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.13	Other closed skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.14	Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.15	Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.16	Other closed skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.19	Other closed skull fracture with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
803.2	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
803.20	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.21	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.22	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.23	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.24	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.25	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.26	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.29	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.3	Closed skull fracture with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
803.30	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified state of unconsciousness	ICD-9-CM	Diagnosis
803.31	Other closed skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.32	Other closed skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.33	Other closed skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.34	Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.35	Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.36	Other closed skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.39	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.4	Other closed skull fracture with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
803.40	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.41	Other closed skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
803.42	Other closed skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.43	Other closed skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.44	Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.45	Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.46	Other closed skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.49	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
803.5	Other open skull fracture without mention of intracranial injury	ICD-9-CM	Diagnosis
803.50	Other open skull fracture without mention of injury, state of consciousness unspecified	ICD-9-CM	Diagnosis
803.51	Other open skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.52	Other open skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.53	Other open skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.54	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.55	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.56	Other open skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.59	Other open skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.6	Other open skull fracture with cerebral laceration and contusion	ICD-9-CM	Diagnosis
803.60	Other open skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.61	Other open skull fracture with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
803.62	Other open skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.63	Other open skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.64	Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.65	Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.66	Other open skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.69	Other open skull fracture with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
803.7	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.70	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.71	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.72	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.73	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.74	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.75	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.76	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.79	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.8	Other open skull fracture with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
803.80	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.81	Other open skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.82	Other open skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.83	Other open skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.84	Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.85	Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.86	Other open skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.89	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.9	Other open skull fracture with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
803.90	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.91	Other open skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
803.92	Other open skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.93	Other open skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.94	Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.95	Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.96	Other open skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.99	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
804	Multiple fractures involving skull or face with other bones	ICD-9-CM	Diagnosis
804.0	Closed fractures involving skull or face with other bones, without mention of intracranial injury	ICD-9-CM	Diagnosis
804.00	Closed fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.01	Closed fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.02	Closed fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.03	Closed fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.04	Closed fractures involving skull or face with other bones, without mention or intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.05	Closed fractures involving skull of face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.06	Closed fractures involving skull of face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.09	Closed fractures involving skull of face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.1	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion	ICD-9-CM	Diagnosis
804.10	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.11	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
804.12	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.13	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.14	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.15	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.16	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.19	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
804.2	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
804.20	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.21	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.22	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.23	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.24	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.25	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.26	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.29	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.3	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
804.30	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.31	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.32	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.33	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.34	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level	ICD-9-CM	Diagnosis
804.35	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.36	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.39	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.4	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
804.40	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.41	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
804.42	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.43	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.44	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.45	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.46	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.49	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
804.5	Open fractures involving skull or face with other bones, without mention of intracranial injury	ICD-9-CM	Diagnosis
804.50	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.51	Open fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.52	Open fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.53	Open fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.54	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.55	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.56	Open fractures involving skull or face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.59	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.6	Open fractures involving skull or face with other bones, with cerebral laceration and contusion	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.60	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.61	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
804.62	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.63	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.64	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.65	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.66	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.69	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
804.7	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
804.70	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.71	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.72	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.73	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.74	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.75	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.76	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.79	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.8	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
804.80	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.81	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.82	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.83	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.84	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.85	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.86	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.89	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.9	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
804.90	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.91	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
804.92	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.93	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.94	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.95	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing level	ICD-9-CM	Diagnosis
804.96	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.99	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
805	Fracture of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.0	Closed fracture of cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.00	Closed fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.01	Closed fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.02	Closed fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
805.03	Closed fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.04	Closed fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.05	Closed fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.06	Closed fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.07	Closed fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.08	Closed fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.1	Open fracture of cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.10	Open fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.11	Open fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.12	Open fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.13	Open fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.14	Open fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.15	Open fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.16	Open fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.17	Open fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.18	Open fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.2	Closed fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.3	Open fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.4	Closed fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.5	Open fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.6	Closed fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.7	Open fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.8	Closed fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.9	Open fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
806	Fracture of vertebral column with spinal cord injury	ICD-9-CM	Diagnosis
806.0	Closed fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.1	Open fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.10	Open fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.11	Open fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.12	Open fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.13	Open fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.14	Open fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.15	Open fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.16	Open fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.17	Open fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.18	Open fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.19	Open fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.2	Closed fracture of dorsal (thoracic) vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.3	Open fracture of dorsal vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.30	Open fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.31	Open fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.32	Open fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.33	Open fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.34	Open fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.35	Open fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.36	Open fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.37	Open fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.38	Open fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.39	Open fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.4	Closed fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.5	Open fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.6	Closed fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.60	Closed fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.7	Open fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.70	Open fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.72	Open fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.79	Open fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.8	Closed fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
806.9	Open fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
807	Fracture of rib(s), sternum, larynx, and trachea	ICD-9-CM	Diagnosis
807.0	Closed fracture of rib(s)	ICD-9-CM	Diagnosis
807.00	Closed fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.01	Closed fracture of one rib	ICD-9-CM	Diagnosis
807.02	Closed fracture of two ribs	ICD-9-CM	Diagnosis
807.03	Closed fracture of three ribs	ICD-9-CM	Diagnosis
807.04	Closed fracture of four ribs	ICD-9-CM	Diagnosis
807.05	Closed fracture of five ribs	ICD-9-CM	Diagnosis
807.06	Closed fracture of six ribs	ICD-9-CM	Diagnosis
807.07	Closed fracture of seven ribs	ICD-9-CM	Diagnosis
807.08	Closed fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.09	Closed fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.1	Open fracture of rib(s)	ICD-9-CM	Diagnosis
807.10	Open fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.11	Open fracture of one rib	ICD-9-CM	Diagnosis
807.12	Open fracture of two ribs	ICD-9-CM	Diagnosis
807.13	Open fracture of three ribs	ICD-9-CM	Diagnosis
807.14	Open fracture of four ribs	ICD-9-CM	Diagnosis
807.15	Open fracture of five ribs	ICD-9-CM	Diagnosis
807.16	Open fracture of six ribs	ICD-9-CM	Diagnosis
807.17	Open fracture of seven ribs	ICD-9-CM	Diagnosis
807.18	Open fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.19	Open fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.2	Closed fracture of sternum	ICD-9-CM	Diagnosis
807.3	Open fracture of sternum	ICD-9-CM	Diagnosis
807.4	Flail chest	ICD-9-CM	Diagnosis
807.5	Closed fracture of larynx and trachea	ICD-9-CM	Diagnosis
807.6	Open fracture of larynx and trachea	ICD-9-CM	Diagnosis
808	Fracture of pelvis	ICD-9-CM	Diagnosis
808.0	Closed fracture of acetabulum	ICD-9-CM	Diagnosis
808.1	Open fracture of acetabulum	ICD-9-CM	Diagnosis
808.2	Closed fracture of pubis	ICD-9-CM	Diagnosis
808.3	Open fracture of pubis	ICD-9-CM	Diagnosis
808.4	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.41	Closed fracture of ilium	ICD-9-CM	Diagnosis
808.42	Closed fracture of ischium	ICD-9-CM	Diagnosis
808.43	Multiple closed pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.44	Multiple closed pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.49	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.5	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.51	Open fracture of ilium	ICD-9-CM	Diagnosis
808.52	Open fracture of ischium	ICD-9-CM	Diagnosis
808.53	Multiple open pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.54	Multiple open pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.59	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.8	Unspecified closed fracture of pelvis	ICD-9-CM	Diagnosis
808.9	Unspecified open fracture of pelvis	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
809	Ill-defined fractures of bones of trunk	ICD-9-CM	Diagnosis
809.0	Fracture of bones of trunk, closed	ICD-9-CM	Diagnosis
809.1	Fracture of bones of trunk, open	ICD-9-CM	Diagnosis
810	Fracture of clavicle	ICD-9-CM	Diagnosis
810.0	Closed fracture of clavicle	ICD-9-CM	Diagnosis
810.00	Unspecified part of closed fracture of clavicle	ICD-9-CM	Diagnosis
810.01	Closed fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.02	Closed fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.03	Closed fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
810.1	Open fracture of clavicle	ICD-9-CM	Diagnosis
810.10	Unspecified part of open fracture of clavicle	ICD-9-CM	Diagnosis
810.11	Open fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.12	Open fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.13	Open fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
811	Fracture of scapula	ICD-9-CM	Diagnosis
811.0	Closed fracture of scapula	ICD-9-CM	Diagnosis
811.00	Closed fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.01	Closed fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.02	Closed fracture of coracoid process of scapula	ICD-9-CM	Diagnosis
811.03	Closed fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.09	Closed fracture of other part of scapula	ICD-9-CM	Diagnosis
811.1	Open fracture of scapula	ICD-9-CM	Diagnosis
811.10	Open fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.11	Open fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.12	Open fracture of coracoid process	ICD-9-CM	Diagnosis
811.13	Open fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.19	Open fracture of other part of scapula	ICD-9-CM	Diagnosis
812	Fracture of humerus	ICD-9-CM	Diagnosis
812.0	Closed fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.00	Closed fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.01	Closed fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.02	Closed fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.03	Closed fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.09	Other closed fractures of upper end of humerus	ICD-9-CM	Diagnosis
812.1	Open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.10	Open fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.11	Open fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.12	Open fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.13	Open fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.19	Other open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.2	Closed fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.20	Closed fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.21	Closed fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.3	Open fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.30	Open fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.31	Open fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.4	Closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.40	Closed fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
812.41	Closed fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.42	Closed fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.43	Closed fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.44	Closed fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.49	Other closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.5	Open fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.50	Open fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.51	Open fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.52	Open fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.53	Open fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.54	Open fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.59	Other open fracture of lower end of humerus	ICD-9-CM	Diagnosis
813	Fracture of radius and ulna	ICD-9-CM	Diagnosis
813.0	Closed fracture of upper end of radius and ulna	ICD-9-CM	Diagnosis
813.00	Unspecified fracture of radius and ulna, upper end of forearm, closed	ICD-9-CM	Diagnosis
813.01	Closed fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.02	Closed fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.03	Closed Monteggia's fracture	ICD-9-CM	Diagnosis
813.04	Other and unspecified closed fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.05	Closed fracture of head of radius	ICD-9-CM	Diagnosis
813.06	Closed fracture of neck of radius	ICD-9-CM	Diagnosis
813.07	Other and unspecified closed fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.08	Closed fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.1	Open fracture of upper end of radius and ulna	ICD-9-CM	Diagnosis
813.10	Unspecified open fracture of upper end of forearm	ICD-9-CM	Diagnosis
813.11	Open fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.12	Open fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.13	Open Monteggia's fracture	ICD-9-CM	Diagnosis
813.14	Other and unspecified open fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.15	Open fracture of head of radius	ICD-9-CM	Diagnosis
813.16	Open fracture of neck of radius	ICD-9-CM	Diagnosis
813.17	Other and unspecified open fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.18	Open fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.2	Closed fracture of shaft of radius and ulna	ICD-9-CM	Diagnosis
813.20	Unspecified closed fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.21	Closed fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.22	Closed fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.23	Closed fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.3	Open fracture of shaft of radius and ulna	ICD-9-CM	Diagnosis
813.30	Unspecified open fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.31	Open fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.32	Open fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.33	Open fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.4	Closed fracture of lower end of radius and ulna	ICD-9-CM	Diagnosis
813.40	Unspecified closed fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.41	Closed Colles' fracture	ICD-9-CM	Diagnosis
813.42	Other closed fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.43	Closed fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
813.44	Closed fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.45	Torus fracture of radius (alone)	ICD-9-CM	Diagnosis
813.46	Torus fracture of ulna (alone)	ICD-9-CM	Diagnosis
813.47	Torus fracture of radius and ulna	ICD-9-CM	Diagnosis
813.5	Open fracture of lower end of radius and ulna	ICD-9-CM	Diagnosis
813.50	Unspecified open fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.51	Open Colles' fracture	ICD-9-CM	Diagnosis
813.52	Other open fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.53	Open fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.54	Open fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.8	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.80	Closed fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.81	Closed fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.82	Closed fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.83	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.9	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.90	Open fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.91	Open fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.92	Open fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.93	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
818	III-defined fractures of upper limb	ICD-9-CM	Diagnosis
818.0	III-defined closed fractures of upper limb	ICD-9-CM	Diagnosis
818.1	III-defined open fractures of upper limb	ICD-9-CM	Diagnosis
819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.0	Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.1	Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
820	Fracture of neck of femur	ICD-9-CM	Diagnosis
820.0	Closed transcervical fracture	ICD-9-CM	Diagnosis
820.00	Closed fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.02	Closed fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.03	Closed fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.09	Other closed transcervical fracture of femur	ICD-9-CM	Diagnosis
820.1	Open transcervical fracture	ICD-9-CM	Diagnosis
820.10	Open fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.12	Open fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.13	Open fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.19	Other open transcervical fracture of femur	ICD-9-CM	Diagnosis
820.2	Closed pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.20	Closed fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.21	Closed fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.22	Closed fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.3	Open pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.30	Open fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
820.31	Open fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.32	Open fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.8	Closed fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
820.9	Open fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
821	Fracture of other and unspecified parts of femur	ICD-9-CM	Diagnosis
821.0	Closed fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.00	Closed fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.01	Closed fracture of shaft of femur	ICD-9-CM	Diagnosis
821.1	Open fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.10	Open fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.11	Open fracture of shaft of femur	ICD-9-CM	Diagnosis
821.2	Closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.20	Closed fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.21	Closed fracture of femoral condyle	ICD-9-CM	Diagnosis
821.22	Closed fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.23	Closed supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.29	Other closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.3	Open fracture of lower end of femur	ICD-9-CM	Diagnosis
821.30	Open fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.31	Open fracture of femoral condyle	ICD-9-CM	Diagnosis
821.32	Open fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.33	Open supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.39	Other open fracture of lower end of femur	ICD-9-CM	Diagnosis
822	Fracture of patella	ICD-9-CM	Diagnosis
822.0	Closed fracture of patella	ICD-9-CM	Diagnosis
822.1	Open fracture of patella	ICD-9-CM	Diagnosis
823	Fracture of tibia and fibula	ICD-9-CM	Diagnosis
823.0	Closed fracture of upper end of tibia and fibula	ICD-9-CM	Diagnosis
823.00	Closed fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.01	Closed fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.02	Closed fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.1	Open fracture of upper end of tibia and fibula	ICD-9-CM	Diagnosis
823.10	Open fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.11	Open fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.12	Open fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.2	Closed fracture of shaft of tibia and fibula	ICD-9-CM	Diagnosis
823.20	Closed fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.21	Closed fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.22	Closed fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.3	Open fracture of shaft of tibia and fibula	ICD-9-CM	Diagnosis
823.30	Open fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.31	Open fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.32	Open fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.4	Torus fracture of tibia and fibula	ICD-9-CM	Diagnosis
823.40	Torus fracture of tibia alone	ICD-9-CM	Diagnosis
823.41	Torus fracture of fibula alone	ICD-9-CM	Diagnosis
823.42	Torus fracture of fibula with tibia	ICD-9-CM	Diagnosis
823.8	Closed fracture of unspecified part of tibia and fibula	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
823.80	Closed fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.81	Closed fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.82	Closed fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
823.9	Open fracture of unspecified part of tibia and fibula	ICD-9-CM	Diagnosis
823.90	Open fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.91	Open fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.92	Open fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
824	Fracture of ankle	ICD-9-CM	Diagnosis
824.0	Closed fracture of medial malleolus	ICD-9-CM	Diagnosis
824.1	Open fracture of medial malleolus	ICD-9-CM	Diagnosis
824.2	Closed fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.3	Open fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.4	Closed bimalleolar fracture	ICD-9-CM	Diagnosis
824.5	Open bimalleolar fracture	ICD-9-CM	Diagnosis
824.6	Closed trimalleolar fracture	ICD-9-CM	Diagnosis
824.7	Open trimalleolar fracture	ICD-9-CM	Diagnosis
824.8	Unspecified closed fracture of ankle	ICD-9-CM	Diagnosis
824.9	Unspecified open fracture of ankle	ICD-9-CM	Diagnosis
827	Other, multiple, and ill-defined fractures of lower limb	ICD-9-CM	Diagnosis
827.0	Other, multiple and ill-defined closed fractures of lower limb	ICD-9-CM	Diagnosis
827.1	Other, multiple and ill-defined open fractures of lower limb	ICD-9-CM	Diagnosis
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.0	Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.1	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open	ICD-9-CM	Diagnosis
829	Fracture of unspecified bones	ICD-9-CM	Diagnosis
829.0	Closed fracture of unspecified bone	ICD-9-CM	Diagnosis
829.1	Open fracture of unspecified bone	ICD-9-CM	Diagnosis
860	Traumatic pneumothorax and hemothorax	ICD-9-CM	Diagnosis
860.0	Traumatic pneumothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.1	Traumatic pneumothorax with open wound into thorax	ICD-9-CM	Diagnosis
860.2	Traumatic hemothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.3	Traumatic hemothorax with open wound into thorax	ICD-9-CM	Diagnosis
860.4	Traumatic pneumohemothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.5	Traumatic pneumohemothorax with open wound into thorax	ICD-9-CM	Diagnosis
862.0	Diaphragm injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.1	Diaphragm injury with open wound into cavity	ICD-9-CM	Diagnosis
862.8	Injury to multiple and unspecified intrathoracic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.9	Injury to multiple and unspecified intrathoracic organs with open wound into cavity	ICD-9-CM	Diagnosis
863.0	Stomach injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.1	Stomach injury with open wound into cavity	ICD-9-CM	Diagnosis
863.2	Small intestine injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.20	Small intestine injury, unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
863.21	Duodenum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.29	Other injury to small intestine without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.3	Small intestine injury with open wound into cavity	ICD-9-CM	Diagnosis
863.30	Small intestine injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.31	Duodenum injury with open wound into cavity	ICD-9-CM	Diagnosis
863.39	Other injury to small intestine with open wound into cavity	ICD-9-CM	Diagnosis
863.4	Colon or rectal injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.40	Colon injury unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.41	Ascending (right) colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.42	Transverse colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.43	Descending (left) colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.44	Sigmoid colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.45	Rectum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.46	Injury to multiple sites in colon and rectum without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.49	Other colon and rectum injury, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.5	Injury to colon or rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.50	Colon injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.51	Ascending (right) colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.52	Transverse colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.53	Descending (left) colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.54	Sigmoid colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.55	Rectum injury with open wound into cavity	ICD-9-CM	Diagnosis
863.56	Injury to multiple sites in colon and rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.59	Other injury to colon and rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.8	Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.80	Gastrointestinal tract injury, unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.81	Pancreas head injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.82	Pancreas body injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.83	Pancreas tail injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.84	Pancreas injury, multiple and unspecified sites, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.85	Appendix injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.89	Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.9	Injury to other and unspecified gastrointestinal sites, with open wound into cavity	ICD-9-CM	Diagnosis
863.90	Gastrointestinal tract injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.91	Pancreas head injury with open wound into cavity	ICD-9-CM	Diagnosis
863.92	Pancreas body injury with open wound into cavity	ICD-9-CM	Diagnosis
863.93	Pancreas tail injury with open wound into cavity	ICD-9-CM	Diagnosis
863.94	Pancreas injury, multiple and unspecified sites, with open wound into cavity	ICD-9-CM	Diagnosis
863.95	Appendix injury with open wound into cavity	ICD-9-CM	Diagnosis
863.99	Injury to other and unspecified gastrointestinal sites with open wound into cavity	ICD-9-CM	Diagnosis
864.1	Liver injury with open wound into cavity	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
864.10	Unspecified liver injury with open wound into cavity	ICD-9-CM	Diagnosis
864.11	Liver hematoma and contusion with open wound into cavity	ICD-9-CM	Diagnosis
864.12	Liver laceration, minor, with open wound into cavity	ICD-9-CM	Diagnosis
864.13	Liver laceration, moderate, with open wound into cavity	ICD-9-CM	Diagnosis
864.14	Liver laceration, major, with open wound into cavity	ICD-9-CM	Diagnosis
864.15	Liver injury with open wound into cavity, unspecified laceration	ICD-9-CM	Diagnosis
864.19	Other liver injury with open wound into cavity	ICD-9-CM	Diagnosis
865.1	Spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
865.10	Unspecified spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
865.11	Spleen hematoma, without rupture of capsule, with open wound into cavity	ICD-9-CM	Diagnosis
865.12	Capsular tears to spleen, without major disruption of parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
865.13	Spleen laceration extending into parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
865.14	Massive parenchyma disruption of spleen with open wound into cavity	ICD-9-CM	Diagnosis
865.19	Other spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
866	Injury to kidney	ICD-9-CM	Diagnosis
866.0	Kidney injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.00	Unspecified kidney injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.01	Kidney hematoma without rupture of capsule or mention of open wound into cavity	ICD-9-CM	Diagnosis
866.02	Kidney laceration without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.03	Complete disruption of kidney parenchyma, without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.1	Kidney injury with open wound into cavity	ICD-9-CM	Diagnosis
866.10	Unspecified kidney injury with open wound into cavity	ICD-9-CM	Diagnosis
866.11	Kidney hematoma, without rupture of capsule, with open wound into cavity	ICD-9-CM	Diagnosis
866.12	Kidney laceration with open wound into cavity	ICD-9-CM	Diagnosis
866.13	Complete disruption of kidney parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
867	Injury to pelvic organs	ICD-9-CM	Diagnosis
867.0	Bladder and urethra injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.1	Bladder and urethra injury with open wound into cavity	ICD-9-CM	Diagnosis
867.2	Ureter injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.3	Ureter injury with open wound into cavity	ICD-9-CM	Diagnosis
867.4	Uterus injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.5	Uterus injury with open wound into cavity	ICD-9-CM	Diagnosis
867.6	Injury to other specified pelvic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.7	Injury to other specified pelvic organs with open wound into cavity	ICD-9-CM	Diagnosis
867.8	Injury to unspecified pelvic organ without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.9	Injury to unspecified pelvic organ with open wound into cavity	ICD-9-CM	Diagnosis
873.0	Open wound of scalp, without mention of complication	ICD-9-CM	Diagnosis
873.1	Open wound of scalp, complicated	ICD-9-CM	Diagnosis
875.0	Open wound of chest (wall), without mention of complication	ICD-9-CM	Diagnosis
875.1	Open wound of chest (wall), complicated	ICD-9-CM	Diagnosis
902.4	Renal blood vessel injury	ICD-9-CM	Diagnosis
902.40	Renal vessel(s) injury, unspecified	ICD-9-CM	Diagnosis
902.41	Renal artery injury	ICD-9-CM	Diagnosis
902.42	Renal vein injury	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
902.49	Renal blood vessel injury, other	ICD-9-CM	Diagnosis
902.55	Uterine artery injury	ICD-9-CM	Diagnosis
902.56	Uterine vein injury	ICD-9-CM	Diagnosis
902.81	Ovarian artery injury	ICD-9-CM	Diagnosis
902.82	Ovarian vein injury	ICD-9-CM	Diagnosis
925	Crushing injury of face, scalp, and neck	ICD-9-CM	Diagnosis
925.1	Crushing injury of face and scalp	ICD-9-CM	Diagnosis
925.2	Crushing injury of neck	ICD-9-CM	Diagnosis
926	Crushing injury of trunk	ICD-9-CM	Diagnosis
926.0	Crushing injury of external genitalia	ICD-9-CM	Diagnosis
926.1	Crushing injury of other specified sites of trunk	ICD-9-CM	Diagnosis
926.11	Crushing injury of back	ICD-9-CM	Diagnosis
926.12	Crushing injury of buttock	ICD-9-CM	Diagnosis
926.19	Crushing injury of other specified sites of trunk	ICD-9-CM	Diagnosis
926.8	Crushing injury of multiple sites of trunk	ICD-9-CM	Diagnosis
926.9	Crushing injury of unspecified site of trunk	ICD-9-CM	Diagnosis
927	Crushing injury of upper limb	ICD-9-CM	Diagnosis
927.0	Crushing injury of shoulder and upper arm	ICD-9-CM	Diagnosis
927.00	Crushing injury of shoulder region	ICD-9-CM	Diagnosis
927.01	Crushing injury of scapular region	ICD-9-CM	Diagnosis
927.02	Crushing injury of axillary region	ICD-9-CM	Diagnosis
927.03	Crushing injury of upper arm	ICD-9-CM	Diagnosis
927.09	Crushing injury of multiple sites of upper arm	ICD-9-CM	Diagnosis
927.1	Crushing injury of elbow and forearm	ICD-9-CM	Diagnosis
927.10	Crushing injury of forearm	ICD-9-CM	Diagnosis
927.11	Crushing injury of elbow	ICD-9-CM	Diagnosis
927.2	Crushing injury of wrist and hand(s), except finger(s) alone	ICD-9-CM	Diagnosis
927.20	Crushing injury of hand(s)	ICD-9-CM	Diagnosis
927.21	Crushing injury of wrist	ICD-9-CM	Diagnosis
927.3	Crushing injury of finger(s)	ICD-9-CM	Diagnosis
927.8	Crushing injury of multiple sites of upper limb	ICD-9-CM	Diagnosis
927.9	Crushing injury of unspecified site of upper limb	ICD-9-CM	Diagnosis
928	Crushing injury of lower limb	ICD-9-CM	Diagnosis
928.0	Crushing injury of hip and thigh	ICD-9-CM	Diagnosis
928.00	Crushing injury of thigh	ICD-9-CM	Diagnosis
928.01	Crushing injury of hip	ICD-9-CM	Diagnosis
928.1	Crushing injury of knee and lower leg	ICD-9-CM	Diagnosis
928.10	Crushing injury of lower leg	ICD-9-CM	Diagnosis
928.11	Crushing injury of knee	ICD-9-CM	Diagnosis
928.2	Crushing injury of ankle and foot, excluding toe(s) alone	ICD-9-CM	Diagnosis
928.20	Crushing injury of foot	ICD-9-CM	Diagnosis
928.21	Crushing injury of ankle	ICD-9-CM	Diagnosis
928.3	Crushing injury of toe(s)	ICD-9-CM	Diagnosis
928.8	Crushing injury of multiple sites of lower limb	ICD-9-CM	Diagnosis
928.9	Crushing injury of unspecified site of lower limb	ICD-9-CM	Diagnosis
929	Crushing injury of multiple and unspecified sites	ICD-9-CM	Diagnosis
929.0	Crushing injury of multiple sites, not elsewhere classified	ICD-9-CM	Diagnosis
929.9	Crushing injury of unspecified site	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
958.4	Traumatic shock	ICD-9-CM	Diagnosis
958.5	Traumatic anuria	ICD-9-CM	Diagnosis
958.7	Traumatic subcutaneous emphysema	ICD-9-CM	Diagnosis
996.7	Other complications of internal prosthetic device, implant, and graft	ICD-9-CM	Diagnosis
996.70	Other complications due to unspecified device, implant, and graft	ICD-9-CM	Diagnosis
996.71	Other complications due to heart valve prosthesis	ICD-9-CM	Diagnosis
996.72	Other complications due to other cardiac device, implant, and graft	ICD-9-CM	Diagnosis
996.73	Other complications due to renal dialysis device, implant, and graft	ICD-9-CM	Diagnosis
996.74	Other complications due to other vascular device, implant, and graft	ICD-9-CM	Diagnosis
996.75	Other complications due to nervous system device, implant, and graft	ICD-9-CM	Diagnosis
996.76	Other complications due to genitourinary device, implant, and graft	ICD-9-CM	Diagnosis
996.77	Other complications due to internal joint prosthesis	ICD-9-CM	Diagnosis
996.78	Other complications due to other internal orthopedic device, implant, and graft	ICD-9-CM	Diagnosis
996.79	Other complications due to other internal prosthetic device, implant, and graft	ICD-9-CM	Diagnosis
998.11	Hemorrhage complicating a procedure	ICD-9-CM	Diagnosis
998.12	Hematoma complicating a procedure	ICD-9-CM	Diagnosis
998.2	Accidental puncture or laceration during procedure	ICD-9-CM	Diagnosis
E805	Hit by rolling stock	ICD-9-CM	Diagnosis
E805.0	Railway employee hit by rolling stock	ICD-9-CM	Diagnosis
E805.1	Passenger on railway hit by rolling stock	ICD-9-CM	Diagnosis
E805.2	Pedestrian hit by rolling stock	ICD-9-CM	Diagnosis
E805.3	Pedal cyclist hit by rolling stock	ICD-9-CM	Diagnosis
E805.8	Other specified person hit by rolling stock	ICD-9-CM	Diagnosis
E805.9	Unspecified person hit by rolling stock	ICD-9-CM	Diagnosis
E870	Accidental cut, puncture, perforation, or hemorrhage during medical care	ICD-9-CM	Diagnosis
E870.0	Accidental cut, puncture, perforation, or hemorrhage during surgical operation	ICD-9-CM	Diagnosis
E870.1	Accidental cut, puncture, perforation, or hemorrhage during infusion or transfusion	ICD-9-CM	Diagnosis
E870.2	Accidental cut, puncture, perforation, or hemorrhage during kidney dialysis or other perfusion	ICD-9-CM	Diagnosis
E870.3	Accidental cut, puncture, perforation, or hemorrhage during injection or vaccination	ICD-9-CM	Diagnosis
E870.4	Accidental cut, puncture, perforation, or hemorrhage during endoscopic examination	ICD-9-CM	Diagnosis
E870.5	Accidental cut, puncture, perforation, or hemorrhage during aspiration of fluid or tissue, puncture, and catheterization	ICD-9-CM	Diagnosis
E870.6	Accidental cut, puncture, perforation, or hemorrhage during heart catheterization	ICD-9-CM	Diagnosis
E870.7	Accidental cut, puncture, perforation, or hemorrhage during administration of enema	ICD-9-CM	Diagnosis
E870.8	Accidental cut, puncture, perforation, or hemorrhage during other specified medical care	ICD-9-CM	Diagnosis
E870.9	Accidental cut, puncture, perforation, or hemorrhage during unspecified medical care	ICD-9-CM	Diagnosis
E881	Accidental fall on or from ladders or scaffolding	ICD-9-CM	Diagnosis
E881.0	Accidental fall from ladder	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
E881.1	Accidental fall from scaffolding	ICD-9-CM	Diagnosis
E882	Accidental fall from or out of building or other structure	ICD-9-CM	Diagnosis
E883	Accidental fall into hole or other opening in surface	ICD-9-CM	Diagnosis
E883.0	Accident from diving or jumping into water (swimming pool)	ICD-9-CM	Diagnosis
E883.1	Accidental fall into well	ICD-9-CM	Diagnosis
E883.2	Accidental fall into storm drain or manhole	ICD-9-CM	Diagnosis
E883.9	Accidental fall into other hole or other opening in surface	ICD-9-CM	Diagnosis
E922	Accident caused by firearm, and air gun missiles	ICD-9-CM	Diagnosis
E922.0	Accident caused by handgun	ICD-9-CM	Diagnosis
E922.1	Accident caused by shotgun (automatic)	ICD-9-CM	Diagnosis
E922.2	Accident caused by hunting rifle	ICD-9-CM	Diagnosis
E922.3	Accident caused by military firearms	ICD-9-CM	Diagnosis
E922.4	Accident caused by air gun	ICD-9-CM	Diagnosis
E922.5	Accident caused by paintball gun	ICD-9-CM	Diagnosis
E922.8	Accident caused by other specified firearm missile	ICD-9-CM	Diagnosis
E922.9	Accident caused by unspecified firearm missile	ICD-9-CM	Diagnosis
E923	Accident caused by explosive material	ICD-9-CM	Diagnosis
E923.0	Accident caused by fireworks	ICD-9-CM	Diagnosis
E923.1	Accident caused by blasting materials	ICD-9-CM	Diagnosis
E923.2	Accident caused by explosive gases	ICD-9-CM	Diagnosis
E923.8	Accident caused by other explosive materials	ICD-9-CM	Diagnosis
E923.9	Accident caused by unspecified explosive material	ICD-9-CM	Diagnosis
E955	Suicide and self-inflicted injury by firearms, air guns and explosives	ICD-9-CM	Diagnosis
E955.0	Suicide and self-inflicted injury by handgun	ICD-9-CM	Diagnosis
E955.1	Suicide and self-inflicted injury by shotgun	ICD-9-CM	Diagnosis
E955.2	Suicide and self-inflicted injury by hunting rifle	ICD-9-CM	Diagnosis
E955.3	Suicide and self-inflicted injury by military firearms	ICD-9-CM	Diagnosis
E955.4	Suicide and self-inflicted injury by other and unspecified firearm	ICD-9-CM	Diagnosis
E955.5	Suicide and self-inflicted injury by explosives	ICD-9-CM	Diagnosis
E955.6	Suicide and self-inflicted injury by air gun	ICD-9-CM	Diagnosis
E955.7	Suicide and self-inflicted injury by paintball gun	ICD-9-CM	Diagnosis
E955.9	Suicide and self-inflicted injury by firearms and explosives, unspecified	ICD-9-CM	Diagnosis
E960	Fight, brawl, rape	ICD-9-CM	Diagnosis
E960.0	Unarmed fight or brawl	ICD-9-CM	Diagnosis
E960.1	Rape	ICD-9-CM	Diagnosis
E965	Assault by firearms and explosives	ICD-9-CM	Diagnosis
E965.0	Assault by handgun	ICD-9-CM	Diagnosis
E965.1	Assault by shotgun	ICD-9-CM	Diagnosis
E965.2	Assault by hunting rifle	ICD-9-CM	Diagnosis
E965.3	Assault by military firearms	ICD-9-CM	Diagnosis
E965.4	Assault by other and unspecified firearm	ICD-9-CM	Diagnosis
E965.5	Assault by antipersonnel bomb	ICD-9-CM	Diagnosis
E965.6	Assault by gasoline bomb	ICD-9-CM	Diagnosis
E965.7	Assault by letter bomb	ICD-9-CM	Diagnosis
E965.8	Assault by other specified explosive	ICD-9-CM	Diagnosis
E965.9	Assault by unspecified explosive	ICD-9-CM	Diagnosis
E970	Injury due to legal intervention by firearms	ICD-9-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
E985	Injury by firearms, air guns and explosives, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.0	Injury by handgun, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.1	Injury by shotgun, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.2	Injury by hunting rifle, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.3	Injury by military firearms, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.4	Injury by other and unspecified firearm, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.5	Injury by explosives, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.6	Injury by air gun, undetermined whether accidental, or purposefully inflicted	ICD-9-CM	Diagnosis
E985.7	Injury by paintball gun, undetermined whether accidentally or purposefully inflicted	ICD-9-CM	Diagnosis
D78.01	Intraoperative hemorrhage and hematoma of the spleen complicating a procedure on the spleen	ICD-10-CM	Diagnosis
D78.02	Intraoperative hemorrhage and hematoma of the spleen complicating other procedure	ICD-10-CM	Diagnosis
D78.11	Accidental puncture and laceration of the spleen during a procedure on the spleen	ICD-10-CM	Diagnosis
D78.12	Accidental puncture and laceration of the spleen during other procedure	ICD-10-CM	Diagnosis
D78.21	Postprocedural hemorrhage of the spleen following a procedure on the spleen	ICD-10-CM	Diagnosis
D78.22	Postprocedural hemorrhage of the spleen following other procedure	ICD-10-CM	Diagnosis
D78.31	Postprocedural hematoma of the spleen following a procedure on the spleen	ICD-10-CM	Diagnosis
D78.32	Postprocedural hematoma of the spleen following other procedure	ICD-10-CM	Diagnosis
E36.01	Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating an endocrine system procedure	ICD-10-CM	Diagnosis
E36.02	Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating other procedure	ICD-10-CM	Diagnosis
E36.11	Accidental puncture and laceration of an endocrine system organ or structure during an endocrine system procedure	ICD-10-CM	Diagnosis
E36.12	Accidental puncture and laceration of an endocrine system organ or structure during other procedure	ICD-10-CM	Diagnosis
E89.810	Postprocedural hemorrhage of an endocrine system organ or structure following an endocrine system procedure	ICD-10-CM	Diagnosis
E89.811	Postprocedural hemorrhage of an endocrine system organ or structure following other procedure	ICD-10-CM	Diagnosis
E89.820	Postprocedural hematoma of an endocrine system organ or structure following an endocrine system procedure	ICD-10-CM	Diagnosis
E89.821	Postprocedural hematoma of an endocrine system organ or structure following other procedure	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
G97.31	Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system procedure	ICD-10-CM	Diagnosis
G97.32	Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other procedure	ICD-10-CM	Diagnosis
G97.48	Accidental puncture and laceration of other nervous system organ or structure during a nervous system procedure	ICD-10-CM	Diagnosis
G97.49	Accidental puncture and laceration of other nervous system organ or structure during other procedure	ICD-10-CM	Diagnosis
G97.51	Postprocedural hemorrhage of a nervous system organ or structure following a nervous system procedure	ICD-10-CM	Diagnosis
G97.52	Postprocedural hemorrhage of a nervous system organ or structure following other procedure	ICD-10-CM	Diagnosis
G97.61	Postprocedural hematoma of a nervous system organ or structure following a nervous system procedure	ICD-10-CM	Diagnosis
G97.62	Postprocedural hematoma of a nervous system organ or structure following other procedure	ICD-10-CM	Diagnosis
H59.111	Intraoperative hemorrhage and hematoma of right eye and adnexa complicating an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.112	Intraoperative hemorrhage and hematoma of left eye and adnexa complicating an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.113	Intraoperative hemorrhage and hematoma of eye and adnexa complicating an ophthalmic procedure, bilateral	ICD-10-CM	Diagnosis
H59.119	Intraoperative hemorrhage and hematoma of unspecified eye and adnexa complicating an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.121	Intraoperative hemorrhage and hematoma of right eye and adnexa complicating other procedure	ICD-10-CM	Diagnosis
H59.122	Intraoperative hemorrhage and hematoma of left eye and adnexa complicating other procedure	ICD-10-CM	Diagnosis
H59.123	Intraoperative hemorrhage and hematoma of eye and adnexa complicating other procedure, bilateral	ICD-10-CM	Diagnosis
H59.129	Intraoperative hemorrhage and hematoma of unspecified eye and adnexa complicating other procedure	ICD-10-CM	Diagnosis
H59.211	Accidental puncture and laceration of right eye and adnexa during an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.212	Accidental puncture and laceration of left eye and adnexa during an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.213	Accidental puncture and laceration of eye and adnexa during an ophthalmic procedure, bilateral	ICD-10-CM	Diagnosis
H59.219	Accidental puncture and laceration of unspecified eye and adnexa during an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.221	Accidental puncture and laceration of right eye and adnexa during other procedure	ICD-10-CM	Diagnosis
H59.222	Accidental puncture and laceration of left eye and adnexa during other procedure	ICD-10-CM	Diagnosis
H59.223	Accidental puncture and laceration of eye and adnexa during other procedure, bilateral	ICD-10-CM	Diagnosis
H59.229	Accidental puncture and laceration of unspecified eye and adnexa during other procedure	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
H59.311	Postprocedural hemorrhage of right eye and adnexa following an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.312	Postprocedural hemorrhage of left eye and adnexa following an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.313	Postprocedural hemorrhage of eye and adnexa following an ophthalmic procedure, bilateral	ICD-10-CM	Diagnosis
H59.319	Postprocedural hemorrhage of unspecified eye and adnexa following an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.321	Postprocedural hemorrhage of right eye and adnexa following other procedure	ICD-10-CM	Diagnosis
H59.322	Postprocedural hemorrhage of left eye and adnexa following other procedure	ICD-10-CM	Diagnosis
H59.323	Postprocedural hemorrhage of eye and adnexa following other procedure, bilateral	ICD-10-CM	Diagnosis
H59.329	Postprocedural hemorrhage of unspecified eye and adnexa following other procedure	ICD-10-CM	Diagnosis
H59.331	Postprocedural hematoma of right eye and adnexa following an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.332	Postprocedural hematoma of left eye and adnexa following an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.333	Postprocedural hematoma of eye and adnexa following an ophthalmic procedure, bilateral	ICD-10-CM	Diagnosis
H59.339	Postprocedural hematoma of unspecified eye and adnexa following an ophthalmic procedure	ICD-10-CM	Diagnosis
H59.341	Postprocedural hematoma of right eye and adnexa following other procedure	ICD-10-CM	Diagnosis
H59.342	Postprocedural hematoma of left eye and adnexa following other procedure	ICD-10-CM	Diagnosis
H59.343	Postprocedural hematoma of eye and adnexa following other procedure, bilateral	ICD-10-CM	Diagnosis
H59.349	Postprocedural hematoma of unspecified eye and adnexa following other procedure	ICD-10-CM	Diagnosis
H95.21	Intraoperative hemorrhage and hematoma of ear and mastoid process complicating a procedure on the ear and mastoid process	ICD-10-CM	Diagnosis
H95.22	Intraoperative hemorrhage and hematoma of ear and mastoid process complicating other procedure	ICD-10-CM	Diagnosis
H95.31	Accidental puncture and laceration of the ear and mastoid process during a procedure on the ear and mastoid process	ICD-10-CM	Diagnosis
H95.32	Accidental puncture and laceration of the ear and mastoid process during other procedure	ICD-10-CM	Diagnosis
H95.41	Postprocedural hemorrhage of ear and mastoid process following a procedure on the ear and mastoid process	ICD-10-CM	Diagnosis
H95.42	Postprocedural hemorrhage of ear and mastoid process following other procedure	ICD-10-CM	Diagnosis
H95.51	Postprocedural hematoma of ear and mastoid process following a procedure on the ear and mastoid process	ICD-10-CM	Diagnosis
H95.52	Postprocedural hematoma of ear and mastoid process following other procedure	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
I97.410	Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac catheterization	ICD-10-CM	Diagnosis
I97.411	Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac bypass	ICD-10-CM	Diagnosis
I97.418	Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other circulatory system procedure	ICD-10-CM	Diagnosis
I97.42	Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other procedure	ICD-10-CM	Diagnosis
I97.51	Accidental puncture and laceration of a circulatory system organ or structure during a circulatory system procedure	ICD-10-CM	Diagnosis
I97.52	Accidental puncture and laceration of a circulatory system organ or structure during other procedure	ICD-10-CM	Diagnosis
I97.610	Postprocedural hemorrhage of a circulatory system organ or structure following a cardiac catheterization	ICD-10-CM	Diagnosis
I97.611	Postprocedural hemorrhage of a circulatory system organ or structure following cardiac bypass	ICD-10-CM	Diagnosis
I97.618	Postprocedural hemorrhage of a circulatory system organ or structure following other circulatory system procedure	ICD-10-CM	Diagnosis
I97.620	Postprocedural hemorrhage of a circulatory system organ or structure following other procedure	ICD-10-CM	Diagnosis
I97.621	Postprocedural hematoma of a circulatory system organ or structure following other procedure	ICD-10-CM	Diagnosis
I97.630	Postprocedural hematoma of a circulatory system organ or structure following a cardiac catheterization	ICD-10-CM	Diagnosis
I97.631	Postprocedural hematoma of a circulatory system organ or structure following cardiac bypass	ICD-10-CM	Diagnosis
I97.638	Postprocedural hematoma of a circulatory system organ or structure following other circulatory system procedure	ICD-10-CM	Diagnosis
J95.61	Intraoperative hemorrhage and hematoma of a respiratory system organ or structure complicating a respiratory system procedure	ICD-10-CM	Diagnosis
J95.62	Intraoperative hemorrhage and hematoma of a respiratory system organ or structure complicating other procedure	ICD-10-CM	Diagnosis
J95.71	Accidental puncture and laceration of a respiratory system organ or structure during a respiratory system procedure	ICD-10-CM	Diagnosis
J95.72	Accidental puncture and laceration of a respiratory system organ or structure during other procedure	ICD-10-CM	Diagnosis
J95.830	Postprocedural hemorrhage of a respiratory system organ or structure following a respiratory system procedure	ICD-10-CM	Diagnosis
J95.831	Postprocedural hemorrhage of a respiratory system organ or structure following other procedure	ICD-10-CM	Diagnosis
J95.860	Postprocedural hematoma of a respiratory system organ or structure following a respiratory system procedure	ICD-10-CM	Diagnosis
J95.861	Postprocedural hematoma of a respiratory system organ or structure following other procedure	ICD-10-CM	Diagnosis
K91.61	Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating a digestive system procedure	ICD-10-CM	Diagnosis
K91.62	Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating other procedure	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
K91.71	Accidental puncture and laceration of a digestive system organ or structure during a digestive system procedure	ICD-10-CM	Diagnosis
K91.72	Accidental puncture and laceration of a digestive system organ or structure during other procedure	ICD-10-CM	Diagnosis
K91.840	Postprocedural hemorrhage of a digestive system organ or structure following a digestive system procedure	ICD-10-CM	Diagnosis
K91.841	Postprocedural hemorrhage of a digestive system organ or structure following other procedure	ICD-10-CM	Diagnosis
K91.870	Postprocedural hematoma of a digestive system organ or structure following a digestive system procedure	ICD-10-CM	Diagnosis
K91.871	Postprocedural hematoma of a digestive system organ or structure following other procedure	ICD-10-CM	Diagnosis
L76.01	Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating a dermatologic procedure	ICD-10-CM	Diagnosis
L76.02	Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating other procedure	ICD-10-CM	Diagnosis
L76.11	Accidental puncture and laceration of skin and subcutaneous tissue during a dermatologic procedure	ICD-10-CM	Diagnosis
L76.12	Accidental puncture and laceration of skin and subcutaneous tissue during other procedure	ICD-10-CM	Diagnosis
L76.21	Postprocedural hemorrhage of skin and subcutaneous tissue following a dermatologic procedure	ICD-10-CM	Diagnosis
L76.22	Postprocedural hemorrhage of skin and subcutaneous tissue following other procedure	ICD-10-CM	Diagnosis
L76.31	Postprocedural hematoma of skin and subcutaneous tissue following a dermatologic procedure	ICD-10-CM	Diagnosis
L76.32	Postprocedural hematoma of skin and subcutaneous tissue following other procedure	ICD-10-CM	Diagnosis
M96.810	Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating a musculoskeletal system procedure	ICD-10-CM	Diagnosis
M96.811	Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating other procedure	ICD-10-CM	Diagnosis
M96.820	Accidental puncture and laceration of a musculoskeletal structure during a musculoskeletal system procedure	ICD-10-CM	Diagnosis
M96.821	Accidental puncture and laceration of a musculoskeletal structure during other procedure	ICD-10-CM	Diagnosis
M96.830	Postprocedural hemorrhage of a musculoskeletal structure following a musculoskeletal system procedure	ICD-10-CM	Diagnosis
M96.831	Postprocedural hemorrhage of a musculoskeletal structure following other procedure	ICD-10-CM	Diagnosis
M96.840	Postprocedural hematoma of a musculoskeletal structure following a musculoskeletal system procedure	ICD-10-CM	Diagnosis
M96.841	Postprocedural hematoma of a musculoskeletal structure following other procedure	ICD-10-CM	Diagnosis
N99.61	Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating a genitourinary system procedure	ICD-10-CM	Diagnosis
N99.62	Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating other procedure	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
N99.71	Accidental puncture and laceration of a genitourinary system organ or structure during a genitourinary system procedure	ICD-10-CM	Diagnosis
N99.72	Accidental puncture and laceration of a genitourinary system organ or structure during other procedure	ICD-10-CM	Diagnosis
N99.820	Postprocedural hemorrhage of a genitourinary system organ or structure following a genitourinary system procedure	ICD-10-CM	Diagnosis
N99.821	Postprocedural hemorrhage of a genitourinary system organ or structure following other procedure	ICD-10-CM	Diagnosis
N99.840	Postprocedural hematoma of a genitourinary system organ or structure following a genitourinary system procedure	ICD-10-CM	Diagnosis
N99.841	Postprocedural hematoma of a genitourinary system organ or structure following other procedure	ICD-10-CM	Diagnosis
S01.00XA	Unspecified open wound of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.01XA	Laceration without foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.02XA	Laceration with foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.03XA	Puncture wound without foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.04XA	Puncture wound with foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.05XA	Open bite of scalp, initial encounter	ICD-10-CM	Diagnosis
S02.0XXA	Fracture of vault of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.0XXB	Fracture of vault of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.101A	Fracture of base of skull, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.101B	Fracture of base of skull, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.102A	Fracture of base of skull, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.102B	Fracture of base of skull, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.109A	Fracture of base of skull, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.109B	Fracture of base of skull, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.110A	Type I occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.110B	Type I occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.111A	Type II occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.111B	Type II occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S02.112A	Type III occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.112B	Type III occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.113A	Unspecified occipital condyle fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.113B	Unspecified occipital condyle fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.118A	Other fracture of occiput, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.118B	Other fracture of occiput, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.119A	Unspecified fracture of occiput, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.119B	Unspecified fracture of occiput, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11AA	Type I occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11AB	Type I occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11BA	Type I occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11BB	Type I occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11CA	Type II occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11CB	Type II occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11DA	Type II occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11DB	Type II occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11EA	Type III occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11EB	Type III occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11FA	Type III occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11FB	Type III occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11GA	Other fracture of occiput, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11GB	Other fracture of occiput, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11HA	Other fracture of occiput, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11HB	Other fracture of occiput, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S02.19XA	Other fracture of base of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.19XB	Other fracture of base of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.2XXA	Fracture of nasal bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.2XXB	Fracture of nasal bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.30XA	Fracture of orbital floor, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.30XB	Fracture of orbital floor, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.31XA	Fracture of orbital floor, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.31XB	Fracture of orbital floor, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.32XA	Fracture of orbital floor, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.32XB	Fracture of orbital floor, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.400A	Malar fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.400B	Malar fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.401A	Maxillary fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.401B	Maxillary fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.402A	Zygomatic fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.402B	Zygomatic fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40AA	Malar fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40AB	Malar fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40BA	Malar fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40BB	Malar fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40CA	Maxillary fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40CB	Maxillary fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40DA	Maxillary fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40DB	Maxillary fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S02.40EA	Zygomatic fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40EB	Zygomatic fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40FA	Zygomatic fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40FB	Zygomatic fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.411A	LeFort I fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.411B	LeFort I fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.412A	LeFort II fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.412B	LeFort II fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.413A	LeFort III fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.413B	LeFort III fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.42XA	Fracture of alveolus of maxilla, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.42XB	Fracture of alveolus of maxilla, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.600A	Fracture of unspecified part of body of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.600B	Fracture of unspecified part of body of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.601A	Fracture of unspecified part of body of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.601B	Fracture of unspecified part of body of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.602A	Fracture of unspecified part of body of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.602B	Fracture of unspecified part of body of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.609A	Fracture of mandible, unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.609B	Fracture of mandible, unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.610A	Fracture of condylar process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.610B	Fracture of condylar process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.611A	Fracture of condylar process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.611B	Fracture of condylar process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S02.612A	Fracture of condylar process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.612B	Fracture of condylar process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.620A	Fracture of subcondylar process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.620B	Fracture of subcondylar process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.621A	Fracture of subcondylar process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.621B	Fracture of subcondylar process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.622A	Fracture of subcondylar process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.622B	Fracture of subcondylar process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.630A	Fracture of coronoid process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.630B	Fracture of coronoid process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.631A	Fracture of coronoid process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.631B	Fracture of coronoid process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.632A	Fracture of coronoid process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.632B	Fracture of coronoid process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.640A	Fracture of ramus of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.640B	Fracture of ramus of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.641A	Fracture of ramus of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.641B	Fracture of ramus of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.642A	Fracture of ramus of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.642B	Fracture of ramus of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.650A	Fracture of angle of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.650B	Fracture of angle of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.651A	Fracture of angle of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.651B	Fracture of angle of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S02.652A	Fracture of angle of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.652B	Fracture of angle of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.66XA	Fracture of symphysis of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.66XB	Fracture of symphysis of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.670A	Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.670B	Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.671A	Fracture of alveolus of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.671B	Fracture of alveolus of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.672A	Fracture of alveolus of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.672B	Fracture of alveolus of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.69XA	Fracture of mandible of other specified site, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.69XB	Fracture of mandible of other specified site, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.80XA	Fracture of other specified skull and facial bones, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.80XB	Fracture of other specified skull and facial bones, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.81XA	Fracture of other specified skull and facial bones, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.81XB	Fracture of other specified skull and facial bones, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.82XA	Fracture of other specified skull and facial bones, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.82XB	Fracture of other specified skull and facial bones, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.91XA	Unspecified fracture of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.91XB	Unspecified fracture of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.92XA	Unspecified fracture of facial bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.92XB	Unspecified fracture of facial bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S06.330A	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.331A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S06.332A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.333A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.334A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.335A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.336A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.337A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.338A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.339A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.360A	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.361A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.362A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.363A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.364A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.365A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.366A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.367A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.368A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.369A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.4X0A	Epidural hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S06.4X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.4X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.4X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.4X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.4X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.4X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X9A	Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.5X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.5X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.5X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.5X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.5X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.5X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.5X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X9A	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.6X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.6X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.6X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S06.6X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.6X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.6X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.6X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X9A	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.890A	Other specified intracranial injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.891A	Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.892A	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.893A	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.894A	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.895A	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.896A	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.897A	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.898A	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.899A	Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.9X0A	Unspecified intracranial injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X1A	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.9X2A	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.9X3A	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.9X4A	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S06.9X5A	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.9X6A	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.9X7A	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X8A	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X9A	Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S07.0XXA	Crushing injury of face, initial encounter	ICD-10-CM	Diagnosis
S07.1XXA	Crushing injury of skull, initial encounter	ICD-10-CM	Diagnosis
S07.8XXA	Crushing injury of other parts of head, initial encounter	ICD-10-CM	Diagnosis
S07.9XXA	Crushing injury of head, part unspecified, initial encounter	ICD-10-CM	Diagnosis
S08.0XXA	Avulsion of scalp, initial encounter	ICD-10-CM	Diagnosis
S12.000A	Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.000B	Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.001B	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.01XA	Stable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.01XB	Stable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.02XA	Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.02XB	Unstable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.030A	Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.030B	Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.031A	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.031B	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S12.040A	Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.040B	Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.041A	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.041B	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.090A	Other displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.090B	Other displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.091A	Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.091B	Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.110A	Anterior displaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.110B	Anterior displaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.111A	Posterior displaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.111B	Posterior displaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.112A	Nondisplaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.112B	Nondisplaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.120A	Other displaced dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.120B	Other displaced dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.121A	Other nondisplaced dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.121B	Other nondisplaced dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.130A	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.130B	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S12.131A	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.131B	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.14XA	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.14XB	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.150A	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.150B	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.151A	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.151B	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.190A	Other displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.190B	Other displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.191A	Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.191B	Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.230A	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.230B	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.231A	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.231B	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.24XA	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.24XB	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.250A	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.250B	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S12.251A	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.251B	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.290A	Other displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.290B	Other displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.291A	Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.291B	Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.330A	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.330B	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.331A	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.331B	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.34XA	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.34XB	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.350A	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.350B	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.351A	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.351B	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.390A	Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.390B	Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.391A	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.391B	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S12.400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.430A	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.430B	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.431A	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.431B	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.44XA	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.44XB	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.450A	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.450B	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.451A	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.451B	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.490A	Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.490B	Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.491A	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.491B	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.530A	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.530B	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S12.531A	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.531B	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.54XA	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.54XB	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.550A	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.550B	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.551A	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.551B	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.590A	Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.590B	Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.591A	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.591B	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.630A	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.630B	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.631A	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.631B	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.64XA	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.64XB	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.650A	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.650B	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S12.651A	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.651B	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.690A	Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.690B	Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.691A	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.691B	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.8XXA	Fracture of other parts of neck, initial encounter	ICD-10-CM	Diagnosis
S12.9XXA	Fracture of neck, unspecified, initial encounter	ICD-10-CM	Diagnosis
S14.101A	Unspecified injury at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.102A	Unspecified injury at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.103A	Unspecified injury at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.104A	Unspecified injury at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.105A	Unspecified injury at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.106A	Unspecified injury at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.107A	Unspecified injury at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.109A	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.111A	Complete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.112A	Complete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.113A	Complete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.114A	Complete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.115A	Complete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.116A	Complete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.117A	Complete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.121A	Central cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S14.122A	Central cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.123A	Central cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.124A	Central cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.125A	Central cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.126A	Central cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.131A	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.132A	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S17.0XXA	Crushing injury of larynx and trachea, initial encounter	ICD-10-CM	Diagnosis
S17.8XXA	Crushing injury of other specified parts of neck, initial encounter	ICD-10-CM	Diagnosis
S17.9XXA	Crushing injury of neck, part unspecified, initial encounter	ICD-10-CM	Diagnosis
S21.101A	Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S21.102A	Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.109A	Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.111A	Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.112A	Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.119A	Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.121A	Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.122A	Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.129A	Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.131A	Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.132A	Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.139A	Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.141A	Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.142A	Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.149A	Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.151A	Open bite of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.152A	Open bite of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.159A	Open bite of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.301A	Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.302A	Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.309A	Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.311A	Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.312A	Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.319A	Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.321A	Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S21.322A	Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.329A	Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.331A	Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.332A	Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.339A	Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.341A	Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.342A	Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.349A	Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.351A	Open bite of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.352A	Open bite of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.359A	Open bite of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.401A	Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.402A	Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.409A	Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.411A	Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.412A	Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.419A	Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.421A	Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.422A	Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.429A	Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.431A	Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.432A	Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.439A	Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.441A	Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S21.442A	Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.449A	Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.451A	Open bite of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.452A	Open bite of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.459A	Open bite of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.90XA	Unspecified open wound of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.91XA	Laceration without foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.92XA	Laceration with foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.93XA	Puncture wound without foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.94XA	Puncture wound with foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.95XA	Open bite of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S22.000A	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.000B	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.001A	Stable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.001B	Stable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.002A	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.002B	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.008A	Other fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.008B	Other fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.009A	Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.009B	Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.010A	Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.010B	Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.011A	Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S22.011B	Stable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.012A	Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.012B	Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.018A	Other fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.018B	Other fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.020A	Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.020B	Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.021A	Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.021B	Stable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.022A	Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.022B	Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.028A	Other fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.028B	Other fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.030A	Wedge compression fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.030B	Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.031A	Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.031B	Stable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.032A	Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.032B	Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.038A	Other fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S22.038B	Other fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.040A	Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.040B	Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.041A	Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.041B	Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.042A	Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.042B	Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.048A	Other fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.048B	Other fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.050A	Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.050B	Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.051A	Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.051B	Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.052A	Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.052B	Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.058A	Other fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.058B	Other fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.059A	Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.059B	Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.060A	Wedge compression fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S22.060B	Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.061A	Stable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.061B	Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.062A	Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.062B	Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.068A	Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.068B	Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.070A	Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.070B	Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.071A	Stable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.071B	Stable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.072A	Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.072B	Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.078A	Other fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.078B	Other fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.080A	Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.080B	Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.081A	Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.081B	Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.082A	Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S22.082B	Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.088A	Other fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.088B	Other fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.20XA	Unspecified fracture of sternum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.20XB	Unspecified fracture of sternum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.21XA	Fracture of manubrium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.21XB	Fracture of manubrium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.22XA	Fracture of body of sternum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.22XB	Fracture of body of sternum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.23XA	Sternal manubrial dissociation, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.23XB	Sternal manubrial dissociation, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.24XA	Fracture of xiphoid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.24XB	Fracture of xiphoid process, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.31XA	Fracture of one rib, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.31XB	Fracture of one rib, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.32XA	Fracture of one rib, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.32XB	Fracture of one rib, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.39XA	Fracture of one rib, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.39XB	Fracture of one rib, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.41XA	Multiple fractures of ribs, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.41XB	Multiple fractures of ribs, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.42XA	Multiple fractures of ribs, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S22.42XB	Multiple fractures of ribs, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.43XA	Multiple fractures of ribs, bilateral, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.43XB	Multiple fractures of ribs, bilateral, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.49XA	Multiple fractures of ribs, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.49XB	Multiple fractures of ribs, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.5XXA	Flail chest, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.5XXB	Flail chest, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.9XXA	Fracture of bony thorax, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.9XXB	Fracture of bony thorax, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S24.101A	Unspecified injury at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.102A	Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.103A	Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.104A	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.109A	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S24.153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S27.0XXA	Traumatic pneumothorax, initial encounter	ICD-10-CM	Diagnosis
S27.1XXA	Traumatic hemothorax, initial encounter	ICD-10-CM	Diagnosis
S27.2XXA	Traumatic hemopneumothorax, initial encounter	ICD-10-CM	Diagnosis
S27.802A	Contusion of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.803A	Laceration of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.808A	Other injury of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.809A	Unspecified injury of diaphragm, initial encounter	ICD-10-CM	Diagnosis
S27.9XXA	Injury of unspecified intrathoracic organ, initial encounter	ICD-10-CM	Diagnosis
S28.0XXA	Crushed chest, initial encounter	ICD-10-CM	Diagnosis
S28.1XXA	Traumatic amputation (partial) of part of thorax, except breast, initial encounter	ICD-10-CM	Diagnosis
S29.021A	Laceration of muscle and tendon of front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S29.029A	Laceration of muscle and tendon of unspecified wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S31.001A	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.609A	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S32.000A	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.000B	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.001A	Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.001B	Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.002A	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.002B	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.008A	Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.008B	Other fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.010A	Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.010B	Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.011A	Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.011B	Stable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.012A	Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.012B	Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.018A	Other fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.018B	Other fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.020A	Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.020B	Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.021A	Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.021B	Stable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.022A	Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.022B	Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.028A	Other fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.028B	Other fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.030A	Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.030B	Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.031A	Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.031B	Stable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.032A	Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.032B	Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.038A	Other fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.038B	Other fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.040A	Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.040B	Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.041A	Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.041B	Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.042A	Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.042B	Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.048A	Other fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.048B	Other fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.050A	Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.050B	Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.051A	Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.051B	Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.052A	Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.052B	Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.058A	Other fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.058B	Other fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.10XA	Unspecified fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.10XB	Unspecified fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.110A	Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.110B	Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.111A	Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.111B	Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.112A	Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.112B	Severely displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.119A	Unspecified Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.119B	Unspecified Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.120A	Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.120B	Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.121A	Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.121B	Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.122A	Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.122B	Severely displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.129A	Unspecified Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.129B	Unspecified Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.130A	Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.130B	Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.131A	Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.131B	Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.132A	Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.132B	Severely displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.139A	Unspecified Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.139B	Unspecified Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.14XA	Type 1 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.14XB	Type 1 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.15XA	Type 2 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.15XB	Type 2 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.16XA	Type 3 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.16XB	Type 3 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.17XA	Type 4 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.17XB	Type 4 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.19XA	Other fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.19XB	Other fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.2XXA	Fracture of coccyx, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.2XXB	Fracture of coccyx, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.301A	Unspecified fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.301B	Unspecified fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.302A	Unspecified fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.302B	Unspecified fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.309B	Unspecified fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.311B	Displaced avulsion fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.312A	Displaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.391A	Other fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.391B	Other fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.392A	Other fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.392B	Other fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.399A	Other fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.399B	Other fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.401B	Unspecified fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.402B	Unspecified fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.491A	Other specified fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.491B	Other specified fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.492A	Other specified fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.492B	Other specified fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.501A	Unspecified fracture of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.501B	Unspecified fracture of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.502A	Unspecified fracture of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.502B	Unspecified fracture of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.511A	Fracture of superior rim of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.511B	Fracture of superior rim of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.512A	Fracture of superior rim of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.512B	Fracture of superior rim of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.591A	Other specified fracture of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.591B	Other specified fracture of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.592A	Other specified fracture of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.592B	Other specified fracture of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.599B	Other specified fracture of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.601A	Unspecified fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.601B	Unspecified fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.602A	Unspecified fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.602B	Unspecified fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.613A	Displaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.691A	Other specified fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.691B	Other specified fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.692A	Other specified fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.692B	Other specified fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.699B	Other specified fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S32.810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.82XA	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.82XB	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.89XA	Fracture of other parts of pelvis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.89XB	Fracture of other parts of pelvis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.9XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.9XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S34.101A	Unspecified injury to L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.102A	Unspecified injury to L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.103A	Unspecified injury to L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.104A	Unspecified injury to L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.105A	Unspecified injury to L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.109A	Unspecified injury to unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.114A	Complete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.115A	Complete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.119A	Complete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.121A	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.122A	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S34.123A	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.124A	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.125A	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.129A	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.131A	Complete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.132A	Incomplete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.139A	Unspecified injury to sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.3XXA	Injury of cauda equina, initial encounter	ICD-10-CM	Diagnosis
S35.401A	Unspecified injury of right renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.402A	Unspecified injury of left renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.403A	Unspecified injury of unspecified renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.404A	Unspecified injury of right renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.405A	Unspecified injury of left renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.406A	Unspecified injury of unspecified renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.411A	Laceration of right renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.412A	Laceration of left renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.413A	Laceration of unspecified renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.414A	Laceration of right renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.415A	Laceration of left renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.416A	Laceration of unspecified renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.491A	Other specified injury of right renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.492A	Other specified injury of left renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.493A	Other specified injury of unspecified renal artery, initial encounter	ICD-10-CM	Diagnosis
S35.494A	Other specified injury of right renal vein, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S35.495A	Other specified injury of left renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.496A	Other specified injury of unspecified renal vein, initial encounter	ICD-10-CM	Diagnosis
S35.531A	Injury of right uterine artery, initial encounter	ICD-10-CM	Diagnosis
S35.532A	Injury of left uterine artery, initial encounter	ICD-10-CM	Diagnosis
S35.533A	Injury of unspecified uterine artery, initial encounter	ICD-10-CM	Diagnosis
S35.534A	Injury of right uterine vein, initial encounter	ICD-10-CM	Diagnosis
S35.535A	Injury of left uterine vein, initial encounter	ICD-10-CM	Diagnosis
S35.536A	Injury of unspecified uterine vein, initial encounter	ICD-10-CM	Diagnosis
S35.8X1A	Laceration of other blood vessels at abdomen, lower back and pelvis level, initial encounter	ICD-10-CM	Diagnosis
S35.8X8A	Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter	ICD-10-CM	Diagnosis
S35.8X9A	Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter	ICD-10-CM	Diagnosis
S36.00XA	Unspecified injury of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.020A	Minor contusion of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.021A	Major contusion of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.029A	Unspecified contusion of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.030A	Superficial (capsular) laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.031A	Moderate laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.032A	Major laceration of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.09XA	Other injury of spleen, initial encounter	ICD-10-CM	Diagnosis
S36.112A	Contusion of liver, initial encounter	ICD-10-CM	Diagnosis
S36.113A	Laceration of liver, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.114A	Minor laceration of liver, initial encounter	ICD-10-CM	Diagnosis
S36.115A	Moderate laceration of liver, initial encounter	ICD-10-CM	Diagnosis
S36.116A	Major laceration of liver, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S36.118A	Other injury of liver, initial encounter	ICD-10-CM	Diagnosis
S36.119A	Unspecified injury of liver, initial encounter	ICD-10-CM	Diagnosis
S36.200A	Unspecified injury of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.201A	Unspecified injury of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.202A	Unspecified injury of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.209A	Unspecified injury of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.220A	Contusion of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.221A	Contusion of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.222A	Contusion of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.229A	Contusion of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.230A	Laceration of head of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.231A	Laceration of body of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.232A	Laceration of tail of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.239A	Laceration of unspecified part of pancreas, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S36.240A	Minor laceration of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.241A	Minor laceration of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.242A	Minor laceration of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.249A	Minor laceration of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.250A	Moderate laceration of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.251A	Moderate laceration of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.252A	Moderate laceration of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.259A	Moderate laceration of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.260A	Major laceration of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.261A	Major laceration of body of pancreas, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S36.262A	Major laceration of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.269A	Major laceration of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.290A	Other injury of head of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.291A	Other injury of body of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.292A	Other injury of tail of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.299A	Other injury of unspecified part of pancreas, initial encounter	ICD-10-CM	Diagnosis
S36.30XA	Unspecified injury of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.32XA	Contusion of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.33XA	Laceration of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.39XA	Other injury of stomach, initial encounter	ICD-10-CM	Diagnosis
S36.400A	Unspecified injury of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.408A	Unspecified injury of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.409A	Unspecified injury of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.410A	Primary blast injury of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.418A	Primary blast injury of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.419A	Primary blast injury of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.420A	Contusion of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.428A	Contusion of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.429A	Contusion of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.430A	Laceration of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.438A	Laceration of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.439A	Laceration of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.490A	Other injury of duodenum, initial encounter	ICD-10-CM	Diagnosis
S36.498A	Other injury of other part of small intestine, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S36.499A	Other injury of unspecified part of small intestine, initial encounter	ICD-10-CM	Diagnosis
S36.500A	Unspecified injury of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.501A	Unspecified injury of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.502A	Unspecified injury of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.503A	Unspecified injury of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.508A	Unspecified injury of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.509A	Unspecified injury of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.510A	Primary blast injury of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.511A	Primary blast injury of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.512A	Primary blast injury of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.513A	Primary blast injury of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.518A	Primary blast injury of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.519A	Primary blast injury of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.520A	Contusion of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.521A	Contusion of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.522A	Contusion of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.523A	Contusion of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.528A	Contusion of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.529A	Contusion of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.530A	Laceration of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.531A	Laceration of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.532A	Laceration of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.533A	Laceration of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.538A	Laceration of other part of colon, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S36.539A	Laceration of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.590A	Other injury of ascending [right] colon, initial encounter	ICD-10-CM	Diagnosis
S36.591A	Other injury of transverse colon, initial encounter	ICD-10-CM	Diagnosis
S36.592A	Other injury of descending [left] colon, initial encounter	ICD-10-CM	Diagnosis
S36.593A	Other injury of sigmoid colon, initial encounter	ICD-10-CM	Diagnosis
S36.598A	Other injury of other part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.599A	Other injury of unspecified part of colon, initial encounter	ICD-10-CM	Diagnosis
S36.60XA	Unspecified injury of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.61XA	Primary blast injury of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.62XA	Contusion of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.63XA	Laceration of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.69XA	Other injury of rectum, initial encounter	ICD-10-CM	Diagnosis
S36.899A	Unspecified injury of other intra-abdominal organs, initial encounter	ICD-10-CM	Diagnosis
S36.90XA	Unspecified injury of unspecified intra-abdominal organ, initial encounter	ICD-10-CM	Diagnosis
S37.001A	Unspecified injury of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.002A	Unspecified injury of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.009A	Unspecified injury of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.011A	Minor contusion of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.012A	Minor contusion of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.019A	Minor contusion of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.021A	Major contusion of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.022A	Major contusion of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.029A	Major contusion of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.031A	Laceration of right kidney, unspecified degree, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S37.032A	Laceration of left kidney, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S37.039A	Laceration of unspecified kidney, unspecified degree, initial encounter	ICD-10-CM	Diagnosis
S37.041A	Minor laceration of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.042A	Minor laceration of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.049A	Minor laceration of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.051A	Moderate laceration of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.052A	Moderate laceration of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.059A	Moderate laceration of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.061A	Major laceration of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.062A	Major laceration of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.069A	Major laceration of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.091A	Other injury of right kidney, initial encounter	ICD-10-CM	Diagnosis
S37.092A	Other injury of left kidney, initial encounter	ICD-10-CM	Diagnosis
S37.099A	Other injury of unspecified kidney, initial encounter	ICD-10-CM	Diagnosis
S37.10XA	Unspecified injury of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.12XA	Contusion of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.13XA	Laceration of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.19XA	Other injury of ureter, initial encounter	ICD-10-CM	Diagnosis
S37.20XA	Unspecified injury of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.22XA	Contusion of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.23XA	Laceration of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.29XA	Other injury of bladder, initial encounter	ICD-10-CM	Diagnosis
S37.30XA	Unspecified injury of urethra, initial encounter	ICD-10-CM	Diagnosis
S37.32XA	Contusion of urethra, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S37.33XA	Laceration of urethra, initial encounter	ICD-10-CM	Diagnosis
S37.39XA	Other injury of urethra, initial encounter	ICD-10-CM	Diagnosis
S37.401A	Unspecified injury of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.402A	Unspecified injury of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.409A	Unspecified injury of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.421A	Contusion of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.422A	Contusion of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.429A	Contusion of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.431A	Laceration of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.432A	Laceration of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.439A	Laceration of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.491A	Other injury of ovary, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.492A	Other injury of ovary, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.499A	Other injury of ovary, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.501A	Unspecified injury of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.502A	Unspecified injury of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.509A	Unspecified injury of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.511A	Primary blast injury of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.512A	Primary blast injury of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.519A	Primary blast injury of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.521A	Contusion of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.522A	Contusion of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.529A	Contusion of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.531A	Laceration of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S37.532A	Laceration of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.539A	Laceration of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.591A	Other injury of fallopian tube, unilateral, initial encounter	ICD-10-CM	Diagnosis
S37.592A	Other injury of fallopian tube, bilateral, initial encounter	ICD-10-CM	Diagnosis
S37.599A	Other injury of fallopian tube, unspecified, initial encounter	ICD-10-CM	Diagnosis
S37.60XA	Unspecified injury of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.62XA	Contusion of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.63XA	Laceration of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.69XA	Other injury of uterus, initial encounter	ICD-10-CM	Diagnosis
S37.822A	Contusion of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.823A	Laceration of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.828A	Other injury of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.829A	Unspecified injury of prostate, initial encounter	ICD-10-CM	Diagnosis
S37.892A	Contusion of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.893A	Laceration of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.898A	Other injury of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.899A	Unspecified injury of other urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.90XA	Unspecified injury of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.92XA	Contusion of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.93XA	Laceration of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S37.99XA	Other injury of unspecified urinary and pelvic organ, initial encounter	ICD-10-CM	Diagnosis
S38.001A	Crushing injury of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S38.002A	Crushing injury of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S38.01XA	Crushing injury of penis, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S38.02XA	Crushing injury of scrotum and testis, initial encounter	ICD-10-CM	Diagnosis
S38.03XA	Crushing injury of vulva, initial encounter	ICD-10-CM	Diagnosis
S38.1XXA	Crushing injury of abdomen, lower back, and pelvis, initial encounter	ICD-10-CM	Diagnosis
S42.001A	Fracture of unspecified part of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.001B	Fracture of unspecified part of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.002A	Fracture of unspecified part of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.002B	Fracture of unspecified part of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.009A	Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.009B	Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.011A	Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.011B	Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.012A	Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.012B	Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.013A	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.013B	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.014A	Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.014B	Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.015A	Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.015B	Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.016A	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.016B	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.017A	Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.017B	Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.018A	Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.018B	Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.019A	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.019B	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.021A	Displaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.021B	Displaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.022A	Displaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.022B	Displaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.023A	Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.023B	Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.024A	Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.024B	Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.025A	Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.025B	Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.026A	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.026B	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.031A	Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.031B	Displaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.032A	Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.032B	Displaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.033A	Displaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.033B	Displaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.034A	Nondisplaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.034B	Nondisplaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.035A	Nondisplaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.035B	Nondisplaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.036A	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.036B	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.101A	Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.101B	Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.102A	Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.102B	Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.109A	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.109B	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.111A	Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.111B	Displaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.112A	Displaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.112B	Displaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.113A	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.113B	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.114A	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.114B	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.115A	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.115B	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.116A	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.116B	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.121A	Displaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.121B	Displaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.122A	Displaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.122B	Displaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.123A	Displaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.123B	Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.124A	Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.124B	Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.125A	Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.125B	Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.126A	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.126B	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.131A	Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.131B	Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.132A	Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.132B	Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.133A	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.133B	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.134A	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.134B	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.135A	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.135B	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.136A	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.136B	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.141A	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.141B	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.142A	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.142B	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.143A	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.143B	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.144A	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.144B	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.145A	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.145B	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.146A	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.146B	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.151A	Displaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.151B	Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.152A	Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.152B	Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.153A	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.153B	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.154A	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.154B	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.155A	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.155B	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.156A	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.156B	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.191A	Fracture of other part of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.191B	Fracture of other part of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.192A	Fracture of other part of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.192B	Fracture of other part of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.199A	Fracture of other part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.199B	Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.201A	Unspecified fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.201B	Unspecified fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.202A	Unspecified fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.202B	Unspecified fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.209A	Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.209B	Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.211A	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.211B	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.212A	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.212B	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.213A	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.213B	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.214A	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.214B	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.215A	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.215B	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.216A	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.216B	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.221A	2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.221B	2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.222A	2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.222B	2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.223A	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.223B	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.224A	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.224B	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.225A	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.225B	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.226A	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.226B	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.231A	3-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.231B	3-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.232A	3-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.232B	3-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.239A	3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.239B	3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.241A	4-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.241B	4-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.242A	4-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.242B	4-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.249A	4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.249B	4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.251A	Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.251B	Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.252A	Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.252B	Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.253A	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.253B	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.254A	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.254B	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.255A	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.255B	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.256A	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.256B	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.261A	Displaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.261B	Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.262A	Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.262B	Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.263A	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.263B	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.264A	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.264B	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.265A	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.265B	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.266A	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.266B	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.271A	Torus fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.272A	Torus fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.279A	Torus fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.291A	Other displaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.291B	Other displaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.292A	Other displaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.292B	Other displaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.293A	Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.293B	Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.294A	Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.294B	Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.295A	Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.295B	Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.296A	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.296B	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.301A	Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.301B	Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.302A	Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.302B	Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.309A	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.309B	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.311A	Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.312A	Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.319A	Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.321A	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.321B	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.322A	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.322B	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.323A	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.323B	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.324A	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.324B	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.325A	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.325B	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.326A	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.326B	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.331A	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.331B	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.332A	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.332B	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.333A	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.333B	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.334A	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.334B	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.335A	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.335B	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.336A	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.336B	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.341A	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.341B	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.342A	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.342B	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.343A	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.343B	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.344A	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.344B	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.345A	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.345B	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.346A	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.346B	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.351A	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.351B	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.352A	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.352B	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.353A	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.353B	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.354A	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.354B	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.355A	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.355B	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.356A	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.356B	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.361A	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.361B	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.362A	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.362B	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.363A	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.363B	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.364A	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.364B	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.365A	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.365B	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.366A	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.366B	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.391A	Other fracture of shaft of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.391B	Other fracture of shaft of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.392A	Other fracture of shaft of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.392B	Other fracture of shaft of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.399A	Other fracture of shaft of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.399B	Other fracture of shaft of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.401A	Unspecified fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.401B	Unspecified fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.402A	Unspecified fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.402B	Unspecified fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.409A	Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.409B	Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.411A	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.411B	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.412A	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.412B	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.413A	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.413B	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.414A	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.414B	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.415A	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.415B	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.416A	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.416B	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.421A	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.421B	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.422A	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.422B	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.423A	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.423B	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.424A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.424B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.425A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.425B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.426A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.426B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.431A	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.431B	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.432A	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.432B	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.433A	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.433B	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.434A	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.434B	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.435A	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.435B	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.436A	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.436B	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.441A	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.441B	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.442A	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.442B	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.443A	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.443B	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.444A	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.444B	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.445A	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.445B	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.446A	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.446B	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.447A	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.447B	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.448A	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.448B	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.449A	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.449B	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.451A	Displaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.451B	Displaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.452A	Displaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.452B	Displaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.453A	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.453B	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.454A	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.454B	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.455A	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.455B	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.456A	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.456B	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.461A	Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.461B	Displaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.462A	Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.462B	Displaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.463A	Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.463B	Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.464A	Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.464B	Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.465A	Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.465B	Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.466A	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.466B	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.471A	Displaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.471B	Displaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.472A	Displaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.472B	Displaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.473A	Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.473B	Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.474A	Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.474B	Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.475A	Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.475B	Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.476A	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.476B	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.481A	Torus fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.482A	Torus fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.489A	Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.491A	Other displaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.491B	Other displaced fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.492A	Other displaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.492B	Other displaced fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.493A	Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.493B	Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S42.494A	Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.494B	Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.495A	Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.495B	Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.496A	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.496B	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.90XA	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.90XB	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.91XA	Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.91XB	Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.92XA	Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.92XB	Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S47.1XXA	Crushing injury of right shoulder and upper arm, initial encounter	ICD-10-CM	Diagnosis
S47.2XXA	Crushing injury of left shoulder and upper arm, initial encounter	ICD-10-CM	Diagnosis
S47.9XXA	Crushing injury of shoulder and upper arm, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S49.001A	Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.002A	Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.009A	Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.011A	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.012A	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.019A	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.021A	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.022A	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.029A	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S49.031A	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.032A	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.039A	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.041A	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.042A	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.049A	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.091A	Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.092A	Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.099A	Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.101A	Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.102A	Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.109A	Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.111A	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.112A	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.119A	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.121A	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.122A	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.129A	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.131A	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.132A	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.139A	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.141A	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.142A	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.149A	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S49.191A	Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.192A	Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.199A	Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.001A	Unspecified fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.001B	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.001C	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.002A	Unspecified fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.002B	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.002C	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.009A	Unspecified fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.009B	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.009C	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.011A	Torus fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.012A	Torus fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.019A	Torus fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.021A	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.021B	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.021C	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.022A	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.022B	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.022C	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.023A	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.023B	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.023C	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.024A	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.024B	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.024C	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.025A	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.025B	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.025C	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.026A	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.026B	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.026C	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.031A	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.031B	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.031C	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.032A	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.032B	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.032C	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.033A	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.033B	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.033C	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.034A	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.034B	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.034C	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.035A	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.035B	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.035C	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.036A	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.036B	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.036C	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.041A	Displaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.041B	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.041C	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.042A	Displaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.042B	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.042C	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.043A	Displaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.043B	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.043C	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.044A	Nondisplaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.044B	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.044C	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.045A	Nondisplaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.045B	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.045C	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.046A	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.046B	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.046C	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.091A	Other fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.091B	Other fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.091C	Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.092A	Other fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.092B	Other fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.092C	Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.099A	Other fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.099B	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.099C	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.101A	Unspecified fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.101B	Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.101C	Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.102A	Unspecified fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.102B	Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.102C	Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.109A	Unspecified fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.109B	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.109C	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.111A	Torus fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.112A	Torus fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.119A	Torus fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.121A	Displaced fracture of head of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.121B	Displaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.121C	Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.122A	Displaced fracture of head of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.122B	Displaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.122C	Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.123A	Displaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.123B	Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.123C	Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.124A	Nondisplaced fracture of head of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.124B	Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.124C	Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.125A	Nondisplaced fracture of head of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.125B	Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.125C	Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.126A	Nondisplaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.126B	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.126C	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.131A	Displaced fracture of neck of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.131B	Displaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.131C	Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.132A	Displaced fracture of neck of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.132B	Displaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.132C	Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.133A	Displaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.133B	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.133C	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.134A	Nondisplaced fracture of neck of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.134B	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.134C	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.135A	Nondisplaced fracture of neck of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.135B	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.135C	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.136A	Nondisplaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.136B	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.136C	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.181A	Other fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.181B	Other fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.181C	Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.182A	Other fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.182B	Other fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.182C	Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.189A	Other fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.189B	Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.189C	Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.201A	Unspecified fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.201B	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.201C	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.202A	Unspecified fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.202B	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.202C	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.209A	Unspecified fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.209B	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.209C	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.211A	Greenstick fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.212A	Greenstick fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.219A	Greenstick fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.221A	Displaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.221B	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.221C	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.222A	Displaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.222B	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.222C	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.223A	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.223B	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.223C	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.224A	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.224B	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.224C	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.225A	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.225B	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.225C	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.226A	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.226B	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.226C	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.231A	Displaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.231B	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.231C	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.232A	Displaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.232B	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.232C	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.233A	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.233B	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.233C	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.234A	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.234B	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.234C	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.235A	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.235B	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.235C	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.236A	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.236B	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.236C	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.241A	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.241B	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.241C	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.242A	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.242B	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.242C	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.243A	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.243B	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.243C	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.244A	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.244B	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.244C	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.245A	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.245B	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.245C	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.246A	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.246B	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.246C	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.251A	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.251B	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.251C	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.252A	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.252B	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.252C	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.253A	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.253B	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.253C	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.254A	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.254B	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.254C	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.255A	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.255B	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.255C	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.256A	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.256B	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.256C	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.261A	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.261B	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.261C	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.262A	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.262B	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.262C	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.263A	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.263B	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.263C	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.264A	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.264B	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.264C	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.265A	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.265B	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.265C	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.266A	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.266B	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.266C	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.271A	Monteggia's fracture of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.271B	Monteggia's fracture of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.271C	Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.272A	Monteggia's fracture of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.272B	Monteggia's fracture of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.272C	Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.279A	Monteggia's fracture of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.279B	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.279C	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.281A	Bent bone of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.281B	Bent bone of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.281C	Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.282A	Bent bone of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.282B	Bent bone of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.282C	Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.283A	Bent bone of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.283B	Bent bone of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.283C	Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.291A	Other fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.291B	Other fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.291C	Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.292A	Other fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.292B	Other fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.292C	Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.299A	Other fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.299B	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.299C	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.301A	Unspecified fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.301B	Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.301C	Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.302A	Unspecified fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.302B	Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.302C	Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.309A	Unspecified fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.309B	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.309C	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.311A	Greenstick fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.312A	Greenstick fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.319A	Greenstick fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.321A	Displaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.321B	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.321C	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.322A	Displaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.322B	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.322C	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.323A	Displaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.323B	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.323C	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.324A	Nondisplaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.324B	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.324C	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.325A	Nondisplaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.325B	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.325C	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.326A	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.326B	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.326C	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.331A	Displaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.331B	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.331C	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.332A	Displaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.332B	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.332C	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.333A	Displaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.333B	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.333C	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.334A	Nondisplaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.334B	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.334C	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.335A	Nondisplaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.335B	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.335C	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.336A	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.336B	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.336C	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.341A	Displaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.341B	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.341C	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.342A	Displaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.342B	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.342C	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.343A	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.343B	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.343C	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.344A	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.344B	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.344C	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.345A	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.345B	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.345C	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.346A	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.346B	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.346C	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.351A	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.351B	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.351C	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.352A	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.352B	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.352C	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.353A	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.353B	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.353C	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.354A	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.354B	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.354C	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.355A	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.355B	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.355C	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.356A	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.356B	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.356C	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.361A	Displaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.361B	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.361C	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.362A	Displaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.362B	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.362C	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.363A	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.363B	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.363C	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.364A	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.364B	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.364C	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.365A	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.365B	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.365C	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.366A	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.366B	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.366C	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.371A	Galeazzi's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.371B	Galeazzi's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.371C	Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.372A	Galeazzi's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.372B	Galeazzi's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.372C	Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.379A	Galeazzi's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.379B	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.379C	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.381A	Bent bone of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.381B	Bent bone of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.381C	Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.382A	Bent bone of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.382B	Bent bone of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.382C	Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.389A	Bent bone of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.389B	Bent bone of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.389C	Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.391A	Other fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.391B	Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.391C	Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.392A	Other fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.392B	Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.392C	Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.399A	Other fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.399B	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.399C	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.501A	Unspecified fracture of the lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.501B	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.501C	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.502A	Unspecified fracture of the lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.502B	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.502C	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.509A	Unspecified fracture of the lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.509B	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.509C	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.511A	Displaced fracture of right radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.511B	Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.511C	Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.512A	Displaced fracture of left radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.512B	Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.512C	Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.513A	Displaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.513B	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.513C	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.514A	Nondisplaced fracture of right radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.514B	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.514C	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.515A	Nondisplaced fracture of left radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.515B	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.515C	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.516A	Nondisplaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.516B	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.516C	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.521A	Torus fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.522A	Torus fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.529A	Torus fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.531A	Colles' fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.531B	Colles' fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.531C	Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.532A	Colles' fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.532B	Colles' fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.532C	Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.539A	Colles' fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.539B	Colles' fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.539C	Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.541A	Smith's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.541B	Smith's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.541C	Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.542A	Smith's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.542B	Smith's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.542C	Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.549A	Smith's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.549B	Smith's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.549C	Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.551A	Other extraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.551B	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.551C	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.552A	Other extraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.552B	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.552C	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.559A	Other extraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.559B	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.559C	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.561A	Barton's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.561B	Barton's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.561C	Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.562A	Barton's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.562B	Barton's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.562C	Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.569A	Barton's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.569B	Barton's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.569C	Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.571A	Other intraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.571B	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.571C	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.572A	Other intraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.572B	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.572C	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.579A	Other intraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.579B	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.579C	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.591A	Other fractures of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.591B	Other fractures of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.591C	Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.592A	Other fractures of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.592B	Other fractures of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.592C	Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.599A	Other fractures of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.599B	Other fractures of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.599C	Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.601A	Unspecified fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.601B	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.601C	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.602A	Unspecified fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.602B	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.602C	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.609A	Unspecified fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.609B	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.609C	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.611A	Displaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.611B	Displaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.611C	Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.612A	Displaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.612B	Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.612C	Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.613A	Displaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.613B	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.613C	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.614A	Nondisplaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.614B	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.614C	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.615A	Nondisplaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.615B	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.615C	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.616A	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.616B	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.616C	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S52.621A	Torus fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.622A	Torus fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.629A	Torus fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.691A	Other fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.691B	Other fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.691C	Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.692A	Other fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.692B	Other fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.692C	Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.699A	Other fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.699B	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.699C	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.90XA	Unspecified fracture of unspecified forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.90XB	Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.90XC	Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.91XA	Unspecified fracture of right forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.91XB	Unspecified fracture of right forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.91XC	Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S52.92XA	Unspecified fracture of left forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.92XB	Unspecified fracture of left forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.92XC	Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD-10-CM	Diagnosis
S57.00XA	Crushing injury of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S57.01XA	Crushing injury of right elbow, initial encounter	ICD-10-CM	Diagnosis
S57.02XA	Crushing injury of left elbow, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S57.80XA	Crushing injury of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S57.81XA	Crushing injury of right forearm, initial encounter	ICD-10-CM	Diagnosis
S57.82XA	Crushing injury of left forearm, initial encounter	ICD-10-CM	Diagnosis
S59.001A	Unspecified physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.002A	Unspecified physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.009A	Unspecified physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.011A	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.012A	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.019A	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.021A	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.022A	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.029A	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.031A	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.032A	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.039A	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.041A	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.042A	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.049A	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.091A	Other physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.092A	Other physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.099A	Other physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.101A	Unspecified physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.102A	Unspecified physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.109A	Unspecified physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S59.111A	Salter-Harris Type I physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.112A	Salter-Harris Type I physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.119A	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.121A	Salter-Harris Type II physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.122A	Salter-Harris Type II physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.129A	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.131A	Salter-Harris Type III physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.132A	Salter-Harris Type III physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.139A	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.141A	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.142A	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.149A	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.191A	Other physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.192A	Other physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.199A	Other physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.201A	Unspecified physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.202A	Unspecified physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.209A	Unspecified physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.211A	Salter-Harris Type I physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.212A	Salter-Harris Type I physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.219A	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.221A	Salter-Harris Type II physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.222A	Salter-Harris Type II physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.229A	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S59.231A	Salter-Harris Type III physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.232A	Salter-Harris Type III physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.239A	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.241A	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.242A	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.249A	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.291A	Other physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.292A	Other physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.299A	Other physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.90XA	Unspecified fracture of unspecified wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.90XB	Unspecified fracture of unspecified wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S67.00XA	Crushing injury of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S67.01XA	Crushing injury of right thumb, initial encounter	ICD-10-CM	Diagnosis
S67.02XA	Crushing injury of left thumb, initial encounter	ICD-10-CM	Diagnosis
S67.10XA	Crushing injury of unspecified finger(s), initial encounter	ICD-10-CM	Diagnosis
S67.190A	Crushing injury of right index finger, initial encounter	ICD-10-CM	Diagnosis
S67.191A	Crushing injury of left index finger, initial encounter	ICD-10-CM	Diagnosis
S67.192A	Crushing injury of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S67.193A	Crushing injury of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S67.194A	Crushing injury of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S67.195A	Crushing injury of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S67.196A	Crushing injury of right little finger, initial encounter	ICD-10-CM	Diagnosis
S67.197A	Crushing injury of left little finger, initial encounter	ICD-10-CM	Diagnosis
S67.198A	Crushing injury of other finger, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S67.20XA	Crushing injury of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S67.21XA	Crushing injury of right hand, initial encounter	ICD-10-CM	Diagnosis
S67.22XA	Crushing injury of left hand, initial encounter	ICD-10-CM	Diagnosis
S67.30XA	Crushing injury of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S67.31XA	Crushing injury of right wrist, initial encounter	ICD-10-CM	Diagnosis
S67.32XA	Crushing injury of left wrist, initial encounter	ICD-10-CM	Diagnosis
S67.40XA	Crushing injury of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S67.41XA	Crushing injury of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S67.42XA	Crushing injury of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S67.90XA	Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, initial encounter	ICD-10-CM	Diagnosis
S67.91XA	Crushing injury of unspecified part(s) of right wrist, hand and fingers, initial encounter	ICD-10-CM	Diagnosis
S67.92XA	Crushing injury of unspecified part(s) of left wrist, hand and fingers, initial encounter	ICD-10-CM	Diagnosis
S72.001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.051A	Unspecified fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.052A	Unspecified fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.091A	Other fracture of head and neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.092A	Other fracture of head and neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.21XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.22XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.23XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.24XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.25XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.26XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.301A	Unspecified fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.301B	Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.301C	Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.302A	Unspecified fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.302B	Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.302C	Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.309A	Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.309B	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.309C	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.321A	Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.321B	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.321C	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.322A	Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.322B	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.322C	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.323A	Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.323B	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.323C	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.324A	Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.324B	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.324C	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.325A	Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.325B	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.325C	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.326A	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.326B	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.326C	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.331A	Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.331B	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.331C	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.332A	Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.332B	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.332C	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.333A	Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.333B	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.333C	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.334A	Nondisplaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.334B	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.334C	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.335A	Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.335B	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.335C	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.336A	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.336B	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.336C	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.341A	Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.341B	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.341C	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.342A	Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.342B	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.342C	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.343A	Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.343B	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.343C	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.344A	Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.344B	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.344C	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.345A	Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.345B	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.345C	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.346A	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.346B	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.346C	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.351A	Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.351B	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.351C	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.352A	Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.352B	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.352C	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.353A	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.353B	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.353C	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.354A	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.354B	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.354C	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.355A	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.355B	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.355C	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.356A	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.356B	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.356C	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.361A	Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.361B	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.361C	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.362A	Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.362B	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.362C	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.363A	Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.363B	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.363C	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.364A	Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.364B	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.364C	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.365A	Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.365B	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.365C	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.366A	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.366B	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.366C	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.391A	Other fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.391B	Other fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.391C	Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.392A	Other fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.392B	Other fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.392C	Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.399A	Other fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.399B	Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.399C	Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.401A	Unspecified fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.401B	Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.401C	Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.402A	Unspecified fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.402B	Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.402C	Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.409A	Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.409B	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.409C	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.411A	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.411B	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.411C	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.412A	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.412B	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.412C	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.413A	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.413B	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.413C	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.414A	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.414B	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.414C	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.415A	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.415B	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.415C	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.416A	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.416B	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.416C	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.421A	Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.421B	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.421C	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.422A	Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.422B	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.422C	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.423A	Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.423B	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.423C	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.424A	Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.424B	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.424C	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.425A	Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.425B	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.425C	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.426A	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.426B	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.426C	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.431A	Displaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.431B	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.431C	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.432A	Displaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.432B	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.432C	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.433A	Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.433B	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.433C	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.434A	Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.434B	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.434C	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.435A	Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.435B	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.435C	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.436A	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.436B	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.436C	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.441A	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.441B	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.441C	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.442A	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.442B	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.442C	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.443A	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.443B	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.443C	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.444A	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.444B	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.444C	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.445A	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.445B	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.445C	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.446A	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.446B	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.446C	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.451A	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.451B	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.451C	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.452A	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.452B	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.452C	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.453A	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.453B	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.453C	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.454A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.454B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.454C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.455A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.455B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.455C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.456A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.456B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.456C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.461A	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.461B	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.461C	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.462A	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.462B	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.462C	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.463A	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.463B	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.463C	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.464A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.464B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.464C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.465A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.465B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.465C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.466A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.466B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.466C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.471A	Torus fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.472A	Torus fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.479A	Torus fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.491A	Other fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.491B	Other fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.491C	Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.492A	Other fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.492B	Other fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.492C	Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.499A	Other fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.499B	Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.499C	Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X1A	Other fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X1B	Other fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X1C	Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X2A	Other fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X2B	Other fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X2C	Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X9A	Other fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X9B	Other fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X9C	Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.90XA	Unspecified fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.90XB	Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S72.90XC	Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.90XE	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.91XA	Unspecified fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.91XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.91XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.91XE	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.92XA	Unspecified fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.92XB	Unspecified fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.92XC	Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.92XE	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S77.00XA	Crushing injury of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S77.01XA	Crushing injury of right hip, initial encounter	ICD-10-CM	Diagnosis
S77.02XA	Crushing injury of left hip, initial encounter	ICD-10-CM	Diagnosis
S77.10XA	Crushing injury of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S77.11XA	Crushing injury of right thigh, initial encounter	ICD-10-CM	Diagnosis
S77.12XA	Crushing injury of left thigh, initial encounter	ICD-10-CM	Diagnosis
S77.20XA	Crushing injury of unspecified hip with thigh, initial encounter	ICD-10-CM	Diagnosis
S77.21XA	Crushing injury of right hip with thigh, initial encounter	ICD-10-CM	Diagnosis
S77.22XA	Crushing injury of left hip with thigh, initial encounter	ICD-10-CM	Diagnosis
S79.001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.101A	Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S79.102A	Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.109A	Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.111A	Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.112A	Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.119A	Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.121A	Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.122A	Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.129A	Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.131A	Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.132A	Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.139A	Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.141A	Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.142A	Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.191A	Other physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.192A	Other physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.199A	Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.001A	Unspecified fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.001B	Unspecified fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.001C	Unspecified fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.002A	Unspecified fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.002B	Unspecified fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.002C	Unspecified fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.009A	Unspecified fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.009B	Unspecified fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.009C	Unspecified fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.011A	Displaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.011B	Displaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.011C	Displaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.012A	Displaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.012B	Displaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.012C	Displaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.013A	Displaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.013B	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.013C	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.014A	Nondisplaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.014B	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.014C	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.015A	Nondisplaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.015B	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.015C	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.016A	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.016B	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.016C	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.021A	Displaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.021B	Displaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.021C	Displaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.022A	Displaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.022B	Displaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.022C	Displaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.023A	Displaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.023B	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.023C	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.024A	Nondisplaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.024B	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.024C	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.025A	Nondisplaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.025B	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.025C	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.026A	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.026B	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.026C	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.031A	Displaced transverse fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.031B	Displaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.031C	Displaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.032A	Displaced transverse fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.032B	Displaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.032C	Displaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.033A	Displaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.033B	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.033C	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.034A	Nondisplaced transverse fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.034B	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.034C	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.035A	Nondisplaced transverse fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.035B	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.035C	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.036A	Nondisplaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.036B	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.036C	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.041A	Displaced comminuted fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.041B	Displaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.041C	Displaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.042A	Displaced comminuted fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.042B	Displaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.042C	Displaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.043A	Displaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.043B	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.043C	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.044A	Nondisplaced comminuted fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.044B	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.044C	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.045A	Nondisplaced comminuted fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.045B	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.045C	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.046A	Nondisplaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.046B	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.046C	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.091A	Other fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.091B	Other fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.091C	Other fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.092A	Other fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.092B	Other fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.092C	Other fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.099A	Other fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.099B	Other fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.099C	Other fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.101A	Unspecified fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.101B	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.101C	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.102A	Unspecified fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.102B	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.102C	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.109A	Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.109B	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.109C	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.111A	Displaced fracture of right tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.111B	Displaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.111C	Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.112A	Displaced fracture of left tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.112B	Displaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.112C	Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.113A	Displaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.113B	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.113C	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.114A	Nondisplaced fracture of right tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.114B	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.114C	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.115A	Nondisplaced fracture of left tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.115B	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.115C	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.116A	Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.116B	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.116C	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.121A	Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.121B	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.121C	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.122A	Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.122B	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.122C	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.123A	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.123B	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.123C	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.124A	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.124B	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.124C	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.125A	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.125B	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.125C	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.126A	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.126B	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.126C	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.131A	Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.131B	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.131C	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.132A	Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.132B	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.132C	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.133A	Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.133B	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.133C	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.134A	Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.134B	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.134C	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.135A	Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.135B	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.135C	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.136A	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.136B	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.136C	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.141A	Displaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.141B	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.141C	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.142A	Displaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.142B	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.142C	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.143A	Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.143B	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.143C	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.144A	Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.144B	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.144C	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.145A	Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.145B	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.145C	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.146A	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.146B	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.146C	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.151A	Displaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.151B	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.151C	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.152A	Displaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.152B	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.152C	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.153A	Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.153B	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.153C	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.154A	Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.154B	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.154C	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.155A	Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.155B	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.155C	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.156A	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.156B	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.156C	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.161A	Torus fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.162A	Torus fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.169A	Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.191A	Other fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.191B	Other fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.191C	Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.192A	Other fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.192B	Other fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.192C	Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.199A	Other fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.199B	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.199C	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.201A	Unspecified fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.201B	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.201C	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.202A	Unspecified fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.202B	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.202C	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.209A	Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.209B	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.209C	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.221A	Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.221B	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.221C	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.222A	Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.222B	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.222C	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.223A	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.223B	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.223C	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.224A	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.224B	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.224C	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.225A	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.225B	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.225C	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.226A	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.226B	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.226C	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.231A	Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.231B	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.231C	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.232A	Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.232B	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.232C	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.233A	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.233B	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.233C	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.234A	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.234B	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.234C	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.235A	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.235B	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.235C	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.236A	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.236B	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.236C	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.241A	Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.241B	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.241C	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.242A	Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.242B	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.242C	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.243A	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.243B	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.243C	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.244A	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.244B	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.244C	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.245A	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.245B	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.245C	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.246A	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.246B	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.246C	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.251A	Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.251B	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.251C	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.252A	Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.252B	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.252C	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.253A	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.253B	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.253C	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.254A	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.254B	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.254C	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.255A	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.255B	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.255C	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.256A	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.256B	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.256C	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.261A	Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.261B	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.261C	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.262A	Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.262B	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.262C	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.263A	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.263B	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.263C	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.264A	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.264B	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.264C	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.265A	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.265B	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.265C	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.266A	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.266B	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.266C	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.291A	Other fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.291B	Other fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.291C	Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.292A	Other fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.292B	Other fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.292C	Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.299A	Other fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.299B	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.299C	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.301A	Unspecified fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.301B	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.301C	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.302A	Unspecified fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.302B	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.302C	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.309A	Unspecified fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.309B	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.309C	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.311A	Torus fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.312A	Torus fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.319A	Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.391A	Other fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.391B	Other fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.391C	Other fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.392A	Other fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.392B	Other fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.392C	Other fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.399A	Other fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.399B	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.399C	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.401A	Unspecified fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.401B	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.401C	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.402A	Unspecified fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.402B	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.402C	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.409A	Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.409B	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.409C	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.421A	Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.421B	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.421C	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.422A	Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.422B	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.422C	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.423A	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.423B	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.423C	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.424A	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.424B	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.424C	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.425A	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.425B	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.425C	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.426A	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.426B	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.426C	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.431A	Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.431B	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.431C	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.432A	Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.432B	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.432C	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.433A	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.433B	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.433C	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.434A	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.434B	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.434C	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.435A	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.435B	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.435C	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.436A	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.436B	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.436C	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.441A	Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.441B	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.441C	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.442A	Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.442B	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.442C	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.443A	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.443B	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.443C	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.444A	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.444B	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.444C	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.445A	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.445B	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.445C	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.446A	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.446B	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.446C	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.451A	Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.451B	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.451C	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.452A	Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.452B	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.452C	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.453A	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.453B	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.453C	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.454A	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.454B	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.454C	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.455A	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.455B	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.455C	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.456A	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.456B	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.456C	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.461A	Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.461B	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.461C	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.462A	Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.462B	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.462C	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.463A	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.463B	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.463C	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.464A	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.464B	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.464C	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.465A	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.465B	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.465C	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.466A	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.466B	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.466C	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.491A	Other fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.491B	Other fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.491C	Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.492A	Other fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.492B	Other fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.492C	Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.499A	Other fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.499B	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.499C	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.51XA	Displaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.51XB	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.51XC	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.52XA	Displaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.52XB	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.52XC	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.53XA	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.53XB	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.53XC	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.54XA	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.54XB	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.54XC	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.55XA	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.55XB	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.55XC	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.56XA	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.56XB	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.56XC	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.61XA	Displaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.61XB	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.61XC	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.62XA	Displaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.62XB	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.62XC	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.63XA	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.63XB	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.63XC	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.64XA	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.64XB	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.64XC	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.65XA	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.65XB	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.65XC	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.66XA	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.66XB	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.66XC	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.811A	Torus fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.812A	Torus fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.819A	Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.821A	Torus fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.822A	Torus fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.829A	Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.831A	Other fracture of upper and lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.831B	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.831C	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.832A	Other fracture of upper and lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.832B	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.832C	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.839A	Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.839B	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.839C	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.841A	Displaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.841B	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.841C	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.842A	Displaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.842B	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.842C	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.843A	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.843B	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.843C	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.844A	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.844B	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.844C	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.845A	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.845B	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.845C	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.846A	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.846B	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.846C	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.851A	Displaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.851B	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.851C	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.852A	Displaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.852B	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.852C	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.853A	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.853B	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.853C	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.854A	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.854B	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.854C	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.855A	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.855B	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.855C	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.856A	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.856B	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.856C	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.861A	Displaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.861B	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.861C	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.862A	Displaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.862B	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.862C	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.863A	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.863B	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.863C	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.864A	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.864B	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.864C	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.865A	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.865B	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.865C	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.866A	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.866B	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.866C	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.871A	Displaced pilon fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.871B	Displaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.871C	Displaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.872A	Displaced pilon fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.872B	Displaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.872C	Displaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.873A	Displaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.873B	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S82.873C	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.874A	Nondisplaced pilon fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.874B	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.874C	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.875A	Nondisplaced pilon fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.875B	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.875C	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.876A	Nondisplaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.876B	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.876C	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.891A	Other fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.891B	Other fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.891C	Other fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.892A	Other fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.892B	Other fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.892C	Other fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.899A	Other fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.899B	Other fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.899C	Other fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.90XA	Unspecified fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.90XB	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.90XC	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.91XA	Unspecified fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.91XB	Unspecified fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.91XC	Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.92XA	Unspecified fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.92XB	Unspecified fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.92XC	Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S87.00XA	Crushing injury of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S87.01XA	Crushing injury of right knee, initial encounter	ICD-10-CM	Diagnosis
S87.02XA	Crushing injury of left knee, initial encounter	ICD-10-CM	Diagnosis
S87.80XA	Crushing injury of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S87.81XA	Crushing injury of right lower leg, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S87.82XA	Crushing injury of left lower leg, initial encounter	ICD-10-CM	Diagnosis
S89.001A	Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.002A	Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.009A	Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.011A	Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.012A	Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.019A	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.021A	Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.022A	Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.029A	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.031A	Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.032A	Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.039A	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.041A	Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.042A	Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.049A	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.091A	Other physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.092A	Other physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.099A	Other physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.101A	Unspecified physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.102A	Unspecified physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.109A	Unspecified physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.111A	Salter-Harris Type I physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S89.112A	Salter-Harris Type I physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.119A	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.121A	Salter-Harris Type II physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.122A	Salter-Harris Type II physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.129A	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.131A	Salter-Harris Type III physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.132A	Salter-Harris Type III physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.139A	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.141A	Salter-Harris Type IV physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.142A	Salter-Harris Type IV physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.191A	Other physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.192A	Other physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.199A	Other physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.201A	Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.202A	Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.209A	Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.211A	Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.212A	Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.219A	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.221A	Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.222A	Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
S89.229A	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.291A	Other physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.292A	Other physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.299A	Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.301A	Unspecified physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.302A	Unspecified physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.309A	Unspecified physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.311A	Salter-Harris Type I physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.312A	Salter-Harris Type I physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.319A	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.321A	Salter-Harris Type II physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.322A	Salter-Harris Type II physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.329A	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.391A	Other physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.392A	Other physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.399A	Other physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S97.00XA	Crushing injury of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S97.01XA	Crushing injury of right ankle, initial encounter	ICD-10-CM	Diagnosis
S97.02XA	Crushing injury of left ankle, initial encounter	ICD-10-CM	Diagnosis
S97.101A	Crushing injury of unspecified right toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.102A	Crushing injury of unspecified left toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.109A	Crushing injury of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.111A	Crushing injury of right great toe, initial encounter	ICD-10-CM	Diagnosis
S97.112A	Crushing injury of left great toe, initial encounter	ICD-10-CM	Diagnosis
S97.119A	Crushing injury of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S97.121A	Crushing injury of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.122A	Crushing injury of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.129A	Crushing injury of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S97.80XA	Crushing injury of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S97.81XA	Crushing injury of right foot, initial encounter	ICD-10-CM	Diagnosis
S97.82XA	Crushing injury of left foot, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
T14.8XXA	Other injury of unspecified body region, initial encounter	ICD-10-CM	Diagnosis
T79.4XXA	Traumatic shock, initial encounter	ICD-10-CM	Diagnosis
T79.5XXA	Traumatic anuria, initial encounter	ICD-10-CM	Diagnosis
T79.7XXA	Traumatic subcutaneous emphysema, initial encounter	ICD-10-CM	Diagnosis
T82.817A	Embolism due to cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.818A	Embolism due to vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.827A	Fibrosis due to cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.828A	Fibrosis due to vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.837A	Hemorrhage due to cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.838A	Hemorrhage due to vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.847A	Pain due to cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.848A	Pain due to vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.855A	Stenosis of coronary artery stent, initial encounter	ICD-10-CM	Diagnosis
T82.856A	Stenosis of peripheral vascular stent, initial encounter	ICD-10-CM	Diagnosis
T82.857A	Stenosis of other cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.858A	Stenosis of other vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.867A	Thrombosis due to cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.868A	Thrombosis due to vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.897A	Other specified complication of cardiac prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.898A	Other specified complication of vascular prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T82.9XXA	Unspecified complication of cardiac and vascular prosthetic device, implant and graft, initial encounter	ICD-10-CM	Diagnosis
T83.81XA	Embolism due to genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.82XA	Fibrosis due to genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.83XA	Hemorrhage due to genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.84XA	Pain due to genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.85XA	Stenosis due to genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.86XA	Thrombosis due to genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.89XA	Other specified complication of genitourinary prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T83.9XXA	Unspecified complication of genitourinary prosthetic device, implant and graft, initial encounter	ICD-10-CM	Diagnosis
T84.81XA	Embolism due to internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T84.82XA	Fibrosis due to internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T84.83XA	Hemorrhage due to internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T84.84XA	Pain due to internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
T84.85XA	Stenosis due to internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T84.86XA	Thrombosis due to internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T84.89XA	Other specified complication of internal orthopedic prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T84.9XXA	Unspecified complication of internal orthopedic prosthetic device, implant and graft, initial encounter	ICD-10-CM	Diagnosis
T85.810A	Embolism due to nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.818A	Embolism due to other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.820A	Fibrosis due to nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.828A	Fibrosis due to other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.830A	Hemorrhage due to nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.838A	Hemorrhage due to other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.840A	Pain due to nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.848A	Pain due to other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.850A	Stenosis due to nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.858A	Stenosis due to other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.860A	Thrombosis due to nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.868A	Thrombosis due to other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.890A	Other specified complication of nervous system prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.898A	Other specified complication of other internal prosthetic devices, implants and grafts, initial encounter	ICD-10-CM	Diagnosis
T85.9XXA	Unspecified complication of internal prosthetic device, implant and graft, initial encounter	ICD-10-CM	Diagnosis
T86.848	Other complications of corneal transplant	ICD-10-CM	Diagnosis
T86.849	Unspecified complication of corneal transplant	ICD-10-CM	Diagnosis
T88.8XXA	Other specified complications of surgical and medical care, not elsewhere classified, initial encounter	ICD-10-CM	Diagnosis
V05.00XA	Pedestrian on foot injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.00XD	Pedestrian on foot injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.01XA	Pedestrian on roller-skates injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.01XD	Pedestrian on roller-skates injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
V05.02XA	Pedestrian on skateboard injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.02XD	Pedestrian on skateboard injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V05.09XA	Pedestrian with other conveyance injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V05.09XD	Pedestrian with other conveyance injured in collision with railway train or railway vehicle in nontraffic accident, subsequent encounter	ICD-10-CM	Diagnosis
V15.2XXA	Unspecified pedal cyclist injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter	ICD-10-CM	Diagnosis
V81.2XXA	Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock, initial encounter	ICD-10-CM	Diagnosis
W11.XXXA	Fall on and from ladder, initial encounter	ICD-10-CM	Diagnosis
W11.XXXD	Fall on and from ladder, subsequent encounter	ICD-10-CM	Diagnosis
W12.XXXA	Fall on and from scaffolding, initial encounter	ICD-10-CM	Diagnosis
W12.XXXD	Fall on and from scaffolding, subsequent encounter	ICD-10-CM	Diagnosis
W13.0XXA	Fall from, out of or through balcony, initial encounter	ICD-10-CM	Diagnosis
W13.0XXD	Fall from, out of or through balcony, subsequent encounter	ICD-10-CM	Diagnosis
W13.1XXA	Fall from, out of or through bridge, initial encounter	ICD-10-CM	Diagnosis
W13.1XXD	Fall from, out of or through bridge, subsequent encounter	ICD-10-CM	Diagnosis
W13.2XXA	Fall from, out of or through roof, initial encounter	ICD-10-CM	Diagnosis
W13.2XXD	Fall from, out of or through roof, subsequent encounter	ICD-10-CM	Diagnosis
W13.3XXA	Fall through floor, initial encounter	ICD-10-CM	Diagnosis
W13.3XXD	Fall through floor, subsequent encounter	ICD-10-CM	Diagnosis
W13.4XXA	Fall from, out of or through window, initial encounter	ICD-10-CM	Diagnosis
W13.4XXD	Fall from, out of or through window, subsequent encounter	ICD-10-CM	Diagnosis
W13.8XXA	Fall from, out of or through other building or structure, initial encounter	ICD-10-CM	Diagnosis
W13.8XXD	Fall from, out of or through other building or structure, subsequent encounter	ICD-10-CM	Diagnosis
W13.9XXA	Fall from, out of or through building, not otherwise specified, initial encounter	ICD-10-CM	Diagnosis
W13.9XXD	Fall from, out of or through building, not otherwise specified, subsequent encounter	ICD-10-CM	Diagnosis
W16.011A	Fall into swimming pool striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.011D	Fall into swimming pool striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.012A	Fall into swimming pool striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.012D	Fall into swimming pool striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.021A	Fall into swimming pool striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.021D	Fall into swimming pool striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.022A	Fall into swimming pool striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.022D	Fall into swimming pool striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
W16.031A	Fall into swimming pool striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.031D	Fall into swimming pool striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.032A	Fall into swimming pool striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.032D	Fall into swimming pool striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.111A	Fall into natural body of water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.111D	Fall into natural body of water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.112A	Fall into natural body of water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.112D	Fall into natural body of water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.121A	Fall into natural body of water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.121D	Fall into natural body of water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.122A	Fall into natural body of water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.122D	Fall into natural body of water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.131A	Fall into natural body of water striking side causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.131D	Fall into natural body of water striking side causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.132A	Fall into natural body of water striking side causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.132D	Fall into natural body of water striking side causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.211A	Fall in (into) filled bathtub causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.211D	Fall in (into) filled bathtub causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.212A	Fall in (into) filled bathtub causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.212D	Fall in (into) filled bathtub causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.221A	Fall in (into) bucket of water causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.221D	Fall in (into) bucket of water causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.222A	Fall in (into) bucket of water causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.222D	Fall in (into) bucket of water causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.311A	Fall into other water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.311D	Fall into other water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.312A	Fall into other water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.312D	Fall into other water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.321A	Fall into other water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
W16.321D	Fall into other water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.322A	Fall into other water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.322D	Fall into other water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.331A	Fall into other water striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.331D	Fall into other water striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.332A	Fall into other water striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.332D	Fall into other water striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.41XA	Fall into unspecified water causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.41XD	Fall into unspecified water causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.42XA	Fall into unspecified water causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.42XD	Fall into unspecified water causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.511A	Jumping or diving into swimming pool striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.511D	Jumping or diving into swimming pool striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.512A	Jumping or diving into swimming pool striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.512D	Jumping or diving into swimming pool striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.521A	Jumping or diving into swimming pool striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.521D	Jumping or diving into swimming pool striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.522A	Jumping or diving into swimming pool striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.522D	Jumping or diving into swimming pool striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.531A	Jumping or diving into swimming pool striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.531D	Jumping or diving into swimming pool striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.532A	Jumping or diving into swimming pool striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.532D	Jumping or diving into swimming pool striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.611A	Jumping or diving into natural body of water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.611D	Jumping or diving into natural body of water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.612A	Jumping or diving into natural body of water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
W16.612D	Jumping or diving into natural body of water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.621A	Jumping or diving into natural body of water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.621D	Jumping or diving into natural body of water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.622A	Jumping or diving into natural body of water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.622D	Jumping or diving into natural body of water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.711A	Jumping or diving from boat striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.711D	Jumping or diving from boat striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.712A	Jumping or diving from boat striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.712D	Jumping or diving from boat striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.721A	Jumping or diving from boat striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.721D	Jumping or diving from boat striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.722A	Jumping or diving from boat striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.722D	Jumping or diving from boat striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.811A	Jumping or diving into other water striking water surface causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.811D	Jumping or diving into other water striking water surface causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.812A	Jumping or diving into other water striking water surface causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.812D	Jumping or diving into other water striking water surface causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.821A	Jumping or diving into other water striking bottom causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.821D	Jumping or diving into other water striking bottom causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.822A	Jumping or diving into other water striking bottom causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.822D	Jumping or diving into other water striking bottom causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.831A	Jumping or diving into other water striking wall causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.831D	Jumping or diving into other water striking wall causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.832A	Jumping or diving into other water striking wall causing other injury, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
W16.832D	Jumping or diving into other water striking wall causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W16.91XA	Jumping or diving into unspecified water causing drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
W16.91XD	Jumping or diving into unspecified water causing drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
W16.92XA	Jumping or diving into unspecified water causing other injury, initial encounter	ICD-10-CM	Diagnosis
W16.92XD	Jumping or diving into unspecified water causing other injury, subsequent encounter	ICD-10-CM	Diagnosis
W17.0XXA	Fall into well, initial encounter	ICD-10-CM	Diagnosis
W17.0XXD	Fall into well, subsequent encounter	ICD-10-CM	Diagnosis
W17.1XXA	Fall into storm drain or manhole, initial encounter	ICD-10-CM	Diagnosis
W17.1XXD	Fall into storm drain or manhole, subsequent encounter	ICD-10-CM	Diagnosis
W17.2XXA	Fall into hole, initial encounter	ICD-10-CM	Diagnosis
W17.2XXD	Fall into hole, subsequent encounter	ICD-10-CM	Diagnosis
W17.3XXA	Fall into empty swimming pool, initial encounter	ICD-10-CM	Diagnosis
W17.3XXD	Fall into empty swimming pool, subsequent encounter	ICD-10-CM	Diagnosis
W17.4XXA	Fall from dock, initial encounter	ICD-10-CM	Diagnosis
W17.4XXD	Fall from dock, subsequent encounter	ICD-10-CM	Diagnosis
W32.0XXA	Accidental handgun discharge, initial encounter	ICD-10-CM	Diagnosis
W32.0XXD	Accidental handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
W32.1XXA	Accidental handgun malfunction, initial encounter	ICD-10-CM	Diagnosis
W32.1XXD	Accidental handgun malfunction, subsequent encounter	ICD-10-CM	Diagnosis
W33.00XA	Accidental discharge of unspecified larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.00XD	Accidental discharge of unspecified larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.01XA	Accidental discharge of shotgun, initial encounter	ICD-10-CM	Diagnosis
W33.01XD	Accidental discharge of shotgun, subsequent encounter	ICD-10-CM	Diagnosis
W33.02XA	Accidental discharge of hunting rifle, initial encounter	ICD-10-CM	Diagnosis
W33.02XD	Accidental discharge of hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
W33.03XA	Accidental discharge of machine gun, initial encounter	ICD-10-CM	Diagnosis
W33.03XD	Accidental discharge of machine gun, subsequent encounter	ICD-10-CM	Diagnosis
W33.09XA	Accidental discharge of other larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.09XD	Accidental discharge of other larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.10XA	Accidental malfunction of unspecified larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.10XD	Accidental malfunction of unspecified larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.11XA	Accidental malfunction of shotgun, initial encounter	ICD-10-CM	Diagnosis
W33.11XD	Accidental malfunction of shotgun, subsequent encounter	ICD-10-CM	Diagnosis
W33.12XA	Accidental malfunction of hunting rifle, initial encounter	ICD-10-CM	Diagnosis
W33.12XD	Accidental malfunction of hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
W33.13XA	Accidental malfunction of machine gun, initial encounter	ICD-10-CM	Diagnosis
W33.13XD	Accidental malfunction of machine gun, subsequent encounter	ICD-10-CM	Diagnosis
W33.19XA	Accidental malfunction of other larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.19XD	Accidental malfunction of other larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W34.00XA	Accidental discharge from unspecified firearms or gun, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
W34.00XD	Accidental discharge from unspecified firearms or gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.010A	Accidental discharge of airgun, initial encounter	ICD-10-CM	Diagnosis
W34.010D	Accidental discharge of airgun, subsequent encounter	ICD-10-CM	Diagnosis
W34.011A	Accidental discharge of paintball gun, initial encounter	ICD-10-CM	Diagnosis
W34.011D	Accidental discharge of paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.018A	Accidental discharge of other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
W34.018D	Accidental discharge of other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.09XA	Accidental discharge from other specified firearms, initial encounter	ICD-10-CM	Diagnosis
W34.09XD	Accidental discharge from other specified firearms, subsequent encounter	ICD-10-CM	Diagnosis
W34.10XA	Accidental malfunction from unspecified firearms or gun, initial encounter	ICD-10-CM	Diagnosis
W34.10XD	Accidental malfunction from unspecified firearms or gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.110A	Accidental malfunction of airgun, initial encounter	ICD-10-CM	Diagnosis
W34.110D	Accidental malfunction of airgun, subsequent encounter	ICD-10-CM	Diagnosis
W34.111A	Accidental malfunction of paintball gun, initial encounter	ICD-10-CM	Diagnosis
W34.111D	Accidental malfunction of paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.118A	Accidental malfunction of other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
W34.118D	Accidental malfunction of other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.19XA	Accidental malfunction from other specified firearms, initial encounter	ICD-10-CM	Diagnosis
W34.19XD	Accidental malfunction from other specified firearms, subsequent encounter	ICD-10-CM	Diagnosis
W39.XXXA	Discharge of firework, initial encounter	ICD-10-CM	Diagnosis
W39.XXXD	Discharge of firework, subsequent encounter	ICD-10-CM	Diagnosis
W40.0XXA	Explosion of blasting material, initial encounter	ICD-10-CM	Diagnosis
W40.0XXD	Explosion of blasting material, subsequent encounter	ICD-10-CM	Diagnosis
W40.1XXA	Explosion of explosive gases, initial encounter	ICD-10-CM	Diagnosis
W40.1XXD	Explosion of explosive gases, subsequent encounter	ICD-10-CM	Diagnosis
W40.8XXA	Explosion of other specified explosive materials, initial encounter	ICD-10-CM	Diagnosis
W40.8XXD	Explosion of other specified explosive materials, subsequent encounter	ICD-10-CM	Diagnosis
W40.9XXA	Explosion of unspecified explosive materials, initial encounter	ICD-10-CM	Diagnosis
W40.9XXD	Explosion of unspecified explosive materials, subsequent encounter	ICD-10-CM	Diagnosis
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	ICD-10-CM	Diagnosis
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	ICD-10-CM	Diagnosis
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	ICD-10-CM	Diagnosis
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	ICD-10-CM	Diagnosis
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X74.01XA	Intentional self-harm by airgun, initial encounter	ICD-10-CM	Diagnosis
X74.01XD	Intentional self-harm by airgun, subsequent encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
X74.02XA	Intentional self-harm by paintball gun, initial encounter	ICD-10-CM	Diagnosis
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X75.XXXA	Intentional self-harm by explosive material, initial encounter	ICD-10-CM	Diagnosis
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	ICD-10-CM	Diagnosis
X93.XXXA	Assault by handgun discharge, initial encounter	ICD-10-CM	Diagnosis
X93.XXXD	Assault by handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X94.0XXA	Assault by shotgun, initial encounter	ICD-10-CM	Diagnosis
X94.0XXD	Assault by shotgun, subsequent encounter	ICD-10-CM	Diagnosis
X94.1XXA	Assault by hunting rifle, initial encounter	ICD-10-CM	Diagnosis
X94.1XXD	Assault by hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
X94.2XXA	Assault by machine gun, initial encounter	ICD-10-CM	Diagnosis
X94.2XXD	Assault by machine gun, subsequent encounter	ICD-10-CM	Diagnosis
X94.8XXA	Assault by other larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X94.8XXD	Assault by other larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X94.9XXA	Assault by unspecified larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X94.9XXD	Assault by unspecified larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X95.02XA	Assault by paintball gun discharge, initial encounter	ICD-10-CM	Diagnosis
X95.02XD	Assault by paintball gun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X95.09XA	Assault by other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
X95.09XD	Assault by other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
X95.8XXA	Assault by other firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X95.8XXD	Assault by other firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X95.9XXA	Assault by unspecified firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X95.9XXD	Assault by unspecified firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X96.0XXA	Assault by antipersonnel bomb, initial encounter	ICD-10-CM	Diagnosis
X96.0XXD	Assault by antipersonnel bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.1XXA	Assault by gasoline bomb, initial encounter	ICD-10-CM	Diagnosis
X96.1XXD	Assault by gasoline bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.2XXA	Assault by letter bomb, initial encounter	ICD-10-CM	Diagnosis
X96.2XXD	Assault by letter bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.3XXA	Assault by fertilizer bomb, initial encounter	ICD-10-CM	Diagnosis
X96.3XXD	Assault by fertilizer bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.4XXA	Assault by pipe bomb, initial encounter	ICD-10-CM	Diagnosis
X96.4XXD	Assault by pipe bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.8XXA	Assault by other specified explosive, initial encounter	ICD-10-CM	Diagnosis
X96.8XXD	Assault by other specified explosive, subsequent encounter	ICD-10-CM	Diagnosis
X96.9XXA	Assault by unspecified explosive, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
X96.9XXD	Assault by unspecified explosive, subsequent encounter	ICD-10-CM	Diagnosis
Y04.0XXA	Assault by unarmed brawl or fight, initial encounter	ICD-10-CM	Diagnosis
Y04.0XXD	Assault by unarmed brawl or fight, subsequent encounter	ICD-10-CM	Diagnosis
Y04.2XXA	Assault by strike against or bumped into by another person, initial encounter	ICD-10-CM	Diagnosis
Y04.2XXD	Assault by strike against or bumped into by another person, subsequent encounter	ICD-10-CM	Diagnosis
Y04.8XXA	Assault by other bodily force, initial encounter	ICD-10-CM	Diagnosis
Y04.8XXD	Assault by other bodily force, subsequent encounter	ICD-10-CM	Diagnosis
Y22.XXXA	Handgun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y22.XXXD	Handgun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.0XXA	Shotgun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.0XXD	Shotgun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.1XXA	Hunting rifle discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.1XXD	Hunting rifle discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.2XXA	Military firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.2XXD	Military firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.3XXA	Machine gun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.3XXD	Machine gun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.8XXA	Other larger firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.8XXD	Other larger firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.9XXA	Unspecified larger firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.9XXD	Unspecified larger firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y24.0XXA	Airgun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y24.0XXD	Airgun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y24.8XXA	Other firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y24.8XXD	Other firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y24.9XXA	Unspecified firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y24.9XXD	Unspecified firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y25.XXXA	Contact with explosive material, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y25.XXXD	Contact with explosive material, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y35.001A	Legal intervention involving unspecified firearm discharge, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.001D	Legal intervention involving unspecified firearm discharge, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.002A	Legal intervention involving unspecified firearm discharge, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.002D	Legal intervention involving unspecified firearm discharge, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.003A	Legal intervention involving unspecified firearm discharge, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.003D	Legal intervention involving unspecified firearm discharge, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.011A	Legal intervention involving injury by machine gun, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.011D	Legal intervention involving injury by machine gun, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
Y35.012A	Legal intervention involving injury by machine gun, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.012D	Legal intervention involving injury by machine gun, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.013A	Legal intervention involving injury by machine gun, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.013D	Legal intervention involving injury by machine gun, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.021A	Legal intervention involving injury by handgun, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.021D	Legal intervention involving injury by handgun, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.022A	Legal intervention involving injury by handgun, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.022D	Legal intervention involving injury by handgun, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.023A	Legal intervention involving injury by handgun, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.023D	Legal intervention involving injury by handgun, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.031A	Legal intervention involving injury by rifle pellet, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.031D	Legal intervention involving injury by rifle pellet, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.032A	Legal intervention involving injury by rifle pellet, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.032D	Legal intervention involving injury by rifle pellet, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.033A	Legal intervention involving injury by rifle pellet, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.033D	Legal intervention involving injury by rifle pellet, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.041A	Legal intervention involving injury by rubber bullet, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.041D	Legal intervention involving injury by rubber bullet, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.042A	Legal intervention involving injury by rubber bullet, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.042D	Legal intervention involving injury by rubber bullet, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.043A	Legal intervention involving injury by rubber bullet, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.043D	Legal intervention involving injury by rubber bullet, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.091A	Legal intervention involving other firearm discharge, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.091D	Legal intervention involving other firearm discharge, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.092A	Legal intervention involving other firearm discharge, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.092D	Legal intervention involving other firearm discharge, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.093A	Legal intervention involving other firearm discharge, suspect injured, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
Y35.093D	Legal intervention involving other firearm discharge, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
W17.4XXA	Fall from dock, initial encounter	ICD-10-CM	Diagnosis
W17.4XXD	Fall from dock, subsequent encounter	ICD-10-CM	Diagnosis
W32.0XXA	Accidental handgun discharge, initial encounter	ICD-10-CM	Diagnosis
W32.0XXD	Accidental handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
W32.1XXA	Accidental handgun malfunction, initial encounter	ICD-10-CM	Diagnosis
W32.1XXD	Accidental handgun malfunction, subsequent encounter	ICD-10-CM	Diagnosis
W33.00XA	Accidental discharge of unspecified larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.00XD	Accidental discharge of unspecified larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.01XA	Accidental discharge of shotgun, initial encounter	ICD-10-CM	Diagnosis
W33.01XD	Accidental discharge of shotgun, subsequent encounter	ICD-10-CM	Diagnosis
W33.02XA	Accidental discharge of hunting rifle, initial encounter	ICD-10-CM	Diagnosis
W33.02XD	Accidental discharge of hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
W33.03XA	Accidental discharge of machine gun, initial encounter	ICD-10-CM	Diagnosis
W33.03XD	Accidental discharge of machine gun, subsequent encounter	ICD-10-CM	Diagnosis
W33.09XA	Accidental discharge of other larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.09XD	Accidental discharge of other larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.10XA	Accidental malfunction of unspecified larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.10XD	Accidental malfunction of unspecified larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W33.11XA	Accidental malfunction of shotgun, initial encounter	ICD-10-CM	Diagnosis
W33.11XD	Accidental malfunction of shotgun, subsequent encounter	ICD-10-CM	Diagnosis
W33.12XA	Accidental malfunction of hunting rifle, initial encounter	ICD-10-CM	Diagnosis
W33.12XD	Accidental malfunction of hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
W33.13XA	Accidental malfunction of machine gun, initial encounter	ICD-10-CM	Diagnosis
W33.13XD	Accidental malfunction of machine gun, subsequent encounter	ICD-10-CM	Diagnosis
W33.19XA	Accidental malfunction of other larger firearm, initial encounter	ICD-10-CM	Diagnosis
W33.19XD	Accidental malfunction of other larger firearm, subsequent encounter	ICD-10-CM	Diagnosis
W34.00XA	Accidental discharge from unspecified firearms or gun, initial encounter	ICD-10-CM	Diagnosis
W34.00XD	Accidental discharge from unspecified firearms or gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.010A	Accidental discharge of airgun, initial encounter	ICD-10-CM	Diagnosis
W34.010D	Accidental discharge of airgun, subsequent encounter	ICD-10-CM	Diagnosis
W34.011A	Accidental discharge of paintball gun, initial encounter	ICD-10-CM	Diagnosis
W34.011D	Accidental discharge of paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.018A	Accidental discharge of other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
W34.018D	Accidental discharge of other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.09XA	Accidental discharge from other specified firearms, initial encounter	ICD-10-CM	Diagnosis
W34.09XD	Accidental discharge from other specified firearms, subsequent encounter	ICD-10-CM	Diagnosis
W34.10XA	Accidental malfunction from unspecified firearms or gun, initial encounter	ICD-10-CM	Diagnosis
W34.10XD	Accidental malfunction from unspecified firearms or gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.110A	Accidental malfunction of airgun, initial encounter	ICD-10-CM	Diagnosis
W34.110D	Accidental malfunction of airgun, subsequent encounter	ICD-10-CM	Diagnosis
W34.111A	Accidental malfunction of paintball gun, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
W34.111D	Accidental malfunction of paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.118A	Accidental malfunction of other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
W34.118D	Accidental malfunction of other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
W34.19XA	Accidental malfunction from other specified firearms, initial encounter	ICD-10-CM	Diagnosis
W34.19XD	Accidental malfunction from other specified firearms, subsequent encounter	ICD-10-CM	Diagnosis
W39.XXXA	Discharge of firework, initial encounter	ICD-10-CM	Diagnosis
W39.XXXD	Discharge of firework, subsequent encounter	ICD-10-CM	Diagnosis
W40.0XXA	Explosion of blasting material, initial encounter	ICD-10-CM	Diagnosis
W40.0XXD	Explosion of blasting material, subsequent encounter	ICD-10-CM	Diagnosis
W40.1XXA	Explosion of explosive gases, initial encounter	ICD-10-CM	Diagnosis
W40.1XXD	Explosion of explosive gases, subsequent encounter	ICD-10-CM	Diagnosis
W40.8XXA	Explosion of other specified explosive materials, initial encounter	ICD-10-CM	Diagnosis
W40.8XXD	Explosion of other specified explosive materials, subsequent encounter	ICD-10-CM	Diagnosis
W40.9XXA	Explosion of unspecified explosive materials, initial encounter	ICD-10-CM	Diagnosis
W40.9XXD	Explosion of unspecified explosive materials, subsequent encounter	ICD-10-CM	Diagnosis
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	ICD-10-CM	Diagnosis
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	ICD-10-CM	Diagnosis
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	ICD-10-CM	Diagnosis
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	ICD-10-CM	Diagnosis
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X74.01XA	Intentional self-harm by airgun, initial encounter	ICD-10-CM	Diagnosis
X74.01XD	Intentional self-harm by airgun, subsequent encounter	ICD-10-CM	Diagnosis
X74.02XA	Intentional self-harm by paintball gun, initial encounter	ICD-10-CM	Diagnosis
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X75.XXXA	Intentional self-harm by explosive material, initial encounter	ICD-10-CM	Diagnosis
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	ICD-10-CM	Diagnosis
X93.XXXA	Assault by handgun discharge, initial encounter	ICD-10-CM	Diagnosis
X93.XXXD	Assault by handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X94.0XXA	Assault by shotgun, initial encounter	ICD-10-CM	Diagnosis
X94.0XXD	Assault by shotgun, subsequent encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
X94.1XXA	Assault by hunting rifle, initial encounter	ICD-10-CM	Diagnosis
X94.1XXD	Assault by hunting rifle, subsequent encounter	ICD-10-CM	Diagnosis
X94.2XXA	Assault by machine gun, initial encounter	ICD-10-CM	Diagnosis
X94.2XXD	Assault by machine gun, subsequent encounter	ICD-10-CM	Diagnosis
X94.8XXA	Assault by other larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X94.8XXD	Assault by other larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X94.9XXA	Assault by unspecified larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X94.9XXD	Assault by unspecified larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X95.02XA	Assault by paintball gun discharge, initial encounter	ICD-10-CM	Diagnosis
X95.02XD	Assault by paintball gun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X95.09XA	Assault by other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
X95.09XD	Assault by other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
X95.8XXA	Assault by other firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X95.8XXD	Assault by other firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X95.9XXA	Assault by unspecified firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X95.9XXD	Assault by unspecified firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X96.0XXA	Assault by antipersonnel bomb, initial encounter	ICD-10-CM	Diagnosis
X96.0XXD	Assault by antipersonnel bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.1XXA	Assault by gasoline bomb, initial encounter	ICD-10-CM	Diagnosis
X96.1XXD	Assault by gasoline bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.2XXA	Assault by letter bomb, initial encounter	ICD-10-CM	Diagnosis
X96.2XXD	Assault by letter bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.3XXA	Assault by fertilizer bomb, initial encounter	ICD-10-CM	Diagnosis
X96.3XXD	Assault by fertilizer bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.4XXA	Assault by pipe bomb, initial encounter	ICD-10-CM	Diagnosis
X96.4XXD	Assault by pipe bomb, subsequent encounter	ICD-10-CM	Diagnosis
X96.8XXA	Assault by other specified explosive, initial encounter	ICD-10-CM	Diagnosis
X96.8XXD	Assault by other specified explosive, subsequent encounter	ICD-10-CM	Diagnosis
X96.9XXA	Assault by unspecified explosive, initial encounter	ICD-10-CM	Diagnosis
X96.9XXD	Assault by unspecified explosive, subsequent encounter	ICD-10-CM	Diagnosis
Y04.0XXA	Assault by unarmed brawl or fight, initial encounter	ICD-10-CM	Diagnosis
Y04.0XXD	Assault by unarmed brawl or fight, subsequent encounter	ICD-10-CM	Diagnosis
Y04.2XXA	Assault by strike against or bumped into by another person, initial encounter	ICD-10-CM	Diagnosis
Y04.2XXD	Assault by strike against or bumped into by another person, subsequent encounter	ICD-10-CM	Diagnosis
Y04.8XXA	Assault by other bodily force, initial encounter	ICD-10-CM	Diagnosis
Y04.8XXD	Assault by other bodily force, subsequent encounter	ICD-10-CM	Diagnosis
Y22.XXXA	Handgun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y22.XXXD	Handgun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.0XXA	Shotgun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.0XXD	Shotgun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.1XXA	Hunting rifle discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.1XXD	Hunting rifle discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.2XXA	Military firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
Y23.2XXD	Military firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.3XXA	Machine gun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.3XXD	Machine gun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.8XXA	Other larger firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.8XXD	Other larger firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y23.9XXA	Unspecified larger firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y23.9XXD	Unspecified larger firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y24.0XXA	Airgun discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y24.0XXD	Airgun discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y24.8XXA	Other firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y24.8XXD	Other firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y24.9XXA	Unspecified firearm discharge, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y24.9XXD	Unspecified firearm discharge, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y25.XXXA	Contact with explosive material, undetermined intent, initial encounter	ICD-10-CM	Diagnosis
Y25.XXXD	Contact with explosive material, undetermined intent, subsequent encounter	ICD-10-CM	Diagnosis
Y35.001A	Legal intervention involving unspecified firearm discharge, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.001D	Legal intervention involving unspecified firearm discharge, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.002A	Legal intervention involving unspecified firearm discharge, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.002D	Legal intervention involving unspecified firearm discharge, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.003A	Legal intervention involving unspecified firearm discharge, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.003D	Legal intervention involving unspecified firearm discharge, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.011A	Legal intervention involving injury by machine gun, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.011D	Legal intervention involving injury by machine gun, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.012A	Legal intervention involving injury by machine gun, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.012D	Legal intervention involving injury by machine gun, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.013A	Legal intervention involving injury by machine gun, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.013D	Legal intervention involving injury by machine gun, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.021A	Legal intervention involving injury by handgun, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.021D	Legal intervention involving injury by handgun, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.022A	Legal intervention involving injury by handgun, bystander injured, initial encounter	ICD-10-CM	Diagnosis

Code List 3. List of International Classification of Diseases, Ninth and Tenth Revisions, Clinical Modification (ICD-9-CM and ICD-10-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
Y35.022D	Legal intervention involving injury by handgun, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.023A	Legal intervention involving injury by handgun, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.023D	Legal intervention involving injury by handgun, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.031A	Legal intervention involving injury by rifle pellet, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.031D	Legal intervention involving injury by rifle pellet, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.032A	Legal intervention involving injury by rifle pellet, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.032D	Legal intervention involving injury by rifle pellet, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.033A	Legal intervention involving injury by rifle pellet, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.033D	Legal intervention involving injury by rifle pellet, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.041A	Legal intervention involving injury by rubber bullet, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.041D	Legal intervention involving injury by rubber bullet, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.042A	Legal intervention involving injury by rubber bullet, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.042D	Legal intervention involving injury by rubber bullet, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.043A	Legal intervention involving injury by rubber bullet, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.043D	Legal intervention involving injury by rubber bullet, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.091A	Legal intervention involving other firearm discharge, law enforcement official injured, initial encounter	ICD-10-CM	Diagnosis
Y35.091D	Legal intervention involving other firearm discharge, law enforcement official injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.092A	Legal intervention involving other firearm discharge, bystander injured, initial encounter	ICD-10-CM	Diagnosis
Y35.092D	Legal intervention involving other firearm discharge, bystander injured, subsequent encounter	ICD-10-CM	Diagnosis
Y35.093A	Legal intervention involving other firearm discharge, suspect injured, initial encounter	ICD-10-CM	Diagnosis
Y35.093D	Legal intervention involving other firearm discharge, suspect injured, subsequent encounter	ICD-10-CM	Diagnosis